



# **Statement of Principles concerning diabetes mellitus (Balance of Probabilities) (No. 49 of 2020)**

made under subsection 196B(3) of the

*Veterans' Entitlements Act 1986*

## **Compilation No. 3**

**Compilation date:** 19 September 2022

**Includes amendments up to:** Veterans' Entitlements (Statements of Principles—definition of "one pack-year") Amendment Determination 2022 (No. 94 of 2022) (F2022L01128)

The day of commencement of this Amendment Determination is 19 September 2022.

Prepared by the Repatriation Medical Authority Secretariat, Brisbane

---

## About this compilation

### **This compilation**

This is a compilation of the *Statement of Principles concerning diabetes mellitus (Balance of Probabilities) (No. 49 of 2020)* that shows the text of the law as amended and in force on 19 September 2022.

The notes at the end of this compilation (the *endnotes*) include information about amending laws and the amendment history of provisions of the compiled law.

### **Uncommenced amendments**

The effect of uncommenced amendments is not shown in the text of the compiled law. Any uncommenced amendments affecting the law are accessible on the Legislation Register ([www.legislation.gov.au](http://www.legislation.gov.au)). The details of amendments made up to, but not commenced at, the compilation date are underlined in the endnotes. For more information on any uncommenced amendments, see the series page on the Legislation Register for the compiled law.

### **Application, saving and transitional provisions for provisions and amendments**

If the operation of a provision or amendment of the compiled law is affected by an application, saving or transitional provision that is not included in this compilation, details are included in the endnotes.

### **Modifications**

If the compiled law is modified by another law, the compiled law operates as modified but the modification does not amend the text of the law. Accordingly, this compilation does not show the text of the compiled law as modified. For more information on any modifications, see the series page on the Legislation Register for the compiled law.

### **Self-repealing provisions**

If a provision of the compiled law has been repealed in accordance with a provision of the law, details are included in the endnotes.

# Contents

1	Name .....	2
3	Authority .....	2
5	Application.....	2
6	Definitions.....	2
7	Kind of injury, disease or death to which this Statement of Principles relates .....	2
8	Basis for determining the factors .....	3
9	Factors that must exist.....	3
10	Relationship to service .....	8
11	Factors referring to an injury or disease covered by another Statement of Principles.....	8
<b>Schedule 1 - Dictionary .....</b>		<b>9</b>
1	Definitions.....	9
<b>Endnotes.....</b>		<b>14</b>
	Endnote 1—About the endnotes.....	14
	Endnote 2—Abbreviation key.....	15
	Endnote 3—Legislation history.....	16
	Endnote 4—Amendment history.....	17

---

**1 Name**

This is the Statement of Principles concerning *diabetes mellitus (Balance of Probabilities)* (No. 49 of 2020).

**3 Authority**

This instrument is made under subsection 196B(3) of the *Veterans' Entitlements Act 1986*.

**5 Application**

This instrument applies to a claim to which section 120B of the VEA or section 339 of the *Military Rehabilitation and Compensation Act 2004* applies.

**6 Definitions**

The terms defined in the Schedule 1 - Dictionary have the meaning given when used in this instrument.

**7 Kind of injury, disease or death to which this Statement of Principles relates**

- (1) This Statement of Principles is about diabetes mellitus and death from diabetes mellitus.

*Meaning of diabetes mellitus*

- (2) For the purposes of this Statement of Principles, diabetes mellitus:
- (a) means persistent hyperglycaemia characterised by either:
    - (i) two positive laboratory blood tests on separate days showing:
      - A. a fasting plasma glucose concentration of at least 7.0 millimoles per litre; or
      - B. a plasma glucose concentration of at least 11.1 millimoles per litre two hours after ingestion of 75 grams of glucose on a baseline fasting state (glucose tolerance test); or
      - C. an HbA<sub>1c</sub> level of at least 6.5%; or
    - (ii) an episode of diabetic ketoacidosis or hyperosmolar hyperglycaemic state with a blood glucose level of at least 11.1 millimoles per litre; and

- 
- (b) includes:
- (i) drug-induced diabetes mellitus;
  - (ii) gestational diabetes mellitus;
  - (iii) primary diabetes mellitus;
  - (iv) secondary diabetes mellitus;
  - (v) type 1 diabetes mellitus; and
  - (vi) type 2 diabetes mellitus; and

Note: *type 1 diabetes mellitus* and *type 2 diabetes mellitus* are defined in the Schedule 1 – Dictionary.

- (c) excludes impaired glucose tolerance.
- (3) While diabetes mellitus attracts ICD-10-AM code E10, E11, E12, E13 or E14, in applying this Statement of Principles the meaning of diabetes mellitus is that given in subsection (2).
- (4) For subsection (3), a reference to an ICD-10-AM code is a reference to the code assigned to a particular kind of injury or disease in *The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification* (ICD-10-AM), Tenth Edition, effective date of 1 July 2017, copyrighted by the Independent Hospital Pricing Authority, ISBN 978-1-76007-296-4.

#### *Death from diabetes mellitus*

- (5) For the purposes of this Statement of Principles, diabetes mellitus, in relation to a person, includes death from a terminal event or condition that was contributed to by the person's diabetes mellitus.

Note: *terminal event* is defined in the Schedule 1 – Dictionary.

### **8 Basis for determining the factors**

On the sound medical-scientific evidence available, the Repatriation Medical Authority is of the view that it is more probable than not that diabetes mellitus and death from diabetes mellitus can be related to relevant service rendered by veterans or members of the Forces under the VEA, or members under the MRCA.

Note: *MRCA*, *relevant service* and *VEA* are defined in the Schedule 1 – Dictionary.

### **9 Factors that must exist**

At least one of the following factors must exist before it can be said that, on the balance of probabilities, diabetes mellitus or death from diabetes mellitus is connected with the circumstances of a person's relevant service:

- 
- (1) having an endocrine disorder from the specified list of endocrine disorders before the clinical onset of diabetes mellitus;  
Note: *specified list of endocrine disorders* is defined in the Schedule 1 - Dictionary.
  - (2) having a solid organ transplant or bone marrow transplant before the clinical onset of diabetes mellitus;
  - (3) having glucocorticoid therapy as specified, before the clinical onset of diabetes mellitus, and where the glucocorticoid therapy as specified has ceased or decreased, the last dose of the therapy was received within the 30 days before the clinical onset of diabetes mellitus;  
Note: *glucocorticoid therapy as specified* is defined in the Schedule 1 - Dictionary.
  - (4) being treated with a drug from the Specified List 1 of drugs, which cannot be ceased or substituted, for at least the seven days before the clinical onset of diabetes mellitus;  
Note: *Specified List 1 of drugs* is defined in the Schedule 1 - Dictionary.
  - (5) being treated with a drug from the antidepressant or antipsychotic classes of drugs, which cannot be ceased or substituted, for at least the three months before the clinical onset of diabetes mellitus;
  - (6) for type 1 diabetes mellitus only:
    - (a) undergoing surgery to the pancreas before the clinical onset of diabetes mellitus;
    - (b) having a specified pathological condition involving the pancreas before the clinical onset of diabetes mellitus;  
Note: *specified pathological condition involving the pancreas* is defined in the Schedule 1 - Dictionary.
    - (c) having haemolytic uraemic syndrome before the clinical onset of diabetes mellitus;  
Note: *haemolytic uraemic syndrome* is defined in the Schedule 1 - Dictionary.
    - (d) ingesting N-3-pyridyl methyl-N'-p-nitrophenyl urea (Vacor) within the 30 days before the clinical onset of diabetes mellitus;  
or
    - (e) taking an immune checkpoint inhibitor or an interferon within the one year before the clinical onset of diabetes mellitus;  
Note: *immune checkpoint inhibitor* is defined in the Schedule 1 - Dictionary

---

(7) for type 2 diabetes mellitus only:

- (a) having smoked at least five pack-years of tobacco products before the clinical onset of diabetes mellitus, and where smoking has permanently ceased, the clinical onset of diabetes mellitus has occurred within 15 years of cessation;

Note: *one pack-year* is defined in the Schedule 1 - Dictionary.

- (b) being exposed to second-hand smoke for at least 5,000 hours before the clinical onset of diabetes mellitus, and where exposure to second-hand smoke has permanently ceased, the clinical onset of diabetes mellitus has occurred within 15 years of cessation;

Note: *being exposed to second-hand smoke* is defined in the Schedule 1 - Dictionary.

- (c) being overweight or obese for at least five years before the clinical onset of diabetes mellitus;

Note: *being overweight or obese* is defined in the Schedule 1 - Dictionary.

- (d) an inability to undertake moderate physical activity of at least four METs for at least the five years before the clinical onset of diabetes mellitus;

Note: *MET* is defined in the Schedule 1 - Dictionary.

- (e) having cirrhosis of the liver at the time of the clinical onset of diabetes mellitus;

- (f) having non-alcoholic steatohepatitis at the time of the clinical onset of diabetes mellitus;

- (g) having infection with human immunodeficiency virus before the clinical onset of diabetes mellitus;

- (h) having infection with hepatitis C virus before the clinical onset of diabetes mellitus;

- (i) having depressive disorder at the time of the clinical onset of diabetes mellitus;

- (j) having bipolar disorder at the time of the clinical onset of diabetes mellitus;

- (k) having schizophrenia at the time of the clinical onset of diabetes mellitus;

- (l) having bilateral orchiectomy before the clinical onset of diabetes mellitus;

- 
- (m) having anti-androgen therapy with a gonadotrophin releasing hormone agonist, including goserelin and leuprorelin, for at least the one year before the clinical onset of diabetes mellitus; or
  - (n) being exposed to arsenic as specified before the clinical onset of diabetes mellitus;

Note: *being exposed to arsenic as specified* is defined in the Schedule 1 - Dictionary.

- (8) for gestational diabetes mellitus and type 2 diabetes mellitus only, being pregnant at the time of the clinical onset of diabetes mellitus;
- (9) having an endocrine disorder from the specified list of endocrine disorders before the clinical worsening of diabetes mellitus;

Note: *specified list of endocrine disorders* is defined in the Schedule 1 - Dictionary.

- (10) having a solid organ transplant or bone marrow transplant before the clinical worsening of diabetes mellitus;
- (11) having glucocorticoid therapy as specified, before the clinical worsening of diabetes mellitus, and where the glucocorticoid therapy as specified has ceased or decreased, the last dose of the therapy was received within the 30 days before the clinical worsening of diabetes mellitus;

Note: *glucocorticoid therapy as specified* is defined in the Schedule 1 - Dictionary.

- (12) being treated with a drug from the Specified List 1 of drugs, which cannot be ceased or substituted, for at least the seven days before the clinical worsening of diabetes mellitus;

Note: *Specified List 1 of drugs* is defined in the Schedule 1 - Dictionary.

- (13) being treated with a drug from the antidepressant or antipsychotic classes of drugs, which cannot be ceased or substituted, for at least the three months before the clinical worsening of diabetes mellitus;

- (13a) taking an immune checkpoint inhibitor or an interferon within the one year before the clinical worsening of diabetes mellitus;

Note: *immune checkpoint inhibitor* is defined in the Schedule 1 - Dictionary.

- (14) undergoing surgery to the pancreas before the clinical worsening of diabetes mellitus;

- (15) having a specified pathological condition involving the pancreas before the clinical worsening of diabetes mellitus;

Note: *specified pathological condition involving the pancreas* is defined in the Schedule 1 - Dictionary.



- 
- (16) having haemolytic uraemic syndrome before the clinical worsening of diabetes mellitus;

Note: *haemolytic uraemic syndrome* is defined in the Schedule 1 - Dictionary.

- (17) ingesting N-3-pyridyl methyl-N'-p-nitrophenyl urea (Vacor) within the 30 days before the clinical worsening of diabetes mellitus;

- (18) having depressive disorder at the time of the clinical worsening of diabetes mellitus;

- (19) having bipolar disorder at the time of the clinical worsening of diabetes mellitus;

- (20) having schizophrenia at the time of the clinical worsening of diabetes mellitus;

- (21) for type 2 diabetes mellitus only:

- (a) having smoked at least five pack-years of tobacco products before the clinical worsening of diabetes mellitus, and where smoking has permanently ceased, the clinical worsening of diabetes mellitus has occurred within 15 years of cessation;

Note: *one pack-year* is defined in the Schedule 1 - Dictionary.

- (b) being exposed to second-hand smoke for at least 5,000 hours before the clinical worsening of diabetes mellitus, and where exposure to second-hand smoke has permanently ceased, the clinical worsening of diabetes mellitus has occurred within 15 years of cessation;

Note: *being exposed to second-hand smoke* is defined in the Schedule 1 - Dictionary.

- (c) being overweight or obese for at least five years before the clinical worsening of diabetes mellitus;

Note: *being overweight or obese* is defined in the Schedule 1 - Dictionary.

- (d) an inability to undertake moderate physical activity of at least four METs for at least the five years before the clinical worsening of diabetes mellitus;

Note: *MET* is defined in the Schedule 1 - Dictionary.

- (e) having cirrhosis of the liver at the time of the clinical worsening of diabetes mellitus;

- (f) having non-alcoholic steatohepatitis at the time of the clinical worsening of diabetes mellitus;

- 
- (g) having infection with human immunodeficiency virus before the clinical worsening of diabetes mellitus;
  - (h) having infection with hepatitis C virus before the clinical worsening of diabetes mellitus;
  - (i) having bilateral orchiectomy before the clinical worsening of diabetes mellitus;
  - (j) having anti-androgen therapy with a gonadotrophin releasing hormone agonist, including goserelin and leuprorelin, for at least the one year before the clinical worsening of diabetes mellitus;  
or
  - (k) being exposed to arsenic as specified before the clinical worsening of diabetes mellitus;

Note: *being exposed to arsenic as specified* is defined in the Schedule 1 - Dictionary.

- (22) for gestational diabetes mellitus and type 2 diabetes mellitus only, being pregnant at the time of the clinical worsening of diabetes mellitus;
- (23) inability to obtain appropriate clinical management for diabetes mellitus.

## **10 Relationship to service**

- (1) The existence in a person of any factor referred to in section 9, must be related to the relevant service rendered by the person.
- (2) The factors set out in subsections 9(9) to 9(23) apply only to material contribution to, or aggravation of, diabetes mellitus where the person's diabetes mellitus was suffered or contracted before or during (but did not arise out of) the person's relevant service.

## **11 Factors referring to an injury or disease covered by another Statement of Principles**

In this Statement of Principles:

- (1) if a factor referred to in section 9 applies in relation to a person; and
- (2) that factor refers to an injury or disease in respect of which a Statement of Principles has been determined under subsection 196B(3) of the VEA;

then the factors in that Statement of Principles apply in accordance with the terms of that Statement of Principles as in force from time to time.

# Schedule 1 - Dictionary

Note: See Section 6

## 1 Definitions

In this instrument:

***being exposed to arsenic as specified*** means:

- (a) consuming drinking water with an average arsenic concentration of at least 50 micrograms per litre for a cumulative period of at least ten years; or
- (b) consuming drinking water resulting in a cumulative total arsenic exposure equivalent to having consumed drinking water containing at least 50 micrograms per litre for at least ten years; or
- (c) having clinical evidence of chronic arsenic toxicity.

***being exposed to second-hand smoke*** means being in an enclosed space and inhaling smoke from burning tobacco products or smoke that has been exhaled by another person who is smoking.

***being overweight or obese*** means:

- (a) having a Body Mass Index (BMI) of 25 or greater; or
- (b) having a waist circumference of greater than 80 centimetres in women or greater than 94 centimetres in men.

Note: **BMI** is also defined in the Schedule 1 - Dictionary.

**BMI** means  $W/H^2$  where:

- (a) W is the person's weight in kilograms; and
- (b) H is the person's height in metres.

***diabetes mellitus***—see subsection 7(2).

***equivalent glucocorticoid therapy*** means a glucocorticoid in the following table, at the doses specified in the table, or a therapeutically equivalent dose of another glucocorticoid:

Glucocorticoid	Minimum cumulative dose (milligrams)	Minimum average rate (milligrams/day)
betamethasone	60	2
cortisone	1,875	62.5
dexamethasone	50	1.67
methylprednisolone	300	10
paramethasone	150	5
prednisone	375	12.5
prednisolone	375	12.5
triamcinolone	300	10

***equivalent inhaled glucocorticoid*** means:

- (a) 8,000 micrograms of triamcinolone;
- (b) 1,600 micrograms of budesonide;
- (c) 1,000 micrograms of fluticasone; or
- (d) a therapeutically equivalent dose of another inhaled glucocorticoid.

***glucocorticoid therapy as specified*** means:

- (a) taking:
  - (i) hydrocortisone, orally, by injection, or per rectum:
    - A. to a cumulative dose of at least 1,500 milligrams, and
    - B. at a minimum dose rate averaging 50 milligrams per day; or
  - (ii) equivalent glucocorticoid therapy, orally, by injection, or per rectum; or
- (b) inhaling at least 1,600 micrograms of beclomethasone, or equivalent inhaled glucocorticoid, daily, for at least six months; or
- (c) using an ocular or intranasal glucocorticoid at above the maximum therapeutic dosage level, daily, for at least six months; or
- (d) applying a high or very high potency topical glucocorticoid to at least 20% of total skin surface area, daily, for at least six months; or
- (e) using a glucocorticoid concurrently with a drug from the Specified List 2 of drugs, daily, for at least 30 days.

Note: *equivalent glucocorticoid therapy*, *equivalent inhaled glucocorticoid*, *high or very high potency topical glucocorticoid* and *Specified List 2 of drugs* are also defined in the Schedule 1 – Dictionary.

***haemolytic uraemic syndrome*** means a clinical syndrome characterised by renal failure, microangiopathic haemolytic anaemia and thrombocytopenia.

***high or very high potency topical glucocorticoid*** means:

- (a) betamethasone dipropionate 0.05%;
- (b) betamethasone valerate 0.1%;
- (c) clobetasol proprionate 0.05%;
- (d) diflucortolone valerate 0.1%;
- (e) fluocinolone acetonide 0.025%; or
- (f) another topical glucocorticoid of equivalent potency.

***immune checkpoint inhibitor*** means a form of cancer immunotherapy that uses monoclonal antibodies targeting the immune checkpoint proteins. Examples include ipilimumab, tremelimumab, nivolumab and pembrolizumab.

***MET*** means a unit of measurement of the level of physical exertion. 1 MET = 3.5 ml of oxygen/kg of body weight per minute, 1.0 kcal/kg of body weight per hour, or resting metabolic rate.

***MRCIA*** means the *Military Rehabilitation and Compensation Act 2004*.

**one pack-year** means the amount of tobacco consumed in smoking 20 cigarettes per day for a period of 1 year, or an equivalent amount of tobacco products.

Note 1: An equivalent amount of tobacco products is 7,300 grams of smoking tobacco by weight, either in cigarettes, pipe tobacco or cigars, or a combination of same. For pipe tobacco, cigars or combinations of multiple tobacco types, 1 gram of tobacco is considered to be equal to one cigarette.

Note 2: Pack-years are calculated by dividing the number of cigarettes smoked per day by 20 and multiplying this number by the number of years the person has smoked. For example, smoking 10 cigarettes per day for 10 years is equal to 5 pack-years, and smoking 40 cigarettes per day for 10 years is equal to 20 pack-years.

**relevant service** means:

- (a) eligible war service (other than operational service) under the VEA;
- (b) defence service (other than hazardous service and British nuclear test defence service) under the VEA; or
- (c) peacetime service under the MRCA.

Note: *MRCA* and *VEA* are also defined in the Schedule 1 - Dictionary.

**Specified List 1 of drugs** means:

- (a) abacavir;
- (b) alpha and beta agonists, including adrenaline and noradrenaline;
- (c) amiodarone;
- (d) beta-blockers;
- (e) bortezomib;
- (f) cyclophosphamide;
- (g) cyclosporine;
- (h) decitabine;
- (i) diadanosine;
- (j) diazoxide;
- (k) docetaxel;
- (l) emtricitabine;
- (m) everolimus;
- (n) gatifloxacin;
- (o) growth hormone;
- (p) imatinib;
- (q) isoniazid;
- (r) L-asparaginase;
- (s) lamivudine;
- (t) levofloxacin;
- (u) moxifloxacin;
- (v) nicotinic acid for the treatment of dyslipidaemia;
- (w) nilotinib;
- (x) pentamidine;
- (y) phenytoin;
- (z) protease inhibitors;
- (aa) rifampicin;
- (bb) sirolimus;

- (cc) sodium valproate;
- (dd) somatostatin analogues;
- (ee) statins;
- (ff) stavudine;
- (gg) streptozotocin;
- (hh) tacrolimus;
- (ii) temsirolimus;
- (jj) temzolomibe;
- (kk) theophylline;
- (ll) thiazide diuretics;
- (mm) thyroid hormones;
- (nn) vorinostat; or
- (oo) zidovudine.

***Specified List 2 of drugs*** means:

- (a) amprenavir;
- (b) atazanavir;
- (c) darunavir;
- (d) fosamprenavir;
- (e) indinavir;
- (f) itraconazole;
- (g) ketoconazole;
- (h) lopinavir;
- (i) nelfinavir;
- (j) ritonavir;
- (k) saquinavir; or
- (l) tipranavir.

***specified list of endocrine disorders*** means:

- (a) acromegaly;
- (b) Cushing syndrome;
- (c) glucagonoma;
- (d) hyperthyroidism;
- (e) pheochromocytoma;
- (f) primary hyperaldosteronism; or
- (g) somatostatinoma.

***specified pathological condition involving the pancreas*** means:

- (a) acute pancreatitis;
- (b) chronic pancreatitis;
- (c) cystic fibrosis;
- (d) haemochromatosis; or
- (e) malignant neoplasm of the pancreas.

***terminal event*** means the proximate or ultimate cause of death and includes the following:

- (a) pneumonia;

- (b) respiratory failure;
- (c) cardiac arrest;
- (d) circulatory failure; or
- (e) cessation of brain function.

***type 1 diabetes mellitus*** means a form of diabetes mellitus caused by complete or near-total insulin deficiency and requiring daily administration of insulin.

***type 2 diabetes mellitus*** means a form of diabetes mellitus caused by variable degrees of insulin resistance and impaired insulin secretion.

***VEA*** means the *Veterans' Entitlements Act 1986*.

## Endnotes

### Endnote 1—About the endnotes

The endnotes provide information about this compilation and the compiled law.

The following endnotes are included in every compilation:

Endnote 1—About the endnotes

Endnote 2—Abbreviation key

Endnote 3—Legislation history

Endnote 4—Amendment history

### Abbreviation key—Endnote 2

The abbreviation key sets out abbreviations that may be used in the endnotes.

### Legislation history and amendment history—Endnotes 3 and 4

Amending laws are annotated in the legislation history and amendment history.

The legislation history in endnote 3 provides information about each law that has amended (or will amend) the compiled law. The information includes commencement details for amending laws and details of any application, saving or transitional provisions that are not included in this compilation.

The amendment history in endnote 4 provides information about amendments at the provision (generally section or equivalent) level. It also includes information about any provision of the compiled law that has been repealed in accordance with a provision of the law.

### Misdescribed amendments

A misdescribed amendment is an amendment that does not accurately describe the amendment to be made. If, despite the misdescription, the amendment can be given effect as intended, the amendment is incorporated into the compiled law and the abbreviation “(md)” added to the details of the amendment included in the amendment history.

If a misdescribed amendment cannot be given effect as intended, the abbreviation “(md not incorp)” is added to the details of the amendment included in the amendment history.



**Endnote 2—Abbreviation key**

ad = added or inserted	o = order(s)
am = amended	Ord = Ordinance
amdt = amendment	orig = original
c = clause(s)	par = paragraph(s)/subparagraph(s) /sub-subparagraph(s)
C[x] = Compilation No. x	pres = present
Ch = Chapter(s)	prev = previous
def = definition(s)	(prev...) = previously
Dict = Dictionary	Pt = Part(s)
disallowed = disallowed by Parliament	r = regulation(s)/rule(s)
Div = Division(s)	
exp = expires/expired or ceases/ceased to have effect	reloc = relocated
F = Federal Register of Legislation	renum = renumbered
gaz = gazette	rep = repealed
LA = <i>Legislation Act 2003</i>	rs = repealed and substituted
LIA = <i>Legislative Instruments Act 2003</i>	s = section(s)/subsection(s)
(md) = misdescribed amendment can be given effect	Sch = Schedule(s)
(md not incorp) = misdescribed amendment cannot be given effect	Sdiv = Subdivision(s)
mod = modified/modification	SLI = Select Legislative Instrument
No. = Number(s)	SR = Statutory Rules
	Sub-Ch = Sub-Chapter(s)
	SubPt = Subpart(s)
	<u>underlining</u> = whole or part not commenced or to be commenced

---

**Endnote 3—Legislation history**

<b>Name</b>	<b>Registration</b>	<b>Commencement</b>	<b>Application, saving and transitional provisions</b>
<i>Statement of Principles concerning diabetes mellitus (Balance of Probabilities) (No. 49 of 2020)</i>	29 June 2020 F2020L00822	27 July 2020	
<i>Amendment Statement of Principles concerning diabetes mellitus (Balance of Probabilities) (No. 84 of 2021)</i>	30 June 2021 F2021L00927	26 July 2021	
<i>Amendment Statement of Principles concerning diabetes mellitus (Balance of Probabilities) (No. 50 of 2022)</i>	2 May 2022 F2022L00666	30 May 2022	
<i>Veterans' Entitlements (Statements of Principles—definition of "one pack-year") Amendment Determination 2022 (No. 94 of 2022)</i>	26 August 2022 F2022L01128	19 September 2022	

---

**Endnote 4—Amendment history**

<b>Provision affected</b>	<b>How affected</b>
Section 2.....	rep LA s 48D
Section 4.....	rep LA s 48C
Subsection 9(6)(e).....	rs No. 84 of 2021
Subsection 9(13a).....	ad No. 84 of 2021
Subsection 9(6)(e).....	rs No. 50 of 2022
Subsection 9(13a).....	rs No. 50 of 2022
Schedule 1 – Dictionary – immune checkpoint inhibitor.....	ad No. 50 of 2022
Subsection 9(7)(a) note	rs No. 94 of 2022
Subsection 9(21)(a) note.....	rs No. 94 of 2022
Schedule 1 – Dictionary – one pack-year.....	rs No. 94 of 2022