

# STATUTORY RULES.

1961. No. 59.

## REGULATIONS UNDER THE NATIONAL HEALTH ACT 1953-1959.\*

I THE ADMINISTRATOR of the Government of the Commonwealth of Australia, acting with the advice of the Federal Executive Council, hereby make the following Regulations under the *National Health Act 1953-1959*.

Dated this 27<sup>th</sup>  
day of April, 1961.

DALLAS BROOKS  
Administrator.

By His Excellency's Command,

(Sgd.) Donald A. Cameron

Minister of State for Health.

### AMENDMENTS OF THE NATIONAL HEALTH (PHARMACEUTICAL BENEFITS) REGULATIONS.†

1. These Regulations shall come into operation on the first day of May, 1961. Commencement.

2. The First Schedule to the National Health (Pharmaceutical Benefits) Regulations is amended—

- (a) by inserting after the word—  
“Chloroxylenol.”  
the words—  
“Chlortetracycline Injection.”; and
- (b) by omitting the word—  
“Diodohydroxyquinoline.”.

27<sup>th</sup> April

3. The Second and Third Schedules to the National Health (Pharmaceutical Benefits) Regulations are repealed and the following Schedules inserted in their stead:—

Second and  
Third Schedules.

## SECOND SCHEDULE.

Regulation 10 (3.).

DRUGS AND MEDICINAL PREPARATIONS THAT ARE PHARMACEUTICAL BENEFITS ONLY WHEN PRESCRIBED FOR USE IN A DETERMINED FORM OR IN ALLOWABLE COMPOUNDS.

Pharmaceutical Benefit.	Allowable Compounds (if any).
Acetone B.P.C. . . . .	Zinc Sulphate B.P. with Sulphurated Potash B.P.C., Acetone B.P.C., Glycerin B.P. and Distilled Water B.P.
Dried Aluminium Hydroxide Gel. B.P.	Magenta B.P.C. with Boric Acid B.P., Phenol B.P., Resorcinol B.P., Acetone B.P.C., Industrial Methylated Spirits B.P. and Water Prednisolone B.P. with Magnesium Trisilicate B.P. and Dried Aluminium Hydroxide Gel. B.P. Prednisone B.P. with Magnesium Trisilicate B.P. and Dried Aluminium Hydroxide Gel. B.P.
Aluminium Hydroxide Gel. B.P. . . . .	Aluminium Hydroxide Gel. B.P. with Light Magnesia B.P.
Aluminium Powder . . . . .	Aluminium Powder with Zinc Oxide B.P. and Liquid Paraffin B.P.
Amiphenazole Hydrobromide . . . . .	—
Amiphenazole Hydrochloride A.P.F. 1955 . . . . .	—
Analysis Paper (Diabetic) . . . . .	—
Aneurine Hydrochloride B.P. . . . .	Vitamin A with Aneurine Hydrochloride B.P., Riboflavine B.P., Nicotinamide B.P., Ascorbic Acid B.P. and Vitamin D
Ascorbic Acid B.P. . . . .	Vitamin A with Aneurine Hydrochloride B.P., Riboflavine B.P., Nicotinamide B.P., Ascorbic Acid B.P. and Vitamin D
Bacitracin B.P. . . . .	Polymyxin B. Sulphate B.P. with Bacitracin B.P., Neomycin Sulphate B.P. and Paraffin Base Bacitracin B.P. with Ophthalmic Phosphate Buffer Solution Neomycin Sulphate B.P. with Bacitracin B.P. and Polymyxin B. Sulphate B.P.
Bendrofluazide . . . . .	—
Benethamine Penicillin . . . . .	Benethamine Penicillin with Procaine Penicillin B.P. and Benzylpenicillin Sodium B.P.
Benzalkonium Chloride . . . . .	—
Benzathine Penicillin B.P. . . . .	Procaine Penicillin B.P. with Benzylpenicillin B.P. and Benzathine Penicillin B.P.
Benzylpenicillin B.P. . . . .	Fortified Procaine Penicillin Injection B.P. Benzylpenicillin B.P. with Procaine Penicillin B.P. and Streptomycin Sulphate B.P. Procaine Penicillin B.P. with Benzylpenicillin B.P. and Benzathine Penicillin B.P.
Benzylpenicillin Sodium B.P. . . . .	Streptomycin Sulphate B.P. with Benzylpenicillin Sodium B.P. Benethamine Penicillin with Procaine Penicillin B.P. and Benzylpenicillin Sodium B.P.
Bismuth Subnitrate B.P.C. . . . .	Resorcinol B.P. with Bismuth Subnitrate B.P.C., Zinc Oxide B.P., Starch B.P., Cade Oil B.P., Wool Fat B.P., Sodium Metabisulphite, Water, Hard Paraffin B.P. and Yellow Soft Paraffin B.P.

## SECOND SCHEDULE—continued.

Pharmaceutical Benefit.	Allowable Compounds (if any).
Busulphan .. .. .	—
Butabarbital Sodium .. .. .	—
Carbromal B.P. .. .. .	Pentobarbitone Sodium B.P. with Carbromal B.P.
Chloramphenicol B.P. .. .. .	Chloramphenicol B.P. with Borate Buffer and Sterile Distilled Water
	Chloramphenicol B.P. with Propylene Glycol B.P.
	Chloramphenicol B.P. with Liquid Paraffin B.P. and White Soft Paraffin B.P.
Chlorpromazine Hydrochloride B.P. .. .. .	—
Chlortetracycline Calcium .. .. .	—
Chlortetracycline Hydrochloride B.P. .. .. .	Chlortetracycline Hydrochloride B.P. with Liquid Paraffin B.P. and White Soft Paraffin B.P.
Oil of Citronella .. .. .	Dicophane B.P. with Emulsifying Wax B.P., Xylene B.P.C. 1949, Oil of Citronella and Water
Clemizole .. .. .	—
Cortisone Acetate B.P. .. .. .	—
Demethylchlortetracycline Hydrochloride .. .. .	—
Dexamethasone Sodium Phosphate .. .. .	—
Dextrochlorpheniramine Maleate .. .. .	—
Dicyclomine Hydrochloride .. .. .	—
Dienoestrol B.P. .. .. .	—
Diethyl Dithiolisophthalate .. .. .	—
Diodohydroxyquinoline B.P. .. .. .	—
Diphenylthiourea .. .. .	—
Diphtheria and Pertussis Vaccine B.P. ... .. .	Diphtheria, Tetanus and Pertussis Vaccine B.P.
Diphtheria Vaccine B.P. .. .. .	Diphtheria and Pertussis Vaccine B.P.
	Diphtheria, Tetanus and Pertussis Vaccine B.P.
	Diphtheria Vaccine B.P. with Tetanus Toxoid, Purified Aluminium Phosphate Adsorbed
Ergotamine Tartrate B.P. .. .. .	Ergotamine Tartrate B.P. with Caffeine B.P.
Erythromycin B.P. .. .. .	—
Ferrous Aminoacetosulphate .. .. .	—
Ferrous Succinate .. .. .	—
Guanethidine Sodium .. .. .	—
Haemophilus Influenza Bacterial Serum .. .. .	—
Hamamelis Dry Extract .. .. .	Hamamelis Dry Extract with Zinc Oxide B.P. and Theobroma Oil B.P.
Hexocyclium Methyl Sulphate .. .. .	—
Hydrocortisone B.P. .. .. .	—
Isoprenaline Hydrochloride .. .. .	—
Isopropamide Iodide .. .. .	—
Lofenalac .. .. .	—
Mercuric Oxide Eye Ointment B.P. .. .. .	—
Methscopolamine Bromide .. .. .	—
Methylprednisolone .. .. .	—
Naphazoline Nitrate B.P. .. .. .	Antazoline Hydrochloride B.P. with Naphazoline Nitrate B.P.
Neomycin Sulphate B.P. .. .. .	Polymyxin B. Sulphate B.P. with Bacitracin B.P., Neomycin Sulphate B.P. and Paraffin Base
	Neomycin Sulphate B.P. with Bacitracin B.P. and Polymyxin B. Sulphate B.P.
Nicotinamide B.P. .. .. .	Vitamin A with Aneurine Hydrochloride B.P., Riboflavine B.P., Nicotinamide B.P., Ascorbic Acid B.P. and Vitamin D
Oestrone .. .. .	—
Oleandomycin .. .. .	Tetracycline with Oleandomycin
Oleoresin Capsicum .. .. .	Bile Salts with Cascara Sagrada B.P., Phenolphthalein B.P. and Oleoresin Capsicum

National Health (Pharmaceutical Benefits) Regulations.

4

SECOND SCHEDULE—continued.

Pharmaceutical Benefit.	Allowable Compounds (if any).
Oxyphenyclimine Hydrochloride ..	—
Oxyphenonium Bromide ..	—
Oxytetracycline Hydrochloride B.P. ..	Oxytetracycline Hydrochloride B.P. with Liquid Paraffin B.P. and White Soft Paraffin B.P.
Papaveretum B.P.C. ..	Papaveretum B.P.C. with Hyoscine Hydrobromide B.P.
Pancreatin B.P. ..	—
Pentolinium Tartrate B.P. ..	Pentolinium Tartrate B.P. with Ephedrine B.P.
Pethidine Hydrochloride B.P. ..	Pethidine Hydrochloride B.P. with Hyoscine Hydrobromide B.P.
Pertussis Vaccine B.P. ..	Diphtheria, Tetanus and Pertussis Vaccine B.P. Diphtheria and Pertussis Vaccine B.P.
Phenoxymethylpenicillin B.P. ..	—
Phenoxymethylpenicillin (Benzathine Salt)	—
Phenoxymethylpenicillin (Calcium Salt)	—
Phenoxymethylpenicillin (Hydrabamine Salt)	—
Phenoxymethylpenicillin (Potassium Salt)	—
Phenylephrine Hydrochloride B.P. ..	Phenylephrine Hydrochloride B.P. with Benzocaine B.P., Bismuth Subgallate, Zinc Oxide B.P., Hamamelis Dry Extract, Tannic Acid B.P., Menthol B.P., Boric Acid B.P. and Oil of Thcobroma B.P.
Polymyxin B. Sulphate B.P. ..	Polymyxin B. Sulphate B.P. with Mucilage of Methylcellulose and Distilled Water B.P. Polymyxin B. Sulphate B.P. with Bacitracin B.P., Neomycin Sulphate B.P. and Paraffin Base Polymyxin B. Sulphate B.P. with Ophthalmic Phosphate Buffer Polymyxin B. Sulphate B.P. with Acetic Acid B.P. and Propylene Glycol B.P. Polymyxin B. Sulphate B.P. with Neomycin Sulphate B.P. and Bacitracin B.P.
Prednisolone B.P. ..	Prednisolone B.P. with Magnesium Trisilicate B.P. and Dried Aluminium Hydroxide Gel. B.P. Prednisolone B.P. with Liquid Paraffin B.P. and White Soft Paraffin B.P.
Prednisolone Phosphate ..	—
Prednisone B.P. ..	Prednisone B.P. with Magnesium Trisilicate B.P. and Dried Aluminium Hydroxide Gel. B.P.
Procaine Hydrochloride B.P. ..	Procaine Hydrochloride B.P. in Normal Saline Tetracycline and Procaine Injection B.P.
Pyridine Aldoxime Methiodide ..	—
Pyrimido-Pyrimidine ..	—
Pyrrolidino-Methyl-Tetracycline ..	—
Rauwolfia Alkaloids ..	—
Reserpine B.P. ..	—
Riboflavine B.P. ..	Vitamin A with Aneurine Hydrochloride B.P., Riboflavine B.P., Nicotinamide B.P., Ascorbic Acid B.P. and Vitamin D
Sobee ..	—
Sodium Chloride B.P. with Potassium Chloride B.P. and Hydrated Calcium Chloride in Water for Injection B.P.	Sodium Chloride B.P. with Potassium Chloride B.P., Hydrated Calcium Chloride B.P., Water for Injection B.P. and Dextrose B.P.
Compound Sodium Lactate Injection B.P.	Compound Sodium Lactate Injection B.P. with Dextrose B.P.

## SECOND SCHEDULE—continued.

Pharmaceutical Benefit.	Allowable Compounds (if any).
Sodium Lauryl Sulphate B.P.	Emulsifying Wax B.P.
Streptomycin Sulphate B.P.	Benzylpenicillin B.P. with Procaine Penicillin B.P. and Streptomycin Sulphate B.P. Benzylpenicillin Sodium B.P. with Streptomycin Sulphate B.P.
Sulphadimidine B.P.	Streptomycin Sulphate B.P. with Normal Saline Sulphadiazine B.P. with Sulphamerazine B.P. and Sulphadimidine B.P.
Sulphamerazine B.P.	Sulphadiazine B.P. with Sulphamerazine B.P. and Sulphadimidine B.P. Sulphadiazine B.P. with Sulphamerazine B.P. and Sulphathiazole Sulphadiazine B.P. with Sulphamerazine B.P. and Sulphacetamide
Sulphacetamide	Sulphadiazine B.P. with Sulphamerazine B.P. and Sulphacetamide
Sulphathiazole	Sulphadiazine B.P. with Sulphamerazine B.P. and Sulphathiazole
Terpineol B.P.	Solution of Chloroxylenol B.P.
Tetanus Toxoid, Purified Aluminium Phosphate Adsorbed	Diphtheria Vaccine B.P. with Tetanus Toxoid, Purified Aluminium Phosphate Adsorbed
Tetanus Vaccine B.P.	Diphtheria, Tetanus and Pertussis Vaccine B.P.
Tetracycline Hydrochloride B.P.	Tetracycline Hydrochloride B.P. with Nystatin Tetracycline and Procaine Injection B.P. Tetracycline Hydrochloride B.P. with a buffering agent Tetracycline Hydrochloride B.P. with Liquid Paraffin B.P. and White Soft Paraffin B.P.
Tetracycline	Tetracycline with Oleandomycin
Thenalidine	Thenalidine with Calcium Lactate B.P. and Calcium Gluconate B.P.
Theobroma Prepared B.P.C.	Calcium Gluconate B.P. with Sucrose B.P., Vanillin B.P. and Theobroma Prepared B.P.C.
Triamcinolone	—
Trifluoperazine	—
Tricyclamol Chloride	—
Troxidone B.P.	—
Typhoid Para-Typhoid A and B Vaccine B.P.	Typhoid Para-Typhoid A, B and C Vaccine B.P.
Tyrothricin	Tyrothricin with a buffering agent
Concentrated Vitamin A Solution B.P.	Concentrated Vitamins A and D Solution B.P.
Concentrated Vitamin D Solution B.P.	Concentrated Vitamins A and D Solution B.P.
Vitamin D	Vitamin A with Aneurine Hydrochloride B.P., Riboflavine B.P., Nicotinamide B.P., Ascorbic Acid B.P. and Vitamin D
Xylene B.P.C. 1949.	Dicophane B.P. with Emulsifying Wax B.P., Xylene B.P.C. 1949, Oil of Citronella and Water
Yellow Mercuric Oxide B.P.	Mercuric Oxide Eye Ointment B.P.

## THIRD SCHEDULE.

Regulation 11.

PHARMACEUTICAL BENEFITS ADDITIONAL TO PHARMACEUTICAL  
BENEFITS IN THE BRITISH PHARMACOPOEIA.

Acetazolamide Sodium.	Catechu Tincture, B.P.C.
Acetone, B.P.C.	Cetyl Alcohol Compound.
Acetyl-Sulphamethoxy-pyridazine.	Charcoal.
Aconite Liniment, B.P.C.	Chimiofon, B.P. 1948.
Acriflavine, B.P. 1948.	Chlorambucil.
Adrenaline Hydrochloride Solution, B.P. 1953.	Chlorazanyl.
Adrenaline in Oil.	Chlormerodrin.
Adrenaline Mucate.	Chlorpheniramine Maleate.
Agar, B.P.C.	Chlorpropamide.
Aloes Pill B.P. 1948.	Chlortetracycline Calcium.
Aloin, B.P. 1953.	Chlorothiazide.
Aloxidone.	Clemizole Hydrochloride.
Aluminium Acetate Solution, B.P.C.	Cloves, Concentrated Infusion, B.P.C.
Aluminium Powder.	Codeine, B.P.C.
Amidopyrin, B.P.C.	Cod Liver Oil Emulsion, B.P. 1953.
Amiphenazole Hydrobromide.	Colchicine Salicylate.
Amiphenazole Hydrochloride, A.P.F. 1955.	Colocynth and Hyoscyamus Pill, B.P.C.
Ammonium Acetate, Strong Solution, B.P. 1953.	Colocynth, B.P.C.
Ammonium Bicarbonate, B.P. 1953.	Colocynth Compound Powder Extract, B.P.C.
Ammonium Bromide, B.P.C.	Compound Effervescent Powder, B.P. 1953.
Amphotericin B.	Creosote, B.P. 1953.
Amylobarbitone Sodium, B.P.C.	Crude Coal Tar.
Analysis Paper (Diabetic).	Cyclophosphamide.
Androstanolone.	Cycloserine.
Aromatic Ammonia Solution, B.P.C.	Cycrimine Hydrochloride.
Aromatic Ammonia Spirit, B.P. 1953.	D-Cycloserine.
Aurothioglucose.	Darrow's Solution.
Balsam of Peru, B.P.C.	Demethylchlortetracycline Hydrochloride.
Beeswax, Yellow, B.P.C.	Desacetyl-Lanatoside, C.
Belladonna Suppository, B.P. 1948.	Dexamethasone.
Bemegrade, A.P.F. 1955.	Dexamethasone Sodium Phosphate.
Bendrofluazide.	Dextran Iron.
Benzalkonium Chloride.	Dextrin Iron.
Benzoinated Lard, B.P.C.	Dextrochlorpheniramine Maleate.
Bephenium Hydroxynaphthoate.	Dextrose in $\frac{1}{2}$ Normal Saline.
Bismuth Carbonate B.P. 1953.	Dicyclomine Hydrochloride.
Bismuth Glycolylarsanilate.	Diethazine Hydrochloride.
Bismuth Subgallate, B.P. 1953.	Dithiazanine Iodide.
Bismuth Subnitrate, B.P.C.	Diethyl Dithiolisophthalate.
Bretylium Tosylate.	Digitoxin, B.P.C.
Buchu Concentrated Infusion, B.P.C.	Dihydroergotamine.
Busulphan.	Dihydromorphinone Hydrochloride, B.P.C. 1949.
Butabarbital Sodium.	Dihydrotachysterol.
Butyl Aminobenzoate, B.P. 1953.	Diphenylthiourea.
Caffeine Citrate, B.P.C.	Diphtheria Toxoid Purified.
Cajuput Tincture, B.P.C.	Disodium Diethylstilboestrol Diphosphate.
Calamine Cream, A.P.F.	Disodium Dihydrogen Versenate.
Calcium Aurothiomalate.	Ephedrine Sulphate, B.P.C.
Calcium Di-Oxytetracycline.	Ergot Liquid Extract, B.P.C.
Calcium Para-Aminosalicylate, B.P.C.	Erythryltetranitrate, B.P.C. 1949.
Calcium Phosphate, B.P. 1953.	Erythromycin Glucoheptonate.
Calumba Concentrated Infusion, B.P. 1948.	Erythromycin Propionate.
Calumba Tincture, B.P. 1948.	Erythromycin Stearate.
Capsicum Ointment, B.P.C.	Ether Nitrous Spirit, B.P.C.
Capsicum Tincture, B.P.C.	Ethoxzolamide.
Caramiphen Hydrochloride.	Ethylidene Dicoumarin.
Cardamom Aromatic Tincture, B.P.C.	Ferric Chloride Solution, B.P.C.
	Ferrous Aminoacetosulphate.

## THIRD SCHEDULE—continued.

Ferrous Phosphate Compound Syrup, B.P.C.	Nystatin.
Ferrous Phosphate with Quinine and Strychnine Syrup, B.P.C.	Oestradiol Dipropionate.
Ferrous Succinate.	Oestrone.
Fludrocortisone Acetate.	Oleandomycin.
Fluoxymesterone.	Oleoresin Capsicum.
Formyl-Tetrahydropteroyl Glutamic Acid.	Orange Peel Infusion Concentrated, B.P. 1948.
Fructose, B.P. 1948.	Orange Peel Infusion Concentrated, Compound, B.P.C.
Gall with Opium Ointment, B.P.C.	Ox-Bile Extract, B.P., 1948.
Gelesmium Tincture, B.P.C.	Oxymel, B.P.C.
Gentian Violet.	Oxymel of Squill, B.P.C.
Glucose Liquid, B.P. 1953.	Oxyphenyclitamine Hydrochloride.
Glycerophosphates Compound Syrup, A.P.F.	Oxyphenonium Bromide.
Guanethidine Sodium.	Oxytetracycline I.M.
Haemophilus Influenza Bacterial Serum.	Pancrex 5.
Hamamelis Dry Extract.	Para-Aminosalicylic Acid.
Heparin Retard.	Paraben Ophthalmic Phosphate Buffer, A.P.F.
Hexachlorophene, 3% with Entosufon.	Paraben Ophthalmic Vehicle, A.P.F.
Hexachlorothiazide.	Papaveretum, B.P.C.
Hexocyclium Methyl Sulphate.	Benzylpenicillin in Oil.
Hexoestrol.	Penicillin Benethamine.
Hydrocortisone Sodium Succinate.	Penicillinase.
Hydrocyanic Acid Dilute, B.P.C.	Pentacrythritol Tetranitrate.
Hydroflumethiazide.	Pertussis Prophylactic (Haemagglutinin Aluminium Phosphate Adsorbed).
Hydroxychloroquine Sulphate.	Pemitone, B.P. 1953.
Hypophosphorous Acid Dilute, B.P.C.	Phenazone, B.P.C.
Insulin Isophane (N.P.II.).	Phenoxyethylpenicillin (Benzathine Salt).
Insulin Special P (Pig).	Phenoxyethylpenicillin (Calcium Salt).
Iodochlorhydroxyquinoline.	Phenoxyethylpenicillin (Potassium Salt).
Iodoform B.P.C.	Phenoxyethylpenicillin (Hydrabamine Salt).
Iodoform Suppository, B.P. 1948.	Phensuximide.
Ipomoea Resin.	Phenylbutazone.
Iron Carbonate Saccharated, B.P.C.	Phthalylsulphacetamide.
Iron Oxide Saccharated.	Pholcodine, B.P.C.
Isoprenaline Hydrochloride.	Pholcodine Citrate Syrup, B.P.C.
Isopropamide Iodide.	Piperazine Citrate.
Lobelia Ethereal Tincture, B.P.C.	Pituitary (Posterior Lobe).
Lofenalac.	Potash Sulphurated, B.P.C.
Magenta, B.P.C.	Potassium Chlorate, B.P.C.
Magnesium Bicarbonate Solution, B.P. 1948.	Prednisolone Phosphate.
Mecamylamine.	Prednisolone Sodium Hemisuccinate.
Mecholyl Chloride.	Probenecid.
Mercaptomerin Sodium.	Propenpyridamine Para-Aminosalicylate.
Mercaptopurine.	Protamine Sulphate.
Mercuric Chloride, B.P. 1953.	Protoveratrine A.
Mercurous Chloride Ointment, B.P. 1948.	Pyridine Aldoxime Methiodide.
Mercury Compound Ointment, B.P.C.	Pyridostigmine Bromide.
Methenamine Mandelate.	Pyridoxine Hydrochloride, B.P.C.
Methorphanan.	Pyrimido-Pyrimidine.
Methotrexate.	Pyrrolidino-Methyl-Tetracycline.
Methscopolamine Bromide.	Quassia Tincture, B.P. 1948.
Methyl Androstanolone.	Rauwolfia Alkaloids.
Methyl Atropine Nitrate.	Ristocetin.
Methyl Prednisolone.	Salicylazosulphapyridine.
Methylandrostenediol.	Senega Concentrated Infusion, B.P.C.
Myrrh, B.P.C.	Senna Compound Mixture, B.P.C.
Myrrh Tincture, B.P.C.	Senna Leaf Concentrated Infusion, B.P.C.
Nicoumalone.	Siberian Fir Oil, B.P.C. 1949.
Nitrofurantoin.	Silver Picrate, B.P.C. 1949.
Nitromin.	Silver Protein Mild, B.P.C.
Norethandrolone.	Soap Curd, B.P.C.
Nux Vomica Extract, Dried, B.P. 1953.	

## THIRD SCHEDULE—continued.

Soap Hard, B.P.C.	Tetanus Toxoid, Purified Aluminium Phosphate Adsorbed.
Sobee.	Tetracycline.
Sodium Calcium Edetate.	Thenalidine.
Sodium Carbonate Exsiccated, B.P.C.	Theobromine, B.P.C.
Sodium Folate.	Theobroma Prepared, B.P.C.
Sodium Lactate.	Thiacetazone.
Sodium Nitrite, B.P.C.	Thiouracil, B.P. 1948.
Sodium Oleate Acid.	Thyrotropin.
Sodium Tauroglycocholate.	Tiger Snake Antivenene.
Sorbolene, A.P.F.	Tolbutamide.
Spiramycin.	Tretamine.
Squill Tincture.	Triamcinolone.
Squill Vinegar, B.P. 1948.	Tricyclamol Chloride.
Strophanthus Tincture, B.P. 1948.	Triethanolamine Trinitrate.
Strychnine, B.P.C.	Triethylene Thiophosphoramide.
Sulphacetamide.	Trifluoperazine.
Sulphadiazine Sodium.	Trimetaphan Camphorsulphonate.
Sulphadimethoxine.	Trinitrophenol, B.P.C.
Sulphamethoxyipyridazine.	Tripolidine Hydrochloride.
Sulphafurazole.	Tyrothrycin.
Sulphamethizole.	Valerian Ammoniated Tincture, B.P.C.
Sulphaphenazole.	Vasopressin Tannate in Oil.
Sulphathiazole.	Veriloid.
Sulphapyridine, B.P.C.	Vitamin A.
Sulphuric Acid Dilute, B.P.C.	Vitamin D.
Sustanon.	Vitamin K <sub>1</sub> .
Syntocinon.	Xylenc, B.P.C. 1949.
Talc Purified, B.P.C.	
Testosterone Oenanthate.	

4. The Fifth Schedule to the National Health (Pharmaceutical Benefits) Fifth Schedule. Regulations is repealed and the following Schedule inserted in its stead:—

## FIFTH SCHEDULE.

Regulation 14.

## PHARMACEUTICAL BENEFITS THE PRESCRIBING OF WHICH IS SUBJECT TO CONDITIONS AND RESTRICTIONS.

Pharmaceutical Benefit.	Purpose for which, and the Conditions subject to which, the Pharmaceutical Benefit may be prescribed (including any restrictions as to the persons for whose treatment it may be prescribed) for supply under Part VII. of the Act.
Amiphenazole Hydrobromide Amiphenazole Hydrochloride A.P.F. 1955	As an antidote to barbiturate and other hypnotic poisons
Amphotericin B .. .. .	
Androstanolone .. .. .	Systemic fungal infections
Aneurine Hydrochloride Tablets B.P. ..	Mammary carcinoma
Ascorbic Acid Tablets B.P. .. .. .	Any disease or condition in a pensioner
Bemegrade A.P.F. 1955 .. .. .	Any disease or condition in a pensioner
Busulphan .. .. .	As an antidote to barbiturate and other hypnotic poisons
Calciferol Tablets B.P. .. .. .	The leukaemias
Calciferol Solution B.P. .. .. .	Any disease or condition in a pensioner
Calcium Para-Aminosalicylate B.P.C. ...	Any disease or condition in a child under the age of twelve years or in a pensioner
Caramiphen Hydrochloride .. .. .	Tuberculosis
Chlorambucil .. .. .	Parkinsonism
	Malignant lymphoma and related conditions

## FIFTH SCHEDULE—continued.

Pharmaceutical Benefit.	Purpose for which, and the Conditions subject to which, the Pharmaceutical Benefit may be prescribed (including any restrictions as to the persons for whose treatment it may be prescribed) for supply under Part VII. of the Act.
Chloramphenicol Capsules B.P. ..	Bacillary dysentery that is resistant both to the Sulphonamides and Streptomycin Sulphate Bacterium coli meningitis, if other forms of treatment are unsuccessful Brucellosis Granuloma inguinale Friedlander bacillus infection Haemophilus influenzae infections Laryngo-tracheo-bronchitis, acute Lymphogranuloma venereum Salmonella infections Staphylococcal infections Surgical conditions of the bowel (pre-operative and post-operative) Typhoid fever Typhus and other rickettsial diseases Urinary tract infections due to gram negative bacilli that are resistant to the Sulphonamides Whooping cough (Haemophilus pertussis) As an alternative to the Penicillins in a person sensitive to the Penicillins Severe gastro-enteritis in a child under the age of sixteen years
Chloramphenicol B.P., Injection ..	A disease or condition specified in this column in relation to Chloramphenicol Capsules
Chloramphenicol B.P., Oral Suspension ..	A disease or condition, specified in this column in relation to Chloramphenicol Capsules, in a child under the age of twelve years
Chlortetracycline Capsules B.P. ..	As an alternative to the Penicillins in a person sensitive to the Penicillins Actinomycosis Amoebiasis Bacterial endocarditis (Streptococcus faecalis), acute and sub-acute Bacillary dysentery that is resistant both to the Sulphonamides and Streptomycin Sulphate Bronchiectasis Brucellosis Chancroid Fibrocystic disease of the pancreas Granuloma inguinale Friedlander bacillus infections Leptospirosis Lymphogranuloma venereum Mucoviscidosis Pneumonia that is resistant both to the Penicillins and the Sulphonamides Primary atypical pneumonia Psittacosis Puerperal infections Rat-bite fever (Spirillum minus) Staphylococcal infections Trachoma that is resistant to the Sulphonamides Typhus and other rickettsial diseases Urinary tract infections due to gram negative bacilli that are resistant to the Sulphonamides Whooping cough (Haemophilus pertussis)

## FIFTH SCHEDULE—continued.

Pharmaceutical Benefit.	Purpose for which, and the Conditions subject to which, the Pharmaceutical Benefit may be prescribed (including any restrictions as to the persons for whose treatment it may be prescribed) for supply under Part VII. of the Act.
Chlortetracycline Calcium .. Chlortetracycline B.P., Granules Cod Liver Oil, B.P. .. Cod Liver Oil Emulsion B.P. 1953 .. Corticotrophin Injection B.P. ..	A disease or condition, specified in this column in relation to Chlortetracycline Capsules, in a child under the age of twelve years Any disease or condition in a child under the age of twelve years or in a pensioner With the written authority of the Director-General—
Cortisone Injection B.P. ..	A disease or condition specified in this column in relation to Cortisone Acetate The treatment of side effects of corticosteroid therapy With the written authority of the Director-General— Anaemia, acquired haemolytic Addison's disease and other forms of adrenocortical hypoplasia Adrenalectomy, total Adrenogenital syndrome Cranial arteritis Cushing's syndrome, including hyperadrenocorticalism Dermatitis, acute exfoliative, associated with drug therapy Dermatomyositis Encephalomyelitis Hamman-Rich syndrome—diffuse interstitial pulmonary fibrosis proven by lung biopsy Hansen's disease Hepatitis, progressive or continuing, proven by biopsy or biochemistry The leukaemias Nephritis, type II. Nephrotic syndrome Neuro-myelitis optica Optic neuritis following removal of tumor of the brain Panhypopituitarism Pemphigus Periarthritis nodosa Pseudohermaphroditism Purpura, Henoch's Purpura, thrombocytopenic Rheumatic carditis, acute Salaam convulsions and hypsarrythmia Sarcoidosis Scleroderma Splenic neutropenia and agranulocytosis Status asthmaticus Steroid therapy prior to operation in patients under steroid therapy Still's disease in a child under the age of sixteen years Sympathetic ophthalmitis Systemic lupus erythematosus Tropical and non-tropical sprue and all forms of mal-absorption associated with those diseases Ulcerative colitis proven by sigmoidoscopy or radiological report Uveitis, posterior

## FIFTH SCHEDULE—continued.

Pharmaceutical Benefit.	Purpose for which, and the Conditions subject to which, the Pharmaceutical Benefit may be prescribed (including any restrictions as to the persons for whose treatment it may be prescribed) for supply under Part VII. of the Act.
Cortisone Tablets B.P. . . . .	With the written authority of the Director-General, a disease or condition specified in this column in relation to Cortisone Injection
Cyanocobalamin Injection B.P. (other than 1,000 microgramme strength)	Established megalocytic anaemias
Cyanocobalamin Injection B.P., 1,000 microgramme strength	Neuroblastoma
Cyclophosphamide . . . . .	Any disease or condition in a patient receiving treatment in or at an approved hospital
Cycloserine . . . . .	
D-Cycloserine . . . . .	
Demethylchlortetracycline Hydrochloride	A disease or condition specified in this column in relation to Chlortetracycline Capsules
Deoxycortone Acetate B.P. . . . .	{ Addison's disease Total adrenalectomy
Deoxycortone Acetate Injection B.P.	
Deoxycortone Acetate Implant B.P.	
Dexamethasone . . . . .	With the written authority of the Director-General, a disease or condition specified in this column in relation to Cortisone Injection
Dexamethasone Sodium Phosphate	
Dienoestrol B.P., Cream . . . . .	Any disease or condition in a pensioner
Dienoestrol Tablets B.P. . . . .	Carcinoma of the prostate Mammary carcinoma
Diethyl Dithiolisophthalate . . . . .	
Diiodohydroxyquinoline B.P., Vaginal Tablet	Any disease or condition in a pensioner Any disease or condition in a patient receiving treatment in or at an approved hospital
Dihydrostreptomycin Sulphate Injection B.P.	Trichomonal and monilial vaginitis
Dihydrotachysterol . . . . .	As an alternative to Streptomycin Sulphate in a person who is being treated for a disease or condition specified in this column in relation to Streptomycin Sulphate and who is allergic to Streptomycin Sulphate
Diphenylthiourea . . . . .	Parathyroid deficiency
Disodium Diethylstilboestrol Diphosphate	Any disease or condition in a patient receiving treatment in or at an approved hospital
Erythromycin B.P. . . . .	Carcinoma of the prostate
Erythromycin Tablets B.P. . . . .	
Erythromycin Glucoheptonate . . . . .	Staphylococcal infections that are resistant both to the Tetracyclines and to the Penicillins
Erythromycin Propionate . . . . .	
Erythromycin B.P., Oral Suspension	
Erythromycin Stearate, Oral Suspension	
Ethinylloestradiol Tablets B.P. . . . .	
Erythromycin Stearate, Oral Suspension	Staphylococcal infections that are resistant both to the Tetracyclines and to the Penicillins in a child under the age of twelve years
Ethinylloestradiol Tablets B.P. . . . .	Turner's syndrome
Ethisterone Tablets B.P. . . . .	Pre-menopausal castration Any disease or condition in a pensioner
Ferrous Aminoacetosulphate Syrup	
Ferrous Succinate Syrup . . . . .	Turner's syndrome
Fludrocortisone Acetate . . . . .	Habitual abortion
Fluoxymesterone . . . . .	Any disease or condition in a pensioner
Folic Acid B.P. . . . .	Any disease or condition in a child under the age of twelve years
Folic Acid Tablets B.P. . . . .	With the written authority of the Director-General, a disease or condition specified in this column in relation to Cortisone Injection
Folic Acid Tablets B.P. . . . .	Mammary carcinoma Macrocytic anaemia
Folic Acid Tablets B.P. . . . .	
Folic Acid Tablets B.P. . . . .	Sprue or the sprue-like syndrome

## FIFTH SCHEDULE—continued.

Pharmaceutical Benefit.	Purpose for which, and the Conditions subject to which, the Pharmaceutical Benefit may be prescribed (including any restrictions as to the persons for whose treatment it may be prescribed) for supply under Part VII. of the Act.
Formyl-Tetrahydropteroyl Glutamic Acid . . . . . Haemophilus Influenza Bacterial Serum Hexachlorophene, 3% with Entsufoin Hydrocortisone Injection B.P. . . . .	Any disease or condition in a patient receiving treatment in or at an approved hospital
Hydrocortisone Sodium Succinate . . . . .	With the written authority of the Director-General, a disease or condition specified in this column in relation to Cortisone Injection Acute adrenal failure due to a medical or surgical crisis Stevens Johnson syndrome
Iron Oxide Saccharated . . . . .	As an alternative to Oral Iron in a person unable to take Oral Iron
Isoniazid Tablets B.P. . . . .	Hansen's disease Tuberculosis
Lofenalac . . . . .	With the written authority of the Director-General, phenylketonuria
Malt Extract B.P. . . . . Malt Extract with Cod Liver Oil B.P. } Mercaptopurine . . . . . Methorphan . . . . . Methotrexate . . . . .	Any disease or condition in a child under the age of twelve years or in a pensioner The leukaemias Inoperable cancer Any disease or condition in a patient receiving treatment in or at an approved hospital
Methyl Androstanolone . . . . .	Mammary carcinoma
Methylandrostenediol . . . . .	Senile osteoporosis proven by radiography
Mustine Injection B.P. . . . .	Malignant lymphoma and related conditions
Nicotinamide Tablets B.P. . . . .	Any disease or condition in a pensioner
Nicotinic Acid Tablets B.P. . . . .	Any disease or condition in a pensioner
Nitrofurantoin . . . . .	Urinary tract infections
Nitromin . . . . .	Malignant lymphoma and related conditions
Norethandrolone . . . . .	Any disease or condition in a patient receiving treatment in or at an approved hospital
Nystatin . . . . .	Proven monilia infections
Oxytetracycline Tablets B.P. Oxytetracycline Injection B.P. Oxytetracycline and Procaine Injection B.P. }	A disease or condition specified in this column in relation to Chlortetracycline Capsules
Oxytetracycline J.M. . . . .	Any disease or condition in a patient receiving treatment in or at an approved hospital
Calcium Di-Oxytetracycline . . . . .	A disease or condition, specified in this column in relation to Chlortetracycline Capsules, in a child under the age of twelve years
Pancreatin B.P. . . . .	Fibrocystic disease of the pancreas
Pancrex 5 . . . . .	Pancreaticoduodenectomy
Para-Aminosalicylic Acid . . . . .	Fibrocystic disease of the pancreas
Phenoxymethylpenicillin B.P., Oral Suspension	Pancreaticoduodenectomy Tuberculosis
Phenoxymethylpenicillin (Benzathine Salt), Oral Suspension	Any disease or condition in a child under the age of twelve years
Phenoxymethylpenicillin(Calcium Salt), Oral Suspension	Any disease or condition in a child under the age of twelve years
Phenoxymethylpenicillin(Hydrabamine Salt), Oral Suspension	Any disease or condition in a child under the age of twelve years
Phenoxymethylpenicillin (Potassium Salt), Oral Suspension	Any disease or condition in a child under the age of twelve years
Benzylpenicillin B.P. with Procaine Penicillin B.P. and Streptomycin Sulphate B.P.	Endocarditis due to Streptococcus faecalis or Streptococcus viridans

## FIFTH SCHEDULE—continued.

Pharmaceutical Benefit.	Purpose for which, and the Conditions subject to which, the Pharmaceutical Benefit may be prescribed (including any restrictions as to the persons for whose treatment it may be prescribed) for supply under Part VII. of the Act.
Prednisolone Tablets B.P. . . . .	<p>With the written authority of the Director-General—</p> <p>Anaemia, acquired haemolytic  Adrenogenital syndrome  Cranial arteritis  Cushing's syndrome, including hyperadrenocorticalism  Dermatitis, acute exfoliative, associated with drug therapy  Dermatomyositis  Encephalomyelitis  Hamman-Rich syndrome—diffuse interstitial pulmonary fibrosis proven by lung biopsy  Hansen's disease  Hepatitis, progressive or continuing, proven by biopsy or biochemistry  The leukaemias  Nephritis, type II.  Nephrotic syndrome  Neuro-myelitis optica  Optic neuritis following removal of tumour of the brain  Panhypopituitarism  Pemphigus  Periarteritis nodosa  Pseudohermaphroditism  Purpura, Henoch's  Purpura, thrombocytopenic  Rheumatic carditis, acute  Salaam convulsions and hysarrythmia  Sarcoidosis  Scleroderma  Splenic neutropenia and agranulocytosis  Status asthmaticus  Steroid therapy prior to operation in patients under steroid therapy  Still's disease in a child under the age of sixteen years  Sympathetic ophthalmitis  Systemic lupus erythematosus  Tropical and non-tropical sprue and all forms of mal-absorption associated with those diseases  Ulcerative colitis proven by sigmoidoscopy or radiological report  Uveitis, posterior</p>
Methyl Prednisolone . . . . .	With the written authority of the Director-General, a disease or condition specified in this column in relation to Prednisolone Tablets
Prednisolone Acetate B.P. . . . . Prednisolone B.P. with Magnesium Trisilicate B.P. and Dried Aluminium Hydroxide Gel. B.P.	} With the written authority of the Director-General, a disease or condition specified in this column in relation to Cortisone Injection
Prednisolone Sodium Hemisuccinate	Any disease or condition in a patient receiving treatment in or at an approved hospital
Prednisone Tablets B.P. . . . . Prednisone B.P. with Magnesium Trisilicate B.P. and Dried Aluminium Hydroxide Gel. B.P.	} With the written authority of the Director-General, a disease or condition specified in this column in relation to Cortisone Injection

## FIFTH SCHEDULE—continued.

Pharmaceutical Benefit.	Purpose for which, and the Conditions subject to which, the Pharmaceutical Benefit may be prescribed (including any restrictions as to the persons for whose treatment it may be prescribed) for supply under Part VII. of the Act.	
Progesterone Injection B.P. .. ..	Habitual abortion	
Protoveratrine A .. ..	Hypertensive crisis	
Pyridine Aldoxime Methiodide .. ..	Any disease or condition in a patient receiving treatment in or at an approved hospital	
Pyridostigmine Bromide .. ..	Myasthenia gravis	
Riboflavine Tablets B.P. .. ..	Any disease or condition in a pensioner	
Ristocetin .. ..	Any disease or condition in a patient receiving treatment in or at an approved hospital	
Salicylazosulphapyridine .. ..	Ulcerative colitis	
Sobee .. ..	With the written authority of the Director-General, galactosaemia	
Sodium Aminosalicilate B.P. .. ..	} Tuberculosis	
Sodium Aminosalicilate Tablets B.P. .. ..		
Sodium Folate .. ..		
Stilboestrol B.P. .. ..	} { Carcinoma of the prostate	
Stilboestrol Tablets B.P. .. ..		} { Mammary carcinoma
Streptomycin Sulphate B.P. .. ..	} Any disease or condition in a pensioner	
	} Bacillary dysentery that is resistant to the Sulphonamides	
	} Brucellosis	
	} Chancroid	
	} Endocarditis due to Streptococcus faecalis or Streptococcus viridans	
	} Friedlander bacillus infections	
	} Haemophilus influenzae infections	
	} Plague	
	} Pseudomonas pyocyaneus infections	
	} Rat-bite fever (Streptobacillus moniliformis)	
	} Salmonella infections	
	} Surgical conditions of the bowel (pre-operative and post-operative)	
	} Surgical conditions of the thoracic organs	
	} Tuberculosis	
	} Tularaemia	
	} Urinary tract infections that are resistant to the Sulphonamides	
Streptomycin Sulphate Injection B.P.	A disease or condition specified in this column in relation to Streptomycin Sulphate	
Streptomycin Sulphate B.P. with Benzylpenicillin Sodium, B.P.	Endocarditis due to Streptococcus faecalis or Streptococcus viridans	
Sulphadimethoxine Suspension .. ..	Any disease or condition in a child under the age of twelve years	
Sustanon .. ..	} { Castration	
Testosterone Implants B.P. .. ..		} { Mammary carcinoma
Testosterone Oenanthate .. ..	} { Castration	
Testosterone Propionate Injection B.P.		} { Kline felter Reifenstein Albright syndrome
Testosterone Propionate B.P.		} { Mammary carcinoma
Methyltestosterone Tablets B.P.		
Tetracycline Capsules B.P. .. ..	} A disease or condition specified in this column in relation to Chlortetracycline Capsules	
Tetracycline Tablets B.P. .. ..		
Tetracycline and Procaine Injection B.P.		
Tetracycline Hydrochloride B.P. with a buffering agent—Capsules		
Tetracycline with Oleandomycin Capsules		
Pyrolidino-Methyl-Tetracycline		

## FIFTH SCHEDULE—continued.

Pharmaceutical Benefit.	Purpose for which, and the Conditions subject to which, the Pharmaceutical Benefit may be prescribed (including any restrictions as to the persons for whose treatment it may be prescribed) for supply under Part VII. of the Act.
Tetracycline Hydrochloride B.P. Tetracycline Hydrochloride B.P. with a buffering agent—Oral Suspension Tetracycline Hydrochloride B.P. with a buffering agent—Paediatric Drops Tetracycline with Oleandomycin—Oral Suspension Tetracycline Hydrochloride B.P. with Nystatin	A disease or condition, specified in this column in relation to Chlorotetracycline Capsules, in a child under the age of twelve years  Broad spectrum antibiotic therapy of premature infants, of patients under steroid therapy or of cases complicated by intestinal moniliasis A second or repeated course of broad spectrum antibiotic therapy for a disease or condition specified in this column in relation to Chlorotetracycline Capsules
Thyrotropin .. .. Triethylene Thiophosphoramide } Tretamine .. .. Trifluoperazine .. .. Trimetaphan Camphorsulphonate .. .. Veriloid .. .. Vitamin A Activity with Aneurine Hydrochloride B.P., Riboflavine B.P., Nicotinamide B.P., Ascorbic Acid B.P. and Vitamin D	Any disease or condition in a patient receiving treatment in or at an approved hospital Malignant lymphoma and related conditions Any disease or condition in a pensioner Hypotensive for anaesthesia Hypertensive crisis Any disease or condition in a pensioner
Concentrated Vitamin A Solution B.P. Concentrated Vitamin A and D Solution B.P. Concentrated Vitamin D Solution Vitamin K <sub>1</sub> .. ..	Any disease or condition in a child under the age of twelve years or in a pensioner  As an antidote to anticoagulants

By Authority: A. J. ARTHUR, Commonwealth Government Printer, Canberra.