

Australia New Zealand Food Standards Code – Amendment No. 80 – 2005

Food Standards Australia New Zealand Act 1991

Preamble

The variations set forth in the Schedule below are variations to Standards in the *Australia New Zealand Food Standards Code* published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, which have been varied from time to time.

These variations are published pursuant to section 23A of the *Food Standards Australia New Zealand Act 1991*.

Citation

These variations may be collectively known as the *Australia New Zealand Food Standards Code – Amendment No. 80 – 2005*.

Commencement

These variations commence on gazettal.

Note: These variations were published in the Commonwealth of Australia Food Standards Gazette No. FSC 22 on 21 July 2005.

SCHEDULE

[1] *Standard 1.3.1 is varied by omitting from Schedule 1, under item 14.1.3 Water based flavoured drinks*, the entry for Saccharin, substituting –*

954	Saccharin	150	mg/kg
-----	-----------	-----	-------

[2] *Standard 1.4.2 is varied by –*

[2.1] *omitting from Schedule 1 all entries for the following chemical –*

Cloquintocet acid

[2.2] omitting from Schedule 1 the residue definition for the chemical appearing in Column 1 of the Table to this sub-item, substituting the residue definition appearing in Column 2 –

COLUMN 1	COLUMN 2
CLOQUINTOCET-MEXYL	SUM OF CLOQUINTOCET MEXYL AND 5-CHLORO-8-QUINOLINOXYACETIC ACID, EXPRESSED AS CLOQUINTOCET MEXYL
FLUDIOXONIL	<i>COMMODITIES OF ANIMAL ORIGIN:</i> SUM OF FLUDIOXONIL AND OXIDISABLE METABOLITES, EXPRESSED AS FLUDIOXONIL <i>COMMODITIES OF PLANT ORIGIN:</i> FLUDIOXONIL

[2.3] inserting in Schedule 1 –

BOSCALID	
<i>COMMODITIES OF PLANT ORIGIN:</i> BOSCALID <i>COMMODITIES OF ANIMAL ORIGIN:</i> SUM OF BOSCALID, 2-CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL) NICOTINAMIDE AND GLUCURONIDE CONJUGATE OF 2-CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL) NICOTINAMIDE, EXPRESSED AS BOSCALID EQUIVALENTS	
DRIED GRAPES	15
EDIBLE OFFAL (MAMMALIAN)	0.05
GRAPES	4
MEAT (MAMMALIAN) (IN THE FAT)	0.1
MILKS	*0.02
ETHOXSULFURON	
<i>COMMODITIES OF PLANT ORIGIN:</i> ETHOXSULFURON <i>COMMODITIES OF ANIMAL ORIGIN:</i> 2-AMINO-4, 6-DIMETHOXPYRIMIDINE, EXPRESSED AS ETHOXSULFURON	
EDIBLE OFFAL (MAMMALIAN)	T*0.05
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.01
SUGAR CANE	T*0.01
ETOXAZOLE	
ETOXAZOLE	
COTTON SEED	T0.2
EDIBLE OFFAL (MAMMALIAN)	T*0.01
EGGS	T*0.01
MEAT (MAMMALIAN) (IN THE FAT)	T*0.01
MILKS	T*0.01
POULTRY, EDIBLE OFFAL OF	T*0.01
POULTRY MEAT (IN THE FAT)	T*0.01

PINOXADEN	
SUM OF 8-(2,6-DIETHYL-4-METHYLPHENYL)-TETRAHYDRO-PYRAZOLO [1,2-D][1,4,5] OXADIAZEPINE-7,9-DIONE AND 8-(2,6-DIETHYL-4-HYDROXYMETHYLPHENYL)-TETRAHYDRO-PYRAZOLO [1,2-D][1,4,5] OXADIAZEPINE-7,9-DIONE, EXPRESSED AS PINOXADEN	
BARLEY	T*0.02
EDIBLE OFFAL (MAMMALIAN)	T*0.05
EGGS	T*0.05
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.02
POULTRY, EDIBLE OFFAL OF	T*0.05
POULTRY MEAT	T*0.05
WHEAT	T*0.02
PYRACLOSTROBIN	
<i>COMMODITIES OF PLANT ORIGIN:</i> PYRACLOSTROBIN <i>COMMODITIES OF ANIMAL ORIGIN:</i> SUM OF PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1-(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN	
BANANA	*0.02
DRIED GRAPES	5
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
GRAPES	2
MEAT (MAMMALIAN) (IN THE FAT)	*0.05
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	*0.05

[2.4] omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals –

CARBENDAZIM SUM OF CARBENDAZIM AND 2-AMINOBENZIMIDAZOLE, EXPRESSED AS CARBENDAZIM	
FRUITING VEGETABLES, CUCURBITS	2
DELTAMETHRIN DELTAMETHRIN	
CATTLE MILK (IN THE FAT)	0.5
GOAT MILK (IN THE FAT)	0.2
SHEEP MILK (IN THE FAT)	0.2
EMAMECTIN EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER AND EMAMECTIN B1B, PLUS ITS 8,9-Z ISOMER	
FRUITING VEGETABLES, OTHER THAN CUCURBITS	T*0.01
IPRODIONE IPRODIONE	
HERBS	T5
TURMERIC ROOT	T5
LINURON SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
HERBS	T*0.05
METOLACHLOR METOLACHLOR	
CORIANDER (LEAVES, STEM, ROOTS)	T0.05

[2.5] inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals –

BIFENTHRIN BIFENTHRIN	
SWEET POTATO	*0.05
CARBENDAZIM SUM OF CARBENDAZIM AND 2-AMINOBENZIMIDAZOLE, EXPRESSED AS CARBENDAZIM	
FRUITING VEGETABLES, CUCURBITS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
MELONS [EXCEPT WATERMELON]	4
CHLORHEXIDINE CHLORHEXIDINE	
SHEEP, EDIBLE OFFAL OF	*0.5
SHEEP FAT	*0.5
SHEEP MEAT	*0.5

CHLOROTHALONIL CHLOROTHALONIL	
FENNEL, BULB	T10
GALANGAL, GREATER	T7
GALANGAL, LESSER	T7
CHLORPYRIFOS CHLORPYRIFOS	
PARSLEY	T0.05
CLOFENTEZINE CLOFENTEZINE	
ALMONDS	T0.5
EDIBLE OFFAL (MAMMALIAN)	T*0.05
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.05

CLOQUINTOCET-MEXYL SUM OF CLOQUINTOCET MEXYL AND 5-CHLORO-8- QUINOLINOXYACETIC ACID, EXPRESSED AS CLOQUINTOCET MEXYL	
BARLEY	T*0.1
DELTA METHRIN DELTA METHRIN	
MILKS	0.05
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
CUSTARD APPLE	T5
EMAMECTIN EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER AND EMAMECTIN B1B, PLUS ITS 8,9-Z ISOMER	
PEPPERS, SWEET	0.01
TOMATO	0.01
IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6- CHLOROPYRIDINYMETHYLENEMOIEITY, EXPRESSED AS IMIDACLOPRID	
GRAPES	T0.1
LINURON SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
HERBS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T0.5
KAFFIR LIME LEAVES	T0.5
LEMON BALM	T0.5
LEMON GRASS	T0.5
LEMON VERBENA	T0.5
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
METOLACHLOR METOLACHLOR	
CORIANDER (LEAVES, STEM)	T*0.05
CORIANDER, ROOTS	T0.5

METSULFURON-METHYL METSULFURON-METHYL	
LINSEED	T*0.02
ORYZALIN ORYZALIN	
GARLIC	T*0.05
PROCYMIDONE PROCYMIDONE	
ADZUKI BEAN (DRY)	0.2
PYRIMETHANIL PYRIMETHANIL	
BANANA	T0.2
RACTOPAMINE RACTOPAMINE	
CATTLE FAT	T*0.02
CATTLE KIDNEY	T0.1
CATTLE MEAT	T*0.02
SPIROXAMINE <i>COMMODITIES OF PLANT ORIGIN: SPIROXAMINE</i> <i>COMMODITIES OF ANIMAL ORIGIN: SPIROXAMINE</i> CARBOXYLIC ACID, EXPRESSED AS SPIROXAMINE	
BANANA	T5
TEBUCONAZOLE TEBUCONAZOLE	
DRIED GRAPES	5
GRAPES	2
THIODICARB SUM OF THIODICARB, METHOMYL AND METHOMYL OXIME, EXPRESSED AS THIODICARB <i>SEE ALSO</i> METHOMYL	
PEPPERS, SWEET	T5

[2.6] omitting from Schedule 1, under the entries for the following chemicals, the maximum residue limit for the food, substituting –

CLOQUINTOCET-MEXYL SUM OF CLOQUINTOCET MEXYL AND 5-CHLORO-8-QUINOLINOXYACETIC ACID, EXPRESSED AS CLOQUINTOCET MEXYL	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
WHEAT	*0.1
DELTAMETHRIN DELTAMETHRIN	
GOAT MEAT (IN THE FAT)	0.2
SHEEP MEAT (IN THE FAT)	0.2
EMAMECTIN EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER AND EMAMECTIN B1B, PLUS ITS 8,9-Z ISOMER	
LETTUCE, HEAD	0.2
LETTUCE, LEAF	0.2
FLUDIOXONIL COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUDIOXONIL AND OXIDISABLE METABOLITES, EXPRESSED AS FLUDIOXONIL COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL	
MAIZE	*0.02
SWEET CORN (CORN-ON-THE-COB)	*0.02
GUAZATINE GUAZATINE	
MELONS [EXCEPT WATERMELON]	10

LINURON SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
EDIBLE OFFAL (MAMMALIAN)	1
EGGS	*0.05
METOLACHLOR METOLACHLOR	
BERGAMOT	T*0.05
BURNET, SALAD	T*0.05
CHERVIL	T*0.05
CORIANDER, SEED	T*0.05
DILL, SEED	T*0.05
FENNEL, SEED	T*0.05
GALANGAL, GREATER	T0.5
HERBS	T*0.05
KAFFIR LIME LEAVES	T*0.05
LEMON GRASS	T*0.05
LEMON VERBENA (DRY LEAVES)	T*0.05
MIZUNA	T*0.05
ROSE AND DIANTHUS (EDIBLE FLOWERS)	T*0.05
RUCOLA (ROCKET)	T*0.05
TURMERIC, ROOT	T0.5
PENDIMETHALIN PENDIMETHALIN	
TOMATO	*0.05
SPINOSAD SUM OF SPINOSYN A AND SPINOSYN D	
STONE FRUITS	1