Airworthiness Directives 2004

I, DAVID ALAN VILLIERS, delegate of the Civil Aviation Safety Authority, acting under subregulation 39.001 (1) of the Civil Aviation Safety Regulations 1998:

- (a) revoke the Airworthiness Directives mentioned in Schedule 1; and
- (b) make, as separate instruments, each Airworthiness Directive mentioned in Schedule 1 and attached.

David Villiers Delegate of the Civil Aviation Safety Authority

20 December 2004

Note: Each attached Airworthiness Directive is being re-made in exactly the same form as appears in the latest published edition of the Directive.

Schedule 1 Revocation and Remaking of Airworthiness Directives

Airbus Industrie A319, A320 and A321 Series Aeroplanes

| AD Name | AD Number |
|---|-------------------|
| Artus Transformer Rectifiers | AD/A320/1 |
| Ram Air Turbine Airborne Ground Checkout Module (AGCM) | AD/A320/2 |
| Automatic Flight Control System | AD/A320/3 |
| Ram Air Turbine | AD/A320/4 Amdt 2 |
| Fuel Quantity System | AD/A320/5 |
| Engine/APU Fire Control Panel | AD/A320/6 |
| Standby Generator Control Unit (GCU) | AD/A320/7 |
| Angle of Attack Sensors | AD/A320/8 Amdt 1 |
| Fuel Probes | AD/A320/9 |
| Standby Pitot Line | AD/A320/10 |
| I V2500-A1 Engine Rear Mount Barrel Nuts | AD/A320/11 Amdt 1 |
| Flight Controls - EFCS | AD/A320/12 Amdt 1 |
| Passenger Oxygen | AD/A320/13 |
| Landing Gear - Interruption of Retraction Sequence | AD/A320/14 |
| Low Pressure Fire Fuel Shut-Off Valve | AD/A320/15 |
| Trimmable Horizontal Stabilizer Actuator - CANCELLED | AD/A320/16 Amdt 2 |
| Auxiliary Power Unit | AD/A320/17 Amdt 2 |
| Trimmable Horizontal Surface Relay | AD/A320/18 |
| Hydraulic Fire Shut-Off Valve | AD/A320/19 |
| Overwing Escape Slide | AD/A320/20 |
| Main Landing Gear Wheel Axle | AD/A320/21 |
| Thrust Reverser/ECU Electrical Harness Assemblies | AD/A320/22 |
| Wire Loom Chafing at Conduit Exits | AD/A320/23 Amdt 2 |
| Pitot Probe Hoses | AD/A320/24 |
| Elevator Servo Controls | AD/A320/25 Amdt 2 |
| Fuel Quantity Probes | AD/A320/26 Amdt 1 |
| Nose Wheel Steering Control | AD/A320/27 |
| Pylon Fuel Return Line Connection and Pylon Sealant Integrity | AD/A320/28 |
| Ram Air Turbine Bearing End-Float | AD/A320/29 Amdt 1 |
| | |

| Seat Track Joints at Frame 64 | AD/A320/30 |
|---|-------------------|
| Inner Rear Wing Spar - CANCELLED | AD/A320/31 |
| Configuration, Maintenance and Procedures Standard for Extended Range | AD/A320/32 Amdt 2 |
| Trimmable Horizontal Stabiliser Lightning Strike Protection Improvement | AD/A320/33 Amdt 2 |
| Braking System Electrical Relays | AD/A320/34 |
| Fuel System Electrical Wiring | AD/A320/35 |
| Passenger Door Lower Connection Link Bushes | AD/A320/36 Amdt 2 |
| Thrust Reverser Check Valve Replacement | AD/A320/37 |
| Nose Section - Structural Reinforcement | AD/A320/38 |
| Aileron Support Frames | AD/A320/39 |
| Centre Fuselage - Belly Reinforcement | AD/A320/40 |
| Passenger Door Safety Pin Guide Fitting and Telescopic Rod Freezing | AD/A320/41 Amdt 1 |
| Brake Wear Limits | AD/A320/42 Amdt 1 |
| Passenger Doors 1 and 4 | AD/A320/43 Amdt 2 |
| MLG Forward Pintle Pin Cross Bolt - CANCELLED | AD/A320/44 |
| Fuselage - Fasteners at Skin Panel to Frame 13 and 14 Joint | AD/A320/45 |
| Inboard Flap Trunnion | AD/A320/46 Amdt 4 |
| Fuselage - Pressure Floor Between Frames 42 and 43 | AD/A320/47 Amdt 2 |
| Wing Rear Spar between Ribs 1and 2 | AD/A320/48 Amdt 1 |
| Forward Fuselage - Web Between Frames 1& 2 - CANCELLED | AD/A320/49 |
| Fuselage - Lower Forward Corner of Cockpit Sliding Window Frame | AD/A320/50 |
| Main Landing Gear Rear Pintle Pin | AD/A320/51 |
| Rear Fuselage Skin Lap Joints | AD/A320/52 |
| Fuselage Frame to Pressure Floor Connection - CANCELLED | AD/A320/53 |
| Fuselage Skin at Frames 13 and 14 - CANCELLED | AD/A320/54 |
| Centre Wing, Bracket Between Shroud Box and Fixed Shroud | AD/A320/55 |
| Centre Wing, Pressurised Floor Fittings at Frame 36 | AD/A320/56 |
| Centre Wing, Reinforcement of Pressure Floor Fittings | AD/A320/57 |
| Centre Fuselage, Pick-up Angle Between Frame 35 and 36 | AD/A320/58 Amdt 2 |
| Central Fuselage, Frame and Frame Feet at Frames FR37 Through FR41 | AD/A320/59 Amdt 1 |
| Hydraulic Fire Shut-Off Valve - CANCELLED | AD/A320/60 |
| Off-Wing Escape Slide | AD/A320/61 Amdt 4 |
| Elevator Aileron Computer | AD/A320/62 |
| Lavatories Smoke Detection | AD/A320/63 |
| Avionics Hatch 231 AF. | AD/A320/64 |
| Fuselage Reinforcement Section 18 | AD/A320/65 Amdt 2 |
| | |

| Improved Water Ingress Protection for Avionics 90VU and 91VU | AD/A320/66 |
|--|--------------------|
| MLG Free Fall Extension System | AD/A320/67 |
| Flight Warning Computer | AD/A320/68 |
| Passenger Door and Emergency Door Actuator Striker Mechanism | AD/A320/69 Amdt 2 |
| Landing Gear Retraction Control Circuit | AD/A320/70 |
| Slide/Slide Raft Release Cable | AD/A320/71 |
| Frame 56 Connecting Angle | AD/A320/72 |
| Frame 60 and 62 Cargo Door Frame | AD/A320/73 |
| Gusset Frame Attachment | AD/A320/74 Amdt 1 |
| Longitudinal Floor Beams at Frame 43 | AD/A320/75 |
| Sliding Window Frame | AD/A320/76 |
| Loral DFDR F800 Damping Rack Installation | AD/A320/77 |
| Spoiler Phased Lift Dumping | AD/A320/78 |
| Fuselage Frame 68 | AD/A320/79 Amdt 2 |
| Wing Fuselage Joint Cruciform Fittings - CANCELLED | AD/A320/80 Amdt 1 |
| Connecting Angle Between Frame 56 and Frame Support at Stringer 38 | AD/A320/81 |
| Wing Rear Spar Pressurised Floor Pick-Up Angles | AD/A320/82 |
| Slats-Flaps Control Computer | AD/A320/83 |
| Wing Rear Spar | AD/A320/84 Amdt 2 |
| Probe Heat Computer | AD/A320/85 |
| Toilet Systems - Rinse Valve Replacement | AD/A320/86 |
| Wing Centre Box Bottom Panel | AD/A320/87 Amdt 1 |
| Wing Front Spar Vertical Stringers | AD/A320/88 |
| Fuselage Frames 38 to 41 | AD/A320/89 Amdt 1 |
| Fuselage Frame 46 / Stringer 37 Intersection | AD/A320/90 Amdt 1 |
| Frames 43 and 44 Pressure Floor Connection | AD/A320/91 |
| Relay 11QG Relocation - CANCELLED | AD/A320/92 Amdt 1 |
| MLG Forward Pintle Pin Cross Bolt | AD/A320/93 Amdt 4 |
| Reinforcement of Frame 35 between Stringers 30 and 31 | AD/A320/94 Amdt 1 |
| Avionics Rack Protection | AD/A320/95 |
| Alternate Braking System Check | AD/A320/96 Amdt 1 |
| Airborne Ground Check Module Modification | AD/A320/97 Amdt 1 |
| Nose Landing Gear (NLG) - Steering | AD/A320/98 |
| Rudder Pedals | AD/A320/99 Amdt 2 |
| Pilot Footrest and Actuator Attachment | AD/A320/100 Amdt 2 |
| Main Landing Gear Sliding Tube | AD/A320/101 Amdt 2 |
| | |

| Relay 11QG Relocation | AD/A320/102 |
|--|--------------------|
| MLG Door Actuator Fitting - CANCELLED | AD/A320/103 Amdt 1 |
| Flight Controls - Inspection and Modification of Spoiler Servocontrols | AD/A320/104 |
| Emergency Escape Slide Frangible Link | AD/A320/105 Amdt 1 |
| Fuel Tank Electrical Bonding | AD/A320/106 Amdt 3 |
| Third Occupant Seat | AD/A320/107 |
| Flight Management and Guidance Computer | AD/A320/108 |
| MLG Door Actuator Fitting | AD/A320/109 Amdt 1 |
| Flight Warning Computer | AD/A320/110 |
| Wing Fuel Boost Pump Wiring - CANCELLED | AD/A320/111 |
| MLG Door Actuator Fitting | AD/A320/112 |
| Cockpit Sliding Window Lower Mechanism | AD/A320/113 |
| Frame 36 - Longitudinal Beams of the Pressure Panel | AD/A320/114 |
| Flight Crew Seats | AD/A320/115 |
| Wing Fuel Boost Pump Wiring | AD/A320/116 Amdt 1 |
| Elevator Honeycomb Core Structure | AD/A320/117 |
| Slide Raft Girt Bar | AD/A320/118 |
| Flight Control - ELAC Computer - CANCELLED | AD/A320/119 Amdt 1 |
| Slide Raft Telescopic Girt Bar | AD/A320/120 Amdt 3 |
| Passenger Door Upper Safety Pin | AD/A320/121 |
| Crew Oxygen Supply | AD/A320/122 Amdt 1 |
| Ram Air Turbine Actuator | AD/A320/123 |
| Overwing Emergency Exit Door Frame Corners | AD/A320/124 Amdt 2 |
| Thrust Reverser Actuators | AD/A320/125 Amdt 1 |
| Passenger Door Outer Handle | AD/A320/126 |
| Fuel Quantity Indication System Wiring | AD/A320/127 Amdt 2 |
| Pitot Probes | AD/A320/128 |
| Parking Brake Operating Valve | AD/A320/129 Amdt 1 |
| Goodrich Carbon Brake Take-off/Landing Performance Reduction | AD/A320/130 Amdt 2 |
| Flight Control - ELAC Computer | AD/A320/131 |
| PPG rospace Windshields | AD/A320/132 |
| Rear Passenger Door Frame Fitting | AD/A320/133 |
| Fixed Lateral Cockpit Window | AD/A320/134 |
| Main Landing Gear Side-Stay Cuff Lug | AD/A320/135 |
| Digital Distance and Radio Magnetic Indicators | AD/A320/136 Amdt 3 |
| Fuel Probes and Fuel Tank Level Sensors | AD/A320/137 Amdt 1 |
| | |

| Litton Air Data Inertial Reference Unit | AD/A320/138 |
|---|--------------------|
| Centre Wing Box Upper Stringers | AD/A320/139 |
| Relay 11QG Testing After Relocation | AD/A320/140 |
| Floor Crossbeam at Frame FR52 - CANCELLED | AD/A320/141 |
| Trust Reverser - Piston Rod Chrome Plating | AD/A320/142 |
| Fuel Tank Electrical Bonding | AD/A320/143 Amdt 1 |
| Elevator | AD/A320/144 Amdt 1 |
| Transformer Rectifier Unit | AD/A320/145 |
| Airworthiness Limitation Items | AD/A320/146 Amdt 2 |
| Life Limited and Monitored Parts | AD/A320/147 Amdt 1 |
| Pitot Probes | AD/A320/148 Amdt 1 |
| Inertial Reference Systems | AD/A320/149 |
| Flight Manual Amendment - Fuel Leak Procedure | AD/A320/150 |
| Keel Beam Side Panels | AD/A320/151 |
| Auxiliary Power Unit Alternating Current Generator | AD/A320/152 |
| MLG Shock Absorber Sliding Tube | AD/A320/153 Amdt 1 |
| Integrated Drive Generator Connector | AD/A320/154 |
| Passenger Door Emergency Escape Slides | AD/A320/155 |
| Hydraulic Bay Maintenance Lights | AD/A320/156 |
| Liquid Crystal Display Units | AD/A320/157 Amdt 1 |
| Flight Controls - Spoiler Actuators | AD/A320/158 |
| Emergency Escape Path Marking System Power Supplies | AD/A320/159 Amdt 1 |
| Cargo Compartment Heating Temperature Sensor | AD/A320/160 |
| Fuel System - Air Release Valve (ARV) | AD/A320/161 |
| Integrated Standby Instrument System | AD/A320/162 |
| Wing Trailing Edge Cable Routes | AD/A320/163 |
| Cargo Restraint Strap Assemblies | AD/A320/164 |
| Parking Brake | AD/A320/165 |
| | |