Australia's regulator for broadcasting, the internet, radiocommunications and telecommunications

www.acma.gov.au

VARIATION TO LICENCE AREA PLAN

Griffith and the Murrumbidgee Irrigation Area Television – No 1 of 2006

© Commonwealth of Australia 2006

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced by any process without prior written permission from the Commonwealth. Requests and inquiries concerning reproduction and rights should be addressed to the Manager, Communications/Media, Australian Communications and Media Authority, PO Box 13112 Law Courts, Melbourne Vic 8010.

Published by the Australian Communications and Media Authority

Canberra Central Office Purple Building, Benjamin Offices Chan Street, Belconnen

PO Box 78,

Belconnen ACT 2616 Tel: 02 6219 5555 Fax: 02 6219 5200 Melbourne Central Office Level 44, Melbourne Central Tower 360 Elizabeth Street, Melbourne PO Box 13112 Law Courts Melbourne Vic 8010 Tel: 03 9963 6800

Fax: 03 9963 6899 TTY: 03 9963 6948 Sydney Central Office Level 15, Tower 1 Darling Park 201 Sussex Street, Sydney

PO Box Q500

Queen Victoria Building NSW 1230 Tel: 02 9334 7700, 1800 226 667

Fax: 02 9334 7799

VARIATION TO LICENCE AREA PLAN FOR GRIFFITH AND THE MURRUMBIDGEE IRRIGATION AREA TELEVISION – NO 1 OF 2006

Pursuant to subsection 26(2) of the *Broadcasting Services Act 1992*, the Australian Communications and Media Authority varies the Licence Area Plan for Griffith and the Murrumbidgee Irrigation Area Television determined on 10 August 1995 (the principal instrument) in the manner set out below:

- (1) The determination in the principal instrument is varied to:
 - (a) number each of the paragraphs in the determination consecutively as clauses (1) and (2);
 - (b) in clause (2):
 - (i) omit the words "One national or community television broadcasting service,"; and
 - (ii) omit the number "1.11" and substitute the number "1.9".
 - (c) insert the following clause after clause (2):
 - "(3) A reference in this determination to a schedule or an attachment includes a reference to a schedule as amended from time to time."
- (2) Under the heading "SCHEDULE", immediately following the determination;
 - (a) omit the words "The Schedule sets out:";
 - (b) omit all six paragraphs marked with dot points;
 - (c) omit the heading "SCHEDULE" and substitute the heading "SCHEDULE ONE".
- (3) Schedules to the principal instrument are varied to omit the Schedule of the principal instrument and substitute the table headed Schedule One in item 2 on page 6 of this instrument.
- (4) Omit all attachments to the principal instrument and substitute all attachments to this instrument.

affixed to this document in the presence of	J
Signature of Member	Signature of Member/General Manager
CHRIS CHAPMAN	LYN MADDOCK
Name (Please Print)	Name (Please Print)
Dated this 27 th day of October 2006.	

Variation to the schedule to the Licence Area Plan for Griffith and the Murrumbidgee Irrigation Area Television

(Clause 3)

Item 1

The Schedule of the Licence Area Plan for Griffith and the Murrumbidgee Irrigation Area Television is reproduced in this item for ease of reference only.

SCHEDULE

Licence Area Plan - Griffith - (Television) - August 1995

Category of Service	Service Licence No:	Transmitter Specification No:	Technical Specifications	General Area Served by Transmitter
Commercial	SL010103	TS002673	See attachment 1.2	Murrumbidgee Irrigation Area
		TS002678	See attachment 1.3	Hay
Commercial	SL010104	TS002675	See attachment 1.4	Murrumbidgee Irrigation Area
		TS002681	See attachment 1.5	Hay
National	N/A	TS002672	See attachment 1.6	Murrumbidgee Irrigation Area
		TS002679	See attachment 1.7	Hay
National	N/A	TS002674	See attachment 1.8	Murrumbidgee Irrigation Area
		TS002680	See attachment 1.9	Hay
National or Community	N/A	TS002677	See attachment 1.10	Murrumbidgee Irrigation Area
		TS002683	See attachment 1.11	Hay

Item 2

The updated Schedule One to the Licence Area for Griffith and the Murrumbidgee Irrigation Area Television, as varied by clause (3) of this instrument, is as follows:

Schedule One

Licence Area Plan : Griffith and the Murrumbidgee Irrigation Area Television

Licence Area: Griffith and Murrumbidgee Irrigation Area TV1

Category of Service	Channel No	Service Licence No:	Technical Specification No:	Attach Number	General Area Served by Transmitter
Commercial	9	SL10103	TS10002673	1.2	Murrumbidgee Irrigation Area
Commercial	57	SL10103	TS10012003	1.3	Hay
Commercial	31	SL10104	TS10002675	1.4	Murrumbidgee Irrigation Area
Commercial	63	SL10104	TS10002681	1.5	Hay
National	7	N/A	TS10002672	1.6	Murrumbidgee Irrigation Area
National	66	N/A	TS10012004	1.7	Hay
National	28	N/A	TS10002674	1.8	Murrumbidgee Irrigation Area
National	60	N/A	TS10002680	1.9	Hay

Licence Area - GRIFFITH AND MIA TV1

Commercial TV Service Licence numbers: SL10103, SL10104

The licence area, in terms of areas defined by the Australian Bureau of Statistics at the Census of 5 August 2001, is:

	<u></u>
Area Description	Area Description
Griffith (C) (LGA)	NSW CD 150106
Leeton (A) (LGA)	NSW CD 150107
Murrumbidgee (A) (LGA)	NSW CD 150108
Narrandera (A) (LGA)	NSW CD 150109
NSW CD 010302	NSW CD 150202
NSW CD 010305	NSW CD 150203
NSW CD 010306	NSW CD 150204
NSW CD 010307	NSW CD 150205
NSW CD 010308	NSW CD 150206
NSW CD 010309	NSW CD 150304
NSW CD 010310	NSW CD 150305
NSW CD 010311	NSW CD 150306
NSW CD 010402	NSW CD 150307
NSW CD 010403	NSW CD 150308
NSW CD 010405	NSW CD 150309
NSW CD 010406	NSW CD 150310
NSW CD 010501	NSW CD 150801
NSW CD 010502	NSW CD 150802
NSW CD 010503	NSW CD 150803
NSW CD 010504	NSW CD 150804
NSW CD 010505	NSW CD 150901
NSW CD 010506	NSW CD 150902
NSW CD 011201	NSW CD 150903
NSW CD 030501	NSW CD 150904
NSW CD 030503	NSW CD 150905
NSW CD 030504	NSW CD 150906
NSW CD 030505	NSW CD 151001
NSW CD 030506	NSW CD 151002
NSW CD 030507	NSW CD 151003
NSW CD 150101	NSW CD 151004
NSW CD 150102	NSW CD 151005
NSW CD 150103	NSW CD 151006
NSW CD 150104	NSW CD 151007
NSW CD 150105	NSW CD 151009

Area Description NSW CD 160101 NSW CD 160102 Area Description NSW CD 160108

Note:

Standard terminology used by the Australian Bureau of Statistics:

(C) = City

(LGA) = Local Government Area

(A) = NSW Local Government Area (excluding Cities)

(CD) = Collection District

LICENCE AREA PLAN: Griffith and the MIA Television - October 2006

Category: Commercial

General Area Served: Murrumbidgee Irrigation Area (NSW)

Service Licence Number: SL10103

TECHNICAL SPECIFICATION - Television

Specification Number: TS10002673

Transmitter Site :-

Nominal location: Broadcast Tower MT BINGAR

Australian Map Grid: Zone Easting Northing Reference 55 429350 6223920

Site Tolerance: Refer to Technical Planning Guidelines

Emission :-

Frequency Band & Mode VHF Band III - TV

Carrier Frequency: 196.24 MHz (Ch.9)

Polarisation Horizontal

Maximum antenna height 155 m

Bearing or Sector (Clockwise direction)	Maximum ERP
At all angles of azimuth	200 kW

LICENCE AREA PLAN: Griffith and the MIA Television - October 2006

Category: Commercial

General Area Served : Hay (NSW)

Service Licence Number: SL10103

TECHNICAL SPECIFICATION - Television

Specification Number: TS10012003

Transmitter Site :-

Nominal location: Television Site Midwestern Hwy 15km NE

HAY

Australian Map Grid: Zone Easting Northing Reference 55 314920 6185673

Site Tolerance: Refer to Technical Planning Guidelines

Emission :-

Frequency Band & Mode UHF Band V - TV

Carrier Frequency: 730.198 MHz (Ch.57)

Polarisation Horizontal

Maximum antenna height 80 m

Bearing or Sector (Clockwise direction)	Maximum ERP
0°T - 180°T	2 kW
180°T - 195°T	5 kW
195°T - 210°T	10 kW
210°T - 280°T	20 kW
280°T - 295°T	10 kW
295°T - 310°T	5 kW
310°T - 360°T	2 kW

LICENCE AREA PLAN: Griffith and the MIA Television - October 2006

Category: Commercial

General Area Served: Murrumbidgee Irrigation Area (NSW)

Service Licence Number: SL10104

TECHNICAL SPECIFICATION - Television

Specification Number: TS10002675

Transmitter Site :-

Nominal location: Broadcast Tower MT BINGAR

Australian Map Grid: Zone Easting Northing Reference 55 429350 6223920

Site Tolerance: Refer to Technical Planning Guidelines

Emission :-

Frequency Band & Mode UHF Band IV - TV

Carrier Frequency: 548.224 MHz (Ch.31)

Polarisation Vertical

Maximum antenna height 180 m

Bearing or Sector (Clockwise direction)	Maximum ERP
At all angles of azimuth	600 kW

LICENCE AREA PLAN: Griffith and the MIA Television - October 2006

Category: Commercial

General Area Served: Hay (NSW)

Service Licence Number: SL10104

TECHNICAL SPECIFICATION - Television

Specification Number: TS10002681

Transmitter Site :-

Nominal location: Television Site Midwestern Hwy 15km NE HAY

Australian Map Grid: Zone Easting Northing Reference 55 314920 6185673

Site Tolerance: Refer to Technical Planning Guidelines

Emission :-

Frequency Band & Mode UHF Band V - TV

Carrier Frequency: 772.198 MHz (Ch.63)

Polarisation Horizontal

Maximum antenna height 80 m

Bearing or Sector (Clockwise direction)	Maximum ERP
0°T - 180°T	2 kW
180°T - 195°T	5 kW
195°T - 210°T	10 kW
210°T - 280°T	20 kW
280°T - 295°T	10 kW
295°T - 310°T	5 kW
310°T - 360°T	2 kW

LICENCE AREA PLAN: Griffith and the MIA Television - October 2006

Category: National

General Area Served : Murrumbidgee Irrigation Area (NSW)

Service Licence Number: Not applicable

TECHNICAL SPECIFICATION - Television

Specification Number: TS10002672

Transmitter Site :-

Nominal location: Broadcast Tower MT BINGAR

Australian Map Grid: Zone Easting Northing Reference 55 429350 6223920

Site Tolerance: Refer to Technical Planning Guidelines

Emission :-

Frequency Band & Mode VHF Band III - TV

Carrier Frequency: 182.24 MHz (Ch.7)

Polarisation Horizontal

Maximum antenna height 158 m

Bearing or Sector (Clockwise direction)	Maximum ERP
At all angles of azimuth	200 kW

LICENCE AREA PLAN: Griffith and the MIA Television - October 2006

Category: National

General Area Served : Hay (NSW)

Service Licence Number: Not applicable

TECHNICAL SPECIFICATION - Television

Specification Number: TS10012004

Transmitter Site :-

Nominal location: Television Site Midwestern Hwy 15km NE

HAY

Australian Map Grid: Zone Easting Northing Reference 55 314920 6185673

Site Tolerance: Refer to Technical Planning Guidelines

Emission :-

Frequency Band & Mode UHF Band V - TV

Carrier Frequency: 793.198 MHz (Ch.66)

Polarisation Horizontal

Maximum antenna height 80 m

Bearing or Sector (Clockwise direction)	Maximum ERP
0°T - 180°T	2 kW
180°T - 195°T	5 kW
195°T - 210°T	10 kW
210°T - 280°T	20 kW
280°T - 295°T	10 kW
295°T - 310°T	5 kW
310°T - 360°T	2 kW

LICENCE AREA PLAN: Griffith and the MIA Television - October 2006

Category: National

General Area Served: Murrumbidgee Irrigation Area (NSW)

Service Licence Number: Not applicable

TECHNICAL SPECIFICATION - Television

Specification Number: TS10002674

Transmitter Site :-

Nominal location: Broadcast Tower MT BINGAR

Australian Map Grid: Zone Easting Northing Reference 55 429350 6223920

Site Tolerance: Refer to Technical Planning Guidelines

Emission :-

Frequency Band & Mode UHF Band IV - TV

Carrier Frequency: 527.224 MHz (Ch.28)

Polarisation Vertical

Maximum antenna height 180 m

Bearing or Sector (Clockwise direction)	Maximum ERP
At all angles of azimuth	600 kW

LICENCE AREA PLAN: Griffith and the MIA Television - October 2006

Category: National

General Area Served: Hay (NSW)

Service Licence Number: Not applicable

TECHNICAL SPECIFICATION - Television

Specification Number: TS10002680

Transmitter Site :-

Nominal location: Television Site Midwestern Hwy 15km NE

HAY

Australian Map Grid: Zone Easting Northing Reference 55 314920 6185673

Site Tolerance: Refer to Technical Planning Guidelines

Emission :-

Frequency Band & Mode UHF Band V - TV

Carrier Frequency: 751.198 MHz (Ch.60)

Polarisation Horizontal

Maximum antenna height 80 m

Bearing or Sector (Clockwise direction)	Maximum ERP
0°T - 180°T	2 kW
180°T - 195°T	5 kW
195°T - 210°T	10 kW
210°T - 280°T	20 kW
280°T - 295°T	10 kW
295°T - 310°T	5 kW
310°T - 360°T	2 kW