

Standard 1.4.2

Maximum Residue Limits (Australia Only)

Purpose

This Standard lists the maximum permissible limits for agricultural and veterinary chemical residues present in food. Schedule 1 lists all of the agricultural and veterinary chemical limits in particular foods. If a maximum residue limit for an agricultural or veterinary chemical in a food is not listed in Schedule 1 there must be no detectable residues of that agricultural or veterinary chemical in that food. Schedule 2 lists all extraneous agricultural chemical limits in particular foods. If an extraneous residue limit for an agricultural chemical in a food is not listed in Schedule 2 there must be no detectable residues of that agricultural chemical in that food. Schedule 3 groups certain agricultural or veterinary chemicals according to their chemical groups. Commodity and commodity groups which are referred to in this Standard are listed in Schedule 4. Schedule 4 also specifies the part of the commodity to which the maximum or extraneous residue limit refers.

For New Zealand purposes, maximum residue limits for agricultural compounds are regulated in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Mandatory Food Standard 1999 (and subsequent amendments) issued under sections 11C and 11Z of the Food Act 1981. Regulation 257 of the New Zealand Food Regulations 1984 also refers to MRLs, but if any inconsistency arises between Regulation 257 and the MRL Standard, the MRL Standard prevails.

Table of Provisions

- | | |
|---|--|
| 1 | Interpretation |
| 2 | Maximum residue limits |
| 3 | Extraneous residue limits |
| 4 | Determination of maximum and extraneous residue limits |

Schedules

- | | |
|---|---------------------------|
| 1 | Maximum Residue Limits |
| 2 | Extraneous Residue Limits |
| 3 | Chemical Groups |
| 4 | Foods and Classes of Food |

Clauses

1 Interpretation

- (1) Commodity names specified in Schedule 4 of this Standard may differ to those used in other parts of this Code.
- (2) Commodity names specified in Schedule 4 apply only for the purposes of this Standard and Standard 1.4.1.
- (3) An asterix “*” appearing in Schedules 1 or 2 denotes that the maximum residue limit or the extraneous residue limit is set at or about the limit of determination.
- (4) A “T” appearing in Schedules 1 or 2 denotes that the maximum residue limit or the extraneous residue limit is a temporary maximum residue limit or extraneous residue limit.
- (5) An “E” appearing in Schedule 2 denotes an extraneous residue limit.
- (6) In this Standard -

chemical means an agricultural or veterinary chemical listed in bold type in the shaded boxes in Schedules 1 or 2.

extraneous residue limit (ERL) means the maximum permitted limit of a pesticide residue, arising from environmental sources other than the use of a pesticide directly or indirectly on the food, expressed in milligrams of the chemical per kilogram of the food (mg/kg).

food means either a food or class of foods listed in unbolded type in Schedules 1, 2 or 4.

maximum residue limit (MRL) means the maximum level of a chemical which is permitted to be present in a food, expressed in milligrams of the chemical per kilogram of the food (mg/kg) unless otherwise stated.

residue definition means the residue to which the MRL or ERL applies for each chemical compound, appearing below the chemical listed in the shaded boxes in Schedules 1 and 2.

2 Maximum residue limits

- (1) The permitted MRL for a chemical in food is listed in Schedule 1.
- (2) If a MRL for a chemical is not listed in this Standard there must be no detectable residue of that chemical in that food.

Editorial note:

The MRLs for chemicals in water are listed under ‘Pesticides’ in Schedule 3 of the ‘*Guidelines for Drinking Water Quality in Australia*’ (1987) AWRC-NHMRC (Australian Water Resources Council - National Health and Medical Research Council).

3 Extraneous residue limits

- (1) The permitted ERL for a chemical in food is listed in Schedule 2.
- (2) If an ERL for a chemical is not listed in this Standard there must be no detectable residue of that agricultural chemical in that food.

4 Determination of maximum and extraneous residue limits

- (1) Schedule 4 of this Standard specifies the portion of food to which the MRL or ERL applies.
- (2) Unless Schedules 1 or 2 specify a separate MRL or ERL for a processed food, the MRL or ERL applies to that food whether raw or processed.
- (3) Where a food contains more than one of the chemicals listed in any group in Schedule 3 of this Standard, the combined proportions of those chemicals must not exceed unity.

Sample calculation

$$\frac{\text{Amount of chemical A present}}{\text{MRL or ERL for chemical A}} + \frac{\text{Amount of chemical B present}}{\text{MRL or ERL for chemical B}} \leq 1$$

- (4) Where there is no MRL or ERL specified for a chemical in a food which has ingredients, the MRL or ERL of the chemical in that food is the combined proportionate quantities of the MRL or ERL specified for the ingredients of that food.

Sample calculation

$$\text{MRL1} = \frac{\text{Total A}}{\text{Total}} \times \text{MRL A} + \frac{\text{Total B}}{\text{Total}} \times \text{MRL B}$$

In this calculation -

MRL1 = the MRL which applies to the chemical in the mixed food

MRL A = the MRL for the chemical which applies to food A

MRL B = the MRL for the chemical which applies to food B

Total A = total weight of food A

Total B = total weight of food B

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

ABAMECTIN	
SUM OF AVERMECTIN B 1A, AVERMECTIN B 1B AND D-8,9 ISOMER OF AVERMECTIN B 1A	
APPLE	0.01
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE FAT	0.1
CATTLE MEAT	0.005
CATTLE MILK	0.005
CITRUS FRUITS	0.01
COTTON SEED	*0.01
EGGPLANT	0.02
HOPS, DRY	0.1
PEAR	0.01
PEPPERS	0.02
SHEEP, EDIBLE OFFAL OF	0.05
SHEEP MEAT (IN THE FAT)	0.05
TOMATO	0.01
STRAWBERRY	0.02
ACEPHATE	
ACEPHATE (NOTE: THE METABOLITE METHAMIDOPHOS HAS SEPARATE MRLS)	
BANANA	1
BANANA, DWARF	1
BRASSICA (COLE OR CABBAGE)	5
VEGETABLES	
CITRUS FRUITS	5
COTTON SEED	2
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	0.2
LETTUCE, HEAD	10
LETTUCE, LEAF	10
MACADAMIA NUTS	*0.1
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	0.2
PEPPERS, SWEET	5
POTATO	0.5
SHEEP MEAT	*0.01
SOYA BEAN (DRY)	1
SUGAR BEET	0.1
TOMATO	5
TREE TOMATO (TAMARILLO)	0.5
ACIFLUORFEN	
ACIFLUORFEN	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	0.01
LEGUME VEGETABLES	0.1
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PEANUT	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	*0.01
PULSES	0.1

ALBENDAZOLE	
SUM OF ALBENDAZOLE, ITS SULFOXIDE, SULFONE AND SULFONE AMINE, EXPRESSED AS ALBENDAZOLE	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
GOAT, EDIBLE OFFAL OF	*0.1
GOAT MEAT	0.1
SHEEP, EDIBLE OFFAL OF	3
SHEEP MEAT	0.2
ALBENDAZOLE SULPHOXIDE	
SEE ALBENDAZOLE	
ALDICARB	
SUM OF ALDICARB, ITS SULFOXIDE AND ITS SULFONE, EXPRESSED AS ALDICARB	
CEREAL GRAINS	*0.02
CITRUS FRUITS	0.05
COTTON SEED	*0.05
GRAPES	0.05
POTATO	0.2
STRAWBERRY	0.2
SUGAR CANE	0.02
ALDOXYCARB	
SUM OF ALDOXYCARB AND ITS SULFONE, EXPRESSED AS ALDOXYCARB	
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT	*0.02
EGGS	0.1
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY MEAT	*0.02
WHEAT	*0.02
ALIPHATIC ALCOHOL ETHOXYLATES	
ALIPHATIC ALCOHOL ETHOXYLATES	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CATTLE MILK	1
ALLOXYDIM	
ALLOXYDIM	
BULB VEGETABLES	T0.1
BEETROOT	T0.1
CARROT	T0.2
FRUITING VEGETABLES, CUCURBITS	*0.1
POPPY SEED	T0.3
POTATO	T0.1
STRAWBERRY	T0.1
TOMATO	T0.2
ALLOXYDIM SODIUM	
SEE ALLOXYDIM	

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

ALTRENOGEST ALTRENOGEST	
PIG MEAT	*0.005
PIG, EDIBLE OFFAL OF	0.005
ALUMINIUM PHOSPHIDE <i>SEE PHOSPHINE</i>	
AMETRYN AMETRYN	
COTTON SEED	0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PINEAPPLE	*0.05
POME FRUITS	0.1
SUGAR CANE	0.05
AMITRAZ SUM OF AMITRAZ AND N-(2,4-DIMETHYLPHENYL)-N'-METHYLFORMAMIDINE, EXPRESSED AS AMITRAZ	
APPLE	0.5
COTTON SEED	*0.1
COTTON SEED OIL, CRUDE	1
EDIBLE OFFAL OF CATTLE, PIGS AND SHEEP	0.5
MEAT OF CATTLE, PIGS AND SHEEP	0.1
MILKS	0.1
STONE FRUITS [EXCEPT CHERRIES]	0.5
AMITROLE AMITROLE	
AVOCADO	*0.01
BANANA	*0.01
CEREAL GRAINS	*0.01
CITRUS FRUITS	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
GRAPES	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PAPAYA (PAWPAW)	*0.01
PASSIONFRUIT	*0.01
PECAN	*0.01
PINEAPPLE	*0.01
POME FRUITS	*0.01
POTATO	*0.05
STONE FRUITS	*0.02
SUGAR CANE	*0.01
AMOXYCILLIN INHIBITORY SUBSTANCE, IDENTIFIED AS AMOXYCILLIN	
CATTLE MILK	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
MEAT (MAMMALIAN)	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01

POULTRY MEAT	*0.01
SHEEP MILK	*0.01
AMPICILLIN INHIBITORY SUBSTANCE, IDENTIFIED AS AMPICILLIN	
HORSE, EDIBLE OFFAL OF	*0.01
HORSE MEAT	*0.01
AMPROLIUM AMPROLIUM	
EGGS	4
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	0.5
APRAMYCIN APRAMYCIN	
EDIBLE OFFAL (MAMMALIAN)	2
MEAT (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	*0.05
ASULAM ASULAM	
APPLE	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.1
HOPS, DRY	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POPPY SEED	*0.1
POTATO	*0.4
SUGAR CANE	*0.1
ATRAZINE ATRAZINE	
EDIBLE OFFAL (MAMMALIAN)	0.1
LUPIN (DRY)	*0.02
MAIZE	*0.1
MEAT (MAMMALIAN)	T*0.01
MILKS	T*0.01
POTATO	*0.01
RAPE SEED	0.02
SORGHUM	*0.1
SUGAR CANE	*0.1
SWEET CORN (CORN-ON-THE-COB)	*0.1
AVERMECTIN B1 <i>SEE ABAMECTIN</i>	
AVOPARCIN AVOPARCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
AZACONAZOLE AZACONAZOLE	
MUSHROOMS	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

AZAMETHIPHOS AZAMETHIPHOS	
CEREAL GRAINS	0.1
EGGS	0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
WHEAT BRAN, UNPROCESSED	0.5
AZAPERONE AZAPERONE	
PIG, EDIBLE OFFAL OF	0.2
PIG MEAT	0.2
AZINPHOS-ETHYL AZINPHOS-ETHYL	
CEREAL GRAINS	0.2
CITRUS FRUITS	2
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
POME FRUITS	2
VEGETABLES	1
AZINPHOS-METHYL AZINPHOS-METHYL	
BLUEBERRIES	1
CITRUS FRUITS	2
EDIBLE OFFAL (MAMMALIAN)	0.05
GRAPES	2
KIWIFRUIT	2
LITCHI	2
MACADAMIA NUTS	*0.01
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
POME FRUITS	2
RASPBERRIES, RED, BLACK	1
STONE FRUITS	2
BACITRACIN INHIBITORY SUBSTANCE, IDENTIFIED AS BACITRACIN	
CHICKEN, EDIBLE OFFAL OF	*0.5
CHICKEN FAT	*0.5
CHICKEN MEAT	*0.5
EGGS	*0.5
MILKS	*0.5
BENALAXYL BENALAXYL	
FRUITING VEGETABLES, CUCURBITS	0.2
GARLIC	0.1
GRAPES	0.5
LETTUCE, HEAD	*0.01
LETTUCE, LEAF	*0.01
ONION, BULB	0.1

BENDIOCARB COMMODITIES OF PLANT ORIGIN: UNCONJUGATED BENDIOCARB; COMMODITIES OF ANIMAL ORIGIN: SUM OF CONJUGATED AND UNCONJUGATED BENDIOCARB, 2,2-DIMETHYL-1,3- BENZODIOXOL-4-OL AND N- HYDROXYMETHYLBENDIOCARB, EXPRESSED AS BENDIOCARB	
BANANA	*0.02
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT	0.1
EGGS	0.05
MILKS	0.1
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.05
BENFLURALIN BENFLURALIN	
EDIBLE OFFAL (MAMMALIAN)	*0.01
LETTUCE, HEAD	*0.05
LETTUCE, LEAF	*0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
BENOMYL <i>SEE</i> CARBENDAZIM	
BENSULFURON-METHYL BENSULFURON-METHYL	
RICE	*0.02
RICE BRAN, PROCESSED	*0.05
BENSULIDE BENSULIDE	
FRUITING VEGETABLES, CUCURBITS	*0.1
BENTAZONE BENTAZONE	
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	*0.1
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.1
PEANUT	*0.1
PULSES	*0.01
SWEET CORN (CORN-ON-THE- COB)	*0.1
BENZOFENAP SUM OF BENZOFENAP, BENZOFENAP-OH AN BENZOFENAP-RED, EXPRESSED AS BENZOFENAP	
RICE	0.02
BENZYLADENINE BENZYLADENINE	
APPLE	0.2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

BENZYL G PENICILLIN INHIBITORY SUBSTANCE, IDENTIFIED AS BENZYL G PENICILLIN	
EDIBLE OFFAL (MAMMALIAN)	*0.06
EGGS	*0.018
MEAT (MAMMALIAN)	*0.06
MILKS	*0.0015
POULTRY, EDIBLE OFFAL OF	0.06
POULTRY MEAT	0.06
BETACYFLUTHRIN <i>SEE CYFLUTHRIN</i>	
BIFENTHRIN BIFENTHRIN	
APPLE	*0.05
BANANA	0.1
BARLEY	0.02
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT (IN THE FAT)	2
CEREAL GRAINS	2
CHERVIL	0.5
COTTON SEED	0.05
EGG PLANT	0.5
EGGS	*0.05
FIELD PEA (DRY)	0.01
GALANGAL, RHIZOMES	0.5
GOAT, EDIBLE OFFAL OF	0.5
GOAT MEAT (IN THE FAT)	2
GRAPES	0.01
HERBS	0.5
LUPIN (DRY)	0.02
MILKS	0.5
OKRA	0.5
PEAR	0.5
PEPPERS	0.5
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	*0.05
PULSES	0.02
RAPE SEED	*0.02
RUCOLA (ROCKET)	0.5
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP MEAT (IN THE FAT)	2
SUGAR CANE	0.01
TOMATO	0.5
TURMERIC ROOT	0.5
WHEAT	0.01
BIORESMETHRIN BIORESMETHRIN	
CEREAL GRAINS	5
WHEAT BRAN, UNPROCESSED	T10
WHEAT GERM	T10
BITERTANOL BITERTANOL	
APPLE	1
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	0.3
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	1

EGGS	*0.01
MEAT (MAMMALIAN) (IN THE FAT)	1
MILKS (IN THE FAT)	2
PEANUT	*0.2
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.2
POULTRY MEAT (IN THE FAT)	1
PULSES	0.3
BRODIFACOU BRODIFACOU	
CEREAL GRAINS	0.0002
EDIBLE OFFAL (MAMMALIAN)	0.0005
MEAT (MAMMALIAN)	0.0005
PULSES	0.0002
SUGAR CANE	*0.0005
BROMACIL BROMACIL	
ASPARAGUS	*0.04
CITRUS FRUITS	*0.04
EDIBLE OFFAL (MAMMALIAN)	*0.04
MEAT (MAMMALIAN)	*0.04
MILKS	*0.04
PINEAPPLE	*0.04
BROMOPROPYLATE BROMOPROPYLATE	
POME FRUITS	5
STONE FRUITS	5
BROMOXYNIL BROMOXYNIL	
CEREAL GRAINS	*0.2
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
LINSEED	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
SUGAR CANE	*0.02
BROMUCONAZOLE BROMUCONAZOLE, SUM OF ISOMERS	
PEACH	0.1
POME FRUITS	0.1
STONE FRUITS	0.1
GRAPES	0.05
BUPIRIMATE BUPIRIMATE	
APPLE	1
MELONS, EXCEPT WATERMELON	1
CADUSAFOS CADUSAFOS	
BANANA	*0.01
GINGER, ROOT	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

SUGAR CANE	*0.01	POTATO	0.2
TOMATO	*0.01	POULTRY, EDIBLE OFFAL OF	T5
CAPTAN		POULTRY MEAT	T0.5
CAPTAN		RAMBUTAN	5
EDIBLE OFFAL (MAMMALIAN)	0.05	RASPBERRIES, RED, BLACK	10
GRAPES	10	SAPODILLA	5
MEAT (MAMMALIAN)	0.05	SAPOTE, BLACK	5
MILKS	0.01	SAPOTE, GREEN	5
POME FRUITS	10	SAPOTE, MAMMEY	5
STONE FRUITS	20	SAPOTE, WHITE	5
STRAWBERRY	25	STRAWBERRY	7
CARBARYL		SUGAR CANE	0.05
CARBARYL		SUNFLOWER SEED	1
APRICOT	10	SWEET CORN (CORN-ON-THE-COB)	1
ASPARAGUS	10	TREE NUTS	1
AVOCADO	10	TREE NUTS (WHOLE IN SHELL)	10
BANANA (IN THE PULP)	5	VEGETABLES [EXCEPT AS	5
BLACKBERRIES	10	OTHERWISE LISTED UNDER THIS	
BLUEBERRIES	7	CHEMICAL]	
BRAZILIAN CHERRY	5	WHEAT BRAN, UNPROCESSED	T20
(GRUMICHAMA)		CARBENDAZIM	
CARAMBOLA	5	SUM OF CARBENDAZIM AND 2-	
CEREAL GRAINS	T5	AMINO BENZIMIDAZOLE, EXPRESSED AS	
CHERRIES	5	CARBENDAZIM	
CITRUS FRUITS	7	AVOCADO	3
COTTON SEED	1	BANANA	1
CUSTARD APPLE	5	BERRIES AND OTHER SMALL	5
DEWBERRIES (INCLUDING	10	FRUITS [EXCEPT GRAPES]	
BOYSENBERRY, LOGANBERRY		CEREAL GRAINS	*0.05
AND YOUNGBERRY)		CHICK PEA (DRY)	1
EDIBLE OFFAL (MAMMALIAN)	T0.2	CITRUS FRUITS	10
EGGS	T0.2	EDIBLE OFFAL (MAMMALIAN)	0.2
ELEPHANT APPLE	5	EGGS	*0.1
FEIJOA	5	EGG PLANT	0.02
FRUITING VEGETABLES,	3	FRUITING VEGETABLES,	2
CUCURBITS		CUCURBITS	
GRANADILLA	5	FRUITING VEGETABLES, OTHER	2
GRAPES	5	THAN CUCURBITS [EXCEPT	
GUAVA	5	MUSHROOMS]	
JABOTICABA	5	GINGER, ROOT	10
JACKFRUIT	5	GRAPES	3
JAMBU	5	HERBS	3
KIWIFRUIT	10	LITCHI	10
LEAFY VEGETABLES	10	MANGO	5
LITCHI	5	MEAT (MAMMALIAN)	0.2
LONGAN	5	MILKS	0.1
MANGO	5	MUSHROOMS	10
MEAT (MAMMALIAN)	T0.2	PAPAYA (PAWPAW)	T20
MILKS	T*0.05	PEANUT	0.2
NECTARINE	10	PEPPERS	0.02
OKRA	10	POME FRUITS	5
OLIVES	10	POULTRY, EDIBLE OFFAL OF	*0.1
OLIVES, PROCESSED	1	POULTRY MEAT	*0.1
PAPAYA (PAWPAW)	5	STONE FRUITS	10
PASSIONFRUIT	5	SUGAR CANE	0.1
PEACH	10	TURMERIC ROOT	3
PLUMS (INCLUDING PRUNES)	5		
POME FRUITS	5		

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	3	MEAT (MAMMALIAN) (IN THE FAT)	0.1
CARBETAMIDE CARBETAMIDE		MILKS	0.01
EDIBLE OFFAL (MAMMALIAN)	*0.1	PEACH	1
EGGS	*0.1	PEAR	0.5
MEAT (MAMMALIAN)	*0.1	POULTRY, EDIBLE OFFAL OF	0.01
MILKS	*0.1	POULTRY MEAT (IN THE FAT)	0.02
POULTRY, EDIBLE OFFAL OF	*0.1	CHLORFENVINPHOS CHLORFENVINPHOS, SUM OF E AND Z ISOMERS	
POULTRY MEAT	*0.1	BROCCOLI	0.05
CARBOFURAN SUM OF CARBOFURAN AND 3-HYDROXYCARBOFURAN, EXPRESSED AS CARBOFURAN		BRUSSELS SPROUTS	0.05
BANANA	*0.1	CABBAGES, HEAD	0.05
COTTON SEED	0.05	CARROT	0.4
EDIBLE OFFAL (MAMMALIAN)	*0.05	CATTLE, EDIBLE OFFAL OF	0.2
EGGS	*0.05	CATTLE MEAT (IN THE FAT)	0.2
MAIZE	0.05	CAULIFLOWER	0.1
MEAT (MAMMALIAN)	*0.05	CELERY	0.4
MILKS	*0.05	COTTON SEED	0.05
POULTRY, EDIBLE OFFAL OF	*0.05	EGG PLANT	0.05
POULTRY MEAT	*0.05	GOAT, EDIBLE OFFAL OF	0.2
RICE	0.2	GOAT MEAT (IN THE FAT)	0.2
SORGHUM	0.05	HORSERADISH	0.1
SUGAR CANE	*0.1	LEEK	0.05
SUNFLOWER SEED	0.05	MAIZE	0.05
SWEET CORN	0.05	MILKS (IN THE FAT)	0.2
WHEAT	*0.2	MUSHROOMS	0.05
CARBON DISULPHIDE CARBON DISULFIDE		ONION, BULB	0.05
CEREAL GRAINS	10	PEANUT	0.05
PULSES	10	POTATO	0.05
CARBONYL SULPHIDE		RADISH	0.1
CEREAL GRAINS	0.2	RICE	0.05
PULSES	0.2	SHEEP, EDIBLE OFFAL OF	0.2
RAPESEED	0.2	SHEEP MEAT (IN THE FAT)	0.2
CARBOXIN CARBOXIN		SWEDE	0.05
CEREAL GRAINS	0.1	SWEET POTATO	0.05
CHINOMETHIONAT SEE OXYTHIOQUINOX		TOMATO	0.1
CHLORFENAPYR CHLORFENAPYR		TURNIP, GARDEN	0.05
BRASSICA (COLE OR CABBAGE)	0.5	WHEAT	0.05
VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS		CHLORFLUAZURON CHLORFLUAZURON	
COTTON SEED	T0.5	CATTLE, EDIBLE OFFAL OF	0.1
EDIBLE OFFAL (MAMMALIAN)	0.1	CATTLE MEAT (IN THE FAT)	1
EGGS	0.01	CATTLE MILK	0.1
		COTTON SEED	0.1
		COTTON SEED OIL, CRUDE	0.1
		COTTON SEED OIL, EDIBLE	*0.05
		EGGS	0.2
		POULTRY, EDIBLE OFFAL OF	0.1
		POULTRY MEAT (IN THE FAT)	1
		CHLORHEXIDINE CHLORHEXIDINE	
		MILKS	0.05
		CHLORIDAZON CHLORIDAZON	
		BEETROOT	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

CHLORMEQUAT CHLORMEQUAT CATION	
DRIED GRAPES	0.75
GRAPES	0.75
MILKS	*0.1
WHEAT	5
3-(2-CHLORO-THIAZOL-5-YLMETHYL)-5-METHYL-[1,3,5]OXADIAZINAN-4-YLIDENE-N-NITROAMINE 3-(2-CHLORO-THIAZOL-5-YLMETHYL)-5-METHYL-[1,3,5]OXADIAZINAN-4-YLIDENE-N-NITROAMINE	
COTTON SEED	0.05
COTTON SEED OIL	0.05
MAIZE	0.05
SORGHUM	0.05
SWEET CORN	0.05
CHLOROPICRIN CHLOROPICRIN	
CEREAL GRAINS	*0.1
CHLOROTHALONIL CHLOROTHALONIL	
ALMONDS	T0.1
APRICOT	7
BANANA	3
BRUSSELS SPROUTS	7
CARROT	7
CELERY	10
CHERRIES	10
CURRENT, BLACK	10
FRUITING VEGETABLES,	5
CUCURBITS	
GARLIC	10
GRAPES	10
HERBS	7
LEAFY VEGETABLES	7
LEEK	10
NECTARINE	7
ONION, BULB	10
PEACH	30
PEANUT	T0.2
PLUMS (INCLUDING PRUNES)	10
POTATO	0.1
SPRING ONIONS	10
TOMATO	10
TURMERIC ROOT	7
VEGETABLES [EXCEPT AS	7
OTHERWISE LISTED UNDER THIS	
CHEMICAL]	
CHLOROXYURON SUM OF CHLOROXYURON AND ALL METABOLITES HYDROLYSED TO P-CHLOROPHENOXYANILINE, EXPRESSED AS CHLOROXYURON	
STRAWBERRY	0.5

CHLORPROPHAM CHLORPROPHAM	
GARLIC	0.05
ONIONS, BULB	0.05
POTATO	30
CHLORPYRIFOS CHLORPYRIFOS	
ASPARAGUS	0.5
AVOCADO	0.5
BANANA	0.5
BRASSICA (COLE OR CABBAGE)	0.5
VEGETABLES	
CASSAVA	*0.02
CATTLE, EDIBLE OFFAL OF	2
CATTLE MEAT (IN THE FAT)	2
CELERY	5
CEREAL GRAINS [EXCEPT	0.1
SORGHUM]	
CITRUS FRUITS	0.5
COTTON SEED	0.05
COTTON SEED OIL, CRUDE	0.2
DRIED FRUITS	2
EGGS	*0.01
GINGER, ROOT	*0.01
GRAPES	0.01
KIWIFRUIT	2
MANGO	*0.05
MILKS (IN THE FAT)	0.2
OILSEED [EXCEPT COTTON SEED]	0.01
PASSIONFRUIT	*0.05
PIG, EDIBLE OFFAL OF	0.1
PIG MEAT (IN THE FAT)	0.1
PINEAPPLE	0.5
POME FRUITS	0.2
POTATO	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT (IN THE FAT)	0.1
SHEEP, EDIBLE OFFAL OF	0.1
SHEEP MEAT (IN THE FAT)	0.1
SORGHUM	3
STONE FRUITS	1
STRAWBERRY	0.05
SUGAR CANE	0.1
TOMATO	0.5
TREE NUTS	0.02
VEGETABLES [EXCEPT AS	*0.01
OTHERWISE LISTED UNDER THIS	
CHEMICAL]	
CHLORPYRIFOS-METHYL CHLORPYRIFOS-METHYL	
CEREAL GRAINS [EXCEPT RICE]	10
COTTON SEED	0.01
COTTON SEED OIL	0.01
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
LUPIN (DRY)	10
MEAT (MAMMALIAN) (IN THE	*0.05
FAT)	

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MILKS (IN THE FAT)	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	*0.05
RICE	0.1
WHEAT BRAN, UNPROCESSED	20
WHEAT GERM	30
CHLORSULFURON CHLORSULFURON	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
CHLORTETRACYCLINE INHIBITORY SUBSTANCE, IDENTIFIED AS CHLORTETRACYCLINE	
CATTLE MEAT	0.1
PIG MEAT	0.1
POULTRY, EDIBLE OFFAL OF	0.6
POULTRY MEAT	0.1
CHLORTHAL-DIMETHYL CHLORTHAL-DIMETHYL	
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
VEGETABLES	5
CLAVULANIC ACID CLAVULANIC ACID	
CATTLE, EDIBLE OFFAL OF	*0.01
CATTLE MEAT	*0.01
CATTLE MILK	0.01
CLETHODIM <i>SEE</i> SETHOXYDIM	
CLODINAFOF-PROPARGYL CLODINAFOF-PROPARGYL	
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
WHEAT	*0.05
CLODINAFOF ACID (R)-2-[4-(5-CHLORO-3-FLUORO-2-PYRIDINYLOXY) PHENOXY] PROPANOIC ACID	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
WHEAT	*0.1

CLOFENTEZINE CLOFENTEZINE	
BANANA	*0.01
HOPS, DRY	*0.2
POME FRUITS	0.1
STONE FRUITS	0.1
CLOMAZONE CLOMAZONE	
RICE	0.01
CLOPYRALID CLOPYRALID	
CEREAL GRAINS	2
EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	0.5
KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	5
MEAT (MAMMALIAN)	0.1
MILKS	0.05
RAPE SEED	0.5
CLOQUINTOCET-MEXYL CLOQUINTOCET-MEXYL	
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
WHEAT	*0.05
CLOQUINTOCET ACID 5-CHLORO-8-QUINOLINOXYACETIC ACID	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
WHEAT	*0.1
CLORSULON CLORSULON	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CLOSANTEL CLOSANTEL	
SHEEP, EDIBLE OFFAL OF	5
SHEEP MEAT	2
CLOXACILLIN INHIBITORY SUBSTANCE, IDENTIFIED AS CLOXACILLIN	
CATTLE MILK	*0.01

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

COUMAPHOS SUM OF COUMAPHOS AND ITS OXYGEN ANALOGUE, EXPRESSED AS COUMAPHOS		MAMMALIAN FATS [EXCEPT MILK FATS]	
CATTLE, EDIBLE OFFAL OF	1	MEAT MAMMALIAN (IN THE FAT)	0.02
CATTLE MEAT (IN THE FAT)	1	MILKS	0.1
EGGS	0.05	OKRA	0.2
GOAT, EDIBLE OFFAL OF	0.5	ONION, BULB	0.02
GOAT MEAT (IN THE FAT)	0.5	PEPPERS, SWEET (CAPSICUMS)	0.2
MILKS (IN THE FAT)	0.1	POULTRY, EDIBLE OFFAL OF	*0.01
PIG, EDIBLE OFFAL OF	0.5	POULTRY MEAT (IN THE FAT)	*0.01
PIG MEAT (IN THE FAT)	0.5	PULSES	0.5
POULTRY, EDIBLE OFFAL OF	1	SHEEP MEAT (IN THE FAT)	0.05
POULTRY MEAT (IN THE FAT)	1	TOMATO	0.2
SHEEP, EDIBLE OFFAL OF	0.5	WHEAT BRAN, UNPROCESSED	5
SHEEP MEAT (IN THE FAT)	0.5		
CYANAMIDE CYANAMIDE		CYHALOTHRIN CYHALOTHRIN, SUM OF ISOMERS	
BLUEBERRIES	0.05	ALL OTHER FOODS	*0.01
GRAPES	*0.05	BARLEY	0.2
KIWIFRUIT	*0.1	BRASSICA (COLE OR CABBAGE)	0.1
PEAR, ORIENTAL (NASHI)	*0.1	VEGETABLES	
PISTACHIO NUTS	0.05	CATTLE MEAT (IN THE FAT)	0.5
CYANAZINE CYANAZINE		CITRUS FRUITS	*0.01
BULB VEGETABLES	*0.02	COTTON SEED	*0.02
CEREAL GRAINS	*0.01	EDIBLE OFFAL (MAMMALIAN)	*0.02
PEAS	0.02	EGGS	*0.02
POTATO	0.02	GOAT MEAT (IN THE FAT)	0.1
PULSES	*0.01	LEGUME VEGETABLES	0.1
SWEET CORN (CORN-ON-THE-COB)	*0.02	MILKS (IN THE FAT)	0.5
CYCLANILIDE SUM OF CYCLANILIDE AND ITS METHYL ESTER, EXPRESSED AS CYCLANILIDE		PIG MEAT (IN THE FAT)	0.1
COTTON SEED	0.2	POTATO	*0.01
COTTON SEED OIL, CRUDE	0.01	POULTRY, EDIBLE OFFAL OF	*0.02
EGGS	0.01	POULTRY MEAT	*0.02
MEAT (MAMMALIAN)	0.05	PULSES [EXCEPT SOYA BEAN (DRY)]	0.2
EDIBLE OFFAL (MAMMALIAN)	2	RAPE SEED	0.02
MILKS	0.05	SHEEP MEAT (IN THE FAT)	0.1
POULTRY, EDIBLE OFFAL OF	0.01	SORGHUM	0.2
POULTRY MEAT	0.01	SOYA BEAN (DRY)	*0.02
CYFLUTHRIN CYFLUTHRIN, SUM OF ISOMERS		SUNFLOWER SEED	*0.01
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.5	TOMATO	0.02
BRASSICA (COLE OR CABBAGE)	0.5	WHEAT	*0.05
VEGETABLES			
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.5		
CEREAL GRAINS	2		
COTTON SEED	0.01		
EDIBLE OFFAL (MAMMALIAN)	*0.01		
EGG PLANT	0.2		
EGGS	*0.01		
LEGUME VEGETABLES	0.5		
MACADAMIA NUTS	0.05		
		CYPERMETHRIN CYPERMETHRIN, SUM OF ISOMERS	
		ALL OTHER FOODS	*0.01
		ASPARAGUS	0.5
		BRASSICA (COLE OR CABBAGE)	1
		VEGETABLES	
		CATTLE, EDIBLE OFFAL OF	0.05
		CATTLE MEAT (IN THE FAT)	0.5
		CEREAL GRAINS [EXCEPT WHEAT]	1
		COMMON BEAN (PODS AND/OR IMMATURE SEEDS) (DRY)	0.05
		COTTON SEED	0.2
		COTTON SEED OIL, CRUDE	*0.02
		EGGS	0.05
		FIELD PEA (DRY)	0.05
		GOAT, EDIBLE OFFAL OF	0.05
		GOAT MEAT (IN THE FAT)	0.5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

GRAPES	0.05	LEGUME VEGETABLES	*0.05
HORSE, EDIBLE OFFAL OF	*0.05	LUPIN (DRY)	*0.05
HORSE MEAT (IN THE FAT)	*0.05	MEAT (MAMMALIAN)	0.2
LETTUCE, HEAD	2	MILKS	*0.05
LETTUCE, LEAF	2	OILSEED	*0.05
LINOLA OIL, EDIBLE	0.1	PEAR	0.05
LINOLA SEED	0.1	POTATO	0.1
LINSEED	0.5	POULTRY, EDIBLE OFFAL OF	*0.05
LUPIN (DRY)	*0.01	POULTRY MEAT	*0.05
MILKS (IN THE FAT)	1	PULSES	*0.05
MUNG BEAN (DRY)	0.05	SUGAR CANE	5
PIG, EDIBLE OFFAL OF	*0.05		
PIG MEAT (IN THE FAT)	*0.05	DAMINOZIDE	
POME FRUITS	1	DAMINOZIDE	
POTATO	*0.01	EDIBLE OFFAL (MAMMALIAN)	0.2
POULTRY, EDIBLE OFFAL OF	*0.05	EGGS	0.2
POULTRY MEAT (IN THE FAT)	*0.05	MEAT (MAMMALIAN)	0.2
RAPE SEED	0.2	MILKS	*0.05
RAPE SEED OIL, EDIBLE	0.2	PEACH	30
SHEEP, EDIBLE OFFAL OF	0.05	PEANUT	20
SHEEP MEAT (IN THE FAT)	0.5	POME FRUITS	30
SOYA BEAN (DRY)	0.05	POULTRY, EDIBLE OFFAL OF	0.2
SOYA BEAN OIL, CRUDE	0.1	POULTRY MEAT	0.2
STONE FRUITS [EXCEPT CHERRIES]	1		
SUGAR CANE	0.02	2,4-DB	
SUNFLOWER SEED	0.1	2, 4-DB	
SUNFLOWER SEED OIL, CRUDE	0.1	CEREAL GRAINS	*0.02
SWEET CORN (CORN-ON-THE- COB)	0.05	EDIBLE OFFAL (MAMMALIAN)	0.2
TOMATO	0.5	EGGS	*0.05
		MEAT (MAMMALIAN)	0.2
		MILKS	*0.05
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT	*0.05
CYPROCONAZOLE		DEF	
CYPROCONAZOLE, SUM OF ISOMERS		SEE TRIBUFOS	
BANANA	T0.5		
EDIBLE OFFAL (MAMMALIAN)	0.01	DELTAMETHRIN	
GRAPES	T0.5	DELTAMETHRIN	
MEAT (MAMMALIAN)	0.01	BRASSICA (COLE OR CABBAGE)	*0.05
MILKS	*0.01	VEGETABLES	
PEANUT	0.02	CATTLE, EDIBLE OFFAL OF	0.1
POTATO	*0.02	CATTLE MEAT (IN THE FAT)	0.5
		CATTLE MILK (IN THE FAT)	0.5
CYPRODINIL		CEREAL GRAINS	2
CYPRODINIL		EGGS	0.01
EDIBLE OFFAL (MAMMALIAN)	0.01	FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.1
GRAPES	2	GOAT, EDIBLE OFFAL OF	0.1
MEAT (MAMMALIAN)	0.01	GOAT MEAT (IN THE FAT)	0.1
MILKS	0.01	GOAT MILK (IN THE FAT)	0.2
POME FRUITS	0.05	LEGUME VEGETABLES	0.1
		OILSEED	0.1
CYROMAZINE		PIG, EDIBLE OFFAL OF	0.01
CYROMAZINE		PIG MEAT (IN THE FAT)	0.1
GOAT, EDIBLE OFFAL OF	0.2	POULTRY, EDIBLE OFFAL OF	0.01
GOAT MEAT	0.2	POULTRY MEAT	0.01
SHEEP, EDIBLE OFFAL OF	0.2	PULSES	0.1
SHEEP MEAT	0.2	SHEEP, EDIBLE OFFAL OF	0.1
		SHEEP MEAT (IN THE FAT)	0.1
2,4-D		SHEEP MILK (IN THE FAT)	0.2
2, 4-D			
CEREAL GRAINS	0.2		
CITRUS FRUITS	5		
EDIBLE OFFAL (MAMMALIAN)	2		
EGGS	*0.05		

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

SWEET CORN (KERNELS)	0.1
WHEAT BRAN, UNPROCESSED	5
WHEAT GERM	3
DEMETON-S-METHYL SUM OF DEMETON-S, DEMETON-O, THEIR SULFOXIDES AND THEIR SULFONES, EXPRESSED AS DEMETON-S-METHYL <i>SEE ALSO DISULFOTON</i>	
CEREAL GRAINS	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
HERBS	0.5
HOPS, DRY	0.5
MACADAMIA NUTS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	0.5
POME FRUITS	0.5
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
STONE FRUITS	0.5
STRAWBERRY	0.5
VEGETABLES	0.5
DEXAMETHASONE AND DEXAMETHASONE TRIMETHYLACETATE DEXAMETHASONE	
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE MEAT	0.1
CATTLE MILK	*0.05
HORSE, EDIBLE OFFAL OF	0.1
HORSE MEAT	0.1
PIG, EDIBLE OFFAL OF	0.1
PIG MEAT	0.1
DIAFENTHIURON SUM OF DIAFENTHIURON; N-[2,6-BIS(1-METHYLETHYL)- 4-PHENOXYPHENYL]-N'-(1,1-DIMETHYLETHYL)UREA; AND N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]- N'-(1,1-DIMETHYLETHYL)CARBODIIMIDE, EXPRESSED AS DIAFENTHIURON	
BRASSICA (COLE OR CABBAGE)	0.5
VEGETABLES	
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	T0.1
COTTON SEED	T0.2
POTATO	T0.1
TOMATO	T0.5
DIAZINON DIAZINON	
CEREAL GRAINS	0.1
CITRUS FRUITS	0.7
EDIBLE OFFAL (MAMMALIAN)	0.7
EGGS	*0.05
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
KIWIFRUIT	0.5
MEAT (MAMMALIAN) (IN THE FAT)	0.7

MILKS (IN THE FAT)	0.5
OLIVE OIL, CRUDE	2
OLIVES	2
PEACH	0.7
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUGAR CANE	0.5
SWEET CORN (CORN-ON-THE-COB)	0.7
TREE NUTS	0.1
VEGETABLE OILS, CRUDE	0.1
[EXCEPT OLIVE OIL, CRUDE]	
VEGETABLES	0.7
DICAMBA DICAMBA	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	*0.05
MEAT (MAMMALIAN)	0.05
MILKS	0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUGAR CANE	0.1
SUGAR CANE MOLASSES	2
DICHLOBENIL DICHLOBENIL	
CITRUS FRUITS	0.1
GRAPES	0.1
POME FRUITS	0.1
STONE FRUITS	0.1
TOMATO	0.1
DICLORAN DICLORAN	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	20
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	20
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	20
CARROT	15
GRAPES	10
LETTUCE, HEAD	20
LETTUCE, LEAF	20
ONION, BULB	20
STONE FRUITS	15
SWEET POTATO	20
TOMATO	20
DICOFOL SUM OF DICOFOL AND 2,2,2- TRICHLORO-1-(4-CHLOROPHENYL)-1-(2-CHLOROPHENYL)ETHANOL, EXPRESSED AS DICOFOL	
ALMONDS	5
COTTON SEED	0.1
CUCUMBER	2
FRUIT [EXCEPT STRAWBERRY]	5
GHERKIN	2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

HOPS, DRY	5	TRITICALE	0.05
STRAWBERRY	1	WHEAT	0.02
TEA, GREEN, BLACK	5		
TOMATO	1	DIMETHIPIN	
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5	DIMETHIPIN	
		COTTON SEED	0.5
DICYCLANIL		COTTON SEED OIL, CRUDE	0.1
SUM OF DICYCLANIL AND ITS		COTTON SEED OIL, REFINED	0.1
TRIAMINOPYRIDYL METABOLITE EXPRESSED AS		MILKS	0.01
DICYCLANIL		MEAT (MAMMALIAN)	0.01
		EDIBLE OFFAL (MAMMALIAN)	0.01
SHEEP FAT	0.3	EGGS	0.02
SHEEP KIDNEY	0.3	POULTRY MEAT	0.01
SHEEP LIVER	0.3	POULTRY, EDIBLE OFFAL OF	0.01
SHEEP MEAT	0.3		
		DIMETHIRIMOL	
DIELDRIN		DIMETHIRIMOL	
SEE ALDRIN AND DIELDRIN		FRUITING VEGETABLES, CUCURBITS	1
DIFENOCONAZOLE			
DIFENOCONAZOLE		DIMETHOATE	
BANANA	T0.5	SUM OF DIMETHOATE AND OMETHOATE, EXPRESSED AS DIMETHOATE SEE ALSO OMETHOATE	
CARROT	0.2	CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05	EGGS	*0.05
MEAT (MAMMALIAN)	*0.05	FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
MILKS	*0.01	LITCHI	5
PEANUT	0.1	FRUITING VEGETABLES, CUCURBITS	2
POME FRUITS	0.3	LUPIN (DRY)	0.5
POTATO	*0.02	MEAT (MAMMALIAN)	*0.05
POULTRY MEAT	*0.05	MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05	OILSEED [EXCEPT PEANUT]	0.1
TOMATO	0.5	PEACHES	3
WHEAT	0.02	PEANUT	*0.05
		PEPPERS, SWEET	1
DIFLUBENZURON		POULTRY, EDIBLE OFFAL OF	*0.05
DIFLUBENZURON		POULTRY MEAT	*0.05
CATTLE, EDIBLE OFFAL OF	0.02	QUANDONG	5
CATTLE MEAT	0.02	STRAWBERRY	5
CATTLE MILK	0.05	TOMATO	1
CEREAL GRAINS	2	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
MUSHROOMS	1		
SHEEP KIDNEY	0.05	DIMETHOMORPH	
SHEEP LIVER	0.05	FRUITING VEGETABLES, CUCURBITS	0.5
SHEEP MEAT (IN THE FAT)	0.05	GRAPES	2
SHEEP MILK	0.05	LETTUCE, HEAD	0.3
WHEAT BRAN, UNPROCESSED	5	LETTUCE, LEAF	0.5
		ONION, BULB	0.05
DIFLUFENICAN		POTATO	0.02
DIFLUFENICAN			
BARLEY	0.05	DIMETRIDAZOLE	
EDIBLE OFFAL (MAMMALIAN)	0.1	DIMETRIDAZOLE	
LUPIN	0.05	PIG, EDIBLE OFFAL OF	*0.005
MEAT (MAMMALIAN)	0.01	PIG MEAT	*0.005
MILKS	0.01		
OATS	0.05		
PEAS	0.05		
PULSES	0.05		
RYE	0.05		

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

POULTRY, EDIBLE OFFAL OF	*0.005	OATS	5
POULTRY MEAT	*0.005	ONION, BULB	0.1
DINITOLMIDE		PEAS	0.1
DINITOLMIDE		POPPY SEED	5
POULTRY, EDIBLE OFFAL OF	6	POTATO	0.2
POULTRY FATS	2	POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	3	POULTRY MEAT	*0.05
DINITRO-O-TOLUAMIDE		RAPE SEED	2
SEE DINITOLMIDE		RAPE SEED OIL, CRUDE	0.1
DINOCAP		RICE	5
DINOCAP AND RELATED NITRO-OCTYLPHENOLS, EXPRESSED AS DINOCAP		RICE, POLISHED	1
FRUITING VEGETABLES,	0.1	RYE	2
CUCURBITS		SESAME SEED OIL, CRUDE	0.1
GRAPES	0.1	SORGHUM	2
POME FRUITS	0.1	SOYA BEAN (DRY)	1
STONE FRUITS	0.1	SUGAR BEET	0.1
STRAWBERRY	0.1	SUGAR CANE	*0.05
DIOFENOLAN		SUNFLOWER SEED	1
DIOFENOLAN		SUNFLOWER SEED OIL, CRUDE	1
AVOCADO	T0.5	TREE NUTS	0.05
CITRUS FRUITS	T0.5	TRITICALE	2
MACADAMIA NUTS	T0.5	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.05
MANGO	T0.5	WHEAT	2
PAPAYA (PAWPAW)	T0.5	DISULFOTON	
POME FRUITS	T0.5	SUM OF DISULFOTON AND DEMETON-S AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS DISULFOTON	
SHEEP, EDIBLE OFFAL OF	0.2	SEE ALSO DEMETON-S-METHYL	
SHEEP MEAT	5	COTTON SEED	0.5
STONE FRUITS	T0.5	EDIBLE OFFAL (MAMMALIAN)	0.02
DIPHENAMID		EGGS	*0.02
DIPHENAMID		HOPS, DRY	0.5
TOMATO	T*0.1	MEAT (MAMMALIAN)	0.02
DIPHENYLAMINE		MILKS	0.01
DIPHENYLAMINE		POTATO	0.5
APPLE	5	POULTRY, EDIBLE OFFAL OF	*0.02
PEAR	7	POULTRY MEAT	*0.02
DIQUAT		VEGETABLES	0.5
DIQUAT CATION		DITHIANON	
BARLEY	5	DITHIANON	
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	1	FRUIT	2
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	1	DITHIOCARBAMATES	
COTTON SEED	1	TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
COTTON SEED OIL, CRUDE	0.1	ALMONDS	T3
EDIBLE OFFAL (MAMMALIAN)	*0.05	ASPARAGUS	T1
EGGS	*0.01	BANANA	2
FRUIT	*0.05	BEANS (DRY)	0.5
LINSEED	*0.01	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	2
LUPIN (DRY)	0.5	BEETROOT	T1
MAIZE	0.1	BERRIES AND OTHER SMALL FRUIT [EXCEPT STRAWBERRIES]	T5
MEAT (MAMMALIAN)	*0.05		
MILKS	*0.01		

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

BRASSICA (COLE OR CABBAGE) VEGETABLES	2	FIELD PEA (DRY)	*0.05
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	2	FRUIT	0.5
BROAD BEANS (DRY) (FAVA BEAN)	0.5	OILSEED	0.5
BULB VEGETABLES	4	PINEAPPLE	0.5
CARROT	1	SUGAR CANE	0.2
CELERY	5		
CEREAL GRAINS	0.5	DODINE	
CHICK-PEA (DRY)	0.5	DODINE	
CITRUS FRUITS	T0.2	POME FRUITS	5
COCONUT	5	STONE FRUITS	5
COFFEE BEANS	5		
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	2	DORAMECTIN	
COTTON SEED	T*0.05	DORAMECTIN	
EDIBLE OFFAL (MAMMALIAN)	2	CATTLE, EDIBLE OFFAL OF	0.1
EGG PLANT (AUBERGINE)	3	CATTLE FAT	0.1
EGGS	0.5	CATTLE MEAT	0.01
FIG	3		
FRUITING VEGETABLES,	2	2,2-DPA	
CUCURBITS		2,2-DICHLOROPROPIONIC ACID	
GARLIC	4	AVOCADO	*0.1
HOPS	T10	BANANA	*0.1
LEAFY VEGETABLES	5	CEREAL GRAINS	*0.1
MANGO	1	CITRUS FRUITS	*0.1
MEAT (MAMMALIAN)	*0.5	COTTON SEED	*0.1
MILKS	*0.2	CURRENTS, BLACK, RED, WHITE	15
OKRA	3	EDIBLE OFFAL (MAMMALIAN)	0.2
PAPAYA (PAWPAW)	T30	GRAPES	3
PARSLEY	5	MEAT (MAMMALIAN)	0.2
PASSION FRUIT (INCLUDING GRANADILLA)	T3	MILKS	*0.1
PEANUT	0.2	PAPAYA (PAWPAW)	*0.1
PEAS	T2	PECAN	*0.1
PEAS (DRY)	T0.5	PINEAPPLE	*0.1
PEPPERS (CAPSICUMS)	T3	POME FRUITS	*0.1
PERSIMMON, JAPANESE	5	SHEEP, EDIBLE OFFAL OF	0.0025
POME FRUITS	T3	SHEEP MEAT	0.0025
POMEGRANATE	3	STONE FRUITS	1
POULTRY, EDIBLE OFFAL OF	*0.5	SUGAR CANE	*0.1
POULTRY MEAT	*0.5	SUNFLOWER SEED	*0.1
RHUBARB	2	VEGETABLES	*0.1
ROSELLE (ROSELLA)	5		
STONE FRUITS	T3	EDB	
STRAWBERRY	T3	1,2-DIBROMOETHANE	
SUNFLOWER SEED	T*0.05	FRUIT	T0.1
SWEET CORN (CORN-ON-THE- COB)	0.5	VEGETABLES	T0.1
TOMATO	3		
DIURON		EDC	
SUM OF DIURON AND 3,4- DICHLOROANILINE, EXPRESSED AS DIURON		SEE ETHYLENE DICHLORIDE	
ASPARAGUS	2		
CATTLE, EDIBLE OFFAL OF	3	EMAMECTIN BENZOATE	
CATTLE MEAT	0.1	NO RESIDUE DEFINITION	
CATTLE MILK	0.1	BRASSICA (COLE OR CABBAGE)	0.005
CEREAL GRAINS	0.1	VEGETABLES, HEAD CABBAGES, FLOWERHEAD CABBAGES	
COTTON SEED OIL, CRUDE	0.5	COTTON SEED	0.005

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

ENDOSULFAN SUM OF A- AND B- ENDOSULFAN AND ENDOSULFAN SULPHATE	
CARROT	0.2
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT (IN THE FAT)	0.2
CEREAL GRAINS	0.2
COMMON BEAN (DRY)	1
COTTON SEED OIL, CRUDE	0.5
EGGS	*0.05
FRUITING VEGETABLES, OTHER THAN CUCURBITS	2
FRUIT	2
GOAT, EDIBLE OFFAL OF	0.2
GOAT MEAT (IN THE FAT)	0.2
LUPIN (DRY)	1
MILKS (IN THE FAT)	0.5
MUNG BEAN (DRY)	1
OILSEED	1
ONION, BULB	0.2
PEANUT	1
POTATO	0.2
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY MEAT (IN THE FAT)	0.2
RICE	0.1
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT (IN THE FAT)	0.2
SOYA BEAN (DRY)	1
SWEET CORN (CORN-ON-THE- COB)	0.2
SWEET POTATO	0.2
TEA, GREEN, BLACK	30
TREE NUTS	0.2
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
ENDOTHAL ENDOTHAL	
COTTON SEED	0.1
POTATO	0.1
ENILCONAZOLE <i>SEE</i> IMAZALIL	
EPRINOMECTIN EPRINOMECTIN B1A	
CATTLE FAT	0.5
CATTLE MILK	0.03
CATTLE MEAT	0.1
CATTLE, EDIBLE OFFAL OF	2
DEER MEAT	0.1
DEER, EDIBLE OFFAL OF	2
EPTC EPTC	
CEREAL GRAINS	*0.04
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.01
MEAT (MAMMALIAN)	*0.1

MILKS	*0.1
OILSEED	0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
VEGETABLES	*0.04
ERYTHROMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS ERYTHROMYCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.3
EGGS	*0.3
MEAT (MAMMALIAN)	*0.3
MILKS	*0.04
POULTRY, EDIBLE OFFAL OF	0.3
POULTRY MEAT	0.3
ESFENVALERATE <i>SEE</i> FENVALERATE	
ETHEPHON ETHEPHON	
APPLE	1
BARLEY	T1
CHERRIES	15
COTTON SEED	2
COTTON SEED OIL, CRUDE	*0.1
CURRANT, BLACK	1
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	0.2
GRAPES	10
KIWIFRUIT	0.1
MACADAMIA NUTS	*0.1
MANDARINS	2
MEAT (MAMMALIAN)	0.1
MILKS	0.1
ORANGES, SWEET, SOUR	2
PEACH	0.5
PINEAPPLE	2
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY MEAT	0.1
SUGAR CANE	0.5
SUGAR CANE MOLASSES	7
TOMATO	2
TRITICALE	T1
WHEAT	T1
ETHION ETHION	
CATTLE, EDIBLE OFFAL OF	2.5
CATTLE MEAT (IN THE FAT),	2.5
CITRUS FRUITS	1
GRAPES	2
MILKS (IN THE FAT)	0.5
POME FRUITS	1
STONE FRUITS	1
TEA, GREEN, BLACK	5
ETHOFUMESATE ETHOFUMESATE	
BEETROOT	0.1
CHARD (SILVER BEET)	1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

EDIBLE OFFAL (MAMMALIAN)	0.5
GARLIC	0.1
MEAT (MAMMALIAN) (IN THE FAT)	0.5
MILKS (IN THE FAT)	0.2
ONION, BULB	*0.1
POPPY SEED	*0.02
ETHOPABATE ETHOPABATE	
POULTRY, EDIBLE OFFAL OF	15
POULTRY MEAT	5
ETHOPROPHOS ETHOPROPHOS	
BANANA	*0.05
CEREAL GRAINS	*0.005
CUSTARD APPLE	*0.02
GRAPES	T*0.01
LITCHI	*0.02
POTATO	T0.02
SUGAR CANE	*0.1
SWEET POTATO	*0.02
TOMATO	*0.01
BUTROXYDIM BUTROXYDIM	
EDIBLE OFFAL (MAMMALIAN)	0.01
EGGS	0.01
LEGUME VEGETABLES	0.01
MEAT (MAMMALIAN)	0.01
MILKS	0.01
OILSEED	0.01
POULTRY MEAT	0.01
POULTRY, EDIBLE OFFAL OF	0.01
PULSES	0.01
ETHOXYQUIN ETHOXYQUIN	
APPLE	3
PEAR	3
ETHYL FORMATE ETHYL FORMATE	
DRIED FRUITS	1
ETHYLENE DICHLORIDE (EDC) 1,2-DICHLOROETHANE	
CEREAL GRAINS	50
ETHYLENE OXIDE ETHYLENE OXIDE NOTE: THE MRLS FOR ETHYLENE OXIDE CEASE TO HAVE EFFECT ON 30 SEPTEMBER 2001	
HERBS	20
SPICES	20

ETRIDIAZOLE ETRIDIAZOLE	
BEETROOT	*0.02
COTTON SEED	*0.02
PEANUT	*0.02
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.2
FAMPHUR FAMPHUR	
CATTLE, EDIBLE OFFAL OF	0.05
CATTLE MEAT	0.05
FEBANTEL FEBANTEL	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT	0.1
GOAT, EDIBLE OFFAL OF	0.5
GOAT MEAT	0.1
MILK FATS	4
MILKS	0.5
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP MEAT	0.1
FENAMIPHOS SUM OF FENAMIPHOS, ITS SULFOXIDE AND SULFONE, EXPRESSED AS FENAMIPHOS	
ALOE VERA	1
BANANA	*0.05
BRASSICA (COLE OR CABBAGE)	*0.05
VEGETABLES	
CELERY	*0.05
CITRUS FRUITS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUITING VEGETABLES,	*0.05
CUCURBITS	
GINGER, ROOT	*0.05
GRAPES	*0.05
LEAFY VEGETABLES [EXCEPT	*0.05
LETTUCE, HEAD;	
LETTUCE, LEAF]	
LETTUCE, HEAD	0.2
LETTUCE, LEAF	0.2
MEAT (MAMMALIAN)	*0.05
MILKS	*0.005
MUSHROOMS	0.1
ONION, BULB	*0.05
PEANUT	*0.05
PINEAPPLE	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
ROOT AND TUBER VEGETABLES	0.2
STRAWBERRY	0.2
SUGAR CANE	*0.05
TOMATO	0.5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

FENARIMOL FENARIMOL			
CURRENT, BLACK	T0.1	GRAPES	0.5
FRUITING VEGETABLES,	0.2	LETTUCE, HEAD	0.5
CUCURBITS		LETTUCE, LEAF	0.5
GRAPES	0.1	MEAT (MAMMALIAN)	*0.05
POME FRUITS	0.2	MILKS (IN THE FAT)	*0.05
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT	*0.05
		RICE, POLISHED	0.1
		SOYA BEAN (DRY)	0.3
		SUGAR CANE	0.02
		TEA, GREEN, BLACK	0.5
		TOMATO	0.5
		TREE NUTS	0.1
		VEGETABLES [EXCEPT AS	0.1
		OTHERWISE LISTED UNDER THIS	
		CHEMICAL]	
		WHEAT BRAN, UNPROCESSED	20
		WHEAT GERM	20
FENBENDAZOLE FENBENDAZOLE		FENOPROP FENOPROP	
CATTLE, EDIBLE OFFAL OF	*0.1	APPLE	0.02
CATTLE MEAT	*0.1	EDIBLE OFFAL (MAMMALIAN)	*0.02
GOAT, EDIBLE OFFAL OF	0.5	EGGS	*0.02
GOAT MEAT	0.5	MEAT (MAMMALIAN)	*0.02
MILKS	0.1	MILKS	*0.02
PIG, EDIBLE OFFAL OF	0.1	POULTRY, EDIBLE OFFAL OF	*0.02
PIG MEAT	0.1	POULTRY MEAT	*0.02
SHEEP, EDIBLE OFFAL OF	0.5	SUGAR CANE	*0.02
SHEEP MEAT	0.5		
FENBUTATIN OXIDE BIS[TRIS(2-METHYL-2-PHENYLPROPYL)TIN]- OXIDE		FENOXAPROP-ETHYL SUM OF FENOXAPROP-ETHYL (ALL ISOMERS) AND 2-(4-(6-CHLORO-2- BENZOXAZOLYLOXY)PHENOXY)-PROPANOATE AND 6-CHLORO-2,3-DIHYDROBENZOXAZOL-2- ONE, EXPRESSED AS FENOXAPROP-ETHYL	
BERRIES AND OTHER SMALL	1	BARLEY	*0.01
FRUITS		CHICK-PEA (DRY)	*0.01
CITRUS FRUITS	5	EDIBLE OFFAL (MAMMALIAN)	0.2
CITRUS PEEL	30	EGGS	*0.02
HOPS, DRY	20	MEAT (MAMMALIAN)	0.05
PEACH	3	MILKS	0.02
POME FRUITS	3	POULTRY, EDIBLE OFFAL OF	*0.1
TROPICAL AND SUB-TROPICAL	5	POULTRY MEAT	*0.01
FRUITS - INEDIBLE PEEL		RYE	*0.01
		TRITICALE	*0.01
		WHEAT	*0.01
FENCHLORAZOLE-ETHYL FENCHLORAZOLE-ETHYL		FENOXYCARB FENOXYCARB	
BARLEY	*0.05	BRASSICA (COLE OR CABBAGE)	T0.5
CHICK-PEA (DRY)	*0.05	VEGETABLES	
RYE	*0.05	CURRENTS, BLACK	T2
TRITICALE	*0.05	CURRENTS, RED	2
WHEAT	*0.05	GOOSEBERRY	2
		GRAPES	T2
		MACADAMIA NUTS	0.05
		POME FRUITS	T2
		STONE FRUITS	T0.5
FENCHLORPHOS FENCHLORPHOS			
EDIBLE OFFAL (MAMMALIAN)	7		
EGGS	*0.05		
MEAT (MAMMALIAN) (IN THE	7		
FAT)			
POULTRY, EDIBLE OFFAL OF	7		
POULTRY MEAT (IN THE FAT)	7		
FENTROTHION FENTROTHION			
APPLE	0.5		
CABBAGES, HEAD	0.5		
CACAO BEANS	0.1		
CEREAL GRAINS	10		
CHERRIES	0.5		
EDIBLE OFFAL (MAMMALIAN)	*0.05		
EGGS	*0.05		
FRUIT [EXCEPT AS OTHERWISE	0.1		
LISTED UNDER THIS CHEMICAL]			

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

FENPICLONIL					
FENPICLONIL					
COTTON SEED	0.02			GOAT MEAT (IN THE FAT)	0.5
FENPYROXIMATE				GRAPES	*0.05
FENPYROXIMATE				LEGUME VEGETABLES	0.5
APPLE	0.3			MILKS (IN THE FAT)	0.2
PEAR	0.3			OILSEED	0.5
FENTHION				POME FRUITS	1
SUM OF FENTHION, ITS OXYGEN ANALOGUE, AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS FENTHION				PULSES	0.5
CATTLE, EDIBLE OFFAL OF	1			SHEEP MEAT (IN THE FAT)	0.5
CATTLE MEAT	1			STONE FRUITS	1
CITRUS FRUITS	2			STRAWBERRY	1
EGGS	*0.05			SWEET CORN (CORN-ON-THE-COB)	0.05
FIG	2			TOMATO	0.2
FRUITING VEGETABLES, CUCURBITS	2			WHEAT BRAN, UNPROCESSED	5
FRUITING VEGETABLES, OTHER THAN CUCURBITS	2			FIPRONIL	
GRAPES	2			SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL) SULPHENYL]-1H- PYRAZOLE-3-CARBONITRILE), THE SULPHONYL METABOLITE (5-AMINO-1-[2,6- DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL)SULPHONYL]-1H- PYRAZOLE-3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL- 1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE-3- CARBONITRILE)	
GUAVA	2			BANANA	0.01
MILKS	0.2			BRASSICA (COLE OR CABBAGE) VEGETABLES	0.05
PERSIMMON, JAPANESE	2			BROCCOLI	0.03
PIG, EDIBLE OFFAL OF	0.5			BRUSSEL SPROUTS	0.1
PIG MEAT	0.5			CABBAGES, HEAD	0.03
POME FRUITS	2			COTTON SEED	0.1
POULTRY, EDIBLE OFFAL OF	*0.05			COTTON SEED OIL, CRUDE	0.05
POULTRY MEAT	*0.05			CAULIFLOWER	0.03
SHEEP, EDIBLE OFFAL OF	0.2			MUSHROOMS	0.05
SHEEP MEAT	0.2			PEANUT	0.02
STONE FRUITS	5			PEANUT OIL, CRUDE	0.05
TROPICAL AND SUB-TROPICAL FRUITS - INEDIBLE PEEL	2			PECAN	0.01
FENTIN				POTATO	0.05
FENTIN HYDROXIDE, EXCLUDING INORGANIC TIN AND DI- AND MONO-PHENYLTIN				RICE	*0.005
CACAO BEANS	*0.1			SORGHUM	0.005
CARROT	0.2			SUGAR CANE	0.1
CELERIAC	0.1			FLAMPROP-M-METHYL	
CELERY	1			SEE FLAMPROP-METHYL	
COFFEE BEANS	*0.1			FLAMPROP-METHYL	
PEANUT	*0.05			FLAMPROP-METHYL	
PECAN	*0.05			EDIBLE OFFAL (MAMMALIAN)	*0.01
POTATO	0.1			LUPIN (DRY)	0.05
RICE	*0.1			MEAT (MAMMALIAN)	*0.01
SUGAR BEET	0.2			MILKS	*0.01
FENVALERATE				SAFFLOWER SEED	*0.05
FENVALERATE, SUM OF ISOMERS				TRITICALE	0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES	1			WHEAT	0.05
BRASSICA LEAFY VEGETABLES	1				
CATTLE MEAT (IN THE FAT)	0.2				
CEREAL GRAINS	2				
CELERY	2				
EDIBLE OFFAL (MAMMALIAN)	0.02				

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

FLAVOPHOSPHOLIPOL FLAVOPHOSPHOLIPOL	
EGGS	*0.02
FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL	
AVOCADO	*0.02
BANANA	*0.02
BERRIES AND OTHER SMALL FRUITS	0.2
BRASSICA (COLE OR CABBAGE) VEGETABLES	1
CARROT	0.1
CELERY	*0.02
CHERVIL	1
CITRUS FRUIT	0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
ENDIVE	0.05
FRUITING VEGETABLES, CUCURBITS	0.1
GALANGAL, RHIZOMES	1
GARLIC	0.05
GINGER, ROOT	0.05
HERBS	1
HOPS, DRY	0.05
LEEK	0.2
LEGUME VEGETABLES	0.1
LETTUCE, HEAD	0.05
LETTUCE, LEAF	0.05
LUPIN (DRY)	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	0.1
OILSEED	0.5
ONION, BULB	0.05
PEPPERS, SWEET	*0.02
POME FRUITS	*0.01
POTATO	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
RUCOLA (ROCKET)	1
STONE FRUITS	0.05
TOMATO	0.1
TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL [EXCEPT AVOCADO AND BANANA]	0.05
TURMERIC ROOT	1
FLUAZINAM FLUAZINAM	
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.01
FLUAZURON FLUAZURON	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT (IN THE FAT)	7

FLUCYTHRINATE FLUCYTHRINATE	
COTTON SEED	*0.1
COTTON SEED OIL, CRUDE	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
FLUDIOXONIL FLUDIOXONIL	
GRAPES	T2
POTATO	0.05
FLUFENOXURON FLUFENOXURON	
SHEEP MEAT (IN THE FAT)	0.1
SHEEP, EDIBLE OFFAL OF	0.05
FLUMETHRIN FLUMETHRIN, SUM OF ISOMERS	
CATTLE, EDIBLE OFFAL OF	T0.05
CATTLE MEAT (IN THE FAT)	0.2
CATTLE MILK	T0.05
HONEY	0.005
HORSE, EDIBLE OFFAL OF	0.1
HORSE MEAT	0.1
FLUMETSULAM FLUMETSULAM	
BARLEY	0.05
EGGS	*0.1
GARDEN PEA	*0.1
MAIZE	0.05
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
OATS	0.05
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
PULSES	0.05
PEANUT	0.05
RYE	0.05
TRITICALE	0.05
WHEAT	*0.05
FLUPROPANATE FLUPROPANATE	
EDIBLE OFFAL (MAMMALIAN)	0.1
MEAT (MAMMALIAN) (IN THE FAT)	0.1
FLUOMETURON SUM OF FLUOMETURON AND 4-TRIFLUOROMETHYLANILINE, EXPRESSED AS FLUOMETURON	
CEREAL GRAINS	*0.1
CITRUS FRUITS	0.5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

COTTON SEED	*0.1	EGGS	T*0.05
PINEAPPLE	*0.1	FRUIT	T2
FLUORINE (INORGANIC SALTS) FLUORIDE ION		MEAT (MAMMALIAN)	T*0.05
CEREAL GRAINS	7	MILKS	T*0.05
FRUIT	7	OILSEED [EXCEPT PEANUT]	T0.1
VEGETABLES	7	PEANUT	T*0.05
FLUQUINCONAZOLE FLUQUINCONAZOLE		PEPPERS, SWEET	T1
APPLE	T0.5	POULTRY, EDIBLE OFFAL OF	T*0.05
PEAR	T0.5	POULTRY MEAT	T*0.05
FLUROXYPYR FLUROXYPYR		TOMATO	T1
CEREAL GRAINS	0.2	VEGETABLES [EXCEPT AS	T2
EDIBLE OFFAL (MAMMALIAN)	2	OTHERWISE LISTED UNDER THIS	
MEAT (MAMMALIAN)	0.1	CHEMICAL]	
SUGAR CANE (IN THE JUICE)	0.2	FOSETYL ALUMINIUM FOSETYL	
SWEET CORN (CORN-ON-THE-COB)	0.2	APPLE	1
FLUSILAZOLE FLUSILAZOLE		AVOCADO	5
BANANA	0.2	DURIAN	5
GRAPES	0.5	PEACH	1
POME FRUITS	0.2	PINEAPPLE	5
STONE FRUITS	0.05	GLUFOSINATE AND GLUFOSINATE AMMONIUM SUM OF GLUFOSINATE-AMMONIUM AND 3- [HYDROXY(METHYL)-PHOSPHINOYL] PROPIONIC ACID, EXPRESSED AS GLUFOSINATE (FREE ACID)	
SUGAR CANE	*0.02	BERRIES AND OTHER SMALL	0.1
FLUTRIAFOL FLUTRIAFOL		FRUITS	
BARLEY	0.2	CITRUS FRUITS	0.1
CEREAL GRAINS [EXCEPT AS	0.02	EDIBLE OFFAL (MAMMALIAN)	5
OTHERWISE LISTED UNDER THIS		MEAT (MAMMALIAN)	0.1
CHEMICAL]		MILKS	0.05
EDIBLE OFFAL (MAMMALIAN)	0.5	POME FRUIT	0.1
EGGS	0.05	STONE FRUIT	0.05
MEAT (MAMMALIAN)	*0.05	TREE NUTS	0.1
MILKS	*0.05	TROPICAL AND SUB-TROPICAL	0.2
POULTRY, EDIBLE OFFAL OF	0.05	FRUIT - INEDIBLE PEEL	
POULTRY, MEAT	0.05	GLYPHOSATE GLYPHOSATE	
RAPE SEED	*0.02	AVOCADO	*0.05
FLUVALINATE FLUVALINATE, SUM OF ISOMERS		BABACO	*0.05
APPLE	0.1	BANANA	0.2
BRASSICA (COLE OR CABBAGE)	0.5	BARLEY	20
VEGETABLES		BERRIES AND OTHER SMALL	*0.05
COTTON SEED	T0.1	FRUITS	
HONEY	0.01	BULB VEGETABLES	*0.1
NECTARINE	0.1	CEREAL GRAINS [EXCEPT AS	0.1
TABLE GRAPES	0.05	OTHERWISE LISTED UNDER THIS	
TOMATO	0.5	CHEMICAL]	
FORMOTHION FORMOTHION		CITRUS FRUITS	0.5
CEREAL GRAINS	T*0.05	COTTON SEED	1
EDIBLE OFFAL (MAMMALIAN)	T*0.05	COTTON SEED OIL, CRUDE	*0.1
		CUSTARD APPLE	*0.05
		EDIBLE OFFAL (MAMMALIAN)	2
		EGGS	*0.05
		FIG	*0.05
		FRUITING VEGETABLES,	*0.1
		CUCURBITS	

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

FRUITING VEGETABLES, OTHER THAN CUCURBITS	*0.1
GUAVA	*0.05
KIWIFRUIT	*0.05
LEAFY VEGETABLES	*0.1
LEGUME VEGETABLES	*0.1
LITCHI	0.2
MANGO	*0.05
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
MONSTERO	*0.05
OILSEED [EXCEPT COTTON SEED]	*0.1
OLIVES	*0.1
PAPAYA (PAWPAW)	*0.05
PERSIMMON, AMERICAN	*0.05
PERSIMMON, JAPANESE	*0.05
POME FRUITS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
PULSES	*0.1
RAPE SEED	T5
RAPE SEED OIL, CRUDE	T0.05
RAPE SEED, EDIBLE	T0.05
ROLLINIA	*0.05
ROOT AND TUBER VEGETABLES	*0.1
STALK AND STEM VEGETABLES	*0.01
STONE FRUITS	0.2
SUGAR CANE	*0.05
TREE NUTS	0.2
WHEAT	5
WHEAT BRAN, UNPROCESSED	20
GUAZATINE GUAZATINE	
CITRUS FRUITS	5
MELONS, EXCEPT WATERMELON	5
TOMATO	5
HALOFUGINONE HALOFUGINONE	
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	*0.05
HALOSULFURON-METHYL HALOSULFURON-METHYL	
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	T0.2
MAIZE	*0.05
MEAT (MAMMALIAN)	T*0.01
MILKS	T*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
SORGHUM	0.05
SOYA BEAN (IMMATURE SEEDS)	0.5
SOYA BEAN (DRY)	0.5
SUGAR CANE	*0.05
WHEAT	0.2

HALOXYFOP SUM OF HALOXYFOP, ITS ESTERS AND CONJUGATES, EXPRESSED AS HALOXYFOP	
BERRIES AND OTHER SMALL FRUITS	*0.05
CATTLE FAT	0.1
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT	0.02
CATTLE MILK	0.02
CITRUS FRUITS	*0.05
COTTON SEED	0.1
EGGS	0.05
GARLIC	0.05
ONION, BULB	0.05
PEANUT	0.05
PERSIMMON, JAPANESE	*0.05
POME FRUITS	*0.05
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY FATS	0.5
POULTRY MEAT	0.2
PULSES	0.05
RAPE SEED	0.1
STONE FRUITS	*0.05
SUNFLOWER SEED	*0.02
TREE NUTS	*0.05
TROPICAL AND SUB-TROPICAL FRUITS - INEDIBLE PEEL	*0.05
HEXA CONAZOLE HEXA CONAZOLE	
APPLE	0.1
GRAPES	0.05
PEAR	0.1
HEXAZINONE HEXAZINONE	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.05
MEAT (MAMMALIAN)	*0.1
MILKS	*0.05
PINEAPPLE	1
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
SUGAR CANE	*0.1
HEXYTHIAZOX HEXYTHIAZOX	
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	1
POME FRUITS	1
STONE FRUITS	1
HYDROGEN PHOSPHIDE <i>SEE PHOSPHINE</i>	
IMAZALIL IMAZALIL	
CHICKEN, EDIBLE OFFAL OF	*0.01
CHICKEN MEAT	*0.01
CITRUS FRUITS	10

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

POME FRUITS	5
POTATO	5
IMAZAPIC	
SUM OF IMAZAPIC AND ITS HYDROXYMETHYL DERIVATIVE	
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	0.01
MEAT (MAMMALIAN) (IN THE FAT)	0.05
MILKS	0.01
POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT	0.01
SUGAR CANE	0.05
IMAZETHAPYR	
IMAZETHAPYR	
EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	0.1
LEGUME VEGETABLES	0.1
MEAT (MAMMALIAN)	0.1
MILKS	0.1
PEANUT	0.1
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
PULSES	0.1
IMIDACLOPRID	
SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6-CHLOROPYRIDINYMETHYLENEMOIEITY, EXPRESSED AS IMIDACLOPRID	
APPLE	0.5
CELERY	0.05
CEREAL GRAINS	0.05
COTTON SEED	T*0.02
EGGS	*0.02
EDIBLE OFFAL (MAMMALIAN)	0.05
FRUITING VEGETABLES, CUCURBITS	0.2
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.5
LUPIN (DRY)	0.05
MAIZE	0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POTATO	0.5
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
RAPE SEED	0.05
SORGHUM	0.02
STONE FRUITS	0.5
SUGAR CANE	0.02
SUNFLOWER SEED	0.02
SWEET POTATO	0.05
IMIDOCARB (DIPROPIONATE SALT)	
IMIDOCARB	
CATTLE, EDIBLE OFFAL OF	5
CATTLE MEAT	1
CATTLE MILK	0.2

INORGANIC BROMIDE	
BROMIDE ION	
AVOCADO	75
CEREAL GRAINS	50
CITRUS FRUITS	30
DATES, DRIED	100
DRIED FRUITS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	30
DRIED GRAPES	100
DRIED HERBS	400
DRIED PEACH	50
FIGS, DRIED	250
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	20
PEPPERS, SWEET	50
PRUNES	20
SPICES	400
STRAWBERRY	30
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	20
IOXYNIL	
IOXYNIL	
LEEK	0.02
ONION, BULB	0.02
SUGAR CANE	0.02
SUGAR CANE MOLASSES	0.02
IPRODIONE	
IPRODIONE	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.2
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	12
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.2
CELERY	2
EDIBLE OFFAL (MAMMALIAN)	*0.1
GRAPES	20
HERBS	5
KIWIFRUIT	10
LETTUCE, HEAD	5
LETTUCE, LEAF	5
LUPIN (DRY)	*0.1
MACADAMIA NUTS	0.2
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
PASSIONFRUIT	10
PEANUT	0.05
POME FRUITS	3
POTATO	*0.05
RAPE SEED	1
SOYA BEAN (DRY)	0.05
STONE FRUITS	10
TARO	*0.05
TOMATO	2
TURMERIC ROOT	5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

ISOEUGENOL ISOEUGENOL, SUM OF CIS- AND TRANS- ISOMERS	
DIADROMOUS FISH (WHOLE COMMODITY)	100
FRESHWATER FISH (WHOLE COMMODITY)	100
MARINE FISH (WHOLE COMMODITY)	100
ISOFENPHOS ISOFENPHOS	
BANANA	*0.02
SUGAR CANE	*0.01
IVERMECTIN IVERMECTIN, SUM OF ISOMERS	
CATTLE KIDNEY	0.01
CATTLE LIVER	0.1
CATTLE MEAT (IN THE FAT)	0.04
CATTLE MILK	0.02
DEER KIDNEY	0.01
DEER LIVER	0.01
DEER MEAT (IN THE FAT)	0.01
HORSE, EDIBLE OFFAL OF	0.01
HORSE MEAT	0.01
PIG KIDNEY	0.01
PIG LIVER	0.01
PIG MEAT (IN THE FAT)	0.02
SHEEP KIDNEY	0.01
SHEEP LIVER	0.01
SHEEP MEAT (IN THE FAT)	0.05
KITASAMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS KITASAMYCIN	
EGGS	*0.2
PIG, EDIBLE OFFAL OF	*0.2
PIG MEAT	*0.2
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY MEAT	*0.2
LASALOCID LASALOCID	
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
LENACIL LENACIL	
STRAWBERRY	T*0.04
LUFENURON LUFENURON	
COTTON SEED	0.02

LEVAMISOLE LEVAMISOLE	
EDIBLE OFFAL (MAMMALIAN)	1
EGGS	1
GOAT MILK	0.1
MEAT (MAMMALIAN)	0.1
MILKS [EXCEPT GOAT MILK]	0.3
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
LINCOMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS LINCOMYCIN	
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	0.1
GOAT MILK	*0.1
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	0.1
LINDANE LINDANE	
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
MEAT (MAMMALIAN) (IN THE FAT)	2
MILKS (IN THE FAT)	0.2
LINURON SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
CEREAL GRAINS	*0.05
CORIANDER, SEED	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	0.05
HERBS	0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
TURMERIC ROOT	0.05
VEGETABLES	*0.05
MADURAMICIN MADURAMICIN	
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	0.1
MAGNESIUM PHOSPHIDE SEE PHOSPHINE	
MALATHION SEE MALDISON	
MALDISON MALDISON	
BEANS (DRY)	8
BLACKCURRANTS	2
BLUEBERRIES	0.5
CAULIFLOWER	0.5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

CEREAL GRAINS	8
CHARD (SILVER BEET)	0.5
CITRUS FRUITS	4
DRIED FRUITS	8
EDIBLE OFFAL (MAMMALIAN)	1
EGG PLANT	0.5
EGGS	1
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
GARDEN PEA	0.5
GRAPES	8
KALE	3
KOHLRABI	0.5
LENTIL (DRY)	8
MEAT (MAMMALIAN) (IN THE FAT)	1
MILKS (IN THE FAT)	1
PEANUT	8
PEAR	0.5
PEPPERS, SWEET	0.5
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT (IN THE FAT)	1
ROOT AND TUBER VEGETABLES	0.5
STRAWBERRY	1
TOMATO	3
TREE NUTS	8
TURNIP, GARDEN	0.5
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
WHEAT BRAN, UNPROCESSED	20
MALEIC HYDRAZIDE	
SUM OF FREE AND CONJUGATED MALEIC HYDRAZIDE, EXPRESSED AS MALEIC HYDRAZIDE	
GARLIC	15
ONION, BULB	15
POTATO	50
MANCOZEB	
SEE DITHIOCARBAMATES	
MCPA	
MCPA	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
MCPB	
MCPB	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
LEGUME VEGETABLES	*0.02
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05

POULTRY MEAT	*0.05
PULSES	*0.02
MEBENDAZOLE MEBENDAZOLE	
EDIBLE OFFAL (MAMMALIAN)	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	0.02
MECOPROP MECOPROP	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
MEFENPYR-DIETHYL MEFENPYR-DIETHYL	
CEREAL GRAINS	0.01
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	0.01
MEAT (MAMMALIAN)	0.05
MILKS	0.01
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
MEPIQUAT MEPIQUAT	
COTTON SEED	1
COTTON SEED OIL, CRUDE	0.2
EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	0.05
MEAT (MAMMALIAN)	0.1
MILKS	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
METALAXYL METALAXYL	
AVOCADO	0.5
BULB VEGETABLES	0.1
FRUITING VEGETABLES, CUCURBITS	0.2
GRAPES	1
LEAFY VEGETABLES	0.3
MACADAMIA NUTS	1
PINEAPPLE	0.1
POME FRUITS	0.2
STONE FRUITS	0.2
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
METALDEHYDE METALDEHYDE	
FRUIT	1
HERBS	1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

VEGETABLES	1	CATTLE, EDIBLE OFFAL OF	0.5
TURMERIC ROOT	1	CATTLE MEAT (IN THE FAT)	0.5
METHABENZTHIAZURON METHABENZTHIAZURON		CEREAL GRAINS	*0.01
CEREAL GRAINS	*0.05	CITRUS FRUITS [EXCEPT MANDARINS]	2
GRAPES	0.1	CUSTARD APPLE	0.2
LEEK	0.05	EDIBLE OFFAL (MAMMALIAN) [EXCEPT CATTLE, EDIBLE OFFAL OF]	0.05
ONION, BULB	*0.05	EGGS	*0.05
METHACRIFOS METHACRIFOS		FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.1
BARLEY	T10	GARLIC	*0.01
PEAS (DRY)	5	GRAPES	0.5
WHEAT	T10	LEGUME VEGETABLES	0.1
WHEAT BRAN, UNPROCESSED	T20	LETTUCE, HEAD	1
WHEAT GERM	T30	LETTUCE, LEAF	1
METHAM SEE DITHIOCARBAMATES SEE DITHIOCARBAMATES		LONGAN	0.5
		MACADAMIA NUTS	*0.01
METHAM-SODIUM SEE METHAM		MANDARINS	5
		MANGO	2
METHAMIDOPHOS METHAMIDOPHOS SEE ALSO ACEPHATE		MEAT (MAMMALIAN) [EXCEPT CATTLE MEAT (IN THE FAT)]	*0.05
BANANAS	0.2	MILKS (IN THE FAT)	0.5
BANANAS, DWARF	0.2	OILSEED	1
BRASSICA (COLE OR CABBAGE VEGETABLES)	1	ONION, BULB	*0.01
CELERY	2	PASSIONFRUIT	0.2
CITRUS FRUITS	0.5	PEAR	0.2
COTTON SEED	0.1	POULTRY, EDIBLE OFFAL OF	*0.05
CUCUMBER	0.5	POULTRY MEAT	*0.05
EGG PLANT	1	PULSES	0.1
HOPS, DRY	5	ROOT AND TUBER VEGETABLES	*0.01
LETTUCE, HEAD	1	STONE FRUITS	*0.01
LETTUCE, LEAF	1	STRAWBERRY	*0.01
LUPIN (DRY)	0.5	TOMATO	0.1
MILKS	*0.01	VEGETABLE OILS, EDIBLE	0.1
PEACH	1	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
PEANUT	*0.02	METHIOCARB SUM OF METHIOCARB, ITS SULFOXIDE AND SULFONE, EXPRESSED AS METHIOCARB	
PEPPERS, SWEET	2	FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
POTATO	0.25	GRAPES	0.5
RAPE SEED	0.1	VEGETABLES	0.1
SOYA BEAN (DRY)	0.1	WINE	0.1
SUGAR BEET	0.05	METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB	
TOMATO	2	APPLE	1
TREE TOMATO (TAMARILLO)	*0.01	AVOCADO	0.05
METHAZOLE METHAZOLE		BLACKBERRIES	2
ONION, BULB	T*0.1	BLUEBERRIES	2
METHIDATHION METHIDATHION		CABBAGES, HEAD	1
APPLE	0.2	CEREAL GRAINS	*0.1
AVOCADO	0.5	CHERRIES	2
BRASSICA (COLE OR CABBAGE)	0.1	CITRUS FRUITS	1
VEGETABLES			

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

COTTON SEED	*0.1
DRIED GRAPES	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.02
FRUITING VEGETABLES, OTHER THAN CUCURBITS	1
GINGER, ROOT	*0.1
GRAPES	2
HOPS, DRY	0.5
LEAFY VEGETABLES	1
LEGUME VEGETABLES	1
LINSEED	*0.1
MEAT (MAMMALIAN)	0.05
MILKS	0.05
MINTS	0.5
NECTARINE	1
PEACH	1
PEANUT	*0.05
PEAR	3
PLANTAGO OVATA SEED	0.05
POPPY SEED	*0.05
POTATO	1
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
PULSES	1
RAPE SEED	0.5
SESAME SEED	*0.1
STRAWBERRY	0.5
SUNFLOWER SEED	*0.1
SWEET CORN (CORN-ON-THE-COB)	0.1
METHOPRENE	
METHOPRENE, SUM OF CIS- AND TRANS-ISOMERS	
CATTLE MILK	0.1
CEREAL GRAINS	2
EDIBLE OFFAL (MAMMALIAN)	0.01
MEAT (MAMMALIAN)	0.3
WHEAT BRAN, UNPROCESSED	5
WHEAT GERM	10
METHYL BENZOQUATE	
METHYL BENZOQUATE	
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
METHYL BROMIDE	
METHYL BROMIDE	
CEREAL GRAINS	50
DRIED FRUITS	0.05
FRUIT	0.05
HERBS	0.05
SPICES	0.05
VEGETABLES	0.05
METIRAM	
SEE DITHIOCARBAMATES	

METOLACHLOR	
METOLACHLOR	
ASPARAGUS	0.02
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	0.02
BRASSICA (COLE OR CABBAGE) VEGETABLES	*0.02
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.05
CEREAL GRAINS [EXCEPT MAIZE AND SORGHUM]	*0.01
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.5
FRUITING VEGETABLES, CUCURBITS	*0.05
MAIZE	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PEANUT	*0.05
RAPE SEED	*0.02
SAFFLOWER SEED	*0.05
SESAME SEEDS	0.05
SORGHUM	*0.05
SOYA BEAN (DRY)	*0.05
SUGAR CANE	*0.05
SUNFLOWER SEED	*0.05
SWEET CORN (KERNELS)	0.1
SWEET POTATO	*0.2
METOSULAM	
METOSULAM	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
LUPIN (DRY)	*0.02
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
METRIBUZIN	
METRIBUZIN	
ASPARAGUS	0.2
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PEAS, SHELLED	*0.05
POTATO	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES [EXCEPT SOYA BEAN (DRY)]	*0.01
SOYA BEAN (DRY)	*0.05
TOMATO	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

METSULFURON-METHYL METSULFURON-METHYL	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
SAFFLOWER SEED	*0.02
MEVINPHOS MEVINPHOS	
BRASSICA (COLE OR CABBAGE)	T0.25
VEGETABLES	
EDIBLE OFFAL (MAMMALIAN)	T*0.05
MEAT (MAMMALIAN)	T*0.05
MOLINATE MOLINATE	
RICE	*0.05
MONENSIN MONENSIN	
CATTLE, EDIBLE OFFAL OF	*0.05
CATTLE MEAT	*0.05
CATTLE MILK	*0.01
GOAT, EDIBLE OFFAL OF	*0.05
GOAT MEAT	*0.05
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY MEAT (IN THE FAT)	0.5
MONOCROTAPHOS MONOCROTAPHOS	
APPLE	0.5
BANANA	0.5
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	0.2
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.2
CEREAL GRAINS	*0.02
COTTON SEED	0.1
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	0.002
PEAR	0.5
POTATO	0.1
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
SWEET CORN (CORN-ON-THE- COB)	*0.01
TOMATO	0.5
VEGETABLE OILS, EDIBLE	*0.05
MORANTEL MORANTEL	
CATTLE, EDIBLE OFFAL OF	2
GOAT, EDIBLE OFFAL OF	2
MEAT (MAMMALIAN)	0.3
MILKS	*0.1
PIG, EDIBLE OFFAL OF	5
SHEEP, EDIBLE OFFAL OF	2

MOXIDECTIN MOXIDECTIN	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT (IN THE FAT)	1
CATTLE MILK (IN THE FAT)	2
DEER MEAT (IN THE FAT)	1
DEER, EDIBLE OFFAL OF	0.2
SHEEP, EDIBLE OFFAL OF	0.05
SHEEP MEAT (IN THE FAT)	0.5
MSMA TOTAL ARSENIC, EXPRESSED AS MSMA	
SUGAR CANE	0.3
MYCLOBUTANIL MYCLOBUTANIL	
GRAPES	1
POME FRUITS	0.5
NAPHTHALENE ACETIC ACID 1-NAPHTHELENE ACETIC ACID	
APPLE	1
PEAR	1
PINEAPPLE	1
NAPHTHALOPHOS NAPHTHALOPHOS	
GOAT, EDIBLE OFFAL OF	*0.1
GOAT MEAT	*0.1
SHEEP, EDIBLE OFFAL OF	*0.01
SHEEP MEAT	*0.01
NAPHTHOXYACETIC ACID 2-NAPHTHOXYACETIC ACID	
TOMATO	T1
NAPROPAMIDE NAPROPAMIDE	
ALMONDS	*0.1
BERRIES AND OTHER SMALL FRUITS	*0.1
STONE FRUITS	*0.1
TOMATO	*0.1
NAPTALAM NAPTALAM	
FRUITING VEGETABLES, CUCURBITS	*0.1
NARASIN NARASIN	
CATTLE, EDIBLE OFFAL OF	0.05
CATTLE MEAT	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

NEOMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS NEOMYCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.5
FATS (MAMMALIAN) [EXCEPT MILK FATS]	*0.02
MEAT (MAMMALIAN)	*0.5
MILKS (IN THE FAT)	*0.02
NETOBIMIN <i>SEE ALBENDAZOLE</i>	
NICARBAZIN NICARBAZIN	
POULTRY, EDIBLE OFFAL OF	20
POULTRY MEAT	5
NITROTHAL-ISOPROPYL NITROTHAL-ISOPROPYL	
APPLE	1
NITROXYNIL NITROXYNIL	
CATTLE, EDIBLE OFFAL OF	1
CATTLE MEAT	1
GOAT, EDIBLE OFFAL OF	1
GOAT MEAT	1
SHEEP, EDIBLE OFFAL OF	1
SHEEP MEAT	1
NORFLURAZON NORFLURAZON	
CITRUS FRUITS	0.2
COTTON SEED	0.1
GRAPES	0.1
POME FRUITS	*0.2
STONE FRUITS	*0.2
TREE NUTS	*0.2
NORGESTOMET NORGESTOMET	
EDIBLE OFFAL (MAMMALIAN)	*0.0001
MEAT (MAMMALIAN)	*0.0001
NOVOBIOCIN NOVOBIOCIN	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CATTLE MILK	*0.1
ODB 1,2-DICHLOROBENZENE	
SHEEP, EDIBLE OFFAL OF	*0.01
SHEEP MEAT (IN THE FAT)	*0.01

OLAQUINDOX SUM OF OLAQUINDOX AND ALL METABOLITES WHICH REDUCE TO 2-(N-2- HYDROXYETHYL CARBAMOYL)-3-METHYL QUINOXALONE, EXPRESSED AS OLAQUINDOX	
PIG, EDIBLE OFFAL OF	0.3
PIG MEAT	0.3
POULTRY, EDIBLE OFFAL OF	0.3
POULTRY MEAT	0.3
OLEANDOMYCIN OLEANDOMYCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
OMETHOATE OMETHOATE <i>SEE ALSO DIMETHOATE</i>	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUIT	2
LUPIN (DRY)	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
PEPPERS, SWEET	1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
TOMATO	1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
OPP <i>SEE 2-PHENYLPHENOL</i>	
ORYZALIN ORYZALIN	
CEREAL GRAINS	*0.01
FRUIT	0.1
RAPESEED	0.05
TREE NUTS	0.1
OXABETRINIL OXABETRINIL	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
OXADIXYLX OXADIXYL	
FRUITING VEGETABLES,	0.5
CUCURBITS	
GRAPES	2
LETTUCE, HEAD	1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

LETTUCE, LEAF	1
ONION, BULB	0.5
OXAMYL	
SUM OF OXAMYL AND 2-HYDROXYIMINO-N,N-DIMETHYL-2-(METHYLTHIO)-ACETAMIDE, EXPRESSED AS OXAMYL	
BANANA	0.2
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY FATS	*0.02
POULTRY MEAT	*0.02
TOMATO	*0.05
OXFENDAZOLE	
OXFENDAZOLE	
EDIBLE OFFAL (MAMMALIAN)	3
MEAT (MAMMALIAN)	*0.1
MILKS	0.1
OXOLINIC ACID	
INHIBITORY SUBSTANCE, IDENTIFIED AS OXOLINIC ACID	
SALMON, PACIFIC	*0.01
OXYCARBOXIN	
OXYCARBOXIN	
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	5
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	5
SALMON, PACIFIC	*0.01
OXYCARBOXIN	
OXYCARBOXIN	
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	5
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	5
OXYCLOZANIDE	
OXYCLOZANIDE	
CATTLE, EDIBLE OFFAL OF	2
CATTLE MEAT	0.5
GOAT, EDIBLE OFFAL OF	2
GOAT MEAT	0.5
MILKS	0.05
SHEEP, EDIBLE OFFAL OF	2
SHEEP MEAT	0.5
OXYFLUORFEN	
OXYFLUORFEN	
CEREAL GRAINS	*0.05
COTTON SEED	T*0.05
EDIBLE OFFAL (MAMMALIAN)	0.01
EGGS	0.05

GARLIC	*0.05
GRAPES	0.05
ONION, BULB	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	0.01
MILKS	0.01
POME FRUITS	0.05
POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT (IN THE FAT)	0.2
STONE FRUITS	0.05
TREE NUTS	0.05
OXYTETRACYCLINE	
INHIBITORY SUBSTANCE, IDENTIFIED AS OXYTETRACYCLINE	
EDIBLE OFFAL (MAMMALIAN)	*0.25
EGGS	*0.3
MEAT (MAMMALIAN)	*0.25
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.25
POULTRY MEAT	*0.25
SALMON, PACIFIC	T*0.2
OXYTHIOQUINOX	
OXYTHIOQUINOX	
FRUITING VEGETABLES,	0.5
CUCURBITS	
POME FRUITS	0.5
STONE FRUITS	0.5
PACLOBUTRAZOL	
PACLOBUTRAZOL	
ALMONDS	0.05
PECAN	0.005
POME FRUITS	1
STONE FRUITS	*0.01
TROPICAL AND SUB-TROPICAL FRUITS - INEDIBLE PEEL	*0.01
PARAQUAT	
PARAQUAT CATION	
CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICALS]	*0.05
COTTON SEED	0.2
COTTON SEED OIL, EDIBLE	0.05
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	*0.01
FRUIT [EXCEPT OLIVES]	*0.05
HOPS, DRY	0.2
MAIZE	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
OLIVES	1
PEANUT	*0.01
PEANUT, WHOLE	*0.01
POTATO	0.2
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES	1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

RICE	10
RICE, POLISHED	0.5
SUGAR CANE	*0.05
TREE NUTS	*0.05
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.05
PARATHION PARATHION	
APRICOT	1
CARROT	0.5
CEREAL GRAINS	0.5
COTTON SEED	1
COTTON SEED OIL, CRUDE	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PEACH	1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.7
PARATHION-METHYL PARATHION-METHYL	
COTTON SEED	1
COTTON SEED OIL, CRUDE	0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
FRUIT	1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
VEGETABLES	1
PARBENDAZOLE PARBENDAZOLE	
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
PEBULATE PEBULATE	
FRUITING VEGETABLES, OTHER THAN CUCURBITS	*0.1
PENCONAZOLE PENCONAZOLE	
BRUSSELS SPROUTS	0.05
GRAPES	0.1
POME FRUITS	0.1
PENCYCURON PENCYCURON	
POTATO	0.05

PENDIMETHALIN PENDIMETHALIN	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL	0.05
BARLEY	*0.05
BERRIES AND OTHER SMALL FRUITS	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES	*0.05
BULB VEGETABLES	*0.05
CITRUS FRUITS	*0.05
LEAFY VEGETABLES	*0.05
LEGUME VEGETABLES	*0.05
MAIZE	*0.05
OILSEED	*0.05
POME FRUITS	*0.05
PULSES	*0.05
RICE	*0.05
ROOT AND TUBER VEGETABLES	*0.05
STONE FRUITS	*0.05
SUGAR CANE	*0.05
SWEET CORN (CORN-ON-THE-COB)	*0.05
TREE NUTS	*0.05
WHEAT	*0.05
PERMETHRIN PERMETHRIN, SUM OF ISOMERS	
BRASSICA (COLE OR CABBAGE) VEGETABLES [EXCEPT BRUSSELS SPROUTS]	1
BRUSSELS SPROUTS	2
CELERY	5
CEREAL GRAINS	2
CHERVIL	5
COMMON BEAN (DRY)	0.1
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	0.5
COTTON SEED	0.2
EDIBLE OFFAL (MAMMALIAN) [EXCEPT GOAT, EDIBLE OFFAL OF]	0.1
EGGS	0.1
GALANGAL, RHIZOMES	5
GOAT, EDIBLE OFFAL OF	0.5
HERBS	5
KIWIFRUIT	2
LETTUCE, HEAD	5
LETTUCE, LEAF	5
LINSEED	0.1
LUPIN (DRY)	0.1
MEAT (MAMMALIAN) (IN THE FAT)	0.1
MILKS (IN THE FAT)	0.05
MUNG BEAN (DRY)	0.1
MUSHROOMS	2
POTATO	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT (IN THE FAT)	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

RAPE SEED	0.2	POULTRY, EDIBLE OFFAL OF	*0.05
RUCOLA, ROCKET	5	POULTRY MEAT	*0.05
SOYA BEAN (DRY)	0.1	VEGETABLES	0.5
SUGAR CANE	*0.1		
SUNFLOWER SEED	0.2		
SWEET CORN (CORN-ON-THE-COB)	*0.05		
TOMATO	0.4		
TURMERIC ROOT	5		
WHEAT BRAN, UNPROCESSED	5		
WHEAT GERM	2		
PHENMEDIPHAM PHENMEDIPHAM		PHOSMET SUM OF PHOSMET AND ITS OXYGEN ANALOGUE, EXPRESSED AS PHOSMET	
BEETROOT	*0.1	CATTLE, EDIBLE OFFAL OF	1
EDIBLE OFFAL (MAMMALIAN)	*0.1	CATTLE MEAT (IN THE FAT)	1
MEAT (MAMMALIAN)	*0.1	CEREAL GRAINS	*0.05
MILKS	*0.1	GOAT, EDIBLE OFFAL OF	*0.05
		GOAT MEAT	*0.05
		KIWIFRUIT	15
		MILKS (IN THE FAT)	0.2
		PIG, EDIBLE OFFAL OF	0.1
		PIG MEAT	0.1
		POME FRUITS	1
		SHEEP, EDIBLE OFFAL OF	*0.05
		SHEEP MEAT	*0.05
		STONE FRUITS	1
PHENOTHRIN SUM OF PHENOTHRIN (+)CIS- AND (+)TRANS-ISOMERS		PHOSPHINE ALL PHOSPHIDES, EXPRESSED AS HYDROGEN PHOSPHIDE (PHOSPHINE)	
EDIBLE OFFAL (MAMMALIAN)	*0.5	CACAO BEANS	*0.01
EGGS	*0.5	CEREAL GRAINS	*0.1
MEAT (MAMMALIAN)	*0.5	DRIED FOODS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.01
MILKS	*0.05	DRIED FRUITS	*0.01
POULTRY, EDIBLE OFFAL OF	0.5	DRIED VEGETABLES	*0.01
POULTRY MEAT	0.5	HONEY	*0.01
WHEAT	2	OILSEED	*0.01
WHEAT BRAN, UNPROCESSED	5	PEANUT	*0.01
WHEAT GERM	5	SPICES	*0.01
		TREE NUTS	*0.01
2-PHENYLPHENOL SUM OF 2-PHENYLPHENOL AND 2-PHENYLPHENATE, EXPRESSED AS 2-PHENYLPHENOL		PHOSPHOROUS ACID PHOSPHOROUS ACID	
CARROT	20	APPLE	50
CHERRIES	3	AVOCADO	100
CITRUS FRUITS	10	CHESTNUTS	50
CUCUMBER	10	CITRUS FRUITS	100
MELONS [EXCEPT WATERMELON]	10	CUCURBITS	25
NECTARINE	3	DURIAN	100
PEACH	20	EDIBLE OFFAL (MAMMALIAN)	5
PEAR	25	GRAPE LEAVES	300
PEPPERS, SWEET	10	GRAPES	50
PINEAPPLE	10	MEAT (MAMMALIAN)	1
PLUMS (INCLUDING PRUNES)	15	PEACH	100
SWEET POTATO	15	PINEAPPLE	50
TOMATO	10	PLUMS	100
		RASPBERRIES	50
		WALNUTS	50
PHORATE SUM OF PHORATE, ITS OXYGEN ANALOGUE, AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS PHORATE		PHOXIM PHOXIM	
COTTON SEED	0.5	PIG, EDIBLE OFFAL OF	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.05	PIG FAT	0.5
EGGS	*0.05		
MEAT (MAMMALIAN)	*0.05		
MILKS	*0.05		

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

PIG MEAT	*0.01	EDIBLE OFFAL (MAMMALIAN)	*0.05
POTATO	*0.05	EGGS	*0.05
PICLORAM		KIWIFRUIT	2
PICLORAM		MAIZE	7
CEREAL GRAINS	0.2	MEAT (MAMMALIAN)	*0.05
EDIBLE OFFAL (MAMMALIAN)	5	MILKS	*0.05
MEAT (MAMMALIAN)	*0.05	MILLET	10
MILKS	*0.05	OATS	7
SUGAR CANE	*0.01	POULTRY, EDIBLE OFFAL OF	*0.05
PIPERONYL BUTOXIDE		POULTRY MEAT	*0.05
PIPERONYL BUTOXIDE		RICE	10
CATTLE MILK	0.05	RICE, HUSKED	2
CEREAL BRAN, UNPROCESSED	40	RICE, POLISHED	1
CEREAL GRAINS	20	RYE	10
DRIED FRUITS	8	SORGHUM	10
DRIED VEGETABLES	8	WHEAT	10
EDIBLE OFFAL (MAMMALIAN)	*0.1	WHEAT GERM	30
EGGS	0.1	POLOXALENE	
FRUIT	8	POLOXALENE	
MEAT (MAMMALIAN)	0.1	EDIBLE OFFAL (MAMMALIAN)	T2
OILSEED	8	MEAT (MAMMALIAN)	T2
POULTRY, EDIBLE OFFAL OF	0.5	MILKS	T0.5
POULTRY MEAT	0.5	PRAZIQUANTEL	
TREE NUTS	8	PRAZIQUANTEL	
VEGETABLES	8	SHEEP, EDIBLE OFFAL OF	*0.05
WHEAT GERM	50	SHEEP MEAT	*0.05
PIRIMICARB		PROCAINE PENICILLIN	
SUM OF PIRIMICARB, DIMETHYL-PIRIMICARB AND N-FORMYL-(METHYLAMINO) ANALOGUE AND DIMETHYLFORMAMIDO-PIRIMICARB, EXPRESSED AS PIRIMICARB		INHIBITORY SUBSTANCE, IDENTIFIED AS PROCAINE PENICILLIN	
CEREAL GRAINS	*0.02	EDIBLE OFFAL (MAMMALIAN)	*0.1
COTTON SEED	0.05	EGGS	*0.03
COTTON SEED OIL, CRUDE	T0.1	MEAT (MAMMALIAN)	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.1	MILKS	*0.0025
EGGS	*0.1	POULTRY, EDIBLE OFFAL OF	0.1
FRUIT	0.5	POULTRY MEAT	0.1
HOPS, DRY	0.5	PROCHLORAZ	
LUPIN (DRY)	*0.02	SUM OF PROCHLORAZ AND ITS METABOLITES CONTAINING THE 2,4,6-TRICHLOROPHENOL MOIETY, EXPRESSED AS PROCHLORAZ	
MEAT (MAMMALIAN)	*0.1	AVOCADO	5
MILKS	*0.1	BANANA	5
POULTRY, EDIBLE OFFAL OF	*0.1	LETTUCE, HEAD	2
POULTRY MEAT	*0.1	MANGO	5
RAPE SEED	0.2	MUSHROOMS	3
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	1	PAPAYA (PAWPAW)	5
PIRIMIPHOS-ETHYL		PINEAPPLE	2
PIRIMIPHOS-ETHYL		SUGAR CANE	*0.05
BANANA	0.02	PROCYMIDONE	
MUSHROOMS	0.1	PROCYMIDONE	
PIRIMIPHOS-METHYL		BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	10
PIRIMIPHOS-METHYL		BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	10
BARLEY	7	EDIBLE OFFAL (MAMMALIAN)	*0.01
CEREAL BRAN, UNPROCESSED	20	EGGS	*0.01
		GARLIC	5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

GRAPES	2
LETTUCE, HEAD	2
LETTUCE, LEAF	2
LUPIN (DRY)	*0.01
MEAT OF CATTLE, PIGS AND SHEEP (IN THE FAT)	*0.01
MILKS	*0.01
ONION, BULB	0.2
POME FRUITS	1
POTATO	0.1
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT (IN THE FAT)	*0.01
STONE FRUITS	10
STRAWBERRY	5
TOMATO	2
PROFENOFOS PROFENOFOS	
COTTON SEED	1
COTTON SEED OIL, EDIBLE	0.3
SWEET CORN (KERNELS)	*0.02
PROMACYL PROMACYL	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE FAT	2
CATTLE MEAT	0.5
GOAT, EDIBLE OFFAL OF	0.5
GOAT FAT	2
GOAT MEAT	0.5
MILKS (IN THE FAT)	4
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP FAT	2
SHEEP MEAT	0.5
PROMECARB PROMECARB	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T0.5
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	T0.5
CITRUS FRUITS	T1
FRUITING VEGETABLES, CUCURBITS	T0.5
GRAPES	T0.2
ONION, BULB	T0.5
STONE FRUITS	T0.5
PROMETRYN PROMETRYN	
CATTLE MILK	*0.05
CEREAL GRAINS	*0.1
COTTON SEED	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
PEANUT	*0.1
SUNFLOWER SEED	*0.1
VEGETABLES	*0.1

PROPACHLOR PROPACHLOR	
BEETROOT	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.6
CEREAL GRAINS	*0.05
GARLIC	2.5
ONION, BULB	2.5
PROPAMOCARB PROPAMOCARB (BASE)	
RICE	*0.1
PROPANIL PROPANIL	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
EGGS	*0.1
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	3
POULTRY MEAT	*0.1
RICE	2
SHEEP, EDIBLE OFFAL OF	*0.1
SHEEP MEAT	*0.1
PROPAQUIZAFOF PROPAQUIZAFOF AND ACID AND OXOPHENOXY METABOLITES, MEASURED AS 6-CHLORO-2-METHOXYQUINOXALINE, EXPRESSED AS PROPAQUIZAFOF	
OILSEED	*0.05
ONION, BULB	*0.05
PEAS	*0.05
PULSES	*0.05
PROPARGITE PROPARGITE	
APPLE	3
BANANA	3
COTTON SEED	0.2
CURRENTS, BLACK	3
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
HOPS, WET	T3
MANGOSTEEN	3
MEAT (MAMMALIAN) (IN THE FAT)	*0.1
MILKS	*0.1
PASSIONFRUIT	3
PEAR	3
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT (IN THE FAT)	*0.1
RAMBUTAN	5
STONE FRUITS	3
STRAWBERRY	7
VEGETABLES	3
PROPazine PROPazine	
VEGETABLES	*0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

PROPETAMPHOS PROPETAMPHOS	
SHEEP, EDIBLE OFFAL OF	*0.01
SHEEP MEAT (IN THE FAT)	*0.01
PROPICONAZOLE PROPICONAZOLE	
AVOCADO	0.02
BANANA	0.2
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	1
GRAPES	1
MEAT (MAMMALIAN)	0.1
MILKS	*0.01
MINT OIL	0.2
PEANUT	*0.05
PINEAPPLE	0.05
POPPY SEED	*0.01
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
STONE FRUITS	2
SUGAR CANE	*0.02
PROPINEB SEE DITHIOCARBAMATES	
PROPOXUR PROPOXUR	
POTATO	10
PROPYZAMIDE PROPYZAMIDE	
CATTLE, EDIBLE OFFAL OF	*0.2
CATTLE MEAT	*0.05
EGGS	*0.05
LETTUCE, HEAD	1
LETTUCE, LEAF	1
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PROTHIOFOS PROTHIOFOS	
BANANA	*0.01
BRASSICA (COLE OR CABBAGE)	0.2
VEGETABLES	
GRAPES	2
POME FRUITS	0.05
PYMETROZINE PYMETROZINE	
BRASSICA (COLE OR CABBAGE)	0.1
VEGETABLES, HEAD CABBAGES, FLOWERHEAD CABBAGES	
POTATO	0.02
STONE FRUITS	0.02

PYRAZOPHOS PHYRAZOPHOS	
FRUITING VEGETABLES, CUCURBITS	0.2
PYRETHRINS SUM OF PYRETHRISNS I AND II, CINERINSI I AND II AND JASMOLINS I AND II , DETERMINED AFTER CALIBRATION BY MEANS OF THE INTERNATIONAL PYRETHRUM STANDARD	
CEREAL GRAINS	3
DRIED FRUITS	1
DRIED VEGETABLES	1
FRUIT	1
OILSEED	1
TREE NUTS	1
VEGETABLES	1
PYRIDABEN PYRIDABEN	
BANANA	0.5
GRAPES	5
POME FRUITS	0.5
STONE FRUITS	0.5
STRAWBERRY	1
PYRIDATE SUM OF PYRIDATE AND METABOLITES CONTAINING 6 CHLORO-4-HYDORXYL-3-PHENYL PYRIDAZINE, EXPRESSED AS PYRIDATE	
CHICK-PEA (DRY)	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.2
EGGS	*0.2
MEAT (MAMMALIAN)	*0.2
MILKS	*0.2
PEANUT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY MEAT	*0.2
PYRIRENOX PYRIFENOX	
APPLE	0.1
GRAPES	0.2
PYRIMETHANIL PYRIMETHANIL	
APPLE	T1.0
GRAPES	5.0
PEAR	T1.0
STRAWBERRY	T5.0
TOMATO	T2.0
PYRITHIOBAC SODIUM PYRITHIBOAC SODIUM	
COTTON SEED	*0.01
COTTON SEED OIL, CRUDE	0.01
COTTON SEED OIL, EDIBLE	0.01
EDIBLE OFFAL (MAMMALIAN)	0.02
EGGS	0.02
MEAT (MAMMALIAN)	0.02

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MILKS	0.02	SUNFLOWER SEED	*0.05
POULTRY, EDIBLE OFFAL OF	0.02	TOMATO	*0.02
POULTRY MEAT	0.02		
QUINTOZENE		RAFOXANIDE	
SUM OF QUINTOZENE , PENTACHLOROANILINE AND METHYL PENTACHOLOROPHENYL SULFIDE, EXPRESSED AS QUINTOZENE		RAFOXANIDE	
BANANA	1	CATTLE, EDIBLE OFFAL OF	0.2
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.01	CATTLE FAT	0.2
BRASSICA (COLE OR CABBAGE)	0.02	CATTLE MEAT	0.1
VEGETABLES		GOAT, EDIBLE OFFAL OF	0.2
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.01	GOAT FAT	0.2
CELERY	0.3	GOAT MEAT	0.1
COMMON BEAN (DRY)	0.2	SHEEP, EDIBLE OFFAL OF	0.2
COTTON SEED	0.03	SHEEP FAT	0.2
LETTUCE, HEAD	0.3	SHEEP MEAT	0.1
LETTUCE, LEAF	0.3		
MUSHROOMS	10	RIMOSULFURON	
ONION, BULB	0.2	RIMOSULFURON	
PEANUT	0.3	TOMATO	0.05
PEPPERS, SWEET	0.01		
POTATO	0.2	SALINOMYCIN	
TOMATO	0.1	SALINMYCIN	
QUINZALOFOP-ETHYL		CATTLE, EDIBLE OFFAL OF	0.5
SUM OF QUIZALOFOP-ETHYL AND QUIZALOFOP ID ACID AND OTHER ESTERS, EXPRESSED AS QUIXZALOFOP-ETHYL		CATTLE MEAT	*0.05
BEETROOT	0.02	EGGS	*0.02
CABBAGES, HEAD	*0.01	PIG, EDIBLE OFFAL OF	*0.1
CARROT	*0.02	PIG MEAT	*0.1
CATTLE, EDIBLE OFFAL OF	0.2	POULTRY, EDIBLE OFFAL OF	0.5
CATTLE MEAT	0.2	POULTRY MEAT	0.1
CAULIFLOWER	*0.05		
CHICKEN, EDIBLE OFFAL OF	*0.05	SETHOXYDIM	
CHICKEN EGGS	*0.05	SUM OF SETHOXYDIM ANDMETABOLITES CONTAINING THE 5-(2- ETHYLTHIOPROPYL)CYCLOHEXENE-3-ONE AND 5-HYDROXYCYCLOHEXENE-3-ONE MOIETIES AND THEIR SULFOXIDES AND SULFOXIDES AND SULFONES, EXPRESSED AS SETHOXYDIM	
CHICKEN MEAT	*0.05	ASPARAGUS	1
COMMON BEAN (PODS AND IMMATURE SEEDS)	*0.02	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	*0.1
CUCUMBER	*0.02	BRASSICA (COLE OR CABBAGE)	0.1
GOAT, EDIBLE OFFAL OF	0.2	VEGETABLES	
GOAT MEAT	0.2	BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.1
GRAPES	*0.02	CELERY	0.1
MELONS [EXCEPT WATERMELON]	*0.02	COTTON SEED	0.2
MILKS	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.05
ONION, BULB	*0.02	EGGS	*0.05
PEANUT	*0.02	ENDIVE	0.05
PINEAPPLE	*0.05	FENNEL, BULB	*0.01
POTATO	*0.01	FRUITING VEGETABLES,	*0.1
PULSES	0.1	CUCURBITS	
PUMPKINS	*0.02	GARLIC	0.3
RADISH	*0.02	LEEK	0.3
RAPE SEED	*0.02	LETTUCE, HEAD	0.1
SAFFLOWER SEED	*0.01	LETTUCE, LEAF	0.1
SHEEP, EDIBLE OFFAL OF	0.2	LUPIN (DRY)	0.2
SHEEP MEAT	0.2	MEAT (MAMMALIAN)	*0.05
		MILKS	*0.05
		ONION, BULB	0.3
		PEANUT	2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

PEANUT OIL, CRUDE	2	PEPPERS	0.1
PEAS	*0.1	POME FRUIT	0.1
POPPY SEED	0.2	POULTRY MEAT	0.01
POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT	*0.05	SPINACH	3
PULSES [EXCEPT LUPIN (DRY)]	*0.1	SWEET CORN (KERNELS)	0.1
RAPE SEED	0.1	TOMATO	0.1
ROOT AND TUBER VEGETABLES	1		
SPINACH	*0.1	SPIRAMYCIN	
STRAWBERRY	0.1	INHIBITORY SUBSTANCE, IDENTIFIED AS SPIRAMYCIN	
SUNFLOWER SEED	*0.1		
TOMATO	0.1	PIG, EDIBLE OFFAL OF	*1
		PIG MEAT	*0.1
SIMAZINE		POULTRY, EDIBLE OFFAL OF	*1
SIMAZINE		POULTRY MEAT	*0.1
ASPARAGUS	*0.1	STREPTOMYCIN AND	
BROAD BEAN (DRY)	*0.01	DIHYDRODSTREPTOMYCIN	
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.01	INHIBITORY SUBSTANCE, IDENTIFIED AS STREPTOMYCIN OR DIHYDROSTREPTOMYCIN	
CHICK-PEA (DRY)	*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.3
CHICK-PEA (GREEN PODS)	*0.05	EGGS	*0.2
EDIBLE OFFAL (MAMMALIAN)	*0.01	MEAT (MAMMALIAN)	*0.3
EGGS	*0.01	MILKS	*0.2
FRUIT	*0.1	POULTRY, EDIBLE OFFAL OF	0.3
LUPIN (DRY)	*0.05	POULTRY MEAT	0.3
MEAT (MAMMALIAN)	*0.01		
MILKS	*0.01	SULPHADIAZINE	
POULTRY, EDIBLE OFFAL OF	*0.01	SULPHADIAZINE	
POULTRY MEAT	*0.01		
PRANWS	0.01	EDIBLE OFFAL (MAMMALIAN)	0.1
RAPE SEED	0.02	MEAT (MAMMALIAN)	0.1
SHRIMPS	0.01	POULTRY, EDIBLE OFFAL OF	0.1
TREE NUTS	0.1	POULTRY MEAT	0.1
SPECTINOMYCIN		SULPHADIMIDINE	
INHIBITORY SUBSTANCE, IDENTIFIED AS SPECTINOMYCIN		SULPHADIMIDINE	
		MEAT (MAMMALIAN)	0.1
EDIBLE OFFAL (MAMMALIAN)	1	EDIBLE OFFAL (MAMMALIAN)	0.1
[EXCEPT SHEEP, EDIBLE OFFAL OF]		POULTRY, EDIBLE OFFAL OF	0.1
GOAT MILK	2	POULTRY MEAT	0.1
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	1		
POULTRY, EDIBLE OFFAL OF	0.7	SULPHAQUINOXALINE	
POULTRY MEAT	0.7	SULPHAQUINOXALINE	
		POULTRY, EDIBLE OFFAL OF	T0.1
SPINOSAD		POULTRY MEAT	T0.1
SUM OF SPINOSYN A AND SPINOSYN D			
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.1	SULPHATROXOZOLE	
COTTONSEED	*0.01	SULPHATROXOZOLE	
EDIBLE OFFAL (MAMMALIAN)	0.05	CATTLE MILK	0.1
EGG PLANT	0.1	EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	0.01	MEAT (MAMMALIAN)	0.1
GRAPE	0.1		
LETTUCE, HEAD	2	SULPHOSULFURON	
LETTUCE, LEAF	2	SUM OF SULFOSURON AND ITS MEATBOLITES WHICH CAN BE HYDROLYSED TO 2-(ETHYLSULFONYL)IMIDAZO[1,2-A]PYRIDINE, EXPRESSED AS SULFOSULFURON	
MEAT (MAMMALIAN) (IN THE FAT)	0.2	EDIBLE OFFAL (MAMMALIAN)	0.005
MILKS	0.02	EGGS	0.005

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MEAT (MAMMALIAN)	0.005
MILKS	0.005
POULTRY, EDIBLE OFFAL OF	0.005
POULTRY MEAT	0.005
WHEAT	0.005
SULPROFOS SULPROFOS	
COTTON SEED	0.2
PEPPERS, SWEET	0.2
TOMATO	1
TEBUCONAZOLE TEBUCONAZOLE	
AVOCADO	0.2
BANANA	0.2
BROAD BEAN (DRY)	0.5
BROAD BEAN (GREEN AND IMMATURE SEEDS)	0.5
BULB VEGETABLES	0.01
CEREAL GRAINS	0.2
COTTON SEED	T1
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	0.1
MEAT (MAMMALIAN)	0.1
MILKS	0.05
ONION, BULB	0.01
PAPAYA (PAWPAWS)	0.2
PEANUT	0.1
PEAS	0.5
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY MEAT	0.1
TEBUFENOZIDE TEBUFENOZIDE	
APPLES	2
AVOCADO	0.1
BLUEBERRIES	2
DRIED GRAPES	T8
GRAPES	2
ORANGES, SWEET, SOUR	1
POME FRUITS	T2
TEBUFENPYRAD TEBUFENPYRAD	
PEACH	1
POME FRUITS	1
TEBUTHIURON SUM OF TEBUTHIURON, AND HYDROXYDIMETHYLETHYL, N-DIMETHYL AND HYDROXY METHYLAMINE METABOLITES, EXPRESSED AS TEBUTHIURON	
EDIBLE OFFAL (MAMMALIAN)	2
MEAT (MAMMALIAN)	0.5
MILKS	0.2

TEMEPHOS SUM OF TEMEPHOS AND TEMEPHOS SULFOXIDE, EXPRESSED AS TEMEPHOS	
CATTLE, EDIBLE OFFAL OF	T2
CATTLE MEAT (IN THE FAT)	5
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP MEAT (IN THE FAT)	3
TERBACIL TERBACIL	
ALMONDS	0.5
PEPPERMINT OIL	0.1
POME FRUITS	*0.04
STONE FRUITS	*0.04
TERBUFOS SUM OF TERBUFOS, ITS OXYGEN ANALOGUE AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS TERBUFOS	
BANANA	0.05
CATTLE, EDIBLE OFFAL OF	*0.05
CATTLE MEAT	*0.05
CATTLE MILK	*0.01
CEREAL GRAINS	*0.01
EGGS	*0.01
PEANUT	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUNFLOWER SEED	*0.05
TERBUTRYN TERBUTRYN	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	*0.1
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.1
CEREAL GRAINS	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	0.1
MILKS (IN THE FAT)	0.1
PEAS	*0.1
POTATO	*0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	0.1
SUGAR CANE	*0.05
TETRACHLORVINPHOS TETRACHLORVINPHOS	
EDIBLE OFFAL (MAMMALIAN)	0.05
LEAFY VEGETABLES	2
MEAT (MAMMALIAN)	0.05
MILKS (IN THE FAT)	0.05
TETRACYCLINE INHIBITORY SUBSTANCE, IDENTIFIED AS TETRACYCLINE	
MILKS	*0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

TETRADIFON TETRADIFON	
COTTON SEED	5
FRUIT	5
HOPS, DRY	5
VEGETABLES	5
THIABENDAZOLE THIABENDAZOLE OR, IN THE CASE OF ANIMAL PRODUCTS, SUM OF THIABENDAZOLE AND 5-HYDROXYTHIABENDAZOLE, EXPRESSED AS THIABENDAZOLE	
APPLE	10
BANANA	3
CITRUS FRUITS	10
EDIBLE OFFAL (MAMMALIAN)	0.2
MEAT (MAMMALIAN)	0.2
MILKS	0.05
MUSHROOMS	0.5
PEAR	10
POTATO	5
THIDAZURON THIDAZURON	
COTTON SEED	*0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
THIFENSULFURON THIFENSULFURON	
CEREAL GRAINS [EXCEPT MAIZE, RICE]	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
THIOBENCARB THIOBENCARB	
RICE	*0.05
THIODICARB SUM OF THIODICARB, METHOMYL AND METHOMYLOXIME, EXPRESSED AS THIODICARB SEE ALSO METHOMYL	
BRASSICA LEAFY VEGETABLES	1
COTTON SEED	*0.1
COTTON SEED OIL, CRUDE	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.02
MAIZE	*0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY MEAT	0.5
PULSES	*0.1
SORGHUM	0.5

SUNFLOWER SEED	0.05
SWEET CORN (CORN-ON-THE-COB)	*0.1
SWEET CORN (KERNELS)	0.1
TOMATO	2
THIOMETON SUM OF THIOMETON, ITS SULFOXIDE AND SULFONE, EXPRESSED AS THIOMETON	
CEREAL GRAINS	1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUIT	1
LUPIN (DRY)	0.5
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
VEGETABLES	1
THIOPHANATE SEE CARBENDAZIM	
THIOPHANATE-METHYL SEE CARBENDAZIM	
THIRAM SEE DITHIOCARBAMATES	
TIAMULIN TIAMULIN	
PIG, EDIBLE OFFAL OF	*0.1
PIG MEAT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
TILMICOSIN TILMICOSIN	
CATTLE, EDIBLE OFFAL OF	1
CATTLE MEAT	*0.05
PIG, EDIBLE OFFAL OF	1
PIG MEAT	0.05
TOLCLOFOS-METHYL TOLCLOFOS-METHYL	
COTTON SEED	*0.01
POTATO	0.1
TOLTRAZURIL SUM OF TOLTRAZURIL, ITS SULFOXIDE AND SULFONE, EXPRESSED AS TOLTRAZURIL	
CHICKEN, EDIBLE OFFAL OF	5
CHICKEN MEAT	2
PIG, EDIBLE OFFAL OF	2
PIG MEAT (IN THE FAT)	1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

TRALKOXYDIM TRALKOXYDIM	
CEREAL GRAINS	*0.02
TRENBOLONE ACETATE THE SUM OF TRENBOLONE ACETATE AND 17 ALPHA - AND 17 BETA-TRENBOLONE, BOTH FREE AND CONJUGATED, EXPRESSED AS TRENBOLONE	
CATTLE, EDIBLE OFFAL OF	0.01
CATTLE MEAT	0.002
PIG, EDIBLE OFFAL OF	0.01
PIG MEAT	0.002
TRIADIMEFON SUM OF TRIADIMEFON AND TRIADIMENOL, EXPRESSED AS TRIADIMEFON <i>SEE ALSO TRIADIMENOL</i>	
APPLE	1
CEREAL GRAINS	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.1
FIELD PEA (DRY)	0.1
FRUITING VEGETABLES, CUCURBITS	0.2
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.2
GARDEN PEA (SHELLED SUCCULENT SEEDS)	0.1
GARDEN PEA (YOUNG PODS, SUCCULENT SEEDS)	0.1
GRAPES	1
FATS (MAMMALIAN)	*0.25
MEAT (MAMMALIAN)	*0.05
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
SUGAR CANE	*0.05
TRIADIMENOL TRIADIMENOL <i>SEE ALSO TRIADIMEFON</i>	
BROCCOLI	0.2
CABBAGES, HEAD	0.5
CAULIFLOWER	0.2
CEREAL GRAINS	*0.01
COTTON SEED	T0.01
COTTON SEED OIL, CRUDE	T0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
FRUITING VEGETABLES, CUCURBITS	0.5
GRAPES	0.5
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PAPAYA (PAWPAW)	0.2
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
SUGAR CANE	*0.05

TRIALATE TRIALATE	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	*0.1
KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	0.2
LEGUME VEGETABLES	*0.05
FATS (MAMMALIAN)	0.2
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
OILSEED	*0.05
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY FATS	0.2
POULTRY MEAT	*0.1
PULSES	*0.05
TRIASULFURON TRIASULFURON	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
TRIBENURON-METHYL TRIBENURON-METHYL	
BARLEY	*0.01
CHICK PEA (DRY)	*0.01
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01
MAIZE	*0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
MUNG BEAN (DRY)	*0.01
OATS	*0.01
RAPE SEED	*0.01
SORGHUM	*0.01
SOYA BEAN (DRY)	*0.01
SUNFLOWER SEED	*0.01
WHEAT	*0.01
TRIBUFOS S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE	
COTTON SEED	0.1
TRICHLORFON TRICHLORFON	
BANANA	0.2
BEETROOT	0.2
BRUSSELS SPROUTS	0.2
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE FAT	0.1
CATTLE MEAT	0.1
CAULIFLOWER	0.2
CELERY	0.2
CEREAL GRAINS	0.1
DRIED FRUITS	2
EGGS	*0.05
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

KALE	0.2
MILKS	0.05
OILSEED	0.1
PEACH	0.2
PIG, EDIBLE OFFAL OF	0.1
PIG FAT	0.1
PIG MEAT	0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES [EXCEPT SOYA BEAN (DRY)]	0.2
SOYA BEAN (DRY)	0.1
SUGAR BEET	0.05
SUGAR CANE	*0.05
SWEET CORN (CORN-ON-THE-COB)	0.2
TREE NUTS	0.1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
TRICHLOROETHYLENE TRICHLOROETHYLENE	
CEREAL GRAINS	*0.1
TRICLABENDAZOLE TRICLABENDAZOLE	
KIDNEY (MAMMALIAN)	0.5
LIVER (MAMMALIAN)	0.5
MEAT (MAMMALIAN)	0.5
TRICLOPYR TRICLOPYR	
CATTLE, EDIBLE OFFAL OF	5
CATTLE MEAT (IN THE FAT)	0.2
EGGS	0.05
GOAT, EDIBLE OFFAL OF	5
GOAT MEAT (IN THE FAT)	0.2
MILKS	0.1
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT (IN THE FAT)	0.05
SHEEP, EDIBLE OFFAL OF	5
SHEEP MEAT (IN THE FAT)	0.2
SORGHUM	0.1
TRIDEMORPH TRIDEMORPH	
BANANA	T*0.05
BARLEY	0.1
FRUITING VEGETABLES, CUCURBITS	0.1
TRIFLUMIZOLE SUM OF TRIFLUMIZOLE AND (E)-4-CHLORO-A,A,A-TRIFLUORO- N-(1-AMINO-2-PROPOXYETHYLIDENE)-O-TOLUIDINE, EXPRESSED AS TRIFLUMIZOLE	
GRAPES	0.5
POME FRUITS	0.5

TRIFLUMURON TRIFLUMURON	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	*0.05
EGGS	0.01
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT, IN THE FAT]	*0.05
MILKS	*0.05
MUSHROOMS	0.1
POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT (IN THE FAT)	0.1
SHEEP, EDIBLE OFFAL OF	0.1
SHEEP MEAT (IN THE FAT)	2
TRIFLURALIN TRIFLURALIN	
ADZUKI BEAN (DRY)	*0.05
BROAD BEAN (DRY)	*0.05
CARROT	0.5
CEREAL GRAINS	*0.05
CHICK-PEA (DRY)	*0.05
COWPEA (DRY)	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUIT	*0.05
HYACINTH BEAN (DRY)	*0.05
LUPIN (DRY)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
MUNG BEAN (DRY)	*0.05
OILSEED	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUGAR CANE	*0.05
VEGETABLES [EXCEPT CARROT]	*0.05
TRIFORINE TRIFORINE	
POME FRUITS	1
STONE FRUITS	10
TRIMETHOPRIM TRIMETHOPRIM	
CATTLE MILK	0.05
EDIBLE OFFAL (MAMMALIAN)	0.05
MEAT (MAMMALIAN)	0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
TRITICONAZOLE TRITECONAZOLE	
CEREAL GRAINS	0.05
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	0.05
MEAT (MAMMALIAN)	0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

TYLOSIN TYLOSIN	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
EGGS	*0.2
MILKS	*0.05
PIG, EDIBLE OFFAL OF	*0.2
PIG FAT	*0.1
PIG MEAT	*0.2
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY FATS	*0.1
POULTRY MEAT	*0.2
UNICONAZOLE-P NO RESIDUE DEFINITION	
AVOCADO	0.02
VAMIDOTHION SUM OF VAMIDOTHION, M ITS SULFOXIDE AND SULFONE, EXPRESSED AS VAMIDOTHION	
APPLE	1
BRASSICA (COLE OR CABBAGE)	0.5
VEGETABLES	
PEACH	1
PEAR	1
POTATO	0.5
VERNOLATE VERNOLATE	
PEANUT	*0.1
SOYA BEAN (DRY)	*0.1
VINCLOZOLIN SUM OF VINCLOZOLLIN AND ALL METABOLITES CONTAINING 3-5 –DICHLOROROANILINE MOIETY, EXPRESSED AS VINCLOZOLIN	
GRAPES	T5
VIRGINIAMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS VIRGINIAMYCIN	
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE FAT	0.2
CATTLE MILK	0.1
CATTLE MEAT	*0.1
EGGS	*0.1
PIG, EDIBLE OFFAL OF	0.2
PIG FAT	0.2
PIG MEAT	*0.1
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY FATS	0.2
POULTRY MEAT	0.1
ZERANOL ZERANOL	
CATTLE, EDIBLE OFFAL OF	0.02
CATTLE MEAT	0.005

ZINEB <i>SEE DITHIOCARBAMATES</i>
ZIRAM <i>SEE DITHIOCARBAMATES</i>

SCHEDULE 2 – EXTRANEOUS RESIDUE LIMITS

ALDRIN AND DIELDRIN SUM OF HHDN AND HEOD		PEANUT	E0.1
ASPARAGUS	E0.1	POULTRY, EDIBLE OFFAL OF	E0.3
BANANA	E0.05	POULTRY MEAT (IN THE FAT)	E0.3
BRASSICA (COLE OR CABBAGE)	E0.1	SUGAR CANE	E0.005
VEGETABLES			
CARROT	E0.1	CHLORDANE	
CEREAL GRAINS	E0.02	SUM OF CIS- AND TRANS-CHLORDANE AND IN THE CASE OF ANIMAL PRODUCTS ALSO INCLUDES 'OXYCHLORDANE'	
CITRUS FRUITS	E0.05	CEREAL GRAINS	E0.02
CRUSTACEANS	E0.1	CITRUS FRUITS	E0.02
CUCUMBER	E0.1	COTTON SEED OIL, CRUDE	E0.05
DIADROMOUS FISH	E0.1	COTTON SEED OIL, EDIBLE	E0.02
EDIBLE OFFAL (MAMMALIAN)	E0.2	CRUSTACEANS	E0.05
EGG PLANT	E0.1	EDIBLE OFFAL (MAMMALIAN)	E0.2
EGGS	E0.1	EGGS	E0.02
FRESHWATER FISH	E0.1	FISH	E0.05
FRUIT	E0.05	FRUITING VEGETABLES,	E0.05
HORSERADISH	E0.1	CUCURBITS	
LETTUCE, HEAD	E0.1	LINSEED OIL, CRUDE	E0.05
LETTUCE, LEAF	E0.1	MEAT (MAMMALIAN) (IN THE FAT)	E0.2
MARINE FISH	E0.1	MILKS (IN THE FAT)	E0.05
MEAT (MAMMALIAN) (IN THE FAT)	E0.2	MOLLUSCS, INCLUDING	E0.05
MILKS (IN THE FAT)	E0.1	CEPHALOPODS	
MOLLUSCS, INCLUDING	E0.1	PINEAPPLE	E0.02
CEPHALOPODS		POME FRUITS	E0.02
ONION, BULB	E0.1	SOYA BEAN OIL, CRUDE	E0.05
PARSNIP	E0.1	SOYA BEAN OIL, REFINED	E0.02
PEANUT	E0.05	STONE FRUITS	E0.02
PEPPERS, SWEET	E0.1	SUGAR BEET	E0.1
PIMENTO, FRUIT	E0.1	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	E0.02
POTATO	E0.1		
POULTRY, EDIBLE OFFAL OF	E0.2	DDT	
POULTRY MEAT (IN THE FAT)	E0.2	SUM OF P,P'-DDT; O,P'-DDT; P,P'-DDE AND P,P'-TDE (DDD)	
RADISH	E0.1	CEREAL GRAINS	E0.1
RADISH LEAVES (INCLUDING RADISH TOPS)	E0.1	CRUSTACEANS	E1
SUGAR CANE	E0.01	EDIBLE OFFAL (MAMMALIAN)	E5
BHC (OTHER THAN THE GAMMA ISOMER, LINDANE)		EGGS	E0.5
SUM OF ISOMERS OF 1,2,3,4,5,6- HEXACHLOROCYCLOHEXANE, OTHER THAN LINDANE		FISH	E1
CEREAL GRAINS	E0.1	FRUIT	E1
CRUSTACEANS	E0.01	MEAT (MAMMALIAN) (IN THE FAT)	E5
EDIBLE OFFAL (MAMMALIAN)	E0.3	MILKS (IN THE FAT)	E1.25
EGGS	E0.1	MOLLUSCS, INCLUDING	E1
FISH	E0.01	CEPHALOPODS	
MEAT (MAMMALIAN) (IN THE FAT)	E0.3	PEANUT	E0.02
MILKS (IN THE FAT)	E0.1	POULTRY, EDIBLE OFFAL OF	E5
MOLLUSCS, INCLUDING	E0.01	POULTRY MEAT (IN THE FAT)	E5
CEPHALOPODS		VEGETABLE OILS, EDIBLE	E1
		VEGETABLES	E1

SCHEDULE 2 – EXTRANEOUS RESIDUE LIMITS

HCB HEXACHLOROBENZENE	
CEREAL GRAINS	E0.05
CRUSTACEANS	E0.1
DIADROMOUS FISH	E0.1
EDIBLE OFFAL (MAMMALIAN)	E1
EGGS	E1
FRESHWATER FISH	E0.1
MARINE FISH	E0.1
MEAT (MAMMALIAN) (IN THE FAT)	E1
MILKS (IN THE FAT)	E0.5
MOLLUSCS, INCLUDING	E0.1
CEPHALOPODS	
PEANUT	E0.01
POULTRY, EDIBLE OFFAL OF	E1
POULTRY MEAT (IN THE FAT)	E1
HEPTACHLOR SUM OF HEPTACHLOR AND HEPTACHLOR EPOXIDE	
CARROT	E0.2
CEREAL GRAINS	E0.02
CITRUS FRUITS	E0.01
COTTON SEED	E0.02
CRUSTACEANS	E0.05
EDIBLE OFFAL (MAMMALIAN)	E0.2
EGGS	E0.05
FISH	E0.05
MEAT (MAMMALIAN) (IN THE FAT)	E0.2
MILKS (IN THE FAT)	E0.15
MOLLUSCS, INCLUDING	E0.05
CEPHALOPODS	
PEANUT	E0.01
PINEAPPLE	E0.01

POULTRY, EDIBLE OFFAL OF	E0.2
POULTRY MEAT	E0.2
SOYA BEAN	E0.02
SOYA BEAN OIL, CRUDE	E0.5
SOYA BEAN OIL, REFINED	E0.02
SUGAR CANE	E0.02
TOMATO	E0.02
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	E0.05
LINDANE LINDANE	
APPLE	E2
CEREAL GRAINS	E0.5
CHERRIES	E0.5
CRANBERRY	E3
CRUSTACEANS	E1
EDIBLE OFFAL (MAMMALIAN)	E2
EGGS	E0.1
FISH	E1
GRAPES	E0.5
MOLLUSCS, INCLUDING	E1
CEPHALOPODS	
OILSEED [EXCEPT PEANUT]	E0.05
PEACH	E2
PEANUT	E0.05
PLUMS (INCLUDING PRUNES)	E0.5
POULTRY, EDIBLE OFFAL OF	E0.7
POULTRY MEAT (IN THE FAT)	E0.7
STRAWBERRY	E3
SUGAR CANE	E*0.002
VEGETABLES	E2

SCHEDULE 3 - CHEMICAL GROUPS

Group	Chemicals
Group A	Aldrin, Dieldrin, Endosulfan, Heptachlor
Group B	BHC and its isomers, DDT, Dicofof, Fenarimol, Lindane, Quintozene
Group C	Azamethiphos, Azinphos-ethyl, Azinphos-methyl, Coumaphos, Demeton, Diazinon, Dichlorvos, Dimethoate, Disulfoton, Dithianon, Ethion, Ethoprophos, Famphur, Fenamiphos, Fenchlorphos, Fenitrothion, Fenthion, Formothion, Maldison, Methamidophos, Methidathion, Mevinphos, Monocrotophos, Naphthalophos, Omethoate, Parathion, Parathion-methyl, Phorate, Phosmet, Pirimiphos-ethyl, Pirimiphos-methyl, Prothiophos, Pyrazophos, Sulprofos, Temephos, Tetrachlorvinphos, Thiometon, Tributylphosphorotrithioate, Trichlorfon, Vamidothion
Group D	Mancozeb, Metiram, Propineb, Thiram, Zineb, Ziram
Group E	2,4-D, Diclofop-methyl, MCPA, MCPB, Picloram
Group F	Aldicarb, Bendiocarb, Carbaryl, Iprodione, Methomyl, Oxamyl, Phenisopham, Promacyl, Promecarb, Propoxur, Thiobencarb
Group G	Diuron, Fluometuron, Linuron, Methabenzthiazuron, Thidiazuron
Group H	Parbendazole, Thiabendazole
Group I	Benomyl, Carbendazim, Thiophanate, Thiophanate-methyl
Group J	Ametryn, Atrazine, Cyanazine, Metribuzin, Prometryn, Propazine, Simazine, Terbutryn
Group K	Metolachlor, Propachlor
Group L	Chlormequat, Diquat, Paraquat
Group M	Captan
Group N	Ethylene dibromide (EDB), Ethylene dichloride, Methyl bromide, Trichloroethylene
Group O	Fenbutatin Oxide
Group P	Bioresmethrin, Cypermethrin, Deltamethrin, Fenvalerate, Permethrin, Pyrethrins
Group Q	Etridiazole
Group R	Dithiocarbamates, Mancozeb, Metham, Metiram, Propineb, Thiram, Ziram

SCHEDULE 4 - FOODS AND CLASSES OF FOOD

ANIMAL FOOD COMMODITIES

MAMMALIAN PRODUCTS

Meat (mammalian)

Meats are the muscular tissues, including adhering fatty tissues such as intramuscular, intermuscular and subcutaneous fat from animal carcasses or cuts of these as prepared for wholesale or retail distribution. Meat (mammalian) includes farmed and game meat. The cuts offered may include bones, connective tissues and tendons as well as nerves and lymph nodes. It does not include edible offal. The entire commodity except bones may be consumed.

Commodities: Buffalo meat; Camel meat; Cattle meat; Deer meat; Donkey meat; Goat meat; Hare meat; Horse meat; Kangaroo meat; Pig meat; Possum meat; Rabbit meat; Sheep meat; Wallaby meat.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity (without bones). When the commodity description is qualified by (in the fat) a proportion of adhering fat is analysed and the MRLs apply to the fat.

Edible offal (mammalian)

Edible offal is the edible tissues and organs other than muscles and animal fat from slaughtered animals as prepared for wholesale or retail distribution. Edible offal includes brain, heart, kidney, liver, pancreas, spleen, thymus, tongue and tripe. The entire commodity may be consumed.

Commodities: Buffalo, edible offal of; Cattle, edible offal of; Camel, edible offal of; Deer, edible offal of; Donkey, edible offal of; Goat, edible offal of; Hare, edible offal of; Horse, edible offal of; Kangaroo, edible offal of; Pig, edible offal of; Possum, edible offal of; Rabbit, edible offal of; Sheep, edible offal of; Wallaby, edible offal of.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Fats (mammalian)

Mammalian fats, excluding milk fats are derived from the fatty tissues of animals (not processed). The entire commodity may be consumed.

Commodities: Buffalo fat; Camel fat; Cattle fat; Goat fat; Horse fat; Pig fat; Rabbit fat; Sheep fat.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Milks

Milks are the mammary secretions of various species of lactating herbivorous ruminant animals.

Commodities: Buffalo milk; Camel milk; Cattle milk; Goat milk; Sheep milk.
The entire commodity may be consumed.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity. When an MRL for cattle milk or milks is qualified by '(in the fat)' the compound is regarded as fat-soluble, and the MRL applies to the fat portion of the milk. In the case of a derived or a manufactured milk product with a fat content of 2% or more, the MRL also applies to the fat portion. For a milk product with fat content less than 2%, the MRL applied should be 1/50 that specified for 'milk (in the fat)', and should apply to the whole product.

POULTRY

Poultry meat

Poultry meats are the muscular tissues, including adhering fat and skin, from poultry carcasses as prepared for wholesale or retail distribution. The entire product may be consumed. Poultry meat includes farmed and game poultry.

Commodities: Chicken meat; Duck meat; Emu meat; Goose meat; Guinea-fowl meat; Ostrich meat; Partridge meat; Pheasant meat; Pigeon meat; Quail meat; Turkey meat.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity (without bones). When the commodity description is qualified by (in the fat) a proportion of adhering fat is analysed and the MRLs apply to the fat.

Poultry, edible Offal

Poultry edible offal is the edible tissues and organs, other than poultry meat and poultry fat, as prepared for wholesale or retail distribution and include liver, gizzard, heart, skin. The entire product may be consumed.

Commodities: Chicken, edible offal of; Duck, edible offal of; Emu, edible offal of; Goose, edible offal of; Ostrich, edible offal of; Turkey, edible offal of.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Note that poultry meat includes any attached skin, but poultry skin on its own (not attached) is considered as 'poultry edible offal'.

Poultry fats

Poultry fats are derived from the fatty tissues of poultry (not processed). The entire product may be consumed.

Commodities: Chicken fat; Duck fat; Goose fat; Turkey fat.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Eggs

Eggs are the reproductive bodies laid by female birds, especially domestic fowl. The edible portion includes egg yolk and egg white after removal of the shell.

Commodities: Chicken eggs; Duck eggs; Goose eggs; Quail eggs.

Portion of the commodity to which the MRL applies (and which is analysed): whole egg whites and yolks combined after removal of shell.

FISH, CRUSTACEANS AND MOLLUSCS

Fish includes freshwater fish, diadromous fish and marine fish.

Diadromous fish

Diadromous fish include species which migrate from the sea to brackish and/or fresh water and in the opposite direction. Some species are domesticated and do not migrate. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: Barramundi; Salmon species; Trout species; Eel species

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Freshwater fish

Freshwater fish include a variety of species which remain lifelong, including the spawning period, in fresh water. Several species of freshwater fish are domesticated and bred in fish farms. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: a variety of species

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Marine fish

Marine fish generally live in open seas and are almost exclusively wild species. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: a variety of species.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Molluscs

Molluscs includes Cephalopods and Coelenterates. Cephalopods and Coelenterates are various species of aquatic animals, wild or cultivated, which have an inedible outer or inner shell (invertebrates). A few species of cultivated edible land snails are included in this group. The edible aquatic molluscs live mainly in brackish water or in the sea.

Commodities: Clams; Cockles; Cuttlefish; Mussels; Octopus; Oysters; Scallops; Sea-cucumbers; Sea urchins; Snails, edible; Squids.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of shell.

Crustaceans

Crustaceans include various species of aquatic animals, wild and cultivated, which have an inedible chitinous outer shell. A small number of species live in fresh water, but most species live in brackish water and/or in the sea.

Crustaceans are largely prepared for wholesale and retail distribution after catching by cooking or parboiling and deep freezing.

Commodities: Crabs; Crayfish; Lobsters; Prawns; Shrimps.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity or the meat without the outer shell, as prepared for wholesale and retail distribution.

HONEY AND OTHER MISCELLANEOUS PRIMARY FOOD COMMODITIES OF ANIMAL ORIGIN

Honey

Commodity: Honey.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

CROP COMMODITIES

FRUIT

Tropical and sub-tropical fruit - edible peel

Tropical and sub-tropical fruits - edible peel are derived from the immature or mature fruits of a large variety of perennial plants, usually shrubs or trees. The fruits are fully exposed to pesticides applied during the growing season.

The whole fruit may be consumed in a succulent or processed form.

Commodities: Ambarella; Arbutus berry; Babaco; Barbados cherry; Bilimbi; Brazilian cherry (Grumichama); Carambola; Caranda; Carob; Cashew apple; Chinese olive; Coco plum; Cumquats; Date; Fig; Hog plum; Jaboticaba; Jujube; Natal plum; Olives; Otaheite gooseberry; Persimmon, Japanese; Pomerac; Rose apple; Sea grape; Surinam cherry; Tree tomato (Tamarillo).

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity. Dates and olives: Whole commodity after removal of stems and stones but residue calculated and expressed on the whole fruit.

Tropical and sub-tropical fruit - inedible peel

Tropical and sub-tropical fruits - inedible peel are derived from the immature or mature fruits of a large variety of perennial plants, usually shrubs or trees. Fruits are fully exposed to pesticides applied during the growing season but the edible portion is protected by skin, peel or husk. The edible part of the fruits may be consumed in a fresh or processed form.

Commodities: Akee apple; Avocado; Banana (includes banana dwarf); Bread fruit; Canistel; Cherimoya; Custard apple; Doum; Durian; Elephant fruit; Feijoa; Guava; Ilama; Jackfruit; Jambolan; Java apple; Kiwifruit; Longan; Litchi; Mammy apple; Mango; Mangosteen; Marmalade box; Mombin, yellow; Naranjilla; Passionfruit; Papaya (Pawpaw); Persimmon, American; Pineapple; Plantain; Pomegranate; Prickly pear; Pulasan; Rambutan; Rollinia; Sapodilla; Sapote, black; Sapote, green; Sapote, mammey; Sapote, white; Sentul; Soursop; Spanish lime; Star apple; Sugar apple; Tamarind; Tonka bean.

Portion of the commodity to which the MRL applies (and which is analysed): whole fruit. Avocado, mangos and similar fruit with hard seeds: whole commodity after removal of stone but calculated on whole fruit. Banana: whole commodity after removal of any central stem and peduncle. Pineapple: after removal of crown.

Berries And Other Small Fruits

Berries and other small fruits are derived from a variety of perennial plants and shrubs having fruit characterised by a high surface to weight ratio. The fruits are fully exposed to pesticides applied during the growing season. The entire fruit, often including seed, may be consumed in a succulent or processed form.

Commodities: Bilberry; Blackberries; Blueberries; Cranberry; Currants, black, red, white; Dewberries (including Boysenberry, Loganberry and Youngberry); Elderberries; Gooseberry; Grapes; Juneberries; Mulberries; Raspberries, Red, Black; Rose hips; Strawberry; Vaccinium berries.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of caps and stems. Currants: fruit with stem.

Citrus fruits

Citrus fruits are produced on trees and shrubs of the family Rutaceae. These fruits are characterised by aromatic oily peel, globular form and interior segments of juice-filled vesicles. The fruit is fully exposed to pesticides applied during the growing season. Post-harvest treatments with pesticides and liquid waxes are often carried out to avoid deterioration due to fungal diseases, insect pests or loss of moisture. The fruit pulp may be consumed in succulent form and as a juice. The entire fruit may be used for preserves.

Commodities: Citron; Grapefruit; Lemon; Lime; Mandarins; Oranges, sweet, sour; Shaddock (Pomelo); Tangelo; Tangors.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Pome fruits

Pome fruits are produced on trees and shrubs belonging to certain genera of the rose family (Rosaceae), especially the genera Malus and Pyrus. They are characterised by fleshy tissue surrounding a core consisting of parchment-like carpels enclosing the seeds.

Pome fruits are fully exposed to pesticides applied during the growing season. Post-harvest treatments directly after harvest may also occur. The entire fruit, except the core, may be consumed in the succulent form or after processing.

Commodities: Apple; Crab-apple; Loquat; Medlar; Pear; Quince.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of stems.

Stone fruits

Stone fruits are produced on trees belonging to the genus *Prunus* of the family Rosaceae. They are characterised by fleshy tissue surrounding a single hard shelled seed. The entire fruit, except the seed, may be consumed in a succulent or processed form. The fruit is fully exposed to pesticides applied during the growing season. Dipping of fruit immediately after harvest, especially with fungicides, may also occur.

Commodities: Apricot; Cherries; Nectarine; Peach; Plums*.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of stems and stones, but the residue calculated and expressed on the whole commodity without stem.

*where plums is specified as '(including Prunes)' it includes all relevant prunes.

VEGETABLES

Brassica (cole or cabbage) vegetables

Cole vegetables (cabbage and flowerhead brassicas) are foods derived from the leafy heads and stems of plants belonging to the genus *Brassica* of the family Cruciferae. The edible part of the crop is partly protected from pesticides applied during the growing season by outer leaves, or skin. The entire vegetable after discarding obviously decomposed or withered leaves may be consumed.

Commodities: Broccoli; Broccoli, Chinese; Brussels sprouts; Cabbages, head; Cauliflower; Kohlrabi.

Portion of the commodity to which the MRL applies (and which is analysed): Head cabbages and kohlrabi, whole commodity as marketed, after removal of obviously decomposed or withered leaves. Cauliflower and broccoli: flower heads (immature inflorescence only). Brussels sprouts: 'buttons' only.

Bulb Vegetables

Bulb vegetables are pungent, highly flavoured bulbous vegetables derived from fleshy scale bulbs of the genus *Allium* of the lily family (Liliaceae). Bulb fennel has been included in this group as the bulb-like growth of this commodity gives rise to similar residues. The subterranean parts of the bulbs and shoots are protected from direct exposure to pesticides during the growing season. Although chives are alliums they have been classified with herbs. The entire bulb may be consumed after removal of the parchment-like skin. The leaves and stems of some species or cultivars may also be consumed.

Commodities: Fennel, bulb; Garlic; Leek; Onion, bulb; Onion, Chinese; Onion, Welsh; Shallot; Spring onion; Tree onion.

Portion of the commodity to which the MRL applies (and which is analysed): Bulb/dry. Onions and garlic: Whole commodity after removal of roots and adhering soil and whatever parchment skin is easily detached. Leeks and spring onions: Whole vegetable after removal of roots and adhering soil.

Fruiting vegetables, cucurbits

Fruiting vegetables, Cucurbits are derived from the immature and mature fruits of various plants, belonging to the botanical family Cucurbitaceae. These vegetables are fully exposed to pesticides during the period of fruit development. The edible portion of those fruits of which the inedible peel is discarded before consumption is protected from most pesticides by the skin or peel, except from pesticides with a systemic action.

The entire fruiting vegetable or the edible portion after discarding the inedible peel may be consumed in the fresh form or after processing.

Commodities: Balsam apple; Balsam pear; Bottle gourd; Chayote; Cucumber; Gherkin; Loofah; Melons, except Watermelon; Pumpkins; Snake gourd; Squash, summer (including Zucchini); Squash, winter; Watermelon.

Portion of the commodity to which the MRL applies (and which is analysed): Whole commodity after removal of stems.

Fruiting vegetables, other than cucurbits

Fruiting vegetables, other than Cucurbits are derived from the immature and mature fruits of various plants, usually annual vines or bushes. The group includes edible fungi and mushrooms, being comparable organs of lower plants. The entire fruiting vegetable or the edible portion after discarding husks or peels may be consumed in a fresh form or after processing. The vegetables of this group are fully exposed to pesticides applied during the period of fruit development, except those of which the edible portion is covered by husks, such as sweet corn.

Commodities: Cape gooseberry (ground cherries); Egg plant; Fungi, edible; Mushrooms; Okra; Pepino; Peppers, sweet, Chilli; Roselle; Sweet corn*; Tomato.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of stems. Mushrooms: Whole commodity. Sweet corn and fresh corn: kernels plus cob without husk.

*sweet corn is specified as either '(corn-on-the-cob)' to indicate that the MRL is set on the cob plus kernels, or as '(kernels)' to indicate that the MRL is set on the kernels only.

Leafy vegetables (including brassica leafy vegetables)

Leafy vegetables are foods derived from the leaves of a wide variety of edible plants. They are characterised by a high surface to weight ratio. The leaves are fully exposed to pesticides applied during the growing season. The entire leaf may be consumed either fresh or after processing.

Commodities: Amaranth; Box thorn; Chard (silver beet); Chervil; Chicory leaves; Chinese cabbage (Pe-tsai); Choisum; Cress, garden; Dandelion; Dock; Endive; Grape leaves; Indian mustard; Japanese greens; Kale; Kangkung; Komatsuma; Lettuce, Head; Lettuce, Leaf; Marsh marigold; Mustard greens; New Zealand spinach; Pak-choi; Pokeweed; Purslane; Radish leaves (including radish tops); Rape greens; Rucola; Sowthistle; Spinach; Turnip greens; Watercress.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of obviously decomposed or withered leaves.

Legume vegetables

Legume vegetables are derived from the succulent seed and immature pods of leguminous plants commonly known as beans and peas. Pods are fully exposed to pesticides during the growing season, whereas the succulent seed is protected within the pod from most pesticides, except pesticides with systemic action.

Commodities: Beans, except broad bean and soya bean; Broad bean (green pods and immature seeds); Chick-pea (green pods); Cluster bean (young pods); Common bean (pods and/or immature seeds); Cowpea (immature pods); Garden pea (young pods); Garden pea, shelled; Goa bean (immature pods); Haricot bean (green pods and/or immature seeds); Hyacinth bean (young pods, immature seeds); Lentil (young pods); Lima bean (young pods and/or immature beans); Lupin; Mung bean (green pods); Pigeon pea (green pods and/or young green seeds); Podded pea (young pods); Snap bean (immature seeds); Soya bean (immature seeds); Vetch.

Common bean (pods and/or immature seeds) includes Dwarf bean (immature pods and/or seeds); Field bean (green pods); Flageolet (fresh beans); French bean (immature pods and seeds); Green bean (green pods and immature seeds); Kidney bean (pods and/or immature seeds); Navy bean (young pods and/or immature seeds) and Runner bean (green pods and seeds).

Podded pea (young pods) includes sugar pea (young pods) and snow pea.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity (seed plus pod) unless otherwise specified.

Pulses

Pulses are derived from the mature seeds, naturally or artificially dried, of leguminous plants known as beans (dry) and peas (dry). The seeds in the pods are protected from most pesticides applied during the growing season except pesticides which show a systemic action. There may be registered post harvest treatments for dried peas and beans.

Commodities: Beans (dry); Peas (dry); Adzuki bean (dry); Broad bean (dry); Chick-pea (dry); Common bean (dry); Cowpea (dry); Field pea (dry); Hyacinth bean (dry); Lentil (dry); Lima bean (dry); Lupin (dry); Mung bean (dry); Pigeon pea (dry); Soya bean (dry).

Common bean (dry) includes Dwarf bean (dry); Field bean (dry); Flageolet (dry); Kidney bean (dry); Navy bean (dry).

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity (dried seed only).

Root and tuber vegetables

Root and tuber vegetables are the starchy enlarged solid roots, tubers, corms or rhizomes, mostly subterranean, of various species of plants. The underground location protects the edible portion from most pesticides applied to the aerial parts of the crop during the growing season, however the commodities in this group are exposed to pesticide residues from soil treatments. The entire vegetable may be consumed in the form of fresh or processed foods.

Commodities: Arrowroot; Beetroot; Canna, edible; Carrot; Cassava; Celeriac; Chicory, roots; Horseradish; Jerusalem artichoke; Parsnip; Potato; Radish; Radish, Japanese; Salsify; Scorzonera; Sugar beet; Swede; Sweet potato; Taro; Turnip, garden; Yams.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removing tops. Remove adhering soil (eg by rinsing in running water or by gentle brushing of the dry commodity).

Stalk and stem vegetables

Stalk and stem vegetables are the edible stalks, leaf stems or immature shoots from a variety of annual or perennial plants. Globe artichokes have been included in this group. Depending upon the part of the crop used for consumption and the growing practices, stalk and stem vegetables are exposed, in varying degrees, to pesticides applied during the growing season. Stalk and stem vegetables may be consumed in whole or in part and in the form of fresh, dried or processed foods.

Commodities: Artichoke, globe; Asparagus; Bamboo shoots; Celery; Celtuce; Palm hearts; Rhubarb; Witloof chicory.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of obviously decomposed or withered leaves. Rhubarb: leaf stems only. Globe artichoke: flowerhead only. Celery and asparagus: remove adhering soil.

GRASSES

Cereal Grains

Cereal grains are derived from the (heads) of starchy seeds produced by a variety of plants, primarily of the grass family (Gramineae). The edible seeds are protected to varying degrees from pesticides applied during the growing season by husks. Husks are removed before processing and/or consumption. There may be registered post harvest treatments for cereal grains.

Commodities: Barley; Buckwheat; Maize; Millet; Oats; Popcorn; Rice*; Rye; Sorghum; Triticale; Wheat; Wild rice.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity

* 'Rice' means 'Rice in Husk.'

Grasses for sugar or syrup production

Grasses for sugar or syrup production, includes species of grasses with a high sugar content especially in the stem. The stems are mainly used for sugar or syrup production.

Commodities: Sugar cane.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

NUTS AND SEEDS

Tree nuts

Tree nuts are the seeds of a variety of trees and shrubs which are characterised by a hard inedible shell enclosing an oily seed. The seed is protected from pesticides applied during the growing season by the shell and other parts of the fruit. The edible portion of the nut is consumed in succulent, dried or processed forms.

Commodities: Almonds; Beech nuts; Brazil nut; Cashew nut; Chestnuts; Coconut; Hazelnuts; Hickory nuts; Japanese horse-chestnut; Macadamia nuts; Pecan; Pine nuts; Pili nuts; Pistachio nuts; Sapucaia nut; Walnuts.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of shell. Chestnuts: whole in skin.

Oilseed

Oilseed consists of seeds from a variety of plants used in the production of edible vegetable oils. Some oilseeds are used directly, or after slight processing, as food or for food flavouring. Oilseeds are protected from pesticides applied during the growing season by the shell or husk.

Commodities: Acacia seed; Cotton seed; Linseed; Mustard seed; Palm nut; Peanut; Plantago ovata seed; Poppy seed; Rape seed; Safflower seed; Sesame seed; Sunflower seed.

Portion of the commodity to which the MRL applies (and which is analysed): seed or kernels, after removal of shell or husk.

Seed for beverages and sweets

Seeds for beverages and sweets are derived from tropical and sub-tropical trees and shrubs. These seeds are protected from pesticides applied during the growing season by the shell or other parts of the fruit.

Commodities: Cacao beans; Coffee beans; Cola nuts.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

HERBS AND SPICES

Herbs

Herbs consist of leaves, flowers, stems and roots from a variety of herbaceous plants, used in relatively small amounts as condiments to flavour foods or beverages. They are used either in fresh or naturally dried form. Herbs are fully exposed to pesticides applied during the growing season. There may be registered post-harvest treatments for dried herbs.

Commodities: Angelica; Balm leaves (*Melissa officinalis*); Basil; Bay leaves; Burnet, great (*Banguisorba officinalis*); Burnet, salad; Burning bush (*Dictamnus albus*); Catmint; Celery leaves; Chives; Curry leaves; Dill (*Anethum graveolens*); Fennel; Hops; Horehound; Hyssop; Kaffir lime leaves; Lavender; Lemon balm; Lemon grass; Lemon verbena; Lovage; Marigold flowers (*Calendula officinalis*); Marjoram; Mints; Mizuna; Nasturtium leaves (*Tropaeolum majus* L.); Parsley; Rosemary; Rue (*Ruta graveolens*); Sage; Sassafras leaves; Savoury, summer, winter; Sorrel; Sweet cicely; Tansy; Tarragon; Thyme; Winter cress; Wintergreen leaves (*Gaultheria procumbens* L.); Woodruff (*Asperula odorata*); Wormwoods (*Artemisia* spp).

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Spices

Spices consist of the aromatic seeds, roots, berries or other fruits from a variety of plants, which are used in relatively small quantities to flavour foods. Spices are exposed in varying degrees to pesticides applied during the growing season. There may be registered post harvest treatments for dried spices.

Commodities: Angelica seed; Anise seed; Calamus root; Caper buds; Caraway seed; Cardamom seed; Cassia buds; Celery seed; Cinnamon bark; Cloves; Coriander, seed; Cumin seed; Dill seed; Elecampane root; Fennel seed; Fenugreek seed; Galangal, rhizomes; Ginger, root; Grains of paradise; Juniper berry; Licorice root; Lovage seed; Mace; Nasturtium pods; Nutmeg; Pepper, black, white; Pepper, long; Pimento, fruit; Tonka bean; Turmeric, root; Vanilla, beans.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

PROCESSED FOODS OF PLANT AND ANIMAL ORIGIN

DERIVED EDIBLE COMMODITIES OF PLANT ORIGIN

'Derived edible products' are foods or edible substances isolated from primary food commodities or raw agricultural commodities using physical, biological or chemical processing. This includes groups such as vegetable oils (crude and refined), by-products of the fractionation of cereals and teas (fermented and dried).

Cereal grain milling fractions

This group includes milling fractions of cereal grains at the final stage of milling and preparation in the fractions, and includes processed brans.

Commodities: Cereal brans, processed; Maize flour; Maize meal; Rice bran, processed; Rye bran, processed; Rye flour; Rye wholemeal; Wheat bran, processed; Wheat germ; Wheat flour; Wheat wholemeal.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Tea

Teas are derived from the leaves of several plants, principally *Camellia sinensis*. They are used mainly in a fermented and dried form or only as dried leaves for the preparation of infusions.

Commodities: Tea, green, black

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Vegetable oils, crude

This group includes the crude vegetable oils derived from oil seed, tropical and sub-tropical oil-containing fruits such as olives, and some pulses. Exposure to pesticides is through pre-harvest treatment of the relevant crops or post-harvest treatment of the oilseeds or oil-containing pulses.

Commodities: Vegetable oils, crude; Cotton seed oil, crude; Coconut oil, crude; Maize oil, crude; Linola oil, crude; Olive oil, crude; Palm oil, crude; Palm kernel oil, crude; Peanut oil, crude; Rape seed oil, crude; Safflower seed oil, crude; Sesame seed oil, crude; Soya bean oil, crude.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Vegetable oils, edible

Vegetable oils, edible are derived from the crude oils through a refining and/or clarifying process. Exposure to pesticides is through pre-harvest treatment of the relevant crops or post-harvest treatment of the oilseeds or oil-containing pulses.

Commodities: Vegetable oils, edible; Cotton seed oil, edible; Coconut oil, refined; Linola oil, edible; Maize oil, edible; Olive oil, refined; Palm oil, edible; Palm kernel oil, edible; Peanut oil, edible; Rape seed oil, edible; Safflower seed oil, edible; Sesame seed oil, edible; Soya bean oil, refined; Sunflower seed oil, edible.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Manufactured multi-ingredient cereal products

The commodities of this group are manufactured with several ingredients; products derived from cereal grains however form the major ingredient.

Commodities: Bread and other cooked cereal products; Maize bread; Rye bread; White bread; Wholemeal bread.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Miscellaneous

Commodities: Olives, processed; Peppermint oil; Sugar cane molasses.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

SECONDARY COMMODITIES OF PLANT ORIGIN

The term 'Secondary food commodity' refers to a primary food commodity which has undergone simple processing, such as removal of certain portions, drying (except natural drying), husking, and comminution, which do not basically alter the composition or identity of the product. For the commodities referred to in dried fruits, dried vegetables and dried herbs refer to the commodity groupings for fruits, vegetables and herbs. Naturally field dried mature crops such as pulses or cereal grains are not considered as secondary food commodities.

Dried fruits

Dried fruits are generally artificially dried. Exposure to pesticides may arise from pre-harvest application, post-harvest treatment of the fruits before processing, or treatment of the dried fruit to avoid losses during transport and distribution.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of stones, but the residue is calculated on the whole commodity.

Dried herbs

Dried herbs are generally artificially dried and often comminuted. Exposure to pesticides is from pre-harvest applications and/or treatment of the dry commodities.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Dried vegetables

Dried vegetables are generally artificially dried and often comminuted. Exposure to pesticides is from pre-harvest application and/or treatment of the dry commodities.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Milled cereal products (early milling stages)

The group 'milled cereal products (early milling stages)' includes the early milling fractions of cereal grains, except buckwheat, such as husked rice, polished rice and the unprocessed cereal grain brans. Exposure to pesticides is through pre-harvest treatments of the growing cereal grain crop and especially through post-harvest treatment of cereal grains.

Commodities: Bran, unprocessed; Rice bran, unprocessed; Rice, husked; Rice, polished; Rye bran, unprocessed; Wheat bran, unprocessed.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

SECONDARY COMMODITIES OF ANIMAL ORIGIN

The term 'secondary food commodity' refers to a primary food commodity which has undergone simple processing, such as removal of certain portions, drying, and comminution, which do not basically alter the composition or identity of the commodity.

Animal fats, processed

This group includes rendered or extracted (possibly refined and/or clarified) fats from mammals and poultry and fats and oils derived from fish.

Commodities: Tallow and lard from cattle, goats, pigs and sheep; Poultry fats, processed.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Dried meat and fish products

For the commodities referred to in dried meat and dried fish products refer to the commodity groupings for meat and fish. Dried meat and fish products includes naturally or artificially dried meat products and dried fish, mainly marine fish.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Milk fats

Milk fats are the fatty ingredients derived from the milk of various mammals.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.