

# **Australia New Zealand Food Standards Code – Amendment No. 119 – 2010**

## **Food Standards Australia New Zealand Act 1991**

### **Preamble**

The variations set forth in the Schedule below are variations to Standards in the *Australia New Zealand Food Standards Code* published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, which have been varied from time to time.

### **Citation**

These variations may be collectively known as the *Australia New Zealand Food Standards Code – Amendment No. 119 – 2010*.

### **Commencement**

These variations commence on 30 September 2010.

Note: These variations were published in the *Commonwealth of Australia Food Standards Gazette* No. FSC 61 on 30 September 2010.

## **SCHEDULE**

[1] **Standard 1.3.1** is varied by omitting from Schedule 1, under item 4.1 Unprocessed fruits and vegetables –

#### **blueberries**

220 221 222 223 224 225 228	Sulphur dioxide and sodium and potassium sulphites	10	mg/kg
--------------------------------	---	----	-------

#### **grapes packed with permeable envelopes**

220 221 222 223 224 225 228	Sulphur dioxide and sodium and potassium sulphites	10	mg/kg
--------------------------------	---	----	-------

#### **longan**

220 221 222 223 224 225 228	Sulphur dioxide and sodium and potassium sulphites	10	mg/kg	edible aril only, that is, the edible portion of the fruit
--------------------------------	---	----	-------	--

[2] **Standard 1.3.3** is varied by inserting in the Table to clause 17 –

Lipase, triacylglycerol, protein engineered variant EC 3.1.1.3	<i>Aspergillus niger</i> , containing the gene for lipase, triacylglycerol isolated from <i>Fusarium culmorum</i>
---	---

[3] **Standard 1.4.2** is varied by –

[3.1] *omitting from the Purpose* –

Schedule 3 groups certain agricultural or veterinary chemicals according to their chemical groups.

[3.2] *omitting subclause 4(3) and the Editorial note following that subclause,*

substituting –

(3) Deleted.

[3.3] omitting wherever occurring in Schedule 1 and Schedule 4 the text in Column 1 of the Table to this sub-item, substituting the text in Column 2.

**Table to sub-item 2.3**

<b>Column 1</b> <b>Omit ...</b>	<b>Column 2</b> <b>Substitute ...</b>
CHILLI	CHILI
PLUM (INCLUDING PRUNES)	PLUMS (INCLUDING PRUNES)

[3.4] omitting from Schedule 1 all entries for the following chemicals –

Cymiazole  
Fluorine (inorganic salts)  
Sulphur dioxide

[3.5] omitting from Schedule 1 the chemical residue definition for the chemical appearing in Column 1 of the Table to this sub-item, substituting the chemical residue definition appearing in Column 2 –

<b>COLUMN 1</b>	<b>COLUMN 2</b>
ACETAMIPRID	COMMODITIES OF PLANT ORIGIN: ACETAMIPRID COMMODITIES OF ANIMAL ORIGIN: SUM OF ACETAMIPRID AND N-DEMETHYL ACETAMIPRID ((E)-N <sup>1</sup> -[(6-CHLORO-3- PYRIDYL)METHYL]-N <sup>2</sup> - CYANOACETAMIDINE), EXPRESSED AS ACETAMIPRID

[3.6] inserting in Schedule 1 –

<b>FENPROPATHRIN</b> FENPROPATHRIN	TABLE GRAPES	10
TEA, GREEN, BLACK		2
<b>METALAXYL-M</b> SEE METALAXYL	<b>TERBUTHYLAZINE</b> TERBUTHYLAZINE	
	EDIBLE OFFAL (MAMMALIAN)	T*0.01
	EGGS	T*0.01
	MEAT (MAMMALIAN)	T*0.01
	MILKS	T*0.01
	POULTRY, EDIBLE OFFAL OF	T*0.01
	POULTRY MEAT	T*0.01
BLUEBERRIES	PULSES	T*0.02
LONGAN, EDIBLE ARIL	RAPE SEED (CANOLA)	T*0.02
STRAWBERRY		T30

[3.7] omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals –

<b>CYPERMETHRIN</b> CYPERMETHRIN, SUM OF ISOMERS	<b>DIQUAT</b> DIQUAT CATION
PARSLEY	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]
T1	0.05

<b>INDOXACARB</b>	
SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER	
LEAFY VEGETABLES [EXCEPT LETTUCE, HEAD; RUCOLA]	5
<b>LINURON</b>	
SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
HERBS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T0.5
KAFFIR LIME LEAVES	T0.5
LEMON BALM	T0.5
LEMON VERBENA	T0.5
<b>METHIDATHION</b>	
METHIDATHION	
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1

<b>PIRIMICARB</b>	
SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE <i>N</i> -FORMYL-(METHYLAMINO) ANALOGUE (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB	
LEAFY VEGETABLES	T5
VEGETABLES [EXCEPT LEAFY VEGETABLES; LUPIN (DRY); SOYA BEAN (DRY)]	1
<b>THIAMETHOXAM</b>	
COMMODITIES OF PLANT ORIGIN: THIAMETHOXAM	
COMMODITIES OF ANIMAL ORIGIN: SUM OF THIAMETHOXAM AND <i>N</i> -(2-CHLORO-THIAZOL-5-YLMETHYL)- <i>N</i> '-METHYL- <i>N</i> '-NITRO-GUANIDINE, EXPRESSED AS THIAMETHOXAM	
TOMATO	*0.02

[3.8] inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals –

<b>ABAMECTIN</b>	
SUM OF AVERMECTIN B1A, AVERMECTIN B1B AND (Z)-8,9 AVERMECTIN B1A, AND (Z)-8,9 AVERMECTIN B1B	
ALMONDS	T*0.01
BLACKBERRIES	T0.1
CHERVIL	T0.5
CORIANDER (LEAVES, STEM, ROOTS)	T0.5
HERBS	T0.5
LEMON BALM	T0.5
MIZUNA	T0.5
RASPBERRIES, RED, BLACK	T0.1
RUCOLA (ROCKET)	T0.5
<b>ACETAMIPRID</b>	
COMMODITIES OF PLANT ORIGIN: ACETAMIPRID	
COMMODITIES OF ANIMAL ORIGIN: SUM OF ACETAMIPRID AND <i>N</i> -DIMETHYL ACETAMIPRID (( <i>E</i> )- <i>N</i> <sup>1</sup> -[(6-CHLORO-3-PYRIDYL)METHYL]- <i>N</i> <sup>2</sup> -CYANOACETAMIDINE), EXPRESSED AS ACETAMIPRID	
STONE FRUITS [EXCEPT PLUMS]	1
<b>AMITROLE</b>	
AMITROLE	
HOPS, DRY	T*0.01
OILSEED	*0.01
PULSES	*0.01
<b>AZOXYSTROBIN</b>	
AZOXYSTROBIN	
CRANBERRY	0.5
HORSERADISH	T3
STONE FRUITS	1.5

<b>BENTAZONE</b>	
BENTAZONE	
PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP)	T0.05
<b>BUPROFEZIN</b>	
BUPROFEZIN	
CHERVIL	T50
CORIANDER (LEAVES, STEM, ROOTS)	T50
HERBS	T50
MIZUNA	T50
RUCOLA (ROCKET)	T50
<b>CARFENTRAZONE-ETHYL</b>	
CARFENTRAZONE-ETHYL	
HOPS, DRY	T*0.05
<b>CHLORFENAPYR</b>	
CHLORFENAPYR	
CHERVIL	T5
CORIANDER (LEAVES, STEM, ROOTS)	T5
HERBS	T5
MIZUNA	T5
RUCOLA (ROCKET)	T5
<b>CLOPYRALID</b>	
CLOPYRALID	
HOPS, DRY	T5
<b>CYANAZINE</b>	
CYANAZINE	
PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP)	0.05

<b>CYFLUTHRIN</b>	
CYFLUTHRIN, SUM OF ISOMERS	
LEMON ASPEN	T1
<b>CYPERMETHRIN</b>	
CYPERMETHRIN, SUM OF ISOMERS	
HERBS	T5
LEMON BALM	T5
<b>DELTAMETHRIN</b>	
DELTAMETHRIN	
TEA, GREEN, BLACK	5
<b>DIMETHOMORPH</b>	
SUM OF E AND Z ISOMERS OF DIMETHOMORPH	
BRASSICA LEAFY VEGETABLES	T2
<b>DIQUAT</b>	
DIQUAT CATION	
HOPS, DRY	T0.2
VEGETABLES [EXCEPT BEANS; BROAD BEAN; ONION, BULB; PEAS; POTATO; PULSES; SUGAR BEET]	*0.05
<b>ETOXAZOLE</b>	
ETOXAZOLE	
CHERVIL	T1
CORIANDER (LEAVES, STEM, ROOTS)	T1
HERBS	T1
MIZUNA	T1
RUCOLA (ROCKET)	T1
<b>FENARIMOL</b>	
FENARIMOL	
CHERRIES	1
<b>FENHEXAMID</b>	
FENHEXAMID	
CHERVIL	T15
CORIANDER (LEAVES, STEM, ROOTS)	T15
HERBS	T15
MIZUNA	T15
RUCOLA (ROCKET)	T15
STONE FRUITS [EXCEPT PLUMS]	10
<b>FLUDIOXONIL</b>	
COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUDIOXONIL AND OXIDISABLE METABOLITES, EXPRESSED AS FLUDIOXONIL	
COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL	
BROCCOLI	T0.7
STONE FRUITS	5
<b>FORCHLORFENURON</b>	
FORCHLORFENURON	
BLUEBERRIES	T*0.01

MANGO	T*0.01
PLUMS (INCLUDING PRUNES)	T*0.01
PRUNES	T*0.01
<b>GLUFOSINATE AND GLUFOSINATE-AMMONIUM</b>	
SUM OF GLUFOSINATE-AMMONIUM, N-ACETYL GLUFOSINATE AND 3-[HYDROXY(METHYL)-PHOSPHINOYL] PROPIONIC ACID, EXPRESSED AS GLUFOSINATE (FREE ACID)	
HOPS, DRY	T0.2
<b>GLYPHOSATE</b>	
SUM OF GLYPHOSATE AND AMINOMETHYLPHOSPHONIC ACID (AMPA) METABOLITE, EXPRESSED AS GLYPHOSATE	
TEA, GREEN, BLACK	2
<b>INDOXACARB</b>	
SUM OF INDOXACARB AND ITS R-ISOMER	
ASPARAGUS	T1
CHERRIES	T2
CHERVIL	T10
LEAFY VEGETABLES [EXCEPT CHERVIL; LETTUCE, HEAD; MIZUNA; RUCOLA]	5
LEMON BALM	T10
MIZUNA	T10
<b>IOXYNIL</b>	
IOXYNIL	
ONION, WELSH	T3
<b>IPRODIONE</b>	
IPRODIONE	
CELERIAC	T1
<b>ISOXABEN</b>	
ISOXABEN	
HOPS, DRY	T*0.01
<b>LINURON</b>	
SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
CHERVIL	T1
CORIANDER (LEAVES, STEM, ROOTS)	T1
HERBS	T1
LEMON VERBENA (DRY LEAVES)	T1
MIZUNA	T1
RUCOLA (ROCKET)	T1
<b>METALAXYL</b>	
METALAXYL	
DILL	T0.3
<b>METHIDATHION</b>	
METHIDATHION	
DATE	T*0.01
DATES, DRIED OR DRIED AND CANDIED	T*0.01

VEGETABLES [EXCEPT GARLIC; LETTUCE, HEAD; LETTUCE, LEAF; ONION, BULB; ROOT AND TUBER VEGETABLES]	0.1
<b>METOLACHLOR</b> METOLACHLOR	
CELERY	T0.05
CHARD (SILVER BEET)	T*0.01
ONION, WELSH	*0.01
PULSES [EXCEPT SOYA BEAN (DRY)]	T*0.05
SHALLOT	*0.01
SPINACH	T*0.01
SPRING ONION	*0.01
<b>MYCLOBUTANIL</b> MYCLOBUTANIL	
CHERVIL	T2
CORIANDER (LEAVES, STEM, ROOTS)	T2
HERBS	T2
MIZUNA	T2
RUCOLA (ROCKET)	T2
<b>PENDIMETHALIN</b> PENDIMETHALIN	
HOPS, DRY	T*0.05
<b>PIRIMICARB</b> SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE N-FORMYL-(METHYLAMINO) ANALOGUE (DEMETHYLFORMAMIDO- PIRIMICARB), EXPRESSED AS PIRIMICARB	
CHERVIL	T20
CORIANDER (LEAVES, STEM, ROOTS)	T20
HERBS	T20
LEAFY VEGETABLES [EXCEPT CHERVIL; MIZUNA; RUCOLA]	T5
LEMON BALM	T20
MIZUNA	T20
RUCOLA (ROCKET)	T20
SWEET CORN (CORN-ON-THE- COB)	T0.1
VEGETABLES [EXCEPT LEAFY VEGETABLES; LUPIN (DRY); SOYA BEAN (DRY); SWEET CORN (CORN-ON-THE-COB)]	1
<b>PROPICONAZOLE</b> PROPICONAZOLE	
CHERVIL	T10
CORIANDER (LEAVES, STEM, ROOTS)	T10
CRANBERRY	0.3
HERBS	T10
LEMON BALM	T10
MIZUNA	T10
RADISH	T0.2
RUCOLA (ROCKET)	T10

<b>PROSULFOCARB</b> PROSULFOCARB	
PULSES	T*0.01
<b>PYRIMETHANIL</b> PYRIMETHANIL	
PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP)	T2
<b>PYRIPROXYFEN</b> PYRIPROXYFEN	
HERBS	T5
STONE FRUITS	1
<b>QUINOXYFEN</b> QUINOXYFEN	
CHERVIL	T5
CORIANDER (LEAVES, STEM, ROOTS)	T5
HERBS	T5
MIZUNA	T5
RUCOLA (ROCKET)	T5
<b>SPINOSAD</b> SUM OF SPINOSYN A AND SPINOSYN D	
ONION, WELSH	0.3
SHALLOT	0.3
SPRING ONION	0.3
<b>SPIROTETRAMAT</b> SUM OF SPIROTETRAMAT, AND CIS-3-(2,5- DIMETHYLPHENYL)-4-HYDROXY-8-METHOXY-1- AZASPIRO[4.5]DEC-3-EN-2-ONE, EXPRESSED AS SPIROTETRAMAT	
STONE FRUITS	4.5
<b>TEBUCONAZOLE</b> TEBUCONAZOLE	
CHERVIL	T0.5
CORIANDER (LEAVES, STEM, ROOTS)	T0.5
HERBS	T0.5
LEMON BALM	T0.5
MIZUNA	T0.5
RUCOLA (ROCKET)	T0.5
<b>THIAMETHOXAM</b> COMMODITIES OF PLANT ORIGIN: THIAMETHOXAM COMMODITIES OF ANIMAL ORIGIN: SUM OF THIAMETHOXAM AND N-(2-CHLORO-THIAZOL- 5-YLMETHYL)-N'-METHYL-N'-NITRO- GUANIDINE, EXPRESSED AS THIAMETHOXAM	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T0.5
BRASSICA LEAFY VEGETABLES	T2
FRUITING VEGETABLES, OTHER THAN CUCURBITS	T0.05
LEAFY VEGETABLES	T2
STONE FRUITS	0.5

<b>TRIADIMENOL</b> TRIADIMENOL SEE ALSO TRIADIMEFON	
LEMON GRASS	T*0.05

[3.9] omitting from Schedule 1, under the entries for the following chemicals, the Maximum Residue Limit for the food, substituting –

<b>AZOXYSTROBIN</b> AZOXYSTROBIN	
RADISH	0.3
<b>BUPIRIMATE</b> BUPIRIMATE	
PEPPERS	0.7
<b>CYPERMETHRIN</b> CYPERMETHRIN, SUM OF ISOMERS	
CORIANDER (LEAVES, STEM, ROOTS)	T5
<b>FLUBENDIAMIDE</b> COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIDE COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAMIDE AND 3-iodo-N-(2-methyl-4- [1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	5
<b>GLYPHOSATE</b> SUM OF GLYPHOSATE AND AMINOMETHYLPHOSPHONIC ACID (AMPA) METABOLITE, EXPRESSED AS GLYPHOSATE	
SORGHUM	15
<b>IOXYNIL</b> IOXYNIL	
SHALLOT	T3

<b>LINURON</b> SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
LEMON GRASS	T1
<b>PROPICONAZOLE</b> PROPICONAZOLE	
BLUEBERRIES	2
<b>SETHOXYDIM</b> SUM OF SETHOXYDIM AND METABOLITES CONTAINING THE 5-(2-ETHYLTHIOPROPYL)CYCLOHEXENE-3-ONE AND 5-(2-ETHYLTHIOPROPYL)- 5-HYDROXYCYCLOHEXENE-3-ONE MOIETIES AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS SETHOXYDIM	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T0.5
RHUBARB	0.1
<b>SPIROTETRAMAT</b> SUM OF SPIROTETRAMAT, AND CIS-3-(2,5- DIMETHYLPHENYL)-4-HYDROXY-8-METHOXY-1- AZASPIRO[4.5]DEC-3-EN-2-ONE, EXPRESSED AS SPIROTETRAMAT	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS [EXCEPT BRUSSELS SPROUTS]	7
BRUSSELS SPROUTS	1
EDIBLE OFFAL (MAMMALIAN)	0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.005

[3.10] omitting Schedule 3, substituting –

### SCHEDULE 3 – RESERVED

[3.11] omitting from the entry Commodities under the heading Herbs in Schedule 4 –

Mizuna;

[3.12] inserting in alphabetical order in the entry Portion of the commodity to which the MRL applies (and which is analysed) under the heading Tropical and sub-tropical fruit – inedible peel in Schedule 4 –

Longan, edible aril: edible portion of the fruit.

[3.13] *inserting in alphabetical order in the entry Commodities under the heading Leafy Vegetables (including brassica leafy vegetables) in Schedule 4 –*

Mizuna;

[3.14] *omitting from the entry Commodities under the heading Legume Vegetables in Schedule 4 –*

Podded pea (young pods) includes sugar pea (young pods) and snow pea.

*substituting –*

Podded pea (young pods) includes sugar snap pea (young pods) and snow pea.

[3.15] *updating the Table of Provisions to reflect these variations*