



Australian Government

**Australian Pesticides and
Veterinary Medicines Authority**

**Agricultural and Veterinary
Chemicals Code Instrument
No. 4 (*MRL Standard*) 2012**

I, Eva Bennet-Jenkins, Chief Executive Officer of the Australian Pesticides and Veterinary Medicines Authority, acting in accordance with my powers under subsection 32(1) of the *Agricultural and Veterinary Chemicals (Administration) Act 1992*, make this instrument for the purposes of subsection 6(1) and the reference in paragraph (f) of subsection 14(5) of the *Agricultural and Veterinary Chemicals Code* which is a Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*.

Eva Bennet-Jenkins
Chief Executive Officer

Dated this seventh day of December 2012

Part 1 Preliminary

1 Name of Instrument

This Instrument is the *Agricultural and Veterinary Chemicals Code Instrument No. 4 (MRL Standard) 2012*.

2 Commencement

This Instrument commences on 1 January 2013.

3 Object

The object of this Instrument is to make the APVMA's *MRL Standard*, as it existed when it was last amended on 4 December 2012, as a legislative instrument.

4 Background

- (1) The *MRL Standard* set out in the Schedule lists MRLs of substances which may arise from the approved use of those substances or other substances, and provides the relevant residue definitions to which these MRLs apply.
- (2) The APVMA sets MRLs for agricultural and veterinary chemicals in agricultural produce, particularly produce entering the food chain. These MRLs are set at levels which are not likely to be exceeded if the agricultural or veterinary chemicals are used in accordance with their approved label instructions. At the time the MRLs are set the APVMA undertakes a dietary exposure evaluation to ensure the levels do not pose an undue hazard to human health.
- (3) In addition to the MRLs set by the APVMA (and its predecessor, the National Registration Authority for Agricultural and Veterinary Chemicals (NRA)), the *MRL Standard* includes recommendations made by the former Pesticides and Agricultural Chemicals Standing Committee (PACSC) of the National Health and Medical Research Council.
- (4) The *MRL Standard* also includes recommendations by the former Chemicals Safety Unit (CSU) of the Commonwealth Department of Human Services and Health. The CSU was responsible for recommending MRLs for agricultural chemicals in food and animal feedstuffs, and for maintaining the *MRL Standard*, from the disbandment of the PACSC until 30 June 1994, when this function was formally transferred to the then NRA on 1 July 1994. From 15 March 1994, the then NRA has set MRLs for agricultural chemicals in food and animal feedstuffs and has maintained the *MRL Standard*. On 30 July 2004 the name of the NRA was changed to the APVMA.

5 Interpretation

- (1) Pursuant to paragraph (b) of subsection 13(1) of the *Legislative Instruments Act 2003*, an expression used in the Agvet Code Act and in this Instrument has the same meaning in this Instrument as in the Agvet Code Act.

- (2) In this Instrument: -

Agvet Code means the Agricultural and Veterinary Chemicals Code which is a Schedule to the Agvet Code Act;

Agvet Code Act means the *Agricultural and Veterinary Chemicals Code Act 1994*;

extraneous residue limit (ERL) refers to a pesticide residue arising from environmental sources (including former agricultural uses) other than the use of the chemical directly or indirectly on the food, agricultural commodity or animal feed. ERL means the maximum concentration of the pesticide residue that is recommended to be legally permitted or recognised as acceptable in or on a food, agricultural commodity or animal feed;

feed additive means any substance or agent added to the basic feed mix for continuous long-term administration to livestock for specific purposes, for example, enhancing production or maintenance or health above the levels obtained from the basic feed, improvement of storage qualities or the palatability of the basic feed mix;

good agricultural practice means the nationally recommended, authorised or registered use-pattern of chemicals, that is necessary for effective and reliable pest control under actual conditions at any stage of production, storage, transport, distribution and processing of food commodities and animal feed;

maximum residue limit (MRL) means the maximum concentration of a residue resulting from the registered use of an agricultural or veterinary chemical which is legally permitted or recognised as acceptable to be present in or on a food, agricultural commodity or animal feed;

the MRL Standard means the *MRL Standard* - Maximum Residue Limits in Food and Animal Feedstuff as set out in the Schedule;

primary feed commodity means a pasture, grain, forage or fodder in, or nearly in, its natural state intended for use by:

- (a) farmers as stockfeed for use without further processing for livestock animals, or after silaging or similar farm processes; or
- (b) stockfood manufacturers as a raw material for preparing compound feeds;

residue definition means the residue to which the MRL or ERL applies for each chemical as set out in Table 3 of the Schedule.

Part 2

The *MRL Standard*

6 The *MRL Standard*

- (1) The Schedule to this Instrument sets out the *MRL Standard – Maximum Residue Limits in Food and Animal Feedstuff*.

Schedule — The *MRL Standard*

Part 1 Preliminary

1 Explanation

- (1) An asterisk ‘*’ in the Tables to the Schedule denotes that the MRL or the ERL is set at or about the limit of analytical quantitation.
- (2) A ‘T’ in the Tables to the Schedule denotes that the MRL or ERL, residue definition or use is temporary to enable further experimental work to be carried out in Australia or overseas, and will be reconsidered at some future date. This symbol is also used in cases where an MRL or ERL is being phased out.
- (3) An ‘E’ in the Tables to the Schedule denotes an ERL.
- (4) The food commodity designations and their codes used in the Tables have been adopted from the Codex Classification of Foods and Animal Feeds (Part 4 of the Guide to Codex Recommendations Concerning Pesticide Residues, second edition, 1989) with minor modifications. The code is included in the *MRL Standard* entry to assist in associating Australian MRLs with Codex MRLs. Where a commodity does not have a Codex classification, it is entered in the *MRL Standard* without a code. Modification of a Codex classification is denoted by [].
- (5) MRLs set for ‘groups’ of commodities are applicable to all members of the group as designated in the Codex classification.
- (6) Methods of analysis for measuring residues in food commodities must be appropriate to the residues defined in Table 3. Such methods are in most cases available in published manuals or in the chemical literature. Appropriate sources of methods for many compounds are available in the Guide to Codex Recommendations Concerning Residues. While the analyses are not confined to any particular method, they are subject to the necessary quality control procedures, including adequate recovery, minimal blank, a sufficiently low limit of analytical quantitation and absence of significant interferences. The analyst may choose any method appropriate to the compound, the commodity and the equipment, facilities and expertise available in the laboratory.
- (7) An MRL shall be regarded as being exceeded if the result of an analysis (by an experienced residue analyst on a sample taken according to official protocols), when rounded according to the Australian Standards SAA 2706-1984 to the number of significant figures in the MRL, exceeds the level set in the *MRL Standard*, taking into account the accuracy of the analysis.
- (8) For a food which is not specified but consists of, or contains, or is manufactured from one or more of the foods specified (e.g. fruit juice), the presence of residues at a level not greater than the respective MRLs is

considered acceptable where there is no evidence of concentration. Where there is evidence of concentration, separate MRLs may be set for the appropriate commodities (e.g. wine, wheat germ).

- (9) The concentration of MRLs and ERLs are expressed in milligrams per kilogram of the food, agricultural commodity or animal feed or milligrams per litre for liquids.
- (10) MRLs on food commodities (Table 1) are expressed on a "fresh-weight" or "as received" basis. MRLs on animal feeds (Table 4) are normally expressed on a "dry-weight" basis. Expression on a "dry weight" basis means that where the sample is analysed on a "fresh weight" basis, a moisture level is determined on a separate subsample and the residue is calculated as if it were all in the dried portion. However, it should be noted MRLs which apply to primary human food commodities also apply when these commodities are used as animal feed commodities.
- (11) As a matter of policy MRLs are not set for residues in tobacco or in agricultural commodities used primarily for fibre production, such as flax, cotton balls, hemp, wool or mohair, or hides of leather as these are not food commodities.
- (12) In normal practice MRLs are not set for residues in agricultural commodities used primarily for human or veterinary drug or medicine production, since it is assumed that processing under good manufacturing practices will remove any residues which might constitute a toxicological hazard to human health.

2 Meat and Milk [in the fat]

- (1) Where a MRL is determined for meat or milk and the chemical concerned is fat soluble, the commodity is designated with the qualification '[in the fat]'.
- (2) 'Meat' MRLs are expressed on a fat basis rather than on a whole product basis.
- (3) The approach followed in the *MRL Standard* is that a portion of adhering fat is analysed and the MRLs apply to the clean, dry fat.
- (4) When a MRL for cattle milk or milks is qualified by '[in the fat]', the MRL applies to the fat portion of the milk. Thus, MRLs are expressed on a fat basis. In a derived or manufactured milk product with a fat content of 2% or more, the MRL also applies to the fat portion. For a milk product with a fat content of less than 2%, the MRL applied should be 1/50 of that for 'milk [in the fat]' and should apply to the whole product.

Part 2 The Tables

1 **Table 1 — MRLs in Food Commodities**

- (1) Table 1 lists residues of substances which may occur in food commodities and for which a MRL or an ERL applies. The particular food commodity is set out in column 2 of Table 1 and the MRL (or the ERL) for that food commodity is in column 3.
- (2) Residues of a substance may arise from approved uses of that or another substance, or from extraneous contamination.

2 **Table 2 — Commodity Portions**

- (1) Table 2 lists the portion of the commodity to which the maximum residue limit applies (and which is analysed).
- (2) Table 2 is derived from the Codex Classification of Foods and Animal Feeds, second edition, 1989.
- (3) MRLs are in most cases stated in terms of a specific whole raw agricultural commodity as it moves in trade. In some instances a qualification is included that describes the part of the raw agricultural commodity to which the MRL applies. In other instances such qualifications are not provided. Therefore, unless otherwise specified, the portion of the raw agricultural commodity to which the MRL applies and which is to be prepared as the analytical sample for the determination of residues is as described in Table 2.

3 **Table 3 — Residue definitions**

- (1) MRLs for a commodity are set for residues measured by a valid method of analysis. This method may measure the chemical or a derivative of the chemical and may include metabolites originating from the parent compound or other chemicals. In some cases, the nominal concentration of the parent compound is calculated from the measured concentration of a metabolite, but in other cases a derivative or metabolite is used as a measure of the residue.
- (2) Table 3 sets out the residue to which the MRL applies for each chemical compound. Residue definitions for compounds which no longer have entries in Tables 1, 4 or 5 have been retained in Table 3 for reference as analyses may still be required for compounds whose use is no longer permitted.

4 **Table 4 — Animal Feed Commodities**

- (1) Table 4 lists MRLs and ERLs for residues of substances that may occur in animal feed commodities. Residues of a substance may arise from approved uses of that or another substance, or from extraneous contamination. Entries in Table 4 are normally expressed on a dry weight basis.

- (2) Feed commodities that are also primary human food commodities have not been included in Table 4 and the MRLs for these commodities will also apply as MRLs when they are used as animal feed commodities. Examples of such commodities are the cereal grains, pulses, oil seeds and any other food commodity that is used as a substantial animal feed commodity. The entries in Table 4 should therefore be read in conjunction with the relevant entries in Table 1 when considering the MRLs (or ERLs) that apply to animal feed commodities.

5 Table 5 — MRLs not necessary

- (1) Table 5 lists uses of substances where MRLs are not necessary.
- (2) MRLs are not necessary in situations where residues do not or should not occur in foods or animal feeds; or where the residues are identical to or indistinguishable from natural food components; or otherwise are of no toxicological significance.

Table 1 – MRLs of agricultural and veterinary chemicals and associated substances in food commodities

A

COMPOUND		FOOD	MRL (mg/kg)
Abamectin			
VD	0560	Adzuki bean (dry)	T*0.002
TN	0660	Almonds	T*0.01
FP	0226	Apple	0.01
FB	0264	Blackberries	T0.1
MO	0812	Cattle, Edible offal of	0.1
MF	0812	Cattle fat	0.1
MM	0812	Cattle meat	0.005
ML	0812	Cattle milk	0.02
FC	0001	Citrus fruits	0.01
VD	0526	Common bean (dry)[navy bean]	T*0.002
SO	0691	Cotton seed	*0.01
VC	0424	Cucumber	0.02
FB	0278	Currant, Black	0.02
VO	0440	Egg plant	0.02
MF	0814	Goat fat	0.1
		Goat kidney	0.01
		Goat liver	0.05
		Goat muscle	0.01
ML	0814	Goat milk	0.005
DH	1100	Hops, dry	0.1
VL	0482	Lettuce, Head	0.05
VL	0483	Lettuce, Leaf	T0.2
GC	0645	Maize	T*0.01
VD	0536	Mung bean (dry)	T*0.002
FI	0350	Papaya [pawpaw]	T0.1
FP	0230	Pear	0.01

COMPOUND		FOOD	MRL (mg/kg)
VO	0051	Peppers	T0.02
MO	1284	Pig kidney	0.01
MO	1285	Pig liver	0.02
MM	0818	Pig meat [in the fat]	0.02
FB	0272	Raspberries, Red, Black	T0.1
MO	0822	Sheep, Edible offal of	0.05
MM	0822	Sheep meat [in the fat]	0.05
VD	0541	Soya bean (dry)	*0.002
VC	0431	Squash, Summer	0.02
FB	0275	Strawberry	0.1
VO	0447	Sweet corn (corn-on-the-cob)	T*0.01
VO	0448	Tomato	0.05
Accephate see also Methamidophos			
FI	0327	Bananas	1
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
FC	0001	Citrus fruits	5
SO	0691	Cotton seed	2
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	0.2
VL	0482	Lettuce, Head	10
VL	0483	Lettuce, Leaf	10
TN	0669	Macadamia nuts	*0.1
MM	0095	Meat [mammalian] [except sheep meat]	0.2
VO	0445	Peppers, Sweet [capsicums]	5
VR	0589	Potato	0.5
MM	0822	Sheep meat	*0.01
VD	0541	Soya bean (dry)	1
VR	0596	Sugar beet	0.1
VO	0448	Tomato	5
FT	0312	Tree tomato	0.5
Acetamiprid			
SO	0691	Cotton seed	*0.05
VC	0424	Cucumber	T0.2

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
VR	0589	Potato	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.01
VO	0448	Tomato	T0.1
Acibenzolar-S-methyl			
SO	0691	Cotton seed	*0.02
MO	0105	Edible offal (mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat [mammalian]	*0.02
ML	0106	Milks	*0.005
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
Acifluorfen			
MO	0105	Edible offal (mammalian)	0.1
PE	0112	Eggs	*0.01
VP	0060	Legume vegetables	0.1
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
SO	0697	Peanut	0.05
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	*0.01
VD	0070	Pulses	0.1
Albendazole			
MO	0812	Cattle, Edible offal of	*0.1
MM	0812	Cattle meat	*0.1
MO	0814	Goat, Edible offal of	*0.1
MM	0814	Goat meat	*0.1
MO	0822	Sheep, Edible offal of	3
MM	0822	Sheep meat	0.2

COMPOUND		FOOD	MRL (mg/kg)
Albendazole sulphoxide see Albendazole			
Aldicarb			
FC	0001	Citrus fruits	0.05
SO	0691	Cotton seed	*0.05
MO	0105	Edible offal [mammalian]	*0.01
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
GS	0659	Sugar cane	*0.02
Aldoxycarb			
MO	0812	Cattle, Edible offal of	0.2
MM	0812	Cattle meat	*0.02
PE	0112	Eggs	0.1
ML	0106	Milks	*0.02
PO	0111	Poultry, Edible offal of	0.2
PM	0110	Poultry meat	*0.02
GC	0654	Wheat	*0.02
Aldrin and Dieldrin			
VS	0621	Asparagus	E0.1
FI	0327	Banana	E0.05
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	E0.1
GC	0080	Cereal grains	E0.02
FC	0001	Citrus fruits	E0.05
WC	0143	Crustaceans	E0.1
WD	0120	Diadromous fish	E0.1
MO	0105	Edible offal (mammalian)	E0.2
VO	0440	Egg plant [aubergine]	E0.1
PE	0112	Eggs	E0.1
WF	0115	Freshwater fish	E0.1
VC	0045	Fruiting vegetables, Cucurbits Fruits	E0.1 E0.05
VL	0482	Lettuce, Head	E0.1
VL	0483	Lettuce, Leaf	E0.1

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian] [in the fat]	E0.2
WS	0125	Marine fish	E0.1
ML	0106	Milks [in the fat]	E0.15
IM	0150	Molluscs, including Cephalopods	E0.1
VA	0385	Onion, Bulb	E0.1
SO	0697	Peanut	E0.05
VO	0445	Peppers, Sweet [capsicums]	E0.1
HS	0792	Pimento fruit	E0.1
PO	0111	Poultry, Edible offal of	E0.2
PM	0110	Poultry meat [in the fat]	E0.2
VL	0494	Radish leaves (including Radish tops)	E0.1
VR	0075	Root and tuber vegetables	E0.1
GS	0659	Sugar cane	E*0.01

Alpha-cypermethrin see [Cypermethrin](#)

Aliphatic alcohol ethoxylates

MO	0812	Cattle, Edible offal of	*0.1
MM	0812	Cattle meat	*0.1
ML	0812	Cattle milk	1

Altrenogest

MM	0818	Pig meat	*0.005
MO	0818	Pig, Edible offal of	0.005

Aluminium phosphide see [Phosphine](#)

Ametoctradin

MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
FB	0269	Grapes	3
MM	0095	Meat (mammalian)	*0.02
ML	0106	Milks	*0.02
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02

Ametryn

SO	0691	Cotton seed	0.05
MO	0105	Edible offal (mammalian)	*0.05

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
FI	0353	Pineapple	*0.05
FP	0009	Pome fruits	0.1
GS	0659	Sugar cane	0.05
Aminoethoxyvinylglycine			
FP	0226	Apple	0.1
FS	0012	Stone fruits [except cherries]	0.2
Aminopyralid			
GC	0080	Cereal grains	0.1
MO	0105	Edible offal (Mammalian)[except kidney]	0.02
PE	0112	Eggs	*0.01
		Kidney (Mammalian)	0.3
MM	0095	Meat (Mammalian)	*0.01
ML	0106	Milks	*0.01
PM	0110	Poultry meat	*0.01
PO	0111	Poultry, Edible offal of	*0.01
CM	0654	Wheat bran, unprocessed	0.3
Amitraz			
FP	0226	Apple	0.5
SO	0691	Cotton seed	*0.1
OC	0691	Cotton seed oil, crude	1
MO	0105	Edible offal (mammalian)	0.5
MM	0095	Meat (mammalian)	0.1
ML	0106	Milks	0.1
FS	0012	Stone fruits [except cherries]	0.5
Amitrole			
FI	0326	Avocado	*0.01
FI	0327	Banana	*0.01
FB	0020	Blueberries	T*0.01
GC	0080	Cereal grains	*0.01
FC	0001	Citrus fruits	*0.01
MO	0105	Edible offal (mammalian)	*0.01

COMPOUND		FOOD	MRL (mg/kg)
FB	0269	Grapes	*0.01
DH	1100	Hops, dry	*0.01
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
SO	0088	Oilseeds	*0.01
FI	0350	Papaya [pawpaw]	*0.01
FI	0351	Passion fruit	*0.01
TN	0672	Pecan	*0.01
FI	0353	Pineapple	*0.01
FP	0009	Pome fruits	*0.01
VR	0589	Potato	*0.05
VD	0070	Pulses	*0.01
FS	0012	Stone fruits	*0.02
GS	0659	Sugar cane	*0.01
Amoxycillin			
ML	0812	Cattle milk	*0.01
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	T*0.01
MM	0095	Meat [mammalian]	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
ML	0822	Sheep milk	*0.01
Ampicillin			
ML	0812	Cattle milk	*0.01
MO	0816	Horse, Edible offal of	*0.01
MM	0816	Horse meat	*0.01
Amprolium			
PE	0112	Eggs	4
PO	0111	Poultry, Edible offal of	1
PM	0110	Poultry meat	0.5
Apramycin			
MO	0105	Edible offal (mammalian)	2
MM	0095	Meat [mammalian]	*0.05

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	1
PM	0110	Poultry meat	*0.05
Asulam			
FP	0226	Apple	*0.1
MO	0105	Edible offal (mammalian)	*0.1
DH	1100	Hops, dry	*0.1
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
SO	0698	Poppy seed	*0.1
VR	0589	Potato	0.4
GS	0659	Sugar cane	*0.1
Atrazine			
MO	0105	Edible offal (mammalian)	T*0.1
VD	0545	Lupin (dry)	*0.02
GC	0645	Maize	*0.1
MM	0095	Meat [mammalian]	T*0.01
ML	0106	Milks	T*0.01
VR	0589	Potato	*0.01
SO	0495	Rape seed	*0.02
GC	0651	Sorghum	*0.1
GS	0659	Sugar cane	*0.1
VO	0447	Sweet corn (corn-on-the-cob)	*0.1
Avermectin B1 see Abamectin			
Avilamycin			
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
Azaconazole			
VO	0450	Mushrooms	0.1
Azamethiphos			
GC	0080	Cereal grains	0.1
PE	0112	Eggs	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05

COMPOUND		FOOD	MRL (mg/kg)
CM	0654	Wheat bran, unprocessed	0.5
Azaperone			
MO	0818	Pig, Edible offal of	0.2
MM	0818	Pig meat	0.2
Azimsulfuron			
MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat [Mammalian]	*0.02
ML	0106	Milks	*0.02
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
GC	0649	Rice	*0.02
Azinphos-methyl			
FB	0020	Blueberries	1
FC	0001	Citrus fruits	2
MO	0105	Edible offal (mammalian)	*0.05
FB	0269	Grapes	2
FI	0341	Kiwifruit	2
FI	0343	Litchi	2
TN	0669	Macadamia nuts	*0.01
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
SO	0088	Oilseed	*0.05
FP	0009	Pome fruits	2
FB	0272	Raspberries, Red, Black	1
FS	0012	Stone fruits	2
Azoxystrobin			
TN	0660	Almonds	*0.01
		Anise myrtle leaves	T100
FI	0326	Avocado	1
FI	0327	Banana	T0.5
GC	0640	Barley	*0.02
VP	0061	Beans (except broad bean and soya bean)	T3

COMPOUND		FOOD	MRL (mg/kg)
		Bergamot	T10
VL	0054	Brassica leafy vegetables	T10
VB	0400	Broccoli	T0.5
VB	0402	Brussels sprouts	T0.5
VA	0036	Bulb Vegetables (except fennel and bulb onions)	T7
VR	0577	Carrot	0.2
VB	0404	Cauliflower	T0.5
VL	0465	Chervil	T10
VD	0524	Chick-pea (dry)	T0.5
FC	0001	Citrus fruits	T2
		Coriander (leaves, stem and roots)	T10
HS	0779	Coriander seed	T10
SO	0691	Cotton seed	*0.01
HS	0730	Dill seed	T10
DF	0269	Dried grapes	5
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
HS	0731	Fennel seed	T10
VA	0380	Fennel, bulb	T0.1
VC	0045	Fruiting vegetables, cucurbits	1
VR	0581	Galangal, Greater	T0.1
FB	0269	Grapes	2
HH	0726	Herbs	T10
VR	0583	Horseradish	T3
		Kaffir lime leaves	T10
		Lemon grass	T10
		Lemon myrtle leaves	T100
DT	1111	Lemon verbena (dry leaves)	T10
VD	0533	Lentil (dry)	T0.5
VL	0482	Lettuce, Head	T3
VL	0483	Lettuce, Leaf	T3
GC	0645	Maize	T*0.01
FI	0345	Mango	0.5

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	0.005
FT	0305	Olives	T2
FI	0351	Passion fruit	0.5
SO	0697	Peanut	0.05
OC	0697	Peanut oil, crude	0.1
VP	0063	Peas	T3
SO	0698	Poppy seed	*0.02
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
VR	0589	Potato	0.05
VR	0494	Radish	0.3
		Riberries	T10
GC	0649	Rice	T7
		Rose and dianthus (edible flowers)	T10
VL	0496	Rucola (rocket)	T10
		Salad burnett	T10
VO	0448	Tomato	0.5
TN	0085	Tree nuts (except almonds)	T0.02
HS	0794	Turmeric, root	T0.1
GC	0654	Wheat	*0.02

B

COMPOUND		FOOD	MRL (mg/kg)
Bacitracin			
PO	0840	Chicken, Edible offal of	*0.5
PF	0840	Chicken fat	*0.5
PM	0840	Chicken meat	*0.5
PE	0112	Eggs	*0.5
ML	0106	Milks	*0.5
Benalaxyl			
VC	0045	Fruiting vegetables, Cucurbits	0.2
VA	0381	Garlic	0.1
FB	0269	Grapes	0.5

COMPOUND		FOOD	MRL (mg/kg)
VL	0482	Lettuce, Head	*0.01
VL	0483	Lettuce, Leaf	*0.01
VA	0385	Onion, Bulb	0.1
VA	0388	Shallot	T0.5
VA	0389	Spring onion	T0.1
Bendiocarb			
FI	0327	Banana	*0.02
PE	0112	Eggs	0.05
MM	0812	Cattle meat	0.1
MO	0812	Cattle, Edible offal of	0.2
ML	0106	Milks	0.1
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.05
Benfluralin			
VL	0482	Lettuce, Head	T*0.05
VL	0483	Lettuce, Leaf	T*0.05
FI	0353	Pineapple	T*0.01
Benomyl see Carbendazim			
Bensulfuron-methyl			
GC	0649	Rice	*0.02
CF	0649	Rice bran, processed	*0.05
Bensulide			
VC	0045	Fruiting vegetables, Cucurbits	*0.1
Bentazone			
VP	0061	Beans, except broad bean and soya bean	*0.1
VP	0522	Broad bean (green pods and immature seeds)	*0.1
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VP	0529	Garden pea, shelled	T*0.05
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.05
VA	0385	Onion, Bulb	T0.1
SO	0697	Peanut	*0.1

COMPOUND		FOOD	MRL (mg/kg)
VP	0538	Podded pea (young pods)[snow and sugar snap]	T0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	*0.01
GC	0649	Rice	*0.03
VO	0447	Sweet corn (corn-on-the-cob)	*0.1
Benzocaine			
		Abalone	*0.05
		Finfish	*0.05
Benzofenap			
GC	0649	Rice	*0.01
Benzyladenine			
FP	0226	Apple	0.2
FP	0230	Pear	T0.2
TN	0675	Pistachio nut	T*0.05
Benzyl G penicillin			
MO	0105	Edible offal (mammalian)	*0.06
MM	0095	Meat [mammalian]	*0.06
ML	0106	Milks	*0.0015
Betacyfluthrin see Cyfluthrin			
Beta-cypermethrin see Cypermethrin			
BHC (other than the g isomer, Lindane)			
GC	0080	Cereal grains	E0.1
WC	0143	Crustaceans	E0.01
WD	0120	Diadromous fish	E0.01
PE	0112	Eggs	E0.1
MO	0105	Edible offal (mammalian)	E0.3
WF	0115	Freshwater fish	E0.01
WS	0125	Marine fish	E0.01
MM	0095	Meat [mammalian] [in the fat]	E0.3
ML	0106	Milks [in the fat]	E0.1
IM	0150	Molluscs, including Cephalopods	E0.01
SO	0697	Peanut	E0.1

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	E0.3
PM	0110	Poultry meat [in the fat]	E0.3
GS	0659	Sugar cane	E*0.005
Bifenazate			
TN	0660	Almonds	0.1
FS	0240	Apricot	0.5
FB	0264	Blackberries	T5
FB	0277	Cloudberry	T5
VC	0424	Cucumber	T0.5
FB	0266	Dewberries (including Boysenberry and Loganberry)	T5
DF	0269	Dried grapes	T2
MO	0105	Edible offal (mammalian)	*0.01
FB	0269	Grapes (excluding Wine-grapes)	T1
VL	0482	Lettuce, Head	T5
VL	0483	Lettuce, Leaf	T5
MM	0095	Meat (mammalian)[in the fat]	*0.01
ML	0106	Milks	*0.01
FS	0245	Nectarine	0.5
FS	0247	Peach	2
VP	0063	Peas	T0.5
VO	0445	Peppers, Sweet	T2
FS	0014	Plums (including Prunes)	0.5
FP	0009	Pome fruits	2
FB	0272	Raspberries, Red, Black	T5
FB	0275	Strawberry	T2
VO	0448	Tomato	T0.5
Bifenthrin			
FP	0226	Apple	*0.05
FI	0326	Avocado	T0.1
FI	0327	Banana	0.1
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flower head brassicas [except Cabbages, Head]	T1
VB	0041	Cabbages, Head	T7
GC	0080	Cereal grains	*0.02

COMPOUND		FOOD	MRL (mg/kg)
FC	0001	Citrus fruits	*0.05
VP	0526	Common bean (pods and/or immature seeds)	T1
SO	0691	Cotton seed	0.1
VC	0424	Cucumber	T0.5
MO	0105	Edible offal (mammalian)	0.5
PE	0112	Eggs	*0.05
VD	0561	Field Pea (dry)	T*0.01
VC	0045	Fruiting vegetables, Cucurbits (except cucumber)	0.1
VO	0050	Fruiting vegetables, other than Cucurbits	0.5
FB	0269	Grapes	*0.01
VL	0053	Leafy vegetables (except chervil, mizuna and rucola)	T2
VD	0545	Lupin (dry)	T*0.02
MM	0095	Meat (mammalian)[in the fat]	2
ML	0106	Milks	0.5
FP	0230	Pear	0.5
VP	0063	Peas	*0.01
FI	0353	Pineapple	T*0.01
SO	0698	Poppy seed	*0.02
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat [in the fat]	*0.05
VD	0070	Pulses [except field pea (dry), Lupin (dry)]	*0.02
SO	0495	Rape seed	*0.02
FS	0012	Stone fruits [except cherries]	1
GS	0659	Sugarcane	*0.01
VR	0508	Sweet potato	*0.05
Bioresmethrin			
FI	0345	Mango	T0.5
Bitertanol			
VP	0061	Beans, except broad bean and soya bean	0.5
MO	0105	Edible offal (mammalian)	3
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian] [in the fat]	0.3
ML	0106	Milks	0.2

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
FB	0275	Strawberry	*0.05
Boscalid			
		All other foods	0.5
VP	0061	Beans (except broad and Soya)	T3
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T2
VL	0054	Brassica leafy vegetables	T30
VA	0035	Bulb Vegetables (excluding bulb onions)	T3
VR	0577	Carrot	T1
DF	0269	Dried grapes (sultanas, currants, raisins)	15
MO	0105	Edible offal (Mammalian)	0.3
VC	0045	Fruiting vegetables, Cucurbits	0.5
VO	0050	Fruiting vegetable, other than Cucurbits	1
FB	0269	Grapes	4
VL	0482	Lettuce, Head	T15
VL	0483	Lettuce, Leaf	T15
MM	0095	Meat [mammalian][in the fat]	0.3
ML	0106	Milks	0.1
FM	0183	Milk fats	0.7
VA	0385	Onion, Bulb	T1.0
VP	0063	Peas	T5
TN	0675	Pistachio nut	T2
FP	0009	Pome fruits	2
VR	0589	Potato	0.5
Brodifacoum			
GC	0080	Cereal grains	T*0.00002
MO	0105	Edible offal (mammalian)	T*0.00005
MM	0095	Meat [mammalian]	T*0.00005
VD	0070	Pulses	T*0.00002
GS	0659	Sugar cane	*0.0005

COMPOUND		FOOD	MRL (mg/kg)
Bromacil			
VS	0621	Asparagus	*0.04
FC	0001	Citrus fruits	*0.04
MO	0105	Edible offal (mammalian)	*0.04
MM	0095	Meat [mammalian]	*0.04
ML	0106	Milks	*0.04
FI	0353	Pineapple	*0.04
Bromoxynil			
GC	0080	Cereal grains	*0.2
MO	0105	Edible offal (mammalian)	T3
PE	0112	Eggs	*0.02
VA	0381	Garlic	T0.1
FB	0269	Grapes	*0.01
SO	0693	Linseed	*0.02
MM	0095	Meat [mammalian] [in the fat]	T1
ML	0106	Milks	T0.1
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
GS	0659	Sugar cane	*0.02
Bupirimate			
FP	0226	Apple	1
VO	0440	Egg plant	T1
VC	0045	Fruiting vegetables, Cucurbits	1
VO	0051	Peppers	0.7
Buprofezin			
VS	0624	Celery	T1
VL	0465	Chervil	T50
FC	0001	Citrus fruits	2
		Coriander (leaves, stems and roots)	T50
SO	0691	Cotton seed	T1
OC	0691	Cotton seed oil, crude	T0.3
FI	0332	Custard apple	0.1
DF	0269	Dried grapes (currants, raisins, sultanas)	1

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	*0.05
VC	0045	Fruiting vegetables, Cucurbits	T2
VO	0050	Fruiting vegetables, other than Cucurbits	T2
FB	0269	Grapes	0.3
HH	0092	Herbs	T50
VL	0483	Lettuce, Leaf	T10
FI	0345	Mango	0.2
MM	0095	Meat (mammalian)[in the fat]	*0.05
ML	0106	Milks	*0.01
		Mizuna	T50
FT	0305	Olives	T0.5
OC	0305	Olive Oil, crude	T2
FI	0351	Passion fruit	2
FP	0230	Pear	0.2
		Peppers, Chili, other cultivars	T2
FT	0307	Persimmon, Japanese	1
VL	0496	Rucola [Rocket]	T50
Butafenacil			
GC	0080	Cereal grains (except rice)	*0.02
MO	0105	Edible offal (mammalian)	*0.02
PE	0112	Eggs	*0.01
FB	0269	Grapes	T*0.02
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
FP	0009	Pome fruit	T*0.02
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.01
FS	0012	Stone fruit	T*0.02
Butoxydim			
MM	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
VP	0060	Legume vegetables	*0.01
MM	0095	Meat [mammalian]	*0.01

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	*0.01
SO	0088	Oilseed	*0.01
PM	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
VD	0070	Pulses	*0.01

C

COMPOUND		FOOD	MRL (mg/kg)
Cadusafos			
FI	0327	Banana	*0.01
FC	0001	Citrus fruits	*0.01
HS	0784	Ginger, root	0.1
GS	0659	Sugar cane	*0.01
VO	0448	Tomato	*0.01
Captan			
TN	0660	Almonds	0.3
FB	0018	Berries and other small fruits [except grapes, strawberries and blueberries]	T30
FB	0020	Blueberries	20
VD	0524	Chick-pea (dry)	T0.1
DF	0269	Dried grapes	15
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.02
FB	0269	Grapes	10
VD	0533	Lentil (dry)	T0.1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.01
		Pitaya (dragon fruit)	T20
FP	0009	Pome fruits	10
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
FS	0012	Stone fruits	15
FB	0275	Strawberry	10
TN	0085	Tree nuts [except Almonds]	3

COMPOUND		FOOD	MRL (mg/kg)
Carbaryl			
FS	0240	Apricot	10
VS	0621	Asparagus	10
FI	0326	Avocado	10
FI	0327	Banana [in the pulp]	5
GC	0640	Barley	15
FB	0264	Blackberries	10
FB	0020	Blueberries	7
FT	0289	Carambola	5
GC	0080	Cereal grains [except Barley and Sorghum]	5
FS	0013	Cherries	5
FC	0001	Citrus fruits	7
SO	0691	Cotton seed	3
FI	0332	Custard apple	5
FB	0266	Dewberries (including Boysenberry and Loganberry)	10
MO	0105	Edible offal (mammalian)	T0.2
PE	0112	Eggs	T0.2
FI	0371	Elephant apple	5
FI	0335	Feijoa	5
VC	0045	Fruiting vegetables, Cucurbits	3
HS	0783	Galangal, rhizomes [fresh]	T5
FI	0351	Granadilla	5
FB	0269	Grapes	5
FT	0298	Grumichama [Brazilian cherry]	5
FT	0336	Guava	5
FT	0300	Jaboticaba	5
FI	0338	Jackfruit	5
		Jambu	5
FI	0341	Kiwifruit	10
VL	0053	Leafy vegetables	10
FI	0343	Litchi	5
FI	0342	Longan	5
FI	0345	Mango	5

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian]	T0.2
ML	0106	Milks	T*0.05
FS	0245	Nectarine	10
VO	0442	Okra	10
FT	0305	Olives	10
DM	0305	Olives, processed	1
FI	0350	Papaya [pawpaw]	5
FI	0351	Passion fruit	5
FS	0247	Peach	10
FS	0014	Plums (including Prunes)	5
FP	0009	Pome fruits	5
VR	0589	Potato	0.2
PO	0111	Poultry, Edible offal of	T5
PM	0110	Poultry meat	T0.5
FI	0358	Rambutan	5
FB	0272	Raspberries	10
FI	0359	Sapodilla	5
FI	0360	Sapote, Black	5
FI	0361	Sapote, Green	5
FI	0362	Sapote, Mammey	5
FI	0363	Sapote, White [casimiroa]	5
GC	0651	Sorghum	10
FB	0275	Strawberry	7
GS	0659	Sugar cane	T*0.05
SO	0702	Sunflower seed	1
VO	0447	Sweet corn (corn-on-the-cob)	1
TN	0085	Tree nuts	1
TN	0085	Tree nuts [whole in shell]	10
HS	0794	Turmeric, root [fresh]	T5
		Vegetables [except asparagus; fruiting vegetables, cucurbits; leafy vegetables; okra; potato; sweet corn (corn-on-the-cob)]	5
CM	0654	Wheat bran, unprocessed	T20
Carbendazim			
FI	0327	Banana	T1

COMPOUND		FOOD	MRL (mg/kg)
FB	0018	Berries and other small fruits [except grapes]	T5
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	*0.1
VA	0381	Garlic	T0.2
HS	0784	Ginger, root	T10
MM	0095	Meat [mammalian]	0.2
ML	0106	Milks	*0.1
TN	0669	Macadamia nuts	0.1
VO	0450	Mushrooms	T5
VA	0385	Onion, Bulb	T*0.2
PO	0111	Poultry, Edible offal of	*0.1
PM	0110	Poultry meat	*0.1
VD	0070	Pulses	0.5
GS	0659	Sugar cane	T0.1

Carbosulfan see [Carbofuran](#)

Carbofuran

GC	0640	Barley	0.2
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VA	0381	Garlic	T0.1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GC	0649	Rice	0.2
GS	0659	Sugar cane	*0.1
GC	0654	Wheat	0.2

Carbon disulfide

GC	0080	Cereal grains	10
VD	0070	Pulses	T10

Carbonyl sulphide

GC	0080	Cereal grains	T0.2
VD	0070	Pulses	T0.2

COMPOUND		FOOD	MRL (mg/kg)
SO	0495	Rape seed (canola)	T0.2
Carboxin			
GC	0080	Cereal grains	0.1
Carfentrazone-ethyl			
FT	0026	Assorted tropical and sub-tropical fruits (edible peel)	*0.05
FI	0030	Assorted tropical and sub-tropical fruits (inedible peel)	*0.05
FB	0018	Berries and other small fruits [except grapes]	T*0.05
GC	0080	Cereal grains	*0.05
FC	0001	Citrus fruits	*0.05
SO	0691	Cotton seed	T*0.05
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
FB	0269	Grapes	*0.05
DH	1100	Hops, dry	*0.05
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.025
FP	0009	Pome fruits	*0.05
PM	0110	Poultry meat	*0.05
PO	0111	Poultry, Edible offal of	*0.05
FS	0012	Stone fruits	*0.05
TN	0085	Tree nuts	*0.05
Ceftiofur			
MO	0812	Cattle, Edible offal of	2
MF	0812	Cattle fat	0.5
MM	0812	Cattle meat	0.1
ML	0812	Cattle milk	0.1
Cefuroxime			
MM	0812	Cattle meat	*0.1
MO	0812	Cattle, Edible offal of	*0.1
ML	0812	Cattle milk	*0.1
Cephalonium			
MM	0812	Cattle meat	*0.1
MO	0812	Cattle, Edible offal of	*0.1

COMPOUND		FOOD	MRL (mg/kg)
ML	0812	Cattle milk	*0.02
Cephapirin			
MO	0812	Cattle, edible offal of	*0.02
MM	0812	Cattle meat	*0.02
ML	0812	Cattle milk	*0.01
Chinomethionat see Oxythioquinox			
Chlorantraniliprole			
		All other foods	*0.01
TN	0660	Almonds	T0.05
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
VS	0624	Celery	5
		Coriander (leaves, roots and stems)	T20
SO	0691	Cotton seed	0.3
DF	0167	Dried fruit	2
MO	0105	Edible offal (Mammalian)[except liver]	*0.01
PE	0112	Eggs	0.03
VC	0045	Fruiting vegetables, Cucurbits	0.2
VO	0050	Fruiting vegetables, other than Cucurbits [except Peppers, Chili and Sweet corn (corn-on-the-cob)]	0.3
FB	0269	Grapes	0.3
HH	0092	Herbs	T20
VL	0053	Leafy vegetables [except lettuce, head and rucola]	15
VP	0060	Legume vegetables	1
VL	0482	Lettuce, Head	3
MM	0099	Liver (Mammalian)	0.02
MM	0095	Meat (mammalian)[in the fat]	0.02
		Mexican tarragon	T20
FM	0183	Milk fats	0.1
ML	0106	Milks	*0.01
VO	0444	Peppers, Chilli	1
TN	0675	Pistachio nut	T0.05
FP	0009	Pome fruits	0.3
VR	0589	Potato	*0.01

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
VR	0494	Radish	T0.05
VS	0627	Rhubarb	5
VL	0496	Rucola [rocket]	T20
FS	0012	Stone fruits	1
VR	0497	Swede	T0.05
VO	0447	Sweet corn (corn-on-the-cob)	*0.01
VR	0506	Turnip, Garden	T0.05
Chlordane			
GC	0080	Cereal grains	E0.02
FC	0001	Citrus fruits	E0.02
OC	0691	Cotton seed oil, crude	E0.05
OR	0691	Cotton seed oil, edible	E0.02
WC	0143	Crustaceans	E0.05
WD	0120	Diadromous fish	E0.05
MO	0105	Edible offal (mammalian)	E0.02
PE	0112	Eggs	E0.02
WF	0115	Freshwater fish	E0.05
VC	0045	Fruiting vegetables, Cucurbits	E0.05
OC	0693	Linseed oil, crude	E0.05
WS	0125	Marine fish	E0.05
MM	0095	Meat [mammalian] [in the fat]	E0.2
ML	0106	Milks [in the fat]	E0.05
IM	0150	Molluscs, including Cephalopods	E0.05
FI	0353	Pineapple	E0.02
FP	0009	Pome fruits	E0.02
FS	0012	Stone fruits	E0.02
OC	0541	Soya bean oil, crude	E0.05
OR	0541	Soya bean oil, refined	E0.02
VR	0596	Sugar beet	E0.1
		Vegetables [except fruiting vegetables, cucurbits; sugar beet]	E0.02

COMPOUND		FOOD	MRL (mg/kg)
Chlorfenapyr			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, flowerhead brassicas	0.5
VL	0465	Chervil	T5
VL	0467	Chinese cabbage	0.5
		Coriander (leaves, stems and roots)	T5
SO	0691	Cotton seed	0.5
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.01
HH	0092	Herbs	T5
MM	0095	Meat (mammalian)[in the fat]	0.05
ML	0106	Milks	*0.01
		Mizuna	T5
VA	0387	Onion, Welsh	T1
FS	0247	Peach	1
FP	0009	Pome fruits	0.5
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
VL	0496	Rucola [Rocket]	T5
VA	0388	Shallots	T1
VA	0389	Spring Onion	T1
Chlorfenvinphos			
VB	0400	Broccoli	T0.05
VB	0402	Brussels sprouts	T0.05
VB	0041	Cabbages, Head	T0.05
VR	0577	Carrot	T0.4
MO	0812	Cattle, Edible offal of	T*0.1
MM	0812	Cattle meat [in the fat]	T0.2
ML	0812	Cattle milk [in the fat]	T0.2
VB	0404	Cauliflower	T0.1
VS	0624	Celery	T0.4
SO	0691	Cotton seed	T0.05
MM	0813	Deer meat [in the fat]	T0.2
VO	0440	Egg plant [aubergine]	T0.05

COMPOUND		FOOD	MRL (mg/kg)
MO	0814	Goat, Edible offal of	T*0.1
MM	0814	Goat meat [in the fat]	T0.2
VR	0583	Horseradish	T0.1
VA	0384	Leek	T0.05
GC	0645	Maize	T0.05
VO	0450	Mushrooms	T0.05
VA	0385	Onion, Bulb	T0.05
SO	0697	Peanut	T0.05
VR	0589	Potato	T0.05
VR	0494	Radish	T0.1
GC	0649	Rice	T0.05
MO	0822	Sheep, Edible offal of	T*0.1
MM	0822	Sheep meat [in the fat]	T0.2
VR	0497	Swede	T0.05
VR	0508	Sweet potato	T0.05
VO	0448	Tomato	T0.1
VR	0506	Turnip, Garden	T0.05
GC	0654	Wheat	T0.05
Chlorfluazuron			
MO	0812	Cattle, Edible offal of	0.1
MM	0812	Cattle meat [in the fat]	1
ML	0812	Cattle milk	0.1
SO	0691	Cotton seed	0.1
OC	0691	Cotton seed oil, crude	0.1
OR	0691	Cotton seed oil, edible	*0.05
PE	0112	Eggs	0.2
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat [in the fat]	1
Chlorhexidine			
ML	0106	Milks	0.05
MO	0822	Sheep, Edible offal of	*0.5
MF	0822	Sheep fat	*0.5
MM	0822	Sheep meat	*0.5

COMPOUND		FOOD	MRL (mg/kg)
Chloridazon			
VR	0574	Beetroot	*0.05
Chlormequat			
GC	0640	Barley	T2
DF	0269	Dried grapes	0.75
MO	0105	Edible offal (mammalian)	0.5
PE	0112	Eggs	0.1
FB	0269	Grapes	0.75
MM	0095	Meat (mammalian)	0.2
ML	0106	Milks	0.5
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	*0.05
GC	0654	Wheat	5
Chloropicrin			
GC	0080	Cereal grains	*0.1
Chlorothalonil			
TN	0660	Almonds	T0.1
VS	0621	Asparagus	T*0.1
FS	0240	Apricot	7
FI	0327	Banana	3
FB	0018	Berries and other small fruits (excluding blackcurrants and grapes)	T10
VB	0402	Brussels sprouts	7
VR	0577	Carrot	7
VS	0624	Celery	10
VL	0464	Chard	T50
FS	0013	Cherries	10
		Coriander (leaves, stems and roots)	T20
FB	0278	Currant, Black	10
MO	0105	Edible offal (Mammalian)	7
VO	0440	Egg plant	T10
PE	0112	Eggs	*0.05
VA	0380	Fennel, bulb	5
HH	0731	Fennel, leaf	5

COMPOUND		FOOD	MRL (mg/kg)
HS	0731	Fennel, seed	5
VC	0045	Fruiting vegetables, Cucurbits	5
VR	0581	Galangal, Greater	T7
VR	0582	Galangal, Lesser	T7
VA	0381	Garlic	10
FB	0269	Grapes	10
HH	0092	Herbs	T20
VL	0053	Leafy vegetables [except chard and spinach]	T10
VA	0384	Leek	T10
MM	0095	Meat (mammalian)[in the fat]	2
ML	0106	Milks	0.05
		Mizuna	T10
FS	0245	Nectarine	7
VA	0385	Onion, Bulb	10
FI	0350	Papaya [pawpaw]	10
FS	0247	Peach	30
SO	0697	Peanut	0.2
VP	0063	Peas	10
FT	0307	Persimmons, Japanese	T5
FS	0014	Plums (including Prunes)	10
VR	0589	Potato	0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	3
GC	0649	Rice	T*0.1
VL	0502	Spinach	T100
VA	0389	Spring onion	T10
SO	0702	Sunflower seed	T*0.01
VO	0448	Tomato	10
FT	0312	Tree Tomato	T10
HS	0794	Tumeric, root	T7

COMPOUND		FOOD	MRL (mg/kg)
		Vegetables [except asparagus; Brussels sprouts; carrot; celery; fennel bulb; fruiting vegetables; cucurbits; galangal, greater; galangal, lesser; garlic; peas; leafy vegetables; leek; onion, bulb; potato; pulses; spring onion; tomato]	T7
		Wasabi	T7
Chlorpropham			
VA	0381	Garlic	*0.05
VA	0385	Onions, bulb	*0.05
VR	0589	Potato	30
Chlorpyrifos			
VS	0621	Asparagus	T0.5
FI	0326	Avocado	0.5
FI	0327	Banana	T0.5
FB	0020	Blueberries	*0.01
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.5
VR	0463	Cassava	T*0.02
VS	0624	Celery	T5
GC	0080	Cereal grains [except sorghum]	T0.1
FC	0001	Citrus fruits	T0.5
SB	0716	Coffee beans	T0.5
SO	0691	Cotton seed	0.05
OC	0691	Cotton seed oil, crude	0.2
DF	0167	Dried fruits	T2
MO	0105	Edible offal (mammalian)	T0.1
PE	0112	Eggs	T*0.01
HS	0784	Ginger, root	*0.02
FB	0269	Grapes	T1
FI	0341	Kiwifruit	2
VA	0384	Leek	T5
FI	0345	Mango	*0.05
MM	0095	Meat (mammalian)[in the fat]	T0.5
ML	0106	Milks [in the fat]	T0.2
SO	0089	Oilseed, except peanut	T0.01

COMPOUND		FOOD	MRL (mg/kg)
FT	0305	Olives	T*0.05
HH	0740	Parsley	0.05
FI	0351	Passion fruit	*0.05
SO	0697	Peanut	T*0.01
VO	0445	Peppers, Sweet [capsicums]	T1
FT	0307	Persimmon, Japanese	0.5
FI	0353	Pineapple	T0.5
		Pitaya (dragon fruit)	T*0.05
FP	0009	Pome fruits	T0.5
VR	0589	Potato	0.05
PO	0111	Poultry, Edible offal of	T0.1
PM	0110	Poultry meat [in the fat]	T0.1
GC	0651	Sorghum	T3
FS	0012	Stone fruits	T1
FI	0367	Star apple	T*0.05
FB	0275	Strawberry	0.05
GS	0659	Sugar cane	T0.1
VR	0497	Swede	T0.3
VR	0508	Sweet Potato	T0.05
VR	0505	Taro	0.05
TN	0085	Tree nuts	T0.05
VO	0448	Tomato	T0.5
		Vegetables [except asparagus; brassica vegetables; cassava; celery, leek; peppers, sweet [capsicums]; potato; swede; sweet potato; taro; tomato]	T*0.01
Chlorpyrifos-methyl			
GC	0080	Cereal grains [except rice]	10
SO	0691	Cotton seed	*0.01
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VD	0545	Lupin (dry)	10
MM	0095	Meat [mammalian] [in the fat]	*0.05
ML	0106	Milks [in the fat]	*0.05
PO	0111	Poultry, Edible offal of	*0.05

COMPOUND		FOOD	MRL (mg/kg)
PM	0110	Poultry meat [in the fat]	*0.05
GC	0649	Rice	0.1
CM	0654	Wheat bran, unprocessed	20
CF	1210	Wheat germ	30
Chlorsulfuron			
GC	0080	Cereal grains	*0.05
MO	0105	Edible offal (mammalian)	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
Chlortetracycline			
MO	1280	Cattle, kidney	0.6
MO	1281	Cattle, liver	0.3
MM	0812	Cattle meat	0.1
PE	0112	Eggs	0.2
MO	1284	Pig, kidney	0.6
MO	1285	Pig, liver	0.3
MM	0818	Pig meat	0.1
PO	0111	Poultry, Edible offal of	0.6
PM	0110	Poultry meat	0.1
Chlorthal-dimethyl			
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VL	0482	Lettuce, Head	T1
VL	0483	Lettuce, Leaf	T1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
HH	0740	Parsley	T2
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
		Vegetables, except lettuce	5
Clavulanic acid			
MO	0812	Cattle, Edible offal of	*0.01
MM	0812	Cattle meat	*0.01

COMPOUND		FOOD	MRL (mg/kg)
ML	0812	Cattle milk	*0.01
Clethodim see Sethoxydim			
Clodinafop acid			
GC	0640	Barley	T*0.02
MO	0105	Edible offal (mammalian)	*0.1
PE	0112	Eggs	*0.1
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
PO	0111	Poultry, Edible offal of	*0.1
PM	0110	Poultry meat	*0.1
GC	0654	Wheat	*0.1
Clodinafop-propargyl			
GC	0640	Barley	T*0.02
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GC	0654	Wheat	*0.05
Clofentezine			
TN	0660	Almonds	T0.5
FI	0327	Banana	*0.01
MO	0105	Edible offal (mammalian)	T*0.05
DH	1100	Hops, dry	*0.2
MM	0095	Meat (mammalian)	T*0.05
ML	0106	Milks	T*0.05
FP	0009	Pome fruits	0.1
FS	0012	Stone fruits	0.1
VO	0448	Tomato	T1
Clomazone			
VP	0061	Beans (except broad beans and soya beans)	*0.05
VP	0526	Common beans (pod and/or immature seeds)	T*0.05

COMPOUND		FOOD	MRL (mg/kg)
VC	0045	Fruiting vegetables, cucurbits	*0.05
SO	0698	Poppy seed	*0.05
VR	0589	Potato	*0.05
GC	0649	Rice	*0.01
Clopyralid			
GC	0080	Cereal grains	2
VB	0404	Cauliflower	T0.2
MO	0105	Edible offal (mammalian) [except kidney]	0.5
DH	1100	Hops, dry	2
MO	0098	Kidney of cattle, goats, pigs and sheep	5
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks	0.05
SO	0495	Rape seed	0.5
Cloquintocet-mexyl			
GC	0640	Barley	*0.1
MO	0105	Edible offal (mammalian)	*0.1
PE	0112	Eggs	*0.1
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
SO	0698	Poppy seed	T*0.02
PO	0111	Poultry, Edible offal of	*0.1
PM	0110	Poultry meat	*0.1
GC	0650	Rye	*0.1
GC	0653	Triticale	*0.1
GC	0654	Wheat	*0.1
Clorsulon			
MO	0812	Cattle, Edible offal of	*0.1
MM	0812	Cattle meat	*0.1
ML	0812	Cattle Milk	1.5
Closantel			
MO	0822	Sheep, Edible offal of	5
MM	0822	Sheep meat	2

COMPOUND		FOOD	MRL (mg/kg)
Clothianidin			
FP	0226	Apple	0.5
FI	0327	Banana	*0.02
SO	0691	Cotton seed	*0.02
DF	0269	Dried grapes (=Currants, Raisins and Sultanas)	10
MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
FB	0269	Grapes [excluding Wine-grapes]	3
GC	0645	Maize	T*0.01
MM	0095	Meat (mammalian)	*0.02
ML	0106	Milks	*0.01
FS	0245	Nectarine	2
FS	0247	Peach	2
FP	0230	Pear	0.5
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
SO	0495	Rape seed	T*0.01
GC	0651	Sorghum	T*0.01
VD	0541	Soya bean (dry)	T0.02
GS	0659	Sugar cane	0.1
SO	0702	Sunflower seed	T*0.01
VO	0447	Sweet corn (corn-on-the-cob)	T*0.01
FB	1236	Wine-grapes	*0.02
Cloxacillin			
ML	0812	Cattle milk	*0.01
Copper			
GC	0080	Cereal grains	10
WC	0413	Crustaceans	20
WD	0120	Diadromous fish	2
MO	0105	Edible offal (Mammalian)[other than sheep liver]	50
WF	0115	Fresh water fish	2
		Fruit	10
WS	0125	Marine fish	2

COMPOUND		FOOD	MRL (mg/kg)
MM	0097	Meat of cattle, pigs and sheep	2
IM	0150	Molluscs	30
MO	1289	Sheep liver	150
TN	0085	Tree nuts	25
		Vegetables	10
Coumaphos			
MF	0812	Cattle fat	*0.02
MO	1280	Cattle, Kidney	*0.02
MO	1281	Cattle, liver	*0.02
ML	0812	Cattle milk	*0.01
FM	0812	Cattle milk fat	0.1
		Cattle muscle	*0.02
Cyanamide			
FB	0226	Apple	*0.02
FB	0020	Blueberries	*0.05
FB	0269	Grapes	*0.05
FI	0341	Kiwifruit	*0.1
FP	0230	Pear, Oriental [nashi]	*0.1
FS	0012	Stone fruits	T*0.05
Cyanazine			
VA	0035	Bulb vegetables [alliums]	*0.02
GC	0080	Cereal grains	*0.01
VA	0384	Leek	0.05
VP	0063	Peas	0.02
VP	0538	Podded pea (young pods)[snow and sugar snap]	T0.05
VR	0589	Potato	0.02
VD	0070	Pulses	*0.01
VO	0447	Sweet corn (corn-on-the-cob)	*0.02
Cyclanilide			
SO	0691	Cotton seed	0.2
OC	0691	Cotton seed oil, crude	*0.01
MO	0105	Edible offal (mammalian)	2
PE	0112	Eggs	*0.01

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian]	0.05
ML	0106	Milks	0.05
PM	0110	Poultry meat	*0.01
PO	0111	Poultry, edible offal of	*0.01
Cyfluthrin			
FI	0326	Avocado	0.1
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
FT	0289	Carambola	T0.1
GC	0080	Cereal grains	2
		Chia	T0.5
SO	0691	Cotton seed	0.01
OC	0691	Cotton seed oil, crude	0.02
FI	0332	Custard apple	T0.1
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
VO	0440	Egg plant	T0.2
VP	0060	Legume vegetables	0.5
		Lemon aspen	T1
FI	0343	Litchi	T0.1
TN	0669	Macadamia nuts	0.05
MF	0100	Mammalian fats (except milk fat)	0.5
FI	0345	Mango	T0.1
MM	0095	Meat [mammalian]	0.02
ML	0106	Milks	0.1
VO	0442	Okra	T0.2
FI	0350	Papaya [pawpaw]	T0.2
TN	0672	Pecan	T0.05
VO	0445	Peppers, Sweet [capsicums]	T0.2
FI	0352	Persimmon, American	T0.1
FT	0307	Persimmon, Japanese	T0.1
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
VD	0070	Pulses	0.5

COMPOUND		FOOD	MRL (mg/kg)
SO	0495	Rape seed	*0.05
VO	0448	Tomato	0.2
CM	0654	Wheat bran, unprocessed	5
Cyhalofop-butyl			
MO	0105	Edible offal (Mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian][in the fat]	*0.05
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GC	0649	Rice	*0.01
Cyhalothrin			
GC	0640	Barley	0.2
VR	0574	Beetroot	*0.01
VB	0040	Brassica (cole or cabbage) vegetables	0.1
GC	0080	Cereal grains [except Barley; Sorghum; Wheat]	*0.01
VL	0464	Chard	T0.5
FC	0001	Citrus fruits	*0.01
		Coriander (leaves, roots and stems)	T1
SO	0691	Cotton seed	*0.02
VC	0424	Cucumber	T0.05
MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
VA	0381	Garlic	*0.05
VP	0060	Legume vegetables	0.1
MM	0095	Meat [mammalian][in the fat]	0.5
ML	0106	Milks [in the fat]	0.5
VA	0385	Onion, Bulb	*0.05
HH	0740	Parsley	T1
VR	0589	Potato	*0.01
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
VD	0070	Pulses [except soyabean (dry)]	0.2

COMPOUND		FOOD	MRL (mg/kg)
VR	0494	Radish	*0.01
SO	0495	Rape seed	0.02
GC	0651	Sorghum	0.5
VD	0541	Soya bean (dry)	*0.02
SO	0702	Sunflower seed	*0.01
VO	0448	Tomato	0.02
GC	0654	Wheat	*0.05
Cypermethrin			
VD	0560	Adzuki bean (dry)	T0.05
		All other foods	*0.01
VS	0621	Asparagus	0.5
FI	0326	Avocado	T0.2
VR	0574	Beetroot	T0.1
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
VD	0523	Broad bean (dry) [Faba bean (dry)]	0.05
MO	0812	Cattle, Edible offal of	0.05
MM	0812	Cattle meat [in the fat]	0.5
VS	0624	Celery	T1
GC	0080	Cereal grains (except wheat)	1
VD	0524	Chick-pea (dry)	0.2
VD	0526	Common bean (dry) [navy bean]	0.05
		Coriander (leaves, stem, roots)	T5
HS	0779	Coriander, seed	T1
SO	0691	Cotton seed	0.2
OC	0691	Cotton seed oil, crude	*0.02
VC	0424	Cucumber	T0.3
MM	0813	Deer meat [in the fat]	T0.5
PE	0112	Eggs	0.05
VD	0561	Field pea (dry)	0.05
MO	0814	Goat, Edible offal of	0.05
MM	0814	Goat meat [in the fat]	0.5
FB	0269	Grapes	T0.05
HH	0092	Herbs	T5

COMPOUND		FOOD	MRL (mg/kg)
MO	0816	Horse, Edible offal of	*0.05
MM	0816	Horse meat [in the fat]	*0.05
VL	0053	Leafy vegetables (except Lettuce, Head)	T5
VA	0384	Leek	T0.5
		Lemon balm	T5
VL	0482	Lettuce, Head	2
		Linola seed	0.1
		Linola oil, edible	0.1
SO	0693	Linseed	0.5
VD	0545	Lupin (dry)	*0.01
ML	0106	Milks [in the fat]	1
VD	0536	Mung bean (dry)	0.05
FT	0305	Olives	T*0.05
VA	0385	Onion, Bulb	*0.01
VP	0063	Peas	1
MO	0818	Pig, Edible offal of	*0.05
MM	0818	Pig meat [in the fat]	*0.05
FP	0009	Pome fruits	1
SO	0698	Poppy seed	T*0.01
VR	0589	Potato	*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat [in the fat]	*0.05
VR	0494	Radish	T*0.05
SO	0495	Rape seed	0.2
OR	0495	Rape seed oil, edible	0.2
VA	0366	Shallot	T0.5
MO	0822	Sheep, Edible offal of	0.05
MM	0822	Sheep meat [in the fat]	0.5
VD	0541	Soya bean (dry)	0.05
OC	0541	Soya bean oil, crude	0.1
VA	0389	Spring onion	T0.5
FS	0012	Stone fruits (except cherries)	1
SO	0702	Sunflower seed	0.1

COMPOUND		FOOD	MRL (mg/kg)
OC	0702	Sunflower seed oil, crude	0.1
VO	0447	Sweet corn (corn-on-the-cob)	0.05
VO	0448	Tomato	0.5
GC	0654	Wheat	0.2
Cyproconazole			
GC	0640	Barley	*0.02
VD	0524	Chick-pea (dry)	T*0.01
MO	0105	Edible offal (Mammalian)	1
PE	0112	Eggs	*0.01
VD	0533	Lentil (dry)	T*0.01
MM	0095	Meat [mammalian]	0.03
ML	0106	Milks	*0.01
SO	0697	Peanut	0.02
VR	0589	Potato	*0.02
PM	0110	Poultry meat	*0.01
PO	0111	Poultry, Edible offal of	*0.01
GC	0654	Wheat	*0.02
Cyprodinil			
FB	0264	Blackberries	T5
FB	0277	Cloudberry	T5
VC	0424	Cucumber	T0.2
FB	0266	Dewberries (including Boysenberry and Loganberry)	T5
DF	0269	Dried grapes (currants, raisins and sultanas)	5
MO	0105	Edible offal (Mammalian)	*0.01
VO	0440	Egg plant	T0.2
FB	0269	Grapes	2
VL	0482	Lettuce, Head	T10
VL	0483	Lettuce, Leaf	T10
MM	0095	Meat (mammalian)	*0.01
VC	0046	Melons, except watermelon	T0.2
ML	0106	Milks	*0.01
VA	0385	Onion, Bulb	T0.3
VP	0063	Peas	T2

COMPOUND		FOOD	MRL (mg/kg)
VO	0445	Peppers, Sweet (capsicum)	T0.5
TN	0675	Pistachio nut	T0.1
FP	0009	Pome fruit	0.05
FB	0272	Raspberries, Red, Black	T5
FB	0275	Strawberry	T5
FS	0012	Stone fruits	*0.01
		Stone fruits (dried)	0.05
Cyromazine			
MM	0812	Cattle meat	0.05
MO	0812	Cattle, Edible offal of	0.05
PE	0112	Eggs	0.2
MO	0814	Goat, Edible offal of	0.2
MM	0814	Goat meat	0.2
ML	0106	Milks	*0.01
MO	0818	Pig, Edible offal of	0.05
MM	0818	Pig meat	0.05
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.05
MO	0822	Sheep, Edible offal of	0.2
MM	0822	Sheep meat	0.2

D

COMPOUND		FOOD	MRL (mg/kg)
2,4-D			
GC	0080	Cereal grains	0.2
FC	0001	Citrus fruits	5
MO	0105	Edible offal (Mammalian)	2
PE	0112	Eggs	*0.05
FB	0269	Grapes	T*0.05
VP	0060	Legume vegetables	*0.05
VD	0545	Lupin (dry)	*0.05
MM	0095	Meat [mammalian]	0.2
ML	0106	Milks	*0.05
SO	0088	Oilseed	*0.05

COMPOUND		FOOD	MRL (mg/kg)
FP	0230	Pear	*0.05
VR	0589	Potato	0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	*0.05
GS	0659	Sugar cane	5
Daminozide			
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	0.2
MM	0095	Meat [mammalian]	0.2
ML	0106	Milks	*0.05
FS	0247	Peach	30
SO	0697	Peanut	20
FP	0009	Pome fruits	30
PO	0111	Poultry, Edible offal of	0.2
PM	0110	Poultry meat	0.2
2,4-DB			
GC	0080	Cereal grains	*0.02
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	0.2
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
DDT			
GC	0080	Cereal grains	E0.1
WC	0143	Crustaceans	E1
WD	0120	Diadromous fish	E1
MO	0105	Edible offal (mammalian)	E5
PE	0112	Eggs	E0.5
WF	0115	Freshwater fish	E1
		Fruits	E1
WS	0125	Marine fish	E1

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian] [in the fat]	E5
ML	0106	Milks [in the fat]	E1.25
IM	0150	Molluscs, including Cephalopods	E1
SO	0697	Peanut	E0.02
PO	0111	Poultry, Edible offal of	E5
PM	0110	Poultry meat [in the fat]	E5
OR	0172	Vegetable oils, edible	E1
		Vegetables	E1
Deltamethrin			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassica	*0.05
MO	0812	Cattle, Edible offal of	0.1
MM	0812	Cattle meat [in the fat]	0.5
GC	0080	Cereal grains	2
PE	0112	Eggs	*0.01
VO	0050	Fruiting vegetables, other than Cucurbits	0.1
MO	0814	Goat, Edible offal of	0.1
MM	0814	Goat meat [in the fat]	0.2
VP	0060	Legume vegetables	0.1
ML	0106	Milks	0.05
SO	0088	Oilseed	0.1
MM	0818	Pig meat [in the fat]	0.1
MO	0818	Pig, edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
PO	0111	Poultry, edible offal of	*0.01
VD	0070	Pulses	0.1
MO	0822	Sheep, Edible offal of	0.1
MM	0822	Sheep meat [in the fat]	0.2
VO	1275	Sweet corn (kernels)	0.1
CM	0654	Wheat bran, unprocessed	5
CF	1210	Wheat germ	3
Dexamethasone			
MO	0812	Cattle, Edible offal of	0.1
MM	0812	Cattle meat	0.1

COMPOUND		FOOD	MRL (mg/kg)
ML	0812	Cattle milk	*0.05
MO	0816	Horse, Edible offal of	0.1
MM	0816	Horse meat	0.1
MO	0818	Pig, Edible offal of	0.1
MM	0818	Pig meat	0.1

Dexamethasone trimethylacetate see [Dexamethasone](#)

Diaphenthiuron

SO	0691	Cotton seed	0.2
MO	0105	Edible offal (mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat (mammalian)[in the fat]	*0.02
ML	0106	Milks	*0.02
SO	0697	Peanut	T0.1
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat [in the fat]	*0.02

Diazinon

GC	0080	Cereal grains	0.1
FC	0001	Citrus fruits	0.7
		Coriander (leaves, stem and roots)	*0.05
HS	0779	Coriander, seed	*0.05
MO	0105	Edible offal (mammalian)	0.7
PE	0112	Eggs	*0.05
		Fruits [except citrus fruits; grapes; olives; peach]	0.5
FB	0269	Grapes	T2
FI	0341	Kiwifruit	0.5
MM	0095	Meat [mammalian] [in the fat]	0.7
ML	0106	Milks [in the fat]	0.5
OC	0305	Olive oil, crude	2
HH	0740	Parsley	*0.05
FS	0247	Peach	0.7
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VA	0388	Shallot	T0.5

COMPOUND		FOOD	MRL (mg/kg)
VA	0389	Spring onion	T0.5
GS	0659	Sugar cane	0.5
VO	0447	Sweet corn (corn-on-the-cob)	0.7
TN	0085	Tree nuts	0.1
OC	0172	Vegetable oils, crude [except olive oil, crude]	0.1
		Vegetables	0.7
Dicamba			
GC	0080	Cereal grains	*0.05
MO	0105	Edible offal (mammalian)	0.05
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	0.05
ML	0106	Milks	0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GS	0659	Sugar cane	0.1
DM	0659	Sugar cane molasses	2
Dichlobenil			
FB	0020	Blueberries	T1
FC	0001	Citrus fruits	0.1
FB	0021	Currants, Black, Red, White	T1
FB	0268	Gooseberry	T1
FB	0269	Grapes	0.1
FP	0009	Pome fruits	0.1
FB	0272	Raspberries, Red, Black	T1
FS	0012	Stone fruits	0.1
VO	0448	Tomato	0.1
Dichlofluanid			
FB	0018	Berries and other small fruits [except grapes and strawberries]	T50
FB	0269	Grapes	0.5
SO	0697	Peanut	*0.02
FB	0275	Strawberry	10
VO	0448	Tomato	1

COMPOUND		FOOD	MRL (mg/kg)
Dichlorprop-P			
FC	0001	Citrus fruits	0.2
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.02
MM	0095	Meat (mammalian)	*0.02
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.02
Dichlorvos			
GC	0080	Cereal grains	5
SB	0715	Cacao beans [cocoa beans]	5
SB	0716	Coffee beans	2
MO	0105	Edible offal (mammalian)	0.05
PE	0112	Eggs	0.05
		Fruits	0.1
VD	0533	Lentil (dry)	2
VL	0482	Lettuce, Head	1
VL	0483	Lettuce, Leaf	1
MM	0095	Meat [mammalian]	0.05
ML	0106	Milks	0.02
VO	0450	Mushrooms	0.5
SO	0697	Peanut	2
PO	0111	Poultry, Edible offal of	0.05
PM	0110	Poultry meat	0.05
SO	0495	Rape seed	T0.1
CM	1206	Rice bran, unprocessed	10
VD	0541	Soya bean (dry)	2
VO	0448	Tomato	0.5
TN	0085	Tree nuts	2
		Vegetables [except lentil (dry); lettuce, head; lettuce, leaf; soya bean (dry)]	0.5
CM	0654	Wheat bran, unprocessed	10
CF	1210	Wheat germ	10

COMPOUND		FOOD	MRL (mg/kg)
Diclofop-methyl			
GC	0080	Cereal grains	0.1
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VD	0545	Lupin (dry)	0.1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
SO	0088	Oilseed	0.1
VP	0063	Peas	0.1
SO	0698	Poppy seed	0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
Dicloran			
VP	0061	Beans, except broad bean and soya bean	20
VP	0522	Broad bean (green pods and immature seeds)	20
FB	0018	Berries and other small fruits [except grapes]	20
VR	0577	Carrot	15
FB	0269	Grapes	10
VL	0482	Lettuce, Head	20
VL	0483	Lettuce, Leaf	20
VA	0385	Onion, Bulb	20
FS	0012	Stone fruits	15
VR	0508	Sweet potato	20
VO	0448	Tomato	20
Dicofol			
TN	0660	Almonds	5
SO	0691	Cotton seed	0.1
VC	0424	Cucumber	2
		Fruits (except strawberry)	5
VC	0425	Gherkin	2
DH	1100	Hops, dry	5
FB	0275	Strawberry	1
DT	1114	Tea, Green, Black	5

COMPOUND		FOOD	MRL (mg/kg)
VO	0448	Tomato	1
		Vegetables [except cucumber; gherkin; tomato]	5
Dicyclanil			
MF	0822	Sheep fat	0.3
MO	1288	Sheep kidney	0.3
MO	1289	Sheep liver	0.3
MM	0822	Sheep meat	0.3
Dieldrin see Aldrin and Dieldrin			
Difenoconazole			
VS	0621	Asparagus	*0.05
FI	0326	Avocado	0.5
FI	0327	Banana	*0.02
VR	0574	Beetroot	T0.2
VR	0578	Celeriac	T0.5
VS	0624	Celery	T5
GC	0080	Cereal grains	*0.01
VR	0577	Carrot	0.2
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
TN	0669	Macadamia nuts	*0.01
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.01
HH	0740	Parsley	T*0.01
FI	0350	Papaya [pawpaw]	1
FP	0009	Pome fruits	0.3
VR	0589	Potato	*0.02
PM	0110	Poultry meat	*0.05
PO	0111	Poultry, Edible offal of	*0.05
VO	0448	Tomato	0.5
Diflubenzuron			
GC	0080	Cereal grains	T2
MO	0812	Cattle, Edible offal of	*0.02
MM	0812	Cattle meat [in the fat]	*0.02

COMPOUND		FOOD	MRL (mg/kg)
ML	0812	Cattle milk	0.05
VO	0450	Mushrooms	0.1
MO	1288	Sheep, kidney	0.05
MO	1289	Sheep, liver	0.05
MM	0822	Sheep meat [in the fat]	0.05
ML	0822	Sheep milk	0.05
CM	0654	Wheat bran, unprocessed	T5
Diflufenican			
GC	0640	Barley	0.05
MO	0105	Edible offal (mammalian)	0.1
PE	0112	Eggs	*0.02
FB	0269	Grapes	*0.002
MM	0095	Meat [mammalian]	0.01
ML	0106	Milks	0.01
GC	0647	Oats	0.05
VP	0063	Peas	0.05
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
VD	0070	Pulses	0.05
GC	0650	Rye	0.05
GC	0653	Triticale	0.05
GC	0654	Wheat	0.02
Dimethenamid-P			
VP	0526	Common bean	*0.02
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
GC	0645	Maize	*0.02
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
VP	0063	Peas	*0.02
SO	0698	Poppy seed	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01

COMPOUND		FOOD	MRL (mg/kg)
VD	0070	Pulses	*0.02
VC	0429	Pumpkins	*0.02
SO	0495	Rape seed [canola]	T*0.01
VO	0447	Sweet corn (corn-on-the-cob)	*0.02
Dimethipin			
SO	0691	Cotton seed	0.5
OC	0691	Cotton seed oil, crude	*0.1
OR	0691	Cotton seed oil, refined	*0.1
ML	0106	Milks	*0.01
MM	0095	Meat [mammalian]	*0.01
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.02
PM	0110	Poultry meat	*0.01
PO	0111	Poultry, Edible offal of	*0.01
Dimethirimol			
VC	0045	Fruiting vegetables, Cucurbits	1
Dimethoate see also Omethoate			
		Abiu	5
VS	0620	Artichoke, globe	T1
VS	0621	Asparagus	0.02
FI	0030	Assorted tropical and sub-tropical fruits – inedible peel [except Avocado; Mango]	5
FI	0326	Avocado	3
		Banana passionfruit	5
VR	0574	Beetroot	T*0.1
FB	0264	Blackberries	T5
VB	0400	Broccoli	T0.3
VB	0041	Cabbages, Head	T0.2
		Cactus fruit	5
VR	0577	Carrot	T0.3
VB	0404	Cauliflower	T0.3
VS	0624	Celery	T0.5
GC	0080	Cereal grains	T0.5

COMPOUND		FOOD	MRL (mg/kg)
FC	0001	Citrus fruits	5
MO	0105	Edible offal (Mammalian)	0.1
PE	0112	Eggs	*0.05
FB	0269	Grapes	T*0.1
VP	0060	Legume vegetables	T2
FI	0345	Mango	1
MM	0095	Meat [mammalian]	*0.05
VC	0046	Melons, except Watermelon	T5
ML	0106	Milks	*0.05
SO	0088	Oilseed except peanut	T0.1
VA	0385	Onion, Bulb	0.7
VR	0588	Parsnip	T0.3
SO	0697	Peanut	T*0.05
VO	0444	Peppers, Chili	T5
		Peppers, Chili, other cultivars	T5
VO	0445	Peppers, Sweet [capsicums]	0.7
VR	0589	Potato	0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	T0.5
VR	0494	Radish	T3
FB	0272	Raspberries, Red, Black	T5
VS	0627	Rhubarb	0.7
		Rollinia	5
		Santols	5
VC	0431	Squash, Summer [Zucchini]	0.7
FS	0012	Stone fruits	T*0.02
VO	0447	Sweet corn (corn-on-the-cob)	T0.3
VR	0508	Sweet potato	0.1
VO	0448	Tomato	0.02
VR	0506	Turnip, Garden	*0.2
FB	0019	Vaccinium berries, including Bearberry	T5
VC	0432	Watermelon	T5

COMPOUND		FOOD	MRL (mg/kg)
CF	0654	Wheat bran, processed	T1
Dimethomorph			
VL	0054	Brassica leafy vegetables	T2
MO	0105	Edible offal (mammalian)	*0.01
VC	0045	Fruiting vegetables, cucurbits	0.5
FB	0269	Grapes	2
VL	0053	Leafy vegetables (except head lettuce)	T2
VA	0384	Leek	0.5
VL	0482	Lettuce, head	0.3
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
VA	0385	Onion, bulb	0.05
VP	0063	Peas	1
SO	0698	Poppy seed	*0.02
VR	0589	Potato	*0.02
VA	0388	Shallot	0.5
Dinitolmide			
PO	0111	Poultry, Edible offal of	6
PF	0111	Poultry fats	2
PM	0110	Poultry meat	3
Dinitro-o-toluamide see Dinitolmide			
Diphenylamine			
FP	0226	Apple	10
MO	0105	Edible offal (mammalian)[except liver]	*0.01
PE	0112	Eggs	0.05
MM	0099	Liver of cattle, goats, sheep and pigs	0.05
MM	0095	Meat (mammalian)[in the fat]	*0.01
ML	0106	Milks [in the fat]	*0.01
FP	0230	Pear	7
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
Diquat			
		Anise myrtle leaves	T0.5

COMPOUND		FOOD	MRL (mg/kg)
GC	0640	Barley	5
VP	0061	Beans, except broad bean and soya bean	1
VP	0522	Broad bean (green pods and immature seeds)	1
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.01
		Fruits	*0.05
DH	1100	Hops, dry	0.2
		Lemon myrtle leaves	T0.5
SO	0693	Linseed	*0.01
GC	0645	Maize	0.1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.01
		Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5
GC	0647	Oats	5
SO	0088	Oilseed [except linseed and poppy seed]	5
VA	0385	Onion, Bulb	0.1
VP	0063	Peas	0.1
SO	0698	Poppy seed	0.5
VR	0589	Potato	0.2
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	1
GC	0649	Rice	5
CM	1205	Rice, polished	1
GC	0650	Rye	2
GC	0651	Sorghum	2
VR	0596	Sugar beet	0.1
GS	0659	Sugar cane	*0.05
DT	1114	Tea, Green, Black	T0.5
TN	0085	Tree nuts	*0.05
GC	0653	Triticale	2
		Vegetables [except beans; broad bean; lupin (dry); onion, bulb; peas; potato; soya bean (dry); sugar beet]	*0.05
OC	0172	Vegetable oils, crude	1

COMPOUND		FOOD	MRL (mg/kg)
GC	0654	Wheat	2
Disulfoton			
SO	0691	Cotton seed	0.5
MO	0105	Edible offal (mammalian)	0.02
PE	0112	Eggs	*0.02
DH	1100	Hops, dry	0.5
MM	0095	Meat [mammalian]	0.02
ML	0106	Milks	0.01
VR	0589	Potato	0.5
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
		Vegetables	0.5
Dithianon			
		Fruits	2
Dithiocarbamates (mancozeb, metham, metiram, propineb, thiram, zineb and ziram)			
TN	0660	Almonds	3
VS	0621	Asparagus	T1
FI	0327	Banana	2
VP	0061	Beans, except broad bean and soya bean	2
VR	0574	Beetroot	1
FB	0018	Berries and other small fruits [except strawberries]	T10
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassica	2
VP	0522	Broad bean (green pods and immature seeds)	2
VA	0035	Bulb vegetables (except garlic, bulb onions)	T10
VR	0577	Carrot	1
VS	0624	Celery	5
GC	0080	Cereal grains	0.5
FC	0001	Citrus fruits	0.2
TN	0665	Coconut	5
SB	0716	Coffee beans	5
VP	0526	Common bean (pods and/or immature seeds)	2
SO	0691	Cotton seed	10

COMPOUND		FOOD	MRL (mg/kg)
FI	0332	Custard Apple	5
MO	0105	Edible offal (mammalian)	2
PE	0112	Eggs	*0.5
FT	0297	Fig	3
VC	0045	Fruiting vegetables, Cucurbits	2
VO	0050	Fruiting vegetables, other than cucurbits [except roselle]	3
VA	0381	Garlic	4
HH	0092	Herbs	T5
DH	1100	Hops	T10
VL	0053	Leafy vegetables	5
FI	0343	Litchi	5
TN	0669	Macadamia nuts	*0.2
FI	0345	Mango	5
MM	0095	Meat [mammalian]	*0.5
ML	0106	Milks	*0.2
VA	0385	Onion, Bulb	4
FI	0350	Papaya	5
HH	0740	Parsley	5
VR	0588	Parsnip	T1
FI	0351	Passion fruit [including Granadilla]	3
SO	0697	Peanut	0.2
VP	0063	Peas (pods and succulent, immature seeds)	2
FT	0307	Persimmon, Japanese	3
TN	0675	Pistachio nut	T3
FP	0009	Pome fruits	3
FI	0355	Pomegranate	3
SO	0698	Poppy seed	*0.2
VR	0589	Potato	1
PM	0110	Poultry meat	*0.5
PO	0111	Poultry, Edible offal of	*0.5
VD	0070	Pulses	0.5
VR	0494	Radish	T1
VS	0627	Rhubarb	2

COMPOUND		FOOD	MRL (mg/kg)
VO	0446	Roselle [Rosella]	5
FS	0012	Stone fruits	3
FB	0275	Strawberry	3
SO	0702	Sunflower seed	T*0.05
VR	0497	Swede	T1
FT	0312	Tree tomato	T5
VR	0506	Turnip, Garden	T1
TN	0678	Walnuts	T*0.2
		Wasabi	T2
Diuron			
VS	0621	Asparagus	2
GC	0080	Cereal grains	0.1
OC	0691	Cotton seed oil, crude	0.5
MO	0105	Edible offal (mammalian)	3
		Fruits	0.5
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks	0.1
SO	0088	Oilseed	0.5
VD	0070	Pulses	*0.05
GS	0659	Sugar cane	0.2
Dodine			
FP	0009	Pome fruits	5
FS	0012	Stone fruits	*0.05
Doramectin			
MO	0812	Cattle, Edible offal of	0.1
MF	0812	Cattle fat	0.1
MM	0812	Cattle meat	0.01
ML	0812	Cattle milk	0.05
MO	1284	Pig, kidney	0.03
MO	1285	Pig, liver	0.05
MM	0818	Pig meat [in the fat]	0.1
MO	0822	Sheep, Edible offal of	0.05
MF	0822	Sheep fat	0.10

COMPOUND		FOOD	MRL (mg/kg)
MM	0822	Sheep meat	0.02
2,2-DPA			
FI	0326	Avocado	*0.1
FI	0327	Banana	*0.1
GC	0080	Cereal grains	*0.1
FC	0001	Citrus fruits	*0.1
SO	0691	Cotton seed	*0.1
FB	0021	Currants, Black, Red, White	15
MO	0105	Edible offal (mammalian)	0.2
FB	0269	Grapes	3
MM	0095	Meat [mammalian]	0.2
ML	0106	Milks	*0.1
FI	0350	Papaya [pawpaw]	*0.1
TN	0672	Pecan	*0.1
FP	0009	Pome fruits	*0.1
FS	0012	Stone fruits	1
GS	0659	Sugar cane	*0.1
SO	0702	Sunflower seed	*0.1
		Vegetables	*0.1

E

COMPOUND		FOOD	MRL (mg/kg)
EDC see Ethylene dichloride			
Enamectin			
		Bergamont	T0.05
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
VL	0054	Brassica leafy vegetables	T0.3
VL	0465	Chervil	T0.05
		Coriander (leaves, stem, roots)	T0.05
HS	0779	Coriander seed	T0.05
SO	0691	Cotton seed	0.005
HS	0730	Dill seed	T0.05
MO	0105	Edible offal (mammalian)	0.01

COMPOUND		FOOD	MRL (mg/kg)
HS	0731	Fennel seed	T0.05
FB	0269	Grapes	*0.002
HH	0092	Herbs	T0.05
		Kaffir lime leaves	T0.05
		Lemon grass	T0.05
DT	1111	Lemon verbena (fresh weight)	T0.05
VL	0482	Lettuce, Head	0.2
VL	0483	Lettuce, Leaf	0.2
MM	0095	Meat (mammalian)	*0.002
ML	0106	Milks	*0.0005
		Mizuna	T0.05
VO	0445	Peppers, sweet [Capsicums]	0.01
SO	0495	Rape seed [canola]	*0.005
VL	0496	Rucola (rocket)	T0.05
HH	4731	Salad burnett	T0.05
FB	0275	Strawberry	T0.1
VO	0447	Sweet corn (corn-on-the-cob)	*0.002
VO	0448	Tomato	0.01
Endosulfan			
FI	0030	Assorted tropical and sub-tropical fruits – inedible peel	2
VB	0400	Broccoli	1
VB	0041	Cabbage, Head	1
VB	0404	Cauliflower	1
GC	0080	Cereal grains	0.1
FC	0001	Citrus fruits	0.3
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	0.02
VC	0045	Fruiting vegetables, cucurbits	1
VO	0050	Fruiting vegetables, other than cucurbits	1
MM	0095	Meat (mammalian)[in the fat]	0.2
ML	0106	Milks	0.02
SO	0088	Oilseed	1
FP	0009	Pome fruits	1

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	0.05
VD	0070	Pulses	*0.1
VR	0075	Root and tuber vegetables	0.5
FB	0275	Strawberry	T0.5
VS	0078	Stalk and stem vegetables	1
TN	0085	Tree nuts	0.05
Endothal			
SO	0691	Cotton seed	0.1
VR	0589	Potato	0.1
Enilconazole see Imazalil			
Epoxiconazole			
FI	0326	Avocado	0.5
FI	0327	Banana	1
GC	0080	Cereal grains	0.05
MO	0105	Edible offal (mammalian)	0.05
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.005
PM	0110	Poultry meat [in the fat]	*0.01
PO	0111	Poultry, Edible offal of	*0.01
GC	0654	Wheat	0.05
CM	0654	Wheat bran, unprocessed	0.3
CF	1210	Wheat germ	0.2
Eprinomectin			
ML	0812	Cattle milk	0.03
MM	0812	Cattle meat	0.1
MF	0812	Cattle fat	0.5
MO	0812	Cattle, Edible offal of	2
MM	0813	Deer Meat	0.1
		Deer, edible offal of	2
EPTC			
GC	0080	Cereal grains	*0.04

COMPOUND		FOOD	MRL (mg/kg)
MM	0105	Edible offal (mammalian)	*0.1
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
SO	0088	Oilseed	0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
		Vegetables	*0.04
Erythromycin			
MO	0105	Edible offal (mammalian)	*0.3
MM	0095	Meat [mammalian]	*0.3
ML	0106	Milks	*0.04
PO	0111	Poultry, Edible offal of	*0.3
PM	0110	Poultry meat	*0.3
Esfenvalerate see Fenvalerate			
Ethephon			
FP	0226	Apple	1
GC	0640	Barley	1
FS	0013	Cherries	15
SO	0691	Cotton seed	2
OC	0691	Cotton seed oil, crude	*0.1
FB	0278	Currant, Black	1
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	*0.2
FB	0269	Grapes	10
FI	0341	Kiwifruit	0.1
TN	0669	Macadamia nuts	*0.1
FC	0003	Mandarins	2
FI	0345	Mango	T10
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks	0.1
FS	0245	Nectarine	0.01
FT	0305	Olives	T7

COMPOUND		FOOD	MRL (mg/kg)
FC	0004	Oranges, Sweet, Sour	2
FS	0247	Peach	0.5
FI	0353	Pineapple	2
PM	0110	Poultry meat	*0.1
PO	0111	Poultry, Edible offal	*0.2
GS	0659	Sugar cane	0.5
DM	0659	Sugar cane molasses	7
VO	0448	Tomato	2
TN	0678	Walnuts	2
GC	0654	Wheat	T1
Ethion			
MO	0812	Cattle, Edible offal of	2.5
MM	0812	Cattle meat [in the fat]	2.5
FC	0001	Citrus fruits	1
SO	0691	Cotton seed	0.1
OC	0691	Cotton seed oil, crude	0.05
FB	0269	Grapes	2
ML	0106	Milks [in the fat]	0.5
FP	0009	Pome fruits	1
FS	0012	Stone fruits	1
DT	1114	Tea, Green, Black	5
Ethofumesate			
VR	0574	Beetroot	0.1
VA	0035	Bulb vegetables	*0.1
VL	0464	Chard [silver beet]	1
MO	0105	Edible offal (mammalian)	0.5
MM	0095	Meat [mammalian] [in the fat]	0.5
ML	0106	Milks [in the fat]	0.2
SO	0698	Poppy seed	*0.02
VL	0502	Spinach	T1
VR	0596	Sugar beet	0.1
Ethopabate			
PO	0111	Poultry, Edible offal of	15

COMPOUND		FOOD	MRL (mg/kg)
PM	0110	Poultry meat	5
Ethoprophos			
FI	0327	Banana	*0.05
GC	0080	Cereal grains	*0.005
FI	0332	Custard apple	*0.02
FI	0343	Litchi	*0.02
VR	0589	Potato	*0.02
GS	0659	Sugar cane	*0.1
VR	0508	Sweet potato	*0.02
VO	0448	Tomato	*0.01
Ethoxyquin			
FP	0226	Apple	3
FP	0230	Pear	3
Ethoxysulfuron			
MO	0105	Edible offal (mammalian)	*0.05
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.01
GS	0659	Sugar cane	*0.01
Ethyl formate			
DF	0167	Dried fruits	1
Ethylene dichloride			
GC	0080	Cereal grains	*0.1
Etoxazole			
FI	0327	Banana	0.2
VL	0465	Chervil	T1
FC	0001	Citrus fruits	0.2
		Coriander (leaves, stems and roots)	T1
SO	0691	Cotton seed	0.2
DF	0269	Dried grapes (=Currants, Raisins and Sultanas)	0.7
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
VO	0050	Fruiting vegetables, other than Cucurbits	0.05
FB	0269	Grapes	0.2

COMPOUND		FOOD	MRL (mg/kg)
HH	0092	Herbs	T1
MM	0095	Meat [mammalian] [in the fat]	*0.02
ML	0106	Milks	*0.01
		Mizuna	T1
VP	0538	Podded pea (young pods)[snow and sugar snap]	T*0.02
FP	0009	Pome fruits	0.2
PM	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.02
VL	0496	Rucola [Rocket]	T1
FS	0012	Stone fruits [except cherries]	0.3
Etridiazole			
VR	0574	Beetroot	*0.02
		Cotton seed	*0.02
SO	0697	Peanut	*0.02
		Vegetables (except beetroot)	0.2

F

COMPOUND		FOOD	MRL (mg/kg)
Fenamiphos			
		Aloe vera	1
FI	0327	Banana	*0.05
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
VS	0624	Celery	*0.05
FC	0001	Citrus fruits	*0.05
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VC	0045	Fruiting vegetables, Cucurbits	*0.05
HS	0784	Ginger, root	*0.05
FB	0269	Grapes	*0.05
VL	0053	Leafy vegetables [except Lettuce, Head; Lettuce, Leaf]	*0.05
VL	0482	Lettuce, Head	0.2
VL	0483	Lettuce, Leaf	0.2
MM	0095	Meat [mammalian]	*0.05

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	*0.005
VO	0450	Mushrooms	0.1
VA	0385	Onion, Bulb	*0.05
SO	0697	Peanut	*0.05
FI	0353	Pineapple	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VR	0075	Root and tuber vegetables	0.2
FB	0275	Strawberry	0.2
GS	0659	Sugar cane	*0.05
VO	0448	Tomato	0.5
Fenarimol			
FB	0018	Berries and other small fruits [except grapes]	T0.1
VC	0045	Fruiting vegetables, Cucurbits	0.2
FB	0269	Grapes	0.1
FP	0009	Pome fruits	0.2
Fenbendazole			
MO	0812	Cattle, Edible offal of	*0.1
MM	0812	Cattle meat	*0.1
MO	0814	Goat, Edible offal of	0.5
MM	0814	Goat meat	0.5
ML	0106	Milks	0.1
MO	0822	Sheep, Edible offal of	0.5
MM	0822	Sheep meat	0.5
Fenbuconazole			
FI	0327	Banana	0.5
MO	0105	Edible offal (mammalian)	0.05
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
FS	0245	Nectarine	0.5
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01

COMPOUND		FOOD	MRL (mg/kg)
FS	0012	Stone fruits [except nectarine]	T1
GC	0654	Wheat	*0.01
Fenbutatin oxide			
FI	0030	Assorted tropical and sub-tropical fruits — inedible peel	5
FB	0018	Berries and other small fruits, except grapes (excluding Wine-grapes)	1
FC	0001	Citrus fruits	5
		Citrus peel	30
DF	0269	Dried grapes	T10
FT	0297	Fig	T10
FB	0269	Grapes (excluding Wine-grapes)	T3
DH	1100	Hops, dry	20
FS	0245	Nectarine	3
FS	0247	Peach	3
FP	0009	Pome fruits	3
VO	0448	Tomato	T2
Fenhexamid			
FB	0264	Blackberries	T20
VL	0465	Chervil	T15
FB	0277	Cloudberry	T20
		Coriander (leaves, stems and roots)	T15
VC	0424	Cucumber	T7
FB	0266	Dewberries (including Boysenberry and Loganberry)	T20
DF	0269	Dried grapes	20
MO	0105	Edible offal (mammalian)	2
FB	0269	Grapes	10
HH	0092	Herbs	T15
VL	0482	Lettuce, Head	T30
VL	0483	Lettuce, Leaf	T30
MM	0095	Meat (mammalian)[in the fat]	*0.05
ML	0106	Milks	*0.01
		Mizuna	T15
VO	0445	Peppers, Sweet [capsicum]	T20
FB	0272	Raspberries, Red, Black	T20

COMPOUND		FOOD	MRL (mg/kg)
VL	0496	Rucola [Rocket]	T15
FB	0275	Strawberries	10
Fenitrothion			
GC	0080	Cereal grains	10
MO	0105	Edible offal (mammalian)	T*0.05
PE	0112	Eggs	*0.05
		Fruits	1
MM	0095	Meat (mammalian) [in the fat]	T*0.05
ML	0106	Milks [in the fat]	T*0.05
SO	0088	Oilseeds	T0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	T0.1
CM	1206	Rice bran unprocessed	T20
		Vegetables	0.5
CM	0654	Wheat bran, unprocessed	20
CF	1210	Wheat germ	20
Fenoxaprop-ethyl			
GC	0640	Barley	*0.01
VD	0524	Chick-pea (dry)	*0.01
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	*0.02
MM	0095	Meat [mammalian]	0.05
ML	0106	Milks	0.02
MO	0111	Poultry, Edible offal of	*0.1
MM	0110	Poultry meat	*0.01
GC	0649	Rice	T*0.02
GC	0650	Rye	*0.01
GC	0653	Triticale	*0.01
GC	0654	Wheat	*0.01
Fenoxycarb			
FB	0278	Currant, Black	T2
FB	0279	Currants, Red	T2

COMPOUND		FOOD	MRL (mg/kg)
FB	0268	Gooseberry	T2
FT	0305	Olives	T1
OC	0305	Olive oil, virgin	T3
FP	0009	Pome fruits	2
Fenpyroximate			
FP	0226	Apple	0.3
FP	0230	Pear	0.3
Fenthion			
FS	0240	Apricot	T0.20
FI	0030	Assorted tropical and sub-tropical fruits — inedible peel	5
MO	0812	Cattle, Edible offal of	1
MM	0812	Cattle meat	1
FS	0013	Cherries	T0.40
FC	0001	Citrus fruits	T0.7
PE	0112	Eggs	*0.05
FB	0269	Grapes	T0.2
VC	0046	Melons, except Watermelon	T3
ML	0106	Milks	T0.2
FS	0245	Nectarine	T0.25
FT	0305	Olives	T0.2
OC	0305	Olive oil, crude	T0.5
FS	0247	Peach	T0.20
VO	0444	Peppers, Chili	T7
		Peppers, Chili, other cultivars	T7
VO	0445	Peppers, Sweet [capsicums]	T0.5
FT	0307	Persimmon, Japanese	T0.3
FS	0014	Plums	T0.25
FP	0009	Pome fruits	T0.25
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
MO	0818	Pig, Edible offal of	0.5
MM	0818	Pig meat	0.5
MO	0822	Sheep, Edible offal of	0.2

COMPOUND		FOOD	MRL (mg/kg)
MM	0822	Sheep meat	0.2
VC	0432	Watermelon	T3
Fentin			
SB	0715	Cacao beans [cocoa beans]	*0.1
VR	0577	Carrot	0.2
VR	0578	Celeriac	0.1
VS	0624	Celery	1
SB	0716	Coffee beans	*0.1
SO	0697	Peanut	*0.05
TN	0672	Pecan	*0.05
VR	0589	Potato	0.1
GC	0649	Rice	*0.1
VR	0596	Sugar beet	0.2
Fenvalerate			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
VL	0054	Brassica leafy vegetables	1
VS	0624	Celery	2
GC	0080	Cereal grains	2
DF	0269	Dried grapes (= Currants, Raisins and Sultanas)	0.5
MO	0105	Edible offal (mammalian)	0.05
PE	0112	Eggs	0.02
FB	0269	Grapes	0.1
VP	0060	Legume vegetables	0.5
MM	0095	Meat (mammalian)[in the fat]	1
ML	0106	Milks	0.2
SO	0089	Oilseed, except peanut	0.5
SO	0697	Peanut	T0.1
FP	0009	Pome fruits	1
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat [in the fat]	0.05
VD	0070	Pulses	0.5
FS	0012	Stone fruits	1
FB	0275	Strawberry	1

COMPOUND		FOOD	MRL (mg/kg)
VO	0447	Sweet corn (corn-on-the-cob)	0.05
VO	0448	Tomato	0.2
CM	0654	Wheat bran, unprocessed	5
Fipronil			
VS	0621	Asparagus	0.2
FI	0030	Assorted tropical and sub-tropical fruits - inedible peel [except banana and custard apple]	T*0.01
FI	0327	Banana	*0.01
		Bergamont	T0.1
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.05
VL	0465	Chervil	T0.1
FC	0001	Citrus fruits	T*0.01
		Coriander (leaves, stem, roots)	T0.1
HS	0779	Coriander seed	T0.1
SO	0691	Cotton seed	*0.01
OC	0691	Cotton seed oil, crude	*0.01
FI	0332	Custard apple	T0.05
HS	0730	Dill seed	T0.1
MO	0105	Edible offal (mammalian)	0.02
PE	0112	Eggs	0.02
HS	0731	Fennel seed	T0.1
HS	0784	Ginger, root	*0.01
FB	0269	Grapes (except Wine-grapes)	T*0.01
HH	0092	Herbs	T0.1
		Honey	T0.05
		Kaffir lime leaves	T0.1
		Lemon grass	T0.1
DT	1111	Lemon verbena (fresh weight)	T0.1
MM	0095	Meat [mammalian] [in the fat]	0.1
ML	0106	Milks	0.01
		Mizuna	T0.1
VO	0450	Mushrooms	0.02
SO	0697	Peanut	T*0.01

COMPOUND		FOOD	MRL (mg/kg)
OC	0697	Peanut oil, crude	T*0.01
TN	0672	Pecan	T*0.01
VO	0455	Peppers, Sweet [Capsicum]	T0.1
FI	0353	Pineapple	T*0.01
FP	0009	Pome fruit	T*0.01
SO	0698	Poppy seed	*0.01
VR	0589	Potato	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	0.02
SO	0495	Rape seed	*0.01
GC	0649	Rice	*0.005
VL	0496	Rucola (rocket)	T0.1
HH	4731	Salad burnett	T0.1
GC	0651	Sorghum	0.01
FS	0012	Stone fruits	T*0.01
GS	0659	Sugar cane	*0.01
SO	0702	Sunflower seed	*0.01
VR	0497	Swede	0.1
VR	0508	Sweet Potato	*0.01
VR	0506	Turnip, Garden	0.1
FB	1236	Wine-grapes	*0.01
Flamprop-methyl			
MO	0105	Edible offal (mammalian)	*0.01
VD	0545	Lupin (dry)	0.05
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
SO	0699	Safflower seed	*0.05
GC	0653	Triticale	0.05
GC	0654	Wheat	0.05
Flamprop-m-methyl see Flamprop-methyl			
Flavophospholipol			
MF	0812	Cattle fat	*0.01
MO	1280	Cattle kidney	*0.01

COMPOUND		FOOD	MRL (mg/kg)
MO	1281	Cattle liver	*0.01
MM	0812	Cattle meat	*0.01
ML	0812	Cattle milk	T*0.01
PE	0112	Eggs	*0.02
Florasulam			
GC	0080	Cereal grains	*0.01
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
Florfenicol			
MO	1280	Cattle kidney	0.5
MO	1281	Cattle liver	3
MM	0812	Cattle meat	0.3
		Fish muscle	T0.5
		Pig fat/skin	1
MO	1284	Pig kidney	1
MO	1285	Pig liver	3
MM	0818	Pig meat	0.5
Fluazifop-p-butyl see Fluazifop-butyl			
Fluazifop-butyl			
FI	0030	Assorted tropical and sub-tropical fruits — inedible peel [except avocado and banana]	0.05
FI	0326	Avocado	*0.02
FI	0327	Banana	*0.02
FB	0018	Berries and other small fruits	0.2
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
VS	0624	Celery	*0.02
		Chia	T2
FC	0001	Citrus fruit	*0.02
		Coriander (leaves, roots and stems)	T2

COMPOUND		FOOD	MRL (mg/kg)
FT	0295	Date	T0.2
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VC	0045	Fruiting vegetables, Cucurbits	0.1
VA	0381	Garlic	0.05
HS	0784	Ginger, root	0.05
HH	0092	Herbs	T2
DH	1100	Hops, dry	0.05
VL	0053	Leafy vegetables [except Lettuce, Head]	T2
VA	0384	Leek	T0.5
VP	0060	Legume vegetables	0.1
VL	0482	Lettuce, Head	0.05
VD	0545	Lupin (dry)	0.1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	0.1
SO	0088	Oilseed	0.5
VA	0385	Onion, Bulb	0.05
VA	0387	Onion, Welsh	0.05
VO	0445	Peppers, Sweet [capsicums]	*0.02
FP	0009	Pome fruits	*0.01
VR	0589	Potato	0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	0.5
VR	0075	Root and tuber vegetables [except Potato; Sweet potato]	T1
VA	0388	Shallot	0.05
VA	0389	Spring Onion	0.05
FS	0012	Stone fruits	0.05
GS	0659	Sugar cane	T*0.1
VR	0508	Sweet potato	T0.1
DT	1114	Tea, Green, Black	T50
VO	0448	Tomato	0.1

COMPOUND		FOOD	MRL (mg/kg)
Fluazinam			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.01
FP	0009	Pome fruits	*0.01
FB	1236	Wine-grapes	*0.05
Fluazuron			
MO	0812	Cattle, Edible offal of	0.5
MM	0812	Cattle meat [in the fat]	7
Flubendiamide			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
		Chia	1
VP	0526	Common bean (pods and/or immature seeds)	T2
SO	0691	Cotton seed	0.5
MO	0105	Edible offal (mammalian)	0.03
PE	0112	Eggs	*0.01
VC	0045	Fruiting vegetables, Cucurbits	0.2
VO	0050	Fruiting vegetables, other than Cucurbits [except Sweet corn (corn-on-the-cob)]	2
HH	0092	Herbs	20
VL	0053	Leafy vegetables [except Lettuce, Head]	10
VL	0482	Lettuce, Head	5
MM	0095	Meat [mammalian][in the fat]	0.05
ML	0106	Milks	*0.01
FM	0183	Milk fats	0.05
VR	0589	Potato	*0.02
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
VR	0075	Root and tuber vegetables [except Potato]	0.2
VS	0078	Stalk and stem vegetables	5
VL	0447	Sweet corn (corn-on-the-cob)	T*0.05
Flucythrinate			
SO	0691	Cotton seed	*0.1
OC	0691	Cotton seed oil, crude	*0.1

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
Fludioxonil			
FS	0240	Apricot	10
FB	0264	Blackberries	T5
VB	0400	Broccoli	T0.7
FC	0001	Citrus fruits	10
FB	0277	Cloudberry	T5
SO	0691	Cotton seed	*0.05
VC	0424	Cucumber	T0.3
FB	0266	Dewberries (including Boysenberry and Loganberry)	T5
MO	0105	Edible offal (mammalian)	*0.05
VO	0440	Egg plant	T0.2
FB	0269	Grapes	2
FI	0341	Kiwifruit	15
VL	0482	Lettuce, Head	T10
VL	0483	Lettuce, Leaf	T10
GC	0645	Maize	*0.02
FI	0345	Mango	T3
MM	0095	Meat (mammalian)	*0.01
VC	0046	Melons, except watermelon	T0.2
ML	0106	Milks	*0.01
VA	0385	Onion, Bulb	T0.5
FS	0247	Peach	10
SO	0697	Peanut	T*0.01
VP	0063	Peas	T2
VO	0445	Peppers, Sweet (capsicum)	T2
TN	0675	Pistachio nut	T0.2
FP	0009	Pome fruits	5

COMPOUND		FOOD	MRL (mg/kg)
VR	0589	Potato	0.02
SO	0495	Rape seed [canola seed]	*0.01
FB	0272	Raspberries, Red, Black	T5
GC	0651	Sorghum	*0.01
FS	0012	Stone fruits [except apricots and peaches]	5
FB	0275	Strawberry	T5
SO	0702	Sunflower seed	T*0.02
VO	0447	Sweet corn (corn-on-the-cob)	*0.02
Flumethrin			
MO	0812	Cattle, Edible offal of	0.05
MM	0812	Cattle meat [in the fat]	0.2
		Honey	T*0.005
MO	0816	Horse, Edible offal of	0.1
MM	0816	Horse meat	0.1
ML	0106	Milks	0.05
Flumetsulam			
GC	0640	Barley	*0.05
MO	0105	Edible offal (Mammalian)	0.3
PE	0112	Eggs	*0.1
VP	0528	Garden pea	*0.1
GC	0645	Maize	*0.05
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
GC	0647	Oats	*0.05
SO	0697	Peanut	*0.05
MO	0111	Poultry, Edible offal of	*0.1
MM	0110	Poultry meat	*0.1
VD	0070	Pulses	*0.05
GC	0650	Rye	*0.05
GC	0653	Triticale	*0.05
GC	0654	Wheat	*0.05
Flumiclorac-pentyl			
SO	0691	Cotton seed	0.1

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat (Mammalian)	*0.01
ML	0106	Milks	*0.01
PM	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
Flumioxazin			
GC	0080	Cereal grains	*0.05
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
SO	0088	Oilseed	*0.1
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
VD	0070	Pulses	*0.1
Flunixin			
MO	1280	Cattle kidney	0.02
MO	1281	Cattle liver	0.02
MM	0812	Cattle meat [in the fat]	0.02
Fluometuron			
GC	0080	Cereal grains	*0.1
FC	0001	Citrus fruits	0.5
SO	0691	Cotton seed	*0.1
FI	0353	Pineapple	*0.1
Flupropanate			
MO	0105	Edible offal (mammalian)	*0.1
MM	0095	Meat [mammalian] [in the fat]	*0.1
ML	0106	Milks	0.1
Fluquinconazole			
GC	0640	Barley	*0.02
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	*0.02

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat (mammalian) [in the fat]	0.5
ML	0106	Milks	*0.02
FP	0009	Pome fruits	0.3
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat [in the fat]	*0.02
SO	0495	Rape seed	*0.01
GC	0654	Wheat	*0.02
Fluroxypyr			
GC	0080	Cereal grains	0.2
MO	0105	Edible offal (Mammalian)[except kidney]	0.1
PE	0112	Eggs	*0.01
		Kidney (Mammalian)	1
MM	0095	Meat (Mammalian)[in the fat]	0.1
ML	0106	Milks	0.1
MO	0111	Poultry, Edible offal of	*0.05
MM	0110	Poultry meat	*0.05
GS	0659	Sugar cane [in the juice]	0.2
VO	0447	Sweet corn (corn-on-the-cob)	0.2
Flusilazole			
FB	0269	Grapes	0.5
FP	0009	Pome fruits	0.2
GS	0659	Sugar cane	*0.02
Flutolanil			
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat (mammalian)[in the fat]	*0.05
ML	0106	Milks	*0.05
VR	0589	Potato	0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat [in the fat]	*0.05
Flutriafol			
GC	0640	Barley	0.2
GC	0080	Cereal grains (except barley)	*0.02

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (Mammalian)	0.5
PE	0112	Eggs	*0.05
VP	0528	Garden pea (young pods)	*0.01
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal	*0.05
PM	0110	Poultry meat	*0.05
SO	0495	Rape seed	*0.02
GS	0659	Sugar cane	T0.3
Fluvalinate			
FP	0226	Apple	0.1
VS	0621	Asparagus	0.2
VB	0404	Cauliflower	0.5
SO	0691	Cotton seed	0.1
		Honey	T*0.01
FS	0012	Stone fruit	0.05
FB	1235	Table-grapes	0.05
VO	0448	Tomato	0.5
Fluxapyroxad			
		All other foods	0.1
GC	0640	Barley	0.2
CM	0640	Barley bran, unprocessed	0.5
MO	0105	Edible offal (Mammalian)	0.03
PE	0112	Eggs	0.005
MM	0095	Meat (mammalian)[in the fat]	0.05
		Milk fats	0.02
ML	0106	Milks	0.005
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
Forchlorfenuron			
FB	0020	Blueberries	T*0.01
FB	0269	Grapes	*0.01
FI	0341	Kiwifruit	T*0.01

COMPOUND		FOOD	MRL (mg/kg)
FI	0345	Mango	T*0.01
FS	0014	Plums (including prunes)	T*0.01
DF	0014	Prunes	T*0.01
Fosetyl			
FP	0226	Apple	1
FI	0326	Avocado	5
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
FI	0334	Durian	T5
VO	0050	Fruiting vegetables, other than cucurbits	T0.02
VL	0053	Leafy vegetables	T0.2
FS	0247	Peach	1
FI	0353	Pineapple	5

Furathiocarb see [Carbofuran](#)

G

COMPOUND		FOOD	MRL (mg/kg)
Glufosinate and Glufosinate ammonium			
FI	0030	Assorted tropical and sub-tropical fruits - inedible peel	0.2
FB	0018	Berries and other small fruits	0.1
FC	0001	Citrus fruits	0.1
SB	0716	Coffee beans	T*0.05
SO	0691	Cotton seed	3
FT	0295	Date	T0.1
MO	0105	Edible offal (mammalian)	5
PE	0112	Eggs	*0.05
DH	1100	Hops, dry	T1
		Lemon myrtle	T20
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks	*0.05
		Native foods [except lemon myrtle]	T0.1
FT	0305	Olives	*0.1
FP	0009	Pome fruits	*0.1
PO	0111	Poultry, Edible offal of	*0.1

COMPOUND		FOOD	MRL (mg/kg)
PM	0110	Poultry meat	*0.05
SO	0495	Rape seed	*0.05
		Saffron	T*0.05
FS	0012	Stone fruits	*0.05
DT	1114	Tea, Green, Black	T20
VO	0448	Tomato	*0.05
TN	0085	Tree nuts	0.1
Glyphosate			
VD	0560	Adzuki bean (dry)	10
FI	0326	Avocado	*0.05
		Babaco	*0.05
FI	0327	Banana	0.2
GC	0640	Barley	10
FB	0018	Berries and other small fruits	*0.05
VA	0035	Bulb vegetables [alliums]	*0.1
GC	0080	Cereal grains (except sorghum, wheat and barley)	T*0.1
FC	0001	Citrus fruits	0.5
SB	0716	Coffee beans	T0.2
SO	0691	Cotton seed	15
OC	0691	Cotton seed oil, crude	*0.1
VD	0527	Cowpea (dry)	10
FI	0332	Custard apple	*0.05
FT	0295	Date	T2
MO	0105	Edible offal (mammalian)	2
PE	0112	Eggs	*0.05
FT	0297	Fig	*0.05
VC	0045	Fruiting vegetables, Cucurbits	*0.1
VO	0050	Fruiting vegetables, other than Cucurbits	*0.1
		Guar bean (dry)	10
FT	0336	Guava	*0.05
DH	1100	Hops, dry	*0.1
FI	0341	Kiwifruit	*0.05
VL	0053	Leafy vegetables	*0.1

COMPOUND		FOOD	MRL (mg/kg)
VP	0060	Legume vegetables	*0.1
		Lemon myrtle	T20
SO	0693	Linseed	T5
FI	0343	Litchi	0.2
FI	0345	Mango	*0.05
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
		Monstero	*0.05
VD	0536	Mung beans (dry)	10
		Native foods [except lemon myrtle]	T2
SO	0088	Oilseed [except Cotton seed, Linseed; Peanut; Poppy seed; Rape seed; Sunflower seed]	T*0.1
FT	0305	Olives	*0.1
FI	0350	Papaya [pawpaw]	*0.05
FI	0351	Passion fruit	3
SO	0697	Peanut	*0.1
FI	0352	Persimmon, American	*0.05
FT	0307	Persimmon, Japanese	*0.05
FP	0009	Pome fruits	*0.05
SO	0698	Poppy seed	T20
PO	0111	Poultry, Edible offal of	1
PM	0110	Poultry meat	*0.1
VD	0070	Pulses [except soybeans (dry), cowpeas (dry), adzuki beans (dry), mungbeans (dry)]	5
SO	0495	Rape Seed	2
		Rollinia	*0.05
VR	0075	Root and tuber vegetables	*0.1
		Saffron	T*0.05
GC	0651	Sorghum	15
VD	0541	Soya bean (dry)	10
VS	0078	Stalk and stem vegetables	*0.01
FS	0012	Stone fruits	0.2
GS	0659	Sugar cane	T0.3
DM	0659	Sugar cane molasses	T5

COMPOUND		FOOD	MRL (mg/kg)
SO	0702	Sunflower seed	T20
DT	1114	Tea, Green, Black	T20
TN	0085	Tree nuts	0.2
GC	0650	Wheat	5
CM	0654	Wheat bran, unprocessed	20
Guazatine			
FC	0001	Citrus fruits	5
VC	0046	Melons, except Watermelon	10
VO	0448	Tomato	5

H

COMPOUND		FOOD	MRL (mg/kg)
Halofuginone			
MF	0812	Cattle fat	0.025
MO	1280	Cattle Kidney	0.03
MO	1281	Cattle liver	0.03
		Cattle muscle	0.01
Halosulfuron-methyl			
SO	0691	Cotton seed	*0.05
MO	0105	Edible offal (Mammalian)	0.2
GC	0645	Maize	*0.05
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal	*0.01
PO	0110	Poultry meat	*0.01
GC	0651	Sorghum	*0.05
GS	0659	Sugar cane	*0.05
Haloxyfop			
FI	0030	Assorted tropical and sub-tropical fruits — inedible peel	*0.05
FB	0018	Berries and other small fruits	*0.05
FC	0001	Citrus fruits	*0.05
SO	0691	Cotton seed	0.1
OC	0691	Cotton seed oil, crude	0.2

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	0.5
PE	0112	Eggs	*0.01
VA	0381	Garlic	T0.05
		Guar bean (dry)	T2
		Linola seed	0.1
SO	0693	Linseed	0.1
MM	0095	Meat mammalian [in the fat]	0.02
ML	0106	Milks	0.02
VA	0385	Onion, Bulb	T*0.05
SO	0697	Peanut	0.05
FT	0307	Persimmon, Japanese	*0.05
FP	0009	Pome fruits	*0.05
PO	0111	Poultry, Edible offal of	0.05
PM	0110	Poultry meat [in the fat]	*0.01
VD	0070	Pulses	0.1
SO	0495	Rape seed	0.1
FS	0012	Stone fruits	*0.05
GS	0659	Sugar cane	T0.03
SO	0702	Sunflower seed	*0.05
TN	0085	Tree nuts	*0.05
HCB			
GC	0080	Cereal grains	E0.05
WC	0143	Crustaceans	E0.1
WD	0120	Diadromous fish	E0.1
MO	0105	Edible offal (mammalian)	E1
PE	0112	Eggs	E1
WF	0115	Freshwater fish	E0.1
WS	0125	Marine fish	E0.1
MM	0095	Meat [mammalian] [in the fat]	E1
ML	0106	Milks [in the fat]	E0.5
IM	0150	Molluscs, including Cephalopods	E0.1
SO	0697	Peanut	E0.01
PO	0111	Poultry, Edible offal of	E1

COMPOUND		FOOD	MRL (mg/kg)
PM	0110	Poultry meat [in the fat]	E1
Heptachlor			
VR	0577	Carrot	E0.2
GC	0080	Cereal grains	E0.02
FC	0001	Citrus fruits	E0.01
SO	0691	Cotton seed	E0.02
WC	0143	Crustaceans	E0.05
WD	0120	Diadromous fish	E0.05
MO	0105	Edible offal (mammalian)	E0.2
PE	0112	Eggs	E0.05
WF	0115	Freshwater fish	E0.05
WS	0125	Marine fish	E0.05
MM	0095	Meat [mammalian] [in the fat]	E0.2
ML	0106	Milks [in the fat]	E0.15
IM	0150	Molluscs, including Cephalopods	E0.05
SO	0697	Peanut	E0.01
FI	0353	Pineapple	E0.01
VD	0541	Soya bean (dry)	E0.02
OC	0541	Soya bean oil, crude	E0.5
OR	0541	Soya bean oil, refined	E0.02
GS	0659	Sugar cane	E0.02
VO	0448	Tomato	E0.02
		Vegetables [except carrot; soya bean (dry); tomato]	E0.05
Hexaconazole			
FP	0226	Apple	0.1
FB	0269	Grapes	0.05
FP	0230	Pear	0.1
Hexazinone			
MO	0105	Edible offal (mammalian)	*0.1
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.05
FI	0353	Pineapple	1

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GS	0659	Sugar cane	*0.1
Hexythiazox			
FB	0018	Berries and other small fruits [except grapes]	1
FP	0009	Pome fruits	1
FS	0012	Stone fruits	1

I

COMPOUND		FOOD	MRL (mg/kg)
Imazalil			
PO	0840	Chicken, Edible offal of	*0.01
PM	0840	Chicken meat	*0.01
FC	0001	Citrus fruits	10
PE	0112	Eggs	*0.01
VC	0046	Melons, except watermelon	10
VO	0450	Mushrooms	T1
FP	0009	Pome fruits	5
VR	0589	Potato	5
Imazamox			
VD	0560	Adzuki bean (dry)	T*0.05
GC	0640	Barley	*0.05
VD	0523	Broad beans (dry)[faba beans]	T*0.05
MO	0105	Edible offal (mammalian)	*0.05
VD	0561	Field pea, dry	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
SO	0697	Peanut	*0.05
SO	0698	Poppy seed	T*0.05
SO	0495	Rape seed	*0.05
VD	0541	Soya bean, dry	*0.05
GC	0654	Wheat	*0.05

COMPOUND		FOOD	MRL (mg/kg)
Imazapic (formerly known as Imazameth)			
MO	0115	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)[in the fat]	*0.05
ML	0106	Milks	*0.01
SO	0697	Peanut	*0.1
PO	0111	Poultry, Edible offal	*0.01
PM	0110	Poultry meat	*0.01
SO	0495	Rape seed	*0.05
GS	0659	Sugar cane	*0.05
GC	0654	Wheat	*0.05
Imazapyr			
GC	0640	Barley	*0.05
MO	0105	Edible offal (mammalian)	*0.05
GC	0645	Maize	*0.05
MM	0095	Meat (mammalian)[in the fat]	*0.05
ML	0106	Milks	*0.01
SO	0698	Poppy seed	T*0.05
SO	0495	Rape seed	*0.05
GC	0654	Wheat	*0.05
Imazethapyr			
MO	0105	Edible offal (mammalian)	*0.1
PE	0112	Eggs	*0.1
VP	0060	Legume vegetables	*0.1
GC	0645	Maize	*0.05
MM	0095	Meat mammalian	*0.1
ML	0106	Milks	*0.1
SO	0697	Peanut	*0.1
PO	0111	Poultry, Edible offal	*0.1
PM	0110	Poultry meat	*0.1
VD	0070	Pulses	*0.1
Imidacloprid			
FP	0226	Apple	0.3

COMPOUND		FOOD	MRL (mg/kg)
FI	0327	Bananas	0.5
VR	0574	Beetroot	T0.05
VB	0054	Brassica leafy vegetables	15
VB	0040	Brassica (cole or cabbage) vegetables	
		Head cabbages, Flowerhead brassicas	0.5
VD	0523	Broad bean (dry)	*0.05
FB	0020	Blueberries	T0.1
VR	0575	Burdock, greater	T0.05
GC	0080	Cereal grains[except maize and sorghum]	*0.05
FC	0001	Citrus Fruits	2
SO	0691	Cotton seed	*0.02
FI	0332	Custard apple	T1
MO	0105	Edible offal (mammalian)	0.2
PE	0112	Eggs	*0.02
VD	0561	Field pea (dry)	*0.05
VC	0045	Fruiting vegetables,cucurbits	0.2
VO	0050	Fruiting vegetables, other than Cucurbits	
		(except sweet corn, corn-on-the cob)	0.5
VR	0581	Galangal, Greater	T0.05
HS	0784	Ginger, root	T0.05
DH	1100	Hops, dry	T10
VL	0053	Leafy vegetables (except Lettuce, Head)	20
VD	0533	Lentil (dry)	0.2
VL	0482	Lettuce, Head	5
VD	0545	Lupin (dry)	0.2
GC	0645	Maize	0.05
MM	0095	Meat [mammalian]	0.05
ML	0106	Milks	0.05
SO	0697	Peanut	T0.5
FT	0307	Persimmon, Japanese	T1
VR	0589	Potato	0.3
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02

COMPOUND		FOOD	MRL (mg/kg)
VR	0591	Radish, Japanese	T0.05
SO	0495	Rape seed [canola seed]	*0.05
GC	0651	Sorghum	*0.02
FS	0012	Stone fruits	0.5
GS	0659	Sugarcane	*0.05
SO	0702	Sunflower seed	*0.02
VO	0447	Sweet corn (corn-on-the-cob)	*0.02
VR	0508	Sweet Potato	0.3
VR	0505	Taro	T0.05
VR	0600	Yams	T0.05
VR	0601	Yam bean	T0.05
Imidocarb (dipropionate salt)			
MO	0812	Cattle, Edible offal of	5
MM	0812	Cattle meat	1
ML	0812	Cattle milk	0.2
Indoxacarb			
VS	0621	Asparagus	T1
FB	0018	Berries and other small fruits (excluding grapes)	T1
VB	0400	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
VS	0624	Celery	T5
FS	0013	Cherries	T2
VL	0465	Chervil	T10
VD	0526	Coriander (leaves, roots and stems)	T20
SO	0691	Cotton seed	1
DF	0269	Dried grapes	2
MO	0105	Edible offal (mammalian) [except kidney]	*0.01
PE	0112	Eggs	*0.01
VO	0440	Eggplant	0.5
FB	0269	Grapes	0.5
HH	0092	Herbs	T20
		Kidney (mammalian)	0.2
VL	0053	Leafy vegetables [except Chervil; Lettuce, Head; Mizuna and Rucola (rocket)]	5

COMPOUND		FOOD	MRL (mg/kg)
		Lemon balm	T10
VL	0482	Lettuce, Head	3
SO	0693	Linseed	T0.5
MM	0095	Meat (mammalian) [in the fat]	1
		Mexican Tarragon	T20
ML	0106	Milks	0.1
FM	0183	Milk fats	1
		Mizuna	T10
FT	0305	Olives	T0.2
SO	0697	Peanut	T0.02
VO	0051	Peppers [Capsicum]	0.5
FP	0009	Pome fruit	2
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
VD	0070	Pulses	0.2
SO	0495	Rape seed (canola)	T*0.05
VL	0496	Rucola (rocket)	T20
SO	0699	Safflower seed	T0.5
FS	0012	Stone fruits	T2
SO	0702	Sunflower seed	T1
VO	0448	Tomato	0.2
Inorganic bromide			
FI	0326	Avocado	75
GC	0080	Cereal grains	50
FC	0001	Citrus fruits	30
DF	0295	Dates, dried	100
DF	0167	Dried fruits [except dried dates; figs; grapes; peach; prunes]	30
DF	0269	Dried grapes	100
DH	0170	Dried herbs	400
		Dried peach	50
DF	0297	Figs, dried	250
		Fruits [except avocado; citrus fruits; dried fruits; strawberry]	20
VO	0445	Peppers, Sweet [capsicums]	50

COMPOUND		FOOD	MRL (mg/kg)
DF	0014	Prunes	20
HS	0093	Spices	400
FB	0275	Strawberry	30
		Vegetables [except peppers, sweet]	20
Iodosulfuron methyl			
GC	0640	Barley	*0.01
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)[in the fat]	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
GC	0654	Wheat	*0.01
Ioxynil			
VA	0381	Garlic	*0.02
VA	0384	Leek	T2
VA	0385	Onion, Bulb	*0.02
VA	0387	Onion, Welsh	T3
VA	0388	Shallot	T3
VA	0389	Spring onion	T3
GS	0659	Sugar cane	*0.02
Ipconazole			
GC	0080	Cereal grains	*0.01
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
Iprodione			
TN	0660	Almonds	*0.02
VP	0061	Beans, except broad bean and soya bean	T1
VR	0574	Beetroot	T0.1

COMPOUND		FOOD	MRL (mg/kg)
VL	0054	Brassica leafy vegetable	15
VB	0400	Broccoli	T*0.05
VB	0402	Brussels sprouts	0.5
FB	0018	Berries and other small fruits [except grapes]	12
VB	0041	Cabbage, Head	T*0.05
VR	0577	Carrot	T0.5
VB	0404	Cauliflower	T*0.05
VR	0578	Celeriac	T1
VS	0624	Celery	2
VL	0464	Chard [Silver beet]	T5
MO	0105	Edible offal (mammalian)	*0.1
VO	0440	Egg plant	T1
VA	0381	Garlic	T10
FB	0269	Grapes	20
FI	0341	Kiwifruit	10
VL	0482	Lettuce, Head	5
VL	0483	Lettuce, Leaf	5
VD	0545	Lupin (dry)	*0.1
TN	0669	Macadamia nuts	*0.01
FC	0003	Mandarins	T5
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
VA	0385	Onion, Bulb	T0.7
FI	0351	Passion fruit	10
SO	0697	Peanut	0.05
OC	0697	Peanut oil, crude	0.05
VO	0051	Peppers	T2
TN	0675	Pistachio nut	T*0.05
FP	0009	Pome fruits	3
VR	0589	Potato	*0.05
SO	0495	Rape seed	0.5
VL	0502	Spinach	T5
VD	0541	Soya bean (dry)	0.05

COMPOUND		FOOD	MRL (mg/kg)
FS	0012	Stone fruits	10
FC	4029	Tangelo, large-sized cultivars	T5
VO	0448	Tomato	2
Isoeugenol			
	Group 040-042	Fish (whole commodity)	100
Isoxaben			
FT	0026	Assorted tropical and sub-tropical fruit – edible peel	*0.01
FI	0030	Assorted tropical and sub-tropical fruit – inedible peel	*0.01
GC	0640	Barley	*0.01
FC	0001	Citrus fruits	*0.01
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
FB	0269	Grapes	0.01
DH	1100	Hops, dry	*0.1
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
FP	0009	Pome fruits	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
FS	0012	Stone fruits	*0.01
TN	0085	Tree nuts	*0.01
GC	0653	Triticale	*0.01
GC	0654	Wheat	*0.01
Isoxaflutole			
VD	0524	Chick-pea (dry)	*0.03
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.05
SO	0698	Poppy seed	*0.02
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GC	0659	Sugar cane	*0.01

COMPOUND	FOOD	MRL (mg/kg)
Ivermectin		
MO 1280	Cattle, kidney	*0.01
MO 1281	Cattle, liver	0.1
MM 0812	Cattle meat [in the fat]	0.04
ML 0812	Cattle milk	0.05
	Deer kidney	*0.01
	Deer liver	*0.01
MM 0813	Deer meat [in the fat]	*0.01
MO 0816	Horse, Edible offal of	*0.01
MM 0816	Horse meat	*0.01
MO 1284	Pig, kidney	*0.01
MO 1285	Pig, liver	*0.01
MM 0818	Pig meat [in the fat]	0.02
MO 1288	Sheep, kidney	*0.01
MO 1289	Sheep liver	0.015
MM 0822	Sheep meat [in the fat]	0.02

K

COMPOUND	FOOD	MRL (mg/kg)
Ketoprofen		
MO 0812	Cattle, Edible offal of	*0.05
MM 0812	Cattle meat	*0.05
ML 0812	Cattle milk	*0.05
Kitasamycin		
PE 0112	Eggs	*0.2
MO 0818	Pig, Edible offal of	*0.2
MM 0818	Pig meat	*0.2
Kresoxim-methyl		
MO 0105	Edible offal (mammalian)	*0.01
VC 0045	Fruiting vegetables, Cucurbits	0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.001
FP 0009	Pome fruit	0.1

L

COMPOUND		FOOD	MRL (mg/kg)
Lambda-Cyhalothrin see Cyhalothrin			
Lasalocid			
ML	0812	Cattle milk	*0.01
MO	0105	Edible offal (mammalian)	0.7
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	*0.05
PO	0111	Poultry, Edible offal of	0.4
PM	0110	Poultry meat	0.1
		Poultry skin/fat	1
Levamisole			
MO	0105	Edible offal (mammalian)	1
PE	0112	Eggs	1
ML	0814	Goat milk	0.1
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks [except goat milk]	0.3
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.1
Lincomycin			
ML	0812	Cattle milk	*0.02
PE	0112	Eggs	0.2
MO	0105	Edible offal (mammalian) [except sheep, edible offal of]	0.2
ML	0814	Goat milk	*0.1
MM	0095	Meat [mammalian] [except sheep meat]	0.2
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.1
Lindane			
FP	0226	Apple	E2
GC	0080	Cereal grains	E0.5
FS	0013	Cherries	E0.5
FB	0265	Cranberry	E3
WC	0143	Crustaceans	E1
WD	0120	Diadromous fish	E1

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	E2
PE	0112	Eggs	E0.1
WF	0115	Freshwater fish	E1
		Fruits [except apple; cherries; cranberry; grapes; peach; pineapple: plums; strawberry]	E0.5
FB	0269	Grapes	E0.5
WS	0125	Marine fish	E1
MO	0095	Meat [mammalian] [in the fat]	E2
ML	0106	Milks [in the fat]	E0.2
IM	0150	Molluscs, including Cephalopods	E1
SO	0088	Oilseed except peanut	E0.05
FS	0247	Peach	E2
SO	0697	Peanut	E0.05
FI	0353	Pineapple	0.5
FS	0014	Plums (including Prunes)	E0.5
PO	0111	Poultry, Edible offal of	E0.7
PM	0110	Poultry meat [in the fat]	E0.7
FB	0275	Strawberry	E3
GS	0659	Sugar cane	E*0.002
		Vegetables	E2
Linuron			
VR	0578	Celeriac	T0.5
VS	0624	Celery	*0.05
GC	0080	Cereal grains	*0.05
VL	0465	Chervil	T1
		Coriander (leaves, stems and roots)	T1
HS	0779	Coriander, seed	0.2
MO	0105	Edible offal (mammalian)	1
PE	0112	Eggs	*0.05
HH	0092	Herbs	T1
VA	0384	Leek	T0.2
		Lemon grass	T1
DT	1111	Lemon verbena	T1
MM	0095	Meat [mammalian]	*0.05

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	*0.05
		Mizuna	T1
VR	0588	Parsnip	T0.05
PM	0110	Poultry meat	*0.05
PO	0111	Poultry, Edible offal of	*0.05
VL	0496	Rucola [rocket]	T1
HS	0794	Tumeric, root	T*0.05
		Vegetables [except Celeriac; Celery; Leek; Parsnip]	*0.05

Lufenuron

SO	0691	Cotton seed	T0.2
OC	0691	Cotton seed oil, crude	T0.5
MO	0105	Edible offal (mammalian)	T*0.01
PE	0112	Eggs	T0.05
MM	0095	Meat (mammalian)[in the fat]	T1
ML	0106	Milks	T0.2
PM	0111	Poultry, Edible offal of	T*0.01
PM	0110	Poultry meat [in the fat]	T1

M

COMPOUND		FOOD	MRL (mg/kg)
----------	--	------	-------------

Maduramicin

PO	0111	Poultry, Edible offal of	1
PM	0110	Poultry meat	0.1

Magnesium phosphide see [Phosphine](#)

Malathion see [Maldison](#)

Maldison

VD	0071	Beans (dry)	8
VB	0404	Cauliflower	0.5
GC	0080	Cereal grains	8
VL	0464	Chard [silver beet]	0.5
FC	0001	Citrus fruits	4
FB	0278	Currant, black	T2
DF	0167	Dried fruits	8

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	1
VO	0440	Egg plant [aubergine]	0.5
PE	0112	Eggs	1
		Fruits except citrus fruits; currant, black; dried fruits; grapes; pears; strawberry]	2
VP	0528	Garden pea	0.5
FB	0269	Grapes	8
VL	0480	Kale	3
VB	0405	Kohlrabi	0.5
VD	0533	Lentil (dry)	8
MM	0095	Meat [mammalian] [in the fat]	1
ML	0106	Milks [in the fat]	1
SO	0089	Oilseed except peanut	T10
VO	0445	Peppers, Sweet [capsicums]	0.5
SO	0697	Peanut	8
FP	0230	Pear	0.5
PO	0111	Poultry, Edible offal of	1
PM	0110	Poultry meat [in the fat]	1
VR	0075	Root and tuber vegetables	0.5
VA	0388	Shallots	T5
VA	0389	Spring Onion	T5
FB	0275	Strawberry	1
VO	0448	Tomato	3
TN	0085	Tree nuts	8
VR	0506	Turnip, Garden	0.5
		Vegetables [except beans (dry); cauliflower; chard; egg plant; garden pea; kale; kohlrabi; lentil (dry); peppers, sweet [capsicum]; root and tuber vegetables; shallots; spring onions; tomato; turnip, garden]	2
CM	0654	Wheat bran unprocessed	20
Maleic hydrazide			
VR	0577	Carrot	T40
VA	0381	Garlic	15
VA	0385	Onion, Bulb	15
VR	0589	Potato	50

COMPOUND		FOOD	MRL (mg/kg)
Mancozeb see Dithiocarbamates			
Mandipropamid			
DF	0269	Dried grapes (= Currants, Raisins and Sultanas)	2
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
FB	0269	Grapes	0.3
MM	0095	Meat [mammalian] [in the fat]	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
MCPA			
GC	0080	Cereal grains	*0.02
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VD	0561	Field pea (dry)	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VS	0627	Rhubarb	*0.02
MCPB			
GC	0080	Cereal grains	*0.02
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VD	0561	Field pea (dry)	*0.05
VP	0060	Legume vegetables	*0.02
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	*0.02
Mebendazole			
MO	0105	Edible offal (mammalian)	*0.02

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian]	*0.02
ML	0106	Milks	0.02
Mefenpyr-diethyl			
GC	0080	Cereal grains	*0.01
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
Meloxicam			
MO	1280	Cattle, kidney	0.2
MO	1281	Cattle, liver	0.1
MM	0812	Cattle meat	*0.01
ML	0812	Cattle milk	0.005
MO	1284	Pig kidney	*0.01
MO	1285	Pig liver	*0.01
MM	0818	Pig meat	0.02
		Pig skin/fat	0.1
Mepiquat			
SO	0691	Cotton seed	1
OC	0691	Cotton seed oil, crude	0.2
MO	0105	Edible offal (mammalian)	0.1
PE	0112	Eggs	0.05
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks	0.05
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.1
Mesosulfuron-methyl			
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
GC	0654	Wheat	*0.02
Metalaxyl			
FI	0326	Avocado	0.5
FB	0018	Berries and other small fruits [except grapes]	T0.5
VA	0035	Bulb vegetables [alliums]	0.1
GC	0080	Cereal grains	*0.01
HH	0730	Dill	T0.3
FI	0334	Durian	T0.5
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VC	0045	Fruiting vegetables, Cucurbits	0.2
HS	0784	Ginger, root	0.5
FB	0269	Grapes	1
VL	0053	Leafy vegetables	0.3
TN	0669	Macadamia nuts	1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.01
FI	0350	Papaya [pawpaw]	*0.01
HH	0740	Parsley	0.3
VO	0051	Peppers	T1
FI	0353	Pineapple	0.1
VP	0538	Podded pea (young pods) [snow and sugar snap]	T0.1
FP	0009	Pome fruits	0.2
SO	0698	Poppy seed	*0.02
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
FS	0012	Stone fruits	0.2
		Vegetables [except fruiting vegetables, cucurbits; leafy vegetables; podded peas (young pods) [snow and sugar snap]; peppers]	T0.1
Metaldehyde			
GC	0080	Cereal Grains	1

COMPOUND		FOOD	MRL (mg/kg)
		Fruits	1
		Herbs and Spices	1
SO	0088	Oilseed	1
VD	0070	Pulses	1
DT	0171	Teas (Tea and Herb teas)	1
		Vegetables	1
Methabenzthiazuron			
VA	0381	Garlic	T*0.05
VA	0384	Leeks	T*0.05
VA	0385	Onion, Bulb	*0.05
VA	0387	Onion, Welsh	T0.2
VA	0388	Shallot	T0.2
VA	0389	Spring Onion	T0.2
Metham see Dithiocarbamates			
Methamidophos			
FI	0327	Bananas	0.2
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
VS	0624	Celery	2
FC	0001	Citrus fruits	0.5
SO	0691	Cotton seed	0.1
VC	0424	Cucumber	0.5
MO	0105	Edible offal (mammalian)	*0.01
VO	0440	Egg plant [aubergine]	1
DH	1100	Hops, dry	5
VL	0053	Leafy vegetables (except Lettuce head and Lettuce leaf)	T1
VL	0482	Lettuce, Head	1
VL	0483	Lettuce, Leaf	1
VD	0545	Lupin (dry)	0.5
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
FS	0247	Peach	1
SO	0697	Peanut	*0.02

COMPOUND		FOOD	MRL (mg/kg)
VO	0445	Peppers, Sweet [capsicums]	2
VR	0589	Potato	0.25
SO	0495	Rape seed	0.1
VD	0541	Soya bean (dry)	0.1
VR	0596	Sugar beet	0.05
VO	0448	Tomato	2
FT	0312	Tree tomato	*0.01

Metham-sodium see [Dithiocarbamates](#)

Methidathion

FP	0226	Apple	0.2
FI	0326	Avocado	0.5
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1
GC	0080	Cereal grains	*0.01
FI	0001	Citrus fruits [except mandarins]	2
SB	0716	Coffee beans	T1
FI	0332	Custard apple	0.2
FT	0295	Date	T*0.01
DF	0295	Date, dried or dried & candied	T*0.01
PE	0112	Eggs	*0.05
VO	0050	Fruiting vegetables, other than Cucurbits	0.1
VA	0381	Garlic	*0.01
FB	0269	Grapes	0.5
VP	0060	Legume vegetables	0.1
VL	0482	Lettuce, Head	1
VL	0483	Lettuce, Leaf	1
FI	0343	Litchi	T0.1
FI	0342	Longan	0.1
TN	0669	Macadamia nuts	*0.01
FC	0003	Mandarins	5
FI	0345	Mango	2
MM	0095	Meat (mammalian)[in the fat]	0.5
ML	0106	Milks [in the fat]	0.5
SO	0088	Oilseed	1

COMPOUND		FOOD	MRL (mg/kg)
FT	0305	Olives	T1
OC	0305	Olive oil, crude	T2
VA	0385	Onion, Bulb	*0.01
FI	0351	Passion fruit	0.2
FP	0230	Pear	0.2
FT	0307	Persimmon, Japanese	0.5
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	0.1
VR	0075	Root and tuber vegetables	*0.01
FS	0012	Stone fruits	*0.01
FB	0275	Strawberry	*0.01
VO	0448	Tomato	0.1
OR	0172	Vegetable oils, edible	0.1
		Vegetables [except garlic; lettuce, head; lettuce, leaf; onion, bulb; root and tuber vegetables]	0.1
Methiocarb			
FC	0001	Citrus fruits	0.1
		Fruits (except citrus fruits; grapes)	T0.1
FB	0269	Grapes	0.5
		Vegetables	0.1
		Wine	0.1
Methomyl see also Thiodicarb			
FP	0226	Apple	1
FI	0326	Avocado	*0.1
VR	0574	Beetroot	1
FB	0264	Blackberries	2
FB	0020	Blueberries	2
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
VS	0624	Celery	3
GC	0080	Cereal grains	*0.1
VL	0464	Chard	T2
FS	0013	Cherries	2

COMPOUND		FOOD	MRL (mg/kg)
		Chia	T1
FC	0001	Citrus fruits	1
SB	0716	Coffee beans	T1
SO	0691	Cotton seed	*0.1
		Coriander (leaves, stem, roots)	T10
DF	0269	Dried grapes	*0.05
MO	0105	Edible offal (mammalian)	0.05
PE	0112	Eggs	*0.02
FT	0297	Fig	T0.7
VC	0045	Fruiting vegetables, Cucurbits	0.1
VO	0050	Fruiting vegetables, other than Cucurbits	1
HS	0784	Ginger, root	*0.1
FB	0269	Grapes	2
FT	0336	Guava	3
HH	0092	Herbs	T10
DH	1100	Hops, dry	0.5
VL	0053	Leafy vegetables, except chard, Lettuce, Head and Lettuce, Leaf	1
VP	0060	Legume vegetables	1
SO	0693	Linseed	*0.1
VL	0482	Lettuce, Head	2
VL	0483	Lettuce, Leaf	2
TN	0669	Macadamia nuts	T1
FI	0345	Mango	T*0.05
MM	0095	Meat [mammalian]	0.05
ML	0106	Milks	0.05
HH	0738	Mints	0.5
FS	0245	Nectarine	1
VA	0387	Onion, Welsh	1
FS	0247	Peach	1
SO	0697	Peanut	*0.05
FP	0230	Pear	3
		Plantago ovata seed	0.05
SO	0698	Poppy seed	*0.05

COMPOUND		FOOD	MRL (mg/kg)
VR	0589	Potato	1
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
VD	0070	Pulses	1
VR	0494	Radish	T1
SO	0495	Rape seed	0.5
SO	0700	Sesame seed	*0.1
VA	0388	Shallot	1
VA	0389	Spring Onion	1
FB	0275	Strawberry	3
SO	0702	Sunflower seed	*0.1
VR	0497	Swede	T1
VO	0447	Sweet corn (corn-on-the-cob)	0.1
VR	0508	Sweet potato	T1
VR	0505	Taro	T1
FT	0312	Tree tomato	T1
HS	0794	Turmeric, root	T*0.02
VR	0506	Turnip, Garden	T1
Methoprene			
ML	0812	Cattle Milk	0.1
GC	0080	Cereal grains	2
MO	0105	Edible offal (mammalian)	*0.01
MM	0095	Meat [mammalian][in the fat]	0.3
CM	0654	Wheat bran, unprocessed	5
CF	1210	Wheat germ	10
Methoxyfenozide			
TN	0660	Almonds	T0.2
FI	0326	Avocado	0.5
FB	0020	Blueberries	2
FC	0001	Citrus fruits	1
SB	0716	Coffee beans	0.2
		Coriander (leaves, stems and roots)	T20
SO	0691	Cotton seed	3

COMPOUND		FOOD	MRL (mg/kg)
FI	0332	Custard apple	0.3
DF	0269	Dried grapes	6
MO	0105	Edible offal (mammalian)	*0.01
VO	0050	Fruiting vegetables, other than cucurbits	3
FB	0269	Grapes	2
HH	0092	Herbs	T20
FI	0341	Kiwifruit	2
FI	0342	Longan	2
FI	0343	Litchi	2
TN	0669	Macadamia nuts	0.05
MM	0095	Meat (mammalian)[in the fat]	*0.01
		Mexican tarragon	T20
ML	0106	Milks	*0.01
FI	0352	Persimmon, American	1
FT	0307	Persimmon, Japanese	1
FP	0009	Pome fruits	0.5
VL	0496	Rucola [rocket]	T20
Methylbenzoate			
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.1
Methyl bromide			
GC	0080	Cereal grains	50
VC	0424	Cucumber	*0.05
DF	0167	Dried fruits	*0.05
		Fruits (except jackfruit, litchi, mango and papaya)	T*0.05
HH	0092	Herbs	*0.05
FI	0338	Jackfruit	*0.05
FI	0343	Litchi	*0.05
FI	0345	Mango	*0.05
FI	0350	Papaya	*0.05
VO	0445	Peppers, sweet (capsicum)	*0.05
HS	0093	Spices	*0.05
		Vegetables (except cucumber and peppers)	T*0.05

COMPOUND		FOOD	MRL (mg/kg)
Methyl isothiocyanate			
GC	0640	Barley	T0.1
OS	0495	Rape seed	T0.1
GC	0654	Wheat	T0.1
Metiram see Dithiocarbamates			
Metolachlor			
VP	0061	Beans, except broad bean and soya bean	*0.02
		Bergamot	T*0.05
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.02
VL	0054	Brassica leafy vegetables	*0.01
VR	0578	Celeriac	T*0.2
VS	0624	Celery	T0.05
GC	0080	Cereal grains (except maize and sorghum)	*0.02
VL	0464	Chard [Silverbeet]	T*0.01
VL	0465	Chervil	T*0.05
		Coriander (leaves and stems)	T*0.05
HS	0779	Coriander seed	T*0.05
		Coriander, roots	T0.5
SO	0691	Cotton seed	*0.05
HS	0730	Dill seed	T*0.05
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.01
HS	0731	Fennel seed	T*0.05
VC	0045	Fruiting vegetables, Cucurbits	*0.05
VR	0581	Galangal, Greater	T0.5
HH	0092	Herbs	T*0.05
		Kaffir lime leaves	T*0.05
		Lemon grass	T*0.05
DT	1111	Lemon verbena (dry leaves)	T*0.05
GC	0645	Maize	0.1
MM	0095	Meat [mammalian]	*0.05

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	*0.05
		Mizuna	T*0.05
VA	0387	Onion, Welsh	*0.01
SO	0697	Peanut	*0.05
VR	0589	Potato	T*0.02
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	0.01
VD	0070	Pulses [Except Soya beans (dry)]	T*0.05
SO	0495	Rape seed	*0.02
VS	0627	Rhubarb	*0.05
		Rose and dianthus (edible flowers)	T*0.05
VL	0496	Rucola (rocket)	T*0.05
SO	0699	Safflower seed	*0.05
HH	4731	Salad burnett	T*0.05
VA	0388	Shallot	*0.01
GC	0651	Sorghum	*0.05
VD	0541	Soya bean (dry)	*0.05
VL	0502	Spinach	T*0.01
VA	0389	Spring onion	*0.01
GS	0659	Sugar cane	*0.05
SO	0702	Sunflower seed	*0.05
VO	1275	Sweet corn (kernels)	0.1
VR	0508	Sweet Potato	*0.2
VO	0448	Tomato	T*0.01
HS	0794	Turmeric, root	T0.5
Metosulam			
GC	0080	Cereal grains	*0.02
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
VD	0545	Lupin (dry)	*0.02
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
SO	0698	Poppy seed	*0.01

COMPOUND		FOOD	MRL (mg/kg)
PM	0110	Poultry meat	*0.01
PO	0111	Poultry, Edible offal of	*0.01
Metrafenone			
DF	0269	Dried grapes (=Currants, Raisins and Sultanas)	3
MO	0105	Edible offal (Mammalian)	*0.05
PE	0112	Eggs	*0.05
VC	0045	Fruiting vegetables, Cucurbits	0.2
FB	0269	Grapes	1
MM	0095	Meat [mammalian] [in the fat]	*0.05
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat [in the fat]	*0.05
Metribuzin			
VS	0621	Asparagus	0.2
GC	0080	Cereal grains	*0.05
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
VP	0063	Peas [except Peas, shelled]	T*0.05
VP	0064	Peas, shelled	*0.05
VR	0589	Potato	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses [except soya bean (dry)]	*0.01
SO	0495	Rape seed [canola]	*0.02
VR	0075	Root and tuber vegetables [except potato]	T*0.05
VD	0541	Soya bean (dry)	*0.05
GS	0659	Sugar cane	*0.02
DM	0659	Sugar cane molasses	0.1
VO	0448	Tomato	0.1
Metsulfuron-methyl			
GC	0080	Cereal grains	*0.02

COMPOUND		FOOD	MRL (mg/kg)
VD	0524	Chick-pea (dry)	*0.05
MO	0105	Edible offal (mammalian)	*0.1
SO	0693	Linseed	*0.02
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
SO	0698	Poppy seed	T*0.01
SO	0699	Safflower seed	*0.02
Mevinphos			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.3
MO	0105	Edible offal (mammalian)	*0.05
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.05
Milbemectin			
VO	0445	Peppers, Sweet [capsicum]	0.02
FS	0012	Stone fruits	0.1
FB	0275	Strawberry	0.2
Molinate			
GC	0649	Rice	*0.05
Monensin			
MO	0812	Cattle, Edible offal of	*0.05
MM	0812	Cattle meat	*0.05
ML	0812	Cattle milk	*0.01
MO	0814	Goat, Edible offal of	*0.05
MM	0814	Goat meat	*0.05
PO	0111	Poultry, Edible offal of	*0.5
PM	0110	Poultry meat [in the fat]	*0.5
MF	0822	Sheep fat	0.07
MO	1288	Sheep, kidney	0.015
MO	1289	Sheep, liver	0.2
		Sheep muscle	0.005
Monepantel			
MF	0822	Sheep fat	7

COMPOUND		FOOD	MRL (mg/kg)
MO	1288	Sheep, kidney	2
		Sheep muscle	0.7
MO	1289	Sheep, liver	5
Morantel			
MO	0812	Cattle, Edible offal of	2
MO	0814	Goat, Edible offal of	2
MM	0095	Meat [mammalian]	0.3
ML	0106	Milks	*0.1
MO	0818	Pig, Edible offal of	5
MO	0822	Sheep, Edible offal of	2
Moxidectin			
MO	0812	Cattle, Edible offal of	0.5
MM	0812	Cattle meat [in the fat]	1
ML	0812	Cattle milk [in the fat]	2
		Deer, Edible offal of	0.2
MM	0183	Deer meat [in the fat]	1
MO	0822	Sheep, Edible offal of	0.05
MM	0822	Sheep meat [in the fat]	0.5
MSMA			
GS	0659	Sugar cane	0.3
Myclobutanil			
VS	0621	Asparagus	T0.02
VL	0465	Chervil	T2
		Coriander (leaves, stem and roots)	T2
FB	0269	Grapes	1
HH	0092	Herbs	T2
		Mizuna	T2
FP	0009	Pome fruits	0.5
VL	0496	Rucola [rocket]	T2
FB	0275	Strawberries	2

N

COMPOUND		FOOD	MRL (mg/kg)
Naled			
SO	0691	Cotton seed	T*0.02
MO	0105	Edible offal (mammalian)	T*0.05
MM	0095	Meat (mammalian)	T*0.05
ML	0106	Milks	T*0.05
Naphthalene acetic acid			
FP	0226	Apple	1
FP	0230	Pear	1
FI	0353	Pineapple	1
Naphthalophos			
MO	0822	Sheep, Edible offal of	*0.01
MM	0822	Sheep meat	*0.01
Napropamide			
TN	0660	Almonds	*0.1
FB	0018	Berries and other small fruits	*0.1
FS	0012	Stone fruits	*0.1
VO	0448	Tomato	*0.1
Narasin			
MO	0812	Cattle, Edible offal of	0.05
MM	0812	Cattle meat	0.05
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.1
Neomycin			
PE	0112	Eggs	T0.5
MO	0098	Kidney of cattle, goats, pigs and sheep	T10
MO	0099	Liver of cattle, goats, pigs and sheep	T0.5
MF	0100	Mammalian fats (except milk fats)	T0.5
MM	0095	Meat [mammalian]	T0.5
ML	0106	Milks	T1.5
		Poultry kidney	T10
		Poultry liver	T0.5
PM	0110	Poultry meat	T0.5

COMPOUND		FOOD	MRL (mg/kg)
Netobimin see Albendazole			
Nicarbazin			
		Chicken kidney	20
		Chicken liver	35
		Chicken muscle	5
		Chicken skin / fat	10
Nitrothal-isopropyl			
FP	0226	Apple	1
Nitroxynil			
MO	0812	Cattle, Edible offal of	1
MM	0812	Cattle meat	1
MO	0814	Goat, Edible offal of	1
MM	0814	Goat meat	1
MO	0822	Sheep, Edible offal of	1
MM	0822	Sheep meat	1
Norflurazon			
VS	0621	Asparagus	0.05
FC	0001	Citrus fruits	0.2
SO	0691	Cotton seed	0.1
FB	0269	Grapes	0.1
FP	0009	Pome fruits	*0.2
FS	0012	Stone fruits	*0.2
TN	0085	Tree nuts	*0.2
Norgestomet			
MO	0105	Edible offal (mammalian)	*0.0001
MM	0095	Meat [mammalian]	*0.0001
Novaluron			
SO	0691	Cotton seed	T1
OC	0691	Cotton seed oil, crude	T2
FP	0009	Pome fruit	T1
Novobiocin			
MO	0812	Cattle, Edible offal of	*0.1
MM	0812	Cattle meat	*0.1

COMPOUND	FOOD	MRL (mg/kg)
ML 0812	Cattle milk	*0.1

O

COMPOUND	FOOD	MRL (mg/kg)
ODB		
MO 0822	Sheep, Edible offal of	*0.01
MM 0822	Sheep meat [in the fat]	*0.01
Olaquinox		
MO 0818	Pig, Edible offal of	0.3
MM 0818	Pig meat	0.3
PO 0111	Poultry, Edible offal of	0.3
PM 0110	Poultry meat	0.3
Oleandomycin		
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat [mammalian]	*0.1
Omethoate		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
	Fruits	2
VD 0545	Lupin (dry)	0.1
MM 0095	Meat [mammalian]	*0.05
ML 0106	Milks	*0.05
SO 0088	Oilseed	*0.05
VO 0445	Peppers, Sweet [capsicums]	1
PO 0111	Poultry, Edible offal of	*0.05
PM 0110	Poultry meat	*0.05
VO 0448	Tomato	1
	Vegetables [except lupin; peppers, sweet; tomato]	2
OPP see 2-Phenylphenol		
Oryzalin		
GC 0080	Cereal grains	*0.01
SB 0716	Coffee beans	T0.1

COMPOUND		FOOD	MRL (mg/kg)
		Fruits	0.1
VA	0381	Garlic	T*0.05
HS	0784	Ginger, root	T*0.05
SO	0495	Rape seed	*0.05
TN	0085	Tree nuts	0.1
Oxabetrinil			
MO	0105	Edible offal (mammalian)	*0.1
PE	0112	Eggs	*0.1
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.1
PM	0110	Poultry meat	*0.1
Oxadixyl			
VC	0045	Fruiting vegetables, Cucurbits	0.5
FB	0269	Grapes	2
VL	0482	Lettuce, Head	1
VL	0483	Lettuce, Leaf	1
VA	0385	Onion, Bulb	0.5
Oxamyl			
FI	0327	Banana	0.2
GC	0080	Cereal grains	*0.02
MO	0105	Edible offal (mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat [mammalian]	*0.02
ML	0106	Milks	*0.02
VO	0445	Peppers, Sweet [capsicums]	1
PO	0111	Poultry, Edible offal of	*0.02
PF	0111	Poultry fats	*0.02
PM	0110	Poultry meat	*0.02
VO	0448	Tomato	*0.05
VR	0508	Sweet potato	T0.5
Oxfendazole			
MO	0105	Edible offal (mammalian)	3

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	0.1
Oxycarboxin			
VP	0061	Beans, except broad bean and soya bean	5
FB	0020	Blueberries	T10
VP	0522	Broad bean (green pods and immature seeds)	5
Oxyclozanide			
MO	0812	Cattle, Edible offal of	2
MM	0812	Cattle meat	0.5
MO	0814	Goat, Edible offal of	2
MM	0814	Goat meat	0.5
ML	0106	Milks	0.05
MO	0822	Sheep, Edible offal of	2
MM	0822	Sheep meat	0.5
Oxydemeton-methyl			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbage, Flowerhead brassicas	0.5
SO	0691	Cotton seed	*0.01
OC	0691	Cotton seed oil, crude	*0.01
PE	0112	Eggs	*0.01
MO	0105	Edible offal (mammalian)	*0.01
VD	0545	Lupins (dry)	*0.01
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
Oxyfluorfen			
FI	0030	Assorted tropical and sub-tropical fruits (inedible peel)	*0.01
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
VA	0035	Bulb vegetables	*0.05
GC	0080	Cereal grains	*0.05
SB	0716	Coffee beans	T0.05
SO	0691	Cotton seed	*0.05

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	0.05
FB	0269	Grapes	0.05
MM	0095	Meat (mammalian)[in the fat]	*0.01
ML	0106	Milks	*0.01
FT	0305	Olives	0.05
FP	0009	Pome fruits	0.05
PM	0110	Poultry meat [in the fat]	0.2
PO	0111	Poultry, Edible offal of	*0.01
FS	0012	Stone fruits	0.05
TN	0085	Tree nuts	0.05
Oxytetracycline			
		Fish muscle	T0.2
		Honey	0.3
MO	0098	Kidney of cattle, goats, pigs and sheep	0.6
MO	0099	Liver of cattle, goats, pigs and sheep	0.3
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks	0.1
PO	0111	Poultry, Edible offal of	0.6
PM	0110	Poultry meat	0.1
WC	0979	Shrimps or Prawns	T0.2
Oxythioquinox			
VC	0045	Fruiting vegetables, Cucurbits	0.5
FP	0009	Pome fruits	0.5
FS	0012	Stone fruits	0.5

P

COMPOUND		FOOD	MRL (mg/kg)
Paclobutrazol			
FI	0030	Assorted tropical and sub-tropical fruits-inedible peel [except avocado and mango]	*0.01
FI	0326	Avocado	0.1
GC	0640	Barley	T0.1
FI	0345	Mango	T1

COMPOUND		FOOD	MRL (mg/kg)
FP	0009	Pome fruits	1
FS	0012	Stone fruits	*0.01
VO	0448	Tomato	T*0.01
GC	0654	Wheat	T0.1
Paraquat			
		Anise myrtle leaves	T0.5
GC	0080	Cereal grains [except maize; rice]	*0.05
SO	0691	Cotton seed	0.2
OR	0691	Cotton seed oil, edible	0.05
MO	0105	Edible offal (mammalian)	0.5
PE	0112	Eggs	*0.01
		Fruits [except olives]	*0.05
DH	1100	Hops, dry	0.2
		Lemon myrtle leaves	T0.5
GC	0645	Maize	0.1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.01
		Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5
FT	0305	Olives	1
SO	0697	Peanut	*0.01
SO	0703	Peanut, whole	*0.01
VR	0589	Potato	0.2
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	1
GC	0649	Rice	10
CM	1205	Rice, polished	0.5
GS	0659	Sugar cane	*0.05
DT	1114	Tea, Green, Black	T0.5
TN	0085	Tree nuts	*0.05
		Vegetables [except potato; pulses]	*0.05
Parathion-methyl			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1

COMPOUND		FOOD	MRL (mg/kg)
VR	0577	Carrot	T0.5
VS	0624	Celery	T3
SO	0691	Cotton seed	T1
FC	0001	Citrus fruit	T1
MO	0105	Edible offal (mammalian)	T*0.05
VC	0045	Fruiting vegetables, cucurbits	T1
VO	0050	Fruiting vegetables other than cucurbits (except sweet corn)	T0.2
FB	0269	Grapes	T0.5
VL	0053	Leafy vegetables	T1
VP	0060	Legume vegetables	T0.5
MM	0095	Meat [mammalian]	T*0.05
ML	0106	Milks	T*0.05
FP	0009	Pome fruits	T0.5
VR	0589	Potato	*0.05
VD	0070	Pulses	T0.2
FS	0012	Stone fruits	T0.2
VO	0447	Sweet corn	*0.1
Pebulate			
VC	0050	Fruiting vegetables, other than Cucurbits	*0.1
Penconazole			
VB	0402	Brussels sprouts	0.05
FB	0269	Grapes	0.1
FP	0009	Pome fruits	0.1
Pencycuron			
VR	0589	Potato	0.05
Pendimethalin			
FI	0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.05
GC	0640	Barley	*0.05
FB	0018	Berries and other small fruits	*0.05
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
VA	0035	Bulb vegetables [alliums]	*0.05
FC	0001	Citrus fruits	*0.05

COMPOUND		FOOD	MRL (mg/kg)
SB	0716	Coffee beans	T*0.01
FT	0295	Date	T*0.05
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
HH	0092	Herbs	*0.05
DH	1100	Hops, dry	*0.1
VL	0053	Leafy vegetables	*0.05
VP	0060	Legume vegetables	*0.05
GC	0645	Maize	*0.05
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
SO	0088	Oilseed	*0.05
FT	0305	Olives	*0.05
FP	0009	Pome fruits	*0.05
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
VD	0070	Pulses	*0.05
VR	0075	Root and tuber vegetables	*0.05
GC	0649	Rice	*0.05
FS	0012	Stone fruits	*0.05
GS	0659	Sugar cane	*0.05
VO	0447	Sweet corn (corn-on-the-cob)	*0.05
TN	0085	Tree nuts	*0.05
VO	0448	Tomato	*0.05
GC	0654	Wheat	*0.05
Penflufen			
GC	0080	Cereal grains	*0.01
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian] [in the fat]	*0.01
ML	0106	Milks	*0.01
FM	0183	Milk fats	*0.01
PO	0111	Poultry, Edible offal of	*0.01

COMPOUND		FOOD	MRL (mg/kg)
PM	0110	Poultry meat [in the fat]	*0.01
Penthiopyrad			
VL	0054	Brassica leafy vegetables	70
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	7
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
VC	0045	Fruiting vegetables, Cucurbits	1
VO	0050	Fruiting vegetables, other than Cucurbits	5
VL	0053	Leafy vegetables [except Brassica leafy vegetables; Lettuce, Head]	50
VL	0482	Lettuce, Head	10
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
VA	0385	Onion, Bulb	1
VA	0387	Onion, Welsh	5
FP	0009	Pome fruit	0.5
VR	0589	Potato	0.1
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
VR	0075	Root and tuber vegetables [except Potato]	2
VA	0388	Shallot	5
VA	0389	Spring onion	5
FS	0012	Stone fruits	5
FB	0275	Strawberry	5
TN	0085	Tree nuts	0.1
Permethrin			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbage, Flowerhead brassica [except Brussels sprouts]	1
VB	0402	Brussels sprouts	2
VS	0624	Celery	5
GC	0080	Cereal grains	2
VD	0526	Common bean (dry) [navy bean]	0.1
VP	0526	Common bean (pods and/or immature seeds)	0.5

COMPOUND		FOOD	MRL (mg/kg)
		Coriander (leaves and stems)	30
SO	0691	Cotton seed	0.2
MO	0105	Edible offal (mammalian)	0.5
PE	0112	Eggs	0.1
VC	0045	Fruiting vegetables, Cucurbits	0.2
HS	0783	Galangal, rhizomes	T5
HH	0092	Herbs	30
		Kaffir lime leaves	30
FI	0341	Kiwifruit	2
VL	0053	Leafy vegetables (except Lettuce head and Lettuce leaf)	T5
		Lemon balm	30
		Lemon grass	30
DT	1111	Lemon verbena	T5
VL	0482	Lettuce, Head	5
VL	0483	Lettuce, Leaf	5
SO	0693	Linseed	0.1
VD	0545	Lupin (dry)	0.1
MM	0095	Meat [mammalian] [in the fat]	1
ML	0106	Milks	0.05
VD	0536	Mung bean (dry)	0.1
VO	0450	Mushrooms	2
VP	0063	Peas	1
VR	0589	Potato	0.05
PM	0110	Poultry meat [in the fat]	0.1
SO	0495	Rape seed	0.2
VS	0627	Rhubarb	1
VD	0541	Soya bean (dry)	0.1
GS	0659	Sugar cane	*0.1
SO	0702	Sunflower seed	0.2
VO	0447	Sweet corn (corn-on-the-cob)	*0.05
VO	0448	Tomato	0.4
HS	0794	Tumeric, root	T5
CM	0654	Wheat bran, unprocessed	5

COMPOUND		FOOD	MRL (mg/kg)
CF	1210	Wheat germ	2
Phenmedipham			
VR	0574	Beetroot	0.5
VL	0464	Chard [silver beet]	2
MO	0105	Edible offal (mammalian)	*0.1
VL	0053	Leafy vegetables [except Chard [silver beet]]	T1
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
		Radicchio	T1
Phenothrin			
MO	0105	Edible offal (mammalian)	*0.5
PE	0112	Eggs	*0.5
MM	0095	Meat [mammalian]	*0.5
ML	0106	Milks	*0.05
GC	0654	Wheat	2
CM	0654	Wheat bran, unprocessed	5
CF	1210	Wheat germ	5
2-Phenylphenol			
VR	0577	Carrot	20
FS	0013	Cherries	3
FC	0001	Citrus fruits	10
VC	0424	Cucumber	10
VC	0046	Melons, except Watermelon	10
FS	0245	Nectarine	3
FS	0247	Peach	20
FP	0230	Pear	25
VO	0445	Peppers, Sweet [capsicums]	10
FI	0353	Pineapple	10
FS	0014	Plums (including Prunes)	15
VR	0508	Sweet potato	15
VO	0448	Tomato	10
Phorate			
SO	0691	Cotton seed	0.5

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
		Vegetables	0.5
Phosmet			
MO	0812	Cattle, Edible offal of	1
MM	0812	Cattle meat [in the fat]	1
GC	0080	Cereal grains	*0.05
MO	0814	Goat, Edible offal of	*0.05
MM	0814	Goat meat	*0.05
FI	0341	Kiwifruit	15
MO	0818	Pig, Edible offal of	0.1
MM	0818	Pig meat	0.1
ML	0106	Milks [in the fat]	0.2
FP	0009	Pome fruits	1
MO	0822	Sheep, Edible offal of	*0.05
MM	0822	Sheep meat	*0.05
FS	0012	Stone fruits	1
Phosphine			
FT	0026	Assorted tropical and sub-tropical fruits – edible peel	T*0.01
FI	0030	Assorted tropical and subtropical fruits – inedible peel	T*0.01
FB	0018	Berries and other small fruits	T*0.01
VA	0035	Bulb vegetables	T*0.01
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T*0.01
GC	0080	Cereal grains	*0.1
FC	0001	Citrus fruits	T*0.01
		Dried foods [except dried fruits; dried vegetables]	*0.01
DF	0167	Dried fruits	*0.01
DV	0168	Dried vegetables	*0.01
VC	0045	Fruiting vegetables, Cucurbits	T*0.01

COMPOUND		FOOD	MRL (mg/kg)
VO	0050	Fruiting vegetables, other than Cucurbits	T*0.01
		Honey	*0.01
VL	0053	Leafy vegetables [including Brassica leafy vegetables]	T*0.01
VP	0060	Legume vegetables	T*0.01
SO	0088	Oilseed	*0.01
SO	0697	Peanut	*0.01
FP	0009	Pome fruits	T*0.01
VD	0070	Pulses	*0.01
VR	0075	Root and tuber vegetables	T*0.01
SB	0091	Seeds for beverages	T*0.01
HS	0093	Spices	*0.01
VS	0078	Stalk and stem vegetables	T*0.01
FS	0012	Stone fruits	T*0.01
GS	0659	Sugar cane	*0.01
TN	0085	Tree nuts	*0.01
Phosphorous acid			
		Anise myrtle leaves	T1000
FI	0030	Assorted tropical and sub-tropical fruits – inedible peel (except avocado)	T100
FI	0326	Avocado	T500
FB	0018	Berries and other small fruit	T50
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages [except Flowerhead brassicas]	T1
VA	0035	Bulb vegetables	T10
FC	0001	Citrus fruits	100
MO	0105	Edible offal (mammalian)	5
VB	0042	Flowerhead brassicas	50
VC	0045	Fruiting vegetables, Cucurbits	T100
VO	0050	Fruiting vegetables, other than cucurbits	T100
HS	0783	Galangal, rhizomes	T5
HS	0784	Ginger, root	T100
HH	0092	Herbs	T5
		Kaffir lime leaves	T5
VL	0053	Leafy vegetables	T150

COMPOUND		FOOD	MRL (mg/kg)
		Lemon grass	T5
		Lemon myrtle leaves	T1000
DT	1111	Lemon verbena	T5
MM	0095	Meat [mammalian]	1
VP	0064	Peas, shelled	T100
SO	0698	Poppy seed	1
		Riberries	T1000
VR	0075	Root and tuber vegetables	T100
VS	0627	Rhubarb	T100
VO	0448	Tomato	T100
TN	0085	Tree nuts	T1000
Picloram			
GC	0080	Cereal grains	0.2
MO	0105	Edible offal (mammalian)	5
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
GS	0659	Sugar cane	*0.01
Picolinafen			
GC	0080	Cereal grains	*0.02
MO	0105	Edible offal (mammalian)	0.05
PE	0112	Eggs	*0.01
VD	0561	Field pea (dry)	*0.02
VD	0545	Lupin (dry)	*0.02
MM	0095	Meat (mammalian)[in the fat]	*0.02
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat [in the fat]	*0.02
Pinoxaden			
GC	0640	Barley	0.1
MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat [Mammalian]	*0.02
ML	0106	Milks	*0.01

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
GC	0654	Wheat	0.1
CM	0654	Wheat bran, unprocessed	0.5
Piperonyl butoxide			
CM	0081	Bran, unprocessed of cereal grain	40
ML	0812	Cattle milk	0.05
GC	0080	Cereal grains	20
DF	0167	Dried fruits	8
DV	0168	Dried vegetables	8
MO	0105	Edible offal (mammalian)	0.1
PE	0112	Eggs	*0.1
		Fruits	8
MO	0095	Meat [mammalian]	0.1
SO	0088	Oilseed	8
PM	0110	Poultry meat [in the fat]	*0.5
PO	0111	Poultry, Edible offal of	*0.5
TN	0085	Tree nuts	8
		Vegetables	8
CF	1210	Wheat germ	50
Pirimicarb			
VD	0560	Adzuki bean (dry)	T0.5
VR	0578	Celeriac	0.1
GC	0080	Cereal grains	*0.02
VL	0465	Chervil	T20
		Coriander (leaves, stems and roots)	T20
SO	0691	Cotton seed	0.05
OC	0691	Cotton seed oil, crude	T0.1
MO	0105	Edible offal (mammalian)	*0.1
PE	0112	Eggs	*0.1
		Fruits	0.5
HH	0092	Herbs	T20
DH	1100	Hops, dry	0.5

COMPOUND		FOOD	MRL (mg/kg)
VL	0053	Leafy vegetables [except Chervil, Mizuna and Rucola (rocket)]	T7
		Lemon balm	T20
VD	0545	Lupin (dry)	*0.02
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.1
		Mizuna	T10
VD	0536	Mung bean (dry)	T0.5
VA	0387	Onion, Welsh	T3
PO	0111	Poultry, Edible offal of	*0.1
PM	0110	Poultry meat	*0.1
VL	0496	Rucola [rocket]	T20
VA	0388	Shallot	T3
VA	0389	Spring Onion	T3
VD	0541	Soya bean (dry)	T0.5
VO	0447	Sweet corn (corn-on-the-cob)	T0.1
SO	0495	Rape seed	0.2
TN	0085	Tree nuts	T*0.05
		Vegetables [except Celeriac; Leafy vegetables; Lupin (dry); Onion, Welsh; Shallot; Spring onion; Sweet corn (corn-on-the-cob)]	1
Pirimiphos-methyl			
GC	0640	Barley	7
CM	0081	Bran, unprocessed of cereal grain	20
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
GC	0645	Maize	7
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
GC	0646	Millet	10
GC	0647	Oats	7
SO	0697	Peanut	5
OR	0697	Peanut oil, edible	15
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GC	0649	Rice	10

COMPOUND		FOOD	MRL (mg/kg)
CM	0649	Rice, husked	2
CM	1205	Rice, polished	1
GC	0650	Rye	10
GC	0651	Sorghum	10
GC	0653	Triticale	10
GC	0654	Wheat	10
CF	1210	Wheat germ	30
Praziquantel			
		Fish muscle/skin	T*0.01
MO	0822	Sheep, Edible offal, of	*0.05
MM	0822	Sheep meat	*0.05
Procaine penicillin			
MO	0105	Edible offal (mammalian)	*0.1
MM	0095	Meat [mammalian]	*0.1
ML	0106	Milks	*0.0025
Prochloraz			
FI	0326	Avocado	5
FI	0327	Banana	5
VL	0482	Lettuce, head	2
FI	0343	Litchi	T2
FI	0345	Mango	5
VO	0450	Mushrooms	3
FI	0350	Papaya [pawpaw]	5
FI	0353	Pineapple	2
TN	0675	Pistachio nut	T0.5
GS	0659	Sugar cane	*0.05
Procymidone			
VD	0560	Adzuki bean (dry)	T0.2
		Bergamot	T3
VD	0523	Broad Bean (dry)	T10
VP	0522	Broad Bean, green pods and immature seeds	T10
VL	0465	Chervil	T2
VD	0524	Chick-pea (dry)	T0.5

COMPOUND		FOOD	MRL (mg/kg)
VD	0526	Common Bean (dry)	T10
VP	0526	Common Bean, pod and/or immature seeds	T3
		Coriander (leaves, roots and stems)	T3
HS	0779	Coriander, seed	T3
HS	0730	Dill seed	T3
MO	0105	Edible offal (Mammalian)	T0.05
PE	0112	Eggs	T*0.01
VA	0380	Fennel, bulb	T1
HS	0731	Fennel seed	T3
VR	0581	Galangal, Greater	T0.5
VA	0381	Garlic	T5
HH	0092	Herbs	T3
		Kaffir lime leaves	T3
		Lemon grass	T3
DT	1111	Lemon verbena [fresh weight]	T3
VD	0533	Lentil (dry)	0.5
VD	0545	Lupin (dry)	T*0.01
MM	0095	Meat (mammalian)[in the fat]	T0.2
ML	0106	Milks	T0.02
		Mizuna	T2
VA	0385	Onion, Bulb	T0.2
VO	0051	Peppers	T2
FP	0009	Pome fruits	T1
VR	0589	Potato	T0.1
PO	0111	Poultry, Edible offal of	T*0.01
PM	0110	Poultry meat [in the fat]	T0.1
SO	0495	Rape seed	T1
OC	0495	Rape seed oil, crude	T2
VR	0075	Root and tuber vegetables (except potato)	T1
		Rose and dianthus (edible flowers)	T3
VL	0496	Rucola [rocket]	T2
HH	4731	Salad burnett	T3
		Snow-peas	T5

COMPOUND		FOOD	MRL (mg/kg)
FS	0012	Stone fruits	T10
HS	0794	Turmeric, root [fresh]	T0.5
FB	1236	Wine-grapes	T2
Profenofos			
ML	0812	Cattle milk	*0.01
SO	0691	Cotton seed	1
OR	0691	Cotton seed oil, edible	0.3
MO	0105	Edible offal (Mammalian)	*0.05
PE	0112	Eggs	*0.02
MM	0095	Meat (mammalian)	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
Profoxydim			
MO	0105	Edible offal (Mammalian)	0.5
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GC	0649	Rice	0.05
Prohexadione-calcium			
FP	0226	Apple	*0.02
FS	0013	Cherries	*0.01
MO	0105	Edible offal (Mammalian)	*0.05
MM	0095	Meat (Mammalian)	*0.05
ML	0106	Milks	*0.01
Prometryn			
VD	0560	Adzuki bean (dry)	T*0.1
ML	0812	Cattle milk	*0.05
GC	0080	Cereal grains	*0.1
		Coriander (leaves, roots and stems)	T1
HS	0779	Coriander, seed	T1
SO	0691	Cotton seed	*0.1

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (Mammalian)	*0.05
MM	0095	Meat [mammalian]	*0.05
SO	0697	Peanut	*0.1
SO	0702	Sunflower seed	*0.1
		Vegetables	*0.1
Propachlor			
VR	0574	Beetroot	*0.05
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.6
VL	0054	Brassica leafy vegetables	T*0.05
GC	0080	Cereal grains (except sorghum)	0.05
VL	0464	Chard [silver beet]	T*0.02
MO	0105	Edible offal (Mammalian)	0.1
PE	0112	Eggs	*0.02
VA	0381	Garlic	2.5
VA	0384	Leek	*0.02
VL	0482	Lettuce, Head	*0.02
VL	0483	Lettuce, Leaf	*0.02
MM	0095	Meat (mammalian)[in the fat]	*0.02
ML	0106	Milks	*0.02
VA	0385	Onion, Bulb	2.5
VA	0387	Onion, Welsh	T1
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat [in the fat]	*0.02
VR	0494	Radish	*0.02
VL	0496	Rucola [rocket]	T*0.05
VA	0388	Shallot	T1
GC	0651	Sorghum	0.2
VL	0502	Spinach	T*0.02
VA	0389	Spring onion	T1
VR	0497	Swede	*0.02
VO	0447	Sweet corn (corn-on-the-cob)	0.05
VR	0506	Turnip	*0.02

COMPOUND		FOOD	MRL (mg/kg)
Propamocarb			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
VO	0050	Fruiting vegetables, other than Cucurbits	T0.3
VL	0053	Leafy vegetables	T20
Propanil			
MO	0812	Cattle, Edible offal of	*0.1
MM	0812	Cattle meat	*0.1
PE	0112	Eggs	*0.1
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	3
PM	0110	Poultry meat	*0.1
GC	0649	Rice	2
MO	0822	Sheep, Edible offal of	*0.1
MM	0822	Sheep meat	*0.1
Propaquizafop			
MO	0105	Edible offal (Mammalian)	*0.02
MM	0095	Meat (mammalian)	*0.02
ML	0106	Milks	*0.01
SO	0088	Oilseed	*0.05
VA	0385	Onion, Bulb	*0.05
VP	0063	Peas	*0.05
VD	0070	Pulses	*0.05
Propargite			
FP	0226	Apple	3
FI	0327	Banana	3
SO	0691	Cotton seed	0.2
FB	0278	Currant, black	T3
MO	0105	Edible offal (Mammalian)	*0.1
PE	0112	Eggs	*0.1
DH	1100	Hops, dry	3
FI	0346	Mangostan	T3
MM	0095	Meat [mammalian] [in the fat]	*0.1

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	*0.1
FI	0351	Passion fruit	3
FP	0230	Pear	3
PO	0111	Poultry, Edible offal of	*0.1
PM	0110	Poultry meat [in the fat]	*0.1
FI	0358	Rambutan	T3
FS	0012	Stone fruits	3
FB	0275	Strawberry	7
		Vegetables	3
Propazine			
		Vegetables	*0.1
Propetamphos			
MO	0822	Sheep, Edible offal of	*0.01
MM	0822	Sheep meat [in the fat]	*0.01
Propiconazole			
TN	0660	Almonds	0.2
		Anise myrtle leaves	T10
VS	0621	Asparagus	T*0.1
FI	0326	Avocado	*0.02
FI	0327	Banana	0.2
VR	0574	Beetroot	*0.02
FB	0020	Blueberries	2
VL	0054	Brassica leafy vegetables	T0.7
VS	0624	Celery	T5
GC	0080	Cereal grains	*0.05
VL	0464	Chard [Silver beet]	T0.5
VL	0465	Chervil	T10
VL	0469	Chicory leaves	T0.7
		Coriander (leaves, roots and stems)	T10
MO	0105	Edible offal (Mammalian)	1
PE	0112	Eggs	*0.05
VL	0476	Endive	T0.7
FB	0269	Grapes	1

COMPOUND		FOOD	MRL (mg/kg)
HH	0092	Herbs	T10
		Lemon balm	T10
		Lemon myrtle leaves	T10
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks	*0.01
		Mint oil	*0.02
		Mizuna	T10
VO	0450	Mushrooms	*0.05
SO	0697	Peanut	*0.05
FI	0352	Persimmon, American	T0.2
FI	0353	Pineapple	0.05
SO	0698	Poppy seed	*0.01
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.1
		Radicchio	T0.7
VR	0494	Radish	T0.2
		Riberries	T5
VL	0496	Rucola [rocket]	T10
VL	0502	Spinach	T0.7
FS	0012	Stone fruits	2
GS	0659	Sugar cane	*0.02
SO	0702	Sunflower seed	T2
VO	0447	Sweet corn (corn-on-the-cob)	*0.02
TN	0085	Tree nuts [except almonds]	T0.2

Propineb see [Dithiocarbamates](#)

Propoxur

VR	0589	Potato	10
----	------	--------	----

Propylene oxide

TN	0660	Almonds	100
----	------	---------	-----

Propyzamide

MO	0812	Cattle, Edible offal of	*0.2
MM	0812	Cattle meat	*0.05
VL	0469	Chicory leaves	*0.2

COMPOUND		FOOD	MRL (mg/kg)
PE	0112	Eggs	*0.05
VL	0476	Endive	*0.2
VL	0482	Lettuce, Head	1
VL	0483	Lettuce, Leaf	1
ML	0106	Milks	*0.01
SO	0698	Poppy seed	T*0.02
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
Proquinazid			
DF	0269	Dried grapes (= Currants, Raisins and Sultanas)	2
MO	0105	Edible offal (Mammalian)	0.05
PE	0112	Eggs	*0.01
VC	0045	Fruiting vegetables, Cucurbits	0.2
FB	0269	Grapes	0.5
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
Prosulfocarb			
GC	0640	Barley	*0.01
MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat (mammalian)	0.02
ML	0106	Milks	0.02
VR	0589	Potato	T*0.01
PO	0111	Poultry, Edible offal of	0.02
PM	0110	Poultry meat	0.02
VD	0070	Pulses	T*0.01
GC	0654	Wheat	*0.01
Prothiofos			
FI	0327	Banana	*0.01
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2

COMPOUND		FOOD	MRL (mg/kg)
FB	0269	Grapes	2
FP	0009	Pome fruits	0.05
Prothioconazole			
CM	0081	Bran, unprocessed of cereal grain	0.5
GC	0080	Cereal grains	0.3
VD	0524	Chick-pea (dry)	T0.7
MO	0105	Edible offal (Mammalian)	0.1
PE	0112	Eggs	*0.01
VD	0533	Lentil (dry)	T0.7
MM	0095	Meat (Mammalian)[in the fat]	*0.01
ML	0106	Milks	*0.004
SO	0697	Peanut	T*0.02
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat [in the fat]	*0.05
SO	0495	Rape seed [canola]	*0.02
CF	1210	Wheat germ	0.5
Pymetrozine			
TN	0660	Almonds	T*0.01
VR	0574	Beetroot	*0.02
VB	0040	Brassicas (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.02
SO	0691	Cotton seed	*0.02
OR	0691	Cotton seed oil, edible	*0.02
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
VO	0440	Egg plant	T0.05
VC	0045	Fruiting vegetables, Cucurbits	T0.1
		Leafy Herbs	T10
VL	0053	Leafy vegetables	T5
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
VO	0445	Peppers, Sweet	T*0.02
TN	0675	Pistachio nut	T*0.02
VP	0538	Podded Pea (young pods)	0.3

COMPOUND		FOOD	MRL (mg/kg)
VR	0589	Potato	*0.02
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
FS	0012	Stone fruits	*0.05
VO	0448	Tomato	T0.2
Pyraclofos			
MF	0822	Sheep fat	0.5
MO	1288	Sheep, kidney	*0.01
MO	1289	Sheep, liver	*0.01
		Sheep muscle	*0.01
Pyraclostrobin			
FI	0327	Banana	*0.02
VL	0054	Brassica leafy vegetables	T3
VB	0401	Broccoli, Chinese	T1
GC	0080	Cereal grains	*0.01
FI	0332	Custard apple	T3
DF	0269	Dried grapes	5
MO	0105	Edible offal (Mammalian)	0.1
PE	0112	Eggs	*0.05
VO	0050	Fruiting vegetables, other than Cucurbits	0.3
FB	0269	Grapes	2
FI	0343	Litchi	T2
FI	0345	Mango	0.1
MM	0095	Meat [mammalian][in the fat]	*0.05
ML	0106	Milks	*0.01
FI	0350	Papaya [pawpaw]	T0.5
FI	0351	Passion fruit	T0.2
TN	0675	Pistachio nut	T1
FP	0009	Pome fruits	1
SO	0698	Poppy seed	*0.05
VR	0589	Potato	*0.02
PM	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat [in the fat]	*0.05

COMPOUND		FOOD	MRL (mg/kg)
SO	0702	Sunflower seed	T0.3
TN	0085	Tree nuts [except Pistachio nut]	*0.01
Pyraflufen-ethyl			
GC	0080	Cereal grains	*0.02
SO	0691	Cotton seed	*0.05
MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat (mammalian)	*0.02
ML	0106	Milks	*0.02
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry, meat	*0.02
Pyrasulfotole			
CM	0081	Bran, unprocessed of cereal grain	0.03
GC	0080	Cereal grains	*0.02
MO	0105	Edible offal (Mammalian)	0.5
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PO	0110	Poultry meat	*0.01
Pyrethrins			
GC	0080	Cereal grains	3
DF	0167	Dried fruits	1
DV	0168	Dried vegetables	1
		Fruits	1
SO	0088	Oilseed	1
TN	0085	Tree nuts	1
		Vegetables	1
Pyridaben			
FI	0327	Banana	0.5
FB	0269	Grapes	5
FP	0009	Pome fruits	0.5
FS	0012	Stone fruits	0.5

COMPOUND		FOOD	MRL (mg/kg)
FB	0275	Strawberry	1
TN	0085	Tree nuts	T*0.05
Pyridate			
VD	0524	Chick-pea (dry)	*0.1
MO	0105	Edible offal (mammalian)	*0.2
PE	0112	Eggs	*0.2
MM	0095	Meat [mammalian]	*0.2
ML	0106	Milks	*0.2
SO	0697	Peanut	*0.1
PO	0111	Poultry, Edible offal of	*0.2
PM	0110	Poultry meat	*0.2
Pyrimethanil			
FI	0327	Banana	2
FB	0018	Berries and other small fruits [except grapes, strawberries]	T5
FC	0001	Citrus fruits	7
VC	0424	Cucumber	5
MO	0105	Edible offal (mammalian)	*0.05
FB	0269	Grapes	5
VL	0053	Leafy vegetables [except Lettuce, Head; Lettuce, Leaf]	T5
VL	0482	Lettuce, Head	20
VL	0483	Lettuce, Leaf	20
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.01
VP	0538	Podded pea (young pods)[snow and sugar snap]	T2
FP	0009	Pome fruits	0.05
VR	0589	Potato	*0.01
VO	0445	Peppers, Sweet [capsicums]	1
FB	0275	Strawberry	5
VO	0448	Tomato	T5
Pyriproxyfen			
VP	0061	Beans, except broad bean and soya bean	T0.2
FC	0001	Citrus fruits	0.3
SB	0716	Coffee beans	0.1

COMPOUND		FOOD	MRL (mg/kg)
SO	0691	Cotton seed	*0.01
OC	0691	Cotton seed oil, crude	*0.02
PE	0112	Eggs	0.05
MO	0105	Edible offal (mammalian)	*0.02
VC	0045	Fruiting vegetables, Cucurbits	0.2
VO	0050	Fruiting vegetables, other than Cucurbits	1
HH	0092	Herbs	T5
VL	0483	Lettuce, Leaf	5
FI	0345	Mango	0.05
MM	0095	Meat [mammalian][in the fat]	*0.02
ML	0106	Milks	*0.02
OC	0305	Olive oil, crude	3
FT	0305	Olives	1
FI	0351	Passionfruit	0.1
VP	0538	Podded pea (young pods)[snow and sugar snap]	T2
PO	0111	Poultry, edible offal	0.1
PM	0110	Poultry meat (in the fat)	0.1
FB	0275	Strawberry	T0.5
VR	0508	Sweet potato	*0.05
Pyriithiobac sodium			
SO	0691	Cotton seed	*0.01
OC	0691	Cotton seed oil, crude	*0.01
OR	0691	Cotton seed oil, edible	*0.01
MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat [mammalian]	*0.02
ML	0106	Milks	*0.02
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
Pyroxsulam			
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian]	*0.01

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	*0.01
SO	0698	Poppy seed	T*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
GC	0650	Rye	*0.01
GC	0653	Triticale	*0.01
GC	0654	Wheat	*0.01
Pyroxasulfone			
GC	0080	Cereal grains	*0.01
MO	0105	Edible offal (Mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat [mammalian]	*0.02
ML	0106	Milks	*0.002
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02

Q

COMPOUND		FOOD	MRL (mg/kg)
Quinoxifen			
VL	0464	Chard [silver beet]	T3
VL	0465	Chervil	T5
		Coriander (leaves, roots and stems)	T5
DF	0269	Dried grapes	2
MO	0105	Edible offal (Mammalian)	*0.01
FB	0269	Grapes	0.5
HH	0092	Herbs	T5
MM	0095	Meat (mammalian)[in the fat]	0.1
ML	0106	Milks	0.01
		Mizuna	T5
VL	0496	Rucola [Rocket]	T5
Quintozone			
FI	0327	Banana	1
VP	0061	Beans, except broad bean and soya bean	0.01

COMPOUND		FOOD	MRL (mg/kg)
VP	0522	Broad bean (green pods and immature seeds)	0.01
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
VS	0624	Celery	0.3
VD	0526	Common bean (dry) [navy bean]	0.2
SO	0691	Cotton seed	0.03
VL	0482	Lettuce, Head	0.3
VL	0483	Lettuce, Leaf	0.3
VO	0450	Mushrooms	10
VA	0385	Onion, Bulb	0.2
SO	0697	Peanut	0.3
VO	0445	Peppers, Sweet [capsicums]	0.01
VR	0589	Potato	0.2
VO	0448	Tomato	0.1
Quizalofop-ethyl			
VR	0574	Beetroot	0.02
VB	0041	Cabbages, Head	*0.01
VR	0577	Carrot	*0.02
VB	0404	Cauliflower	*0.05
VP	0526	Common bean (pods and/or immature seeds)	*0.02
VC	0424	Cucumber	*0.02
MO	0105	Edible offal (Mammalian)	0.2
PE	0112	Eggs	*0.02
FB	0269	Grapes	*0.02
MM	0095	Meat [mammalian]	*0.02
VC	0046	Melons, except Watermelon	*0.02
ML	0106	Milks	0.1
VA	0385	Onion, Bulb	*0.02
SO	0697	Peanut	*0.02
FI	0353	Pineapple	*0.05
VR	0589	Potato	*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	0.2

COMPOUND		FOOD	MRL (mg/kg)
VC	0429	Pumpkins	*0.02
VR	0494	Radish	*0.02
SO	0495	Rape seed	*0.02
SO	0702	Sunflower seed	*0.05
VO	0448	Tomato	*0.02
Quizalofop-P-tefuryl			
VR	0574	Beetroot	0.02
VB	0041	Cabbages, Head	*0.01
VR	0577	Carrot	*0.02
VB	0404	Cauliflower	*0.05
VP	0526	Common bean (pod and/or immature seeds)	*0.02
VC	0424	Cucumber	*0.02
MO	0105	Edible offal (Mammalian)	0.2
PE	0112	Eggs	*0.02
FB	0269	Grapes	*0.02
MM	0095	Meat [mammalian]	*0.02
VC	0046	Melons, except Watermelon	*0.02
ML	0106	Milks	0.1
VA	0385	Onion, Bulb	*0.02
SO	0697	Peanut	*0.02
FI	0353	Pineapple	*0.05
VR	0589	Potato	*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses	0.2
VC	0429	Pumpkins	*0.02
VR	0494	Radish	*0.02
SO	0495	Rape seed	*0.02
SO	0702	Sunflower seed	*0.05
VO	0448	Tomato	*0.02

R

COMPOUND	FOOD	MRL (mg/kg)
Ractopamine		
MF 0818	Pig fat	0.05
MO 1284	Pig, kidney	0.2
MO 1285	Pig, liver	0.2
MM 0818	Pig meat	0.05
Rimsulfuron		
VO 0448	Tomato	*0.05
Robenidine		
PO 0111	Poultry, Edible offal of	*0.1
PM 0110	Poultry meat	*0.1

S

COMPOUND	FOOD	MRL (mg/kg)
S-metolachlor see Metolachlor		
Saflufenacil		
GC 0080	Cereal grains	*0.03
FC 0001	Citrus fruits	*0.03
MO 0105	Edible offal (Mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	*0.03
VP 0060	Legume vegetables	*0.03
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.03
FP 0009	Pome fruits	*0.03
PO 0111	Poultry, Edible offal of	*0.01
PM 0110	Poultry meat	*0.01
VD 0070	Pulses	*0.03
FS 0012	Stone fruits	*0.03
TN 0085	Tree nuts	*0.03
Salinomycin		
MO 0812	Cattle, Edible offal of	0.5

COMPOUND		FOOD	MRL (mg/kg)
MM	0812	Cattle meat	*0.05
PE	0112	Eggs	*0.02
MO	0818	Pig, Edible offal of	*0.1
MM	0818	Pig meat	*0.1
PO	0111	Poultry, Edible offal of	0.5
PM	0110	Poultry meat	0.1
Sedaxane			
GC	0080	Cereal grains	*0.01
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
Semduramicin			
		Chicken fat/skin	0.5
		Chicken kidney	0.2
		Chicken liver	0.5
PM	0840	Chicken meat	*0.05
Sethoxydim			
VS	0621	Asparagus	1
GC	0640	Barley	*0.1
VP	0061	Beans, except broad bean and soya bean	T0.5
VP	0522	Broad bean (green pods and immature seeds)	*0.1
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
VL	0054	Brassica leafy vegetables	T2
VS	0624	Celery	0.1
VL	0464	Chard [silverbeet]	T*0.1
VL	0469	Chicory leaves	T2
		Coriander (leaves, roots and stems)	*0.1
HS	0779	Coriander, seed	*0.1
SO	0691	Cotton seed	0.2

COMPOUND		FOOD	MRL (mg/kg)
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VO	0440	Egg plant	T*0.1
VL	0476	Endive	T2
VC	0045	Fruiting vegetables, Cucurbits	*0.1
VA	0381	Garlic	0.3
VA	0384	Leek	0.7
VL	0482	Lettuce, Head	0.2
VL	0483	Lettuce, Leaf	0.2
SO	0693	Linseed	0.5
VD	0545	Lupin (dry)	0.2
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
VA	0385	Onion, Bulb	0.3
VA	0387	Onion, Welsh	0.7
SO	0697	Peanut	3
VP	0063	Peas (pods and succulent = immature seeds)	T0.5
VO	0051	Peppers	T0.7
SO	0698	Poppy seed	0.2
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
VD	0070	Pulses [except lupin (dry)]	*0.1
		Radicchio	T2
SO	0495	Rape seed	0.5
VS	0627	Rhubarb	0.1
VR	0075	Root and tuber vegetables	1
VL	0496	Rucola [rocket]	T2
VA	0388	Shallot	0.7
VL	0502	Spinach	*0.1
VA	0389	Spring onion	0.7
SO	0702	Sunflower seed	*0.1
VO	0448	Tomato	0.1
HS	0794	Turmeric, root	1

COMPOUND		FOOD	MRL (mg/kg)
GC	0654	Wheat	*0.1
Simazine			
VS	0621	Asparagus	*0.1
VD	0523	Broad bean (dry)	*0.01
VP	0522	Broad bean (green pods and immature seeds)	*0.01
VD	0524	Chick-pea (dry)	*0.05
VP	0524	Chick-pea (green pods)	*0.05
MO	0105	Edible offal (Mammalian)	*0.05
PE	0112	Eggs	*0.01
		Fruits	*0.1
HS	0784	Ginger, root	T*0.05
VA	0384	Leek	*0.01
VD	0545	Lupin (dry)	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.02
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
SO	0495	Rape seed	*0.02
TN	0085	Tree nuts	*0.1
Spectinomycin			
MO	0105	Edible offal (mammalian) [except sheep, edible offal of]	*1
PE	0112	Eggs	2
MM	0095	Meat [mammalian] [except sheep meat]	*1
PO	0111	Poultry, edible offal of	*1
PM	0110	Poultry meat	*1
Spinetoram			
FI	0030	Assorted tropical and sub-tropical fruits - inedible peel	0.3
FB	0018	Berries and other small fruits	0.5
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2
FC	0001	Citrus fruits	0.2
SB	0716	Coffee beans	*0.01
		Coriander (leaves, roots and stems)	5

COMPOUND		FOOD	MRL (mg/kg)
HS	0779	Coriander, seed	5
HS	0730	Dill seed	5
DF	0269	Dried grapes (= currants, Raisins and Sultanas)	1
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
HS	0731	Fennel, seed	5
VC	0045	Fruiting vegetables, Cucurbits	0.05
VO	0050	Fruiting vegetables, other than Cucurbits [except sweet corn]	0.1
		Ginger, Japanese	T1
HS	0784	Ginger, root	T0.02
HH	0092	Herbs	1
		Kaffir lime leaves	5
VL	0053	Leafy vegetables	0.7
VA	0384	Leek	T0.2
VP	0060	Legume vegetables	0.2
		Lemon grass	5
DT	1111	Lemon verbena (dry leaves)	5
MM	0095	Meat (mammalian) [in the fat]	0.05
ML	0106	Milks	*0.01
FM	0183	Milk fats	0.03
		Mizuna	0.7
VA	0387	Onion, Welsh	T0.3
TN	0675	Pistachio nut	T0.05
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat [in the fat]	*0.01
FP	0009	Pome fruits	0.1
SO	0495	Rape seed [Canola]	*0.01
VR	0075	Root and tuber vegetables	0.02
VA	0388	Shallot	T0.3
VA	0389	Spring onion	T0.3
VS	0078	Stalk and stem vegetables	2
FS	0012	Stone fruits	0.2
HS	0794	Turmeric, root	0.02

COMPOUND		FOOD	MRL (mg/kg)
Spinosad			
FI	0030	Assorted tropical and sub-tropical fruits-inedible peel	0.3
VP	0061	Beans, except broad bean and soya bean	0.5
		Bergamot	5
FB	0018	Berries and other small fruit [excluding grapes]	0.7
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
HH	4731	Burnet, Salad	5
VS	0624	Celery	2
GC	0080	Cereal grains	T1
VL	0465	Chervil	5
FC	0001	Citrus fruits	0.3
SB	0716	Coffee beans	*0.01
		Coriander (leaves, roots and stems)	5
HS	0779	Coriander, seed	5
SO	0691	Cotton seed	*0.01
HS	0730	Dill seed	5
MO	0105	Edible offal (mammalian)	0.5
PE	0112	Eggs	T0.05
HS	0731	Fennel seed	5
VC	0045	Fruiting vegetables, Cucurbits	0.2
VO	0050	Fruiting vegetables, other than Cucurbits (except sweet corn (corn-on-the-cob))	0.2
VR	0581	Galangal, Greater	0.02
FB	0269	Grape	0.5
HH	0092	Herbs	5
VL	0479	Japanese greens	5
		Kaffir lime leaves	5
VL	0053	Leafy vegetables	5
		Lemon grass	5
DT	1111	Lemon verbena (dry leaves)	5
MM	0095	Meat (mammalian)[in the fat]	2
VC	0046	Melons, except Watermelon	T0.2
ML	0106	Milks	T0.1

COMPOUND		FOOD	MRL (mg/kg)
VA	0387	Onion, Welsh	0.3
VP	0063	Peas	0.5
FP	0009	Pome fruits	0.5
PO	0111	Poultry, Edible offal of	T0.05
		Poultry fat/skin	T0.2
PM	0110	Poultry meat	*0.01
VD	0070	Pulses	0.01
VR	0075	Root and tuber vegetables	0.02
VL	0496	Rucola [rocket]	5
SO	0699	Safflower seed	T*0.01
VA	0388	Shallot	0.3
VA	0389	Spring onion	0.3
FS	0012	Stone fruit	1
VO	0447	Sweet corn (corn-on-the-cob)	0.02
TN	0085	Tree nuts	T*0.01
HS	0794	Turmeric, root	0.02
Spirotetramat			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except Brussels sprouts]	7
VL	0054	Brassica leafy vegetables	10
VB	0402	Brussels sprouts	1
FC	0001	Citrus fruits	1
SO	0691	Cotton seed	0.7
MO	0105	Edible offal (Mammalian)	0.5
VC	0045	Fruiting vegetables, Cucurbits [except Melons]	2
VO	0050	Fruiting vegetables, other than Cucurbits [except sweet corn (corn-on-the-cob)]	7
VA	0381	Garlic	T0.5
VL	0053	Leafy vegetables [except Lettuce, Head; Brassica leafy vegetables]	5
VP	0060	Legume vegetables	2
VL	0482	Lettuce, Head	3
FI	0345	Mango	0.3
MM	0095	Meat (mammalian)	0.02

COMPOUND		FOOD	MRL (mg/kg)
VC	0046	Melons, except Watermelon	0.5
ML	0106	Milks	*0.005
VA	0385	Onion, Bulb	0.5
VR	0589	Potato	5
VO	0447	Sweet corn (corn-on-the-cob)	1
VR	0508	Sweet potato	5
VC	0432	Watermelon	0.5
Spiroxamine			
FI	0327	Banana	T5
GC	0640	Barley	T*0.05
DF	0269	Dried grapes (= Currants, Raisins and Sultanas]	3
MO	0105	Edible offal (Mammalian)	0.5
FB	0269	Grapes	2
MF	0100	Mammalian fats (except milk fats)	0.05
MM	0095	Meat [mammalian]	0.05
ML	0106	Milks	0.05
Streptomycin and Dihydrostreptomycin			
MO	0105	Edible offal (Mammalian)	*0.3
MM	0095	Meat [mammalian]	*0.3
ML	0106	Milks	*0.2
Sulfuryl fluoride			
GC	0080	Cereal grains	0.05
DF	0167	Dried fruit	0.07
SO	0697	Peanut	7
TN	0085	Tree nuts	7
Sulfosulfuron			
MO	0105	Edible offal (Mammalian)	*0.005
PE	0112	Eggs	*0.005
MM	0095	Meat (mammalian)	*0.005
ML	0106	Milks	*0.005
PO	0111	Poultry, Edible offal of	*0.005
PM	0110	Poultry meat	*0.005
GC	0653	Triticale	*0.01

COMPOUND		FOOD	MRL (mg/kg)
GC	0654	Wheat	*0.01
Sulphadiazine			
ML	0812	Cattle milk	0.1
MO	0105	Edible offal (Mammalian)	0.1
PE	0112	Eggs	T*0.02
MM	0095	Meat [mammalian]	0.1
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.1
Sulphadimidine			
MO	0105	Edible offal (Mammalian)	0.1
PE	0112	Eggs	T*0.01
MM	0095	Meat [mammalian]	0.1
PO	0111	Poultry [except Turkey], Edible offal of	0.1
PM	0110	Poultry meat	0.1
PO	0848	Turkey, Edible offal of	0.2
Sulphadoxine			
ML	0812	Cattle milk	*0.1
MO	0105	Edible offal (Mammalian)	*0.1
MM	0095	Meat (mammalian)	*0.1
Sulphaquinoxaline			
PE	0112	Eggs	T*0.01
PO	0111	Poultry, Edible offal of	0.1
PM	0110	Poultry meat	0.1
Sulphatroxazole			
ML	0812	Cattle milk	0.1
MO	0105	Edible offal (Mammalian)	0.1
MM	0095	Meat [mammalian]	0.1
Sulprofos			
SO	0691	Cotton seed	0.2
VO	0445	Peppers, Sweet [capsicums]	0.2
VO	0448	Tomato	1
Sulphur dioxide			
FB	0020	Blueberries	T10

COMPOUND		FOOD	MRL (mg/kg)
FI	0342	Longan	150
FB	0275	Strawberry	T30

T

COMPOUND		FOOD	MRL (mg/kg)
----------	--	------	-------------

Tau-Fluvalinate *see also* [Fluvalinate](#)

Tebuconazole

VS	0621	Asparagus	T*0.02
FI	0326	Avocado	0.2
FI	0327	Banana	0.2
VR	0574	Beetroot	T0.7
		Beetroot leaves	T5
VD	0523	Broad bean (dry)	T0.5
VA	0035	Bulb vegetables [except garlic]	*0.01
VR	0577	Carrot	T0.5
GC	0080	Cereal grains	0.2
VL	0464	Chard [silverbeet]	T5
VL	0465	Chervil	T0.5
VD	0524	Chick-pea (dry)	T0.2
VL	0469	Chicory	T5
		Coriander (leaves, roots and stems)	T0.5
SO	0691	Cotton seed	T1
DF	0269	Dried grapes	5
MO	0105	Edible offal (Mammalian)	0.5
PE	0112	Eggs	0.1
VL	0476	Endive	T5
VA	0381	Garlic	T0.2
FB	0269	Grapes	2
HH	0092	Herbs	T0.5
VP	0060	Legume vegetables	0.5
		Lemon balm	T0.5
VD	0533	Lentil (dry)	T0.2
VL	0482	Lettuce, Head	0.1
VL	0483	Lettuce, Leaf	0.1

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian]	0.1
ML	0106	Milks	0.05
		Mizuna	T0.5
VD	0536	Mung bean (dry)	T0.2
FI	0350	Papaya [Pawpaw]	0.2
SO	0697	Peanut	0.1
PO	0111	Poultry, Edible offal of	0.5
PM	0110	Poultry meat	0.1
SO	0495	Rape seed [canola]	0.3
VL	0496	Rucola [rocket]	T0.5
VD	0541	Soya bean (dry)	T0.1
VL	0502	Spinach	T5
GS	0659	Sugar cane	0.1
Tebufenozide			
FI	0326	Avocado	0.5
FB	0020	Blueberries	T2
FC	0001	Citrus fruits	1
SB	0716	Coffee beans	T0.05
FI	0332	Custard apple	0.3
DF	0269	Dried grapes	4
MO	0105	Edible offal (mammalian)	*0.02
FB	0269	Grapes	2
FI	0341	Kiwifruit	2
FI	0343	Litchi	2
FI	0342	Longan	2
TN	0669	Macadamia nuts	0.05
MM	0095	Meat (mammalian)[in the fat]	*0.02
ML	0106	Milks	*0.01
FS	0245	Nectarines	T1
FS	0247	Peaches	T1
FT	0307	Persimmon, Japanese	0.1
TN	0675	Pistachio nut	T0.05
FP	0009	Pome fruits	1

COMPOUND		FOOD	MRL (mg/kg)
FI	0358	Rambutan	T3
VD	0541	Soya bean (dry)	T0.1
Tebufenpyrad			
VC	0424	Cucumber	*0.02
FP	0009	Pome fruits	1
FP	0247	Peach	1
Tebuthiuron			
MO	0105	Edible offal (mammalian)	2
MM	0095	Meat [mammalian]	0.5
ML	0106	Milks	0.2
GS	0659	Sugarcane	T0.2
Temephos			
MO	0812	Cattle, Edible offal of	T2
MM	0812	Cattle meat [in the fat]	T5
MO	0822	Sheep, Edible offal of	0.5
MM	0822	Sheep meat [in the fat]	3
Tepraloxydim			
MO	0105	Edible offal (mammalian)	*0.1
PE	0112	Eggs	*0.1
MM	0095	Meat (mammalian)	*0.1
ML	0106	Milks	*0.02
PO	0111	Poultry, Edible offal of	*0.1
PM	0110	Poultry meat	*0.1
VD	0070	Pulses	*0.1
SO	0495	Rape seed (canola)	*0.1
Terbacil			
TN	0660	Almonds	0.5
		Peppermint oil	*0.1
FP	0009	Pome fruits	*0.04
FS	0012	Stone fruits	*0.04
Terbufos			
FI	0327	Banana	0.05
MO	0812	Cattle, Edible offal of	*0.05

COMPOUND		FOOD	MRL (mg/kg)
MM	0812	Cattle meat	*0.05
ML	0812	Cattle milk	*0.01
GC	0080	Cereal grains	*0.01
PE	0112	Eggs	*0.01
SO	0697	Peanut	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
SO	0702	Sunflower, seed	*0.05
VO	0447	Sweet corn (corn-on-the-cob)	*0.05
Terbutylazine			
MO	0105	Edible offal (Mammalian)	*0.01
PE	0112	Eggs	*0.01
GC	0645	Maize	T*0.02
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
VD	0070	Pulses	*0.02
SO	0495	Rape seed [canola]	*0.02
GC	0651	Sorghum	*0.01
VO	0447	Sweet corn (corn-on-the-cob)	T*0.02
Terbutryn			
GC	0080	Cereal grains	*0.1
MO	0105	Edible offal (mammalian)	3
PE	0112	Eggs	*0.05
MM	0095	Meat (mammalian)	0.1
ML	0106	Milks	0.1
VP	0063	Peas	*0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	0.1
GS	0659	Sugar cane	*0.05
Tetrachlorvinphos			
MM	0105	Edible offal (mammalian)	0.05

COMPOUND		FOOD	MRL (mg/kg)
MM	0095	Meat [mammalian]	0.05
ML	0106	Milks [in the fat]	0.05
Tetraconazole			
MO	0105	Edible offal (Mammalian)	0.2
FB	0269	Grapes	0.5
MM	0095	Meat (Mammalian)[in the fat]	*0.01
ML	0106	Milks	*0.01
Tetracycline			
ML	0106	Milks	*0.1
Tetradifon			
SO	0691	Cotton seed	5
		Fruits	5
DH	1100	Hops, dry	5
		Vegetables	5
Thiabendazole			
FP	0226	Apple	10
FI	0327	Banana	3
FC	0001	Citrus fruits	10
MO	0105	Edible offal (mammalian)	0.2
MM	0095	Meat [mammalian]	0.2
ML	0106	Milks	0.05
VO	0450	Mushrooms	0.5
SO	0697	Peanut	T*0.01
FP	0230	Pear	10
VR	0589	Potato	5
VR	0508	Sweet potato	0.05
Thiacloprid			
SO	0691	Cotton seed	0.1
MO	0105	Edible offal (mammalian)	*0.02
PE	0112	Eggs	*0.02
MM	0095	Meat (mammalian)	*0.02
ML	0106	Milks	*0.01
FP	0009	Pome fruits	1

COMPOUND		FOOD	MRL (mg/kg)
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
FS	0012	Stone fruits	2
Thiamethoxam			
VB	0440	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	3
GC	0080	Cereal grains [except Maize; Sorghum]	*0.01
FC	0001	Citrus fruits	1
SO	0691	Cotton seed	*0.02
MO	0105	Edible offal (mammalian)	*0.02
PE	0112	Eggs	*0.02
VO	0050	Fruiting vegetables, other than Cucurbits	0.05
VL	0053	Leafy vegetables	2
GC	0645	Maize	*0.02
FI	0345	Mango	T0.2
MM	0095	Meat (mammalian)	*0.02
ML	0106	Milks	*0.005
PO	0111	Poultry, Edible offal of	*0.02
PM	0110	Poultry meat	*0.02
SO	0495	Rape seed [canola]	*0.01
GC	0651	Sorghum	*0.02
SO	0702	Sunflower seed	*0.02
VO	0447	Sweet corn (corn-on-the-cob)	*0.02
Thidiazuron			
SO	0691	Cotton seed	*0.5
MO	0105	Edible offal (mammalian)	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.01
Thifensulfuron			
GC	0080	Cereal grains [except maize; rice]	*0.02
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat [mammalian]	*0.01

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	0.01
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
Thiobencarb			
GC	0649	Rice	*0.05
Thiodicarb see also Methomyl			
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
		Chia	T0.5
SO	0691	Cotton seed	*0.1
OC	0691	Cotton seed oil, crude	*0.1
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.02
GC	0645	Maize	*0.1
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
VO	0445	Peppers, sweet [Capsicum]	T5
VR	0589	Potato	0.1
VD	0070	Pulses	*0.1
GC	0651	Sorghum	T0.5
VO	0447	Sweet corn (corn on-the-cob)	*0.1
VO	0448	Tomato	2
Thiometon			
GC	0080	Cereal grains	1
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
		Fruits	1
VD	0545	Lupin (dry)	0.5
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
SO	0088	Oilseed	*0.05
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05

COMPOUND		FOOD	MRL (mg/kg)
		Vegetables	1
Thiophanate see Carbendazim			
Thiophanate-methyl see Carbendazim			
Thiram see Dithiocarbamates			
Tiamulin			
MO	0818	Pig, Edible offal of	*0.1
MM	0818	Pig meat	*0.1
PO	0111	Poultry, Edible offal of	*0.1
PM	0110	Poultry meat	*0.1
Tilmicosin			
MO	0812	Cattle, Edible offal of	1
MM	0812	Cattle meat	*0.05
ML	0812	Cattle milk	T*0.025
MO	0818	Pig, Edible offal of	1
MM	0818	Pig meat	0.05
Tolclofos-methyl			
VR	0574	Beetroot	*0.01
SO	0691	Cotton seed	*0.01
VR	0589	Potato	0.1
Tolfenamic acid			
MO	1280	Cattle, kidney	*0.01
MO	1281	Cattle, liver	*0.01
MM	0812	Cattle meat	0.05
ML	0812	Cattle milk	0.05
MO	1284	Pig, kidney	*0.01
MO	1285	Pig, liver	0.1
MM	0818	Pig meat	*0.01
Toltrazuril			
MF	0812	Cattle fat	1
MO	1280	Cattle, Kidney	1
MO	1281	Cattle, liver	2
		Cattle muscle	0.25
PO	0840	Chicken, Edible offal of	5

COMPOUND		FOOD	MRL (mg/kg)
PM	0840	Chicken meat	2
PE	0112	Eggs	*0.03
MO	0818	Pig, Edible offal of	2
MM	0818	Pig meat [in the fat]	1
Tolyfluanid			
FB	0018	Berries and other small fruits (except grapes, strawberry)	T15
VC	0424	Cucumber	T2
DF	0269	Dried grapes	T0.2
FB	0269	Grapes	T*0.05
FB	0275	Strawberry	3
Tralkoxydim			
GC	0080	Cereal grains	*0.02
Trenbolone acetate			
MO	0812	Cattle, Edible offal of	0.01
MM	0812	Cattle meat	0.002
Triadimefon			
FP	0226	Apple	1
GC	0080	Cereal grains	0.5
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.1
VD	0561	Field pea (dry)	0.1
VC	0045	Fruiting vegetables, Cucurbits	0.2
VO	0050	Fruiting vegetables, other than Cucurbits	0.2
VP	0529	Garden pea, shelled (succulent seeds)	0.1
VP	0528	Garden pea (young pods) (succulent seeds)	0.1
FB	0269	Grapes	1
MF	0100	Mammalian fats	*0.25
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.1
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
GS	0659	Sugar cane	*0.05

COMPOUND		FOOD	MRL (mg/kg)
Triadimenol			
FB	0018	Berries and other small fruits [except grapes and strawberries]	T0.5
VB	0040	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassica	1
GC	0080	Cereal grains (except sorghum)	*0.01
SO	0691	Cotton seed	T0.01
OC	0691	Cotton seed oil, crude	T0.05
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
VC	0045	Fruiting vegetables, Cucurbits	0.5
VO	0050	Fruiting vegetables, other than Cucurbits	1
FB	0269	Grapes	0.5
		Lemon grass	T*0.05
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
VA	0385	Onion, Bulb	0.05
FI	0350	Papaya [pawpaw]	0.2
VR	0588	Parsnip	T0.2
PO	0111	Poultry, Edible offal of	*0.01
PM	0110	Poultry meat	*0.01
VR	0494	Radish	T0.2
		Riberries	T5
GC	0651	Sorghum	0.5
GS	0659	Sugar cane	*0.05
VR	0497	Swede	T0.2
VR	0506	Turnip, Garden	T0.2
Triallate			
GC	0080	Cereal grains	*0.05
MO	0105	Edible offal (mammalian) (except kidney)	*0.1
PE	0112	Eggs	*0.01
MO	0098	Kidney of cattle, goats, pigs and sheep	0.2
VP	0060	Legume vegetables	*0.05
MF	0100	Mammalian fats	0.2
MM	0095	Meat [mammalian]	*0.1

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	*0.1
SO	0088	Oilseed	0.1
PO	0111	Poultry, Edible offal of	0.2
PF	0111	Poultry fats	0.2
PM	0110	Poultry meat	*0.1
VD	0070	Pulses	0.1
Triasulfuron			
GC	0080	Cereal grains	*0.02
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.01
Tribenuron-methyl			
GC	0640	Barley	*0.01
VD	0524	Chick-pea (dry)	*0.01
SO	0691	Cottonseed	*0.05
MO	0105	Edible offal (mammalian)	*0.01
GC	0645	Maize	*0.05
MM	0095	Meat [mammalian]	*0.01
ML	0106	Milks	*0.01
VD	0536	Mung bean (dry)	*0.01
GC	0647	Oats	*0.01
SO	0495	Rape seed	*0.01
GC	0651	Sorghum	*0.01
VD	0541	Soya bean (dry)	*0.01
SO	0702	Sunflower seed	*0.01
GC	0654	Wheat	*0.01
Trichlorfon			
		Achachairu	T3
FT	0026	Assorted tropical and sub-tropical fruits – edible peel	T3
FI	0030	Assorted tropical and sub-tropical fruits – inedible peel	T3
		Babaco	T3
VR	0574	Beetroot	0.2

COMPOUND		FOOD	MRL (mg/kg)
FB	0018	Berries and other small fruits	T2
VB	0402	Brussels sprouts	0.2
VO	4271	Cape gooseberry	T0.5
MO	0812	Cattle, Edible offal of	0.1
MF	0812	Cattle fat	0.1
MM	0812	Cattle meat	0.1
VB	0404	Cauliflower	0.2
VS	0624	Celery	0.2
GC	0080	Cereal grains	0.1
DF	0167	Dried fruits	2
VO	0440	Egg plant	T0.5
PE	0112	Eggs	*0.05
		Fish muscle	T*0.01
		Fruits [except achachairu; assorted tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; shaddocks or pomelos; rollinia; stone fruits]	T0.1
MO	0814	Goat, Edible offal of	0.1
MM	0814	Goat meat	0.1
VL	0480	Kale	0.2
FP	0228	Loquat	T3
FP	0229	Medlar	T3
ML	0106	Milks	*0.05
		Miracle fruit	T3
SO	0088	Oilseed [except peanut]	0.1
SO	0697	Peanut	0.1
VO	0443	Pepino	T0.5
VO	0051	Peppers	0.2
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
MO	0818	Pig, Edible offal of	0.1
MF	0818	Pig fat	0.1
MM	0818	Pig meat	0.1
VD	0070	Pulses [except soya bean (dry)]	0.2

COMPOUND		FOOD	MRL (mg/kg)
FP	0231	Quince	T3
		Rollinia	T3
FC	0005	Shaddocks or Pomelos	T3
VD	0541	Soya bean (dry)	0.1
FS	0012	Stone fruits	T3
VR	0596	Sugar beet	0.05
GS	0659	Sugar cane	*0.05
VO	0447	Sweet corn (corn-on-the-cob)	0.2
TN	0085	Tree nuts	0.1
		Vegetables [except Beetroot; Brussels sprouts; Cape gooseberry; Cauliflower; Celery; Egg plant; kale; Pepino; Peppers; Pulses (dry); Sugar beet; Sweet corn (corn-on-the-cob)]	0.1
Trichloroethylene			
GC	0080	Cereal grains	*0.1
Triclabendazole			
ML	0812	Cattle milk	T*0.05
		Fat (mammalian)	1
		Kidney (mammalian)	1
		Liver (mammalian)	2
MM	0095	Meat (mammalian)	0.5
Triclopyr			
MO	0812	Cattle, Edible offal of	5
MM	0812	Cattle meat [in the fat]	0.2
FC	0001	Citrus fruits	T0.1
PE	0112	Eggs	*0.05
MO	0814	Goat, Edible offal of	5
MM	0814	Goat meat [in the fat]	0.2
ML	0106	Milks [in the fat]	0.1
SO	0698	Poppy seed	T*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat [in the fat]	*0.05
MO	0822	Sheep, Edible offal of	5
MM	0822	Sheep meat [in the fat]	0.2
GC	0651	Sorghum	*0.1

COMPOUND		FOOD	MRL (mg/kg)
Tridemorph			
FI	0327	Banana	T*0.05
GC	0640	Barley	0.1
VC	0045	Fruiting vegetables, Cucurbits	0.1
Trifloxystrobin			
FI	0327	Banana	0.5
VR	0574	Beetroot	T0.2
VS	0624	Celery	T1
VL	0464	Chard [silver beet]	T0.7
VL	0469	Chicory leaves	T0.7
VC	0424	Cucumber	T*0.1
DF	0269	Dried grapes	2
MO	0105	Edible offal (mammalian)	*0.05
VL	0476	Endive	T0.7
FB	0269	Grapes	0.5
TN	0669	Macadamia nuts	T*0.05
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.02
VO	0445	Peppers, Sweet [capsicum]	T*0.1
FP	0009	Pome fruit	0.3
VL	0502	Spinach	T0.7
FB	0275	Strawberry	2
Trifloxysulfuron sodium			
SO	0691	Cotton seed	*0.01
OC	0691	Cotton seed oil, crude	*0.01
OR	0691	Cotton seed oil, edible	*0.01
MO	0105	Edible offal (mammalian)	*0.01
PE	0112	Eggs	*0.01
MM	0095	Meat (mammalian)	*0.01
ML	0106	Milks	*0.01
PO	0111	Poultry, edible offal of	*0.01
PM	0110	Poultry meat	*0.01
GS	0659	Sugar cane	*0.01

COMPOUND		FOOD	MRL (mg/kg)
Triflumizole			
FB	0269	Grapes	0.5
FP	0009	Pome fruits	0.5
Triflumuron			
GC	0080	Cereal grains	*0.05
MO	0105	Edible offal (mammalian) (except sheep, edible offal of)	*0.05
PE	0112	Eggs	0.01
MM	0095	Meat [mammalian except sheep meat] [in the fat]	*0.05
ML	0106	Milks	*0.05
VO	0450	Mushrooms	0.1
PO	0111	Poultry, Edible offal of	0.01
PM	0110	Poultry meat [in the fat]	0.1
MO	0822	Sheep, Edible offal of	0.1
MM	0822	Sheep meat [in the fat]	2
Trifluralin			
VD	0560	Adzuki bean (dry)	*0.05
		Bergamot	T*0.05
VD	0523	Broad bean (dry) [faba bean]	*0.05
VR	0577	Carrot	0.5
GC	0080	Cereal grains	*0.05
		Chia	T*0.01
VD	0524	Chick-pea (dry)	*0.05
		Coriander (leaves, stems, roots)	T*0.05
HS	0779	Coriander seed	T*0.05
VD	0527	Cowpea (dry)	*0.05
HS	0730	Dill seed	T*0.05
MO	0105	Edible offal (mammalian)	*0.05
PE	0112	Eggs	*0.05
VA	0380	Fennel, bulb	T0.5
HS	0731	Fennel seed	T*0.05
		Fruits	*0.05
VR	0581	Galangal, Greater	T0.5
HH	0092	Herbs	T*0.05

COMPOUND		FOOD	MRL (mg/kg)
VD	0531	Hyacinth bean (dry)	*0.05
		Kaffir lime leaves	T*0.05
		Lemon grass	T*0.05
DT	1111	Lemon verbena (fresh weight)	T*0.05
VD	0545	Lupin (dry)	*0.05
MM	0095	Meat [mammalian]	*0.05
ML	0106	Milks	*0.05
		Mizuna	T*0.05
VD	0536	Mung bean (dry)	*0.05
SO	0088	Oilseed	*0.05
VR	0588	Parsnip	T0.5
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
		Rose and dianthus (edible flowers)	T*0.05
HH	4731	Salad burnett	T*0.05
GS	0659	Sugar cane	*0.05
HS	0794	Turmeric, root (fresh)	T0.5
		Vegetables [except carrot, parsnip, fennel bulb and galangal, Greater]	0.05
Triforine			
FP	0009	Pome fruits	1
FS	0012	Stone fruits	10
Trimethoprim			
ML	0812	Cattle milk	0.05
MO	0105	Edible offal (mammalian)	0.05
PE	0112	Eggs	T*0.02
MM	0095	Meat [mammalian]	0.05
PO	0111	Poultry, Edible offal of	0.05
PM	0110	Poultry meat	0.05
Trinexapac-ethyl			
GC	0640	Barley	T0.3
MO	0105	Edible offal (Mammalian)	0.05
MM	0095	Meat (Mammalian)	*0.02

COMPOUND		FOOD	MRL (mg/kg)
ML	0106	Milks	*0.005
GC	0647	Oats	T0.3
SO	0698	Poppy seed	7
GS	0659	Sugar cane	T0.2
GC	0654	Wheat	T0.3
Triticonazole			
GC	0080	Cereal grains	*0.05
MO	0105	Edible offal (Mammalian)	*0.05
PE	0112	Eggs	*0.05
MM	0095	Meat (mammalian)	*0.05
ML	0106	Milks	*0.01
PO	0111	Poultry, Edible offal of	*0.05
PM	0110	Poultry meat	*0.05
Tulathromycin			
MF	0812	Cattle fat	0.1
MO	1280	Cattle, kidney	1
MO	1281	Cattle liver	3
		Cattle muscle	0.1
MO	1284	Pig, kidney	3
MO	1285	Pig, liver	2
		Pig muscle	0.5
		Pig skin / fat	0.3
Tylosin			
MO	0812	Cattle, Edible offal of	*0.1
MM	0812	Cattle meat	*0.1
PE	0112	Eggs	*0.2
		Fish muscle	T*0.002
ML	0106	Milks	*0.05
MO	0818	Pig, Edible offal of	*0.2
MF	0818	Pig fat	*0.1
MM	0818	Pig meat	*0.2
PO	0111	Poultry, Edible offal of	*0.2
PF	0111	Poultry fats	*0.1

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.2

U-Z

COMPOUND	FOOD	MRL (mg/kg)
----------	------	-------------

Uniconazole-p

FI 0326	Avocado	0.5
FI 0332	Custard apple	T1
SO 0698	Poppy seed	*0.01

Virginiamycin

MO 0812	Cattle, Edible offal of	0.2
MF 0812	Cattle fat	0.2
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	0.1
PE 0112	Eggs	*0.1
MO 0818	Pig, Edible offal of	0.2
MF 0818	Pig fat	0.2
MM 0818	Pig meat	*0.1
PO 0111	Poultry, Edible offal of	0.2
PF 0111	Poultry fats	0.2
PM 0110	Poultry meat	*0.1
MO 0822	Sheep, Edible offal of	*0.2
MM 0822	Sheep meat	*0.1

Zeranol

MO 0812	Cattle, Edible offal of	0.02
MM 0812	Cattle meat	0.005

Zeta-Cypermethrin see [Cypermethrin](#)

Zinc phosphide see [Phosphine](#)

Zineb see [Dithiocarbamates](#)

Ziram see [Dithiocarbamates](#)

Table 2 – Portion of the commodity to which the MRL applies (and which is analysed)

Class A: PRIMARY FOOD COMMODITIES OF PLANT ORIGIN

Type 1 – Fruits

CODE	COMMODITY
FC	Citrus fruits Whole commodity.
FP	Pome fruits Whole commodity after removal of stems.
FS	Stone fruits Whole commodity after removal of stems and stones, but the residue calculated and expressed on the whole commodity without stem.
FB	Berries and other small fruits Whole commodity after removal of caps and stems. Currants (black, red, white), fruit with stem.
FT	Assorted tropical and sub-tropical fruits — edible peel Whole commodity. Dates and olives: whole commodity after removal of stems and stones but residue calculated and expressed on whole fruit.
FI	Assorted tropical and sub-tropical fruits — inedible peel Whole fruit. Pineapple after removal of crown. Avocado, mangoes and similar fruit with hard seeds. Whole commodity after removal of stone but calculated on whole fruit.

Type 2 – Vegetables

CODE	COMMODITY
VA	Bulb vegetables Bulb/dry onions and garlic: whole commodity after removal of roots and adhering soil and whatever parchment skin is easily detached. Leeks, and spring onions: whole vegetable after removal of roots and adhering soil.
VB	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead cabbages Head cabbages whole commodity as marketed, after removal of obviously decomposed or withered leaves. For cauliflower and headed broccoli, flower heads (immature inflorescence) only. For Brussels sprouts analyse 'buttons' only.
VC	Fruiting vegetables, cucurbits Whole commodity after removal of stems.
VO	Fruiting vegetables, other than cucurbits Whole commodity after removal of stems. Sweet corn and fresh corn: kernels plus cob without husk.
VL	Leafy vegetables (including brassica leafy vegetables) Whole commodity as usually marketed, after removal of obviously decomposed or withered leaves and any portion not normally consumed (eg. roots)
VP	Legume vegetables Whole commodity.
VD	Pulses Whole commodity.
VR	Root and tuber vegetables Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity).
VS	Stalk and stem vegetables Whole commodity as marketed after removal of obviously decomposed or withered leaves. Rhubarb: leafstems only; artichoke: flowerhead only. Celery and asparagus: remove adhering soil.

Type 3 – Grasses

CODE	COMMODITY
GC	Cereal grains Whole commodity. Fresh corn and sweet corn: kernels plus cob without husk. (For the latter group see 012 Fruiting vegetables, other than cucurbits.)

Type 4 – Nuts and seeds

CODE	COMMODITY
TN	Tree nuts Whole commodity after removal of shell. Chestnuts: whole in skin.

CODE	COMMODITY
SO	Oilseed Unless specified, seed or kernels, after removal of shell or husk.
SB	Seed for beverages and sweets Unless specified, whole commodity (only the seed, not including other parts of the fruit).

Type 5 – Herbs and spices

CODE	COMMODITY
HH	Herbs
HS	Spices Unless specified, whole commodity as marketed, mainly in the dried form.

CLASS B: PRIMARY FOOD COMMODITIES OF ANIMAL ORIGIN

Type 6 – Mammalian products

CODE	COMMODITY
MM	Meat [mammalian] Whole commodity. When the commodity description is qualified by '[in the fat]', a portion of adhering fat is analysed and MRLs apply to the fat.
MF	Mammalian fats Whole commodity.
MO	Edible offal (mammalian) Whole commodity.
ML	Milks Whole commodity. When the commodity description is qualified by '[in the fat]', MRLs apply to the fat portion of the milk.

Type 7 – Poultry products

CODE	COMMODITY
PM	Poultry meat Whole commodity. When the commodity description is qualified by '[in the fat]', a portion of adhering fat is analysed and MRLs apply to the fat.
PF	Poultry fats Whole commodity.
PO	Poultry, edible offal of Whole commodity.

CODE	COMMODITY
PE	Eggs Whole egg whites and yolks combined after removal of shell.

Type 8 – Aquatic animal products

CODE	COMMODITY
WF	Freshwater fish Whole commodity (in general after removing the digestive tract).
WD	Diadromous fish Whole commodity (in general after removing the digestive tract).
WS	Marine fish Whole commodity (in general after removing the digestive tract).
WR or WL	Fish roe (including milt = soft roe and edible offal of fish) Whole commodity.
WM	Marine mammals Whole commodity as marketed, without bones. For fat soluble pesticides a portion of the fat is analysed and MRLs apply to the fat.
WC	Crustaceans Whole commodity (especially with the small sized species) or the meat without the outer shell, as prepared for wholesale and retail distribution.

Type 9 – Amphibians and Reptiles

CODE	COMMODITY
AR	Frogs, lizards, snakes and turtles Whole commodity as marketed without bones or the outer shell.

Type 10 – Invertebrate animals

CODE	COMMODITY
IM	Molluscs Whole commodity after removal of shell.

CLASS C: PRIMARY FEED COMMODITIES

CODE	COMMODITY
AL	Legume animal feeds Whole commodity as presented for wholesale or retail distribution.
AS or AF	Straw, fodder and forage of cereal grains and grasses (including buckwheat fodder) Whole commodity as presented for wholesale or retail distribution.

CODE	COMMODITY
AM or AV	Miscellaneous fodder and forage crops Whole commodity as presented for retail distribution. In view of the wide range of moisture content in the animal feeds of this group, moving in commerce, the MRLs should if relevant preferably be set and expressed on a 'dry-weight' basis.

CLASS D: PROCESSED FOOD OF PLANT ORIGIN

CODE	COMMODITY
DF	Dried fruits Whole commodity.
DV	Dried vegetables Whole commodity as prepared for wholesale or retail distribution.
DH	Dried herbs Whole commodity as prepared for wholesale or retail distribution.
CM	Milled cereal products Whole commodity as prepared for wholesale or retail distribution.
SM	Miscellaneous secondary food commodities of plant origin
CF	Cereal grain milling fractions Whole commodity.
DT	Teas
OC	Vegetable oils, crude Whole commodity as prepared for wholesale or retail distribution.
OR	Vegetable oils, edible (or refined) Whole commodity.
DM	Miscellaneous derived edible products of plant origins Whole commodity.
JF	Fruit juices Whole commodity (not concentrated) or commodity reconstituted to the original juice concentration.
AB	By-products, used for animal feeding purposes, derived from fruit and vegetable processing Whole commodity. Residues on 'wet' commodities of this group must be expressed on a 'dry-weight' basis; see description Group 050, Legume animal feeds.
CP	Manufactured multi-ingredient cereal products Whole commodity as prepared for wholesale or retail distribution.

CLASS E: PROCESSED FOODS OF ANIMAL ORIGIN

CODE	COMMODITY
MD	Dried meat and fish products Whole commodity as prepared for wholesale or retail distribution.
SC	Crustaceans, processed Whole commodity (especially with the small sized species) or the cooked meat without shell as prepared for wholesale or retail distribution.
FA	Animal fats, processed
FM	Milk fats

Table 3 – Residue definitions

A

COMPOUND	RESIDUE
Abamectin	Sum of avermectin B1a, avermectin B1b and (Z)-8,9 avermectin B1a, and (Z)-8,9 avermectin B1b
Acephate	Acephate (Note: the metabolite methamidophos has separate MRLs)
Acetamiprid	Commodities of plant origin: Acetamiprid Commodities of animal origin: sum of acetamiprid and N-demethyl acetamiprid ((E)-N1-[(6-chloro-3-pyridyl)methyl]-N2-cyanoacetamidine), expressed as acetamiprid
Acibenzolar-S-methyl	Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl.
Acifluorfen	Acifluorfen
Acinitrazole	Acinitrazole
Aklomide	Aklomide
Albendazole	Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole
Albendazole sulfoxide see Albendazole	
Aldicarb	Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aldoxycarb	Sum of aldoxycarb and its sulfone, expressed as aldoxycarb
Aldrin and Dieldrin	Sum of HHDN and HEOD
Aliphatic alcohol ethoxylates	Aliphatic alcohol ethoxylates
Alpha-cypermethrin see Cypermethrin	Residues arising from the use of alpha-cypermethrin are covered by the MRLs for cypermethrin.
Altrenogest	Altrenogest
Aluminium phosphide see Phosphine	
Ametoctradin	<i>Commodities of plant origin:</i> Ametoctradin <i>Commodities of animal origin:</i> Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid
Ametryn	Ametryn
Aminocarb	Aminocarb
Aminoethoxyvinylglycine	aminoethoxyvinylglycine

COMPOUND	RESIDUE
Aminopyralid	Commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid. Commodities of animal origin: Aminopyralid.
Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine
Amitrole	Amitrole
Amoxycillin	Inhibitory substance, identified as amoxycillin
Ampicillin	Inhibitory substance, identified as ampicillin
Amprolium	Amprolium
Apramycin	Apramycin
Asulam	Asulam
Atrazine	Atrazine
Avermectin B1 see Abamectin	
Avilamycin	Inhibitory substance, expressed as avilamycin
Avoparcin	Avoparcin
Azaconazole	Azaconazole
Azamethiphos	Azamethiphos
Azaperone	Azaperone
Azimsulfuron	Azimsulfuron
Azinphos-methyl	Azinphos-methyl
Aziprotryn	Aziprotryn
Azoxystrobin	azoxystrobin

B

COMPOUND	RESIDUE
Bacitracin	Inhibitory substance, identified as bacitracin
Benalaxyl	Benalaxyl
Bendiocarb	Commodities of plant origin: unconjugated bendiocarb; Commodities of animal origin: sum of conjugated and unconjugated bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as bendiocarb
Benfluralin	Benfluralin
Benfuresate	Benfuresate
Benomyl see Carbendazim	Residues arising from the use of benomyl are covered by MRLs for carbendazim

COMPOUND	RESIDUE
Bensulfuron-methyl	Bensulfuron-methyl
Bensulide	Bensulide
Bentazone	Bentazone
Benzocaine	Benzocaine
Benzofenap	Sum of benzofenap, benzofenap-OH and benzofenap-Red, expressed as benzofenap
Benzyladenine	Benzyladenine
Benzyl G Penicillin	Inhibitory substance, identified as benzyl G penicillin
Betacyfluthrin see Cyfluthrin	
Beta-cypermethrin	Residues arising from the use of beta-cypermethrin are covered by MRLs for cypermethrin
BHC (other than the γ isomer, Lindane)	Sum of isomers of 1,2,3,4,5,6-hexachlorocyclohexane, other than lindane
Bifenazate	Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate
Bifenthrin	Bifenthrin
Bioresmethrin	Bioresmethrin
Bitertanol	Bitertanol
Boscalid	Commodities of plant origin: Boscalid Commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents
Buprofezin	Buprofezin
Brodifacoum	Brodifacoum
Bromacil	Bromacil
Bromochloromethane	{T} Bromochloromethane
Bromophos-ethyl	Bromophos-ethyl
Bromopropylate	Bromopropylate
Bromoxynil	Bromoxynil
Bromsalans	Bromsalans
Brotianide	Brotianide
Bupirimate	Bupirimate
Buquinolate	Buquinolate
Butacarb	Butacarb
Butafenacil	Butafenacil

COMPOUND	RESIDUE
Butroxydim	Butroxydim
Butylamine	Sum of butylamine salts and base, expressed as butylamine
sec-Butylamine	see Butylamine

C

COMPOUND	RESIDUE
Cadusafos	Cadusafos
Cambendazole	Cambendazole
Camphechlor	see Chlorinated terpene isomers
Captan	Captan
Carbaryl	Carbaryl
Carbendazim	Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim
Carbetamide	Carbetamide
Carbofuran	see <i>also</i> Carbosulfan and Furathiocarb
Carbofuran	see <i>also</i> Furathiocarb
Carbosulfan	see Carbofuran
Carbon disulfide	Carbon disulfide
Carbonyl sulphide	Carbonyl sulphide
Carbophenothion	Sum of carbophenothion, its sulfoxide and its sulfone, expressed as carbophenothion
Carboxin	Carboxin
Carfentrazone-ethyl	Carfentrazone-ethyl
Ceftiofur	desfuroylceftiofur
Cefuroxime	Inhibitory substance, identified as cefuroxime
Cephalonium	Inhibitory substance, identified as cephalonium
Cephapirin	Cephapirin and des-acetylcephapirin, expressed as cephapirin
Chinomethionat	see Oxythioquinox
Chlorantraniliprole	Commodities of plant origin and commodities of animal origin other than milk: chlorantraniliprole

COMPOUND	RESIDUE
	Milk: sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole
Chlordane	Sum of cis- and trans- chlordane and in the case of animal products <i>also</i> includes 'oxychlordane'
Chlorfenac	Chlorfenac
Chlorfenapyr	Chlorfenapyr
Chlorfenvinphos	Chlorfenvinphos, sum of E and Z isomers
Chlorfluazuron	Chlorfluazuron
Chlorhexidine	Chlorhexidine
Chloridazon	Chloridazon
Chlorinated terpene isomers (including Strobane and Camphechlor)	Sum of all chlorinated terpene isomers
Chlormequat	Chlormequat cation
Chlornidine	Chlornidine
Chloropicrin	Chloropicrin
Chlorothalonil	Commodities of plant origin: chlorothalonil Commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite expressed as chlorothalonil
Chloroxuron	Sum of chloroxuron and all metabolites hydrolysed to p-chlorophenoxyaniline, expressed as chloroxuron
Chlorpropham	Chlorpropham
Chlorpyrifos	Chlorpyrifos
Chlorpyrifos-methyl	Chlorpyrifos-methyl
Chlorsulfuron	Chlorsulfuron
Chlortetracycline	Inhibitory substance, identified as chlortetracycline
Chlorthal-dimethyl	Chlorthal-dimethyl
Chlorthiophos	Chlorthiophos
Clavulanic acid	Clavulanic acid
Clenpyrin	Clenpyrin
Clethodim see Sethoxydim	Residues arising from the use of clethodim are covered by the MRLs for sethoxydim
Clodinafop acid	(R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid
Clodinafop-propargyl	Clodinafop-propargyl

COMPOUND	RESIDUE
Clofentezine	Clofentezine
Clomazone	Clomazone
Clopyralid	Clopyralid
Cloquintocet-mexyl	Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl
Clorsulon	Clorsulon
Closantel	Closantel
Clothianidin	Clothianidin
Cloxacillin	Inhibitory substance, identified as cloxacillin
Copper	Determined as elemental copper
Coumaphos	Sum of coumaphos and its oxygen analogue, expressed as coumaphos
4-CPA	4-CPA
Crotoxyphos	Crotoxyphos
Crufomate	Crufomate
Cyanamide	Cyanamide
Cyanazine	Cyanazine
Cyclanilide	Sum of cyclanilide and its methyl ester, expressed as cyclanilide
Cycloprothrin	Cycloprothrin
Cycloxydim	Sum of cycloxydim, its desethoxy, oxazole-ring residue and dipentane acid metabolites, together with sulfoxides and sulfones of these products and 5-hydroxy derivatives of the above, expressed as cycloxydim
Cyfluthrin	Cyfluthrin, sum of isomers
Cyhalofop-butyl	Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl
Cyhalothrin	Cyhalothrin, sum of isomers
Cyhexatin	Sum of cyhexatin and dicyclohexyltin oxide, expressed as cyhexatin
Cypermethrin	Cypermethrin, sum of isomers
Cyproconazole	Cyproconazole, sum of isomers
Cyprodinil	Cyprodinil
Cyromazine	Cyromazine

D

COMPOUND	RESIDUE
2,4-D	2,4-D
Daminozide	Daminozide

COMPOUND	RESIDUE
2,4-DB	2,4-DB
DDT	Sum of p,p '-DDT; o,p '-DDT; p,p '-DDE and p,p '-TDE (DDD)
Decoquate	Decoquate
Deltamethrin	Deltamethrin
Desmetryn	Desmetryn
Dexamethasone	Dexamethasone
Dexamethasone triethylacetate see Dexamethasone	
Diafenthion	Sum of diafenthion; N-[2,6-bis(1-methylethyl)- 4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthion
Diazinon	Diazinon
Dicamba	Dicamba
Dichlobenil	Dichlobenil
Dichlofluanid	Dichlofluanid
Dichlone	Dichlone
Dichlorvos	Dichlorvos
Diclazuril	Diclazuril
Diclofop-methyl	Diclofop-methyl
Dichlorprop-P	Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid
Dicloran	Dicloran
Dicofol	Sum of dicofol and 2,2,2- trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol
Dicyclanil	Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil
Difenoconazole	Difenoconazole
Difenzoquat	Difenzoquat
Diflubenzuron	Diflubenzuron
Diflufenican	Diflufenican
Dimethipin	Dimethipin
Dimethenamid-P	Sum of dimethenamid-P and its (R)-isomer
Dimethirimol	Dimethirimol
Dimethoate see also Omethoate	Sum of dimethoate and omethoate, expressed as dimethoate
Dimethomorph	Sum of E and Z isomers of dimethomorph

COMPOUND	RESIDUE
Dimetridazole	Sum of dimetridazole and its hydroxy metabolite (2-hydroxymethyl-1-methyl-5-nitroimidazole), expressed as dimetridazole.
Dinitolmide	Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents
Dinitro-o-toluamide see Dinitolmide	
Dinocap	Dinocap and related nitro-octylphenols, expressed as dinocap
Dinoseb	Dinoseb
Dioxathion	Sum of cis- and trans- dioxathion
Diphenyl	Diphenyl
Diphenylamine	Diphenylamine
Diquat	Diquat cation
Disulfoton	Sum of disulfoton and demeton-S and their sulfoxides and sulfones, expressed as disulfoton
Dithianon	Dithianon
Dithiocarbamates (mancozeb, metham, metiram, propineb, thiram, zineb and ziram)	Total dithiocarbamates, determined as CS ₂ evolved during acid digestion and expressed as mg CS ₂ /kg.
Diuron	Sum of diuron and 3,4- dichloroaniline, expressed as diuron
Dodine	Dodine
Doramectin	Doramectin
2,2-DPA	2,2-dichloropropionic acid

E

COMPOUND	RESIDUE
EDC see Ethylene dichloride	
Emamectin	Sum of emamectin B1a and emamectin B1b
Endosulfan	Sum of α - and β - endosulfan and endosulfan sulphate
Endothal	Endothal
Endrin	Sum of endrin and Δ -keto-endrin
Enilconazole see Imazalil	
Epoxiconazole	Epoxiconazole
Eprinomectin	Eprinomectin B1a
EPTC	EPTC
Erythromycin	Inhibitory substance, identified as erythromycin
Esfenvalerate see Fenvalerate	

COMPOUND	RESIDUE
Ethephon	Ethephon
Ethametsulfuron methyl	Ethametsulfuron methyl
Ethion	Ethion
Ethofumesate	Ethofumesate
Ethopabate	Ethopabate
Ethoprophos	Ethoprophos
Ethoxyquin	Ethoxyquin
Ethoxysulfuron	Commodities of plant origin: Ethoxysulfuron Commodities of animal origin: 2-amino-4,6-dimethoxypyrimidine, expressed as ethoxysulfuron
Ethylene dichloride	1,2-dichloroethane
Etofenprox	Etofenprox
Etoxazole	Etoxazole
Etridiazole	Etridiazole

F

COMPOUND	RESIDUE
Fenaminosulf	Fenaminosulf
Fenamiphos	Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos
Fenarimol	Fenarimol
Fenazaflor	Fenazaflor
Fenbendazole	Fenbendazole
Fenbuconazole	Fenbuconazole
Fenbutatin oxide	Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide
Fenchlorphos	Fenchlorphos
Fenfuram	Fenfuram
Fenhexamid	Fenhexamid
Fenitrothion	Fenitrothion
Fenoprop	Fenoprop
Fenoxaprop-ethyl	Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolylloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl
Fenoxycarb	Fenoxycarb
Fenpiclonil	Fenpiclonil
Fenpyroximate	Fenpyroximate

COMPOUND	RESIDUE
Fensulfothion	Sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion
Fenthion	Sum of fenthion, its oxygen analogue, and their sulfoxides and sulfones, expressed as fenthion
Fentin	Fentin hydroxide, excluding inorganic tin and di- and mono-phenyltin
Fenvalerate	Fenvalerate, sum of isomers
Fipronil	Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl) sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile).
Flamprop-methyl	Flamprop-methyl
Flamprop-m-methyl see Flamprop-methyl	
Flavophospholipol	Flavophospholipol
Florfenicol	Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine
Florasulam	Florasulam
Fluazifop-p-butyl	Sum of Fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop
Fluazifop-butyl	Fluazifop-butyl
Fluazinam	Fluazinam
Fluazuron	Fluazuron
Flubendiamide	Commodities of plant origin: Flubendiamide Commodities of animal origin: sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide.
Fluchloralin	Fluchloralin
Flucythrinate	Flucythrinate
Fludioxonil	Commodities of animal origin: sum of fludioxonil and oxidizable metabolites, expressed as fludioxonil Commodities of plant origin: fludioxonil
Flumethrin	Flumethrin, sum of isomers
Flumetsulam	Flumetsulam
Flumiclorac-pentyl	Flumiclorac pentyl

COMPOUND	RESIDUE
Flunixin	Flunixin
Flumioxazin	Flumioxazin
Fluometuron	Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron
Flupropanate	Flupropanate
Fluquinconazole	Fluquinconazole
Fluroxypyr	Fluroxypyr
Flusilazole	Flusilazole
Flutolanil	Commodities of plant origin: flutolanil Commodities of animal origin: flutolanil and metabolites hydrolysed to 2-(trifluoromethyl)-benzoic acid and expressed as flutolanil
Flutriafol	Flutriafol
Fluvalinate	Fluvalinate, sum of isomers
Fluxapyroxad	<i>Commodities of plant origin:</i> Fluxapyroxad <i>Commodities of animal origin for enforcement:</i> Fluxapyroxad <i>Commodities of animal origin for dietary exposure assessment:</i> Sum of fluxapyroxad and 3-(difluoromethyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-1H-pyrazole-4-carboxamide
Forchlorfenuron	Forchlorfenuron
Fosamine ammonium	Fosamine
Fosetyl	Fosetyl
Furathiocarb see Carbofuran	Residues arising from the use of furathiocarb are covered by MRLs for carbofuran
Furazolidone	Sum of furazolidone and its metabolites (protein-bound and free) that form 3-amino-2-oxazolidinone (AOZ) after mild acid hydrolysis, expressed as 3-amino-2-oxazolidinone (AOZ)

G

COMPOUND	RESIDUE
Gentian violet	Crystal violet
Gibberellic acid	Gibberellic acid
Glufosinate and Glufosinate ammonium	Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)
Glyphosate	Sum of glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate
Griseofulvin	Griseofulvin

COMPOUND	RESIDUE
Guazatine	Guazatine

H

COMPOUND	RESIDUE
Halofuginone	Halofuginone
Halosulfuron-methyl	Halosulfuron-methyl
Haloxifop	Sum of haloxifop, its esters and conjugates, expressed as haloxifop
Halquinol	Halquinol
HCB	Hexachlorobenzene
Heptachlor	Sum of heptachlor and heptachlor epoxide
Hexaconazole	Hexaconazole
Hexaflurate	Hexaflurate
Hexazinone	Hexazinone
Hexythiazox	Hexythiazox
Hydrogen cyanide	All cyanides, expressed as hydrogen cyanide
Hydrogen phosphide see Phosphine	
S-Hydroprene	S-Hydroprene
Hydroxyethylhydrazine	Hydroxyethylhydrazine

I

COMPOUND	RESIDUE
Imazalil	Imazalil
Imazamox	Imazamox
Imazapic (formerly known as Imazameth)	Sum of imazapic and its hydroxymethyl derivative
Imazapyr	Imazapyr
Imazaquin	Imazaquin
Imazethapyr	Imazethapyr
Imidacloprid	Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid
Imidocarb (dipropionate salt)	Imidocarb
Indoxacarb	Sum of Indoxacarb and its R-isomer.
Inorganic bromide	Bromide ion
Ioxynil	Ioxynil
Iodosulfuron methyl	Iodosulfuron methyl

COMPOUND	RESIDUE
Ipconazole	Ipconazole
Iprodione	Iprodione
Isocarbophos	Isocarbophos
Isoeugenol	Isoeugenol, sum of cis- and trans- isomers
Isofenphos	Isofenphos
Isoproturon	Isoproturon
Isoxaben	Isoxaben
Isoxaflutole	The sum of isoxaflutole, 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile and 2-methylsulfonyl-4-trifluoromethylbenzoic acid expressed as isoxaflutole
Ivermectin	H2B1a

K

COMPOUND	RESIDUE
Ketoprofen	Ketoprofen
Kitasamycin	Inhibitory substance, identified as kitasamycin
Kresoxim-methyl	Commodities of plant origin: Kresoxim-methyl Commodities of animal origin: sum of α -(p-hydroxy-o-tolyloxy)-o-tolyl(methoxyimino) acetic acid and (E)-methoxyimino[α -(o-tolyloxy)-o-tolyl] acetic acid, expressed as kresoxim-methyl

L

COMPOUND	RESIDUE
Lambda-Cyhalothrin see Cyhalothrin	
Lasalocid	Lasalocid
Levamisole	Levamisole
Lincomycin	Inhibitory substance, identified as lincomycin
Lindane	Lindane
Linuron	Sum of linuron plus 3,4-dichloroaniline, expressed as linuron
Lufenuron	{T} Lufenuron
Lysocellin sodium	Lysocellin

M

COMPOUND	RESIDUE
Maduramicin	Maduramicin
Magnesium phosphide see Phosphine	

COMPOUND	RESIDUE
Malathion see Maldison	
Maldison	Maldison
Maleic hydrazide	Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide
Mancozeb see Dithiocarbamates	
Mandipropamid	Mandipropamid
MCPA	MCPA
MCPB	MCPB
Mebendazole	Mebendazole
Mecoprop	Mecoprop
Mefenpyr-diethyl	Commodities of plant origin: Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl. Commodities of animal origin: Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl.
Mefluidide	Mefluidide
Meloxicam	Meloxicam
Menazon	Menazon
Mepiquat	Mepiquat
Mesosulfuron-methyl	Mesosulfuron-methyl
Metalaxyl-M see Metalaxyl	Residues arising from the use of Metalaxyl-M are covered by the MRLs for metalaxyl
Metalaxyl	Metalaxyl
Metaldehyde	Metaldehyde
Methabenzthiazuron	Methabenzthiazuron
Methacrifos	{T} Methacrifos
Metham see Dithiocarbamates	
Methamidophos see <i>also</i> Acephate	Methamidophos
Metham-sodium see Metham	
Methidathion	Methidathion
Methiocarb	Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb
Methomyl see <i>also</i> Thiodicarb	Methomyl
Methoprene	Methoprene, sum of cis- and trans-isomers
Methoxychlor	Methoxychlor

COMPOUND	RESIDUE
Methoxyfenozide	Methoxyfenozide
Methyl benzoquate	Methyl benzoquate
Methyl bromide	Methyl bromide
Methyl isothiocyanate	Methyl isothiocyanate
Metichlorpindol	Metichlorpindol
Metiram see Dithiocarbamates	
Metolachlor	Metolachlor
Metosulam	Metosulam
Metoxuron	Metoxuron
Metrafenone	Metrafenone
Metribuzin	Metribuzin
Metsulfuron-methyl	Metsulfuron-methyl
Mevinphos	Mevinphos
Milbemectin	Sum of milbemycin MA3 and milbemycin MA4 and their photoisomers, milbemycin (Z) 8,9-MA3 and (Z) 8,9Z-MA4
Molinate	Molinate
Monensin	Monensin
Monepantel	Monepantel sulphone
Morantel	Morantel
Moxidectin	Moxidectin
MSMA	Total arsenic, expressed as MSMA
Myclobutanil	Myclobutanil

N

COMPOUND	RESIDUE
Naled	{T} Sum of naled and dichlorvos, expressed as naled
Naphthalene acetic acid	1-Naphthelene acetic acid
Naphthalophos	Naphthalophos
Napropamide	Napropamide
Naptalam	Naptalam
Narasin	Narasin
Neomycin	Inhibitory substance, identified as neomycin
Netobimin see Albendazole	Residues arising from the use of netobimin are covered by MRLs for Albendazole

COMPOUND	RESIDUE
Nicarbazin	4,4'-dinitrocarbanilide (DNC)
Nifursol	Nifursol
Nimidane	Nimidane
Nitralin	Nitralin
Nitrothal-isopropyl	Nitrothal-isopropyl
Nitroxynil	Nitroxynil
Norflurazon	Norflurazon
Norgestomet	Norgestomet
Novaluron	Novaluron
Novobiocin	Novobiocin

O

COMPOUND	RESIDUE
ODB	1,2-dichlorobenzene
Ofurace	Ofurace
Olaquinox	Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxalone, expressed as olaquinox
Oleandomycin	Oleandomycin
Omethoate <i>see also</i> Dimethoate	Omethoate
OPP <i>see</i> 2-Phenylphenol	
Oryzalin	Oryzalin
Oxabetrinil	Oxabetrinil
Oxadixyl	Oxadixyl
Oxamyl	Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl
Oxfendazole	Oxfendazole
Oxolinic acid	Inhibitory substance, identified as oxolinic acid
Oxydemeton-methyl	Sum of oxydemeton-methyl and demeton-S-methyl sulphone, expressed as oxydemeton-methyl
Oxycarboxin	Oxycarboxin
Oxyclozanide	Oxyclozanide
Oxyfluorfen	Oxyfluorfen
Oxytetracycline	Inhibitory substance, identified as oxytetracycline
Oxythioquinox	Oxythioquinox

P

COMPOUND	RESIDUE
Paclobutrazol	Paclobutrazol
Paraquat	Paraquat cation
Parathion-methyl	Parathion-methyl
PCP (and its sodium salt)	Pentachlorophenol
Pebulate	Pebulate
Penconazole	Penconazole
Pencycuron	Pencycuron
Pendimethalin	Pendimethalin
Penflufen	Penflufen
Penthiopyrad	<i>Commodities of plant origin:</i> Penthiopyrad <i>Commodities of animal origin:</i> Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1 <i>H</i> -pyrazol-4-ylcarboxamide, expressed as penthiopyrad
Permethrin	Permethrin, sum of isomers
Phenmedipham	<i>Commodities of plant origin:</i> Phenmedipham <i>Commodities of animal origin:</i> 3-methyl-N-(3-hydroxyphenyl)carbamate
Phenothrin	Sum of phenothrin (+)cis- and (+)trans-isomers
Phenoxymethyl V penicillin	Inhibitory substance, identified as phenoxymethyl V penicillin
2-Phenylphenol	Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol
Phorate	Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate
Phosalone	Phosalone
Phosmet	Sum of phosmet and its oxygen analogue, expressed as phosmet
Phosphine	All phosphides, expressed as hydrogen phosphide (phosphine)
Phosphorous acid	Phosphorous acid
Phoxim	Phoxim
Picloram	Picloram
Picolinafen	<i>Commodities of plant origin:</i> Picolinafen <i>Commodities of animal origin:</i> Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridinecarboxylic acid
Pinoxaden	Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo[1,2- <i>d</i>][1,4,5]oxa-diazepine-7,9-dione, expressed as pinoxaden
Piperonyl butoxide	Piperonyl butoxide

COMPOUND	RESIDUE
Pirimicarb	Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb
Pirimiphos-methyl	Pirimiphos-methyl
Praziquantel	Praziquantel
Procaine penicillin	Inhibitory substance, identified as procaine penicillin
Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz
Procymidone	Procymidone
Profenofos	Profenofos
Profoxydim	Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim.
Prohexadione-calcium	Sum of the free and conjugated forms of prohexadione expressed as prohexadione
Promacyl	Promacyl
Prometryn	Prometryn
Propachlor	Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor
Propamocarb	Propamocarb (base)
Propanil	Propanil
Propaquizafop	Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop
Propargite	Propargite
Propazine	Propazine
Propetamphos	Propetamphos
Propham	Propham
Propiconazole	Propiconazole
Propineb see Dithiocarbamates	
Propoxur	Propoxur
Propylene oxide	Propylene oxide
Propyzamide	Propyzamide
Proquinazid	<i>Commodities of plant origin:</i> Proquinazid <i>Commodities of animal origin:</i> Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yl)oxy)propionic acid, expressed as proquinazid
Prosulfocarb	Prosulfocarb
Prothiofos	Prothiofos

COMPOUND	RESIDUE
Prothioconazole	For commodities of plant origin: sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole. For commodities of animal origin: sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole
Pymetrozine	Pymetrozine
Pyraclofos	Pyraclofos
Pyraclostrobin	Commodities of plant origin: Pyraclostrobin Commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin
Pyraflufen-ethyl	Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)
Pyrasulfotole	The sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole
Pyrazophos	Pyrazophos
Pyrethrins	Sum of pyrethrins I and II, cinerins I and II and jasmolins I and II, determined after calibration by means of the International Pyrethrum Standard.
Pyridaben	Pyridaben
Pyridate	Sum of pyridate and metabolites containing 6-chloro-4-hydroxy-3-phenyl pyridazine, expressed as pyridate
Pyrimethanil	Pyrimethanil
Pyriproxyfen	Pyriproxyfen
Pyrithiobac sodium	Pyrithiobac sodium
Pyroxsulam	Pyroxsulam

COMPOUND	RESIDUE
Pyroxasulfone	<i>For enforcement for commodities of plant origin:</i> Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone <i>For enforcement for commodities of animal origin:</i> 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone. <i>For dietary exposure assessment for commodities of plant and animal origin:</i> Sum of pyroxasulfone, (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, and 5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone.

Q

COMPOUND	RESIDUE
Quinoxifen	Quinoxifen
Quintozene	Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene
Quizalofop-ethyl	Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl
Quizalofop-P-tefuryl	Sum of quizalofop-P-tefuryl and quizalofop acid, expressed as quizalofop-P-tefuryl

R

COMPOUND	RESIDUE
Ractopamine	Ractopamine
Robenidine	Robenidine
Rimsulfuron	Rimsulfuron

S

COMPOUND	RESIDUE
S-metolachlor see Metolachlor	Residues arising from the use of S-metolachlor are covered by the MRLs for metolachlor
Saflufenacil	Commodities of plant origin: Sum of saflufenacil, N'-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-(((isopropylamino)sulfonyl)amino)carbonyl]phenyl]urea, expressed as saflufenacil equivalents. Commodities of animal origin: Saflufenacil
Salinomycin	Salinomycin

COMPOUND	RESIDUE
sec-Butylamine see Butylamine	
Sedaxane	Sedaxane, sum of isomers
Semduramicin	Semduramicin
Sethoxydim	Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim
Simazine	Simazine
Spectinomycin	Inhibitory substance, identified as spectinomycin
Spinetoram	Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L
Spinosad	Sum of spinosyn A and spinosyn D
Spirotetramat	For enforcement for commodities of plant and animal origin: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat. Commodities of plant origin for dietary exposure assessment: Sum of spirotetramat, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, cis-3-(2,5-dimethylphenyl)-3-hydroxy-8-methoxy-1-azaspiro[4.5]decane-2,4-dione, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]decan-2-one and the glucoside of cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat. Commodities of animal origin for dietary exposure assessment: Sum of spirotetramat, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one and the glucuronic acid conjugate of cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.
Spiroxamine	Commodities of plant origin: Spiroxamine Commodities of animal origin: Spiroxamine carboxylic acid
Streptomycin and Dihydrostreptomycin	Inhibitory substance, identified as streptomycin or dihydrostreptomycin
Strobane see Chlorinated terpene isomers	
Sulfuryl fluoride	Sulfuryl fluoride
Sulfosulfuron	Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron
Sulphadiazine	Sulphadiazine
Sulphadimidine	Sulphadimidine
Sulphadoxine	Sulphadoxine
Sulphur dioxide	Sulphur dioxide
Sulphanitran	Sulphanitran

COMPOUND	RESIDUE
Sulphaquinoxaline	Sulphaquinoxaline
Sulphatroxazole	Sulphatroxazole
Sulprofos	Sulprofos

T

COMPOUND	RESIDUE
2,4,5-T	2,4,5-T
Tebuconazole	Tebuconazole
Tebufenozide	Tebufenozide
Tebufenpyrad	Tebufenpyrad
Tebuthiuron	Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron
Temephos	Sum of temephos and temephos sulfoxide, expressed as temephos
Tepraloxymid	Sum of tepraloxymid and metabolites converted to 3-(tetrahydro-pyran-4-yl)-glutaric acid and 3-hydroxy-3-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxymid
Terbacil	Terbacil
Terbufos	Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos
Terbutylazine	Terbutylazine
Terbutryn	Terbutryn
Tetrachlorvinphos	Tetrachlorvinphos
Tetraconazole	Tetraconazole
Tetracycline	Inhibitory substance, identified as tetracycline
Tetradifon	Tetradifon
Tetrathiocarbonate ion	Carbon disulfide plus any substances producing carbon disulfide during storage or analysis, expressed as carbon disulfide
Tetronasin	Sum of tetronasin and its monohydroxy derivatives
Thiabendazole	Thiabendazole or, in the case of animal products, sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole
Thiacloprid	Thiacloprid
Thiamethoxam	Commodities of plant origin: Thiamethoxam Commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as thiamethoxam
Thidiazuron	Thidiazuron

COMPOUND	RESIDUE
Thifensulfuron	Thifensulfuron
Thiobencarb	Thiobencarb
2-(thiocyanomethylthio)benzothiazole	{T} 2-(thiocyanomethylthio)benzothiazole
Thiodicarb <i>see also</i> Methomyl	Sum of thiodicarb and methomyl, expressed as thiodicarb
Thiometon	Sum of thiometon, its sulfoxide and sulfone, expressed as thiometon
Thiophanate <i>see</i> Carbendazim	Residues arising from use of thiophanate are covered by MRLs for carbendazim
Thiophanate-methyl <i>see</i> Carbendazim	Residues arising from thiophanate-methyl are covered by the MRLs for carbendazim
Thiram <i>see</i> Dithiocarbamates	
Tiamulin	Tiamulin
Tilmicosin	Tilmicosin
Tolclofos-methyl	Tolclofos-methyl
Tolfenamic acid	Tolfenamic acid
Toltrazuril	Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril
Tolyfluanid	Tolyfluanid
Tralkoxydim	Tralkoxydim
Trenbolone acetate	The sum of trenbolone acetate and 17 alpha - and 17 beta-trenbolone, both free and conjugated, expressed as trenbolone
Triadimefon <i>see also</i> Triadimenol	Sum of triadimefon and triadimenol, expressed as triadimefon
Triadimenol	Triadimenol <i>see also</i> Triadimefon
Triallate	Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate
Triasulfuron	Triasulfuron
Tribenuron-methyl	Tribenuron-methyl
Trichlorfon	Trichlorfon
Trichloroethylene	Trichloroethylene
Triclabendazole	Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents
Triclopyr	Triclopyr
Tridemorph	Tridemorph
Trifloxystrobin	Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminooxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents
Trifloxysulfuron sodium	Trifloxysulfuron

COMPOUND	RESIDUE
Triflumizole	Sum of triflumizole and (E)-4-chloro- α,α,α -trifluoro-N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole
Triflumuron	Triflumuron
Trifluralin	Trifluralin
Triforine	Triforine
Trimethoprim	Trimethoprim
Trinexapac-ethyl	4-(cyclopropyl- α -hydroxy-methylene)-3,5-dioxo-cyclohexanecarboxylic acid
Triticonazole	Triteconazole
Tylosin	Tylosin A
Tulathromycin	Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R, 3S, 4R, 5R, 8R, 10R, 11R, 12S, 13S, 14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)- β -D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents.

U-Z

COMPOUND	RESIDUE
Uniconazole-p	Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p
Vamidothion	Sum of vamidothion, its sulfoxide and sulfone, expressed as vamidothion
Virginiamycin	Inhibitory substance, identified as virginiamycin
Zeta-cypermethrin see Cypermethrin	Residues arising from the use of zeta-cypermethrin are covered by the MRLs for cypermethrin
Zeranol	Zeranol
Zinc phosphide see Phosphine	
Zineb see Dithiocarbamates	
Ziram see Dithiocarbamates	

Table 4 – MRLs for pesticides in animal feed commodities

A

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Abamectin			
		Almond hulls	T0.1
		Fodder and forage of sweet corn	T*0.01
AL	0157	Legume animal feeds	T*0.01
AS	0645	Maize fodder	T*0.01
AF	0645	Maize forage	T*0.01
Aldrin and Dieldrin			
		Primary feed commodities	E0.01
Ametoctradin			
AB	0269	Grape pomace, dry	70
Aminopyralid			
AF	0081	Forage of cereal grains (green)	3
		Mixed pastures (leguminous/grasses)	200
AS	0081	Straw and fodder of cereal grains (dry)	0.2
Atrazine			
		Primary feed commodities	T40
		Rape seed forage	10
		Rape seed straw or fodder	0.5
Azimsulfuron			
		Rice fodder (fresh weight)	*0.05
AS	0649	Rice straw and fodder, dry	*0.05
Azoxystrobin			
		Almond hulls	5
		Barley forage	10
AS	0640	Barley straw and fodder, dry	3
AL	0061	Bean fodder	T10
AL	1030	Bean forage (green)	T10
AL	0524	Chick-pea fodder	T2

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
		Chick-pea forage (green)	T20
AB	0001	Citrus pulp, dry	T10
AB	0269	Grape pomace, dry	15
		Lentil forage (green)	T20
		Lentil fodder	T2
AS	0645	Maize fodder	T1
AF	0645	Maize forage	T3
AL	0072	Pea hay or Pea fodder (dry)	T10
AL	0697	Peanut fodder	25
		Peanut hulls	1
AL	0528	Pea vines (green)	T10
AS	0649	Rice straw and fodder, dry	T15
		Tomato pomace (dry)	10
		Wheat forage	10
AS	0654	Wheat straw and fodder, dry	3

B

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Benomyl see Carbendazim			
Bensulfuron-methyl			
AS	0649	Rice straw and fodder, dry	*0.05
Bentazone			
		Rice forage (fresh weight)	*0.03
AS	0649	Rice straw and fodder, dry	*0.03
Benzofenap			
		Rice forage (green)	*0.02
		Rice straw and fodder (dry)	*0.02
BHC (other than γ isomer, Lindane)			
		Primary feed commodities	E0.02
Bifenazate			
		Almond Hulls	5
AB	0226	Apple pomace, dry	3

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Bifenthrin			
AL	1020	Alfalfa fodder [Lucerne]	0.1
AL	1021	Alfalfa forage (green)	0.1
		Canola fodder (dry)	*0.01
		Canola forage (green)	1
AL	1031	Clover hay or fodder	*0.05
		Clover forage (green)	*0.05
		Faba bean fodder (dry)	0.02
		Faba bean forage (green)	1
		Field pea fodder (dry)	0.01
		Field pea forage (green)	1
		Forage (green) of cereal grains	0.2
		Lupin fodder (dry)	0.02
AL	0545	Lupin forage	1
		Navy beans fodder	1
		Navy beans forage (green)	5
AL	0072	Pea hay or Pea fodder (dry)	*0.01
AL	0528	Pea vines (green)	*0.01
		Pear pomace, dry	5
AS	0081	Straw and fodder (dry) of cereal grains	*0.01
AM	0659	Sugarcane fodder	*0.02
AS	0654	Wheat straw and fodder, dry	*0.01
Bitertanol			
AL	1030	Bean forage (green)	50
AL	0061	Bean fodder	50
Boscalid			
AB	0226	Apple pomace, dry	30
AB	0269	Grape pomace, dry	25
		Primary feed commodities	15
		Tomato pomace, dry	1

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
Bromoxynil		
	Primary feed commodities	T1
Buprofezin		
AB 0001	Citrus pulp, dry	5
AB 0269	Grape pomace, dry	5
Butafenacil		
	Forage of cereal grains (dry)[except rice]	*0.01
AS 0081	Straw and fodder (dry) of cereal grains[except rice]	*0.02
Butroxydim		
AL 0157	Legume animal feeds	*0.01

C

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
Captan		
	Almond hulls	60
AB 0226	Apple pomace, dry	10
AB 0269	Grape pomace, dry	10
AL 0157	Legume animal feeds	T50
Carbaryl		
AF 0080	Forage of cereal grains	100
	Grass pastures	400
AS 0162	Hay or fodder (dry) of grasses	300
	Legume forage	400
	Legume fodder	100
AM 0165	Miscellaneous fodder and forage crops	300
	Sorghum bran	20
AS 0081	Straw and fodder (dry) of cereal grains	100
Carbendazim		
AL 0157	Legume animal feeds	25
Carbosulfan see Carbofuran		
Carbofuran		
	Primary feed commodities	2

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Carfentrazone-ethyl			
		Almond hulls	*0.05
		Cereal grain forage and fodder	*0.05
		Pastures	*0.05
Chlorantraniliprole			
		Almond Hulls	T5
AB	0226	Apple pomace, dry	3
		Cotton seed meal and hulls	0.7
AB	0269	Grape pomace, dry	2
AL	0157	Legume animal feeds	10
		Primary feed commodities [except Legume animal feeds; Sweet corn forage and fodder]	0.5
		Sweet corn forage and fodder	7
		Tomato pomace, dry	2
Chlordane			
		Primary feed commodities	E0.01
Chlorfenapyr			
AB	0226	Apple pomace, dry	3
Chlormequat			
		Barley forage (green)	T25
AS	0640	Barley straw and fodder (dry)	T15
		Wheat forage (green)	25
AS	0654	Wheat straw and fodder, dry	15
Chlorothalonil			
AL	0697	Peanut fodder	200
AL	1270	Peanut forage (green)	200
		Pulses, forage and fodder, except pea hay or pea fodder	160
AL	0072	Pea hay or peas fodder dry	250
Chlorpyrifos			
AM	0691	Cotton fodder, dry	30
		Cotton meal and hulls	0.05
AL	1270	Peanut forage (green)	T10
		Peanut hay	T2

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Chlorsulfuron			
		Primary feed commodities	10
Clodinafop acid			
AS	0640	Barley straw and fodder, dry	T*0.05
AS	0654	Wheat straw and fodder, dry	*0.1
Clodinafop-propargyl			
AS	0640	Barley straw and fodder, dry	T*0.05
AS	0654	Wheat straw and fodder, dry	*0.1
Clofentezine			
		Almond hulls	T5
Clomazone			
		Rice forage (green)	*0.01
AS	0649	Rice Straw and fodder (dry)	*0.01
Clopyralid			
		Canola forage and fodder	25
		Canola straw	10
		Forage and fodder of cereal grains	25
		Pasture	100
		Straw of cereal grains	10
Cloquintocet-mexyl			
		Cereal forage (fresh weight)	*0.1
AS	0081	Straw and fodder (dry) of cereal grains [except rice]	*0.1
Clothianidin			
		Brassica forage crops (kale, rape, turnips and swede)	T3
		Canola fodder (dry)	T0.3
		Canola forage (green) [dry weight]	T3
		Cotton seed by-products	T*0.01
AS	0645	Maize fodder	T0.1
AF	0645	Maize forage	T2
		Pasture (mixed grass/leguminous)	2
AS	0651	Sorghum straw and fodder, dry	T0.05
AF	0651	Sorghum forage (green) [dry weight]	T3
AM	0659	Sugar cane fodder	0.5

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
AV	0659	Sugar cane forage	0.5
		Sweet corn fodder	T0.7
		Sweet corn forage	T2
Cyanazine			
AS	0654	Wheat straw and fodder, dry	*0.01
Cyfluthrin			
		Canola forage (green)	1
		Canola fodder (dry)	2
		Chick-pea forage (green)	5
		Faba bean forage (green)	5
		Field pea forage (green)	5
		Forage of cereal grains	5
AF	0081	Grass pastures (green)	2
		Legume pastures (except vetch) (green)	3
		Lupin, forage (green)	2
AL	0545	Navy bean forage (green) and fodder	1
		Sorghum forage (green)	0.5
AS	0081	Straw and fodder (dry) of cereal grains	5
Cyhalofop-butyl			
AS	0649	Rice forage (green)	*0.1
		Rice straw and fodder (dry)	1
Cyhalothrin			
		Cereal forage (green)	1
		Cotton seed by-products	1
		Forage brassicas (green)	1
AL	0157	Legume animal feeds [green]	1
		Legume fodder/straw	2
AS	0081	Straw and fodder (dry) of cereal grains	*0.01
		Rape/canola forage (dry)	2
		Rape seed straw and fodder	*0.01
Cypermethrin			
AM	0691	Canola (rape) forage (green) and fodder	15
AL	0524	Chick-pea fodder	10

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
AM 0691	Chick-pea forage	10
	Cotton fodder, dry	10
	Primary feed commodities	5
Cyproconazole		
AS 0640	Barley forage	10
	Barley straw and fodder, dry	3
AL 0524	Chick-pea fodder	T0.1
	Chick-pea forage (green)	T10
	Lentil forage (green)	T10
	Lentil fodder	T0.1
AL 0697	Peanut fodder	20
	Peanut hulls	0.2
	Wheat forage	10
AS 0654	Wheat Straw and fodder, dry	3

D

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
DDT		
	Primary feed commodities	E0.05
Deltamethrin		
	Fodder and forage of cereal grains	5
	Fodder and forage of oilseeds	5
	Fodder and forage of pulses	5
	Fodder and forage of sweet corn	5
	Rice hulls	7
Dicamba		
AM 0659	Sugar cane fodder	0.1
AV 0659	Sugar cane forage	0.1
Dichlofluanid		
AI 0697	Peanut fodder	*0.1
Dichlorprop-P		
AB 0001	Citrus pulp, dry	2

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
Dieldrin see Aldrin and Dieldrin		
Difenoconazole		
AB 0226	Apple pomace, dry	1
	Cereal forage (green)	*0.1
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Diflubenzuron		
	Pastures (mixed grasses/leguminous)	T50
Diffufenican		
AL 0157	Legume animal feeds	5
AS 0081	Straw and fodder (dry) of cereal grains	0.2
Dimethenamid-P		
	Forage and fodder of maize and sweet corn	*0.02
AL 0157	Legume animal feeds	0.07
	Rape seed [canola] forage, fodder and straw [fresh weight]	T*0.01
Dimethipin		
AM 0691	Cotton fodder, dry	20
Dimethoate		
AB 0001	Citrus pulp, dry	10
	Cotton seed meal and hulls	T0.5
	Primary feed commodities	T30
	Tomato pomace, dry	0.02
Diphenylamine		
	Apple pomace, wet	20
Diquat		
AL 0157	Legume animal feeds	100
Dithiocarbamates (mancozeb, metham, metiram, propineb, thiram, zineb and ziram)		
	Primary feed commodities	50
AL 1029	Vetch	T0.5
Diuron		
AL 0157	Legume animal feeds	2
	Primary feed commodities (except legume animal feeds)	50

E

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Emamectin			
		Canola forage, fodder and straw (fresh weight)	*0.005
		Fodder and forage of sweet corn	0.05
Endosulfan			
AB	0226	Apple pomace, dry	1
		Cereal forage (green)	0.3
		Citrus pulp and pomace, dry	2
		Forage of pulse crops (green)	0.3
		Forage of oilseed crops	0.3
AS	0081	Straw and fodder (dry) of cereal grains	0.4
		Straw and fodder (dry) of oilseeds	*0.1
		Straw and fodder (dry) of pulse crops	0.3
Endrin			
		Primary feed commodities	E0.03
Epoxiconazole			
		Cereal forage, green	5
AS	0081	Straw and fodder of cereal grains, dry	7
Ethephon			
		Primary feed commodities	10
Ethion			
AM	0691	Cotton fodder, dry	20
Ethoxysulfuron			
AM	0659	Sugar cane fodder [fresh weight]	*0.01
AV	0659	Sugar cane forage	*0.01
Etiozazole			
AB	0226	Apple pomace, dry	2
AB	0001	Citrus pulp, dry	1
AB	0269	Grape pomace, dry	2
AL	0528	Pea vines (green)[fresh weight]	T*0.02
		Tomato pomace, dry	0.5

F

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Fenamiphos			
		Primary feed commodities	1
Fenbuconazole			
AS	0654	Wheat straw and fodder (dry)	1
		Wheat forage (green)	2
Fenhexamid			
		Grape pomace (wet weight basis)	50
Fenitrothion			
AL	1020	Alfalfa fodder [Lucerne]	T5
AL	1021	Alfalfa forage (green) [Lucerne]	T5
AL	0157	Legume animal feeds (except alfalfa fodder and forage)	T10
		Oilseed forage and fodder	10
AS	0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	T10
Fenoxaprop-ethyl			
		Cereal forage (fresh weight)	*0.01
AL	0524	Chick-pea fodder	0.5
		Chick-pea forage (green)	0.5
AS	0649	Rice straw and fodder, dry	T1
AS	0081	Straw and fodder (dry) of cereal grains except rice	0.5
Fenvalerate			
AL	1020	Alfalfa fodder	5
AL	1021	Alfalfa forage (green)	5
AB	0269	Grape pomace, dry	0.5
		Primary feed commodities (except alfalfa forage (green) and alfalfa fodder))	10
Fipronil			
		Pastures (mixed grasses/leguminous)[fresh weight]	0.02
AL	0697	Peanut forage and fodder	0.01
		Rape (canola) forage (green)	*0.01
		Rape (canola) straw and fodder	*0.01
AS	0649	Rice straw and fodder, dry	0.005

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
AF	0651	Sorghum forage (green)[fresh weight]	0.02
AS	0651	Sorghum straw and fodder, dry	*0.01
AM	0659	Sugar cane fodder	0.01
		Sunflower forage (green) (fresh weight)	*0.01
Flamprop-m-methyl see Flamprop-methyl			
Flamprop-methyl			
AS	0654	Wheat straw and fodder, dry	0.1
		Triticale straw and fodder, dry	0.1
Florasulam			
AF	0081	Forage of cereal grains [fresh weight][except rye forage (green)]	*0.05
AF	0650	Rye forage (green)	0.3
AS	0081	Straw and fodder of cereal grains (dry)	*0.05
Flubendiamide			
		Cotton seed meal and hulls	0.05
		Tomato pomace, dry	20
Fludioxonil			
AB	0226	Apple pomace, dry	100
		Canola forage (fresh weight)	*0.01
		Canola straw and fodder	*0.02
AB	0001	Citrus pulp, dry	30
AS	0645	Maize fodder	*0.02
AF	0645	Maize forage	*0.02
AL	0528	Pea vines (green)	T4
AL	0697	Peanut fodder	T*0.01
AL	1270	Peanut forage (green)	T*0.01
		Peanut hulls	T*0.01
AF	0651	Sorghum forage (green)	*0.01
AS	0651	Sorghum straw and fodder, dry	*0.01
		Sunflower forage and fodder	T*0.02
		Sweet corn forage and fodder	*0.02
Flumetsulam			
AL	1020	Alfalfa fodder [Lucerne]	15

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
AL	1021	Alfalfa forage (green)[Lucerne]	15
AF	0081	Forage of cereal grains (green) [except Maize forage]	2
AF	0645	Maize fodder	*0.05
AS	0645	Maize forage	*0.05
		Pastures (mixed grasses/leguminous)	15
		Peanut forage (green) and fodder	*0.05
		Pulse forage and fodder	*0.05
AS	0081	Straw and fodder (dry) of cereal grains [except Maize fodder]	2
Flumioxazin			
		Forage of cereal grains [fresh weight]	*0.05
		Forage of oil seeds [fresh weight]	*0.05
		Forage and fodder of pulses	*0.1
		Oil seed straw and fodder	*0.1
AS	0081	Straw and fodder (dry) of cereal grains	*0.05
Flupropanate			
		Mixed pasture (leguminous/grasses)	300
Fluquinconazole			
		Barley forage	2
AS	0640	Barley straw and fodder, dry	0.5
		Canola forage	0.5
		Canola straw and fodder, dry	*0.01
		Pome fruit pomace, dry	3
		Wheat forage	2
AS	0654	Wheat, straw and fodder, dry	0.5
Fluroxypyr			
AF	0161	Forage of cereal grains and other grass-like plants	100
		Mixed Pastures (leguminous/grasses)	700
		Primary feed commodities [other than straw and fodder (dry) and hay of cereal grains and other grass-like plants, and sugar cane fodder and forage]	25
AS	0161	Straw and fodder (dry) and hay of cereal grains and	

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
		other grass-like plants	100
AM	0659	Sugar cane fodder	100
AV	0659	Sugar cane forage	100
Flutriafol			
		Forage and fodder of cereal grains	3
AL	0528	Pea vines (green) [fresh weight]	0.1
		Straw of cereal grains	2
AM	0659	Sugar cane fodder	T2
AV	0659	Sugar cane forage	T2
Fluxapyroxad			
		Barley forage	7
AS	0640	Barley straw and fodder, dry	7
		Primary feed commodities [except barley forage; barley straw and fodder, dry]	1
Furathiocarb see Carbofuran			

G

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Glufosinate-ammonium			
		Canola forage	5
		Canola meal	0.2
		Canola straw and fodder (dry)	3
		Cotton meal and hulls	5
AS	0162	Hay or fodder (dry) of grasses	5
		Mixed pasture (legume/grasses)	15
Glyphosate			
AV	0691	Cotton forage	100
		Linseed meal	T7
		Primary feed commodities [other than rape seed forage, rape seed straw and fodder (dry), cotton forage, soya bean hulls and soya bean aspirated grain fractions]	150
		Rape seed forage	50
		Rape seed straw and fodder (dry)	1
		Soya bean aspirated grain fractions	50

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
		Soya bean hulls	10
DM	0659	Sugar cane Molasses	T5

H

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Halosulfuron-methyl			
AF	0654	Maize forage	2
AS	0654	Maize fodder	2
AF	0651	Sorghum forage [Fresh weight]	*0.05
AS	0651	Sorghum fodder	0.1
AV	0659	Sugar cane forage	*0.05
Haloxypop			
AL	1021	Alfalfa forage (green) [Lucerne]	5
AL	0061	Bean fodder	0.5
AL	1030	Bean forage (green)	5
		Canola forage	10
		Canola fodder	0.5
		Chick-pea forage	10
AL	0524	Chick-pea fodder	0.5
		Guar bean fodder	T0.5
		Guar bean forage	T5
		Linola fodder	0.5
		Linola forage	10
		Linseed fodder	0.5
		Linseed forage	10
AL	0545	Lupin forage	10
		Lupin fodder	0.5
		Pasture (green)	3
AL	1270	Peanut forage (green)	3
AL	0697	Peanut fodder	5
AL	0528	Pea vines (green)	5
		Pea fodder	0.5
AL	1029	Vetch	3

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
HCB			
		Primary feed commodities	E0.01
Heptachlor			
		Primary feed commodities	E0.02
I			
COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Imazamox			
		Adzuki bean forage and fodder [fresh weight]	T*0.05
		Barley forage and fodder	0.7
		Barley straw	*0.05
		Faba bean forage and fodder [fresh weight]	T*0.05
AL	0157	Legume animal feeds [except faba bean forage and fodder, peanut forage (green); pea vines (green); soya bean forage (green)]	1
AL	1270	Peanut forage (green) [Fresh weight]	*0.05
AL	0528	Pea vines (green) [Fresh weight]	*0.05
		Rape seed fodder	*0.05
		Rape seed forage [fresh weight]	*0.05
AL	1265	Soya bean forage (green) [Fresh weight]	*0.05
		Wheat forage and fodder	0.7
		Wheat straw	*0.05
Imazapic (formerly known as Imazameth)			
		Canola fodder (dry)	*0.05
		Canola forage (green)	*0.05
		Cereal stubble (fresh weight)	0.5
		Forage of cereal grains [fresh weight]	*0.05
AL	0697	Peanut fodder	*0.1
AL	1270	Peanut forage (green)	*0.1
AS	0654	Wheat straw and fodder, dry	*0.05
Imazapyr			
		Canola fodder (dry)	*0.05
		Canola forage (green)	*0.05
		Forage and fodder of cereal grains [except maize fodder and	0.7

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
		maize forage]	
AS	0645	Maize fodder (dry)	*0.05
AF	0645	Maize forage (green)[fresh weight]	*0.05
		Primary feed commodities [maize fodder (dry), maize forage (green)[fresh weight], canola fodder (dry), canola forage (green), forage and fodder of cereal grains and straw of cereal grains, dry]	15
		Straw of cereal grains, dry	*0.05
Imazethapyr			
AS	0645	Maize fodder (dry)	*0.05
AF	0645	Maize forage (green)[fresh weight]	*0.05
		Primary animal feed commodities	*0.1
Imidacloprid			
AB	0226	Apple pomace, dry	2
		Brassica forage crops (kale, rape, turnips and swede)	1
		Canola fodder	T0.5
		Cereal and sweet corn fodder and forage]	10
AB	0001	Citrus pulp, dry	10
		Cotton seed hulls	*0.02
		Cotton seed meal	0.02
AL	0157	Legume animal feeds	15
		Lucerne fodder and forage	1
		Pastures	1
		Rape seed [canola] fodder and forage	1
AS	0081	Straw and fodder (dry) of cereal grains	0.7
AM	0659	Sugar cane fodder, dry	2
Indoxacarb			
AB	0226	Apple pomace, dry	20
		Cotton seed meal and hulls	*0.05
AB	0269	Grape pomace, dry	3
AL	0157	Legume animal feeds	10
		Linseed fodder	T10
		Linseed forage	T10
		Pastures (mixed grasses/leguminous)	T1

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
	Peanut fodder	T30
	Safflower seed fodder	T10
	Safflower seed forage	T10
	Soya bean hulls and aspirated grain fractions	2
	Soya bean meal	0.02
	Tomato pomace, dry	10
Iodosulfuron methyl		
AF 0081	Forage of cereal grains	0.5
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Ipconazole		
AF 0081	Forage of cereal grains	*0.01
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Iprodione		
AL 1021	Alfalfa forage (green) [Lucerne]	20
	Canola forage	1
	Canola straw and fodder (dry)	1
AB 0001	Citrus pulp, dry	T15
AL 1270	Peanut forage (green)	20
AL 1265	Soya bean forage (green)	5
Isoxaben		
AS 0081	Straw and fodder (dry) of cereal grains	0.1
	Cereal forage (fresh weight)	*0.01
Isoxaflutole		
AL 0524	Chick-pea fodder	0.03
	Chick pea forage (fresh weight)	0.3
AM 0659	Sugar cane fodder	*0.01

K-L

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
Kresoxim-methyl		
AB 0226	Apple pomace, dry	0.5
Lindane		
	Primary feed commodities	E0.1

M

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Mandipropamid			
AB	0269	Grape pomace, dry	5
MCPA			
		Primary feed commodities	500
Mefenpyr-diethyl			
AF	0081	Forage of cereal grains	3
AS	0081	Straw and fodder (dry) of cereal grains	1
Mepiquat			
		Cotton seed meal and hulls	2
Mesosulfuron-methyl			
		Wheat forage [fresh weight]	*0.02
AS	0654	Wheat straw and fodder, dry	*0.02
Metalaxyl			
		Cereal forage (green)	*0.1
AS	0081	Straw and fodder (dry) of cereal grains	*0.05
Methamidophos			
AL	0545	Lupin, forage (dry)	0.5
AL	0697	Peanut fodder	10
AL	1270	Peanut forage (green)	10
Methomyl <i>see also</i> Thiodicarb			
		Plantago ovata fodder	5
		Plantago ovata forage	5
Methoxychlor			
		Primary feed commodities	E1
Methoxyfenozide			
		Almond hulls	T50
AB	0226	Apple pomace, dry	3
AB	0001	Citrus pulp, dry	10
AB	0269	Grape pomace, dry	3
Metolachlor			
		Cotton fodder	0.1

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
AS	0645	Maize fodder	0.1
AF	0645	Maize forage	*0.02
		Primary feed commodities	5
AF	0651	Sorghum forage (green)	0.2
AS	0651	Sorghum straw and fodder, dry	0.2
Metosulam			
AF	0161	Forage of cereal grains and other grass-like plants	*0.1
AL	0545	Lupin, forage	*0.1
AS	0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	*0.1
Metrafenone			
AB	0269	Grape pomace, dry	3
Metribuzin			
		Primary feed commodities	0.2
		Rape seed (canola) straw and fodder	*0.02
Metsulfuron-methyl			
AL	0524	Chick-pea fodder [fresh weight]	*0.05
		Chick-pea forage [fresh weight]	*0.05
AF	0161	Forage of cereal grains and other grass-like plants [pasture]	1
		Safflower forage and fodder	0.2
		Linseed forage and fodder	0.2
AS	0161	Straw and fodder (dry) and hay of cereal grains and other grass-like plants	1

O

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Omethoate			
AL	0157	Legume animal feeds [Fresh weight]	20
AL	0545	Lupin, forage	0.5
AS	0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	20
AM	0165	Miscellaneous fodder and forage crops [Fresh weight]	20

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Oxydemeton-methyl			
AV	0691	Cotton forage	1
AL	0545	Lupin, forage	*0.01
P			
COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Paclobutrazol			
AF	0081	Forage of cereal grains	T*0.01
Paraquat			
		Primary feed commodities	500
Parathion-methyl			
AL	1023	Clover	T5
AL	1031	Clover hay or fodder	T25
AM	0691	Cotton fodder, dry	T10
		Cruciferous forage crops	T5
AL	0157	Legume animal feeds	T25
Pendimethalin			
AL	1020	Alfalfa fodder [lucerne]	*0.1
		Forage and fodder of pulses	0.1
		Rape seed fodder and forage	*0.05
Penflufen			
AF	0080	Forage of cereal grains	3
AS	0162	Hay or fodder (dry) of grasses	T*0.01
		Mixed pasture (legume/grasses)	T*0.01
AS	0081	Straw and fodder (dry) of cereal grains	*0.05
Penthiopyrad			
		Almond hulls	7
AB	0226	Apple pomace, dry	5
		Tomato pomace, dry	70
Permethrin			
AL	0528	Pea vines (green)	15
Phosphorous acid			
AL	1023	Clover	100

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
AM	0353	Pineapple fodder	100
Picloram			
AM	0659	Sugarcane fodder, dry	50
AV	0659	Sugarcane forage, dry	50
Picolinafen			
AL	1023	Clover	2
		Field pea forage (green)	0.5
		Forage of cereal grains (green)	0.5
AL	0545	Lupin forage	2
		Lupin straw (dry)	*0.02
AL	0072	Pea hay or pea fodder (dry)	0.05
AS	0081	Straw and fodder (dry) of cereal grains	*0.02
Pinoxaden			
		Barley forage (green)	3
AS	0640	Barley straw and fodder, dry	1
		Wheat forage (green)	3
AS	0654	Wheat straw and fodder, dry	1
Piperonyl butoxide			
		Cotton seed meal	T*0.05
Pirimicarb			
		Almond Hulls	2
AM	0691	Cotton fodder (dry)	20
		Primary feed commodities	20
Procymidone			
		Canola forage	T5
		Canola fodder, dry	T5
AL	0524	Chick-pea fodder	T5
		Chick-pea forage	T5
		Lentil forage	5
		Lentil straw and fodder, dry	5
AL	0545	Lupin, forage	0.1
Profenofos			
		Cotton meal and hulls	1

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Profoxydim			
		Rice forage	5
AS	0649	Rice straw and fodder, dry	*0.02
Prohexadione-calcium			
AB	0226	Apple pomace, (dry)	0.1
Prometryn			
AL	0524	Chick-pea fodder	0.5
		Chick-pea forage (green)	0.5
AS	0162	Hay or fodder (dry) of grasses	50
Propachlor			
AS	0645	Maize fodder	1
AF	0645	Maize forage	5
AF	0651	Sorghum forage (green)	15
AS	0651	Sorghum straw and fodder, (dry)	5
Propaquizafop			
		Cotton fodder	*0.05
AL	0157	Legume animal feeds [except legume pastures, peanut forage(green) and fodder]	*0.1
		Legume pastures (green)	5
AL	0697	Peanut fodder	*0.05
AL	1270	Peanut forage	2
Propiconazole			
		Almond hulls	10
		Cane tops (fresh weight)	0.05
		Fodder and forage of sweet corn	T10
AS	0650	Forage and fodder (dry) of perennial ryegrass	10
		Forage of cereal grains (green)	10
AS	0645	Maize fodder	T10
AS	0081	Straw and fodder (dry) of cereal grains [except maize]	T5
		Tomato pomace (dry)	5
Proquinazid			
AB	0269	Grape pomace, dry	15

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Prosulfocarb			
		Barley forage, green	*0.01
AS	0640	Barley straw and fodder, dry	*0.01
AL	0157	Legume animal feeds	T*0.01
		Wheat forage, green	*0.01
AS	0654	Wheat straw and fodder, dry	*0.01
Prothioconazole			
		Cereal forage and fodder	7
		Cereal straw	0.3
AL	0697	Peanut fodder	T10
AL	0157	Legume animal feeds	T3
		Rape seed [canola] forage, fodder and straw	3
Pymetrozine			
		Almond Hulls	T0.05
		Cotton seed meal and hulls	*0.02
Pyraclostrobin			
		Almond hulls	3
AB	0226	Apple pomace, dry	25
		Cereal forage, green	5
AB	0269	Grape pomace, dry	10
AF	0647	Oat forage (green)[fresh weight]	*0.05
AS	0647	Oat straw and fodder, dry	*0.05
AS	0081	Straw and fodder of cereal grains, dry	0.5
Pyrasulfotole			
AS	0081	Straw and fodder (dry) of cereal grains	*0.02
AF	0081	Forage of cereal grains	0.5
Pyraflufen-ethyl			
		Pasture (mixed grass / leguminous)	3
AS	0081	Straw and fodder (dry) of cereal grains	1.0
Pyrethrins			
		Cotton seed meal	T*0.05
Pyridate			
		Chick-pea forage (green)	*0.2

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
AL	1270	Peanut forage (green)	*0.2
Pyrimethanil			
AB	0001	Citrus pulp, dry	3
AB	0269	Grape pomace, dry	40
		Pome fruit pomace, dry	0.3
Pyriproxyfen			
AB	0001	Citrus pulp, dry	2
		Cotton seed meal and hulls	*0.02
Pyrithiobac sodium			
AM	0691	Cotton fodder, dry	0.2
AV	0691	Cotton forage	0.2
Pyroxsulam			
AF	0650	Rye forage (green)	0.5
AS	0650	Rye straw and fodder, dry	0.1
		Triticale forage (green)	0.5
		Triticale straw and fodder, dry	0.1
AS	0654	Wheat straw and fodder, dry	0.1
		Wheat forage (green)	0.5
Pyroxasulfone			
		Primary animal feed commodities	0.7

Q

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Quinoxifen			
AB	0269	Grape pomace, dry	5
Quizalofop-ethyl			
		Canola forage and fodder	5
AL	1023	Clover	2
		Forage and fodder of soybeans, chickpeas, field peas, lupins, faba beans, mung beans, navy beans, lentils, vetch and green beans	10
		Medic pastures	10
AL	1270	Peanut forage (green)	0.5

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Quizalofop-P-tefuryl			
		Canola forage and fodder	5
AL	1023	Clover	2
		Forage and fodder of soybeans, chickpeas, field peas, lupins, faba beans, mung beans navy beans and green beans	10
		Medic pastures	10
AL	1270	Peanut forage (green)	0.5

S

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
S-metolachlor see Metolachlor			
Saflufenacil			
		Almond hulls	*0.1
AF	0081	Forage of cereal grains (green) [fresh weight]	*0.1
AL	0157	Legume animal feeds [fresh weight]	*0.1
		Oilseed fodder	*0.1
		Oilseed forage (green) [fresh weight]	*0.1
AF	0651	Sorghum forage (green) [fresh weight]	*0.1
AS	0651	Sorghum straw and fodder, dry	*0.1
AS	0081	Straw and fodder (dry) of cereal grains	*0.1
Sedaxane			
		Cereal forage (green)	0.2
AS	0081	Straw and fodder (dry) of cereal grains	*0.01
Sethoxydim			
		Barley Forage [fresh weight]	*0.1
AL	0157	Legume animal feeds [except peanut fodder and peanut forage (green)]	15
AL	0697	Peanut fodder	10
AL	1270	Peanut forage (green)	10
		Rape seed fodder and forage	10
		Wheat forage (green)[fresh weight]	*0.1
AS	0654	Wheat straw and fodder, dry	*0.1
Simazine			
AL	0524	Chick-pea fodder	0.5

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
		Chick-pea forage (green)	0.5
		Faba bean fodder	0.1
		Faba bean forage (green)	3
		Rape seed forage	5
		Rape seed straw or fodder	1
Spinetoram			
AB	0226	Apple pomace, dry	1
AB	0001	Citrus pulp, dry	0.2
		Canola forage and fodder	0.1
		Forage brassicas (green)	0.2
AB	0269	Grape pomace, dry	2
AL	0157	Legume animal feeds	1
		Tomato pomace, dry	1
Spinosad			
AB	0226	Apple pomace, dry	1
AB	0001	Citrus pulp, dry	1
		Cottonseed by-products	*0.01
AB	0269	Grape pomace, dry	1
AL	0157	Legume animal feeds	1
AF	0651	Sorghum forage (green)	0.5
AS	0651	Sorghum straw and fodder, dry	0.5
		Sweet corn, fodder and forage (dry)	1
Spirotetramat			
AB	0001	Citrus pulp, dry	2
		Cotton seed meal and hulls	1
AL	0157	Legume animal feeds	20
		Sweet corn forage and fodder	5
		Tomato pomace, dry	20
Spiroxamine			
		Barley forage	T1
AS	0640	Barley straw and fodder, dry	T1
AB	0269	Grape pomace	10

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
Sulfosulfuron		
	Triticale straw and fodder, dry	0.1
AS 0654	Wheat straw and fodder, dry	0.1

T

COMPOUND	ANIMAL FEED COMMODITY	MRL (mg/kg)
Tebuconazole		
	Primary feed commodities	50
Tebufenozide		
AB 0269	Grape pomace, dry	10
	Pome fruit pomace, dry	10
Tepraloxymid		
	Canola forage and fodder	3
AL 0157	Legume animal feeds	3
Terbufos		
AL 0697	Peanut fodder	*0.05
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
AF 0081	Forage of cereal grains	*0.05
Terbuthylazine		
	Fodder and forage sweet corn	T*0.1
	Forage of pulse crops (green)	5
AS 0645	Maize fodder	T*0.1
AF 0645	Maize forage	T*0.1
	Rape seed [canola] fodder	0.5
	Rape seed [canola] forage	5
AF 0651	Sorghum forage (green)	5
AS 0651	Sorghum straw and fodder, dry	*0.02
	Straw and fodder of pulse crops (dry)	*0.05
Terbutryn		
AS 0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	30
	Pastures (mixed grasses/leguminous)	75
	Field pea forage and fodder	30

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Tetraconazole			
AB	0269	Grape pomace, dry	2
Thiacloprid			
AB	0226	Apple pomace, dry	3
		Cotton seed meal and hulls	0.05
Thiamethoxam			
AB	0001	Citrus pulp, dry	7
		Cotton seed hulls	0.5
AF	0080	Forage of cereal grains	1
AS	0645	Maize fodder	0.5
		Rape seed forage (dry)	1
		Rape seed straw and fodder	*0.01
AS	0651	Sorghum straw and fodder, dry	0.1
AS	0081	Straw and fodder (dry) of cereal grains [except Maize fodder; Sorghum straw and fodder, dry]	*0.01
		Tomato pomace, dry	0.2
Thifensulfuron			
AS	0081	Straw and fodder (dry) of cereal grains	5
Thiodicarb see also Methomyl			
		Primary feed commodities [except maize; sorghum; sunflower]	30
AS	0645	Maize fodder	50
AF	0645	Maize forage	50
AF	0651	Sorghum forage	T50
AS	0651	Sorghum straw and fodder, dry	T50
		Sunflower forage	*0.05
Tralkoxydim			
		Primary feed commodities	*0.02
Triadimefon			
		Primary feed commodities	10
Triadimenol			
AF	0081	Forage of cereal grains	0.5
AS	0651	Sorghum straw and fodder, dry	10
		Tomato pomace	5

COMPOUND		ANIMAL FEED COMMODITY	MRL (mg/kg)
Triallate			
		Forage and fodder of cereal grains	3
		Pulse forage and fodder	2
		Pulse straw	1
		Straw of cereal grains	1
Triasulfuron			
		Primary feed commodities	5
Tribenuron-methyl			
		Primary feed commodities (Fresh weight)	*0.05
Triclopyr			
AS	0651	Sorghum straw and fodder (dry)	*0.1
Trifloxystrobin			
AB	0269	Grape pomace (dry)	3
AS	0162	Hay or fodder (dry) of grasses	T*0.02
		Mixed pasture (legume/grasses)	T*0.02
		Pome fruit pomace, dry	15
Trifloxysulfuron sodium			
AM	0659	Sugar cane fodder (fresh weight)	*0.02
AV	0659	Sugar cane forage (fresh weight)	*0.02
Triflumuron			
AF	0081	Forage of cereal grains	0.2
AS	0081	Straw and fodder (dry) of cereal grains	*0.05
Trinexapac-ethyl			
AF	0081	Forage of cereal grains	T0.2
AS	0162	Hay or fodder (dry) of grasses	3
AM	0659	Sugar cane fodder	1
AV	0659	Sugar cane forage	1
Triticonazole			
AF	0081	Forage of cereal grains	0.1
AS	0081	Straw and fodder (dry) of cereal grains	*0.05

Table 5 – Uses of substances where MRLs are not necessary

A

SUBSTANCE	USE
Acetic acid	Disinfectant for animal and poultry houses, egg hatcheries and associated equipment
Acrolein	Aquatic weed control
Adrenaline	- When used as a treatment for mulesing in wool sheep - When used to induce settlement and metamorphosis of oyster larvae
Alkoxyated fatty alkylamine Polymer	In peach and plum trees
Alpha-pinene	As an insect attractant and feeding stimulant
Amitrole	Herbicide for control of blackberries
Ammonium thiocyanate	Herbicide on bananas, dormant hopfields, orchards, papaya [pawpaw], pastures, plantations of pineapples, potatoes, sugar cane and vineyards Preplanting soil treatment for cereal, oilseed and pulse crops
Ammonium Thiosulphate	Blossom thinning agent
Amorphous Silica	Insecticide in vegetable crops, oilseed crops, cereal grains and seed
Anisyl alcohol	As an insect attractant and feeding stimulant

B

SUBSTANCE	USE
<i>Bacillus cereus</i>	Establishing gastrointestinal microflora of neonatal pigs and maintaining gastrointestinal microflora of pigs and poultry
<i>Bacillus licheniformis</i>	When used as a direct fed microbial in animals
<i>Bacillus sphaericus</i> Strain 2362	Mosquito control in water
<i>Bacillus subtilis</i>	When used as a direct fed microbial in animals
<i>Bacillus thuringiensis</i> Berliner subsp <i>aizawai</i>	For use as an insecticide on food and non-food producing crops and ornamentals
<i>Bacillus thuringiensis</i> Berliner <i>israelensis</i>	Mosquito control in water
<i>Bacillus thuringiensis kurstaki</i> delta endotoxin encapsulated in killed <i>Pseudomonas fluorescens</i>	As an insecticide for cotton, pome fruits, stone fruits, grapes and vegetables
<i>Bacillus thuringiensis kurstaki</i> delta endotoxin protein	Insecticide expressed in recombinant cotton

SUBSTANCE	USE
<i>Bacillus thuringiensis</i> Berliner subsp <i>kurstaki</i>	For use as an insecticide on food and non-food producing crops, ornamentals, amenity plantings and in forestry
Bendiocarb	Insecticide on pasture seed
Bentonite	Sunscreen for fruiting vegetables, other than cucurbits, and for fruits
Beta-cyfluthrin	For the control of black swarming leaf beetles on non-fruit bearing exotic tropical fruits for crop establishment purposes only
Bifenthrin	- As an insecticide and acaricide on ornamentals - Seed Lucerne treatment - When used for the control of quarantine pests in potted nursery stock
<i>N,N</i>-bis(3-aminopropyl) dodecylamine	Disinfection of farm buildings, hatcheries, eggs and food processing areas
Bismuth subnitrate	For intramammary infusion for the prevention of mastitis in non-lactating dairy cows
Bm86 antigen	Vaccine for control of cattle tick
Bromo, chloro-dimethylhydantoin4-(p-hydroxyphenyl)-2- butanone acetate	- As a biocide for fruits, vegetables and ornamentals - In fly baits as an insect sex attractant
Bupivacaine hydrochloride	As a component in a post-mulesing treatment in lambs that are to be kept for wool production
Butyl salicylate	As an insect attractant and feeding stimulant

C

SUBSTANCE	USE
Canola oil	As a miticide/insecticide in home gardens, ornamentals floriculture, and vegetable and fruits
Captan	Fungicidal seed dressing for peanuts
Carfentrazone-ethyl	Aquatic weed control
Cephalonium	For opthalmic use on cattle and sheep
Cetrimide	As a component in a post-mulesing treatment in lambs that are to be kept for wool production
Chlorflurenol	- Growth regulator on pineapples - As a flower inductant in mango trees
Chlorpicrin	{T} As a soil fumigant prior to the cultivation of strawberry runners
Chlorpyrifos	When used for the control of fire ants in horticultural situations
Chlorpyrifos-methyl	Insecticide for treatment of seed
Chlortetracycline	Topical applications for use on sheep, cattle, pigs and poultry
Citric acid	As a spray adjuvant

SUBSTANCE	USE
Cloprostenol	• Induction of oestrus in cattle and induction of farrowing in sows and gilts
Cloxacillin	• For ophthalmic use on cattle and sheep
Copper oxide	• Anti-fouling treatment of nets in aquaculture
Coumatetralyl	• In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Cresylic acid	• Dormant spray • Repellent for flies in cattle, goats and sheep • Disinfection of animal and poultry houses, and associated equipment
Cue-lure pheromone	• In fly baits as an insect sex attractant
Cydia pomonella granulovirus	• Insecticide
Cyhalothrin	• Soil drench for use in fruit fly eradication
Cypermethrin	• Seed dressing for cereal grains
Cypermethrin	• Control of crawling insects in domestic premises
Cyproconazole	• For use on pruning wounds of various fruit trees
Cyprodinil	• When used in strawberry runner production
Cyromazine	• Domestic and commercial premises where contact with food or food producing animals will not occur

D

SUBSTANCE	USE
Dazomet	• Soil fumigant
Delta-7 porcine somatotrophin	• Injection to pigs to improve leanness of meat, feed conversion and growth rate
Derris	• Insecticide on fruit and vegetables • Poultry dust-Sheep dip
1,2-Dichloropropane	• Soil fumigant
1,3-Dichloropropene	• Soil fumigant- • Pre-plant fumigant for vegetables, cereal grains and fruit and nut trees.
Dicloran	• Seed dressing for peanuts
Didecyldimethyl ammonium chloride	• Disinfection of farm buildings, hatcheries, eggs and food processing areas
Difethialone	• In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Dinoprost	• Induction of oestrus and advancing parturition in cattle and pigs

SUBSTANCE	USE
Diphacinone	In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Dithiocarbamates (mancozeb, metham, metiram, propineb, thiram, zineb and ziram)	- As fungicides on ornamentals - As a fungicide on acacia, fir and pine trees - As a pre-plant and fallow soil fumigation for crops - As a seed dressing
Dithiopyr	Treatment of turf where grazing by, or feeding to, livestock including poultry will not occur
(E,E) 8,10-Dodecadien-1-ol	Pheromone
E-11-tetradecen-1-yl-acetate	In slow-release dispensers for mating disruption of <i>Epiphyas postvittana</i>
E,E-9,11-tetradecadien-1-yl-acetate	In slow-release dispensers for mating disruption of <i>Epiphyas postvittana</i>
Dodecan-1-ol	In slow-release dispensers for mating disruption of insects in fruits and tree nuts
(Z)-8-Dodecenol	Pheromone
(E)-8-Dodecenyl acetate	Pheromone
(Z)-8-Dodecenyl acetate	Pheromone
Dodecyl benzene trimethyl ammonium chloride	Disinfectant for animal and poultry houses and hatcheries
Domperidone	For induction of spawning in finfish broodstock

E

SUBSTANCE	USE
<i>E. Coli</i> antigen	For use in pigs
Endothal	For use in irrigation channels for the control of various aquatic weeds
Ethephon	Pre-planting treatment of ginger root
Ethyl formate	- As a fumigant for cereals, pulses and canola and associated storage structures and machinery - Post-harvest fumigation of fruits and vegetables
Ethylene	Ripening of fruits
Etiproston & Etiproston tromethamine	Induction and synchronization of oestrus in cattle and induction of parturition and luteolysis in cattle
Epidermal Growth Factor	Aid for wool harvesting in sheep
Esfenvalerate	For use in enclosed brine ponds for the control of <i>Artemia spp</i>
Esters of fatty acids	- Control of bud break in fruit crops {T} Control of bud break in nut crops

SUBSTANCE	USE
Eucalyptol	As an insect attractant and feeding stimulant

F

SUBSTANCE	USE
Farnesol	Pheromone
Fenitrothion	For use in seed dressings
Fenoxycarb	Control of insects in food preparation areas
Fenprostalene	- Synchronization of oestrus in cattle - Treatment of reproductive disorders
Ferrous sulphate	Herbicide
Fipronil	- Control of Argentine ants in vineyards - As a soil injection for control of termites in immature, non-bearing citrus and mango orchards - When used for the control of fire ants in horticultural situations - When used in fly baits
Flocoumafen	In baits as a rodenticide in situations where contact with crops, food products, or soil in which crops are grown will not occur
Fludioxonil	When used in strawberry runner production
Flugestone acetate	Induction of oestrus in sheep and goats
Fluroxypyr	Herbicide on poppies
Flusilazole	As a fungicide in quarantine use on mango trees
Formaldehyde	- For the control of protozoan and metazoan infestations in Australian native fish and fungal infections in native fish eggs, as well as the control of sessile ciliates, viruses and other pathogens in prawns, shrimps and crayfish - Fumigant for hatching eggs, incubators, hatcheries, broiler sheds and poultry houses - Fumigant of seed beds and animal houses - Seed dressing - Soil fumigant - Treatment of footrot and animal diseases - Treatment of epicomensal protozoan infestation in prawn, and viral infections in prawn broodstock
Formic acid	Treatment of silage
Fumagillin	Treatment of <i>Nosema</i> disease in bees

G

SUBSTANCE	USE
Garlic extract	As an insecticide in fruit and vegetables
Gibberellic acid	- Treatment of pastures - Plant growth regulator when used < 625 g ai/ha/year or when used as a seed treatment
Glyphosate	Herbicide for control of blackberries
Glutaraldehyde	Treatment of empty animal and poultry houses
Gonadotrophin Releasing Factor (GnRF)-protein conjugate	- Vaccine for the control of boar taint in male pigs - Vaccine for the suppression of testosterone production in male cattle - Vaccine for the suppression of progesterone production in female cattle
Gonadotrophin Releasing Hormone (GnRH) and synthetic analogues [including buserelin, deslorelin, gonadorelin and salmon GnRH analogue]	- Cattle: treatment of cystic ovaries; prevention of delayed ovulation; improvement of fertility rate - Horses: induction of ovulation; treatment of anoestrus - Finfish: induction of spawning in finfish broodstock - Pigs: at a dose of 0.01mg/animal for induction of ovulation - Rabbits: induction of ovulation; improvement of conception rate
Gonadotrophins [including Pregnant Mare Serum]	Cattle: induction of superovulation; treatment of cystic ovarian syndrome and anoestrus
Gonadotrophin (PMSG), Serum Gonadotrophin, Chorionic Gonadotrophin, Luteinizing Hormone (LH), ovine and porcine Follicle Stimulating Hormone (FSH)	- Goats: induction of superovulations - Horses: induction of ovulation and treatment of anoestrus - Sheep: induction of superovulation - Pigs: oestrus induction in sows and gilts - Fish: induction of spawning in finfish broodstock

H

SUBSTANCE	USE
Z-11-Hexadecenal Z-9-Hexadecenal	Mating disruption of <i>Helicoverpa spp.</i> In cotton and sweet corn crops
Hexazinone	Herbicide for control of blackberries
Hydramethylnon	- In bait trays for control of ants - For use as an insecticide to control ants on fallow sugarcane situations
Hydrogen peroxide	- As a fungicide in fruits and vegetables - As a disinfectant on fruit and vegetables {T} As a disinfectant on Kaffir lime leaves {T} For use as an ectoparasiticide and fungicide in freshwater and saltwater fish and fish eggs.
8-Hydroxyquinoline	Treatment of cuttings and grafts

I

SUBSTANCE	USE
Imidacloprid	As the active constituent in contained bait stations used in orange, mandarin, mango, lychee, carambola and persimmon trees, where direct contact will not occur with the fruit
Imiprothrin	Control of crawling insects in domestic premises
Indol-3-yl butyric acid	Treatment of cuttings
Indoxacarb	{T} As a bait for the control of fire ants in horticultural crops where contact with commodities produced for human consumption will not occur.
Iodine (elemental)	- When incorporated into a polyethylene capsule device for intra-ruminal administration to sheep - Disease control in the drinking water of poultry; topical and ocular application of poultry; disinfecting and cleaning poultry surrounds by fogging - Sanitising fruit and vegetables - For use as a pre-milking teat dip at up to 0.1% available iodine from iodine or iodine-complexes - For use as a post-milking teat dip at up to 0.5% available iodine from iodine or iodine-complexes - For use at 0.01 % w/v available iodine, as a disinfectant for fish eggs
Iodocarb	For use on pruning wounds of various fruit trees
Iodomethane	{T} As a soil fumigant prior to the cultivation of strawberry runners
Iprodione	Fungicide for corm and foliar treatment of saffron
Iron galactan	Treatment of anaemia in piglets
Iron-EDTA complex	Molluscicide

L

SUBSTANCE	USE
<i>Lactobacillus spp.</i>	When used as a silage inoculant
Light hydrocarbons (petrol)	To euthanase bees
Lignocaine hydrochloride	As a component in a post-mulesing treatment in lambs that are to be kept for wool production
Lime sulphur	- Fungicide and insecticide on fruits, nuts and vegetables - Sheep and pig dip/spray
D-Limonene	As an insect attractant and feeding stimulant
Lindane	Seed dressing

M

SUBSTANCE	USE
Magnesium alloy capsules	Control of grass tetany in cattle
Magnesium chlorate	Defoliant on cotton
Magnesium hexafluorosilicate	When used at a concentration of up to and including 1 g/litre of water, in sheep dips
Maldison	Seed dressing
Melatonin	Subcutaneous implant in sheep to regulate ovulation
Metacresol	Treatment of crown gall in blueberries
Metalaxyl	Seed dressing
<i>Metarhizium anisopliae</i>	- Soil treatment for the control of the Red Headed Cockchafer (Pasture scarab) - As a soil treatment for the control of Greyback Canegrub in bananas, papaya (paw paw), pineapple, sugarcane and taro - For the control of the Australian Plague Locust (adult and nymphs), Wingless Grasshopper, Spur Throated Locust and Migratory Locust {T} External treatment for the control of cattle tick (<i>boophilus microplus</i>) on beef cattle {T} For the control of whitefly (<i>Bemesia tabaci</i>) on flowers and vegetables
Methabenzthiazuron	Post-emergent herbicide for use on grape cover crops
Methiocarb	- In baits for the control of garden pests {T} in baits for the control of garden pests on herbs, lemon balm, lemon grass, kaffir lime leaves, , lemon verbena and tumeric
Methionyl porcine somatotrophin	Injection to pigs to improve leanness of meat, feed conversion and growth rate
(S)-Methoprene	- Control of insects in domestic premises - For the control of mosquitos at permanent and temporary water sites - As a bait for the control of Fire Ants in fruits, vegetables, nuts, herbs and spices in situations where direct contact will not occur with the crop
1-Methylcyclopropene	Fumigant treatment of fruits and vegetables
Methyldihydrotestosterone	For the production of fish brood stock in salmonid aquaculture (salmon and trout)
Methyl isothiocyanate	Soil fumigant
Methyltestosterone	For the production of fish brood stock in salmonid aquaculture (salmon and trout)
Metsulfuron methyl	Herbicide for control of blackberries

N

SUBSTANCE	USE
Napthalene	• Insect repellent
Neem Seed Extract Powder	• In-furrow application to cotton crops at the time of seeding
<i>Neoplectana bibionis</i>	• Biological control of currant borer
Nerolidol	• Pheromone
N-Octyl bicycloheptene dicarboximide	• Control of insects in domestic premises
Nuclear Polyhedrosis Virus <i>Heliothis</i>	• Insecticide

O

SUBSTANCE	USE
Octhilinone	• Treatment of seed cotton
Oestradiol benzoate	• In combination with progesterone in an intravaginal device for the regulation of oestrus in cattle • When implanted in the ear for growth promotion purposes in cattle
Oestradiol-17-beta	• When implanted in the ear for growth promotion purposes in cattle
Oestradiol valerate	• Induction of oestrus in cattle

P

SUBSTANCE	USE
Paraffin	• As an insecticide • For control and treatment of bloat in cattle • Fungicide on fruits • Harvest aid on cotton • Herbicide on vegetables and cereals • Sheep dressing
PDB	• Insecticide on fruit trees
Pendimethalin	• For the control of weeds on teatrees
Permethrin	• As an insecticide in domestic, agricultural, industrial and commercial premises where contact with food, food production areas and food producing animals will not occur
Peroxyacetic acid	• As a fungicide in fruits and vegetables • As a disinfectant on fruit and vegetables-{T} As a disinfectant on Kaffir lime leaves

SUBSTANCE	USE
Petroleum oil	• As an insecticide • For control and treatment of bloat in cattle • Fungicide on fruits • Sheep dressing • Herbicide on vegetables and cereals • Harvest aid on cotton
Phenylacetaldehyde	• As an insect attractant and feeding stimulant
Picloram	• Herbicide for control of blackberries • Herbicide for control of woody and noxious weeds in commercial and industrial areas, public lands, fence lines and pastures
Pili antigen (from <i>Dichelobacter nodosus</i>)	• Prevention of footrot in Merino sheep
Pine Oil	• When used as a herbicide in carrots, corn, orchards, potatoes, vineyards and bare earth/fallow/non-crop situations.
Piperonyl butoxide	• Control of insects in domestic premises
Pirimiphos-methyl	• Treatment of seed
Poly (GNRF) ovalbumin	• Immunogen for control of reproduction in cattle
Poly (LHRH) ovalbumin	• Immunogen for control of reproduction in cattle
Potassium Bicarbonate	• When used as a fungicide
Potassium N-hydroxy methyl N-methyldithiocarb	• Soil fumigant
Potassium salts of fatty acids	• Fungicide on grapevines • Insecticide on fruit, vegetables and cotton
Progesterone	• Induction of oestrus in cattle, goats, pigs and sheep • Induction of oestrus in mares by administration in an intravaginal device • When implanted in the ear for growth promotion purposes in cattle
Propamocarb	• As a soil drench for papaya seedlings in nurseries
Propionic acid (and its salts)	• Fungicide on stored grain for animal use • Preservative in hay and legume animal feeds • For use as an adjuvant with agricultural chemical products
Prostianol	• Oestrus control in cattle and sheep • Advancing parturition in pigs
Protein hydrolysate	• Attractant in insect baits

SUBSTANCE	USE
Prothiofos	• Timber treatment for poles, posts, and agricultural buildings/structures
<i>Pseudomonas fluorescens</i>	• Control of bacterial blotch in cultivated mushrooms
Pyraclostrobin	• When use in strawberry runner production (tissue culture and foundation nurseries only).
Pyrethrins	• Control of insects in domestic premises
Pyriproxyfen	• As a bait for the control of ants in agricultural situations where direct contact will not occur with the crop • As a bait for the control of ants in pastures

Q-R

SUBSTANCE	USE
Quassia infusion	• Insecticide
Rabbit Haemorrhagic Disease Virus (Rabbit Calicivirus)	• For pest rabbit control
Rotenone	• Insecticide on fruit and vegetables • Poultry dust • Pig and sheep dip/spray

S

SUBSTANCE	USE
S-Abscisic acid	• For use on grapevines to accelerate or increase the colouration of berries
Salicylic acid	• {T} As a trunk injection for control of silver leaf on pome fruit and stone fruit trees
Sodium acetate	• Fungistat on stored grain for animal use
Sodium carbonate	• Scale treatment
Sodium chlorate	• Herbicide on pastures • Defoliant on cotton • {T} Defoliant on sorghum
Sodium edetate	• Disinfectant for animal and poultry houses and hatcheries
Sodium metasilicate pentahydrate	• Disinfectant for animal and poultry houses and hatcheries
Sodium monofluoroacetate	• Baits for control of cats, dogs, foxes, pigs, rabbits and rodents in situations where contact will not occur with crops, soil in which crops are grown, or food products
Sodium nitrite	• Antidote for cyanide poisoning in ruminant farm animals
Sodium thiosulfate	• Antidote for cyanide poisoning in ruminant farm animals

SUBSTANCE	USE
Sodium trichloroacetate	• Herbicide on pastures
Somidobove (bovine somatotrophin analogue)	• Injection for improvement of milk production in cattle
Sorbic acid (and its salts)	• Fungistat on stored grain for animal use • Preservative in hay and legume animal feeds
Spinosad	• Fruit fly bait treatment of tree, fruit, vine and vegetable crops
<i>Streptococcus fascium</i>	• When used as a silage inoculant
Strychnine	• In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Succinyl choline	• For use in the capture of wild animals
Sulphur	• Fungicide on fruit, vegetables, herbs, spices and edible flowers • Insecticide on cotton, fruit, nuts and vegetables • Poultry dust/ointment • Soil conditioner

T

SUBSTANCE	USE
Talc	• Sunscreen for fruiting vegetables, other than cucurbits, and for fruits
Tar acids	• Dormant spray • Disinfection of animal and poultry houses, and associated equipment
Tar distillates	• Dormant spray
Tar oils	• Dormant spray
TCA	• Pre-planting herbicide in sugar cane
Tea tree oil	• For control of powdery mildew on tomatoes, capsicums and cucurbits • For the control of sigatoka leaf spot in bananas
Tebuconazole	• Seed dressing for peanut seed
Testosterone cypionate	• Growth promotant in sheep when injected subcutaneously • Control of posthitis and balanitis in sheep
Testosterone enanthate	• Control of posthitis and balanitis in sheep
Testosterone propionate	• Control of posthitis and balanitis in sheep • When implanted in the ear for growth promotion purposes in cattle
Tetracosactrin	• Reduction of parturition time in sows • Determination of stress susceptibility in pigs
Tetradecan-1-ol	• In slow-release dispensers for mating disruption of insects in fruits and tree nuts

SUBSTANCE	USE
Tetramethrin	• Control of insects in domestic premises
Thallium sulphate	• In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur except in baits as a rodenticide in sugar cane fields
Thaumatococin	• Administration to pigs
Thiabendazole	• Treatment of legume vegetable seeds, seed barley, seed oats, seed pulses and seed wheat
Thiamethoxam	• For use as a fly bait
Thifensulfuron-methyl	• As a herbicide in chicory crops grown for seed production
Thymol	• {T} Treatment of mites on bees
Triadimefon	• Seed dressing
<i>Trichoderma harzianum</i>	• Fungicide on grapevines
Triclopyr	• Herbicide for control of blackberries • Herbicide for control of woody and noxious weeds in commercial and industrial areas, public lands, fence lines and pastures
Trifluralin	• {T} To prevent root intrusion in underground orchard irrigation systems

U-Z

SUBSTANCE	USE
Urogastrone-and methionine-epidermal growth factor	• As subcutaneous injection or implantation for biological shearing of sheep
Warfarin	• In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
<i>Xenorhabdus nematophilus</i>	• Biological control of currant borer
2,4-Xylenol	• Treatment of crown gall in blueberries
Zinc oxide	• Anti-fouling treatment of nets in aquaculture
Zinc pyrithione	• Anti-fouling treatment of nets in aquaculture