

PB 1 of 2013

National Health (Listing of Pharmaceutical Benefits) Amendment Instrument 2013 (No. 1)¹

National Health Act 1953

I, FELICITY McNEILL, First Assistant Secretary, Pharmaceutical Benefits Division, Department of Health and Ageing, delegate of the Minister for Health, make this Instrument under sections 84AF, 84AK, 85, 85A, 88 and 101 of the *National Health Act 1953*.

Dated 8 January 2013

FELICITY McNEILL

First Assistant Secretary Pharmaceutical Benefits Division Department of Health and Ageing

1 Name of Instrument

- (1) This Instrument is the *National Health (Listing of Pharmaceutical Benefits) Amendment Instrument 2013 (No. 1).*
- (2) This Instrument may also be cited as PB 1 of 2013.

2 Commencement

This Instrument commences on 1 February 2013.

3 Amendment of *National Health (Listing of Pharmaceutical Benefits) Instrument 2012* (PB 71 of 2012)

Schedule 1 amends the *National Health (Listing of Pharmaceutical Benefits) Instrument 2012* (PB 71 of 2012).

Schedule 1 Amendments

Schedule 1, column headed "Determined Quantity"

[1]

	omit values in all instances where displayed in the column headed "Determined Quantity" for all Listed Drugs, except for:
	Methoxyflurane
	which retains the value "1" in the column headed "Determined Quantity"
[2]	Schedule 1, entry for Alendronic Acid in the form Tablet 70 mg (as alendronate sodium)
	insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":
	Fonat AL MP NP C4122 C4123 4 5 4 C4133
[3]	Schedule 1, entry for Atenolol in the form Tablet 50 mg
	omit from the column headed "Brand": Atenolol generichealth substitute: Atenolol GH
[4]	Schedule 1, entry for Clopidogrel in the form Tablet 75 mg (as hydrogen sulfate) omit from the column headed "Responsible Person" for the brand "Iscover": BQ substitute: AV
[5]	Schedule 1, entry for Clopidogrel with aspirin in the form Tablet 75 mg (as hydrogen sulfate)-100 mg omit from the column headed "Responsible Person" for the brand "DuoCover": BQ substitute: AV
[6]	Schedule 1, entry for Cyproterone in the form Tablet containing cyproterone acetate 50 mg [Max Quantity 20; Number of Repeats 5] insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":
	Cyproterone HX MP C1014 C1230 P1230 20 5 20 Sandoz C1404
[7]	Schedule 1, entry for Cyproterone in the form Tablet containing cyproterone acetate 50 mg [Max Quantity 100; Number of Repeats 5]
	insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":
	Cyproterone HX MP C1014 C1230 P1014 P1404 100 5 50 Sandoz C1404
[8]	Schedule 1, entry for Exemestane
	insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":
	Exemestane-GA GM MP NP C1541 C2457 30 5 30

[9]	Schedule 1, entry for Fludarabine in the form Solution for I.V. injection 50 mg fludarabine phosphate in 2 insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":	2 mL								
	AS-Fludarabine YA MP C3887	See Note 3	See Note 3	5	PB(100)					
[10]	Schedule 1, entry for Gabapentin in each of the forms: Capsule 100 mg; Capsule 300 mg; Capsule 400 m	ng; and Ta	blet 800 n	ng						
	insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":									
	Gabapentin Pfizer FZ MP NP C2664	100	5	100						
[11]	Schedule 1, entry for Gemcitabine in each of the forms: Powder for I.V. infusion 200 mg (as hydrochloride); and Powder for I.V. infusion 2 g (as hydrochloride)	e); Powde	r for I.V. i	nfusion 1 g						
	insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":									
	AS-Gemcitabine YA MP	See Note 3	See Note 3	1	D(100)					
[12]	Schedule 1, entry for Irbesartan in each of the forms: Tablet 75 mg; Tablet 150 mg; and Tablet 300 mg omit from the column headed "Responsible Person" for the brand "Avapro": BQ substitute: AV									
[13]	Schedule 1, entry for Irbesartan with Hydrochlorothiazide in the form Tablet 150 mg-12.5 mg									
	omit from the column headed "Responsible Person" for the brand "Avapro HCT 150/12.5": BQ substitute:	ΑV								
[14]	Schedule 1, entry for Irbesartan with Hydrochlorothiazide in the form Tablet 300 mg-12.5 mg									
	omit from the column headed "Responsible Person" for the brand "Avapro HCT 300/12.5": BQ substitute:	ΑV								
[15]	Schedule 1, entry for Irbesartan with Hydrochlorothiazide in the form Tablet 300 mg-25 mg									
	omit from the column headed "Responsible Person" for the brand "Avapro HCT 300/25": BQ substitute:	ΑV								
[16]	Schedule 1, entry for Lercanidipine in each of the forms: Tablet containing lercanidipine hydrochloride 1 lercanidipine hydrochloride 20 mg	0 mg; and	Tablet co	ontaining						
	insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":									
	Ledip RA MP NP	28	5	28						
[17]	Schedule 1, entry for Letrozole									
	insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":									
	Pharmacy Choice RI MP NP C1608 C2691 Letrozole C2692	30	5	30						
[18]	Schedule 1, entry for Lisinopril in the form Tablet 5 mg omit:									
	Prinivil 5 MK MP NP	30	5	30						

[19] Schedule 1, entry for Metronidazole

omit:

	I.V. infusion 500 mg in 100 mL	Injection	Baxter Healthcare Pty Ltd	вх	MP NP	C1300 C1448	10	0	10	
					PDP	1448	10	0	10	
			DBL Metronidazole Intravenous Infusion	НН	MP NP	C1300 C1448	10	0	10	
					PDP	1448	10	0	10	
substitute:										
	I.V. infusion 500 mg in 100 mL	Injection	Baxter Healthcare Pty Ltd	ВХ	MP NP	C4167 C4168 C4169	10	0	1	
					PDP	C4169	10	0	1	
			DBL Metronidazole Intravenous Infusion	НН	MP NP	C4167 C4168 C4169	10	0	10	
					PDP	C4169	10	0	10	
			Metronidazole- Claris	AE	MP NP	C4167 C4168 C4169	10	0	5	
					PDP	C4169	10	0	5	

[20] Schedule 1, entry for Nebivolol

omit from the column headed "Responsible Person" (all instances): CS substitute: FK

[21] Schedule 1, entry for Oxaliplatin in each of the forms: Solution concentrate for I.V. infusion 50 mg in 10 mL; Solution concentrate for I.V. infusion 100 mg in 20 mL; and Solution concentrate for I.V. infusion 200 mg in 40 mL

insert in the columns in the order indicated, and in alphabetical order for the column headed "Brand":

AS-Oxalipla	tin YA	MP	C3900 C3901 C3930 C3939	See Note 3	See Note 3	1	D(100)
-------------	--------	----	----------------------------	---------------	---------------	---	--------

	Schedule 1, entry for Oxybutynin in the form Tran	isdermai patch	162 20 111	3 , 8					
	omit from the column headed "Responsible Person":	HH sub	stitute:	GM					
[23]	Schedule 1, entry for Paclitaxel in each of the forn infusion 100 mg in 16.7 mL; and Solution concent					Solution	concentra	te for I.V.	
	insert in the columns in the order indicated, and in alphab	etical order for th	he column	headed "	Brand":				
		GN-Paclitaxe	el YA	MP	C3186 C3890 C3902 C3917 C3955 C3956	See Note 3	See Note 3	1	D(100)
[24]	Schedule 1, entry for Pravastatin in the form Table omit:	et containing p	oravastat	in sodiu	m 10 mg <i>[Max Quantity</i> :	30; Numb	er of Repe	ats 5]	
		Pravastatin Winthrop	WA	MP	C1540 C3047 P1540	30	5	30	
				NP	C1540	30	5	30	
[25]	Schedule 1, entry for Pravastatin in the form Tabl	Pravastatin		MP	C1540 C3047 P3047	30	11	30	
[26]	Schedule 1. entry for Prayastatin in the form Tabl	Winthrop							
[26]	Schedule 1, entry for Pravastatin in the form Table omit:	Winthrop							
[26]		Winthrop	oravastat						
[26]		Winthrop et containing p Pravastatin	oravastat	in sodiu	m 20 mg [Max Quantity :	30; Numb	er of Repe	ats 5]	
		Winthrop et containing p Pravastatin Winthrop	oravastat WA	in sodiu	m 20 mg [Max Quantity : C1540 C3047 P1540 C1540	30; Numb	per of Repe	30 30	
	omit: Schedule 1, entry for Pravastatin in the form Table	Winthrop et containing p Pravastatin Winthrop	oravastat WA oravastat	in sodiu	m 20 mg [Max Quantity : C1540 C3047 P1540 C1540	30; Numb	per of Repe	30 30	
[26]	omit: Schedule 1, entry for Pravastatin in the form Table	Winthrop et containing p Pravastatin Winthrop et containing p Pravastatin Winthrop	oravastat WA oravastat WA	MP NP in sodiu	m 20 mg [Max Quantity : C1540 C3047 P1540 C1540 m 20 mg [Max Quantity : C1540 C3047 P3047	30; Numb 30 30 30; Numb	5 5 per of Repe	30 30 30 ats 11]	
[27]	Schedule 1, entry for Pravastatin in the form Table omit: Schedule 1, entry for Pravastatin in the form Table	Winthrop et containing p Pravastatin Winthrop et containing p Pravastatin Winthrop	wa wa pravastat wa pravastat	MP NP in sodiu	m 20 mg [Max Quantity : C1540 C3047 P1540 C1540 m 20 mg [Max Quantity : C1540 C3047 P3047	30; Numb 30 30 30; Numb	5 5 per of Repe	30 30 30 ats 11]	

[29]	Schedule 1, entry for Pravastatin in the form Ta	ablet containing pra	vastati	n sodiu	ım 40 mg [Max Quantity :	30; Num	ber of Re	peats 11]	
		Pravastatin Winthrop	WA	MP	C1540 C3047 P3047	30	11	30	
[30]	Schedule 1, entry for Simvastatin in the form T omit:	ablet 10 mg <i>[Max Q</i>	uantity	30; Nu	mber of Repeats 5]				
		Simvastatin Winthrop	WA	MP	C1540 C3047 P1540	30	5	30	
				NP	C1540	30	5	30	
[31]	Schedule 1, entry for Simvastatin in the form T omit:	ablet 10 mg <i>[Max Q</i>	uantity	30; Nu	mber of Repeats 11]				
		Simvastatin Winthrop	WA	MP	C1540 C3047 P3047	30	11	30	
[32]	Schedule 1, entry for Simvastatin in the form T omit:	ablet 20 mg <i>[Max Q</i>	uantity	30; Nu	mber of Repeats 5]				
		Simvastatin Winthrop	WA	MP	C1540 C3047 P1540	30	5	30	
				NP	C1540	30	5	30	
[33]	Schedule 1, entry for Simvastatin in the form T <i>omit:</i>	ablet 20 mg <i>[Max Q</i>	uantity	' 30; Nu	mber of Repeats 11]				
		Simvastatin Winthrop	WA	MP	C1540 C3047 P3047	30	11	30	
[34]	Schedule 1, entry for Simvastatin in the form Tablet 40 mg [Max Quantity 30; Number of Repeats 5] omit:								
		Simvastatin Winthrop	WA	MP	C1540 C3047 P1540	30	5	30	
				NP	C1540	30	5	30	
[35]	Schedule 1, entry for Simvastatin in the form T	Schedule 1, entry for Simvastatin in the form Tablet 40 mg [Max Quantity 30; Number of Repeats 11]							
		Simvastatin Winthrop	WA	MP	C1540 C3047 P3047	30	11	30	

[36]	Schedule 1, entry for Simvastatin in the form Table omit:	et 80 mg <i>[Max Q</i>	uantity	30; Num	iber of Repeat	ts 5]				
		Simvastatin Winthrop	WA	MP	C1540 C3047	P1540	30	5	30	
				NP	C1540		30	5	30	
[37]	Schedule 1, entry for Simvastatin in the form Table omit:	et 80 mg [Max Q	uantity	30; Num	nber of Repeat	ts 11]				
		Simvastatin Winthrop	WA	MP	C1540 C3047	P3047	30	11	30	
[38]	Schedule 1, entry for Sumatriptan in the form Table	et 50 mg (as suc	cinate) for the	following brar	nds only:				
	APO-Sumatriptan; Chem mart Sumatriptan; Imig and Terry White Chemists Sumatriptan	ıran; Sumagran	50; Su	magran <i>i</i>	Aspen 50; Sur	natab;				
	omit from the column headed "Pack Quantity":	substitute:	2							
[39]	Schedule 1, entry for Testosterone in each of the fo	orms: Transderr	mal pat	ches 12.	2 mg, 60; and	Transder	mal patch	nes 24.3 m	ng, 30	
	omit from the column headed "Responsible Person":	HH substit	tute:	GM						
[40]	Schedule 1, entry for Topotecan									
	insert in the columns in the order indicated, and in alphabet	tical order for the c	column	headed "B	Brand":					
		Topotecan Agila	a YA	MP	C3186		See Note 3	See Note 3	5	D(100)
[41]	Schedule 1, entry for Tramadol in each of the forms (sustained release) containing tramadol hydrochlor	ide 150 mg; and	d Table	t (sustaiı	ned release) c					ng
	insert in the columns in the order indicated, and in alphabet									
		Tramadol SR generichealth	GQ	MP NP	C1537		20	0	20	
[42]	Schedule 1, entry for Tramadol in the form Injection	n containing tra	madol	hydroch	loride 100 mg	in 2 mL				
	omit from the column headed "Brand": Tramahexal	substitute:	Tran	nadol Sai	ndoz					
[43]	Schedule 1, entry for Vinorelbine in each of the forms: Solution for I.V. infusion 10 mg (as tartrate) in 1 mL; and Solution for I.V. infusion 50 mg (as tartrate) in 5 mL									n
	insert in the columns in the order indicated, and in alphabet	tical order for the c	column	headed "B	Prand":					
		AS-Vinorelbine	\/A	MP	C3890 C3907	-	See	See	1	PB(100)

[44] Schedule 3, details relevant to Responsible person code FK

mit: Invida Australia Pty Ltd substitute: A.Menarini Australia Pty Ltd

[45] Schedule 3, after details relevant to Responsible person code XM

insert:

YA	Agila Australasia Pty Ltd	12 154 055 339
----	---------------------------	----------------

[46] Schedule 4, Part 1, entry for Metronidazole

substitute:

Metronidazole		P1416	Treatment of anaerobic infections	
	C4167		Acute anaerobic sepsis Must be treated in a hospital	
	C4168		Prophylaxis to prevent infection Patient must be undergoing large bowel surgery	
	C4169		Acute anaerobic sepsis Must be treated in a hospital	

1Note

All legislative instruments and compilations are registered on the Federal Register of Legislative Instruments kept under the *Legislative Instruments Act* 2003.

See http://www.comlaw.gov.au