

Schedule 20 Maximum residue limits

Note This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Maximum residue limits are regulated by subsection 1.1.1—10(6) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2—4.

S20—1

Name

This Standard is *Australia New Zealand Food Standards Code – Schedule 20 – Maximum residue limits*.

Note Commencement:

This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

Note 2 This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S20—2

Interpretation

In this Schedule:

- (a) an asterisk (*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol 'T' indicates that the maximum residue limit is a temporary maximum residue limit; and
- (c) **animal food commodities** means an animal food commodity listed in Schedule 22, including a secondary commodity of animal origin listed in that Schedule.

S20—3

Maximum residue limits

For section 1.4.2—4, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

| Maximum residue limits | | | |
|--|--------|--|-------|
| Agvet chemical: Abamectin | | Cotton seed | *0.01 |
| Permitted residue: Avermectin B1a | | Cranberry | 0.05 |
| | | Cucumber | 0.05 |
| Adzuki bean (dry) | *0.002 | Currant, black | 0.02 |
| All other foods except animal food commodities | 0.01 | Custard apple | *0.01 |
| Almonds | *0.01 | Dried grapes (currants, raisins and sultanas) | 0.1 |
| Avocado | 0.05 | Fennel, bulb | 0.05 |
| Beetroot leaves | 0.5 | Fruiting vegetables, cucurbits [except cucumber; squash, summer] | 0.02 |
| Blueberries | T0.1 | Fruiting vegetables, other than cucurbits | 0.1 |
| Bulb vegetables [except chives] | 0.05 | Fungi, edible (except mushrooms) | 0.1 |
| Cabbages, head | T0.05 | Goat fat | 0.1 |
| Cane berries | 0.2 | Goat kidney | 0.01 |
| Cattle, edible offal of | 0.1 | Goat liver | 0.05 |
| Cattle fat | 0.1 | Goat milk | 0.005 |
| Cattle meat | 0.005 | Goat muscle | 0.01 |
| Cattle milk | 0.02 | Grapes | 0.03 |
| Celery | T0.05 | Grape juice | 0.05 |
| Chinese cabbage (Pe-tsai) | T0.5 | Hops, dry | 0.2 |
| Chive, dry | 0.08 | | |
| Citrus fruits | 0.02 | | |
| Common bean (dry) (navy bean) | *0.002 | | |

| | |
|--|---------|
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, leaf; whitloof chicory] | T0.5 |
| Legume vegetables [except peas (pods and succulent, immature seeds)] | T0.1 |
| Lettuce, leaf | T1 |
| Litchi | 0.05 |
| Macadamia nuts | T*0.01 |
| Maize | T*0.01 |
| Mung bean (dry) | *0.002 |
| Mushrooms | 0.05 |
| Orange oil, edible | 0.1 |
| Papaya (pawpaw) | 0.1 |
| Passionfruit | 0.2 |
| Peanut | T*0.002 |
| Peas | 0.5 |
| Peppers, chili, dried | 0.5 |
| Persimmon, Japanese | 0.01 |
| Pig kidney | 0.01 |
| Pig liver | 0.02 |
| Pig meat (in the fat) | 0.02 |
| Pineapple | T*0.002 |
| Pome fruits [except Persimmon, Japanese] | 0.02 |
| Popcorn | T*0.01 |
| Rhubarb | T0.05 |
| Root and tuber vegetables | *0.01 |
| Sheep, edible offal of | 0.05 |
| Sheep meat (in the fat) | 0.05 |
| Soya bean (dry) | *0.002 |
| Squash, summer | 0.05 |
| Stone fruits | 0.09 |
| Strawberry | 0.1 |
| Sweet corn (corn-on-the-cob) | 0.05 |

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

| | |
|---|-------|
| Banana | 1 |
| Bean, seed (dry) | 3 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 5 |
| Broccoli, Chinese (Gai lan) | 5 |
| Cranberry | 0.5 |
| Edible offal (mammalian) | 0.2 |
| Eggs | 0.2 |
| Lime | 1 |
| Macadamia nuts | *0.1 |
| Mango | *0.01 |
| Meat (mammalian) [except sheep meat] | 0.2 |
| Peanut | 0.2 |
| Peppers, chili, dried | 50 |
| Peppers, sweet | 5 |
| Potato | 0.5 |
| Sheep meat | *0.01 |
| Tomato | 5 |

Agvet chemical: Acequinocyl

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Apricots, dried | 1 |
| Blueberries | 3 |
| Citrus fruits [except kumquats] | 0.2 |
| Grapes | 1.6 |
| Edible offal (mammalian) | *0.02 |
| Hops, dry | 15 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Peach, dried | 1 |
| Pome fruits [except Persimmon, Japanese] | 0.7 |
| Prunes | 1 |
| Raspberries, red, black | 4 |
| Stone fruits | 0.7 |
| Tomato | T0.3 |

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin: Acetamiprid

Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹-[(6-chloro-3-pyridyl)methyl]-N²-cyanoacetamidine), expressed as acetamiprid

| | |
|--|-------|
| All other foods except animal food commodities | 0.1 |
| Almonds | 0.1 |
| Apple | 0.2 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 0.2 |
| Blueberries | 1.6 |
| Cane berries [except raspberries, red, black] | 1 |
| Celery | 1.5 |
| Cherries (subgroup) | 2 |
| Chives | 3 |
| Citrus fruits | 1 |
| Cotton seed | 0.2 |
| Cranberry | 0.6 |
| Currants, black, red, white | 2 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Fruiting vegetables other than cucurbits [except tomato] | 0.2 |
| Fungi, edible (except mushrooms) | 0.2 |
| Goji berries | 2 |
| Grapes | 0.35 |
| Herbs | 3 |
| Macadamia nuts | *0.01 |

| | | | |
|--|--------|--------------------------|-------|
| Meat (mammalian) | *0.01 | Peanut | 0.1 |
| Milks | *0.01 | Poultry, edible offal of | 0.1 |
| Olives for oil production | T0.5 | Poultry meat | *0.01 |
| Peaches (subgroup) | 1 | Pulses | 0.1 |
| Pear | 0.3 | | |
| Peppers, chili, dried | 2 | | |
| Persimmon, Japanese | T0.3 | | |
| Pistachio nuts | 1 | | |
| Plums (subgroup) | 0.5 | | |
| Potato | *0.05 | | |
| Poultry, edible offal of | *0.05 | | |
| Poultry meat | *0.01 | | |
| Pulses [except field pea (dry); lupin (dry)] | 0.1 | | |
| Raspberries, red, black | 2 | | |
| Sentul | 0.2 | | |
| Spices [except peppers, chili, dried; spices, seeds] | 0.1 | | |
| Spices, seeds | 2 | | |
| Strawberry | 0.5 | | |
| Table olives | T0.5 | | |
| <hr/> | | | |
| Agvet chemical: Acetochlor | | | |
| <i>Permitted residue: Sum of compounds hydrolysable with base to 2-ethyl-6-methylaniline (EMA) and 2-(1-hydroxyethyl)-6-methylaniline (HEMA), expressed in terms of Acetochlor</i> | | | |
| Edible offal (mammalian) | 0.05 | | |
| Peanut | 0.2 | | |
| Soya bean (dry) | 1.5 | | |
| <hr/> | | | |
| Agvet chemical: Acibenzolar-S-methyl | | | |
| <i>Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl</i> | | | |
| Cotton seed | *0.02 | | |
| Edible offal (mammalian) | *0.02 | | |
| Eggs | *0.02 | | |
| Meat (mammalian) | *0.02 | | |
| Milks | *0.005 | | |
| Poultry, edible offal of | *0.02 | | |
| Poultry meat | *0.02 | | |
| Tomato | 1 | | |
| <hr/> | | | |
| Agvet chemical: Acifluorfen | | | |
| <i>Permitted residue: Acifluorfen</i> | | | |
| All other foods except animal food commodities | 0.01 | | |
| Edible offal (mammalian) | 0.1 | | |
| Eggs | *0.01 | | |
| Legume vegetables | 0.1 | | |
| Meat (mammalian) | *0.01 | | |
| Milks | *0.01 | | |
| <hr/> | | | |
| Agvet chemical: Aclonifen | | | |
| <i>Permitted residue: Aclonifen</i> | | | |
| Barley | | *0.01 | |
| Edible offal (mammalian) | | *0.01 | |
| Eggs | | *0.01 | |
| Meat (mammalian) [in the fat] | | *0.01 | |
| Milks [in the fat] | | *0.01 | |
| Poultry, edible offal of | | *0.01 | |
| Poultry meat [in the fat] | | *0.01 | |
| Triticale | | T*0.01 | |
| Wheat | | *0.01 | |
| <hr/> | | | |
| Agvet chemical: Afidopyropen | | | |
| <i>Permitted residue: commodities of plant origin: Afidopyropen</i> | | | |
| <i>Permitted residue: commodities of animal origin: Afidopyropen and the carnitine conjugate of cyclopropanecarboxylic acid (M4401060), expressed as afidopyropen</i> | | | |
| All other foods except animal food commodities | | 0.02 | |
| Apples, dried (peeled) | | 0.02 | |
| Artichoke, globe | | 0.1 | |
| Barley | | *0.01 | |
| Brassica vegetables (except Brassica leafy vegetables), [except Chinese cabbage (Pe-tsai)] | | 0.5 | |
| Broccoli, Chinese (Gai lan) | | 0.5 | |
| Cane berries | | T0.3 | |
| Carrot | | *0.01 | |
| Chinese cabbage (Pe-tsai) | | 5 | |
| Citrus fruits [except kumquats] | | 0.15 | |
| Cotton seed | | 0.1 | |
| Edible offal (mammalian) | | 0.2 | |
| Eggs | | *0.1 | |
| Fruiting vegetables, cucurbits | | 0.7 | |
| Fruiting vegetables, other than cucurbits | | 0.2 | |
| Fungi, edible (except mushrooms) | | 0.2 | |
| Ginger, root | | *0.01 | |
| Herbs | | T5 | |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | | 5 | |
| Mammalian fats [except milk fats] | | *0.01 | |
| Meat (mammalian) | | *0.1 | |
| Milks | | *0.01 | |
| Mushrooms | | 0.2 | |
| Mustard seeds | | T*0.01 | |
| Orange oil, edible | | 0.7 | |
| Peppers, chili, dried | | 1 | |

| | |
|--|-------|
| Pome fruits [except persimmon, Japanese] | 0.03 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.1 |
| Poultry fats | *0.01 |
| Poultry meat | *0.1 |
| Rape seed [canola] | *0.01 |
| Stalk and Stem Vegetables - Stems and Petioles | 3 |
| Strawberry | 0.2 |
| Stone fruits [except jujube, Chinese] | 0.03 |
| Sweet corn (corn-on-the-cob) | *0.01 |
| Sweet Potato | *0.01 |
| Tomato, dried | 0.7 |
| Wheat | *0.01 |

Agvet chemical: Albendazole

Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole

| | |
|-------------------------|------|
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Goat, edible offal of | *0.1 |
| Goat meat | *0.1 |
| Sheep, edible offal of | 3 |
| Sheep meat | 0.2 |

Agvet chemical: Albendazole sulphoxide

see *Albendazole*

Agvet chemical: Aldicarb

Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

| | |
|--------|------|
| Peanut | 0.05 |
|--------|------|

Agvet chemical: Aliphatic alcohol ethoxylates

Permitted residue: Aliphatic alcohol ethoxylates

| | |
|-------------------------|------|
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Cattle milk | 1 |

Agvet chemical: Alpha-cypermethrin

see *Cypermethrin*

Agvet chemical: Altrenogest

Permitted residue: Altrenogest

| | |
|----------------------|--------|
| Pig, edible offal of | 0.005 |
| Pig meat | *0.005 |

Agvet chemical: Aluminium phosphide

see *Phosphine*

Agvet chemical: Ametoctradin

Permitted residue—commodities of plant origin: Ametoctradin

Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

| | |
|---|-------|
| All other foods except animal food commodities | 0.2 |
| Basil | T20 |
| Beetroot | 0.3 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 9 |
| Broccoli, Chinese (Gai lan) | 9 |
| Bulb onions [except garlic; onion, bulb; Shallot] | 0.7 |
| Celery | 20 |
| Chinese cabbage (Pe-tsai) | 50 |
| Cucumber | 2 |
| Dried grapes (currants, raisins and sultanas) | 20 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits [except cucumber] | 3 |
| Fruiting vegetables, other than cucurbits [except tomato] | 1.5 |
| Fungi, edible (except mushrooms) | 1.5 |
| Garlic | 1.5 |
| Grapes [except dried grapes] | 6 |
| Green onions [except leek; spring onion] | 3 |
| Hops, dry | 100 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 50 |
| Leek | 5 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Onion, bulb | 1.5 |
| Peppers, chili, dried | 15 |
| Poppy seed | 0.7 |
| Potato | 0.05 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Shallot | 1.5 |
| Spring onion | 20 |
| Tomato | 2 |

Agvet chemical: Ametryn

Permitted residue: Ametryn

| | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Pineapple | *0.05 |
| Sugar cane | 0.05 |

| Agvet chemical: Amicarbazone | |
|---|-------|
| <i>Permitted residue— Sum of amicarbazone, N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide and N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-hydroxy-1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide, expressed as amicarbazone</i> | |
| Edible offal (Mammalian) | 0.7 |
| Meat [mammalian] | 0.01 |
| Milks | *0.01 |
| Sugarcane | 0.1 |

| Agvet chemical: Aminocyclopyrachlor | |
|---|------|
| <i>Permitted residue: Aminocyclopyrachlor</i> | |
| Edible offal (mammalian) | 0.5 |
| Meat (mammalian) [in the fat] | 0.05 |
| Milks | 0.02 |

| Agvet chemical: Aminoethoxyvinylglycine | |
|---|-------|
| <i>Permitted residue: Aminoethoxyvinylglycine</i> | |
| Almonds | *0.05 |
| Apple | 0.1 |
| Cherries | *0.05 |
| Stone fruits [except cherries (subgroup)] | 0.2 |
| Walnuts | *0.05 |

| Agvet chemical: Aminopyralid | |
|---|--------|
| <i>Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid</i> | |
| <i>Permitted residue—commodities of animal origin: Aminopyralid</i> | |
| All other foods except animal food commodities | 0.02 |
| Cereal grains [except sweet corns] | 0.1 |
| Edible offal (mammalian) [except kidney] | 0.02 |
| Eggs | *0.01 |
| Kidney (mammalian) | 0.3 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seeds | T*0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Rape seed (canola) | *0.01 |
| Wheat bran, unprocessed | 0.3 |

| Agvet chemical: Amisulbrom | |
|--|------|
| <i>Permitted residue: Amisulbrom</i> | |
| All other foods except animal food commodities | 0.02 |

| | |
|---|-------|
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Dried grapes (currants, raisins and sultanas) | 1 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | 0.5 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Potato | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

| Agvet chemical: Amitraz | |
|--|------|
| <i>Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamide, expressed as N-(2,4-dimethylphenyl)-N'-methylformamide</i> | |
| Cotton seed | *0.1 |
| Cotton seed oil, crude | 1 |
| Edible offal (mammalian) | 0.5 |
| Honey | 0.2 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |

| Agvet chemical: Amitrole | |
|------------------------------------|-------|
| <i>Permitted residue: Amitrole</i> | |
| Avocado | *0.01 |
| Banana | *0.01 |
| Cereal grains [except sweet corns] | *0.01 |
| Citrus fruits | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Grapes | *0.01 |
| Hops, dry | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Oilseed | *0.01 |
| Palm nuts | *0.01 |
| Papaya (pawpaw) | *0.01 |
| Passionfruit | *0.01 |
| Peanut | *0.01 |
| Pecan | *0.01 |
| Pineapple | *0.01 |
| Pome fruits | *0.01 |
| Potato | *0.05 |
| Pulses | *0.01 |
| Stone fruits | *0.02 |

| Agvet chemical: Amoxicillin | |
|---|-------|
| <i>Permitted residue: Inhibitory substance, identified as amoxicillin</i> | |
| Cattle milk | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | 0.05 |

| | |
|--------------------------|-------|
| Meat (mammalian) | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Sheep milk | *0.01 |

Agvet chemical: Ampicillin

Permitted residue: Inhibitory substance, identified as ampicillin

| | |
|------------------------|-------|
| Cattle milk | *0.01 |
| Horse, edible offal of | *0.01 |
| Horse meat | *0.01 |

Agvet chemical: Amprolium

Permitted residue: Amprolium

| | |
|--------------------------|-----|
| Eggs | 4 |
| Poultry, edible offal of | 1 |
| Poultry meat | 0.5 |

Agvet chemical: Apramycin

Permitted residue: Apramycin

| | |
|--------------------------|-------|
| Edible offal (mammalian) | 2 |
| Meat (mammalian) | *0.05 |
| Poultry, edible offal of | 1 |
| Poultry meat | *0.05 |

Agvet chemical: Asulam

Permitted residue: Asulam

| | |
|--------------------------|------|
| Apple | *0.1 |
| Edible offal (mammalian) | *0.1 |
| Hops, dry | *0.1 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Poppy seed | *0.1 |
| Potato | 0.4 |
| Sugar cane | *0.1 |

Agvet chemical: Atrazine

Permitted residue: Atrazine

| | |
|------------------------------|--------|
| Edible offal (mammalian) | T*0.1 |
| Lupin (dry) | *0.02 |
| Maize | *0.1 |
| Meat (mammalian) | T*0.01 |
| Milks | T*0.01 |
| Mustard seeds | T*0.02 |
| Potato | *0.01 |
| Rape seed (canola) | *0.02 |
| Sorghum, grain | *0.1 |
| Sugar cane | *0.1 |
| Sweet corn (corn-on-the-cob) | *0.1 |

Agvet chemical: Avermectin B1

see *Abamectin*

Agvet chemical: Avilamycin

Permitted residue: Inhibitory substance, identified as avilamycin

| | |
|--------------------------|-------|
| Pig fat/skin | 0.2 |
| Pig kidney | 0.2 |
| Pig liver | 0.3 |
| Pig meat | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |

Agvet chemical: Azamethiphos

Permitted residue: Azamethiphos

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | 0.1 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Wheat bran, unprocessed | 0.5 |

Agvet chemical: Azaperone

Permitted residue: Azaperone

| | |
|----------------------|-----|
| Pig, edible offal of | 0.2 |
| Pig meat | 0.2 |

Agvet chemical: Azimsulfuron

Permitted residue: Azimsulfuron

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Rice | *0.02 |

Agvet chemical: Azinphos-methyl

Permitted residue: Azinphos-methyl

| | |
|-----------------------------|-------|
| Blueberries | *0.01 |
| Grapes | *0.01 |
| Pome fruits [except apples] | 2 |
| Stone fruits | 0.01 |
| Strawberry | *0.01 |

Agvet chemical: Azoxystrobin

Permitted residue: Azoxystrobin

| | |
|--|-----|
| All other foods except animal food commodities | 0.1 |
|--|-----|

| | | | |
|---|---------|--|--------|
| Almonds | *0.01 | Poppy seed | *0.02 |
| Anise myrtle leaves (dried) | T3 | Potato | 7 |
| Avocado | 3 | Poultry, edible offal of | *0.01 |
| Banana | 2 | Poultry meat | *0.01 |
| Barley | 0.2 | Pulses | 0.3 |
| Bayberries | T5 | Radish | 0.5 |
| Bayberry, red | T5 | Rape seed (canola) | 0.01 |
| Beetroot | T*0.005 | Raspberries, red, black | 5 |
| Blackberries | 5 | Rhubarb | 0.6 |
| Blueberries | 5 | Riberry | T1 |
| Boysenberry | 5 | Rice | T7 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 | Rye | 0.1 |
| Broccoli, Chinese (Gai lan) | 1 | Spices [except peppers, chili, dried] | *0.1 |
| Bulb vegetables [except chives; onion, bulb] | 5 | Stone fruits [except jujube, Chinese] | 1.5 |
| Carrot | 0.2 | Strawberry | 10 |
| Celery | 5 | Sweet corns (subgroup) | 0.05 |
| Chinese cabbage (Pe-tsai) | 15 | Tomato | T1 |
| Chives | 70 | Tree nuts [except almonds and macadamia nuts] | 2 |
| Citrus fruits | 10 | Triticale | 0.1 |
| Cloudberry | T5 | Wheat | 0.1 |
| Cotton seed | T0.05 | | |
| Cranberry | 0.5 | Agvet chemical: Bacitracin | |
| Currants, black, red, white | 5 | <i>Permitted residue: Inhibitory substance, identified as bacitracin</i> | |
| Dewberries (including boysenberry and loganberry) | T5 | Chicken, edible offal of | *0.5 |
| Dried grapes | 5 | Chicken fat | *0.5 |
| Edible offal (mammalian) | 0.03 | Chicken meat | *0.5 |
| Egg plant | T2 | Eggs | *0.5 |
| Eggs | *0.01 | Milks | *0.5 |
| Fennel, bulb | 5 | | |
| Fruiting vegetables, cucurbits | 2 | Agvet chemical: Benalaxyl | |
| Grapes | 2 | <i>Permitted residue: Benalaxyl</i> | |
| Guava | 0.2 | Grapes | T0.5 |
| Herbs | 70 | | |
| Horseradish | 0.5 | Agvet chemical: Bendiocarb | |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 15 | <i>Permitted residue—commodities of plant origin: Unconjugated bendiocarb</i> | |
| Legume vegetables | 3 | <i>Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb</i> | |
| Lemon myrtle leaves (dried) | T3 | Cattle, edible offal of | 0.2 |
| Macadamia nuts | *0.01 | Cattle meat | 0.1 |
| Maize cereals | 0.05 | Eggs | 0.05 |
| Mango | 0.5 | Milks | 0.1 |
| Meat (mammalian) (in the fat) | 0.02 | Poultry, edible offal of | 0.1 |
| Milks | 0.005 | Poultry meat | 0.05 |
| Mustard seeds | T0.01 | | |
| Oats | 0.1 | Agvet chemical: Benfluralin | |
| Okra | T2 | <i>Permitted residue: Benfluralin</i> | |
| Olives | T2 | Lettuce, head | T*0.05 |
| Onion, bulb | 0.2 | Lettuce, leaf | T*0.05 |
| Passionfruit | 0.5 | | |
| Peanut | 0.2 | | |
| Peanut oil, crude | 0.1 | | |
| Peppers | 3 | | |
| Peppers, chili, dried | 30 | | |

| | | | |
|---|-------|---|---------|
| Agvet chemical: Benomyl | | Ginseng | 0.3 |
| see Carbendazim | | Grapes | 1 |
| Agvet chemical: Bensulfuron-methyl | | Green onions | 0.4 |
| Permitted residue: Bensulfuron-methyl | | Meat (mammalian) [in the fat] | *0.01 |
| Rice | *0.02 | Milks | *0.01 |
| Rice bran, processed | *0.05 | Peanut | 0.4 |
| Agvet chemical: Bentazone | | Peas, dry | 0.2 |
| Permitted residue: Bentazone | | Peppers, chili, dried | 9 |
| All other foods except animal food commodities | 0.1 | Pome fruits [except Persimmon, Japanese] | 0.2 |
| Beans [except soya bean] | 0.5 | Potato | 0.02 |
| Dry beans | 0.5 | Poultry, edible offal of | *0.01 |
| Dry peas | 0.5 | Poultry meat [in the fat] | *0.01 |
| Dry underground pulses | *0.01 | Soya bean (dry) | 0.08 |
| Edible offal (mammalian) | *0.05 | Sugar beet | 0.08 |
| Eggs | *0.05 | Sugar cane | 0.4 |
| Fats (mammalian) | *0.01 | Tomato | 1.5 |
| Herbs | 0.1 | Wheat | *0.01 |
| Meat (mammalian) | *0.05 | Agvet chemical: Benzyladenine | |
| Milks | *0.05 | Permitted residue: Benzyladenine | |
| Onion, bulb | T0.1 | All other foods except animal food commodities | 0.01 |
| Peanut | *0.1 | Apple | 0.2 |
| Peas | 3 | Pear | *0.005 |
| Potato | 0.15 | Walnut | T*0.005 |
| Poultry, edible offal of | *0.05 | Agvet chemical: Benzyl G penicillin | |
| Poultry meat | *0.05 | Permitted residue: Inhibitory substance, identified as benzyl G penicillin | |
| Rice | 0.05 | Edible offal (mammalian) | *0.06 |
| Agvet chemical: Benzocaine | | Meat (mammalian) | *0.06 |
| Permitted residue: Benzocaine | | Milks | *0.0015 |
| Abalone | *0.05 | Agvet chemical: Betacyfluthrin | |
| Finfish | *0.05 | see Cyfluthrin | |
| Agvet chemical: Benzofenap | | Agvet chemical: Bicyclopyrone | |
| Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap | | Permitted residue: Bicyclopyrone and its structurally related metabolites determined as the common moieties SYN503780 and CSCD686480 and expressed as bicyclopyrone | |
| Rice | *0.01 | All other foods except animal food commodities | 0.02 |
| Agvet chemical: Benzovindiflupyr | | Barley | 0.02 |
| Permitted residue: Benzovindiflupyr | | Bulb onions (subgroup) | 0.02 |
| All other foods except animal food commodities | 0.02 | Edible offal (mammalian) | 2 |
| Barley | 0.2 | Eggs | *0.02 |
| Beans, dry [except soya bean (dry)] | 0.15 | Green onions | 0.05 |
| Blueberries | 2 | Hops, dry | 0.04 |
| Bulb onions | 0.02 | Maize | 0.02 |
| Coffee beans | 0.15 | Meat (mammalian) | *0.02 |
| Edible offal (mammalian) | *0.01 | Milk | *0.02 |
| Eggs | *0.01 | Poultry, edible offal of | *0.02 |

| | |
|------------------------------|-------|
| Poultry meat | *0.02 |
| Sweet corn (corn on the cob) | 0.03 |
| Wheat | 0.02 |
| Wheat bran, unprocessed | 0.05 |

Agvet chemical: Bifenazate

Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate

| | |
|---|-------|
| All other foods except animal food commodities | 0.2 |
| Almonds | 0.2 |
| Apricot | 0.5 |
| Avocado | T2 |
| Blackberries | T7 |
| Cherries | 2.5 |
| Cloudberry | T7 |
| Cos lettuce | T20 |
| Cranberry | 1.5 |
| Dewberries (including boysenberry and loganberry) | T7 |
| Dried grapes | T2 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 1 |
| Fruiting vegetables, other than cucurbits [except peppers, chili] | 1 |
| Fungi, edible (except mushrooms) | 1 |
| Grapes [except wine grapes] | T1 |
| Hops, dry | 15 |
| Lettuce, head | T20 |
| Lettuce, leaf | T20 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Nectarine | 0.5 |
| Papaya (pawpaw) | 2 |
| Peach | 2 |
| Peppers, chili | 3 |
| Plums (including prunes) | 0.5 |
| Podded pea (young pods) (snow and sugar snap) | T1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pome fruits [except Persimmon, Japanese] | 2 |
| Raspberries, red, black | T7 |
| Strawberry | 2 |
| Yard-long bean (pods) | T1 |

Agvet chemical: Bifenthrin

Permitted residue: Bifenthrin

| | |
|--|-------|
| All other foods except animal food commodities | 0.03 |
| Almonds | T0.1 |
| Apple | *0.05 |

| | |
|--|--------|
| Avocado | T0.1 |
| Banana | 0.1 |
| Blackberries | T3 |
| Blueberries | T3 |
| Brassica vegetables (except Brassica leafy vegetables), [except cabbages, head; Chinese cabbage (Pe-tsai)] | 0.5 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Bulb vegetables [except chives; onion, bulb] | T5 |
| Cabbages, head | T0.5 |
| Celery | T*0.01 |
| Cereal grains [except sweet corns] | *0.02 |
| Cherries | T3 |
| Chervil | T0.5 |
| Chia | T0.2 |
| Chinese cabbage (Pe-tsai) | *0.01 |
| Chives | T0.5 |
| Citrus fruits | *0.05 |
| Cloudberry | T3 |
| Common bean (dry) (navy bean) | 0.2 |
| Common bean (pods and/or immature seeds) | 0.7 |
| Cotton seed | 0.5 |
| Cranberry | 3 |
| Cucumber | 0.5 |
| Currants, black, red, white | T3 |
| Dewberries (including boysenberry and loganberry) | T3 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.05 |
| Fennel, bulb | T5 |
| Fig | T1 |
| Fruiting vegetables, cucurbits [except cucumber] | 0.1 |
| Fruiting vegetables, other than cucurbits | 0.5 |
| Fungi, edible (except mushrooms) | 0.5 |
| Galangal, rhizomes | T10 |
| Ginger, root | T*0.01 |
| Gooseberry | T3 |
| Grapes | 0.2 |
| Herbs | T0.5 |
| Hops, dry | 10 |
| Kaffir lime leaves | T10 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); chervil; mizuna; rucola (rocket); witloof chicory] | *0.01 |
| Lemon balm | T10 |
| Lemon grass | T10 |
| Lemon verbena | T10 |
| Meat (mammalian) (in the fat) | 2 |
| Milks | 0.5 |
| Mizuna | T0.5 |
| Mung bean (dry) | T0.2 |
| Mushrooms | 0.5 |
| Mustard seeds | *0.02 |
| Olives | T0.5 |

| | | | |
|---|-------|---|--------|
| Citrus fruits [except kumquats] | 2 | Milks | *0.04 |
| Chick-pea (dry) | T3 | Pineapple | *0.04 |
| Chinese cabbage (Pe-tsai) | 40 | | |
| Cloudberry | T10 | Agvet chemical: Bromoxynil | |
| Currants, black, red, white | 15 | <i>Permitted residue: Bromoxynil</i> | |
| Dewberries (including boysenberry and loganberry and youngberry) | T10 | All other foods except animal food commodities | 0.1 |
| Dried grapes | 15 | Cereal grains [except sweet corns] | *0.2 |
| Edible Fungi | 1 | Edible offal (mammalian) | T3 |
| Edible offal (mammalian) | 0.3 | Eggs | *0.02 |
| Fennel, bulb | 5 | Garlic | T*0.05 |
| Fruiting vegetables, cucurbits | 3 | Hempseed | T*0.02 |
| Fruiting vegetables, other than cucurbits | 3 | Linseed | *0.02 |
| Grapes | 5 | Meat (mammalian) (in the fat) | T1 |
| Hops, dry | 60 | Milks | T0.1 |
| Kiwifruit | 5 | Onion, bulb | *0.01 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 40 | Poultry, edible offal of | *0.02 |
| Legume vegetables | 3 | Poultry meat | *0.02 |
| Lentil (dry) | T3 | Walnuts | T*0.01 |
| Lupin (dry) | T0.1 | | |
| Mango | 2 | Agvet chemical: Bupirimate | |
| Meat (mammalian) (in the fat) | 0.3 | <i>Permitted residue: Bupirimate</i> | |
| Milk fats | 0.7 | All other foods except animal food commodities | 0.02 |
| Milks | 0.1 | Apple | 1 |
| Oilseed | 3.5 | Currants, black, red, white | 5 |
| Onion, bulb | 0.5 | Egg plant | 1 |
| Palm nuts | 3.5 | Fruiting vegetables, cucurbits | 1 |
| Papaya | 1.5 | Peppers | 0.7 |
| Peaches (subgroup) | 4 | Strawberry | 1.5 |
| Peanut | T0.1 | Tomato | T0.3 |
| Peanut oil, edible | T0.7 | | |
| Peppers, chili, dried | 10 | Agvet chemical: Buprofezin | |
| Pistachio nut | T2 | <i>Permitted residue: Buprofezin</i> | |
| Plums (including fresh prunes) | 3.5 | All other foods except animal food commodities | 0.1 |
| Pome fruits [except Persimmon, Japanese] | 2 | Almonds | 0.05 |
| Potato | 2 | Apple | 3 |
| Prunes, dried | 5 | Apricot | 9 |
| Pulses [except chick-pea (dry); lentil (dry); lupin (dry); soya bean (dry)] | 2.5 | Basil | 5 |
| Raspberries, red, black | T10 | Celery | T5 |
| Root and tuber vegetables [except cassava; potato] | 1 | Cereal grains [except sweet corns] | *0.01 |
| Silvanberries | T10 | Chives, Chinese | 2 |
| Strawberry | 10 | Citrus fruits | 2 |
| Sweet corn (corn-on-the cob) | 1 | Citrus oil, edible | 6 |
| Tea, green, black | 40 | Cotton seed | 0.3 |
| | | Custard apple | 0.1 |
| | | Dried grapes (currants, raisins and sultanas) | 1 |
| Agvet chemical: Bromacil | | Edible offal (mammalian) | *0.05 |
| <i>Permitted residue: Bromacil</i> | | Eggs | *0.01 |
| Asparagus | *0.04 | Fruiting vegetables, cucurbits | T2 |
| Citrus fruits [except kumquats] | *0.04 | Fruiting vegetables, other than cucurbits [except peppers, chili; tomato] | T2 |
| Edible offal (mammalian) | *0.04 | | |
| Meat (mammalian) | *0.04 | | |

| | |
|---|--------|
| Pulses | T10 |
| Agvet chemical: Carbonyl sulphide | |
| <i>Permitted residue: Carbonyl sulphide</i> | |
| Cereal grains [except sweet corns] | T0.2 |
| Pulses | T0.2 |
| Rape seed (canola) | T0.2 |
| Agvet chemical: Carbosulfan | |
| see <i>Carbofuran</i> | |
| Agvet chemical: Carboxin | |
| <i>Permitted residue: Carboxin</i> | |
| Cereal grains [except sweet corns] | 0.1 |
| Peanut | 0.2 |
| Agvet chemical: Carfentrazone-ethyl | |
| <i>Permitted residue: Carfentrazone-ethyl</i> | |
| All other foods except animal food commodities | 0.05 |
| Assorted tropical and sub-tropical fruits – edible peel | *0.05 |
| Assorted tropical and sub-tropical fruits – inedible peel | *0.05 |
| Berries and other small fruits [except blueberries; grapes] | *0.05 |
| Blueberries | 0.1 |
| Cereal grains [except sweet corns] | *0.05 |
| Citrus fruits | *0.05 |
| Cotton seed | T*0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Grapes | *0.05 |
| Hops, dry | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.025 |
| Peanut | 0.1 |
| Pome fruits | *0.05 |
| Potato | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Stone fruits | *0.05 |
| Tree nuts | *0.05 |
| Agvet chemical: Ceftiofur | |
| <i>Permitted residue: Desfuroylceftiofur</i> | |
| Cattle, edible offal of | 2 |
| Cattle fat | 0.5 |
| Cattle meat | 0.1 |
| Cattle milk | 0.1 |

Agvet chemical: Cefuroxime

Permitted residue: Inhibitory substance, identified as cefuroxime

| | |
|-------------------------|------|
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Cattle milk | *0.1 |

Agvet chemical: Cephalonium

Permitted residue: Inhibitory substance, identified as cephalonium

| | |
|-------------------------|-------|
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Cattle milk | *0.02 |

Agvet chemical: Cephapirin

Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin

| | |
|-------------------------|-------|
| Cattle, edible offal of | *0.02 |
| Cattle meat | *0.02 |
| Cattle milk | *0.01 |

Agvet chemical: Chlorantraniliprole

Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole

Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole

| | |
|---|------|
| All other foods | T0.1 |
| Asparagus | 13 |
| Avocado | 4 |
| Berries and other small fruits [except blueberries] | 2.5 |
| Blueberries | T3 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Celery | 7 |
| Cherries | 2.5 |
| Chinese cabbage (Pe-tsai) | 15 |
| Chives | T20 |
| Citrus fruits | 1.4 |
| Coffee beans | 0.4 |
| Cotton seed | 0.3 |
| Coriander (leaves, roots, stems) | T20 |
| Dried fruits | 2 |
| Dry beans [except mung beans (dry); soya bean (dry)] | 0.3 |
| Dry peas | 0.3 |
| Dry underground pulses | 0.07 |

| | | | |
|---|--------|---|-------|
| Edible Fungi | 0.6 | Brassica leafy vegetables [except Chinese cabbage (Pak-choi)] | T3 |
| Edible offal (mammalian) | 0.02 | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Eggs | 0.03 | Broccoli, Chinese (Gai lan) | 0.5 |
| Fruiting vegetables, cucurbits | 0.5 | Chinese cabbage (Pak-choi) | 3 |
| Fruiting vegetables, other than cucurbits [except peppers, chili] | 0.6 | Citron | 0.8 |
| Ginger, root | T0.1 | Cotton seed | 0.5 |
| Hempseed | T1 | Edible offal (mammalian) | *0.05 |
| Herbs | T20 | Eggs | *0.01 |
| Hops, dry | 40 | Fats (mammalian) | 0.6 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; rucola; witloof chicory] | 15 | Garlic | *0.01 |
| Legume vegetables | 2 | Lemon | 0.8 |
| Lettuce, head | 3 | Lime | 0.8 |
| Linseed | T0.5 | Meat (mammalian) | 0.6 |
| Maize cereals | T*0.01 | Meat (mammalian) (in the fat) | 0.05 |
| Meat (mammalian) (in the fat) | 0.02 | Melons [except watermelon] | 0.4 |
| Mexican tarragon | T20 | Milks | 0.03 |
| Milk fats | 0.1 | Mizuna | T3 |
| Milks | 0.02 | Onion, bulb | *0.01 |
| Mung bean (dry) | 0.7 | Onion, Welsh | T1 |
| Mushrooms | 0.6 | Oranges, sweet, sour | 1.5 |
| Palm fruit (African oil palm) | 0.8 | Papaya | 0.3 |
| Palm kernel oil, crude | 2 | Peach | 1 |
| Peanuts | 0.06 | Peppers | 0.3 |
| Peppers, chili | 1 | Peppers, chili | 0.01 |
| Peppers, chili, dried | 5 | Peppers, chili, dried | 3 |
| Persimmon, Japanese | 0.3 | Persimmon, Japanese | 1 |
| Plums | 1 | Pome fruits [except Persimmon, Japanese] | 0.5 |
| Pome fruits [except Persimmon, Japanese] | 1.2 | Potato | *0.01 |
| Potato | *0.01 | Poultry, edible offal of | 0.01 |
| Poultry, edible offal of | *0.01 | Poultry fats | 0.02 |
| Poultry meat (in the fat) | *0.01 | Poultry meat | 0.02 |
| Rape seed (canola) | 2 | Poultry meat (in the fat) | *0.01 |
| Rhubarb | 5 | Rucola (rocket) | T5 |
| Rice | 0.4 | Shallot | T1 |
| Root and tuber vegetables [except potato] | T0.5 | Soya bean (dry) | 0.08 |
| Rucola (rocket) | T20 | Soya bean oil, crude | 0.4 |
| Safflower seed | T0.1 | Spices [except peppers, chili, dried] | 0.05 |
| Sesame seed | T0.5 | Spring onion | T1 |
| Sorghum grain and millet | T1 | Tea, green, black | 60 |
| Soya bean (dry) | 0.07 | Tomato | 0.4 |
| Stone fruits [except cherries (subgroup); plums (subgroup)] | 4 | | |
| Sugar cane | T0.5 | Agvet chemical: Chlorfenvinphos | |
| Sunflower seed | 2 | <i>Permitted residue: Chlorfenvinphos, sum of E and Z isomers</i> | |
| Sweet corn (corn-on-the-cob) | *0.01 | Cattle, edible offal of | T*0.1 |
| Tree nuts | 0.1 | Cattle meat (in the fat) | T0.2 |
| | | Cattle milk (in the fat) | T0.2 |
| | | Deer meat (in the fat) | 0.2 |
| | | Goat, edible offal of | T*0.1 |
| | | Goat meat (in the fat) | T0.2 |
| | | Sheep, edible offal of | T*0.1 |
| | | Sheep meat (in the fat) | T0.2 |
| Agvet chemical: Chlorfenapyr | | | |
| <i>Permitted residue: Chlorfenapyr</i> | | | |
| All other foods except animal food commodities | 0.02 | | |

| | |
|---|-------|
| Agvet chemical: Chlorhexidine | |
| <i>Permitted residue: Chlorhexidine</i> | |
| Milks | 0.05 |
| Sheep, edible offal of | *0.5 |
| Sheep fat | *0.5 |
| Sheep meat | *0.5 |
| Agvet chemical: Chloridazon | |
| <i>Permitted residue: Chloridazon</i> | |
| Beetroot | *0.05 |
| Beetroot leaves | 1 |
| Chard (silver beet) | 1 |
| Spinach | 1 |
| Agvet chemical: Chlormequat | |
| <i>Permitted residue: Chlormequat cation</i> | |
| Barley | T2 |
| Dried grapes | 0.75 |
| Edible offal (mammalian) | 0.5 |
| Eggs | 0.1 |
| Grapes | 0.75 |
| Meat (mammalian) | 0.2 |
| Milks | 0.5 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | *0.05 |
| Wheat | 5 |
| Agvet chemical: Chloropicrin | |
| <i>Permitted residue: Chloropicrin</i> | |
| Cereal grains [except sweet corns] | *0.1 |
| Agvet chemical: Chlorothalonil | |
| <i>Permitted residue—commodities of plant origin: Chlorothalonil</i> | |
| <i>Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil</i> | |
| Almonds | T0.1 |
| Apricot | 7 |
| Asparagus | T*0.1 |
| Banana | 3 |
| Berries and other small fruits [except cranberry; currant, black; grapes] | T10 |
| Brussels sprouts | 7 |
| Carrot | 7 |
| Celery | 20 |
| Cherries | 10 |
| Chinese cabbage (Pe-tsai) | T100 |
| Coriander (leaves, roots, stems) | T20 |
| Cranberry | 15 |
| Currant, black | 10 |
| Edible offal (mammalian) | 7 |

| | |
|--|--------|
| Eggplant | T10 |
| Fennel, bulb | 5 |
| Fennel, leaf | 5 |
| Fennel, seed | 5 |
| Fruiting vegetables, cucurbits | 5 |
| Galangal, Greater | T7 |
| Galangal, Lesser | T7 |
| Garlic | 10 |
| Grapes | 10 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaves; witloof chicory] | T100 |
| Leek | T10 |
| Lettuce, head | T10 |
| Lettuce, leaf | T10 |
| Mango | T1 |
| Meat (mammalian) (in the fat) | 2 |
| Milks | 0.05 |
| Nectarine | 7 |
| Onion, bulb | 10 |
| Onion, Welsh | T10 |
| Papaya (pawpaw) | 10 |
| Parsley | T20 |
| Peach | 30 |
| Peanut | 0.3 |
| Peas (pods and succulent, immature seeds) | 10 |
| Peppers, chili, dried | 70 |
| Persimmon, American | T5 |
| Persimmon, Japanese | T5 |
| Pistachio nut | T0.1 |
| Plums (including prunes) | 10 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 3 |
| Rice | T*0.1 |
| Shallot | T10 |
| Spring onion | T10 |
| Sunflower seed | T*0.01 |
| Sweet corns | T7 |
| Tomato | 10 |
| Tree tomato | T10 |
| Turmeric, root | T7 |
| Vegetables [except asparagus; Brussels sprouts; carrot; celery; eggplant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato] | T7 |
| Wasabi | T7 |
| Agvet chemical: Chlorpropham | |
| <i>Permitted residue: Chlorpropham</i> | |
| Potato | 30 |

| | | | |
|---|--------|---|--------|
| Agvet chemical: Chlorpyrifos | | Stone fruits [except cherries (subgroup)] | T1 |
| <i>Permitted residue: Chlorpyrifos</i> | | Strawberry | 0.05 |
| Asparagus | T0.5 | Sugar cane | T0.1 |
| Avocado | 0.5 | Swede | T0.3 |
| Banana | T0.5 | Sweet corns | T*0.01 |
| Bean, dry seed | 0.05 | Sweet potato | T0.05 |
| Blackberries | 0.5 | Taro | 0.05 |
| Blueberries | *0.01 | Tomato | T0.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | T0.5 | Tree nuts | T0.05 |
| Broccoli, Chinese (Gai lan) | T0.5 | Vegetables [except asparagus; bean, dry, seed; brassica vegetables; cassava; celery; leek; peppers, sweet; potato; swede; sweet potato; taro; tomato] | T*0.01 |
| Cacao beans | *0.01 | | |
| Cassava | T*0.02 | Agvet chemical: Chlorpyrifos-methyl | |
| Celery | T5 | <i>Permitted residue: Chlorpyrifos-methyl</i> | |
| Cereal grains [except rice; sorghum, grain; sweet corns] | T0.1 | Cereal grains [except rice; sweet corns] | 10 |
| Cherries | 1 | Chives | *0.01 |
| Chives | *0.01 | Cotton seed | *0.01 |
| Citrus fruits | 1 | Edible offal (mammalian) | *0.05 |
| Coffee beans | T0.5 | Eggs | *0.05 |
| Cotton seed | 0.05 | Herbs | *0.01 |
| Cotton seed oil, crude | 0.2 | Lupin (dry) | 10 |
| Cranberry | 1 | Meat (mammalian) (in the fat) | *0.05 |
| Dried fruits | T2 | Milks (in the fat) | *0.05 |
| Edible offal (mammalian) | T0.1 | Oilseed [except cotton seed] | 0.15 |
| Eggs | T*0.01 | Palm nuts | 0.15 |
| Ginger, root | *0.02 | Peanut | 0.15 |
| Grapes | T1 | Peppers | 1 |
| Herbs [except parsley] | *0.01 | Peppers, chili, dried | 10 |
| Kiwifruit | 2 | Poultry, edible offal of | *0.05 |
| Leek | T5 | Poultry meat (in the fat) | *0.05 |
| Mango | *0.05 | Pulses [except lupin (dry)] | 0.15 |
| Meat (mammalian) (in the fat) | T0.5 | Strawberry | 0.5 |
| Milks (in the fat) | T0.2 | Tea, green, black | 0.1 |
| Oilseed [except cotton seed; peanut] | T*0.05 | Wheat bran, unprocessed | 20 |
| Olives | T*0.05 | Wheat germ | 30 |
| Onion, bulb | *0.01 | Agvet chemical: Chlorsulfuron | |
| Parsley | 0.05 | <i>Permitted residue: Chlorsulfuron</i> | |
| Passionfruit | *0.05 | Cereal grains [except sweet corns] | *0.05 |
| Peanut | 0.2 | Edible offal (mammalian) | *0.05 |
| Peppers, sweet | T1 | Meat (mammalian) | *0.05 |
| Persimmon, American | T1 | Milks | *0.05 |
| Persimmon, Japanese | T1 | Agvet chemical: Chlortetracycline | |
| Pineapple | T0.5 | <i>Permitted residue: Inhibitory substance, identified as chlortetracycline</i> | |
| Pitaya (dragon fruit) | T*0.05 | Cattle kidney | 0.6 |
| Pome fruits [except Persimmon, Japanese] | T0.5 | Cattle liver | 0.3 |
| Potato | 0.05 | Cattle meat | 0.1 |
| Poultry, edible offal of | T0.1 | Eggs | 0.2 |
| Poultry meat (in the fat) | T0.1 | Pig kidney | 0.6 |
| Raspberries, red, black | 0.01 | | |
| Rice | 0.5 | | |
| Sorghum, grain | T3 | | |
| Spices | *0.01 | | |
| Star apple | T*0.05 | | |

| | |
|--------------------------|-----|
| Pig liver | 0.3 |
| Pig meat | 0.1 |
| Poultry, edible offal of | 0.6 |
| Poultry meat | 0.1 |

Agvet chemical: Chlorthal-dimethyl

Permitted residue: Chlorthal-dimethyl

| | |
|---|-------|
| Eggs | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Lettuce, head | 2 |
| Lettuce, leaf | 2 |
| Milks | *0.05 |
| Parsley | T2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Sweet corns | 5 |
| Vegetables [except as otherwise listed under this chemical] | 5 |

Agvet chemical: Cinmethylin

Permitted residue: Cinmethylin

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Clavulanic acid

Permitted residue: Clavulanic acid

| | |
|-------------------------|-------|
| Cattle, edible offal of | *0.01 |
| Cattle meat | *0.01 |
| Cattle milk | *0.01 |

Agvet chemical: Clethodim

see *Sethoxydim*

Residues arising from the use of clethodim are covered by MRLs for sethoxydim

Agvet chemical: Clodinafop acid

Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid

| | |
|--------------------------|------|
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |
| Wheat | *0.1 |

Agvet chemical: Clodinafop-propargyl

Permitted residue: Clodinafop-propargyl

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Wheat | *0.05 |

Agvet chemical: Clofentezine

Permitted residue: Clofentezine

| | |
|---|--------|
| All other foods except animal food commodities | 0.02 |
| Almonds | 0.5 |
| Banana | *0.01 |
| Edible offal (mammalian) | T*0.05 |
| Grapes | 1 |
| Hops, dry | 7 |
| Jujube, Chinese | 0.1 |
| Meat (mammalian) | T*0.05 |
| Milks | T*0.05 |
| Plums (including prunes) | 0.1 |
| Pome fruits | 0.1 |
| Stone fruits [except jujube, Chinese; plums (including prunes)] | 1 |
| Strawberry | 2 |
| Tea, green, black | *0.05 |
| Tomato | 0.5 |

Agvet chemical: Clomazone

Permitted residue: Clomazone

| | |
|---|--------|
| Beans [except broad bean; soya bean] | *0.05 |
| Common bean (pod and/or immature seeds) | T*0.05 |
| Edible offal (mammalian) | *0.03 |
| Eggs | *0.03 |
| Fruiting vegetables, cucurbits | *0.05 |
| Meat (mammalian) | *0.03 |
| Milks | 0.03 |
| Mustard seeds | T*0.01 |
| Potato | *0.05 |
| Poultry, edible offal of | 0.03 |
| Poultry meat | 0.03 |
| Rape seed (canola) | 0.01 |
| Rice | *0.01 |

Agvet chemical: Clopyralid

Permitted residue: Clopyralid

| | |
|--|------|
| All other foods except animal food commodities | 0.1 |
| Blueberries | 0.5 |
| Cauliflower | T0.2 |
| Cereal grains [except sweet corns] | 2 |

| | | | |
|---|--------|---|--------|
| Cherries | 0.5 | Blueberries | T*0.01 |
| Cranberry | 4 | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Currants, black, red, white | 0.5 | Broccoli, Chinese (Gai lan) | 0.5 |
| Edible offal (mammalian) [except kidney] | 0.5 | Cereal grains [except as otherwise listed under this chemical] | *0.02 |
| Hops, dry | 5 | Cherimoya | T0.1 |
| Kidney of cattle, goats, pigs and sheep | 5 | Chinese cabbage (Pe-tsai) | 0.7 |
| Meat (mammalian) | 0.1 | Citrus fruits | 0.5 |
| Milks | 0.05 | Common bean (dry) (navy bean) | T0.1 |
| Mustard seeds | T0.5 | Cotton seed | *0.02 |
| Poppy seed | T1 | Cranberry | 0.07 |
| Rape seed (canola) | 0.5 | Custard apple | T0.1 |
| Raspberries, red, black | 0.5 | Dried grapes | 10 |
| Strawberry | 4 | Edible offal (mammalian) [except liver of cattle, goats, pigs and sheep] | *0.02 |
| <hr/> | | | |
| Agvet chemical: Cloquintocet acid | | | |
| see <i>Cloquintocet mexyl</i> | | | |
| <hr/> | | | |
| <i>Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl</i> | | | |
| <hr/> | | | |
| Agvet chemical: Cloquintocet-mexyl | | | |
| <i>Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinoloxycetic acid, expressed as cloquintocet mexyl</i> | | | |
| <hr/> | | | |
| Cereal grains [except sweet corns] | *0.1 | Eggs | *0.02 |
| Edible offal (mammalian) | *0.1 | Fruiting vegetables, cucurbits | T0.5 |
| Eggs | *0.1 | Fruiting vegetables, other than cucurbits | T0.7 |
| Meat (mammalian) | *0.1 | Fungi, edible (except mushrooms) | T0.7 |
| Milks | *0.1 | Grapes [except wine grapes] | 3 |
| Poppy seed | T*0.02 | Llama | T0.1 |
| Poultry, edible offal of | *0.1 | Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 0.7 |
| Poultry meat | *0.1 | Liver of cattle, goats, pigs and sheep | 0.4 |
| <hr/> | | | |
| Agvet chemical: Clorsulon | | | |
| <i>Permitted residue: Clorsulon</i> | | | |
| <hr/> | | | |
| Cattle, edible offal of | *0.1 | Maize | *0.01 |
| Cattle meat | *0.1 | Mango | T2 |
| Cattle milk | 1.5 | Meat (mammalian) | *0.02 |
| <hr/> | | | |
| Agvet chemical: Closantel | | | |
| <i>Permitted residue: Closantel</i> | | | |
| <hr/> | | | |
| Sheep, edible offal of | 5 | Milks | 0.05 |
| Sheep meat | 2 | Mung bean (dry) | T0.1 |
| <hr/> | | | |
| Agvet chemical: Clothianidin | | | |
| <i>Permitted residue: Clothianidin</i> | | | |
| see also <i>Thiamethoxam</i> | | | |
| <hr/> | | | |
| All other foods except animal food commodities | T0.1 | Mustard seeds | T*0.01 |
| Almonds | 0.05 | Oats | 0.07 |
| Banana | *0.02 | Olives | T0.3 |
| Barley | 0.07 | Persimmon, American | 2 |
| Barley bran, processed | 0.15 | Pome fruits | 2 |
| | | Popcorn | *0.01 |
| | | Poultry, edible offal of | 0.4 |
| | | Poultry fats | *0.01 |
| | | Poultry meat | *0.02 |
| | | Rape seed (canola) | *0.01 |
| | | Rice | 0.9 |
| | | Rice bran, unprocessed | 1 |
| | | Rice, husked | 0.5 |
| | | Rice, polished | 0.5 |
| | | Sorghum, grain | 0.15 |
| | | Sorghum, sweet (sorgo) | 0.4 |
| | | Soursop | T0.1 |
| | | Soya bean (dry) | T0.02 |
| | | Spices | 0.05 |
| | | Stone fruits | 3 |
| | | Sugar apple | T0.1 |
| | | Sugar cane | 0.1 |
| | | Sunflower seed | *0.01 |
| | | Sweet corns (subgroup) | 0.02 |
| | | Tea, green, black | T0.7 |

| | |
|-----------------------|------|
| Triticale | 0.15 |
| Wheat | 0.15 |
| Wheat bran, processed | 6 |
| Wheat germ | 6 |
| Wine grapes | 0.07 |

Agvet chemical: Cloxacillin

Permitted residue: Inhibitory substance, identified as Cloxacillin

| | |
|-------------|-------|
| Cattle milk | *0.01 |
|-------------|-------|

Agvet chemical: Coumaphos

Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos

| | |
|-----------------|-------|
| Cattle fat | *0.02 |
| Cattle kidney | *0.02 |
| Cattle liver | *0.02 |
| Cattle milk | *0.01 |
| Cattle milk fat | 0.1 |
| Cattle muscle | *0.02 |

Agvet chemical: Coumatetralyl

Permitted residue: Coumatetralyl

| | |
|-------------------------------------|---------|
| Pig, edible offal of [except liver] | T0.003 |
| Pig fat | T*0.001 |
| Pig liver | T0.004 |
| Pig meat | T*0.001 |

Agvet chemical: Cyanamide

Permitted residue: Cyanamide

| | |
|--------------------------|-------|
| Almonds | *0.01 |
| Apple | *0.02 |
| Blueberries | *0.05 |
| Grapes | *0.05 |
| Kiwifruit | *0.1 |
| Pear, Oriental (nashi) | *0.1 |
| Plums (including prunes) | *0.02 |
| Walnuts | *0.02 |

Agvet chemical: Cyanazine

Permitted residue: Cyanazine

| | |
|---|-------|
| Bulb vegetables [except chives] | *0.02 |
| Cereal grains [except sweet corns] | *0.01 |
| Fennel, bulb | *0.02 |
| Leek | 0.05 |
| Peas | 0.02 |
| Podded pea (young pods) (snow and sugar snap) | 0.05 |
| Potato | 0.02 |
| Pulses | *0.01 |
| Sweet corn (corn-on-the-cob) | *0.02 |

Agvet chemical: Cyantraniliprole

Permitted residue: Cyantraniliprole

| | |
|--|-------|
| All other foods | 0.05 |
| Apple | 1.5 |
| Apricot | 0.5 |
| Beans (dry) | 0.3 |
| Blueberries | 4 |
| Bulb vegetables [except chives; onion, bulb] | 7 |
| Celery | 15 |
| Cherries | 6 |
| Citrus fruits | 0.7 |
| Common beans (pods and/or immature seeds) | T1 |
| Cranberry | 4 |
| Currants, black, red | 4 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Fennel, bulb | 7 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 2 |
| Fungi, edible (except mushrooms) | 2 |
| Gooseberry | 4 |
| Mango | 0.7 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milk fats | 0.07 |
| Milks | *0.01 |
| Mushrooms | 2 |
| Nectarine | 1.5 |
| Oilseed | 1.5 |
| Onion, bulb | 0.05 |
| Palm nuts | 1.5 |
| Peach | 1.5 |
| Peanut | 1.5 |
| Pear | 1.5 |
| Peas with pods (subgroup) | 2 |
| Peppers, chili, dried | 5 |
| Plums (including prunes) | 0.5 |
| Potato | 0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Raspberries, red, black | 4 |
| Strawberry | 1.5 |
| Succulent seeds of Beans with pods | 0.3 |
| Succulent seeds of Peas with pods | 0.3 |
| Sweet corns | 2 |
| Sweet potato | T0.05 |
| Wine grapes | 1 |

Agvet chemical: Cyazofamid

Permitted residue: Cyazofamid

| | |
|--|------|
| All other foods except animal food commodities | 0.04 |
| Basil | T30 |

| | | | |
|---|--------|---|-------|
| Basil, dry | T90 | Fungi, edible (except mushrooms) | 0.2 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 | Grapes | 0.8 |
| Brassica leafy vegetables | 15 | Guelder rose | 1.5 |
| Broccoli, Chinese (Gai lan) | 2 | Leafy greens | 7 |
| Chard (silver beet) | T10 | Low growing berries | 0.4 |
| Edible offal (mammalian) | *0.01 | Mammalian fats [except milk fats] | 0.25 |
| Eggs | *0.01 | Meat (mammalian) (in the fat) | 0.25 |
| Garlic | 2 | Milks | *0.01 |
| Green onions | 6 | Milk fats | 0.2 |
| Hops, dry | 10 | Mushrooms | 0.2 |
| Meat (mammalian) | *0.01 | Peppers, chili, dried | 1.5 |
| Milks | *0.01 | Pome fruit [except persimmon, Japanese] | 0.3 |
| Onions, bulb | 2 | Poultry, edible offal of | *0.01 |
| Parsley | T10 | Poultry fats | *0.01 |
| Peppers, chili | 0.8 | Poultry meat | *0.01 |
| Poppy seed | T*0.01 | Stone fruits [except jujube, Chinese] | 1 |
| Potato | *0.01 | Sweet corns | 0.2 |
| Poultry, edible offal of | *0.01 | Tea, green, black | 50 |
| Poultry meat | *0.01 | Tomato, dried | 0.35 |
| Spinach | T10 | Tree nuts | 0.03 |

Agvet chemical: Cyclanilide

Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide

| | |
|--------------------------|-------|
| Cotton seed | 0.2 |
| Cotton seed oil, crude | *0.01 |
| Edible offal (mammalian) | 2 |
| Eggs | *0.01 |
| Meat (mammalian) | 0.05 |
| Milks | 0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Cyclaniliprole

Permitted residue: Cyclaniliprole

| | |
|---|-------|
| All other foods except animal food commodities | 0.02 |
| Brassica leafy vegetables | 10 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 |
| Broccoli, Chinese (Gai lan) | 1 |
| Bush berries | 1.5 |
| Cane berries | 0.8 |
| Citrus fruits | 0.4 |
| Citrus oil, edible | 50 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.01 |
| Elderberries | 1.5 |
| Fruiting vegetables, Cucurbits – Cucumbers and Summer squashes | 0.05 |
| Fruiting vegetables, Cucurbits – Melons, Pumpkins and Winter squashes | 0.1 |
| Fruiting vegetables other than curcubits | 0.2 |

Agvet chemical: Cycloxydim

Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim

| | |
|--|------|
| Beans (dry) | 30 |
| Beans (green pods and immature seeds) [except broad bean; soya bean] | 15 |
| Carrot | 5 |
| Grapes | 0.3 |
| Leek | 4 |
| Linseed | 7 |
| Maize | 0.2 |
| Onion, bulb | 3 |
| Peas (dry) | 30 |
| Peas, shelled (succulent seeds) | 15 |
| Peppers, chili, dried | 90 |
| Potato | 15 |
| Rape seed (canola) | 3 |
| Rice | 0.09 |
| Soya bean (dry) | 80 |
| Stone fruits [except jujube, Chinese] | 0.09 |
| Strawberry | 3 |
| Sugar beet | 0.2 |
| Sunflower seed | 6 |
| Tomato | 1.5 |

Agvet chemical: Cyflufenamid

Permitted residue: Cyflufenamid

| | |
|---|-------|
| Dried grapes (currants, raisins and sultanas) | 0.5 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |

| | | | |
|--|--------|--|--------|
| Fruiting vegetables, cucurbits | 0.1 | Poultry, edible offal of | *0.01 |
| Grapes | 0.15 | Poultry meat (in the fat) | *0.01 |
| Hops, dry | 5 | Stone fruits [except jujube, Chinese] | 0.3 |
| Meat (mammalian) (in the fat) | *0.01 | Tomato | 0.2 |
| Milks | *0.01 | | |
| Poultry, edible offal of | *0.01 | | |
| Poultry meat (in the fat) | *0.01 | | |
| Strawberry | 0.3 | | |
| <hr/> | | <hr/> | |
| Agvet chemical: Cyflumetofen | | Agvet chemical: Cyhalofop-butyl | |
| <i>Permitted residue—commodities of plant origin: Cyflumetofen</i> | | <i>Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl</i> | |
| Permitted residue—commodities of animal origin: Sum of cyflumetofen and 2-trifluoromethylbenzoic acid, expressed as cyflumetofen | | | |
| All other foods except animal food commodities | 0.02 | Edible offal (mammalian) | *0.05 |
| Citrus fruits | 0.3 | Eggs | *0.05 |
| Dried grapes (currants, raisins and sultanas) | 3 | Meat (mammalian) (in the fat) | *0.05 |
| Edible offal (mammalian) | *0.03 | Milks | *0.05 |
| Fruiting vegetables, other than cucurbits | 2 | Poultry, edible offal of | *0.05 |
| Grapes [except dried] | 0.7 | Poultry meat | *0.05 |
| Hops, dry | 30 | Rice | *0.01 |
| Meat (mammalian) | *0.03 | | |
| Milks | *0.003 | | |
| Pome fruits [except persimmon, Japanese] | 0.5 | | |
| Strawberry | 0.8 | | |
| Tree nuts | 0.01 | | |
| <hr/> | | <hr/> | |
| Agvet chemical: Cyfluthrin | | Agvet chemical: Cyhalothrin | |
| <i>Permitted residue: Cyfluthrin, sum of isomers</i> | | <i>Permitted residue: Cyhalothrin, sum of isomers</i> | |
| All other foods except animal food commodities | 0.05 | Almonds | 0.05 |
| Avocado | 0.1 | Asparagus | 0.02 |
| Chia | T*0.05 | Barley | 0.2 |
| Citrus fruits [except kumquats] | 0.2 | Basil | 0.7 |
| Custard apple | T0.1 | Beetroot | *0.01 |
| Edible offal (mammalian) | *0.01 | Berries and other small fruits [except Strawberry] | 0.2 |
| Eggs | *0.01 | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.1 |
| Grapes | 1 | Broccoli, Chinese (Gai lan) | 0.1 |
| Hops, dry | 20 | Cereal grains [except barley; maize cereals; sorghum, grain; sweet corns (subgroup); wheat] | *0.01 |
| Litchi | T0.3 | Chard | T0.5 |
| Macadamia nuts | 0.05 | Citrus fruits [except lemon and limes (subgroup)] | *0.01 |
| Mango | T0.1 | Coffee beans | 0.05 |
| Mammalian fats [except milk fats] | 0.5 | Coriander (leaves, roots, stems) | T1 |
| Meat (mammalian) | 0.02 | Cotton seed | *0.02 |
| Milks | 0.1 | Cucumber | T0.05 |
| Papaya (pawpaw) | T0.2 | Edible offal (mammalian) | *0.02 |
| Peppers, chili, dried | 1 | Eggs | *0.02 |
| Persimmon, American | T0.1 | Fruiting vegetables, other than cucurbits | 0.3 |
| Persimmon, Japanese | T0.1 | Fungi, edible (except mushrooms) | 0.3 |
| Pomegranate | T0.1 | Garlic | *0.05 |
| | | Hazelnuts | T*0.01 |
| | | Hops, dry | 10 |
| | | Legume vegetables | 0.1 |
| | | Lemons and limes (subgroup) | 0.2 |
| | | Maize cereals | 0.05 |
| | | Meat (mammalian) (in the fat) | 0.5 |
| | | Milks (in the fat) | 0.5 |
| | | Mustard seeds | T0.02 |
| | | Onion, bulb | *0.05 |
| | | Onion, Welsh | T0.05 |

| | | | |
|---|-------|---|--------|
| Parsley | T1 | Common bean (dry) (navy bean) | 0.05 |
| Peanut | 0.05 | Corriander (leaves, roots, stems) | T5 |
| Pecan | 0.05 | Cotton seed | 0.2 |
| Peppers, chili, dried | 3 | Cotton seed oil, crude | *0.02 |
| Podded pea (young pods) (snow and sugar snap) | 0.2 | Cumin seed | 0.5 |
| Potato | *0.01 | Deer meat (in the fat) | T0.5 |
| Poultry, edible offal of | *0.02 | Durian | 1 |
| Poultry meat | *0.02 | Eggs | 0.05 |
| Pulses [except soya bean (dry)] | 0.2 | Field pea (dry) | 0.05 |
| Radish | *0.01 | Fruiting vegetables, cucurbits | T0.3 |
| Rape seed (canola) | 0.02 | Fruiting vegetables, other than cucurbits [except; tomato] | T1 |
| Shallot | T0.05 | Fungi, edible (except mushrooms) | T1 |
| Sorghum, grain | 0.5 | Ginseng | *0.03 |
| Soya bean (dry) | 0.05 | Ginseng, dried | 0.15 |
| Spring onion | T0.05 | Ginseng, extract | *0.06 |
| Stone fruits [except jujube, Chinese] | 0.5 | Goat, edible offal of | 0.05 |
| Strawberry | 0.5 | Goat meat (in the fat) | 0.5 |
| Sunflower seed | *0.01 | Grapes | 2 |
| Sweet corns (subgroup) | 0.3 | Hempseed | T0.1 |
| Tea, green, black | 1 | Herbs | T5 |
| Tomato | 0.1 | Horse, edible offal of | *0.05 |
| Walnuts | 0.05 | Horse meat (in the fat) | *0.05 |
| Wheat | *0.05 | Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory] | T5 |
| <hr/> | | | |
| Agvet chemical: Cyhexatin | | | |
| <i>Permitted residue: Sum of azocyclotin and cyhexatin, expressed as cyhexatin</i> | | | |
| Peppers, chili, dried | 5 | Leek | T0.5 |
| <hr/> | | | |
| Agvet chemical: Cypermethrin | | | |
| <i>Permitted residue: Cypermethrin, sum of isomers</i> | | | |
| Adzuki bean (dry) | T0.05 | Lentil (dry) | T0.05 |
| All other foods | *0.01 | Lettuce, head | 2 |
| Asparagus | 0.5 | Linola oil, edible | 0.1 |
| Avocado | T0.2 | Linola seed | 0.1 |
| Beetroot | T0.1 | Linseed | 0.5 |
| Berries and other small fruits [except blueberries; grapes; raspberries, red, black] | 0.5 | Longan | 1 |
| Blueberries | 0.8 | Lupin (dry) | *0.01 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 | Mango | 0.7 |
| Broad bean (dry) (fava bean) | 0.05 | Milks (in the fat) | 1 |
| Broccoli, Chinese (Gai lan) | 1 | Mung bean (dry) | 0.05 |
| Cattle, edible offal of | 0.05 | Mustard seeds | T0.2 |
| Cattle meat (in the fat) | 0.5 | Mustard seeds oil, edible | T0.2 |
| Celery | T1 | Mushrooms | T1 |
| Cereal grains [except rice; sweet corns; wheat] | 1 | Olives | T*0.05 |
| Cherries | 2 | Onion, bulb | *0.01 |
| Chick-pea (dry) | 0.2 | Onion, Welsh | T0.5 |
| Chinese cabbage (Pe-tsai) | T5 | Peanut | T*0.05 |
| Chives | T5 | Peas | 1 |
| Citrus fruits [except kumquats] | 0.3 | Peppers, chili | 2 |
| | | Peppers, chili, dried | 10 |
| | | Persimmon, American | T0.2 |
| | | Persimmon, Japanese | T0.2 |
| | | Pig, edible offal of | *0.05 |
| | | Pig meat (in the fat) | *0.05 |
| | | Pome fruits [except Persimmon, Japanese] | 1 |
| | | Poppy seed | T*0.05 |
| | | Potato | *0.01 |
| | | Poultry, edible offal of | *0.05 |
| | | Poultry meat (in the fat) | *0.05 |

| | | | |
|---|-------|--|--------|
| Radish | T0.05 | Bulb vegetables [except chives; onion, bulb] | 3 |
| Rape seed (canola) | 0.2 | Celery | 30 |
| Rape seed oil, edible | 0.2 | Chinese cabbage (Pe-tsai) | 10 |
| Raspberries, red, black | 0.8 | Chives | T3 |
| Rice | 2 | Cloudberry | T3 |
| Shallot | T0.5 | Common bean (pods and/or immature seeds) | 0.7 |
| Sheep, edible offal of | 0.05 | Cucumber | 0.5 |
| Sheep meat (in the fat) | 0.5 | Currants, black, red, white | 5 |
| Soya bean (dry) | 0.05 | Dewberries (including boysenberry and loganberry) [except boysenberry] | T3 |
| Soya bean oil, crude | 0.1 | Dried herbs | T200 |
| Spring onion | T0.5 | Dried stone fruits | 0.05 |
| Stone fruits [except cherries] | 1 | Dry beans [except soya bean (dry)] | 0.2 |
| Sunflower seed | 0.1 | Dry peas | 0.2 |
| Sunflower seed oil, crude | 0.1 | Edible offal (mammalian) | *0.01 |
| Sweet corn (corn-on-the-cob) | 0.05 | Egg plant | T0.2 |
| Tea, green, black | 0.5 | Eggs | T*0.01 |
| Tomato | 0.5 | Ginseng | 0.3 |
| Wheat | 0.2 | Ginseng (including red), dried | 3 |
| <hr/> | | Grapes | 3 |
| Agvet chemical: Cyproconazole | | Herbs [except basil] | T50 |
| <i>Permitted residue: Cyproconazole, sum of isomers</i> | | Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 10 |
| All other foods except animal food commodities | 0.01 | Litchi | T2 |
| Barley | *0.02 | Meat (mammalian) | *0.01 |
| Coffee bean | 0.07 | Melons, except watermelon | T0.2 |
| Coffee bean, roasted | 0.1 | Milks | *0.01 |
| Edible offal (mammalian) | 1 | Onion, bulb | 0.2 |
| Eggs | *0.01 | Peas with pods (subgroup) | 2 |
| Maize | *0.01 | Peppers, chili [except dried] | T0.7 |
| Meat (mammalian) | 0.03 | Peppers, chili, dried | 9 |
| Milks | *0.01 | Peppers, sweet | 0.7 |
| Oats | 0.05 | Pistachio nut | T0.1 |
| Peanut | 0.02 | Pome fruits [except Persimmon, Japanese] | 2 |
| Potato | *0.02 | Pomegranate | 10 |
| Poultry, edible offal of | *0.01 | Poultry, edible offal of | T*0.01 |
| Poultry meat | *0.01 | Poultry meat | T*0.01 |
| Pulses | 0.05 | Raspberries, red, black | 10 |
| Rape seed (canola) | T0.02 | Soya bean (dry) | 0.3 |
| Rye | *0.02 | Stone fruits | 2 |
| Soya bean oil, refined | 0.1 | Strawberry | 5 |
| Sweet corn (corn-on-the-cob) | *0.01 | Succulent peas without pods | 0.5 |
| Triticale | *0.02 | Tomato | T1 |
| Wheat | *0.02 | <hr/> | |
| Agvet chemical: Cyprodinil | | Agvet chemical: Cyromazine | |
| <i>Permitted residue: Cyprodinil</i> | | <i>Permitted residue: Cyromazine</i> | |
| All other foods except animal food commodities | 0.05 | All other foods except animal food commodities | 0.05 |
| Almonds | 0.02 | Broccoli | T1 |
| Basil | 40 | Cattle, edible offal of | 0.05 |
| Bayberries | T3 | Cattle meat | 0.05 |
| Bayberry, red | T3 | Eggs | 0.2 |
| Blackberries | 10 | Fruiting vegetables, cucurbits | T0.7 |
| Blueberries | 3 | | |
| Boysenberry | 10 | | |

| | | | |
|---|--------|---|-------|
| Fruiting vegetables, other than cucurbits | T1 | Eggs | *0.05 |
| Fungi, edible (except mushrooms) | T1 | Meat (mammalian) | 0.2 |
| Goat, edible offal of | 0.2 | Milks | *0.05 |
| Goat meat | 0.2 | Peanut | 0.2 |
| Legume vegetables | T1 | Poultry, edible offal of | *0.05 |
| Lettuce, head | T8 | Poultry meat | *0.05 |
| Milks | *0.01 | | |
| Mushrooms | 10 | Agvet chemical: Decoquinat | |
| Peppers, chili, dried | 10 | <i>Permitted residue: Decoquinat</i> | |
| Pig, edible offal of | 0.05 | Chicken kidney | 0.8 |
| Pig meat | 0.05 | Chicken liver | 1 |
| Poultry, edible offal of | 0.1 | Chicken meat | 0.5 |
| Poultry meat | 0.05 | Chicken fat/skin | 1 |
| Root and tuber vegetables | T1 | | |
| Sheep, edible offal of | 0.2 | Agvet chemical: Deltamethrin | |
| Sheep meat | 0.2 | <i>Permitted residue: Deltamethrin</i> | |
| Stalk and stem vegetables [except fennel, bulb] | T7 | All other foods except animal food commodities | 0.05 |
| Witloof chicory | T7 | Brassica vegetables (except Brassica leafy vegetables [except Chinese cabbage (Pe-tsai)]) | *0.05 |
| | | Broccoli, Chinese (Gai lan) | *0.05 |
| Agvet chemical: 2,4-D | | Cattle, edible offal of | 0.1 |
| <i>Permitted residue: 2,4-D</i> | | Cattle meat (in the fat) | 0.5 |
| All other foods except animal food commodities | 0.05 | Cereal grains [except sweet corns] | 2 |
| Blueberries | 0.2 | Cherries | 0.1 |
| Cereal grains [except sweet corns] | 0.2 | Currants, black, red, white | 0.6 |
| Cherries | 0.05 | Eggs | *0.01 |
| Citrus fruits | 5 | Fruiting vegetables, other than cucurbits | 0.1 |
| Cranberry | 0.5 | Fungi, edible (except mushrooms) | 0.1 |
| Edible offal (mammalian) | 7 | Goat, edible offal of | 0.1 |
| Eggs | *0.05 | Goat meat (in the fat) | 0.2 |
| Grapes | T*0.05 | Legume vegetables | 0.1 |
| Hops, dry | 0.2 | Milks | 0.05 |
| Legume vegetables | *0.05 | Mushrooms | 0.1 |
| Meat (mammalian) (in the fat) | 0.7 | Oilseed | 0.1 |
| Milks | 0.1 | Palm nuts | 0.1 |
| Oilseed | *0.05 | Peanut | 0.1 |
| Palm nuts | *0.05 | Pig, edible offal of | *0.01 |
| Peanut | *0.05 | Pig meat (in the fat) | 0.1 |
| Pear | *0.05 | Poultry, edible offal of | *0.01 |
| Potato | 0.1 | Poultry meat (in the fat) | *0.01 |
| Poultry, edible offal of | *0.05 | Pulses | 0.1 |
| Poultry meat | *0.05 | Raspberries, red, black | 0.5 |
| Pulses | *0.05 | Sheep, edible offal of | 0.1 |
| Raspberries, red, black | 0.2 | Sheep meat (in the fat) | 0.2 |
| Sugar cane | 5 | Strawberry | 0.2 |
| Walnuts | *0.05 | Sweet corn (kernels) | 0.1 |
| | | Tea, green, black | 5 |
| Agvet chemical: 2,4-DB | | Wheat bran, unprocessed | 5 |
| <i>Permitted residue: 2,4-DB</i> | | Wheat germ | 3 |
| All other foods except animal food commodities | 0.05 | | |
| Cereal grains [except sweet corns] | *0.02 | | |
| Edible offal (mammalian) | 0.2 | | |

| | |
|--------------------------------------|--------|
| Agvet chemical: Derquantel | |
| <i>Permitted residue: Derquantel</i> | |
| Sheep fat | 0.0002 |
| Sheep kidney | 0.0002 |
| Sheep liver | 0.0002 |
| Sheep muscle | 0.0002 |

| | |
|---|-------|
| Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate | |
| <i>Permitted residue: Dexamethasone</i> | |
| Cattle, edible offal of | 0.1 |
| Cattle meat | 0.1 |
| Cattle milk | *0.05 |
| Horse, edible offal of | 0.1 |
| Horse meat | 0.1 |
| Pig, edible offal of | 0.1 |
| Pig meat | 0.1 |

| | |
|--|--------|
| Agvet chemical: Diafenthuron | |
| <i>Permitted residue: Sum of diafenthuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthuron</i> | |
| All other foods except animal food commodities | 0.01 |
| Cotton seed | 0.2 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 0.5 |
| Fungi, edible (except mushrooms) | 0.5 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Mushrooms | 0.5 |
| Mustard seeds | T*0.01 |
| Peanut | T0.3 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Rape seed (canola) | *0.01 |
| Soya bean (dry) | T0.3 |

| | |
|--|-------|
| Agvet chemical: Diazinon | |
| <i>Permitted residue: Diazinon</i> | |
| Cereal grains [except sweet corns] | 0.1 |
| Citrus fruits | 0.7 |
| Coriander (leaves, roots, stems) | *0.05 |
| Coriander, seed | *0.05 |
| Edible offal (mammalian) | 0.7 |
| Eggs | *0.05 |
| Fruit [except as otherwise listed under this chemical] | 0.5 |
| Kiwifruit | 0.5 |

| | |
|---|-------|
| Meat (mammalian) (in the fat) | 0.7 |
| Milks (in the fat) | 0.5 |
| Olive oil, crude | 2 |
| Parsley | *0.05 |
| Peach | 0.7 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Shallot | T0.5 |
| Spring onion | T0.5 |
| Sugar cane | 0.5 |
| Sweet corn (corn-on-the-cob) | 0.7 |
| Tree nuts | 0.1 |
| Vegetable oils, crude [except olive oil, crude] | 0.1 |
| Vegetables | 0.7 |

| | |
|--|-------|
| Agvet chemical: Dicamba | |
| <i>Permitted residue: Dicamba</i> | |
| All other foods except animal food commodities | 0.05 |
| Cereal grains [except maize; sweet corns] | *0.05 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.05 |
| Maize | 0.1 |
| Meat (mammalian) | 0.05 |
| Milks | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Sugar cane | 0.1 |
| Sugar cane molasses | 2 |

| | |
|---|----|
| Agvet chemical: Dicamba | |
| <i>Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba</i> | |
| Cotton seed | 3 |
| Soya bean | 10 |

| | |
|--|-------|
| Agvet chemical: Dichlobenil | |
| <i>Permitted residue: Dichlobenil</i> | |
| All other foods except animal food commodities | 0.05 |
| Blueberries | T1 |
| Celery | 0.07 |
| Cereal grains [except maize and sweet corns] | *0.05 |
| Citrus fruits | 0.1 |
| Cranberry | 0.1 |
| Currants, black, red, white | T1 |
| Gooseberry | T1 |
| Grapes | 0.1 |
| Maize | 0.1 |
| Peppers, chili, dried | *0.01 |
| Pome fruits | 0.1 |

| | |
|-------------------------|-----|
| Raspberries, red, black | T1 |
| Stone fruits | 0.1 |
| Tomato | 0.1 |

Agvet chemical: Dichlofluanid

Permitted residue: Dichlofluanid

| | |
|--|-------|
| Berries and other small fruits [except grapes; strawberry] | T50 |
| Grapes | 0.5 |
| Peanut | *0.02 |
| Strawberry | 10 |
| Tomato | 1 |

Agvet chemical: 1,3-dichloropropene

Permitted residue: 1,3-dichloropropene

| | |
|--------|-------|
| Grapes | 0.018 |
|--------|-------|

Agvet chemical: Dichlorprop-P

Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid

| | |
|---------------------------------|-------|
| Citrus fruits [except kumquats] | 0.2 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.02 |

Agvet chemical: Dichlorvos

Permitted residue: Dichlorvos

| | |
|--|-------|
| All other foods except animal food commodities | 0.01 |
| Almonds | 2 |
| Cereal grains [except rice; sweet corns] | *0.01 |
| Coffee beans | 2 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Oilseed [except peanut] | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | *0.01 |
| Rice | 7 |

Agvet chemical: Diclofop-methyl

Permitted residue: Diclofop-methyl

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | 0.1 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Lupin (dry) | 0.1 |
| Meat (mammalian) | *0.05 |

| | |
|--------------------------|-------|
| Milks | *0.05 |
| Oilseed | 0.1 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Peas | 0.1 |
| Poppy seed | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |

Agvet chemical: Dicofol

Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol

| | |
|---|-----|
| Almonds | 5 |
| Cotton seed | 0.1 |
| Cucumber | 2 |
| Fruit [except strawberry] | 5 |
| Gherkin | 2 |
| Hops, dry | 5 |
| Strawberry | 1 |
| Sweet corns | 5 |
| Tea, green, black | 5 |
| Tomato | 1 |
| Vegetables [except as otherwise listed under this chemical] | 5 |

Agvet chemical: Dicyclanil

Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil

| | |
|--------------|-----|
| Sheep fat | 0.3 |
| Sheep kidney | 0.3 |
| Sheep liver | 0.3 |
| Sheep meat | 0.3 |

Agvet chemical: Didecyldimethylammonium chloride

Permitted residue: Didecyldimethylammonium chloride

| | |
|--|----|
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 20 |
| Sentul | 20 |

Agvet chemical: Dieldrin

see Aldrin and Dieldrin

Agvet chemical: Difenoconazole

Permitted residue: Difenoconazole

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Almonds | 0.03 |
| Anise myrtle (dried) | T10 |
| Asparagus | *0.05 |
| Avocado | 0.5 |

| | | | |
|---|--------|--|---------|
| Banana | *0.02 | Citrus fruits [except kumquats] | 3 |
| Blueberries | 4 | Fish muscle | T*0.002 |
| Brassica leafy vegetables | T5 | Mushrooms | 0.1 |
| Celeriac | T1 | Peanut | 0.1 |
| Celery | 10 | Peppers, chili, dried | 20 |
| Cereal grains [except rice; sweet corns] | *0.01 | Rice | *0.01 |
| Chard (silver beet) | T5 | Sheep kidney | 0.05 |
| Chicory leaves (green and red cultivars) | T5 | Sheep liver | 0.05 |
| Chives | 2 | Sheep meat (in the fat) | 0.05 |
| Coffee beans | T*0.01 | Sheep milk | 0.05 |
| Coriander (leaves, roots, stems) | T20 | Stone fruits [except cherries; jujube, Chinese] | 0.07 |
| Cotton seed | 0.4 | Tea, green, black | 0.1 |
| Cranberry | 0.6 | | |
| Currants, black, red, white | 0.2 | | |
| Dried grapes | 6 | | |
| Edible offal (mammalian) | *0.05 | Agvet chemical: Diflufenican | |
| Eggs | *0.05 | <i>Permitted residue: Diflufenican</i> | |
| Endive | T5 | All other foods except animal food commodities | 0.01 |
| Fruiting vegetables, cucurbits | 0.3 | Barley | 0.05 |
| Fruiting vegetables, other than cucurbits | 1 | Edible offal (mammalian) | 0.1 |
| Grapefruit | 0.6 | Eggs | *0.02 |
| Grapes | 4 | Grapes | *0.002 |
| Guava | 0.15 | Meat (mammalian) (in the fat) | 0.05 |
| Lemon | 0.6 | Milks | 0.01 |
| Lemon myrtle leaves (dried) | T10 | Oats | 0.05 |
| Macadamia nuts | *0.01 | Peas | 0.05 |
| Meat (mammalian) | *0.05 | Poultry, edible offal of | *0.02 |
| Milks | *0.01 | Poultry meat | *0.02 |
| Orange | 0.6 | Pulses | 0.05 |
| Papaya (pawpaw) | 1 | Rye | 0.05 |
| Parsley | T20 | Safflower seed | T*0.05 |
| Peanut | *0.01 | Tea, green, black | *0.05 |
| Pecan | 0.03 | Triticale | 0.05 |
| Peppers, chili | 0.9 | Wheat | 0.02 |
| Peppers, chili, dried | 5 | Walnuts | T*0.01 |
| Pome fruits [except Persimmon, Japanese] | 0.3 | | |
| Poppy seed | T*0.01 | Agvet chemical: Dimethenamid-P | |
| Potato | 4 | <i>Permitted residue: Sum of dimethenamid-P and its (R)-isomer</i> | |
| Poultry, edible offal of | *0.05 | Common bean (pods and/or immature seeds) | *0.02 |
| Poultry meat | *0.05 | Edible offal (mammalian) | *0.01 |
| Riberry | T1 | Eggs | *0.01 |
| Rice | 8 | Hops, dry | 0.05 |
| Root and tuber vegetables [except celeriac; potato] | 0.5 | Maize | *0.02 |
| Spinach | T5 | Meat (mammalian) | *0.01 |
| Stone fruits [except jujube, Chinese] | 2.5 | Milks | *0.01 |
| Strawberry | 2 | Onion, bulb | T*0.01 |
| Tea, green, black | 20 | Peanut | 0.01 |
| | | Peas | *0.02 |
| Agvet chemical: Diflubenzuron | | Poppy seed | *0.01 |
| <i>Permitted residue: Diflubenzuron</i> | | Poultry, edible offal of | *0.01 |
| Almonds | 0.2 | Poultry meat | *0.01 |
| Cattle, edible offal of | *0.02 | Pulses | *0.02 |
| Cattle milk | 0.05 | | |

| | |
|------------------------------|--------|
| Pumpkins | *0.02 |
| Rape seed (canola) | T*0.01 |
| Sweet corn (corn-on-the-cob) | *0.02 |

Agvet chemical: Dimethoate

Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate

see also Omethoate

| | |
|---|-------|
| Abiu | 5 |
| Asparagus | 0.02 |
| Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; pineapple; tree tomato (tamarillo)] | 5 |
| Avocado | 3 |
| Bearberry | T5 |
| Beetroot | *0.1 |
| Bilberry | T5 |
| Bilberry, bog | T5 |
| Bilberry, red | T5 |
| Blackberries | T5 |
| Blueberries | T5 |
| Boysenberry | 0.02 |
| Cactus fruit | 5 |
| Cereal grains [except sweet corns] | 0.5 |
| Cherries | T0.2 |
| Citrus fruits [except kumquats] | 5 |
| Cotton seed | *0.1 |
| Cranberry | T5 |
| Currant, black, red, white | *0.01 |
| Edible offal (mammalian) | 0.1 |
| Egg plant | T0.2 |
| Eggs | *0.05 |
| Elderberries | 0.02 |
| Legume vegetables | 2 |
| Mango | 1 |
| Meat (mammalian) | *0.05 |
| Melons [except watermelon] | 5 |
| Milks | *0.05 |
| Oilseed [except cotton seed; peanut] | 0.2 |
| Olive oil, refined | T0.3 |
| Olives for oil production | T3 |
| Onion, bulb | 0.7 |
| Peanut | 0.02 |
| Peppers, sweet | 0.7 |
| Pineapple | 0.07 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.7 |
| Raspberries, red, black | T5 |
| Rhubarb | 0.7 |
| Rollinia | 5 |
| Santols (Sentul) | 5 |
| Squash, summer (including zucchini) | 0.7 |
| Strawberry | *0.02 |

| | |
|-----------------------|------|
| Sweet potato | 0.1 |
| Tomato | 0.02 |
| Turnip, garden | *0.2 |
| Watermelon | 5 |
| Wheat bran, processed | 1 |

Agvet chemical: Dimethomorph

Permitted residue: Sum of E and Z isomers of dimethomorph

| | |
|---|-------|
| All other foods except animal food commodities | 0.2 |
| Beetroot | 0.3 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 6 |
| Bulb onions [except garlic; onion, bulb; shallot] | 0.5 |
| Celery | 15 |
| Chinese cabbage (Pe-tsai) | 30 |
| Chives | 10 |
| Corn salad (lamb's lettuce) | 10 |
| Edible offal (mammalian) | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 1.5 |
| Fungi, edible (except mushrooms) | 1.5 |
| Garlic | 0.6 |
| Grapes | 3 |
| Green onions [except chives; spring onion] | 2 |
| Herbs [except parsley] | 10 |
| Hops, dry | 80 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 30 |
| Lima bean (young pods and/or immature seeds) | 0.6 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mizuna | T10 |
| Mushrooms | 1.5 |
| Onion, bulb | 0.6 |
| Parsley | T20 |
| Peas | 1 |
| Peppers, chili, dried | 5 |
| Poppy seed | *0.02 |
| Potato | 0.05 |
| Radish | T0.3 |
| Shallot | 0.6 |
| Spices [except peppers, chili, dried] | 0.05 |
| Spring onion | 15 |
| Strawberry | 0.7 |
| Sweet corns | 1.5 |

| Agvet chemical: Dimpropyridaz | |
|--|-------|
| <i>Permitted residue—commodities of plant origin:</i> <i>Dimpropyridaz</i> | |
| <i>Permitted residue—commodities of animal origin:</i> <i>sum of dimpropyridaz and 1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide, expressed as dimpropyridaz</i> | |
| Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas | 0.7 |
| Cotton seed | 0.02 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | 0.3 |
| Fruiting vegetables, other than cucurbits | 1 |
| Leafy vegetables | 15 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry meat | *0.02 |
| Poultry, edible offal of | *0.02 |

| Agvet chemical: Dinitolmide | |
|---|---|
| <i>Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents</i> | |
| Poultry, edible offal of | 6 |
| Poultry fats | 2 |
| Poultry meat | 3 |

| Agvet chemical: Dinitro-o-toluamide | |
|--|--|
| see <i>Dinitolmide</i> | |

| Agvet chemical: Dinocap | |
|--|---|
| <i>Permitted residue: Sum of dinocap isomers and dinocap phenols, expressed as dinocap</i> | |
| Peppers, chili, dried | 2 |

| Agvet chemical: Dinotefuran | |
|--|-------|
| <i>Permitted residue—commodities of plant origin:</i> <i>Dinotefuran</i> | |
| <i>Permitted residue—commodities of animal origin:</i> <i>Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran</i> | |
| All other foods except animal food commodities | 0.02 |
| Celery | 0.6 |
| Cotton seed | 0.1 |
| Cranberry | 0.2 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Grapes | 0.9 |
| Meat (mammalian) | *0.02 |

| | |
|--------------------------|-------|
| Milks | *0.02 |
| Mung bean (dry) | 0.3 |
| Peppers, chili, dried | 5 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Rice | 8 |

| Agvet chemical: Diphenylamine | |
|--|-------|
| <i>Permitted residue: Diphenylamine</i> | |
| All other foods except animal food commodities | 0.05 |
| Apple | 10 |
| Edible offal (mammalian) [except liver] | *0.01 |
| Eggs | 0.05 |
| Fruits [except apple; pear] | 0.5 |
| Liver of cattle, goats, pigs and sheep | 0.05 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks (in the fat) | *0.01 |
| Pear | 7 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |

| Agvet chemical: Diquat | |
|---|-------|
| <i>Permitted residue: Diquat cation</i> | |
| Barley | 5 |
| Beans [except broad bean; soya bean] | 1 |
| Broad bean (green pods and/or immature seeds) | 1 |
| Coffee bean | *0.02 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Fruit | *0.05 |
| Hops, dry | T0.2 |
| Linseed | *0.01 |
| Maize | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Oats | 5 |
| Oilseed [except linseed; poppy seed] | 5 |
| Onion, bulb | 0.1 |
| Palm nuts | 5 |
| Peanut | 5 |
| Peas | 0.1 |
| Poppy seed | *0.01 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 1 |
| Quinoa | T5 |
| Rice | 5 |
| Rice, polished | 1 |
| Rye | 2 |
| Sorghum, grain | 2 |
| Sugar beet | 0.1 |
| Sugar cane | *0.05 |

| | | | |
|---|-------|--|--------|
| Sweet corns | *0.05 | Fungi, edible (except mushrooms) | 3 |
| Tea, green, black | 0.1 | Garlic | 4 |
| Tree nuts | *0.05 | Ginger, root | T3 |
| Triticale | 2 | Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 5 |
| Vegetable oils, crude | 1 | Litchi | 5 |
| Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet] | *0.05 | Mango | 7 |
| Wheat | 2 | Meat (mammalian) | *0.5 |
| <hr/> | | Milks | *0.2 |
| Agvet chemical: Dithianon | | Mushrooms | 3 |
| <i>Permitted residue: Dithianon</i> | | Olives for oil production | T30 |
| <hr/> | | Onion, bulb | 4 |
| All other foods except animal food commodities | 0.02 | Papaya (pawpaw) | 5 |
| Blueberries | T7 | Parsley | 5 |
| Fruits [except blueberries] | 2 | Parsnip | T1 |
| Hops, dry | 100 | Passionfruit (including granadilla) | 3 |
| <hr/> | | Peanut | 0.2 |
| Agvet chemical: Dithiocarbamates | | Peas (pods and succulent, immature seeds) | 2 |
| <i>Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food</i> | | Pepper, black, white | 0.1 |
| <hr/> | | Peppers, chili, dried | 20 |
| Almonds | 3 | Pistachio nut | T3 |
| Asparagus | T1 | Pome fruits | 3 |
| Avocado | 7 | Pomegranate | T5 |
| Banana | T15 | Poppy seed | *0.2 |
| Basil | T5 | Potato | 1 |
| Beans [except broad bean; soya bean] | 2 | Poultry, edible offal of | *0.5 |
| Beetroot | 1 | Poultry meat | *0.5 |
| Berries and other small fruits [except strawberry] | T15 | Pulses | 0.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 | Radish | T1 |
| Broad bean (green pods and immature seeds) | 2 | Rhubarb | 2 |
| Broccoli, Chinese (Gai lan) | 2 | Roselle (rosella) | 5 |
| Bulb vegetables [except chives; garlic; onion, bulb] | T10 | Stone fruits [except jujube, Chinese] | 3 |
| Carrot | 1 | Strawberry | 10 |
| Celery | 5 | Sunflower seed | T*0.05 |
| Cereal grains [except sweet corns] | 0.5 | Sweet corns | 3 |
| Chinese cabbage (Pe-tsai) | 5 | Table olives | T30 |
| Citrus fruits | T7 | Tomato | T5 |
| Common bean (pods and/or immature seeds) | 2 | Tree tomato | T5 |
| Coriander, seed | 0.1 | Walnuts | T*0.2 |
| Cotton seed | 10 | <hr/> | |
| Custard apple | 5 | Agvet chemical: Diuron | |
| Edible offal (mammalian) | 2 | <i>Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron</i> | |
| Eggs | *0.5 | All other foods except animal food commodities | 0.05 |
| Fennel, bulb | T10 | Asparagus | 2 |
| Fig | 3 | Banana | 0.5 |
| Fruiting vegetables, cucurbits | 2 | Blueberries | 0.1 |
| Fruiting vegetables, other than cucurbits [except roselle; tomato] | 3 | Cereal grains [except sweet corns] | 0.1 |
| | | Cotton seed oil, crude | 0.5 |
| | | Date | T0.5 |
| | | Edible offal (mammalian) | 3 |
| | | Lime | 1 |
| | | Meat (mammalian) | 0.1 |
| | | Milks | 0.1 |

| | |
|------------|-------|
| Oilseed | 0.5 |
| Palm nuts | 0.5 |
| Peanut | 0.5 |
| Pineapple | 0.5 |
| Pulses | *0.05 |
| Sugar cane | 0.2 |

Agvet chemical: Dodine

Permitted residue: Dodine

| | |
|---|-------|
| All other foods, except animal food commodities | 0.1 |
| Almonds | 0.3 |
| Cherries | 3 |
| Peanut | 0.013 |
| Pome fruits [except Persimmon, Japanese] | 5 |
| Stone fruits [except cherries; jujube, Chinese] | *0.05 |
| Walnuts | T0.3 |

Agvet chemical: Doramectin

Permitted residue: Doramectin

| | |
|-------------------------|------|
| Cattle, edible offal of | 0.1 |
| Cattle fat | 0.1 |
| Cattle meat | 0.01 |
| Cattle milk | 0.05 |
| Pig kidney | 0.03 |
| Pig liver | 0.05 |
| Pig meat (in the fat) | 0.1 |
| Sheep, edible offal of | 0.05 |
| Sheep fat | 0.1 |
| Sheep meat | 0.02 |

Agvet chemical: 2,2-DPA

Permitted residue: 2,2-dichloropropionic acid

| | |
|---------------------------------------|------|
| Avocado | *0.1 |
| Banana | *0.1 |
| Cereal grains [except sweet corns] | *0.1 |
| Citrus fruits | *0.1 |
| Cotton seed | *0.1 |
| Currants, black, red, white | 15 |
| Edible offal (mammalian) | 0.2 |
| Grapes | 3 |
| Meat (mammalian) | 0.2 |
| Milks | *0.1 |
| Papaya (pawpaw) | *0.1 |
| Pecan | *0.1 |
| Pineapple | *0.1 |
| Pome fruits | *0.1 |
| Stone fruits [except jujube, Chinese] | 1 |
| Sugar cane | *0.1 |
| Sunflower seed | *0.1 |
| Vegetables | *0.1 |

Agvet chemical: EDC

see Ethylene dichloride

Agvet chemical: Emamectin

Permitted residue: Sum of emamectin B1a and emamectin B1b

| | |
|---|--------|
| All other foods except animal food commodities | 0.005 |
| Almonds | 0.02 |
| Blueberries | T0.07 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.02 |
| Broccoli, Chinese (Gai lan) | 0.02 |
| Celery | T0.2 |
| Chia | T0.05 |
| Chinese cabbage (Pe-tsai) | T0.5 |
| Cotton seed | 0.005 |
| Edible offal (mammalian) | 0.02 |
| Fruiting vegetables, cucurbits | 0.01 |
| Fruiting vegetables, other than cucurbits | 0.1 |
| Fungi, edible (except mushrooms) | 0.1 |
| Grapes | *0.002 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head and lettuce, leaf; witloof chicory] | T0.5 |
| Legume vegetables | 0.1 |
| Lettuce, head | 0.2 |
| Lettuce, leaf | 0.2 |
| Maize cereals | T*0.01 |
| Meat (mammalian) (in the fat) | 0.01 |
| Milks | *0.001 |
| Milk fats | 0.01 |
| Mustard seeds | T*0.01 |
| Pecan | 0.02 |
| Peppers, chili, dried | 0.2 |
| Pulses | *0.01 |
| Rape seed (canola) | *0.01 |
| Root and tuber vegetables [except potato] | *0.01 |
| Sorghum, grain | *0.002 |
| Strawberry | 0.05 |
| Sweet corn (corn-on-the-cob) | *0.002 |
| Tea, green, black | *0.02 |
| Wheat, similar grains, and pseudocereals without husks | T*0.01 |

Agvet chemical: Endosulfan

Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate

| | |
|-------------------|-----|
| Cacao beans | 0.2 |
| Tea, green, black | 10 |

Agvet chemical: Endothal*Permitted residue: Endothal*

| | |
|--------------------------|--------|
| Edible offal (mammalian) | T*0.05 |
| Eggs | T*0.05 |
| Hops, dry | 0.1 |
| Meat (mammalian) | T*0.05 |
| Milks | T*0.01 |
| Poultry, edible offal of | T*0.05 |
| Poultry meat | T*0.05 |

Agvet chemical: Enilconazole*see Imazalil*

Agvet chemical: Epoxiconazole*Permitted residue: Epoxiconazole*

| | |
|------------------------------------|--------|
| Avocado | 0.5 |
| Banana | 1 |
| Cereal grains [except sweet corns] | 0.05 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.005 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Wheat bran, unprocessed | 0.3 |
| Wheat germ | 0.2 |

Agvet chemical: Eprinomectin*Permitted residue: Eprinomectin B1a*

| | |
|-------------------------|------|
| Cattle, edible offal of | 2 |
| Cattle fat | 0.5 |
| Cattle meat | 0.1 |
| Cattle milk | 0.03 |
| Deer, edible offal of | 2 |
| Deer meat | 0.1 |

Agvet chemical: EPTC*Permitted residue: EPTC*

| | |
|--|-------|
| All other foods except animal food commodities | 0.04 |
| Cereal grains | *0.04 |
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Oilseed | 0.1 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Vegetables [except potato] | *0.04 |

Agvet chemical: Erythromycin*Permitted residue: Inhibitory substance, identified as erythromycin*

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.3 |
| Meat (mammalian) | *0.3 |
| Milks | *0.04 |
| Poultry, edible offal of | *0.3 |
| Poultry meat | *0.3 |

Agvet chemical: Esfenvalerate*see Fenvalerate*

Agvet chemical: Ethephon*Permitted residue: Ethephon*

| | |
|--|--------|
| All other foods except animal food commodities | 0.1 |
| Apple | 1 |
| Banana | T*0.05 |
| Barley | 1 |
| Blueberries | T10 |
| Cherries | 15 |
| Cotton seed | 2 |
| Cotton seed oil, crude | *0.1 |
| Currant, black | 1 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.2 |
| Grapes | 10 |
| Kiwifruit | 0.1 |
| Lychee | T*0.05 |
| Macadamia nuts | *0.1 |
| Mandarins | 2 |
| Mango | T*0.02 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| Nectarine | 0.01 |
| Olives | T20 |
| Oranges, sweet, sour | 2 |
| Papaya | T1 |
| Peach | 0.5 |
| Pineapple | 2 |
| Poultry, edible offal of | *0.2 |
| Poultry meat | *0.1 |
| Sugar cane | 0.5 |
| Sugar cane molasses | 7 |
| Tomato | 2 |
| Walnuts | T5 |
| Wheat | T1 |

Agvet chemical: Ethion*Permitted residue: Ethion*

| | |
|---------------------------------|-----|
| Cattle, edible offal of | 2.5 |
| Cattle meat (in the fat) | 2.5 |
| Citrus fruits [except kumquats] | 1 |
| Cotton seed | 0.1 |

| | |
|--|------|
| Cotton seed oil, crude | 0.05 |
| Grapes | 2 |
| Milks (in the fat) | 0.5 |
| Pome fruits [except Persimmon, Japanese] | 1 |
| Stone fruits [except jujube, Chinese] | 1 |
| Tea, green, black | 5 |

Agvet chemical: Ethiprole

Permitted residue—commodities of plant origin: Ethiprole

Permitted residue—commodities of animal origin:

Sum of ethiprole and 5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-ethylsulfonylpyrazole-3-carbonitrile (ethiprole-sulfone), expressed as parent equivalents.

| | |
|--------------------------|------|
| Coffee beans | 0.07 |
| Coffee beans, roasted | 0.2 |
| Edible offal (mammalian) | 0.1 |
| Eggs | 0.05 |
| Fats (mammalian) | 0.15 |
| Meat (mammalian) | 0.15 |
| Milk fats | 0.5 |
| Milks | 0.01 |
| Poultry, Edible offal of | 0.05 |
| Poultry fats | 0.05 |
| Poultry meat | 0.05 |
| Rice | 3 |
| Rice, husked | 1.5 |
| Rice, polished | 0.4 |
| Soya bean (dry) | 0.05 |

Agvet chemical: Ethofumesate

Permitted residue: Ethofumesate

| | |
|---------------------------------|-------|
| Beetroot | 0.1 |
| Bulb vegetables [except chives] | *0.1 |
| Chard (silver beet) | 1 |
| Edible offal (mammalian) | 0.5 |
| Fennel, bulb | *0.1 |
| Meat (mammalian) (in the fat) | 0.5 |
| Milks (in the fat) | 0.2 |
| Poppy seed | *0.02 |
| Spinach | T1 |
| Strawberry | *0.03 |
| Sugar beet | 0.1 |

Agvet chemical: Ethopabate

Permitted residue: Ethopabate

| | |
|--------------------------|----|
| Poultry, edible offal of | 15 |
| Poultry meat | 5 |

Agvet chemical: Ethoprophos

Permitted residue: Ethoprophos

| | |
|-----------------------|-------|
| Banana | *0.02 |
| Hops, dry | 0.02 |
| Peppers, chili, dried | 0.2 |
| Tomato | *0.01 |

Agvet chemical: Ethoxyquin

Permitted residue: Ethoxyquin

| | |
|---------------------------|-----|
| Crustaceans | 1 |
| Diadromous fish | 1 |
| Edible offal (mammalian) | 1 |
| Eggs | 0.1 |
| Freshwater fish | 1 |
| Marine fish | 1 |
| Meat (mammalian) | 0.5 |
| Poultry, edible offal of | 0.1 |
| Poultry meat (in the fat) | 0.5 |

Agvet chemical: Ethoxysulfuron

Permitted residue—commodities of plant origin: Ethoxysulfuron

Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Sugar cane | *0.01 |

Agvet chemical: Ethyl formate

Permitted residue: Ethyl formate

| | |
|--------------|---|
| Dried fruits | 1 |
|--------------|---|

Agvet chemical: Ethylene dichloride (EDC)

Permitted residue: 1,2-dichloroethane

| | |
|------------------------------------|------|
| Cereal grains [except sweet corns] | *0.1 |
|------------------------------------|------|

Agvet chemical: Etofenprox

Permitted residue: Etofenprox

| | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Hops, dry | 5 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Rice | *0.01 |
| Stone fruits [except cherries (subgroup)] | 5 |

| Agvet chemical: Etoxazole | |
|--|--------|
| <i>Permitted residue: Etoxazole</i> | |
| All other foods except animal food commodities | 0.05 |
| Almonds | *0.01 |
| Avocado | T0.1 |
| Banana | 0.2 |
| Cane berries | T0.5 |
| Cherries | 1 |
| Chervil | T1 |
| Chives | T1 |
| Citrus fruits | 0.5 |
| Coriander (leaves, roots, stems) | T1 |
| Cotton seed | 0.2 |
| Custard apple | T0.1 |
| Dried grapes | 1.5 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, other than cucurbits | 0.05 |
| Fruiting vegetables, cucurbits | T0.1 |
| Fungi, edible (except mushrooms) | 0.05 |
| Grapes | 0.5 |
| Herbs | T1 |
| Hops, dry | 7 |
| Ivy gourd | T0.1 |
| Maize | T*0.01 |
| Mango | T0.1 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.01 |
| Mizuna | T1 |
| Mushrooms | 0.05 |
| Papaya | T0.1 |
| Passionfruit | T0.1 |
| Podded pea (young pods) (snow and sugar snap) | T*0.02 |
| Pointed gourd | T0.1 |
| Pome fruits | 0.2 |
| Popcorn | T*0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.02 |
| Rucola (Rocket) | T1 |
| Strawberry | 0.2 |
| Stone fruits [except cherries (subgroup)] | 0.3 |
| Sweet corn (kernels) | T*0.01 |
| Tea, green, black | 15 |
| Agvet chemical: Famoxadone | |
| <i>Permitted residue: Famoxadone</i> | |
| Dried grapes (currants, raisins and sultanas) | 5 |
| Hops, dry | 80 |
| Raspberries, red, black | 10 |

| Agvet chemical: Fenamidone | |
|---|-------|
| <i>Permitted residue: Fenamidone</i> | |
| Celery | 40 |
| Peppers, chili, dried | 30 |
| Agvet chemical: Fenamiphos | |
| <i>Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos</i> | |
| Aloe vera | *0.05 |
| Banana | *0.05 |
| Strawberry | *0.05 |
| Agvet chemical: Fenazaquin | |
| <i>Permitted residue: Fenazaquin</i> | |
| Citrus fruits [except kumquats] | 0.4 |
| Dried grapes (currants, raisins and sultanas) | 0.8 |
| Edible offal (mammalian) | *0.02 |
| Grapes [except dried] | 0.7 |
| Hops, dry | 30 |
| Meat (mammalian) | *0.02 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Milks (in the fat) | *0.02 |
| Podded pea (young pods) (snow and sugar snap) | 0.4 |
| Raspberries, red, black | 0.7 |
| Stone fruits [except jujube, Chinese] | 2 |
| Tree nuts | 0.02 |
| Agvet chemical: Fenbendazole | |
| <i>Permitted residue: Fenbendazole</i> | |
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Goat, edible offal of | 0.5 |
| Goat meat | 0.5 |
| Milks | 0.1 |
| Sheep, edible offal of | 0.5 |
| Sheep meat | 0.5 |
| Agvet chemical: Fenbuconazole | |
| <i>Permitted residue: Fenbuconazole</i> | |
| All other foods except animal food commodities | 0.02 |
| Almonds | 0.05 |
| Banana | 0.5 |
| Blueberries | 0.3 |
| Cherries (subgroup) | 1 |
| Cranberry | 0.5 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |

| | |
|--------------------------|-------|
| Milks | *0.01 |
| Nectarine | 0.5 |
| Peanut | 0.1 |
| Peppers, chili, dried | 2 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Tea, green, black | 30 |
| Wheat | *0.01 |

Agvet chemical: Fenbutatin oxide

Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide

| | |
|--|-----|
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 5 |
| Berries and other small fruits [except table grapes] | 1 |
| Cherries | 6 |
| Citrus fruits | 5 |
| Citrus peel | 30 |
| Dried grapes | T10 |
| Grapes [except wine grapes] | 5 |
| Hops, dry | 20 |
| Nectarine | 3 |
| Peach | 3 |
| Pome fruits [except Persimmon, Japanese] | 3 |
| Tomato | T2 |
| Sentul | 5 |

Agvet chemical: Fenhexamid

Permitted residue: Fenhexamid

| | |
|--|-------|
| All other foods except animal food commodities | 0.1 |
| Blueberries | 5 |
| Bulb onions (subgroup) | 3 |
| Cane berries | 20 |
| Cloudberry | 20 |
| Cucumber | 10 |
| Currant, black, red, white | 20 |
| Dried grapes | 20 |
| Edible offal (mammalian) | 2 |
| Grapes | 10 |
| Kiwifruit | 15 |
| Lettuce, head | 50 |
| Lettuce, leaf | 50 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.01 |
| Pear | 6 |
| Peas with pods (subgroup) | 5 |
| Peppers (subgroup) | 30 |
| Plums (including prunes) | 1.5 |
| Stone fruits [except jujube, Chinese; plums] | 10 |
| Strawberry | 10 |
| Tomato | T2 |

Agvet chemical: Fenitrothion

Permitted residue: Fenitrothion

| | |
|------------------------------------|--------|
| Apple | 1 |
| Cabbages, head | 0.5 |
| Cacao beans | 0.1 |
| Cereal grains [except sweet corns] | 10 |
| Cherries | 1 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Grapes | 1 |
| Lettuce, head | 0.5 |
| Lettuce, leaf | 0.5 |
| Meat (mammalian) | T*0.05 |
| Milks (in the fat) | T*0.05 |
| Oilseed | 0.1 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses [except soya bean (dry)] | 0.1 |
| Rice, polished | 0.1 |
| Soya bean (dry) | 0.3 |
| Sugar cane | 0.02 |
| Tea, green, black | 0.5 |
| Tomato | 0.5 |
| Tree nuts | 0.1 |
| Wheat bran, unprocessed | 20 |
| Wheat germ | 20 |

Agvet chemical: Fenoxaprop-ethyl

Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolylloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl

| | |
|--------------------------|--------|
| Barley | *0.01 |
| Chick-pea (dry) | *0.01 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.02 |
| Meat (mammalian) | 0.05 |
| Milks | 0.02 |
| Peanut | 0.05 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.01 |
| Rice | T*0.02 |
| Rye | *0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Fenoxycarb

Permitted residue: Fenoxycarb

| | |
|--|-----|
| All other foods except animal food commodities | 0.1 |
| Olive oil, virgin | 7 |

| | |
|--|---|
| Olives for oil production | 2 |
| Pome fruits [except Persimmon, Japanese] | 2 |
| Table Olives | 2 |

Agvet chemical: Fenpicoxamid

Permitted residue—commodities of plant origin: Fenpicoxamid

| | |
|-----------------------------------|--------|
| Banana | 0.15 |
| Edible offal (mammalian) | 0.02 |
| Mammalian fats (except milk fats) | *0.015 |
| Meat (mammalian) | *0.015 |
| Milks | *0.015 |
| Rye | 0.15 |
| Triticale | 0.15 |
| Wheat | 0.15 |

Agvet chemical: Fenprothrin

Permitted residue: Fenprothrin

| | |
|---|------|
| Blueberries | 3 |
| Cherries | 5 |
| Citrus fruits [except kumquats] | 2 |
| Cranberry | 2 |
| Grapes | 5 |
| Peanut | 0.01 |
| Peppers, chili, dried | 10 |
| Stone fruits [except cherries; jujube, Chinese] | 1.4 |
| Tea, green, black | 2 |

Agvet chemical: Fenpropimorph

Permitted residue: Fenpropimorph

| | |
|--------|-----|
| Banana | 2 |
| Barley | 0.5 |
| Oats | 0.5 |
| Wheat | 0.5 |

Agvet chemical: Fenpyrazamine

Permitted residue: Fenpyrazamine

| | |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Blueberries | 5 |
| Dried grapes (currants, raisins and sultanas) | 10 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.005 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Raspberries, red, black | 5 |
| Strawberry | 3 |
| Table grapes | 3 |

| | |
|-------------|------|
| Wine grapes | 0.05 |
|-------------|------|

Agvet chemical: Fenpyroximate

Permitted residue: Fenpyroximate

| | |
|--|-------|
| All other foods except animal food commodities | 0.1 |
| Almonds | 0.1 |
| Apple | 0.3 |
| Cherries | 2 |
| Cranberry | 1 |
| Currants, black, red, white | 1 |
| Edible offal (mammalian) | 0.8 |
| Fats (mammalian) | 0.1 |
| Grapes | 1 |
| Hops, dry | 10 |
| Lemons and limes (subgroup) | 1 |
| Meat (mammalian) (in the fat) | 0.2 |
| Milks | *0.01 |
| Pear | 0.3 |
| Pomelo | 0.5 |
| Raspberries, red, black | 3 |
| Stone fruits [except cherries] | 0.4 |
| Strawberry | 1 |
| Tangelo | 0.5 |
| Tea, green, black | 0.1 |
| Tomatoes (includes goji berry) | 0.3 |

Agvet chemical: Fenvalerate

Permitted residue: Fenvalerate, sum of isomers

| | |
|---|-------|
| All other foods except animal food commodities | 0.05 |
| Almonds | 0.2 |
| Berries and other small fruits | 1 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 |
| Brassica leafy vegetables | 1 |
| Cereal grains [except sweet corns] | 2 |
| Celery | 2 |
| Cherries | 3 |
| Dried grapes | 0.5 |
| Edible offal (mammalian) | 0.05 |
| Eggs | 0.02 |
| Grapes | 0.1 |
| Legume vegetables | 0.5 |
| Meat (mammalian) (in the fat) | 1 |
| Milks | 0.2 |
| Oilseed [except peanut] | 0.5 |
| Olives for oil production | T1 |
| Olive oil, crude | T5 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | 0.05 |
| Pulses | 0.5 |
| Sweet corn (corn-on-the-cob) | 0.05 |
| Table olives | T1 |

| | |
|-------------------------|------|
| Tea, green, black | 0.05 |
| Tomato | 0.2 |
| Wheat bran, unprocessed | 5 |

Agvet chemical: Fipronil

Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)

| | |
|--|--------|
| Asparagus | 0.2 |
| Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple; tamarillo (tree tomato)] | T*0.01 |
| Banana | 0.01 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | T0.05 |
| Broccoli, Chinese (Gai lan) | T0.05 |
| Carob | T*0.01 |
| Carrot | T*0.01 |
| Celery | T0.3 |
| Citrus fruit | T*0.01 |
| Cotton seed oil, crude | *0.01 |
| Custard apple | T0.05 |
| Edible offal (mammalian) | 0.02 |
| Eggs | 0.02 |
| Ginger, root | *0.01 |
| Grapes [except wine grapes] | T*0.01 |
| Honey | 0.01 |
| Lettuce, head | T0.1 |
| Lettuce, leaf | T0.1 |
| Meat (mammalian) (in the fat) | 0.1 |
| Milks | 0.01 |
| Mushrooms | 0.02 |
| Oilseed | *0.01 |
| Palm nuts | *0.01 |
| Peanut | *0.01 |
| Peppers, chili | *0.005 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | 0.02 |
| Rice | 0.01 |
| Sentul | T*0.01 |
| Sorghum, grain | 0.01 |
| Soya bean (dry) | T*0.01 |
| Stone fruits | 0.01 |
| Sugar cane | *0.01 |
| Swede | 0.1 |
| Sweet potato | *0.01 |
| Turnip, garden | 0.1 |
| Wine grapes | *0.01 |

Agvet chemical: Flamprop-methyl

Permitted residue: Flamprop-methyl

| | |
|--------------------------|-------|
| Chick-pea (dry) | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Triticale | 0.05 |
| Wheat | 0.05 |

Agvet chemical: Flamprop-M-methyl

see Flamprop-methyl

Agvet chemical: Flavophospholipol

Permitted residue: Flavophospholipol

| | |
|---------------|--------|
| Cattle fat | *0.01 |
| Cattle kidney | *0.01 |
| Cattle liver | *0.01 |
| Cattle meat | *0.01 |
| Cattle milk | T*0.01 |
| Eggs | *0.02 |

Agvet chemical: Flazasulfuron

Permitted residue: Flazasulfuron

| | |
|---------------------------|-------|
| Almonds | 0.01 |
| Citrus fruits | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Olives for oil production | *0.01 |
| Poultry meat | *0.01 |
| Poultry, edible offal of | *0.01 |
| Table olives | *0.01 |

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N-(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N-(4-trifluoromethylnicotinoyl)glycine]

| | |
|--|-------|
| All other foods except animal food commodities | 0.2 |
| Blackberries | T2 |
| Bulb vegetables [except chives] | T0.2 |
| Celery | 1.5 |
| Cotton seed | 1 |
| Cranberry | 1.5 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |

| | |
|---|-------|
| Fennel, bulb | T0.2 |
| Fruiting vegetables, cucurbits | 0.7 |
| Fruiting vegetables, other than cucurbits | T0.5 |
| Fungi, edible (except mushrooms) | T0.5 |
| Hops, dry | 20 |
| Lemons and Limes | 1.5 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Mushrooms | T0.5 |
| Mustard seeds | T0.5 |
| Oranges, Sweet, Sour | 0.4 |
| Pome fruits [except Persimmon, Japanese] | 0.7 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pummelos | 0.3 |
| Rape seed (canola) | 0.5 |
| Raspberries, red, black | T2 |
| Stone fruits | 0.6 |
| Strawberry | T2 |
| Sweet corns | T0.5 |

Agvet chemical: Florasulam

Permitted residue: Florasulam

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Florfenicol

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

| | |
|---------------|-----|
| Cattle kidney | 0.5 |
| Cattle liver | 3 |
| Cattle meat | 0.3 |
| Pig fat/skin | 1 |
| Pig kidney | 1 |
| Pig liver | 3 |
| Pig meat | 0.5 |

Agvet chemical: Florylpicoxamid

Agvet chemical: Florylpicoxamid

Permitted residue: commodities of plant origin: Sum of florylpicoxamid and (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

Permitted residue: commodities of animal origin: (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

| | |
|---|-------|
| All other foods except animal food commodities | 0.01 |
| Dried grapes (= currants, raisins and sultanas) | 20 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 1 |
| Grapes | 3 |
| Leafy greens | 20 |
| Meat (mammalian) (in the fat) | 0.07 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Strawberry | 1 |
| Wheat | 0.02 |
| Wheat bran, unprocessed | 0.07 |

Agvet chemical: Florpyrauxifen-benzyl

Permitted residue: Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl

| | |
|-------------------------------|--------|
| Edible offal (mammalian) | T*0.02 |
| Eggs | T*0.02 |
| Meat (mammalian) [in the fat] | T*0.02 |
| Milks | T*0.02 |
| Poultry, edible offal of | T*0.02 |
| Poultry meat (in the fat) | T*0.02 |
| Rice | T*0.02 |
| Sorghum, grain | *0.02 |

Agvet chemical: Fluoxapiprolin

Permitted residue: Fluoxapiprolin

| | |
|---|-------|
| Dried grapes (= currants, raisins and sultanas) | 0.5 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | 0.15 |
| Meat (mammalian) [in the fat] | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat [in the fat] | *0.01 |

| | | | |
|---|-------|---|--------|
| Agvet chemical: Fluazaindolizine | | Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory] | 2 |
| <i>Permitted residue: Fluazaindolizine</i> | | Leek | T1 |
| All other foods except animal food commodities | 0.1 | Legume vegetables | 0.1 |
| Edible offal (mammalian) | *0.01 | Lettuce, head | 0.05 |
| Eggs | *0.01 | Lotus root | T3 |
| Fruiting vegetables, cucurbits | 0.2 | Lupin (dry) | 0.1 |
| Fruiting vegetables, other than cucurbits | 0.2 | Meat (mammalian) | *0.05 |
| Fungi, edible (except mushrooms) | 0.2 | Milks | 0.1 |
| Galangal, rhizomes | 0.3 | Oilseed [except peanut] | 0.5 |
| Legume vegetables | 0.8 | Olives for oil production | 0.05 |
| Meat (mammalian) | *0.01 | Onion, bulb | 0.05 |
| Milks | *0.01 | Onion, Chinese | 0.05 |
| Mushrooms | 0.2 | Onion, Welsh | 0.05 |
| Poultry, edible offal of | *0.01 | Parsley | 2 |
| Poultry meat | *0.01 | Peanut | 1.5 |
| Root and tuber vegetables | 0.3 | Pecan | 0.05 |
| Sweet corns | 0.2 | Peppers, sweet | *0.02 |
| Agvet chemical: Fluazifop-p-butyl | | Pome fruits | *0.01 |
| <i>Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop</i> | | Potato | 0.05 |
| All other foods except animal food commodities | 0.02 | Poultry, edible offal of | *0.05 |
| Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana; tamarillo (tree tomato)] | 0.05 | Poultry meat | *0.05 |
| Avocado | *0.02 | Pulses [lupin (dry); soya bean (dry)] | 0.5 |
| Banana | *0.02 | Root and tuber vegetables [except lotus root; potato; sweet potato; taro; water chestnut; yam bean; yams] | 1 |
| Berries and other small fruits [except bush berries; elderberries; guelder rose, strawberry] | 0.2 | Sentul | 0.05 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 | Shallot | 0.05 |
| Broccoli, Chinese (Gai lan) | 1 | Soya bean (dry) | 15 |
| Bush berries | 0.3 | Spring Onion | 0.05 |
| Celery | *0.02 | Stone fruits | 0.05 |
| Chia | T2 | Strawberry | 3 |
| Chinese cabbage (Pe-tsai) | T2 | Sugar cane | T*0.1 |
| Citrus fruits | *0.02 | Sweet potato | T0.3 |
| Coriander (leaves, roots, stems) | 2 | Table olives | 0.05 |
| Date | T0.2 | Taro | T3 |
| Edible offal (mammalian) | *0.05 | Tea, green, black | T50 |
| Egg plant | T0.7 | Tomato | 0.1 |
| Eggs | *0.05 | Turmeric, root | 0.05 |
| Elderberries | 0.3 | Water chestnut | T3 |
| Fruiting vegetables, cucurbits | 0.1 | Yam bean | T3 |
| Galangal, rhizomes | 0.05 | Yams | T0.3 |
| Garlic | 0.05 | Agvet chemical: Fluazinam | |
| Ginger, root | 0.05 | <i>Permitted residue: Fluazinam</i> | |
| Guelder rose | 0.3 | All other foods except animal food commodities | 0.01 |
| Hops, dry | 0.05 | Blueberries | 7 |
| | | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | *0.01 |
| | | Broccoli, Chinese (Gai lan) | *0.01 |
| | | Peanut | 0.02 |
| | | Pome fruits | *0.01 |
| | | Potato | *0.01 |
| | | Strawberry | T*0.05 |

| | |
|---|-------|
| Wine grapes | *0.05 |
| Agvet chemical: Fluzuron | |
| <i>Permitted residue: Fluzuron</i> | |
| Cattle, edible offal of | 0.5 |
| Cattle meat (in the fat) | 7 |
| Agvet chemical: Flubendazole | |
| <i>Permitted residue—commodities other than eggs: Sum of flubendazole and 2-amino-1 H-benzimidazole-5-yl)(4-fluorophenyl methanone, expressed as flubendazole</i> | |
| <i>Permitted residue—eggs: Flubendazole</i> | |
| Chicken fat/skin | 0.03 |
| Chicken liver | 0.2 |
| Chicken kidney | 0.1 |
| Chicken muscle | *0.02 |
| Eggs | 0.6 |
| Pig fat/skin | *0.02 |
| Pig liver | 0.4 |
| Pig kidney | 0.3 |
| Pig muscle | *0.02 |
| Agvet chemical: Flubendiamide | |
| <i>Permitted residue—commodities of plant origin: Flubendiamide</i> | |
| <i>Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide</i> | |
| All other foods except animal food commodities | 0.05 |
| Almonds | 0.06 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 5 |
| Broccoli, Chinese (Gai lan) | 5 |
| Chia | 1 |
| Chinese cabbage (Pe-tsai) | 10 |
| Chives | 20 |
| Common bean (pods and/or immature seeds) | T2 |
| Cotton seed | 0.5 |
| Edible offal (mammalian) | 0.03 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 2 |
| Fungi, edible (except mushrooms) | 2 |
| Grapes | 1.4 |
| Herbs | 20 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof, chicory] | 10 |
| Lettuce, head | 5 |
| Meat (mammalian) (in the fat) | 0.05 |

| | |
|---|--------|
| Milk fats | 0.05 |
| Milks | *0.01 |
| Mushrooms | 2 |
| Peppers, chili, dried | 7 |
| Potato | *0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Root and tuber vegetables [except potato] | 0.2 |
| Spices [except peppers, chili, dried] | 0.02 |
| Stalk and stem vegetables [except fennel, bulb] | 5 |
| Stone fruits [except jujube, Chinese] | 1.6 |
| Strawberry | 0.3 |
| Sweet corn (corn-on-the-cob) | T*0.05 |
| Tea, green, black | 0.02 |
| Witloof, chicory | 5 |

Agvet chemical: Fludioxonil

*Permitted residue—commodities of animal origin:
Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil*

*Permitted residue—commodities of plant origin:
Fludioxonil*

| | |
|---|--------|
| All other foods except animal food commodities | 0.02 |
| Almonds | 0.2 |
| Apricot | 10 |
| Avocado | 2 |
| Bayberry, red | T2 |
| Beetroot | *0.01 |
| Berries and other small fruits [except grapes] | 5 |
| Brassica leafy vegetables [except radish leaves] | 15 |
| Broccoli | T*0.01 |
| Bulb onions (subgroup) | 0.5 |
| Bulb vegetables [except chives; bulb onions (subgroup)] | 3 |
| Cabbages, head | 0.7 |
| Carrot | 1 |
| Celery | 15 |
| Chestnuts | 1 |
| Chick-pea (dry) | 0.3 |
| Chinese cabbage (Pe-tsai) | 15 |
| Chives | T20 |
| Citrus fruits | 10 |
| Common bean (pods and/or immature seeds) | 0.7 |
| Cotton seed | *0.05 |
| Cucumber | 0.5 |
| Dried grapes (currants, raisins and sultanas) | 5 |
| Dried herbs | T70 |
| Edible offal (mammalian) | 0.1 |
| Egg plant | T0.2 |
| Eggs | 0.02 |

| | | | |
|--|--------|--|---------|
| Fats (mammalian) | 0.02 | Fruiting vegetables, cucurbits | 0.5 |
| Grapes | 2 | Fruiting vegetables, other than cucurbits | 1 |
| Guava | 0.5 | Fungi, edible (except mushrooms) | 1 |
| Herbs | T20 | Maize Cereals | 0.15 |
| Kiwifruit | 15 | Meat (mammalian) | *0.01 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 15 | Milks | *0.01 |
| Lentils (dry) | 0.3 | Mushrooms | 1 |
| Litchi | T2 | Oilseeds | 0.05 |
| Maize | *0.02 | Palm nuts | 0.05 |
| Mango | 3 | Peanut | 0.05 |
| Meat (mammalian) | 0.05 | Peppers, chili, dried | 7 |
| Melons, except watermelon | T0.2 | Poultry, edible offal of | *0.01 |
| Milks | 0.05 | Poultry meat | *0.01 |
| Mustard seeds | *0.01 | Pulses | 0.05 |
| Papaya | T5 | Rice Cereals | 0.05 |
| Peach | 10 | Root and tuber vegetables | 2 |
| Peanut | T*0.01 | Sorghum Grain and Millet | 0.05 |
| Peas (pods and succulent, immature seeds) | 0.5 | Sugar cane | 0.06 |
| Peppers, chili, dried | 4 | Sweet corns | 1 |
| Peppers, chili [except dried] | T2 | Wheat, similar grains, and pseudocereals without husks | 0.08 |
| Peppers, sweet | 2 | | |
| Pineapple | 5 | | |
| Pistachio nut | T0.2 | Agvet chemical: Flumethrin | |
| Pome fruits | 5 | <i>Permitted residue: Flumethrin, sum of isomers</i> | |
| Pomegranate | 5 | Cattle, edible offal of | 0.05 |
| Potato | 5 | Cattle meat (in the fat) | 0.2 |
| Poultry, edible offal of | 0.1 | Honey | T*0.005 |
| Poultry fats | *0.01 | Horse, edible offal of | 0.1 |
| Poultry meat | *0.01 | Horse meat | 0.1 |
| Pulses [except chick-pea (dry); lentil (dry), soya bean (dry)] | T0.1 | Milks | 0.05 |
| Rape seed (canola) | T0.2 | | |
| Sorghum, grain | *0.01 | Agvet chemical: Flumetsulam | |
| Soya bean (dry) | 0.2 | <i>Permitted residue: Flumetsulam</i> | |
| Stone fruits [except apricot; peach] | 5 | Barley | *0.05 |
| Strawberry | 5 | Edible offal (mammalian) | 0.3 |
| Sunflower seed | T*0.02 | Eggs | *0.1 |
| Sweet corn (corn-on-the-cob) | *0.02 | Garden pea | *0.1 |
| Tomato | T1 | Maize | *0.05 |
| | | Meat (mammalian) | *0.1 |
| | | Milks | *0.1 |
| | | Oats | *0.05 |
| | | Peanut | *0.05 |
| | | Poultry, edible offal of | *0.1 |
| | | Poultry meat | *0.1 |
| | | Pulses | *0.05 |
| | | Rye | *0.05 |
| | | Triticale | *0.05 |
| | | Wheat | *0.05 |
| | | | |
| | | Agvet chemical: Flumiclorac pentyl | |
| | | <i>Permitted residue: Flumiclorac pentyl</i> | |
| | | Cotton seed | 0.1 |
| | | Edible offal (mammalian) | *0.01 |
| | | | |

Agvet chemical: Fluensulfone

Permitted residue—commodities of plant origin: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone

Permitted residue—commodities of animal origin: Fluensulfone

| | |
|--|-------|
| All other foods | 1 |
| Barley, similar grains, and pseudocereals with husks | 0.08 |
| Celery | 2 |
| Citrus oil, edible | 1.5 |
| Dried grapes (equals currants; raisins; sultanas) | 2 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |

| | |
|--------------------------|-------|
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Flumioxazin

Permitted residue: Flumioxazin

| | |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Avocado | *0.02 |
| Banana | T*0.02 |
| Blueberries | 0.02 |
| Carrot | T*0.05 |
| Cereal grains [except sweet corns] | *0.05 |
| Citrus fruits | *0.05 |
| Cranberry | 0.07 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Garlic | T*0.02 |
| Grapes | *0.01 |
| Hops, dry | T*0.05 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mints | T*0.02 |
| Oilseed | *0.1 |
| Olives | *0.02 |
| Palm nuts | *0.1 |
| Peanut | *0.1 |
| Pome fruits | *0.02 |
| Pomegranate | *0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | *0.1 |
| Stone fruits [except jujube, Chinese] | *0.02 |
| Sugar cane | *0.01 |
| Tree nuts | *0.02 |

Agvet chemical: Flunixin

Permitted residue: Flunixin

| | |
|--------------------------|------|
| Cattle kidney | 0.02 |
| Cattle liver | 0.02 |
| Cattle meat (in the fat) | 0.02 |

Agvet chemical: Fluometuron

Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron

| | |
|------------------------------------|------|
| Cereal grains [except sweet corns] | *0.1 |
| Citrus fruits [except kumquats] | 0.5 |
| Cotton seed | *0.1 |
| Pineapple | *0.1 |

Agvet chemical: Fluopicolide

Permitted residue: Fluopicolide

| | |
|--|-------|
| All other foods | 0.01 |
| Basil | T30 |
| Brassica vegetables (except Brassica leafy vegetables) | 5 |
| Bulb vegetables [except chives; onion, bulb] | 3 |
| Cane berries | T1.5 |
| Celery | 20 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fennel, bulb | 3 |
| Fruiting vegetables, cucurbits | 0.5 |
| Grapes | 2 |
| Hops, dry | 15 |
| Leafy vegetables | 30 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Onion, bulb | 0.1 |
| Peppers, chili, dried | 7 |
| Poppy seed | 0.5 |
| Potato | 0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |

Agvet chemical: Fluopyram

Permitted residue—commodities of plant origin: Fluopyram

Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram

| | |
|---|-------|
| All other foods except animal food commodities | 0.2 |
| Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)] | 2 |
| Banana | 0.1 |
| Beans [except broad bean; snap bean (immature seeds); soya bean] | 1 |
| Blueberries | 7 |
| Brussels sprouts | 0.3 |
| Bulb onions | 0.07 |
| Cane berries [except raspberries, red, black] | 3 |
| Cereal grains [except rice; sweet corns] | 0.03 |
| Cherries | 3 |
| Chicory witloof | 0.3 |
| Citrus fruits | 1 |
| Cranberry | 2 |
| Currants, black, red, white | 7 |
| Dried grapes (= currants, raisins and sultanas) | 3 |
| Edible offal (mammalian) | 0.7 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | 0.5 |

| | |
|---|-------|
| Garden pea, shelled | 0.2 |
| Grapes | 2 |
| Green onions | 2 |
| Hops, dry | 100 |
| Lentil (dry) | 0.4 |
| Lettuce, head | 15 |
| Lettuce, leaf | 15 |
| Macadamia nuts | 0.2 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| Oilseed | 0.03 |
| Olives for oil production | 3 |
| Olive oil, crude | 5 |
| Palm nuts | 0.03 |
| Peanut | 0.2 |
| Peas (dry) | 0.7 |
| Peppers, chili, dried | 30 |
| Peppers, sweet | 0.3 |
| Persimmon, Japanese | 1.5 |
| Pistachio nut | 0.2 |
| Podded pea (young pods) (snow and sugar snap) | 1 |
| Pome fruits [except Persimmon, Japanese] | 1 |
| Potato | 0.1 |
| Poultry, Edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses [except lentil (dry); peas (dry); soya bean (dry)] | 0.09 |
| Raspberries, red, black | 5 |
| Rice | 4 |
| Rice, husked | 1.5 |
| Rice, polished | 0.5 |
| Root and tuber vegetables | T0.2 |
| Sentul | 2 |
| Snap bean (immature seeds) | 0.2 |
| Soya bean (dry) | 0.04 |
| Stone fruits [except cherries (subgroup)] | 2 |
| Strawberry | 2 |
| Sugar beet | 0.04 |
| Table olives | 3 |
| Tomatoes (subgroup) | T1.5 |
| Tree nuts [except macadamia nuts; pistachio nut; walnuts] | 0.05 |
| Walnuts | T0.07 |

Agvet chemical: Fluoxastrobin

Permitted residue: Sum of fluoxastrobin and its Z isomer

| | |
|-----------|------|
| Cranberry | 1.9 |
| Peanut | 0.02 |

Agvet chemical: Flupropanate

Permitted residue: Flupropanate

| | |
|--------------------------|------|
| Edible offal (mammalian) | *0.1 |
|--------------------------|------|

| | |
|-------------------------------|------|
| Meat (mammalian) (in the fat) | *0.1 |
| Milks | 0.1 |

Agvet chemical: Flupyradifurone

Permitted residue: Flupyradifurone

| | |
|---|-------|
| All other foods except animal food commodities | 0.2 |
| Apple | 0.7 |
| Assorted tropical and sub-tropical fruits – inedible peel [except banana; mango; papaya; pineapple] | 1.5 |
| Blueberry | 4 |
| Cacao beans | *0.01 |
| Cane berries | 6 |
| Citrus fruits [except kumquats] | 3 |
| Coffee beans | 0.9 |
| Common bean (pods and/or immature seeds) | 2 |
| Dried grapes (currants, raisins and sultanas) | 5 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 1.5 |
| Fungi, edible (except mushrooms) | 1.5 |
| Grapes | 3 |
| Hops, dry | 10 |
| Mango | 0.7 |
| Meat (mammalian) | 0.1 |
| Milks | 0.07 |
| Olives for oil production | 1 |
| Papaya (pawpaw) | 0.5 |
| Peppers, chili, dried | 9 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Peanut | 0.04 |
| Potato | 0.07 |
| Soya bean (dry) | 1.5 |
| Stone fruits [except jujube, Chinese] | 1.5 |
| Strawberry | 1.5 |
| Sweet potato | 0.07 |
| Table olives | 1 |
| Tree nuts | 0.02 |

Agvet chemical: Fluquinconazole

Permitted residue: Fluquinconazole

| | |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Barley | *0.02 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.02 |
| Meat (mammalian) (in the fat) | 0.5 |
| Milks | *0.02 |
| Mustard seeds | T*0.01 |

| | |
|--|-------|
| Pome fruits [except Persimmon, Japanese] | 0.3 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Rape seed (canola) | *0.01 |
| Wheat | *0.02 |

Agvet chemical: Fluralaner

Permitted residue: Fluralaner

| | |
|------------------|-------|
| Cattle fat | T0.7 |
| Cattle kidney | T0.25 |
| Cattle liver | T0.6 |
| Cattle muscle | T0.07 |
| Chicken eggs | 1.3 |
| Chicken fat/skin | 0.6 |
| Chicken kidney | 0.4 |
| Chicken liver | 0.6 |
| Chicken muscle | 0.06 |
| Sheep fat | 0.35 |
| Sheep kidney | 0.15 |
| Sheep liver | 0.4 |
| Sheep muscle | 0.1 |

Agvet chemical: Fluroxypyr

Permitted residue: Fluroxypyr

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Cereal grains | 0.2 |
| Edible offal (mammalian) [except kidney] | 0.1 |
| Eggs | *0.01 |
| Kidney (mammalian) | 1 |
| Meat (mammalian) (in the fat) | 0.1 |
| Milks | 0.1 |
| Onion, bulb | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rice bran, unprocessed | T0.3 |
| Sugar cane (in the juice) | 0.2 |

Agvet chemical: Flusilazole

Permitted residue: Flusilazole

| | |
|-------|-----|
| Apple | 0.3 |
|-------|-----|

Agvet chemical: Flutolanil

Permitted residue—commodities of plant origin: Flutolanil

Permitted residue—commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |

| | |
|-------------------------------|-------|
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.05 |
| Peanut | 0.5 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat (in the fat) | *0.05 |

Agvet chemical: Flutriafol

Permitted residue: Flutriafol

| | |
|--|-------|
| All other foods except animal food commodities | 0.5 |
| Barley | 0.2 |
| Celery | 3 |
| Cereal grains [except barley and sweet corns] | 0.1 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.05 |
| Garden pea (young pods) | *0.01 |
| Hops, dry | 20 |
| Grapes | 1.5 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mustard seeds | T0.07 |
| Oilseed [except mustard seeds; peanut; rape seed (canola)] | 0.05 |
| Peanut | 0.09 |
| Peppers, chili, dried | 10 |
| Pome fruits [except Persimmon, Japanese] | 0.4 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.05 |
| Rape seed (canola) | 0.07 |
| Stone fruits [except jujube, Chinese] | 1.5 |
| Strawberry | 1.5 |
| Sugar cane | *0.01 |

Agvet chemical: Fluvalinate

Permitted residue: Fluvalinate, sum of isomers

| | |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Apple | 0.1 |
| Asparagus | 0.2 |
| Carrot | T*0.01 |
| Cauliflower | 0.5 |
| Cotton seed | 0.1 |
| Honey | T*0.01 |
| Stone fruits [except jujube, Chinese] | 0.05 |
| Table grapes | 0.05 |
| Tomato | 0.5 |

Agvet chemical: Fluxapyroxad

Permitted residue: Fluxapyroxad

| | |
|-----------------|-----|
| All other foods | 0.1 |
| Banana | 3 |

| | | | |
|--|-------|---|-------|
| Barley | 3 | Root and tuber vegetables [except sugar beet] | 0.9 |
| Barley bran, unprocessed | 0.5 | Rye | 3 |
| Beans, shelled | 0.5 | Sorghum, grain | 3 |
| Berries and other small fruit [except grapes] | 7 | Soya bean (dry) | 0.3 |
| Brassica leafy vegetables | 4 | Soya bean (immature seeds) | 0.15 |
| Broccoli | 4 | Stone fruits [except prunes] | 3 |
| Brussels sprouts | 4 | Sugar beet | 0.15 |
| Bulb vegetables [except chives] | 1.5 | Sugar cane | 3 |
| Cabbages, head | 4 | Sweet corn (corn-on-the-cob) | 0.15 |
| Cauliflower | 4 | Tree nuts | 0.07 |
| Celery | 10 | Tumeric root | 0.3 |
| Chicory | 30 | Valerian root | 2 |
| Citrus oil, edible | 90 | Wheat | 0.3 |
| Coffee beans | 0.2 | | |
| Cotton seed | 0.5 | | |
| Dried grapes (currants, raisins and sultanas) | 15 | | |
| Edible offal (mammalian) | 0.03 | Agvet chemical: Folpet | |
| Eggs | 0.005 | <i>Permitted residue: Folpet</i> | |
| Fennel, bulb | 1.5 | Currants, black, red, white | 0.03 |
| Fruiting vegetables, cucurbits | 0.5 | Hops, dry | 120 |
| Fruiting vegetables, other than cucurbits | 0.6 | Peppers, sweet, chili | *0.03 |
| Fungi, edible (except mushrooms) | 0.6 | Strawberry | T5 |
| Grapes [except dried grapes] | 3 | | |
| Legume vegetables [except beans, shelled; peas, shelled (succulent seeds)] | 2 | Agvet chemical: Fomesafen | |
| Lemons and Limes | 1 | <i>Permitted residue: Fomesafen</i> | |
| Lettuce, head | 30 | Edible offal (mammalian) | *0.02 |
| Lettuce, leaf | 30 | Eggs | *0.02 |
| Mandarins | 1 | Meat (mammalian) | *0.02 |
| Mango | 0.6 | Milks | *0.02 |
| Meat (mammalian) (in the fat) | 0.05 | Potato | 0.025 |
| Milk fats | 0.1 | Poultry, Edible offal of | *0.02 |
| Milks | 0.005 | Poultry meat | *0.02 |
| Millet | 3 | Pulses | *0.01 |
| Oats | T0.2 | Tomato | 0.025 |
| Oilseed [except cotton; peanut] | 0.9 | | |
| Oranges, Sweet, Sour | 1.5 | Agvet chemical: Forchlorfenuron | |
| Papaya (pawpaw) | 1 | <i>Permitted residue: Forchlorfenuron</i> | |
| Peas, shelled (succulent seeds) | 0.5 | Apple | *0.01 |
| Pecan | 0.06 | Blueberries | *0.01 |
| Peppers, chili, dried | 6 | Cherries | *0.01 |
| Pome fruits [except Persimmon, Japanese] | 0.8 | Grapes | 0.03 |
| Pomegranate | T0.3 | Kiwifruit | *0.01 |
| Poultry, edible offal of | *0.01 | Mango | *0.01 |
| Poultry meat (in the fat) | *0.01 | | |
| Prunes | 5 | Agvet chemical: Fosetyl | |
| Pulses [except soya bean (dry)] | 0.4 | <i>Permitted residue: Fosetyl</i> | |
| Pummelos and grapefruit | 0.6 | Apple | 1 |
| Rice [except rice bran, unprocessed; rice hulls] | 5 | Avocado | 5 |
| Rice bran, unprocessed | 8.5 | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | T0.1 |
| Rice hulls | 15 | Broccoli, Chinese (Gai lan) | T0.1 |
| | | Chinese cabbage (Pe-tsai) | T0.2 |
| | | Durian | T5 |

| | | | |
|--|-------|--|--------|
| Fruiting vegetables, other than cucurbits | T0.02 | Citrus fruits | 0.1 |
| Fungi, edible (except mushrooms) | T0.02 | Coffee beans | T*0.05 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); rucola (rocket); spinach; witloof chicory] | T0.2 | Common bean (pods and immature seeds) | T*0.05 |
| Mushrooms | T0.02 | Cotton seed | 3 |
| Peach | 1 | Date | *0.05 |
| Pineapple | 5 | Edible offal (mammalian) | 5 |
| Rucola (rocket) | T0.7 | Eggs | *0.05 |
| Spinach | T0.7 | Hops, dry | T1 |
| Stone fruits [except cherries; jujube, Chinese; peach] | T1 | Maize | 0.2 |
| Sweet corns | T0.02 | Meat (mammalian) | 0.1 |
| | | Milks | *0.05 |
| | | Mustard seeds | T0.5 |
| | | Native foods | *0.05 |
| | | Oilseed [except cotton seed; mustard seeds; rape seed (canola)] | T*0.1 |
| | | Olives | *0.1 |
| | | Palm nuts | *0.1 |
| | | Peaches (including nectarines and apricots) | 0.3 |
| | | Peanut | *0.1 |
| | | Peppers, sweet | *0.05 |
| | | Plums | 0.3 |
| | | Podded pea (young pods) (snow and sugar snap) | T*0.05 |
| | | Pome fruits | *0.1 |
| | | Poultry, edible offal of | *0.1 |
| | | Poultry meat | *0.05 |
| | | Pulses [except soya bean (dry)] | *0.1 |
| | | Rape seed (canola) | 0.5 |
| | | Rice | 0.9 |
| | | Saffron | T*0.05 |
| | | Sentul | 0.2 |
| | | Soya bean (dry) | 2 |
| | | Strawberry | 0.3 |
| | | Sugar cane | *0.2 |
| | | Tomato | *0.05 |
| | | Tea, green, black | *0.05 |
| | | Tree nuts | 0.1 |
| | | Truffle | T*0.2 |
| Agvet chemical: Fosetyl-aluminium | | | |
| <i>Permitted residue: Fosetyl-aluminium</i> | | | |
| Blackberries | 70 | | |
| Blueberries | 40 | | |
| Citrus fruits [except kumquats] | 5 | | |
| Coffee beans | 30 | | |
| Cranberry | 0.5 | | |
| Eggs | *0.05 | | |
| Flowerhead brassicas | *0.2 | | |
| Head brassicas | *0.2 | | |
| Hops, dry | 45 | | |
| Kale | *0.2 | | |
| Kiwifruit | 150 | | |
| Mammalian fats [except milk fats] | 0.3 | | |
| Pineapple | 15 | | |
| Poultry, edible offal of | *0.05 | | |
| Poultry fats | *0.05 | | |
| Poultry meat | *0.05 | | |
| Raspberries, red, black | 100 | | |
| Strawberry | 75 | | |
| Agvet chemical: Furathiocarb | | | |
| see Carbofuran | | | |
| <i>Residues arising from the use of furathiocarb are covered by MRLs for carbofuran</i> | | | |
| Agvet chemical: Glufosinate and Glufosinate-ammonium | | | |
| <i>Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)</i> | | | |
| All other foods except animal food commodities | 0.1 | | |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 0.2 | | |
| Berries and other small fruits [except strawberry] | 0.1 | | |
| Cereal grains [except rice; sweet corns] | *0.1 | | |
| Cherries | *0.05 | | |
| | | Agvet chemical: Glyphosate | |
| | | <i>Permitted residue: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate</i> | |
| | | All other foods except animal food commodities | 0.2 |
| | | Almonds | 1 |
| | | Avocado | *0.05 |
| | | Babaco | *0.05 |
| | | Banana | 0.2 |
| | | Barley | 20 |
| | | Berries and other small fruits [except cranberry; raspberries, red, black] | *0.05 |
| | | Bulb vegetables [except chives] | *0.1 |

| | | | |
|---|-------|--|--------|
| Cereal grains [except barley; maize; popcorn, sorghum, grain; sweet corns; wheat] | T*0.1 | Rollinia | *0.05 |
| Chinese cabbage (Pe-tsai) | *0.1 | Root and tuber vegetables [except potato] | *0.1 |
| Citrus fruits | 0.5 | Safflower seed | 7 |
| Coffee beans | T0.2 | Saffron | T*0.05 |
| Cotton seed | 15 | Sesame seed | 20 |
| Cotton seed oil, crude | *0.1 | Sorghum, grain | 15 |
| Cranberry | 0.2 | Soya bean (dry) | 20 |
| Custard apple | *0.05 | Stalk and stem vegetables [except fennel, bulb] | *0.01 |
| Date | T2 | Stone fruits | 0.2 |
| Dry beans [except soya bean (dry)] | 15 | Sugar cane | T0.3 |
| Dry peas | 10 | Sugar cane molasses | T5 |
| Dry underground pulses | 5 | Sunflower seed | 20 |
| Edible offal (mammalian) | 2 | Sweet corns | *0.1 |
| Eggs | *0.05 | Tea, green, black | T20 |
| Fennel, bulb | *0.1 | Tree nuts [except almonds] | 0.2 |
| Fig | *0.05 | Truffle | T*0.05 |
| Fruiting vegetables, cucurbits | *0.1 | Wheat | 5 |
| Fruiting vegetables, other than cucurbits | *0.1 | Wheat bran, unprocessed | 20 |
| Fungi, edible (except mushrooms) | *0.1 | Witloof, chicory | *0.01 |
| Guava | *0.05 | | |
| Honey | 0.2 | Agvet chemical: Guazatine | |
| Hops, dry | 7 | <i>Permitted residue: Guazatine</i> | |
| Kiwifruit | *0.05 | Citrus fruits [except kumquats] | 5 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | *0.1 | Melons, except watermelon | 10 |
| Legume vegetables | *0.1 | Tomato | 5 |
| Linseed | 15 | | |
| Litchi | 0.2 | Agvet chemical: Halauxifen-methyl | |
| Maize | 5 | <i>Permitted residue—commodities of plant origin: Halauxifen-methyl</i> | |
| Mango | *0.05 | <i>Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl</i> | |
| Meat (mammalian) | *0.1 | All other foods except animal food commodities | 0.01 |
| Millet | T15 | Cereal grains [except sweet corns] | *0.01 |
| Milks | *0.1 | Edible offal (mammalian) | 0.01 |
| Monstero | *0.05 | Eggs | *0.01 |
| Mushrooms | *0.1 | Meat (mammalian) | *0.01 |
| Mustard seeds | 20 | Milks | *0.01 |
| Native foods | T2 | Mustard seeds | T*0.01 |
| Oilseed [except cotton seed; linseed; mustard seeds; peanut; poppy seed; rape seed (canola); safflower seed; sesame seed; sunflower seed] | T*0.1 | Poultry, edible offal of | *0.01 |
| Olives | *0.1 | Poultry meat | *0.01 |
| Papaya (pawpaw) | *0.05 | Rape seed | *0.01 |
| Passionfruit | 3 | | |
| Peanut | *0.1 | Agvet chemical: Halofuginone | |
| Persimmon, American | *0.05 | <i>Permitted residue: Halofuginone</i> | |
| Pome fruits | *0.05 | Cattle fat | 0.025 |
| Popcorn | T2 | Cattle kidney | 0.03 |
| Poppy seed | 20 | Cattle liver | 0.03 |
| Potato | 0.2 | Cattle muscle | 0.01 |
| Poultry, edible offal of | 1 | | |
| Poultry meat | *0.1 | | |
| Rape seed (canola) | 20 | | |
| Raspberries, red, black | 0.2 | | |

| | | | |
|---|--------|---|--------|
| Agvet chemical: Halosulfuron-methyl | | Agvet chemical: Hexaconazole | |
| <i>Permitted residue: Halosulfuron-methyl</i> | | <i>Permitted residue: Hexaconazole</i> | |
| Almonds | 0.05 | Apple | 0.1 |
| Blueberries | 0.05 | Grapes | 0.05 |
| Cotton seed | *0.05 | Pear | 0.1 |
| Edible offal (mammalian) | 0.2 | | |
| Eggs | *0.01 | Agvet chemical: Hexazinone | |
| Maize | *0.05 | <i>Permitted residue: Hexazinone</i> | |
| Meat (mammalian) | *0.01 | Blueberries | 0.6 |
| Milks | *0.01 | Edible offal (mammalian) | *0.1 |
| Poultry, edible offal of | *0.01 | Eggs | *0.05 |
| Poultry meat | *0.01 | Meat (mammalian) | *0.1 |
| Raspberries, red, black | 0.05 | Milks | *0.05 |
| Rice | T*0.05 | Pineapple | 0.6 |
| Sorghum, grain | *0.05 | Poultry, edible offal of | *0.05 |
| Soya bean (dry) | T*0.01 | Poultry meat | *0.05 |
| Sugar cane | *0.05 | Sugar cane | *0.1 |
| Agvet chemical: Haloxyfop | | Agvet chemical: Hexythiazox | |
| <i>Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop</i> | | <i>Permitted residue: Hexythiazox</i> | |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | *0.05 | All other foods except animal food commodities | 0.05 |
| Berries and other small fruits | *0.05 | Almonds | 0.3 |
| Chia | T3 | Berries and other small fruits [except raspberries, red, black; strawberry] | 1 |
| Chinese cabbage (Pe-tsai) | T0.5 | Dates, dried | 3 |
| Citrus fruits | *0.05 | Edible offal (mammalian) | *0.01 |
| Cotton seed | 0.1 | Fruiting vegetables, cucurbits | T0.05 |
| Cotton seed oil, crude | 0.2 | Fruiting vegetables, other than cucurbits | T1 |
| Edible offal (mammalian) | 0.5 | Fungi, edible (except mushrooms) | T1 |
| Eggs | *0.01 | Hops, dry | 20 |
| Hempseed | T0.1 | Meat (mammalian) (in the fat) | *0.01 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); mizuna; witloof chicory] | T0.5 | Milks | *0.01 |
| Linola seed | 0.1 | Peas | T*0.05 |
| Linseed | 0.1 | Pome fruits [except Persimmon, Japanese] | 1 |
| Meat (mammalian) (in the fat) | 0.02 | Potato | T*0.02 |
| Milks | 0.02 | Raspberries, red, black | 3 |
| Mizuna | T0.5 | Stone fruits [except jujube, Chinese] | 1 |
| Mustard seeds | 0.1 | Strawberry | 6 |
| Onion, bulb | T0.2 | Tea, green, black | 4 |
| Peanut | 0.05 | | |
| Pome fruits | *0.05 | Agvet chemical: Hydrogen phosphide | |
| Poppy seed | T0.5 | <i>see Phosphine</i> | |
| Poultry, edible offal of | 0.05 | | |
| Poultry meat (in the fat) | *0.01 | Agvet chemical: Imazalil | |
| Pulses | 0.1 | <i>Permitted residue: Imazalil</i> | |
| Rape seed (canola) | 0.1 | All other foods except animal food commodities | 0.05 |
| Sentul | *0.05 | Banana | 3 |
| Sesame seed | T0.1 | Chicken, edible offal of | *0.01 |
| Stone fruits | *0.05 | Chicken meat | *0.01 |
| Sunflower seed | *0.05 | | |
| Tree nuts | *0.05 | | |

| | |
|--|-------|
| Citrus fruits [except mandarins (subgroup); pummelos and grapefruit] | 15 |
| Citrus oil, edible | 500 |
| Edible offal (mammalian) | 0.3 |
| Eggs | *0.01 |
| Fats (mammalian) | 0.02 |
| Mandarins (subgroup) | 10 |
| Meat (mammalian) | *0.02 |
| Melons, except watermelon | 10 |
| Milks | *0.02 |
| Mushrooms | 1 |
| Onion, bulb | 0.05 |
| Pome fruits [except Persimmon, Japanese] | 5 |
| Potato | 5 |
| Poultry, edible offal of [except chicken edible offal] | *0.02 |
| Poultry fats | *0.02 |
| Poultry meat [except chicken meat] | *0.02 |
| Pummelos and grapefruit | 10 |
| Tomato | 0.5 |

Agvet chemical: Imazamox

Permitted residue: Imazamox

| | |
|--|--------|
| All other foods except animal food commodities | 0.05 |
| Barley | *0.05 |
| Beans, shelled | 0.05 |
| Dry beans [except soya bean (dry)] | 0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Lentil (dry) | 0.25 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mung bean (dry) | T*0.05 |
| Mustard seeds | T*0.05 |
| Peanut | *0.05 |
| Peas (dry) | 0.05 |
| Peas, shelled | 0.05 |
| Poppy seed | T*0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Rape seed (canola) | *0.05 |
| Rice | 2.5 |
| Sorghum, grain | *0.02 |
| Soya bean (dry) | 0.3 |
| Sunflower seed | 0.3 |
| Wheat | 0.3 |

Agvet chemical: Imazapic

Permitted residue: Sum of imazapic and its hydroxymethyl derivative

| | |
|--------------------------|-------|
| Barley | 0.02 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |

| | |
|-------------------------------|--------|
| Maize | 0.1 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.01 |
| Mustard seeds | T*0.05 |
| Oats | 0.05 |
| Peanut | *0.1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Rape seed (canola) | *0.05 |
| Rice | 0.05 |
| Soya bean (dry) | 0.5 |
| Sugar cane | 0.1 |
| Wheat | *0.05 |

Agvet chemical: Imazapyr

Permitted residue: Imazapyr

| | |
|--|--------|
| All other foods except animal food commodities | 0.05 |
| Barley | 0.7 |
| Broad bean (dry) | 0.07 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Lentil (dry) | 0.2 |
| Meat (mammalian) (in the fat) | *0.05 |
| Maize | 0.1 |
| Milks | *0.01 |
| Mustard seeds | T*0.05 |
| Oats | 0.1 |
| Poppy seed | T*0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Rape seed (canola) | *0.05 |
| Rice | 0.05 |
| Sorghum, grain | 0.02 |
| Soya bean (dry) | 5 |
| Sugar cane | 0.05 |
| Sunflower seed | 0.05 |
| Wheat | *0.05 |

Agvet chemical: Imazethapyr

Permitted residue: Imazethapyr

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Legume vegetables | *0.1 |
| Maize | *0.05 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Peanut | *0.1 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |
| Pulses | *0.1 |
| Rape seed (canola) | 0.05 |
| Rice | 0.3 |

Agvet chemical: Imidacloprid

Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid

| | |
|---|-------|
| All other foods except animal food commodities | 0.05 |
| Apple | 0.3 |
| Avocado | 0.2 |
| Banana | 0.5 |
| Beetroot | T0.05 |
| Beetroot leaves | T1 |
| Berries and other small fruits [except blueberries; cranberry; grapes; strawberry] | 5 |
| Blueberries | 3.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Broad bean (dry) | *0.05 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Burdock, greater | T0.05 |
| Carrot | T0.05 |
| Celery | 6 |
| Cereal grains [except maize; popcorn; sorghum, grain; sweet corns] | *0.05 |
| Cherries | 3 |
| Chinese cabbage (Pe-tsai) | 20 |
| Citrus fruits | 2 |
| Common bean (dry) (navy bean) | T1 |
| Common bean (pods and/or immature seeds) | 2 |
| Cotton seed | *0.02 |
| Cranberry | 0.05 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.02 |
| Field pea (dry) | *0.05 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits [except peppers] | 0.5 |
| Fungi, edible (except mushrooms) | 0.5 |
| Galangal, Greater | T0.05 |
| Galangal, Lesser | T0.05 |
| Garlic | T0.5 |
| Ginger, Japanese | T0.05 |
| Ginger, root | T0.3 |
| Grapes | 1 |
| Hazelnuts | T0.05 |
| Hops, dry | T10 |
| Kaffir lime leaves | T5 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory] | 20 |
| Lentil (dry) | 0.2 |
| Lettuce, head | 5 |
| Lupin (dry) | 0.2 |
| Maize | 0.05 |
| Mango | 0.2 |

| | |
|--|--------|
| Meat (mammalian) | 0.05 |
| Milks | 0.05 |
| Mushrooms | 0.5 |
| Mustard seeds | T*0.05 |
| Papaya (pawpaw) | 0.2 |
| Peanut | 0.45 |
| Peppers | 1 |
| Peppers, chili, dried | 10 |
| Persimmon, Japanese | T1 |
| Podded Pea (young pods) (snow and sugar snap) | T0.2 |
| Popcorn | 0.05 |
| Poppy seed | T*0.05 |
| Potato | 0.4 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Radish, Japanese | T0.05 |
| Rape seed (canola) | *0.05 |
| Rhubarb | T0.2 |
| Sorghum, grain | *0.02 |
| Spices [except galangal; ginger root; peppers, chili, dried] | 0.05 |
| Stone fruits [except cherries (subgroup)] | 0.5 |
| Strawberry | 0.5 |
| Sugar cane | *0.05 |
| Sunflower seed | *0.02 |
| Sweet corn (corn-on-the-cob) | *0.05 |
| Sweet potato | 0.3 |
| Taro | T0.05 |
| Tea, green, black | 50 |
| Tree tomato | T2 |
| Yam bean | T0.05 |
| Yams | T0.05 |

Agvet chemical: Imidocarb (dipropionate salt)

Permitted residue: Imidocarb

| | |
|-------------------------|-----|
| Cattle, edible offal of | 5 |
| Cattle meat | 1 |
| Cattle milk | 0.2 |

Agvet chemical: Indaziflam

Permitted residue—commodities of plant origin: Sum of indaziflam and 6-[(1R)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine, expressed as indaziflam

Permitted residue—commodities of animal origin: Indaziflam

| | |
|-------------------------------|--------|
| Almonds | *0.01 |
| Citrus fruits | *0.01 |
| Edible offal (mammalian) | 0.1 |
| Grapes | *0.01 |
| Meat (mammalian) (in the fat) | 0.03 |
| Milks | *0.005 |

Agvet chemical: Indoxacarb*Permitted residue: Sum of indoxacarb and its R-isomer*

| | |
|---|--------|
| All other foods except animal food commodities | 0.05 |
| Asparagus | *0.01 |
| Bayberry, red | T1 |
| Beans [except broad bean; soya bean] | 0.9 |
| Berries and other small fruits | 2 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Celery | 3 |
| Cherries | 1 |
| Chinese cabbage (Pe-tsai) | 5 |
| Chia | T0.5 |
| Cotton seed | 1 |
| Cucumber | 0.5 |
| Dried grapes (currants, raisins, and sultanas) | 5 |
| Edible offal (mammalian) [except kidney] | 0.02 |
| Egg plant | 0.5 |
| Eggs | *0.01 |
| Fennel, leaf | 5 |
| Fruiting vegetables, cucurbits | 0.2 |
| Hempseed | T*0.05 |
| Kidney (mammalian) | 0.5 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory] | 5 |
| Lettuce, head | 3 |
| Linseed | T0.5 |
| Macadamia nuts | 0.03 |
| Maize cereals | T*0.01 |
| Meat (mammalian) (in the fat) | 3 |
| Milk fats | 2 |
| Milks | 0.1 |
| Olives | T0.2 |
| Peanut | T0.02 |
| Peppers | 0.5 |
| Pome fruits [except Persimmon, Japanese] | 2 |
| Poultry (edible offal of) | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Pulses | 0.2 |
| Pumpkin | 0.5 |
| Rape seed (canola) | T*0.05 |
| Safflower seed | T0.5 |
| Stone fruits [except cherries (subgroup)] | 2 |
| Sunflower seed | T1 |
| Sweet corn (corn-on-the-cob) | 0.02 |
| Tea, green, black | 5 |
| Tomato | 0.2 |
| Walnuts | T0.02 |

Agvet chemical: Inorganic bromide*Permitted residue: Bromide ion*

| | |
|---|-----|
| All other foods except animal food commodities | 15 |
| Almonds | 200 |
| Avocado | 75 |
| Cereal grains [except sweet corns] | 50 |
| Citrus fruits [except kumquats] | 30 |
| Dates, dried | 100 |
| Dried fruits [except as otherwise listed under this chemical] | 30 |
| Dried grapes | 100 |
| Dried herbs | 400 |
| Dried peach | 50 |
| Figs, dried | 250 |
| Fruit [except as otherwise listed under this chemical] | 20 |
| Peppers, sweet | 50 |
| Prunes | 20 |
| Spices | 400 |
| Strawberry | 30 |
| Sweet corns | 20 |
| Vegetables [except as otherwise listed under this chemical] | 20 |

Agvet chemical: Inpyrfluxam*Permitted residue—commodities of plant origin: Inpyrfluxam**Permitted residue—commodities of animal origin: Sum of inpyrfluxam and 1'-CH₂OH-S-2840 (free or conjugated), expressed as inpyrfluxam.*

| | |
|--------------------------|-------|
| Banana | 0.7 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Potato | 0.05 |

Agvet chemical: Iodosulfuron methyl*Permitted residue: Iodosulfuron methyl*

| | |
|-------------------------------|-------|
| Barley | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Wheat | *0.01 |

| | | | |
|---|--------|--|-------|
| Agvet chemical: Ioxynil | | Chard (silver beet) | T15 |
| <i>Permitted residue: Ioxynil</i> | | Chestnuts | T10 |
| Garlic | *0.02 | Chicory leaves | T20 |
| Leek | 2 | Cucumber | T0.5 |
| Onion, bulb | *0.02 | Edible offal (mammalian) | *0.1 |
| Onion, Welsh | 10 | Egg plant | T1 |
| Shallot | 10 | Endive | T20 |
| Spring onion | 10 | Garlic | T0.3 |
| Sugar cane | *0.02 | Grapes | 60 |
| Agvet chemical: Ipconazole | | Kiwifruit | 10 |
| <i>Permitted residue: Ipconazole</i> | | Lettuce, head | 5 |
| Cereal grains [except sweet corns] | *0.01 | Lettuce, leaf | 5 |
| Edible offal (mammalian) | *0.01 | Lupin (dry) | *0.1 |
| Eggs | *0.01 | Macadamia nuts | *0.01 |
| Meat (mammalian) | *0.01 | Mandarins | T5 |
| Milks | *0.01 | Meat (mammalian) | *0.1 |
| Peanut | 0.01 | Milks | *0.1 |
| Poultry, edible offal of | *0.01 | Mustard seeds | T0.5 |
| Poultry meat | *0.01 | Onion, bulb | T0.7 |
| Agvet chemical: Ipflufenquin | | Parsley | T20 |
| <i>Permitted residue: Ipflufenquin</i> | | Passionfruit | 10 |
| Edible offal (mammalian) | *0.01 | Peanut | 0.5 |
| Eggs | *0.01 | Peanut oil, crude | 0.05 |
| Meat (mammalian) (in the fat) | *0.01 | Peppers | T3 |
| Milks | *0.01 | Pistachio nut | T0.2 |
| Poultry, edible offal of | *0.01 | Podded pea (young pods) (snow and sugar snap) | T2 |
| Poultry meat (in the fat) | *0.01 | Pome fruits [except Persimmon, Japanese] | 3 |
| Strawberry | 0.3 | Potato | *0.05 |
| Agvet chemical: Iprodione | | Rape seed (canola) | 0.5 |
| <i>Permitted residue: Iprodione</i> | | Soya bean (dry) | 0.05 |
| All other foods except animal food commodities | 0.1 | Spinach | T5 |
| Almonds | 0.3 | Stone fruits [except jujube, Chinese] | 10 |
| Beans [except broad bean; soya bean] | T2 | Tangelo, large-sized cultivars | T5 |
| Beetroot | T0.1 | Tomato | 2 |
| Beetroot leaves | T20 | Agvet chemical: Isocycloseram | |
| Berries and other small fruits [except blackberries; blueberries; grapes] | 12 | <i>Permitted residue: Isocycloseram</i> | |
| Blackberries | 25 | Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas | 0.7 |
| Blueberries | 15 | Brassica leafy vegetables | 4 |
| Brassica leafy vegetables | 15 | Bulb onions | *0.01 |
| Broad bean (green pods and immature seeds) | 0.2 | Edible offal (mammalian) | *0.01 |
| Broccoli | T*0.05 | Eggs | *0.01 |
| Brussels sprouts | 0.5 | Fruiting vegetables, cucurbits | 0.2 |
| Carrot | T0.5 | Fruiting vegetables, other than cucurbits | 0.2 |
| Celeriac | T0.7 | Green onions | 0.6 |
| Celery | 2 | Meat (mammalian)(in the fat) | *0.01 |
| | | Milks | *0.01 |
| | | Poultry meat (in the fat) | *0.01 |
| | | Poultry, edible offal of | *0.01 |

Agvet chemical: Isoeugenol

Permitted residue: Isoeugenol, sum of cis- and trans- isomers

| | |
|-----------------------------------|-----|
| Diadromous fish (whole commodity) | 100 |
| Freshwater fish (whole commodity) | 100 |
| Marine fish (whole commodity) | 100 |

Agvet chemical: Isofetamid

Permitted residue: commodities of plant origin: Isofetamid

Permitted residue: commodities of animal origin: Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2- carboxamido) propanoyl]phenoxy]propanoic acid (PPA), expressed as isofetamid

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Almonds | 0.01 |
| Beans with pods | 0.6 |
| Berries and other small fruits [except grapes] | 5 |
| Cherries | 4 |
| Dry beans [except soya bean (dry)] | 0.09 |
| Dry peas | 0.09 |
| Edible offal (mammalian) | *0.02 |
| Grapes | 3 |
| Lettuce, head | 30 |
| Lettuce, leaf | 30 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Milk fats | *0.02 |
| Peaches (including nectarines and apricots) | 3 |
| Plums (including fresh prunes) | 0.8 |
| Podded peas (young pods) (snow and sugar snap) | 0.6 |
| Pome fruits [except Persimmon, Japanese] | 0.6 |
| Poultry, edible offal of | *0.02 |
| Poultry eggs | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Prunes, dried | 3 |

Agvet chemical: Isopyrazam

Permitted residue: Isopyrazam

| | |
|--|--------|
| All other foods except animal food commodities | 0.01 |
| Almonds | *0.01 |
| Edible offal (mammalian) | *0.005 |
| Eggs | *0.005 |
| Meat (mammalian) (in the fat) | *0.005 |
| Milks | *0.005 |
| Pome fruit | 0.7 |
| Poultry, edible offal of | *0.005 |
| Poultry meat (in the fat) | *0.005 |

Agvet chemical: Isotianil

Permitted residue: Commodities of plant origin: Isotianil

Permitted residue: Commodities of animal origin: sum of isotianil and 3,4-dichloroisothiazole-5-carboxylic acid, expressed as isotianil

| | |
|--------------------------|-------|
| Banana | 0.03 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |

Agvet chemical: Isoxaben

Permitted residue: Isoxaben

| | |
|---|-------|
| Assorted tropical and sub-tropical fruits – edible peel | *0.01 |
| Assorted tropical and sub-tropical fruits – inedible peel | *0.01 |
| Barley | *0.01 |
| Blueberries | 0.05 |
| Citrus fruits | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | *0.01 |
| Hops, dry | *0.1 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Pome fruits | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Stone fruits | *0.01 |
| Tree nuts | *0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Isoxaflutole

Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Cereal grains [except sweet corns] | *0.02 |
| Chick-pea (dry) | *0.02 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Pineapple | *0.02 |
| Poppy seed | *0.02 |
| Poultry, edible offal of | *0.05 |

| | | | |
|---|-------|---|-------|
| Poultry meat | *0.05 | Dried grapes (= currants, raisins and sultanas) | 3 |
| Soya bean (dry) | 0.05 | Edible offal (mammalian) | 0.05 |
| Sugar cane | *0.01 | Eggs | *0.02 |
| <hr/> | | Egg plant | 0.6 |
| Agvet chemical: Ivermectin | | Fruiting vegetables, cucurbits | 0.5 |
| <i>Permitted residue: H₂B_{1a}</i> | | Garlic | 0.3 |
| Cattle kidney | 0.06 | Ginseng (dried) | 1 |
| Cattle liver | 0.5 | Grape leaves | 15 |
| Cattle meat (in the fat) | 0.2 | Grapefruit | 0.5 |
| Cattle milk | 0.05 | Leek | 10 |
| Deer kidney | *0.01 | Mammalian fats [except milk fats] | 0.05 |
| Deer liver | *0.01 | Mango | 0.1 |
| Deer meat (in the fat) | *0.01 | Meat (mammalian) | 0.05 |
| Horse, edible offal of | *0.01 | Milks | 0.05 |
| Horse meat | *0.01 | Oats | 0.1 |
| Pig kidney | *0.01 | Olive oil, virgin | 1 |
| Pig liver | *0.01 | Olives | 0.2 |
| Pig meat (in the fat) | 0.02 | Onion, bulb | 0.3 |
| Sheep kidney | *0.01 | Oranges, sweet, sour | 0.5 |
| Sheep liver | 0.015 | Peach | 1.5 |
| Sheep meat (in the fat) | 0.02 | Pear | 5 |
| <hr/> | | Pecan | 0.15 |
| Agvet chemical: Ketoprofen | | Peppers, sweet | 1 |
| <i>Permitted residue: Ketoprofen</i> | | Persimmon, Japanese | 5 |
| Cattle, edible offal of | *0.05 | Pome fruits [except pear; persimmon, Japanese] | 0.2 |
| Cattle meat | *0.05 | Potato | 0.1 |
| Cattle milk | *0.05 | Poultry, edible offal of | *0.02 |
| <hr/> | | Poultry fats | *0.02 |
| Agvet chemical: Kitasamycin | | Poultry meat | 0.05 |
| <i>Permitted residue: Inhibitory substance, identified as kitasamycin</i> | | Rice | 0.02 |
| Eggs | *0.2 | Rye | 0.1 |
| Pig, edible offal of | *0.2 | Shallot | 0.3 |
| Pig meat | *0.2 | Soya bean (dry) | 0.05 |
| <hr/> | | Sugar beet | 0.05 |
| Agvet chemical: Kresoxim-methyl | | Sunflower seed | 0.1 |
| <i>Permitted residue—commodities of plant origin: Kresoxim-methyl</i> | | Tea, green, black | 15 |
| <i>Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl</i> | | Tomato | 0.6 |
| All other foods except animal food commodities | 0.02 | Turnip, garden | 0.05 |
| Asparagus | 0.05 | Wheat | 0.1 |
| Barley, similar grains, and pseudocereals with husks (barley; buckwheat; oats) | 0.15 | <hr/> | |
| Beetroot | 0.05 | Agvet chemical: Lambda-cyhalothrin | |
| Berries and other small fruits | 1.5 | see <i>Cyhalothrin</i> | |
| Chard (beet leaves) | 0.05 | <hr/> | |
| Coffee beans | 0.05 | Agvet chemical: Lasalocid | |
| Cotton seed | 0.05 | <i>Permitted residue: Lasalocid</i> | |
| <hr/> | | Cattle milk | *0.01 |
| | | Edible offal (mammalian) | 0.7 |
| | | Eggs | *0.05 |
| | | Meat (mammalian) | *0.05 |
| | | Poultry fat/skin | 0.6 |
| | | Poultry kidney | 0.7 |
| | | Poultry liver | 1.2 |
| | | Poultry muscle | 0.4 |

Agvet chemical: Levamisole

Permitted residue: Levamisole

| | |
|--------------------------|-----|
| Edible offal (mammalian) | 1 |
| Eggs | 1 |
| Meat (mammalian) | 0.1 |
| Milks [except goat milk] | 0.3 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |

Agvet chemical: Lincomycin

Permitted residue: Inhibitory substance, identified as lincomycin

| | |
|--|-------|
| Cattle milk | *0.02 |
| Edible offal (mammalian) [except sheep, edible offal of] | 0.2 |
| Eggs | 0.2 |
| Goat milk | *0.1 |
| Meat (mammalian) [except sheep meat] | 0.2 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |

Agvet chemical: Lindane

Permitted residue: Lindane

| | |
|-----------|-----|
| Pineapple | 0.5 |
|-----------|-----|

Agvet chemical: Linuron

Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron

| | |
|---|--------|
| All other foods except animal food commodities | 0.05 |
| Celeriac | 3 |
| Celery | *0.05 |
| Cereal grains | *0.05 |
| Chia | T*0.05 |
| Coriander (leaves, roots, stems) | T2 |
| Coriander, seed | 0.2 |
| Edible offal (mammalian) | 1 |
| Eggs | *0.05 |
| Leek | *0.02 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Parsley | T1 |
| Parsnip | 0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Turmeric, root | T*0.05 |
| Vegetables [except celeriac; celery; leek; parsnip] | *0.05 |

Agvet chemical: Lufenuron

Permitted residue: Lufenuron

| | |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Coffee beans | 0.07 |
| Cotton seed | T0.2 |
| Cotton seed oil, crude | T0.5 |
| Edible offal (mammalian) | 0.15 |
| Eggs | T0.05 |
| Fats (mammalian) | 2 |
| Lime | 0.4 |
| Maize | *0.01 |
| Meat (mammalian) | 2 |
| Meat (mammalian) (in the fat) | T1 |
| Milks | T0.2 |
| Milk fats | 5 |
| Orange oil, edible | 8 |
| Oranges, sweet, sour | 0.3 |
| Pome fruits [except Persimmon, Japanese] | 1 |
| Poultry, edible offal of | T*0.01 |
| Poultry meat (in the fat) | T1 |

Agvet chemical: Maduramicin

Permitted residue: Maduramicin

| | |
|--------------------------|-----|
| Poultry, edible offal of | 1 |
| Poultry meat | 0.1 |

Agvet chemical: Magnesium phosphide

see Phosphine

Agvet chemical: Malathion

see Maldison

Agvet chemical: Maldison

Permitted residue: Maldison

| | |
|---|------|
| All other foods except animal food commodities | 0.05 |
| Berries and other small fruits [except grapes; strawberry] | 10 |
| Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; kohlrabi] | 2 |
| Brassica leafy vegetables [except kale] | 2 |
| Carrot | 0.5 |
| Cauliflower | 0.5 |
| Celery | 2 |
| Cereal grains [except sweet corns] | 8 |
| Cherries | 8 |
| Citrus fruits | 4 |
| Cucumber | 3 |
| Dried fruits | 8 |
| Dry beans (subgroup) | 8 |

| | |
|---|------|
| Edible offal (mammalian) | 1 |
| Eggs | 1 |
| Fruiting vegetables, cucurbits [except cucumber] | 2 |
| Fruiting vegetables, other the cucurbits [except peppers, sweet] | 3 |
| Fruits [except berries and other small fruits; citrus fruits; dried fruits; stone fruits [except jujube, Chinese] | 2 |
| Garden pea | 0.5 |
| Grapes | 8 |
| Hops, dry | 1 |
| Kale | 3 |
| Kohlrabi | 0.5 |
| Leek | 2 |
| Legume vegetable [except garden pea] | 2 |
| Lettuce, head | 2 |
| Lettuce, leaf | 2 |
| Lentil (dry) | 8 |
| Linseed | 10 |
| Meat (mammalian) (in the fat) | 1 |
| Milks (in the fat) | 1 |
| Mustard seeds | T10 |
| Onion, bulb | 2 |
| Onion, Welsh | T0.1 |
| Peanut | 8 |
| Peppers, sweet | T5 |
| Poultry, edible offal of | 1 |
| Poultry meat (in the fat) | 1 |
| Pulses [except dry beans; lentils (dry)] | 2 |
| Rape seed | 10 |
| Safflower seed | 10 |
| Shallot | T0.1 |
| Spring onion | T0.1 |
| Stone fruits | 5 |
| Strawberry | 1 |
| Sunflower seed | 10 |
| Sweet corns | 3 |
| Tree nuts | 8 |
| Wheat bran, unprocessed | 20 |

Agvet chemical: Maleic hydrazide

Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide

| | |
|-------------|-----|
| Carrot | T40 |
| Garlic | 15 |
| Onion, bulb | 15 |
| Potato | 50 |

Agvet chemical: Mancozeb

see *Dithiocarbamates*

| | |
|--|-------|
| Agvet chemical: Mandestrobin | |
| <i>Permitted residue: Mandestrobin</i> | |
| All other foods except animal food commodities | 0.05 |
| Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas | 2 |
| Beans (except broad bean and soya bean) | 0.7 |
| Dried grapes (equals currants; raisins; sultanas) | 10 |
| Edible offal (Mammalian) | 0.02 |
| Eggs | *0.01 |
| Fruiting vegetables, curcubits | 0.6 |
| Grapes | 5 |
| Leafy vegetables [except lettuce, head] | 20 |
| Lettuce, Head | 5 |
| Mammalian fats [except milk fats] | *0.01 |
| Meat (mammalian) (in the fat) | 0.02 |
| Milk | *0.02 |
| Onion, bulb | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Rape seed (canola) | 0.5 |
| Stone fruits | 3 |
| Strawberry | 3 |

Agvet chemical: Mandipropamid

Permitted residue: Mandipropamid

| | |
|--|-------|
| All other foods except animal food commodities | 0.5 |
| Basil | T30 |
| Beans with pods | 1 |
| Celery | 20 |
| Chinese cabbage (Pe-tsai) | 30 |
| Citrus oil, edible | 30 |
| Dried grapes (currants, raisins and sultanas) | 2 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapes | 2 |
| Hops, dry | 50 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 30 |
| Mammalian fats (except milk fats) | 0.02 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Mizuna | 30 |
| Peppers, chili, dried | 10 |
| Poppy seed | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |

Agvet chemical: MCPA*Permitted residue: MCPA*

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.02 |
| Cherry | 0.05 |
| Chives | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Field pea (dry) | *0.05 |
| Herbs | *0.05 |
| Hops, dry | *0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rhubarb | *0.02 |

Agvet chemical: MCPB*Permitted residue: MCPB*

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.02 |
| Chives | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Herbs | *0.05 |
| Legume vegetables | *0.02 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | *0.02 |

Agvet chemical: Mebendazole*Permitted residue: Mebendazole*

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | 0.02 |

Agvet chemical: Mefenpyr-diethyl

*Permitted residue—commodities of plant origin:
Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl*

*Permitted residue—commodities of animal origin:
Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl*

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.01 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |

Agvet chemical: Mefentrifluconazole*Permitted residue: Mefentrifluconazole*

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Baby leaves | 30 |
| Barley, similar grains, and pseudocereals with husks | 4 |
| Brassica leafy vegetables | 30 |
| Bulb onions | 0.2 |
| Bush berries | 5 |
| Cane berries | 3 |
| Cherries | 4 |
| Citrus fruit [except kumquat; lemon; lime] | 0.6 |
| Citrus oil | 15 |
| Cottonseed | 0.2 |
| Dried grapes (equals currants; sultanas) | 3 |
| Dried grapes (raisin) | 4 |
| Edible offal (mammalian) | T0.3 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits [except melons] | 0.3 |
| Fruiting vegetables, other than cucurbits | 1 |
| Grapes | 1.5 |
| Green onions | 4 |
| Kumquat | 1 |
| Leafy greens [except lettuce, head] | 30 |
| Leaves of root and tuber vegetables | 20 |
| Legume vegetables [except lentils; soya bean] | 0.15 |
| Lemon | 1 |
| Lentils, dry | 2 |
| Lettuce, head | 5 |
| Lime | 1 |
| Low growing berries | 2 |
| Maize Cereals | 0.01 |
| Meat (mammalian) (in the fat) | T0.2 |
| Melons (including watermelon) | 0.5 |
| Milks | *0.01 |
| Peaches (including nectarines and apricots) | 1.5 |
| Peanut | 0.01 |
| Plums | 2 |
| Pome fruits [except Persimmon, Japanese] | 1.5 |
| Potato | 0.04 |
| Poultry, edible offal of | 0.02 |
| Poultry meat (in the fat) | *0.01 |
| Prunes, dried | 4 |
| Rape seed | 1 |
| Rice Cereals | 4 |
| Root vegetables [except sugar beet] | 0.7 |
| Sorghum Grain and Millet | 4 |
| Soya bean (dry) | 0.4 |

| | |
|--|------|
| Sugar beet | 0.6 |
| Sugar cane | 1.5 |
| Sunflower seeds | 0.15 |
| Sweet corn (corn-on-the-cob; kernels) | 0.03 |
| Tree nuts | 0.2 |
| Wheat, similar grains, and pseudocereals without husks | 0.3 |

Agvet chemical: Meloxicam

Permitted residue: Meloxicam

| | |
|---------------|-------|
| Cattle kidney | 0.2 |
| Cattle liver | 0.1 |
| Cattle meat | *0.01 |
| Cattle milk | 0.005 |
| Pig fat/skin | 0.1 |
| Pig kidney | *0.01 |
| Pig liver | *0.01 |
| Pig meat | 0.02 |
| Sheep fat | 0.01 |
| Sheep kidney | 0.01 |
| Sheep liver | 0.01 |
| Sheep meat | 0.01 |

Agvet chemical: Mepanipyrim

Permitted residue: Mepanipyrim

| | |
|-------------------------|---|
| Strawberry | 3 |
| Raspberries, red, black | 4 |

Agvet chemical: Mepiquat

Permitted residue: Mepiquat

| | |
|--------------------------|------|
| Cotton seed | 1 |
| Cotton seed oil, crude | 0.2 |
| Edible offal (mammalian) | 0.1 |
| Eggs | 0.05 |
| Meat (mammalian) | 0.1 |
| Milks | 0.05 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |

Agvet chemical: Mesosulfuron-methyl

Permitted residue: Mesosulfuron-methyl

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Wheat | *0.02 |

Agvet chemical: Mesotrione

Permitted residue: Mesotrione

| | |
|--|--------|
| All other foods except animal food commodities | 0.01 |
| Almonds | 0.01 |
| Asparagus | 0.01 |
| Barley | *0.01 |
| Blueberries | 0.01 |
| Cherries | 0.01 |
| Cranberry | 0.02 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Grapefruit | 0.01 |
| Lemon | 0.01 |
| Linseed | T*0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Oats | *0.01 |
| Oranges, sweet, sour | 0.01 |
| Peach | 0.01 |
| Pecan | 0.01 |
| Plums (including prunes) | 0.01 |
| Poppy seed | T*0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Soya bean (dry) | 0.03 |
| Sweet corn (corn-on-the-cob) | T*0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Metaflumizone

Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzonitrile expressed as metaflumizone

| | |
|---|-------|
| Apple | 0.9 |
| Cherries | 0.04 |
| Citrus fruits [except kumquats; oranges, sweet, sour] | 2 |
| Coffee beans | 0.15 |
| Dried grapes (equals currants; raisins; sultanas) | 13 |
| Edible offal (mammalian) | *0.02 |
| Eggs | 0.02 |
| Grapes | 5 |
| Maize | 0.04 |
| Mammalian fats [except milk fats] | 0.6 |
| Meat (mammalian) (in the fat) | *0.02 |
| Melons [except watermelons] | 1 |
| Milk fats | 0.7 |
| Milks | 0.02 |
| Orange oil, edible | 100 |
| Oranges, Sweet, Sour | 3 |
| Peppers, chili, dried | 6 |
| Potato | 0.02 |
| Poultry, edible offal of | *0.02 |

| | | | |
|--|--------|--|--------|
| Poultry fats | 0.08 | Podded pea (young pods) (snow and sugar snap) | T0.1 |
| Poultry meat (fat) | *0.02 | Pome fruits [except Persimmon, Japanese] | 0.2 |
| Soya bean (including soya bean (dry)) | 0.2 | Poppy seed | *0.02 |
| Sugar cane | 0.02 | Poultry, edible offal of | *0.05 |
| Tomato | 0.6 | Poultry meat | *0.05 |
| Tree nuts | 0.04 | Spices [except ginger root; pepper, black, white; peppers, chili, dried] | *0.05 |
| <hr/> | | Stone fruits [except jujube, Chinese] | 0.2 |
| Agvet chemical: Metalaxyl | | Strawberry | 0.6 |
| <i>Permitted residue: Metalaxyl</i> | | Sweet corns | T0.1 |
| All other foods except animal food commodities | 0.05 | Tomatoes (subgroup) | T0.5 |
| Almonds | 0.5 | Vegetables [except as otherwise listed under this chemical] | T0.1 |
| Asparagus | 0.05 | Walnuts | T*0.01 |
| Avocado | 0.5 | <hr/> | |
| Basil | T5 | Agvet chemical: Metalaxyl-M | |
| Basil, dry | T30 | <i>see Metalaxyl</i> | |
| Beetroot | T*0.01 | <hr/> | |
| Beetroot leaves | T0.1 | Agvet chemical: Metaldehyde | |
| Berries and other small fruits [except blueberries; cranberry; grapes; strawberry] | T0.5 | <i>Permitted residue: Metaldehyde</i> | |
| Blueberries | 2 | Cereal grains | 1 |
| Brussels sprouts | 0.15 | Chives | 1 |
| Bulb vegetables [except chives] | 0.1 | Fruit | 1 |
| Cacao beans | 0.2 | Herbs | 1 |
| Cereal grains [except sweet corns] | *0.01 | Oilseed | 1 |
| Chestnuts | T0.05 | Palm nuts | 1 |
| Chinese cabbage (Pe-tsai) | 0.3 | Peanut | 1 |
| Chives | 3 | Pulses | 1 |
| Cranberry | 4 | Spices | 1 |
| Edible offal (mammalian) | *0.05 | Teas (tea and herb teas) | 1 |
| Eggs | *0.05 | Vegetables | 1 |
| Fennel, bulb | 0.1 | <hr/> | |
| Flowerhead brassicas | 0.2 | Agvet chemical: Metamitron | |
| Fruiting vegetables, cucurbits | 0.2 | <i>Permitted residue: Metamitron</i> | |
| Ginger, root | 0.5 | Edible offal (Mammalian) | *0.05 |
| Grapefruit | 1 | Meat [mammalian] | *0.05 |
| Grapes | 1.5 | Milks | *0.05 |
| Hazelnuts | T*0.05 | Pome fruits [except Persimmon, Japanese] | 0.01 |
| Herbs [except basil; basil, dry; parsley] | 3 | <hr/> | |
| Hops, dry | 20 | | |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 0.3 | | |
| Lemon | 1 | | |
| Macadamia nuts | 1 | | |
| Meat (mammalian) | *0.05 | | |
| Milks | *0.01 | | |
| Oranges, sweet, sour | 1 | | |
| Papaya (pawpaw) | *0.01 | | |
| Parsley | T0.3 | | |
| Peanut | 0.2 | | |
| Pepper, black, white | 2 | | |
| Peppers | T0.1 | | |
| Peppers, chili, dried | 10 | | |
| Pineapple | 0.1 | | |

Agvet chemical: Metazachlor

Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor

Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor

| | |
|------------------------------------|-------|
| All other foods | 1 |
| Cereal grains [except sweet corns] | *0.03 |
| Eggs | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Oilseeds | *0.03 |
| Palm nuts | *0.03 |
| Peanut | *0.03 |
| Poultry, edible offal | *0.05 |
| Poultry meat | *0.05 |
| Pulses | *0.03 |

Agvet chemical: Metcamifen

Permitted residue—commodities of plant origin: metcamifen

Permitted residue—commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzenesulfonamide, expressed as metcamifen

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.03 |
| Eggs | *0.03 |
| Meat (mammalian) | *0.03 |
| Milks | *0.03 |
| Poultry, edible offal of | *0.03 |
| Poultry meat | *0.03 |
| Sorghum, grain | *0.01 |

Agvet chemical: Metconazole

Permitted residue: Metconazole

| | |
|------------------------------------|-------|
| Banana | *0.1 |
| Beans with pods | *0.05 |
| Blueberries | 0.5 |
| Cherries | 0.3 |
| Cotton seed | 0.3 |
| Dry beans [except soya bean (dry)] | *0.04 |
| Dry peas | 0.15 |
| Edible offal (mammalian) | *0.04 |
| Eggs | *0.04 |
| Garlic | *0.05 |
| Maize (not including sweet corn) | 0.015 |
| Mammalian fats [except milk fats] | *0.04 |
| Meat (mammalian) | *0.04 |
| Milks | *0.04 |

| | |
|--|-------|
| Onion, bulb | *0.05 |
| Peaches (including apricots; nectarines) | 0.2 |
| Peanut | 0.04 |
| Peanut oil, edible | 0.06 |
| Plums | 0.1 |
| Poultry, edible offal of | *0.04 |
| Poultry fats | *0.04 |
| Poultry meat | *0.04 |
| Prunes, dried | 0.5 |
| Rape seed | 0.15 |
| Rape seed oil, edible | 0.5 |
| Soya bean (dry) | 0.04 |
| Sugar beet | 0.07 |
| Sugar cane | 0.06 |
| Sunflower seeds | 1.5 |
| Sweet corn (corn-on-the-cob) | 0.015 |
| Tree nuts | *0.04 |
| Triticale | 0.15 |
| Tuberous and corm vegetables | *0.04 |
| Wheat | 0.15 |
| Wheat bran, unprocessed | 0.3 |

Agvet chemical: Methabenzthiazuron

Permitted residue: Methabenzthiazuron

| | |
|--------------|--------|
| Garlic | T*0.01 |
| Leek | T*0.05 |
| Onion, bulb | *0.05 |
| Onion, Welsh | T0.5 |
| Shallot | T0.5 |
| Spring onion | T0.5 |

Agvet chemical: Metham

see *Dithiocarbamates*

Agvet chemical: Metham-sodium

see *Metham*

Agvet chemical: Methamidophos

Permitted residue: Methamidophos

see also *Acephate*

| | |
|---|-------|
| Banana | 0.2 |
| Bean, seed (dry) | 1 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 |
| Broccoli, Chinese (Gai lan) | 1 |
| Edible offal (mammalian) | *0.01 |
| Lime | 0.01 |
| Mango | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Peppers, chili, dried | 0.1 |

| | | | |
|---|-------|---|--------|
| Peppers, sweet | 2 | Hops, dry | 0.5 |
| Potato | 0.25 | Leek | T0.5 |
| Raspberry, black, red | *0.01 | Legume vegetables | 1 |
| Tomato | 2 | Lettuce, head | 2 |
| <hr/> | | | |
| Agvet chemical: Methidathion | | | |
| <i>Permitted residue: Methidathion</i> | | | |
| Pear | 1 | Lettuce, leaf | 2 |
| <hr/> | | | |
| Agvet chemical: Methiocarb | | | |
| <i>Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb</i> | | | |
| Citrus fruits | 0.1 | Linseed | *0.1 |
| Fruit [except as otherwise listed under this chemical] | T0.1 | Macadamia nuts | T1 |
| Grapes | 0.5 | Mango | T*0.01 |
| Sweet corns | 0.1 | Meat (mammalian) | 0.05 |
| Truffle | T0.05 | Milks | 0.05 |
| Vegetables | 0.1 | Mints | 0.5 |
| Wine | 0.1 | Mushrooms | 1 |
| <hr/> | | | |
| Agvet chemical: Methomyl | | | |
| <i>Permitted residue: Methomyl</i> | | | |
| All other foods except animal food commodities | 0.05 | Mustard seeds | T0.5 |
| Apple | 1 | Onion, bulb | T0.1 |
| Avocado | *0.1 | Onion, Chinese | T1 |
| Blueberries | 2 | Onion, Welsh | T2 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 | Parsley | T10 |
| Brassica leafy vegetables | T0.7 | Peanut | 0.1 |
| Broccoli, Chinese (Gai lan) | 2 | Pear | 3 |
| Celery | 3 | Peppers | T2 |
| Cereal grains [except sweet corn (corn-on-the-cob)] | *0.1 | Peppers, chili, dried | 10 |
| Chard | 2 | Persimmon, Japanese | T0.05 |
| Cherries | 2 | Pitaya (dragon fruit) | T0.2 |
| Chia | T1 | Poppy seed | *0.05 |
| Citrus fruits | 1 | Poultry, edible offal of | *0.02 |
| Coriander (leaves, roots, stems) | T10 | Poultry meat | *0.02 |
| Cotton seed | *0.1 | Pulses | 1 |
| Cumin seed | 0.07 | Rape seed (canola) | 0.5 |
| Dried grapes | *0.05 | Root and tuber vegetables | 1 |
| Edible offal (mammalian) | 0.05 | Sesame seed | *0.1 |
| Eggs | *0.02 | Shallot | T2 |
| Fennel, bulb | T0.2 | Spinach | T0.7 |
| Fennel, leaf | T3 | Spring onion | T2 |
| Fruiting vegetables, cucurbits | 0.1 | Stone fruits [except cherries; jujube, Chinese] | 1 |
| Fruiting vegetables, other than cucurbits [except peppers] | 1 | Strawberry | 3 |
| Fungi, edible (except mushrooms) | 1 | Sunflower seed | *0.1 |
| Ginger, Japanese | T2 | Sweet corn (corn-on-the-cob) | 0.1 |
| Ginger, root | *0.1 | <hr/> | |
| Grapes | 2 | Agvet chemical: Methoprene | |
| <i>Permitted residue: Methoprene, sum of cis- and trans-isomers</i> | | | |
| <hr/> | | | |
| All other foods except animal food commodities | 0.05 | All other foods except animal food commodities | 0.05 |
| Cattle milk | 0.1 | Cattle milk | 0.1 |
| Cereal grains [except sweet corns] | 2 | Cereal grains [except sweet corns] | 2 |
| Edible offal (mammalian) | *0.01 | Edible offal (mammalian) | *0.01 |
| Meat (mammalian) (in the fat) | 0.3 | Meat (mammalian) (in the fat) | 0.3 |
| Peanut | 5 | Peanut | 5 |
| Soya bean (dry) | 3 | Soya bean (dry) | 3 |
| Wheat bran, unprocessed | 5 | Wheat bran, unprocessed | 5 |
| Wheat germ | 10 | Wheat germ | 10 |

| | | | |
|---|-------|---|--------|
| Agvet chemical: Methoxyfenozide | | Agvet chemical: Methyl benzoquate | |
| <i>Permitted residue: Methoxyfenozide</i> | | <i>Permitted residue: Methyl benzoquate</i> | |
| All other foods except animal food commodities | 0.03 | Poultry, edible offal of | 0.1 |
| Almonds | 0.2 | Poultry meat | 0.1 |
| Avocado | 0.5 | Agvet chemical: Methyl bromide | |
| Basil, dry | 400 | <i>Permitted residue: Methyl bromide</i> | |
| Basil, leaves | 80 | Cereal grains [except sweet corns] | 50 |
| Blueberries | 2 | Chives | *0.05 |
| Celery | 15 | Cucumber | *0.05 |
| Chick-pea (dry) | 2 | Dried fruits | *0.05 |
| Citrus fruits | 3 | Fruit [except jackfruit; litchi; mango; papaya] | T*0.05 |
| Coffee beans | 0.2 | Herbs | *0.05 |
| Cotton seed | 2 | Jackfruit | *0.05 |
| Cranberry | 0.5 | Litchi | *0.05 |
| Cucumber | T2 | Mango | *0.05 |
| Custard apple | 0.3 | Papaya (pawpaw) | *0.05 |
| Dried grapes | 6 | Peppers, sweet | *0.05 |
| Edible offal (mammalian) | 0.05 | Spices | *0.05 |
| Eggs | *0.01 | Sweet corns | T*0.05 |
| Fruiting vegetables, other than cucurbits | 3 | Vegetables [except cucumber; peppers, sweet] | T*0.05 |
| Fungi, edible (except mushrooms) | 3 | Agvet chemical: Methyl isothiocyanate | |
| Grapes | 2 | <i>Permitted residue: Methyl isothiocyanate</i> | |
| Kiwifruit | 2 | Barley | T0.1 |
| Lettuce, head | T30 | Rape seed (canola) | T0.1 |
| Lettuce, leaf | T30 | Wheat | T0.1 |
| Litchi | 2 | Agvet chemical: Metiram | |
| Longan | 2 | <i>see Dithiocarbamates</i> | |
| Macadamia nuts | 0.05 | Agvet chemical: Metobromuron | |
| Maize | *0.02 | <i>Permitted residue: Commodities of plant origin: Sum of metobromuron and 4-bromophenylurea (CGA18237), expressed as metobromuron</i> | |
| Mango | T0.5 | <i>Permitted residue: Commodities of animal origin: Sum of 4-bromo-2-hydroxyphenylurea (CGA 72905) and 4-bromophenyl urea (CGA18237), expressed as metobromuron</i> | |
| Meat (mammalian) (in the fat) | 0.1 | Edible offal (mammalian) | *0.02 |
| Milks | *0.01 | Eggs | *0.02 |
| Mung bean (dry) | 0.5 | Meat (mammalian) | *0.02 |
| Mushrooms | 3 | Milks | *0.02 |
| Peppers, chili, dried | 20 | Poultry, edible offal of | *0.02 |
| Persimmon, American | 1 | Poultry meat | *0.02 |
| Persimmon, Japanese | 1 | Potato | *0.02 |
| Plums (including prunes) | 0.3 | | |
| Podded pea (young pods) (snow and sugar snap) | T3 | | |
| Pome fruits [except Persimmon, Japanese] | 0.5 | | |
| Poultry, edible offal of | *0.01 | | |
| Poultry meat (in the fat) | *0.01 | | |
| Raspberries, red, black | 6 | | |
| Soya bean (dry) | 0.9 | | |
| Stone fruits [except jujube, Chinese; plums (including prunes)] | 3 | | |
| Sugar cane, molasses | 0.1 | | |
| Sweet corn (corn-on-the-cob) | T0.05 | | |
| Tea, green, black | 80 | | |

| | | | |
|---|--------|---|-------|
| Agvet chemical: Metolachlor | | Sugar cane | *0.05 |
| <i>Permitted residue: Metolachlor</i> | | Sunflower seed | *0.05 |
| Adzuki bean (dry) | *0.05 | Sweet corn (kernels) | 0.1 |
| All other foods except animal food commodities | 0.02 | Sweet potato | *0.2 |
| Beetroot | T0.7 | Tomato | 0.1 |
| Beetroot leaves | T15 | Turmeric, root | 0.5 |
| Bergamot | T*0.05 | Agvet chemical: Metosulam | |
| Blueberries | 0.15 | <i>Permitted residue: Metosulam</i> | |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | *0.02 | Cereal grains [except sweet corns] | *0.02 |
| Brassica leafy vegetables | *0.01 | Edible offal (mammalian) | *0.01 |
| Broccoli, Chinese (Gai lan) | *0.02 | Eggs | *0.01 |
| Bulb onions (subgroup) | 0.1 | Lupin (dry) | *0.02 |
| Celeriac | T*0.2 | Meat (mammalian) | *0.01 |
| Celery | T0.05 | Milks | *0.01 |
| Cereal grains [except maize; sorghum, grain; sweet corns] | *0.02 | Poppy seed | *0.01 |
| Chard (silver beet) | *0.01 | Poultry, edible offal of | *0.01 |
| Chervil | *0.05 | Poultry meat | *0.01 |
| Coriander (leaves, stems) | *0.05 | Agvet chemical: Metrafenone | |
| Coriander, roots | 0.5 | <i>Permitted residue: Metrafenone</i> | |
| Coriander, seed | *0.05 | All other foods except animal food commodities | 0.05 |
| Cotton seed | *0.01 | Apple | 1.5 |
| Dill, seed | *0.05 | Apricot | 0.7 |
| Edible offal (mammalian) | *0.05 | Barley | 0.5 |
| Eggs | *0.01 | Cherries | 2 |
| Fennel, seed | *0.05 | Dried grapes (currants, raisins and sultanas) | 17 |
| Fruiting vegetables, cucurbits | *0.05 | Edible offal (mammalian) | *0.05 |
| Galangal, Greater | 0.5 | Eggs | *0.05 |
| Green onions | 2 | Fruiting vegetables, cucurbits | 0.2 |
| Herbs | *0.05 | Grapes | 7 |
| Lemon verbena (dry leaves) | *0.05 | Hops, dry | 70 |
| Maize | 0.1 | Meat (mammalian) (in the fat) | *0.05 |
| Meat (mammalian) | *0.05 | Milks | *0.01 |
| Milks | *0.05 | Mushrooms | T0.5 |
| Mizuna | *0.05 | Nectarine | 0.7 |
| Mung bean (dry) | T*0.05 | Oats | 0.6 |
| Mustard seeds | *0.02 | Peach | 0.7 |
| Peanut | 0.2 | Peppers, chili | 2 |
| Potato | 0.2 | Peppers, chili, dried | 20 |
| Poultry, edible offal of | *0.01 | Peppers, sweet (including pimento and pimiento) | 2 |
| Poultry meat | *0.01 | Poultry, edible offal of | *0.05 |
| Pulses [except soya beans (dry); adzuki beans (dry)] | *0.01 | Poultry meat (in the fat) | *0.05 |
| Rape seed (canola) | *0.02 | Strawberry | 0.6 |
| Rhubarb | *0.05 | Tomato | 0.9 |
| Rose and dianthus (edible flowers) | *0.05 | Wheat | 0.06 |
| Rucola (rocket) | *0.05 | Wheat bran, processed | T0.3 |
| Safflower seed | *0.05 | Agvet chemical: Metribuzin | |
| Sesame seed | T*0.02 | <i>Permitted residue: Metribuzin</i> | |
| Sorghum, grain | *0.05 | All other foods except animal food commodities | 0.05 |
| Soya bean (dry) | *0.05 | | |
| Spinach | *0.01 | | |
| Spring onion | *0.01 | | |

| | | | |
|--|---------|--------------|---------|
| Asparagus | 0.2 | Milks | *0.0005 |
| Carrot | T0.3 | Mushrooms | 0.02 |
| Cereal grains [except sweet corns] | *0.05 | Pome fruits | 0.03 |
| Edible offal (mammalian) | *0.05 | Stone fruits | 0.1 |
| Eggs | *0.05 | Strawberry | 0.2 |
| Ginger root | T*0.01 | Sweet corns | 0.02 |
| Meat (mammalian) | *0.05 | | |
| Milks | *0.05 | | |
| Mustard seeds | T*0.02 | | |
| Peas [except peas, shelled] | T*0.05 | | |
| Peas, shelled | *0.05 | | |
| Pineapple | *0.01 | | |
| Potato | 0.6 | | |
| Poultry, edible offal of | *0.05 | | |
| Poultry meat | *0.05 | | |
| Pulses [except soya bean (dry)] | *0.01 | | |
| Rape seed (canola) | *0.02 | | |
| Soya bean (dry) | *0.05 | | |
| Sugar cane | *0.02 | | |
| Sugar cane molasses | 0.1 | | |
| Tomato | 0.1 | | |
| <hr/> | | | |
| Agvet chemical: Metsulfuron-methyl | | | |
| <i>Permitted residue: Metsulfuron-methyl</i> | | | |
| Cereal grains [except sweet corns] | *0.02 | | |
| Chick-pea (dry) | T*0.05 | | |
| Edible offal (mammalian) | *0.1 | | |
| Linseed | *0.02 | | |
| Meat (mammalian) | *0.1 | | |
| Milks | *0.1 | | |
| Mung bean (dry) | 0.2 | | |
| Poppy seed | *0.01 | | |
| Safflower seed | *0.02 | | |
| <hr/> | | | |
| Agvet chemical: Mevinphos | | | |
| <i>Permitted residue: Mevinphos</i> | | | |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.05 | | |
| Broccoli, Chinese (Gai lan) | 0.05 | | |
| Edible offal (mammalian) | *0.05 | | |
| Meat (mammalian) | *0.05 | | |
| Milks | *0.05 | | |
| <hr/> | | | |
| Agvet chemical: Milbemectin | | | |
| <i>Permitted residue: Sum of milbemycin MA₃ and milbemycin MA₄ and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄</i> | | | |
| Edible offal (mammalian) | *0.002 | | |
| Fruiting vegetables, other than cucurbits | 0.02 | | |
| Fungi, edible (except mushrooms) | 0.02 | | |
| Hops, dry | *0.2 | | |
| Meat (mammalian) (in the fat) | *0.002 | | |
| Milk fats | *0.0005 | | |
| <hr/> | | | |
| Agvet chemical: Molinate | | | |
| <i>Permitted residue: Molinate</i> | | | |
| Rice | | *0.05 | |
| <hr/> | | | |
| Agvet chemical: Monensin | | | |
| <i>Permitted residue: Monensin</i> | | | |
| Cattle, edible offal of | | *0.05 | |
| Cattle meat | | *0.05 | |
| Cattle milk | | *0.01 | |
| Goat, edible offal of | | *0.05 | |
| Goat meat | | *0.05 | |
| Poultry, edible offal of | | *0.5 | |
| Poultry meat (in the fat) | | *0.5 | |
| Sheep fat | | 0.07 | |
| Sheep kidney | | 0.015 | |
| Sheep liver | | 0.2 | |
| Sheep muscle | | 0.005 | |
| <hr/> | | | |
| Agvet chemical: Monepantel | | | |
| <i>Permitted residue: Monepantel</i> | | | |
| Cattle fat | | 7 | |
| Cattle kidney | | 1 | |
| Cattle liver | | 2 | |
| Cattle meat | | 0.3 | |
| Milks | | *0.05 | |
| Sheep fat | | 7 | |
| Sheep kidney | | 2 | |
| Sheep muscle | | 0.7 | |
| Sheep liver | | 5 | |
| <hr/> | | | |
| Agvet chemical: Morantel | | | |
| <i>Permitted residue: Morantel</i> | | | |
| Cattle, edible offal of | | 2 | |
| Goat, edible offal of | | 2 | |
| Meat (mammalian) | | 0.3 | |
| Milks | | *0.1 | |
| Pig, edible offal of | | 5 | |
| Sheep, edible offal of | | 2 | |
| <hr/> | | | |
| Agvet chemical: Moxidectin | | | |
| <i>Permitted residue: Moxidectin</i> | | | |
| Cattle, edible offal of | | 0.5 | |
| Cattle meat (in the fat) | | 1 | |
| Cattle milk (in the fat) | | 2 | |
| Deer meat (in the fat) | | 1 | |

| | |
|-------------------------|-------|
| Deer, edible offal of | 0.2 |
| Goat meat (in the fat) | T0.5 |
| Goat, edible offal of | T0.05 |
| Sheep, edible offal of | 0.05 |
| Sheep meat (in the fat) | 0.5 |

Agvet chemical: MSMA

Permitted residue: Total arsenic, expressed as MSMA

| | |
|------------|-----|
| Sugar cane | 0.3 |
|------------|-----|

Agvet chemical: Myclobutanil

Permitted residue: Myclobutanil

| | |
|---|-------|
| All other foods except animal food commodities | 0.05 |
| Asparagus | T0.02 |
| Cane berries | 2 |
| Cherries | 5 |
| Edible offal (mammalian) | *0.01 |
| Grapes | 1 |
| Hops, dry | 10 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Peppers | 3 |
| Peppers, chili, dried | 20 |
| Pome fruits [except Persimmon, Japanese] | 0.5 |
| Stone fruits [except cherries; jujube, Chinese] | 2 |
| Strawberry | 2 |

Agvet chemical: Naled

Permitted residue: Sum of naled and dichlorvos, expressed as naled

| | |
|-----------|-----|
| Hops, dry | 0.5 |
|-----------|-----|

Agvet chemical: Naphthalene acetic acid

Permitted residue: 1-Naphthalene acetic acid

| | |
|-----------|--------|
| Apple | 1 |
| Pear | 1 |
| Pineapple | 1 |
| Rambutan | T*0.05 |

Agvet chemical: Naphthalophos

Permitted residue: Naphthalophos

| | |
|------------------------|-------|
| Sheep, edible offal of | *0.01 |
| Sheep meat | *0.01 |

Agvet chemical: Napropamide

Permitted residue: Napropamide

| | |
|--|------|
| All other foods except animal food commodities | 0.02 |
| Almonds | *0.1 |

| | |
|---|--------|
| Basil | T*0.1 |
| Berries and other small fruits | *0.1 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | T*0.1 |
| Broccoli, Chinese (Gai lan) | T*0.1 |
| Edible offal (mammalian) | *0.08 |
| Eggs | *0.08 |
| Meat (mammalian) | *0.08 |
| Milks | *0.08 |
| Mustard seeds | T*0.01 |
| Poultry, edible offal of | *0.08 |
| Poultry meat | *0.08 |
| Rape seed (canola) | *0.01 |
| Stone fruits | *0.1 |
| Tomato | *0.1 |

Agvet chemical: Narasin

Permitted residue: Narasin

| | |
|--------------------------|------|
| Cattle, edible offal of | 0.05 |
| Cattle meat | 0.05 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |

Agvet chemical: Neomycin

Permitted residue: Inhibitory substance, identified as neomycin

| | |
|---|------|
| Eggs | T0.5 |
| Fats (mammalian) [except milk fats] | T0.5 |
| Kidney of cattle, goats, pigs and sheep | T10 |
| Liver of cattle, goats, pigs and sheep | T0.5 |
| Meat (mammalian) | T0.5 |
| Milks | T1.5 |
| Poultry kidney | T10 |
| Poultry liver | T0.5 |
| Poultry meat | T0.5 |

Agvet chemical: Netobimin

see *Albendazole*

Agvet chemical: Nicarbazin

Permitted residue: 4,4'-dinitrocarbanilide (DNC)

| | |
|------------------|-----|
| Chicken fat/skin | 10 |
| Chicken kidney | 20 |
| Chicken liver | 35 |
| Chicken muscle | 5 |
| Eggs | 0.3 |

Agvet chemical: Niclosamide

Permitted residue: Niclosamide

| | |
|--------------------------|--------|
| Edible offal (mammalian) | T*0.01 |
| Eggs | T*0.01 |
| Meat (mammalian) | T*0.01 |

| | |
|--------------------------|--------|
| Milks | T*0.01 |
| Poultry, edible offal of | T*0.01 |
| Poultry meat | T*0.01 |
| Rice | T*0.01 |

Agvet chemical: Nitrothal-isopropyl

Permitted residue: Nitrothal-isopropyl

| | |
|-------|---|
| Apple | 1 |
|-------|---|

Agvet chemical: Nitroxynil

Permitted residue: Nitroxynil

| | |
|-------------------------|------|
| Cattle, edible offal of | 1 |
| Cattle meat | 1 |
| Cattle milk | T0.5 |
| Goat, edible offal of | 1 |
| Goat meat | 1 |
| Sheep, edible offal of | 1 |
| Sheep meat | 1 |

Agvet chemical: Norflurazon

Permitted residue: Norflurazon

| | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Asparagus | 0.05 |
| Citrus fruits [except kumquats] | 0.2 |
| Cotton seed | 0.1 |
| Cranberry | 0.1 |
| Edible offal (mammalian) | 0.3 |
| Eggs | *0.02 |
| Fats (mammalian) | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Grapes | 0.1 |
| Hops, dry | 3 |
| Pome fruits | *0.2 |
| Poultry, edible offal of | *0.02 |
| Poultry fats | *0.02 |
| Poultry meat | *0.02 |
| Stone fruits | *0.2 |
| Tree nuts | *0.2 |

Agvet chemical: Norgestomet

Permitted residue: Norgestomet

| | |
|--------------------------|---------|
| Edible offal (mammalian) | *0.0001 |
| Meat (mammalian) | *0.0001 |

Agvet chemical: Novaluron

Permitted residue: Novaluron

| | |
|--|-----|
| All other foods except animal food commodities | 0.1 |
| Apple | 0.3 |
| Blueberries | 7 |

| | |
|---|-------|
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.3 |
| Broccoli, Chinese (Gai lan) | 0.3 |
| Cherries | 8 |
| Chinese cabbage (Pe-tsai) | 5 |
| Cotton seed | T1 |
| Cotton seed oil, crude | T2 |
| Cranberry | 0.45 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, other than cucurbits | 0.2 |
| Fungi, edible (except mushrooms) | 0.2 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 5 |
| Meat (mammalian) (in the fat) | 0.1 |
| Milk fats | 0.2 |
| Milks | *0.01 |
| Mushrooms | 0.2 |
| Pear | 0.3 |
| Peppers, chili, sweet | 0.7 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Stone fruits [except cherries] | 0.5 |
| Strawberry | 0.5 |
| Sweet corns | 0.2 |

Agvet chemical: Novobiocin

Permitted residue: Novobiocin

| | |
|-------------------------|------|
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Cattle milk | *0.1 |

Agvet chemical: ODB

Permitted residue: 1,2-dichlorobenzene

| | |
|-------------------------|-------|
| Sheep, edible offal of | *0.01 |
| Sheep meat (in the fat) | *0.01 |

Agvet chemical: Olaquinox

Permitted residue: Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxaline, expressed as olaquinox

| | |
|----------------------|-----|
| Pig, edible offal of | 0.3 |
| Pig meat | 0.3 |

Agvet chemical: Oleandomycin

Permitted residue: Oleandomycin

| | |
|--------------------------|------|
| Edible offal (mammalian) | *0.1 |
| Meat (mammalian) | *0.1 |

Agvet chemical: Omethoate*Permitted residue: Omethoate*see also *Dimethoate*

| | |
|--|--------|
| Abiu | 2 |
| Asparagus | *0.002 |
| Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; pineapple] | 2 |
| Avocado | 0.1 |
| Beetroot | *0.05 |
| Blackberries | T3 |
| Cactus fruit | 2 |
| Cereal grains | *0.05 |
| Citrus fruits | 0.5 |
| Cottonseed | *0.05 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.05 |
| Eggplant | T0.07 |
| Legume vegetables | 1 |
| Mango | 0.1 |
| Meat (mammalian) | *0.05 |
| Melons [except watermelon] | 0.2 |
| Milks | *0.05 |
| Oilseed [except cottonseed; peanut] | 0.05 |
| Olives for oil production | T2 |
| Olive oil, refined | T0.01 |
| Onion, bulb | 0.5 |
| Palm nuts | 0.05 |
| Peanut | *0.01 |
| Peppers, sweet | 0.3 |
| Pineapple | 0.03 |
| Potato | 0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.1 |
| Raspberries, red, black | T3 |
| Rhubarb | 0.3 |
| Rollinia | 2 |
| Santols | 2 |
| Squash, summer (zucchini) | 0.2 |
| Strawberry | *0.01 |
| Sweet potato | 0.05 |
| Tomato | 0.02 |
| Turnip, garden | *0.1 |
| Vaccinium berries (including bearberry) [except cranberry] | T2 |
| Watermelon | 0.2 |
| Wheat bran, processed | 0.05 |

Agvet chemical: OPPsee *2-phenylphenol***Agvet chemical: Oryzalin***Permitted residue: Oryzalin*

| | |
|---|-------|
| All other foods except animal food commodities | 0.02 |
| Cereal grains [except sweet corns] | *0.01 |
| Coffee beans | T0.1 |
| Fruit | 0.1 |
| Ginger root | *0.05 |
| Mustard seeds | *0.05 |
| Rape seed (canola) | *0.05 |
| Tree nuts | 0.1 |

Agvet chemical: Oxabetrinil*Permitted residue: Oxabetrinil*

| | |
|--------------------------|-------|
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Meat (mammalian) | *0.1 |
| Milks | *0.05 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |

Agvet chemical: Oxadixyl*Permitted residue: Oxadixyl*

| | |
|---|-----|
| All other foods except animal food commodities | 0.1 |
| Chinese cabbage (Pe-tsai) | T5 |
| Fruiting vegetables, cucurbits | 0.5 |
| Grapes | 2 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | T5 |
| Onion, bulb | 0.5 |

Agvet chemical: Oxamyl*Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl*

| | |
|---|-------|
| All other foods except animal food commodities | 0.05 |
| Banana | 0.2 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Peanut | 0.05 |
| Peppers, sweet | 1 |
| Peppers, chilli | *0.01 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.02 |
| Poultry fats | *0.02 |
| Poultry meat | *0.02 |
| Sweet potato | 0.2 |
| Tomato | *0.05 |

| Agvet chemical: Oxathiapiprolin | |
|---|-------|
| <i>Permitted residue: Oxathiapiprolin</i> | |
| All other foods except animal food commodities | 0.02 |
| Avocado | 0.1 |
| Basil | 10 |
| Basil, dry | T90 |
| Blueberries | 0.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Bulb vegetables [except chives; onion, bulb] | 2 |
| Cane berries | 0.5 |
| Cardoon | 15 |
| Citrus fruits [except kumquats] | 0.06 |
| Citrus oil, edible | 3 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fennel, bulb | 2 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 0.5 |
| Fungi, edible (except mushrooms) | 0.5 |
| Grapes | 0.9 |
| Hops, dried cones | 5 |
| Leafy vegetables (including brassica leafy vegetables) [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory] | 15 |
| Lettuce, head | 2 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Mushrooms | 0.5 |
| Onion, bulb | 0.04 |
| Peas (pods and succulent, immature seeds) | 1 |
| Peas, shelled (succulent seeds) | 0.05 |
| Peppers, chili, dried | 4 |
| Pomegranate | 0.1 |
| Poppy seed | *0.01 |
| Potato | 0.04 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Poultry meat (in the fat) | *0.01 |
| Root and tuber vegetables [except beetroot; carrot; celeriac; chicory, roots; horseradish; parsnip; radish, japanese; salsify; scorzonera; sugar beet; swede; turnip, garden] | 0.04 |
| Strawberry | 0.4 |
| Sweet corns (subgroup) | 0.5 |
| Tree nuts | 0.01 |
| Young shoots | 2 |

| Agvet chemical: Oxfendazole | |
|--|-------|
| <i>Permitted residue: Oxfendazole</i> | |
| Edible offal (mammalian) | 3 |
| Meat (mammalian) | *0.1 |
| Milks | 0.1 |
| Agvet chemical: Oxycarboxin | |
| <i>Permitted residue: Oxycarboxin</i> | |
| Beans [except broad bean; soya bean] | 5 |
| Blueberries | T10 |
| Broad bean (green pods and immature seeds) | 5 |
| Agvet chemical: Oxyclozanide | |
| <i>Permitted residue: Oxyclozanide</i> | |
| Cattle, edible offal of | 2 |
| Cattle meat | 0.5 |
| Goat, edible offal of | 2 |
| Goat meat | 0.5 |
| Milks | 0.05 |
| Sheep, edible offal of | 2 |
| Sheep meat | 0.5 |
| Agvet chemical: Oxyfluorfen | |
| <i>Permitted residue: Oxyfluorfen</i> | |
| All other foods except animal food commodities | 0.05 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | *0.01 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | *0.05 |
| Broccoli, Chinese (Gai lan) | *0.05 |
| Bulb vegetables [except chives] | *0.05 |
| Cereal grains [except sweet corns] | *0.05 |
| Coffee beans | T0.05 |
| Cotton seed | *0.05 |
| Edible offal (mammalian) | *0.01 |
| Eggs | 0.05 |
| Fennel, bulb | *0.05 |
| Grapes | 0.05 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Olives | 1 |
| Pome fruits | 0.05 |
| Poultry, edible offal of | *0.01 |
| Poultry meat (in the fat) | 0.2 |
| Stone fruits | 0.05 |
| Tree nuts | 0.05 |

| Agvet chemical: Oxytetracycline | |
|---|------|
| <i>Permitted residue: Inhibitory substance, identified as oxytetracycline</i> | |
| Fish | T0.2 |
| Honey | 0.3 |
| Kidney of cattle, goats, pigs and sheep | 0.6 |
| Liver of cattle, goats, pigs and sheep | 0.3 |
| Meat (mammalian) | 0.1 |
| Milks | 0.1 |
| Poultry, edible offal of | 0.6 |
| Poultry meat | 0.1 |

| Agvet chemical: Paclobutrazol | |
|--|--------|
| <i>Permitted residue: Paclobutrazol</i> | |
| All other foods except animal food commodities | 0.01 |
| Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; tamarillo (tree tomato)] | *0.01 |
| Avocado | 0.1 |
| Fruiting vegetables, cucurbits | T*0.01 |
| Fruiting vegetables, other than cucurbits | T*0.01 |
| Mango | T1 |
| Pome fruits [except Persimmon, Japanese] | 1 |
| Potato | T*0.01 |
| Stone fruits | *0.01 |

| Agvet chemical: Paracetamol | |
|---------------------------------------|------|
| <i>Permitted residue: Paracetamol</i> | |
| Pig fat/skin | *0.1 |
| Pig kidney | *0.1 |
| Pig liver | *0.1 |
| Pig muscle | *0.1 |

| Agvet chemical: Paraquat | |
|--|-------|
| <i>Permitted residue: Paraquat cation</i> | |
| Cacao bean | 0.05 |
| Cereal grains [except as otherwise listed under this chemical] | *0.05 |
| Cotton seed | 0.2 |
| Cotton seed oil, edible | 0.05 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.01 |
| Fruit [except olives] | *0.05 |
| Hops, dry | 0.5 |
| Maize | 0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Oilseed [except cotton seed] | *0.05 |
| Olives | 1 |
| Palm nuts | *0.05 |

| | |
|------------------------------------|-------|
| Peanut | *0.05 |
| Potato | 0.2 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 1 |
| Rice | 10 |
| Rice, polished | 0.5 |
| Sugar cane | *0.05 |
| Tree nuts | *0.05 |
| Vegetables [except potato; pulses] | *0.05 |

| Agvet chemical: Penconazole | |
|--|------|
| <i>Permitted residue: Penconazole</i> | |
| All other foods except animal food commodities | 0.02 |
| Brussels sprouts | 0.05 |
| Chives | 0.05 |
| Grapes | 0.1 |
| Herbs | 0.05 |
| Pome fruits | 0.1 |
| Raspberries, red, black | 0.1 |
| Spices | 0.1 |
| Strawberries | 0.5 |
| Tea, green, black | 0.1 |

| Agvet chemical: Pencycuron | |
|--------------------------------------|------|
| <i>Permitted residue: Pencycuron</i> | |
| Potato | 0.05 |

| Agvet chemical: Pendimethalin | |
|--|--------|
| <i>Permitted residue: Pendimethalin</i> | |
| All other foods except animal food commodities | 0.02 |
| Artichoke, globe | 0.05 |
| Asparagus | 0.15 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | *0.05 |
| Barley | *0.05 |
| Berries and other small fruits [except blueberries] | *0.05 |
| Blueberries | 0.1 |
| Brassica leafy vegetables (except Broccoli, Chinese (Gai lan)) | 0.2 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | *0.05 |
| Broccoli, Chinese (Gai lan) | *0.05 |
| Bulb vegetables [except chives; leek] | *0.05 |
| Carrot | T0.3 |
| Celery | 0.09 |
| Cherries (subgroup) | 0.1 |
| Chinese cabbage (Pe-tsai) | *0.05 |
| Citrus fruits | *0.05 |
| Date | T*0.05 |

| | | | |
|---|--------|---|--------|
| Edible offal (mammalian) | *0.01 | Poultry meat (in the fat) | *0.01 |
| Eggs | *0.01 | Rape seed (canola) | *0.01 |
| Fennel, bulb | *0.05 | Soya bean (dry) | T*0.01 |
| Fruiting vegetables, other than cucurbits | *0.05 | | |
| Hops, dry | *0.1 | | |
| Leafy vegetables [except brassica leafy vegetables; lettuce, leaf; witloof chicory] | *0.05 | | |
| Leek | 0.3 | | |
| Legume vegetables | T0.2 | | |
| Lettuce, leaf | 4 | | |
| Maize | *0.05 | | |
| Meat (mammalian) | *0.01 | | |
| Melons, including watermelon | 0.1 | | |
| Mints | 0.2 | | |
| Milk | *0.01 | | |
| Oats | T*0.05 | | |
| Oilseed | *0.05 | | |
| Olives | *0.05 | | |
| Palm nuts | *0.05 | | |
| Parsley | T*0.05 | | |
| Parsley, leaves | 1.5 | | |
| Peanut | 0.1 | | |
| Peppermint oil, edible | 6 | | |
| Peppers, sweet | *0.05 | | |
| Pome fruits | *0.05 | | |
| Poultry, edible offal of | *0.01 | | |
| Poultry meat | *0.01 | | |
| Pulses | *0.05 | | |
| Rice | *0.05 | | |
| Root and tuber vegetables [except carrot] | *0.05 | | |
| Sorghum, grain | 0.1 | | |
| Stone fruits [except cherries (subgroup)] | *0.05 | | |
| Sugar cane | *0.05 | | |
| Sweet corn (corn-on-the-cob) | *0.05 | | |
| Tomato | *0.05 | | |
| Tree nuts | *0.05 | | |
| Wheat | *0.05 | | |
| Agvet chemical: Penflufen | | | |
| <i>Permitted residue: Penflufen</i> | | | |
| Cereal grains [except sweet corns] | *0.01 | All other foods except animal food commodities | 0.05 |
| Chick-pea (dry) | T*0.01 | Bayberries | T5 |
| Cotton seed | *0.01 | Bayberry, red | T5 |
| Edible offal (mammalian) | *0.01 | Brassica leafy vegetables (except broccoli, Chinese (Gai lan)) | 70 |
| Eggs | *0.01 | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 7 |
| Lentil (dry) | T*0.01 | Broccoli, Chinese (Gai lan) | 7 |
| Lupin (dry) | T*0.01 | Bush berries | 7 |
| Meat (mammalian) (in the fat) | *0.01 | Cane berries | 10 |
| Milks | *0.01 | Celery | 15 |
| Milk fats | *0.01 | Chinese cabbage (Pe-tsai) | 50 |
| Mustard seeds | T*0.01 | Cranberry | 3 |
| Potato | *0.01 | Edible offal (mammalian) | *0.01 |
| Poultry, edible offal of | *0.01 | Eggs | *0.01 |
| | | Elderberries | 7 |
| | | Fruiting vegetables, cucurbits | 1 |
| | | Fruiting vegetables, other than cucurbits | 5 |
| | | Fungi, edible (except mushrooms) | 5 |
| | | Guelder rose | 7 |
| | | Leafy vegetables [except brassica leafy vegetables; lettuce, head; witloof chicory] | 50 |
| | | Lettuce, head | 10 |
| | | Meat (mammalian) | *0.01 |
| | | Milks | *0.01 |
| | | Mushrooms | 5 |
| | | Onion, bulb | 1 |
| | | Onion, Welsh | 5 |
| | | Peppers, chili, dried | 14 |
| | | Pome fruits | 0.5 |
| | | Potato | 0.1 |
| | | Poultry, edible offal of | *0.01 |
| | | Poultry meat | *0.01 |
| | | Root and tuber vegetables [except potato] | 2 |
| | | Shallot | 5 |
| | | Spring onion | 5 |
| | | Stone fruits | 5 |
| | | Strawberry | 5 |
| | | Sweet corns | 5 |
| | | Tree nuts | 0.1 |

| | | | |
|---|-------|---|--------|
| Agvet chemical: Permethrin | | Edible offal (mammalian) | *0.1 |
| <i>Permitted residue: Permethrin, sum of isomers</i> | | Leafy vegetables [except broccoli, Chinese (Gai lan); chard (silver beet); witloof chicory] | T1 |
| All other foods except animal food commodities | 0.05 | Meat (mammalian) | *0.1 |
| Almonds | 0.05 | Milks | *0.1 |
| Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)] | 1 | Radicchio | T1 |
| Broccoli, Chinese (Gai lan) | 1 | Strawberry | 0.3 |
| Brussels sprouts | 2 | <hr/> | |
| Celery | 5 | Agvet chemical: 2-Phenylphenol | |
| Cereal grains [except sweet corn (corn-on-the-cob)] | 2 | <i>Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol</i> | |
| Cherries | 4 | All other foods except animal food commodities | 0.1 |
| Chervil | T30 | Citrus fruits | 10 |
| Chives | T30 | <hr/> | |
| Common bean (dry) (navy bean) | 0.1 | Agvet chemical: Phorate | |
| Common bean (pods and/or immature seeds) | 0.5 | <i>Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate</i> | |
| Coriander (leaves, roots, stems) | T30 | Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; broccoli; cauliflower; Chinese cabbage (Pe-tsai); head cabbages] | T*0.01 |
| Edible offal (mammalian) | 0.5 | Broccoli | 0.5 |
| Eggs | 0.1 | Cabbages, head | 0.5 |
| Herbs | T30 | Carrot | 0.5 |
| Lettuce, head | 5 | Cauliflower | 0.5 |
| Lettuce, leaf | 5 | Celery | T*0.01 |
| Linseed | 0.1 | Coriander (leaves, roots, stems) | T*0.01 |
| Meat (mammalian) (in the fat) | 1 | Coriander, seed | 0.1 |
| Milks | 0.05 | Cotton seed | 0.5 |
| Mushrooms | 2 | Edible offal (mammalian) | *0.05 |
| Mustard seeds | T0.2 | Eggplant | 0.5 |
| Nectarine | 2 | Eggs | *0.05 |
| Peach | 1 | Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | T*0.01 |
| Peas | 1 | Meat (mammalian) | *0.05 |
| Peppers, chili, dried | 10 | Milks | *0.05 |
| Poppy seed | T0.2 | Onion, bulb | 0.5 |
| Potato | 0.05 | Onion, Welsh | 0.5 |
| Poultry meat (in the fat) | 0.1 | Parsley | T*0.01 |
| Rape seed (canola) | 0.2 | Peanut | 0.1 |
| Rhubarb | 1 | Peppers | 0.5 |
| Sugar cane | *0.1 | Potato | 0.5 |
| Sweet corn (corn-on-the-cob) | *0.05 | Poultry, edible offal of | *0.05 |
| Tea, green, black | 0.1 | Poultry meat | *0.05 |
| Tomato | 0.4 | Shallot | 0.5 |
| Wheat bran, unprocessed | 5 | Spring onion | 0.5 |
| Wheat germ | 2 | Sweet potato | 0.5 |
| | | Tomato | 0.5 |
| <hr/> | | <hr/> | |
| Agvet chemical: Phenmedipham | | | |
| <i>Permitted residue—commodities of plant origin: Phenmedipham</i> | | | |
| <i>Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate</i> | | | |
| All other foods except animal food commodities | 0.02 | | |
| Beetroot | 0.5 | | |
| Chard (silver beet) | 2 | | |
| Chinese cabbage (Pe-tsai) | T1 | | |

Agvet chemical: Phosmet

Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet

| | |
|---|-------|
| All other foods except animal food commodities | 0.05 |
| Blueberries | 10 |
| Cattle, edible offal of | 1 |
| Cattle meat (in the fat) | 1 |
| Cereal grains [except sweet corns] | *0.05 |
| Cranberry | 10 |
| Currants, black, red, white | 2 |
| Goat, edible offal of | *0.05 |
| Goat meat | *0.05 |
| Grapes | 10 |
| Lemon | 5 |
| Mandarins | 5 |
| Milks (in the fat) | 0.2 |
| Oranges | 3 |
| Pig, edible offal of | 0.1 |
| Pig meat | 0.1 |
| Sheep, edible offal of | *0.05 |
| Sheep meat | *0.05 |
| Stone fruits [except cherries; jujube, Chinese] | 5 |

Agvet chemical: Phosphine

Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)

| | |
|--|--------|
| All other foods except animal food commodities | *0.01 |
| Cereal grains [except sweet corns] | *0.1 |
| Citrus fruits [except kumquats] | *0.01 |
| Dried foods [except as otherwise listed under this chemical] | *0.01 |
| Dried fruits | *0.01 |
| Dried vegetables | *0.01 |
| Garlic | T*0.01 |
| Honey | *0.01 |
| Oilseed [except peanut] | *0.01 |
| Peanut | 0.1 |
| Pulses | *0.01 |
| Seed for beverages | T*0.01 |
| Spices | *0.01 |
| Sugar cane | *0.01 |
| Tree nuts | *0.01 |

Agvet chemical: Phosphorous acid

Permitted residue: Phosphorous acid

| | |
|---|------|
| Avocado | 500 |
| Basil | T300 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai); flowerhead brassicas] | T1 |
| Broccoli, Chinese (Gai lan) | T1 |

| | |
|--|------|
| Bulb vegetables [except chives] | T10 |
| Chinese cabbage (Pe-tsai) | T150 |
| Citrus fruits | 100 |
| Coriander (leaves, roots, stems) | T300 |
| Custard apple | 500 |
| Edible offal (mammalian) | 5 |
| Fennel, bulb | T10 |
| Fennel, leaf | T300 |
| Flowerhead brassicas | 50 |
| Fruiting vegetables, cucurbits | T100 |
| Fruiting vegetables, other than cucurbits | T100 |
| Fungi, edible (except mushrooms) | T100 |
| Galangal, rhizomes | T100 |
| Ginger, root | T100 |
| Grapes | 200 |
| Hops, dry | 2000 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | T150 |
| Meat (mammalian) | 1 |
| Mushrooms | T100 |
| Papaya [pawpaw] | T100 |
| Parsley | T300 |
| Passionfruit | T500 |
| Peach | 100 |
| Peas, shelled | T100 |
| Pineapple | T20 |
| Poppy seed | 1 |
| Potato | T700 |
| Rhubarb | T100 |
| Root and tuber vegetables [except potato] | T100 |
| Stone fruits [except cherries; jujube, Chinese; peach] | T100 |
| Strawberry | T500 |
| Sweet corns | T100 |
| Tree nuts | 3000 |

Agvet chemical: Picloram

Permitted residue: Picloram

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | 0.2 |
| Edible offal (mammalian) | 5 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Sugar cane | *0.01 |

Agvet chemical: Picolinafen

Permitted residue—commodities of plant origin: Picolinafen

Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.02 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |

| | |
|-------------------------------|-------|
| Field pea (dry) | *0.02 |
| Lupin (dry) | *0.02 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | *0.02 |

Agvet chemical: Picoxystrobin

Permitted residue: Picoxystrobin

| | |
|-----------------------------------|-------|
| Coffee beans | 0.04 |
| Cottonseed | 2 |
| Edible offal (mammalian) | 0.02 |
| Mammalian fats [except milk fats] | 0.02 |
| Meat mammalian (in the fat) | 0.02 |
| Milks | *0.01 |
| Peanut | 0.05 |
| Rice | 0.05 |
| Sorghum, grain | 0.02 |
| Soya bean (dry) | 0.06 |
| Tea, green, black | 15 |
| Wheat | 0.04 |

Agvet chemical: Pinoxaden

Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden

| | |
|--|-------|
| All other foods except animal food commodities | 0.06 |
| Barley | 0.1 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Wheat | 0.7 |
| Wheat bran, unprocessed | 0.5 |

Agvet chemical: Piperonyl butoxide

Permitted residue: Piperonyl butoxide

| | |
|--|------|
| All other foods except animal food commodities | 0.5 |
| Cattle milk | 0.05 |
| Cereal bran, unprocessed | 40 |
| Cereal grains [except sweet corns] | 20 |
| Chives | 8 |
| Dried fruits | 8 |
| Dried vegetables | 8 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.1 |
| Fruit | 8 |
| Herbs | 8 |
| Meat (mammalian) | 0.1 |

| | |
|---------------------------|------|
| Oilseed | 8 |
| Palm nuts | 8 |
| Peanut | 8 |
| Peppers, chili, dried | 20 |
| Poultry, edible offal of | *0.5 |
| Poultry meat (in the fat) | *0.5 |
| Sweet corns | 8 |
| Tree nuts | 8 |
| Vegetables | 8 |
| Wheat germ | 50 |

Agvet chemical: Pirimicarb

Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb

| | |
|--|--------|
| All other foods except animal food commodities | 0.05 |
| Almonds | 0.05 |
| Blackberries | 2 |
| Celeriac | 0.1 |
| Celery | 15 |
| Cereal grains [except sweet corns] | *0.02 |
| Cherries | 5 |
| Chinese cabbage (Pe-tsai) | 7 |
| Cotton seed | 0.05 |
| Cotton seed oil, crude | T0.1 |
| Currants, black, red, white | 1 |
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Fruit [except listed under this chemical] | 0.5 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 7 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Mustard seeds | T0.2 |
| Onion, Welsh | 7 |
| Peppers, chili, dried | 20 |
| Peppers, chilli, other cultivars | 1 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |
| Pulses | *0.02 |
| Rape seed (canola) | 0.2 |
| Raspberries, red, black | 4 |
| Sesame seed | T0.05 |
| Shallot | 7 |
| Spices | *0.05 |
| Spring onion | 7 |
| Strawberry | 3 |
| Sweet corn (corn-on-the-cob) | 0.1 |
| Tree nuts [except almonds] | T*0.05 |
| Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion;] | 1 |

| | | | |
|--|---------|--|-------|
| Agvet chemical: Pirimiphos-methyl | | llama | T1 |
| <i>Permitted residue: Pirimiphos-methyl</i> | | Mandarins | T10 |
| All other foods except animal food commodities | 0.02 | Mango | 5 |
| Barley | 7 | Mushrooms | 3 |
| Cacao beans | *0.05 | Papaya (pawpaw) | 5 |
| Cereal bran, unprocessed | 20 | Pepper, black, white | 10 |
| Edible offal (mammalian) | *0.05 | Pineapple | 2 |
| Eggs | *0.05 | Pistachio nut | T0.5 |
| Maize | 7 | Soursop | T1 |
| Meat (mammalian) | *0.05 | Sugar apple | T1 |
| Milks | *0.05 | Sugar cane | *0.05 |
| Millet | 10 | | |
| Oats | 7 | Agvet chemical: Procymidone | |
| Peanut | 5 | <i>Permitted residue: Procymidone</i> | |
| Peanut oil, edible | 15 | All other foods except animal food commodities | 0.05 |
| Poultry, edible offal of | *0.05 | Cherries | 7 |
| Poultry meat | *0.05 | Chick-pea (dry) | T0.5 |
| Rice | 10 | Chives | T3 |
| Rice, husked | 2 | Common bean (dry) (navy bean) | T10 |
| Rice, polished | 1 | Durian (in the pulp) | 0.05 |
| Rye | 10 | Edible offal (mammalian) | 0.05 |
| Sorghum, grain | 10 | Eggs | *0.01 |
| Triticale | 10 | Garlic | 5 |
| Wheat | 10 | Lentil (dry) | 0.5 |
| Wheat germ | 30 | Lupin (dry) | *0.01 |
| | | Meat (mammalian) (in the fat) | 0.2 |
| Agvet chemical: Praziquantel | | Milks | 0.02 |
| <i>Permitted residue: Praziquantel</i> | | Mustard seeds | T0.5 |
| Fish muscle | T*0.02 | Mustard seed oil, crude | T2 |
| Sheep, edible offal of | *0.05 | Onion, bulb | 0.2 |
| Sheep meat | *0.05 | Peppers | T2 |
| | | Potato | 0.2 |
| Agvet chemical: Procaine penicillin | | Poultry, edible offal of | *0.01 |
| <i>Permitted residue: Inhibitory substance, identified as procaine penicillin</i> | | Poultry meat (in the fat) | *0.01 |
| Edible offal (mammalian) | *0.1 | Rape seed (canola) | 0.5 |
| Meat (mammalian) | *0.1 | Rape seed (canola) oil, crude | 2 |
| Milks | *0.0025 | Strawberry | *0.02 |
| | | Stone fruits [except cherries] | 2 |
| | | Wine grapes | 5 |
| Agvet chemical: Prochloraz | | | |
| <i>Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz</i> | | Agvet chemical: Profenofos | |
| All other foods except animal food commodities | 0.1 | <i>Permitted residue: Profenofos</i> | |
| Avocado | 5 | All other foods except animal food commodities | 0.02 |
| Banana | 5 | Cattle milk | *0.01 |
| Cherimoya | T1 | Coffee beans | 0.04 |
| Cherries | *0.05 | Coriander, seed | 0.1 |
| Custard apple | T1 | Cotton seed | 1 |
| Lettuce, head | 2 | Cotton seed oil, edible | 0.3 |
| Lettuce, leaf | T3 | Edible offal (mammalian) | *0.05 |
| Litchi | T1 | Eggs | *0.02 |
| | | Mangosteen | 5 |
| | | Meat (mammalian) | *0.05 |
| | | Peppers, chili | 3 |

| | |
|--------------------------|-------|
| Peppers, chili, dried | 20 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Tea, green, black | *0.05 |

Agvet chemical: Profoxydim

Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim

| | |
|--------------------------|-------|
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rice | 0.05 |

Agvet chemical: Prohexadione-calcium

Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione

| | |
|--------------------------|-------|
| Apple | *0.02 |
| Cherries | 0.4 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Peanut | 1 |

Agvet chemical: Prometryn

Permitted residue: Prometryn

| | |
|----------------------------------|-------|
| Cattle milk | *0.05 |
| Cereal grains | *0.1 |
| Coriander (leaves, roots, stems) | T1 |
| Coriander, seed | T1 |
| Cotton seed | *0.1 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Peanut | *0.1 |
| Sunflower seed | *0.1 |
| Vegetables | *0.1 |

Agvet chemical: Propachlor

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

| | |
|---|-------|
| All other foods except animal food commodities | 0.05 |
| Beetroot | *0.05 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.6 |
| Broccoli, Chinese (Gai lan) | 0.6 |
| Cereal grains [except sorghum, grain; sweet corns] | 0.05 |

| | |
|--|-------|
| Chinese cabbage (Pe-tsai) | T1 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.02 |
| Garlic | 2.5 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory] | T1 |
| Leek | *0.02 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Onion, bulb | 0.7 |
| Onion, Welsh | T1 |
| Poultry, edible offal of | *0.02 |
| Poultry meat (in the fat) | *0.02 |
| Radish | *0.02 |
| Shallot | T1 |
| Sorghum, grain | 0.2 |
| Spring onion | T1 |
| Swede | *0.02 |
| Sweet corn (corn-on-the-cob) | 0.05 |
| Turnip, garden | *0.02 |

Agvet chemical: Propamocarb

Permitted residue: Propamocarb (base)

| | |
|--|-------|
| All other foods except animal food commodities | 0.1 |
| Basil | T150 |
| Brassica vegetables (except Brassica leafy vegetables) | 30 |
| Bulb vegetables [except chives; onion, bulb] | 30 |
| Cane berries | T15 |
| Chives | 30 |
| Edible offal (mammalian) | 1.5 |
| Eggs | *0.01 |
| Fats (mammalian) | 0.03 |
| Fennel, bulb | 30 |
| Fruiting vegetables, cucurbits | 5 |
| Fruiting vegetables, other than cucurbits | T0.3 |
| Fungi, edible (except mushrooms) | T0.3 |
| Herbs [except basil] | 30 |
| Leafy vegetables | 70 |
| Meat (mammalian) | 0.03 |
| Milks | *0.01 |
| Mushrooms | T0.3 |
| Onion, bulb | 0.5 |
| Peppers, chili, dried | 10 |
| Poppy seed | 5 |
| Potato | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Sweet corns | T0.3 |

| Agvet chemical: Propanil | |
|------------------------------------|-------|
| <i>Permitted residue: Propanil</i> | |
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Eggs | *0.1 |
| Milks | *0.01 |
| Poultry, edible offal of | 3 |
| Poultry meat | *0.1 |
| Rice | 2 |
| Sheep, edible offal of | *0.1 |
| Sheep meat | *0.1 |

| Agvet chemical: Propaquizafop | |
|--|-------|
| <i>Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop</i> | |
| Currants, black, red, white | *0.05 |
| Edible offal (mammalian) | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Oilseed | *0.05 |
| Palm nuts | *0.05 |
| Peanut | *0.05 |
| Peas | *0.05 |
| Pulses | *0.05 |
| Raspberries, red, black | *0.05 |
| Strawberry | *0.05 |

| Agvet chemical: Propargite | |
|--------------------------------------|------|
| <i>Permitted residue: Propargite</i> | |
| Apple | 3 |
| Banana | 3 |
| Cotton seed | 0.2 |
| Edible offal (mammalian) | *0.1 |
| Eggs | *0.1 |
| Hops, dry | 3 |
| Meat (mammalian) (in the fat) | *0.1 |
| Milks | *0.1 |
| Passionfruit | 3 |
| Pear | 3 |
| Poultry, edible offal of | *0.1 |
| Poultry meat (in the fat) | *0.1 |
| Stone fruits | 3 |
| Strawberry | 7 |
| Sweet corns | 3 |
| Vegetables | 3 |

| Agvet chemical: Propazine | |
|-------------------------------------|------|
| <i>Permitted residue: Propazine</i> | |
| Carrot | *0.1 |

| Agvet chemical: Propetamphos | |
|--|-------|
| <i>Permitted residue: Propetamphos</i> | |
| Sheep, edible offal of | *0.01 |
| Sheep meat (in the fat) | *0.01 |

| Agvet chemical: Propiconazole | |
|--|-------|
| <i>Permitted residue: Propiconazole</i> | |
| All other foods except animal food commodities | 0.05 |
| Almonds | 0.2 |
| Avocado | *0.02 |
| Banana | 0.2 |
| Beetroot | *0.02 |
| Blackberries | 1 |
| Blueberries | 2 |
| Boysenberry | 1 |
| Broccoli, Chinese | T1 |
| Celery | T5 |
| Cereal grains [except sweet corns] | *0.05 |
| Chard (silver beet) | T0.5 |
| Chicory leaves | T1 |
| Citrus fruits | 10 |
| Cranberry | 0.3 |
| Edible offal (mammalian) | 1 |
| Eggs | *0.05 |
| Endive | T1 |
| Grapes | T1 |
| Meat (mammalian) | 0.1 |
| Milks | *0.01 |
| Mint oil | *0.02 |
| Mushrooms | *0.05 |
| Orange oil, edible | 1850 |
| Parsley | T30 |
| Peanut | *0.05 |
| Pineapple | 2 |
| Plums (including prunes) | 2 |
| Poppy seed | *0.01 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |
| Pulses | T0.3 |
| Radicchio | T1 |
| Radish | T0.2 |
| Raspberries, red, black | 1 |
| Spices | *0.1 |
| Spinach | T0.7 |
| Stone fruits [except plum (including prunes)] | 4 |
| Sugar cane | *0.02 |
| Sunflower seed | T0.5 |
| Sweet corn (corn-on-the-cob) | *0.02 |
| Tree nuts [except almonds] | T0.2 |

| | |
|---------------------------------|--|
| Agvet chemical: Propineb | |
| see <i>Dithiocarbamates</i> | |

Agvet chemical: Propoxur

Permitted residue: Propoxur

Agvet chemical: Propylene oxide

Permitted residue: Propylene oxide

| | |
|---------|-----|
| Almonds | 100 |
|---------|-----|

Agvet chemical: Propyzamide

Permitted residue: Propyzamide

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Cherries | 0.1 |
| Chicory leaves | *0.2 |
| Currants, black, red, white | 0.01 |
| Edible offal (mammalian) | *0.2 |
| Eggs | *0.05 |
| Endive | *0.2 |
| Lettuce, head | 1 |
| Lettuce, leaf | 1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Mustard seeds | 0.02 |
| Poppy seed | 0.02 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | *0.01 |
| Quinoa | T0.2 |
| Rape seed (canola) | 0.02 |
| Safflower Seed | T0.02 |

Agvet chemical: Proquinazid

Permitted residue—commodities of plant origin: Proquinazid

Permitted residue—commodities of animal origin: Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yloxy)propionic acid, expressed as proquinazid

| | |
|---|-------|
| All other foods except animal food commodities | 0.1 |
| Dried grapes (currants, raisins and sultanas) | 2 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits [except peppers, sweet] | 0.3 |
| Grapes | 0.5 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Peppers, sweet | 0.2 |

| | |
|--------------------------|--------|
| Pome fruits | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Wheat | T*0.02 |

Agvet chemical: Prosulfocarb

Permitted residue: Prosulfocarb

| | |
|--------------------------|--------|
| Barley | *0.01 |
| Carrot | T*0.01 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Oats | *0.01 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses | *0.01 |
| Safflower seed | T*0.1 |
| Triticale | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Prothioconazole

Permitted residue—commodities of plant origin: Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Permitted residue—commodities of animal origin: Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

| | |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Blueberries | 2 |
| Cereal bran, unprocessed | 0.5 |
| Cereal grains [except sweet corns] | 0.3 |
| Cotton seed | T0.2 |
| Cranberry | 0.2 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.01 |
| Linseed | 0.03 |
| Meat (mammalian) (in the fat) | 0.02 |
| Milks | *0.004 |
| Mustard seeds | *0.02 |
| Peanut | *0.02 |
| Poultry, edible offal of | *0.05 |
| Poultry meat (in the fat) | *0.05 |
| Pulses [except soya bean (dry)] | T0.7 |
| Rape seed | 0.2 |
| Rape seed oil, edible | 0.15 |

| | | | |
|---|-------|---|-------|
| Soya bean (dry) | 0.2 | Meat (mammalian) (in the fat) | 0.1 |
| Sunflower seed oil, crude | 0.5 | Milks | *0.01 |
| Sunflower seeds (subgroup) | 0.5 | Mustard seeds | T0.05 |
| Watermelon | T0.2 | Peaches (subgroup) | 1 |
| Wheat germ | 0.5 | Peanut | 0.05 |
| <hr/> | | Peanut oil, edible | 0.15 |
| Agvet chemical: Prothiofos | | Peas with pods (subgroup) | 1.5 |
| <i>Permitted residue: Prothiofos</i> | | Peppers, chili, dried | 5 |
| Banana | *0.01 | Plums (including fresh prunes) | 0.6 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.2 | Pome fruits [except Persimmon, Japanese] | T0.2 |
| Broccoli, Chinese (Gai lan) | 0.2 | Popcorn | T0.02 |
| Pear | 0.05 | Potato | T0.05 |
| <hr/> | | Potato, dried | 0.5 |
| Agvet chemical: Pydiflumetofen | | Poultry, edible offal of | *0.01 |
| <i>Permitted residue: Pydiflumetofen</i> | | Poultry fats | *0.01 |
| All other foods except animal food commodities | 0.05 | Poultry meat | *0.01 |
| Beans with pods | 0.7 | Prunes, dried | 1.5 |
| Berries and other small fruits [except blueberries; grapes; strawberry]] | 3 | Pulses | 0.4 |
| Brassica leafy vegetables [except broccoli, Chinese (Gai lan)] | 15 | Rape seed (canola) | T0.07 |
| Broccoli, Chinese (Gai lan) | 0.5 | Root and tuber vegetables [except potato] | 0.3 |
| Bulb onions (subgroup) | 0.3 | Small seed oilseeds | 0.9 |
| Bush berries | 5 | Stalk and stem vegetables - stems and petioles | 15 |
| Cereal grains [except maize cereals; sweet corns (subgroup)] | T3 | Stem brassicas | 0.5 |
| Cherries (subgroup) | 2 | Strawberry | 2 |
| Chinese cabbage (Pe-tsai) | T30 | Sunflower seeds (subgroup) | 0.5 |
| Citrus fruits | 1 | Sweet corn (corn-on-the-cob) | 0.03 |
| Citrus oil, edible | 40 | Tomato, dried | 7 |
| Cotton seed | 0.02 | <hr/> | |
| Dried grapes (currants, raisins and sultanas) | 5 | Agvet chemical: Pymetrozine | |
| Edible offal (mammalian) | 0.1 | <i>Permitted residue: Pymetrozine</i> | |
| Eggs | 0.02 | All other foods except animal food commodities | 0.02 |
| Elderberries | 5 | Almonds | *0.01 |
| Flowerhead brassicas | 3 | Beetroot | *0.02 |
| Fruiting vegetables, cucurbits | T0.5 | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Fruiting vegetables, other than cucurbits | T0.7 | Broad bean (dry) | T0.02 |
| Fungi, edible (except mushrooms) | T0.7 | Broccoli, Chinese (Gai lan) | 0.5 |
| Grapes | 2 | Celery | 0.2 |
| Green onions | 2 | Chinese cabbage (Pe-tsai) | 5 |
| Head brassicas [except Chinese cabbage (Pe-tsai)] | 2 | Cotton seed | *0.02 |
| Leafy vegetables [except brassica leafy vegetables; witloof chicory] | T30 | Cotton seed oil, edible | *0.02 |
| Legume vegetables [except beans with pods; peas with pods (subgroup)] | T0.5 | Edible offal (mammalian) | *0.01 |
| Maize | 0.04 | Eggs | *0.01 |
| Maize flour | 0.07 | Fruiting vegetables, cucurbits | 1 |
| Maize oil, edible | 0.08 | Fruiting vegetables, other than cucurbits | 0.5 |
| Mammalian fats [except milk fats] | 0.1 | Fungi, edible (except mushrooms) | 0.5 |
| | | Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 5 |
| | | Lupin (dry) | T0.02 |
| | | Meat (mammalian) | *0.01 |
| | | Milks | *0.01 |

| | | | |
|---|-------|---|-------|
| Pistachio nut | *0.01 | Dry beans | 0.3 |
| Podded pea (young pods) (snow and sugar snap) | 0.3 | Edible offal (mammalian) | 0.1 |
| Potato | *0.02 | Eggs | *0.05 |
| Poultry, edible offal of | *0.01 | Fats (mammalian) | 0.5 |
| Poultry meat | *0.01 | Flowerhead brassicas (including broccoli; broccoli, Chinese (Gai lan); cauliflower) | 0.1 |
| Stone fruits | *0.05 | Fruiting vegetables, cucurbits | 0.5 |
| Strawberry | T0.3 | Fruiting vegetables, other than cucurbits [except peppers] | 0.3 |
| Sweet corn (corn-on-the-cob) | *0.01 | Fungi, edible (except mushrooms) | 0.3 |
| Agvet chemical: Pyraclofos | | Garlic | 0.3 |
| <i>Permitted residue: Pyraclofos</i> | | Grapes | 2 |
| Sheep fat | 0.5 | Herbs | 2 |
| Sheep kidney | *0.01 | Hops, dry | 23 |
| Sheep liver | *0.01 | Leek | 0.7 |
| Sheep muscle | *0.01 | Lentil (dry) | 0.5 |
| Agvet chemical: Pyraclostrobin | | Lettuce, head | 2 |
| <i>Permitted residue—commodities of plant origin: Pyraclostrobin</i> | | Lettuce, leaf | 2 |
| <i>Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin</i> | | Litchi | T2 |
| All other foods except animal food commodities | 0.05 | Mango | 0.6 |
| Artichoke, globe | 2 | Meat (mammalian) (in the fat) | 0.5 |
| Avocado | 0.2 | Milks | 0.03 |
| Banana | *0.02 | Mung bean (dry) | T0.2 |
| Barley | 1 | Mushrooms | 0.3 |
| Beans, podded [except common bean] | 0.3 | Oats | 1 |
| Berries and other small fruits [except blackberries; blueberries; boysenberry; grapes] | 3 | Oilseed [except peanut] | 0.4 |
| Blackberries | 4 | Olives for oil production | T0.3 |
| Blueberries | T5 | Olive oil, crude | T1 |
| Boysenberry | 4 | Olive oil, virgin | 0.07 |
| Brassica leafy vegetables | T3 | Onion, bulb | 1.5 |
| Broccoli, Chinese (Gai lan) | T1 | Onion, Welsh | 1.5 |
| Brussels sprouts | 0.3 | Oranges | 2 |
| Cabbages, head | 0.2 | Papaya (pawpaw) | T0.5 |
| Cereal grains [except barley; oats; rice; rye; sweet corns; triticale; wheat] | *0.01 | Passionfruit | T1 |
| Celery | T8 | Peanut | 0.05 |
| Cherries | 3 | Peas (dry) | 0.3 |
| Chick-pea (dry) | T0.5 | Peas with pods | 0.3 |
| Chives | 2 | Peas without pods (succulent) | 0.08 |
| Coffee beans | 0.3 | Peppers | 0.5 |
| Common bean (pods and/or immature seeds) | 0.6 | Pineapple | 0.3 |
| Common beans (succulent seeds) | 0.3 | Pistachio nut | T1 |
| Corn salad (lamb's lettuce) | 10 | Pome fruits [except Persimmon, Japanese] | 1 |
| Cress, garden | 10 | Pomegranate | T0.3 |
| Custard apple | T3 | Poppy seed | *0.05 |
| Endive | 0.4 | Poultry, edible offal of | *0.05 |
| Dried grapes | 5 | Poultry meat (in the fat) | *0.05 |
| | | Raspberries, red, black | 4 |
| | | Rice | 1.5 |
| | | Rice, husked | 0.09 |
| | | Rice, polished | 0.03 |
| | | Root and tuber vegetables | 0.5 |
| | | Rucola | 10 |
| | | Rye | 0.2 |
| | | Shallot | 0.3 |
| | | Silvanberries | T3 |

| | |
|---|-------|
| Sorghum, grain | 0.5 |
| Spices | 0.1 |
| Spinach | 0.6 |
| Spring onion | 1.5 |
| Stone fruits [except jujube, Chinese] | 2.5 |
| Sugar cane | 0.08 |
| Sunflower seed | T0.3 |
| Sweet corns | 0.3 |
| Table olives | T0.3 |
| Tea, green, black | 6 |
| Tree nuts [except pistachio nut and walnut] | 0.07 |
| Triticale | 0.2 |
| Walnut | T0.01 |
| Wheat | 0.2 |
| Witloof chicory (sprouts) | 0.09 |

Agvet chemical: Pyraflufen-ethyl

Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)

| | |
|------------------------------------|-------|
| Almonds | 0.01 |
| Cereal grains [except sweet corns] | *0.02 |
| Cherries | 0.01 |
| Cotton seed | *0.05 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Hops, dry | *0.1 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses | *0.02 |

Agvet chemical: Pyrasulfotole

Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole

| | |
|---|-------|
| Barley | 0.03 |
| Cereal bran, unprocessed | 0.03 |
| Cereal grains [except barley; oats; sorghum, grain; sweet corns (subgroup)] | *0.02 |
| Edible offal (mammalian) | 0.5 |
| Eggs | *0.02 |
| Mammalian fats (except milk fats) | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Oats | 0.15 |
| Poultry, edible offal of | 0.05 |
| Poultry fats | *0.02 |
| Poultry meat | *0.02 |
| Sorghum, grain | 0.5 |

Agvet chemical: Pyrethrins

Permitted residue: Sum of pyrethrins i and ii, Cinerins i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard

| | |
|--|-------|
| All other foods except animal food commodities | 0.2 |
| Cereal grains [except sweet corns] | 3 |
| Chives | 1 |
| Cucumber | T2 |
| Dried fruits | 1 |
| Dried vegetables | 1 |
| Edible offal (Mammalian) | *0.05 |
| Eggs | *0.05 |
| Fennel, leaf | 1 |
| Fruit | 1 |
| Fruiting vegetables, cucurbits [except cucumber] | 0.2 |
| Herbs | 1 |
| Meat (mammalian) (in the fat) | *0.05 |
| Milks | *0.05 |
| Oilseed | 1 |
| Olive oil, crude | T3 |
| Palm nuts | 1 |
| Peanut | 1 |
| Peppers, chili, dried | 0.5 |
| Poultry, Edible offal of | *0.05 |
| Poultry, Meat (in the fat) | *0.05 |
| Tree nuts | 1 |
| Vegetables | 1 |

Agvet chemical: Pyridaben

Permitted residue: Pyridaben

| | |
|--|--------|
| Banana | 0.5 |
| Cranberry | 0.5 |
| Citrus fruits [except kumquats] | 0.5 |
| Grapes | 5 |
| Hops, dry | 10 |
| Pome fruits [except Persimmon, Japanese] | 0.5 |
| Stone fruits | 0.5 |
| Strawberry | 1 |
| Tree nuts | T*0.05 |

Agvet chemical: Pyridate

Permitted residue: sum of pyridate and metabolites containing 6-chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate

| | |
|--------------------------|-------|
| Chick-pea (dry) | *0.05 |
| Edible offal (mammalian) | *0.2 |
| Eggs | *0.2 |
| Meat (mammalian) | *0.2 |
| Milks | *0.2 |
| Poultry, edible offal of | *0.2 |
| Poultry meat | *0.2 |

| Agvet chemical: Pyrimethanil | |
|--|-------|
| <i>Permitted residue: Pyrimethanil</i> | |
| All other foods except animal food commodities | 0.1 |
| Almond | 0.2 |
| Banana | 2 |
| Berries and other small fruits [except blueberries; grapes; strawberry] | 15 |
| Blueberries | 8 |
| Chives | 3 |
| Citrus fruits [except lemon] | 10 |
| Coriander (leaves) | 3 |
| Cucumber | 5 |
| Edible offal (mammalian) | *0.05 |
| Grapes | 5 |
| Herbs | 3 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory] | T5 |
| Lemon | 11 |
| Lettuce, head | 20 |
| Lettuce, leaf | 20 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Onion, bulb | 0.2 |
| Peppers, sweet | 1 |
| Podded pea (young pods) (snow and sugar snap) | T10 |
| Pome fruits [except Persimmon, Japanese] | 15 |
| Potato | 0.05 |
| Spices | 0.1 |
| Stone fruits [except jujube, Chinese] | 10 |
| Strawberry | 5 |
| Sweet potato | 0.05 |
| Tomato | 1 |

Agvet chemical: Pyriofenone

Permitted residue: Pyriofenone

| | |
|--|-------|
| All other foods | 0.05 |
| Berries and other small fruit [except Cane berries; cloudberry; cranberry; strawberry] | 1.5 |
| Cane berries | 0.9 |
| Cloudberry | 0.5 |
| Cranberry | 0.5 |
| Dried grapes (currants, raisins and sultanas) | 2.5 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.7 |
| Mammalian fats [except milk fats] | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |

| | |
|--------------|-------|
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Strawberry | 0.5 |

Agvet chemical: Pyriproxyfen

Permitted residue: Pyriproxyfen

| | |
|--|--------|
| All other foods except animal food commodities | 0.1 |
| Almonds | 0.02 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 0.3 |
| Beans with pods | T0.3 |
| Blueberries | 1 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | T0.7 |
| Broccoli, Chinese (Gai lan) | T0.7 |
| Cane berries | 1 |
| Chervil | T5 |
| Chives | T5 |
| Citrus fruits | 0.5 |
| Coriander (leaves, roots, stems) | T5 |
| Cotton seed | *0.01 |
| Cotton seed oil, crude | *0.02 |
| Cranberry | 1 |
| Edible offal (mammalian) | *0.02 |
| Eggs | 0.05 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 1 |
| Fungi, edible (except mushrooms) | 1 |
| Galangal, Greater | T*0.05 |
| Galangal, Lesser | T*0.05 |
| Grapes | 2.5 |
| Herbs | T5 |
| Lettuce, leaf | 5 |
| Macadamia nuts | *0.01 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.02 |
| Mizuna | T5 |
| Mushrooms | 1 |
| Olives for oil production | 1 |
| Olive oil, crude | 3 |
| Peanut | 0.2 |
| Peppers, chili, dried) | 6 |
| Persimmon, Japanese | T0.2 |
| Poultry, edible offal of | 0.1 |
| Poultry meat (in the fat) | 0.1 |
| Rose and dianthus (edible flowers) | T5 |
| Rucola (rocket) | T5 |
| Stone fruits [except jujube, Chinese] | 1 |
| Strawberry | T0.5 |
| Sweet corns | 1 |
| Sweet potato | *0.05 |
| Table olives | 1 |

| | | | |
|---|--------|---|-------|
| Turmeric, root | T*0.05 | Triticale | *0.01 |
| | | Wheat | *0.01 |
| Agvet chemical: Pyriithiobac sodium | | Agvet chemical: Quinclorac | |
| <i>Permitted residue: Pyriithiobac sodium</i> | | <i>Permitted residue: Quinclorac</i> | |
| Cotton seed | *0.02 | Barley | 2 |
| Cotton seed oil, crude | *0.01 | Blueberries | 0.08 |
| Cotton seed oil, edible | *0.01 | Cranberry | 1.5 |
| Edible offal (mammalian) | *0.02 | Rape seed (canola) | 1.5 |
| Eggs | *0.02 | Rice | 10 |
| Meat (mammalian) | *0.02 | Rice, husked | 10 |
| Milks | *0.02 | Rice, polished | 8 |
| Poultry, edible offal of | *0.02 | Wheat | 0.5 |
| Poultry meat | *0.02 | | |
| Agvet chemical: Pyroxasulfone | | Agvet chemical: Quinoxyfen | |
| <i>Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone</i> | | <i>Permitted residue: Quinoxyfen</i> | |
| <i>Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone</i> | | All other foods except animal food commodities | 0.02 |
| All other foods except animal food commodities | 0.01 | Barley | *0.01 |
| Cereal grains [except maize; popcorn and sweet corns] | *0.01 | Chard (silver beet) | 3 |
| Edible offal (mammalian) | *0.02 | Cherries | 0.7 |
| Eggs | *0.02 | Dried grapes | 2 |
| Maize | 0.02 | Edible offal (mammalian) | *0.01 |
| Meat (mammalian) | *0.02 | Eggs | *0.01 |
| Milks | *0.002 | Grapes | 2 |
| Peanut | 0.3 | Hops, dry | 3 |
| Popcorn | 0.015 | Meat (mammalian) (in the fat) | 0.1 |
| Potato | 0.08 | Milk fats | 0.2 |
| Poultry, edible offal of | *0.02 | Milks | 0.01 |
| Poultry meat | *0.02 | Peppers, chili, dried | 10 |
| Pulses [except soya bean (dry)] | *0.01 | Poultry, edible offal of | *0.01 |
| Safflower seed | T*0.01 | Poultry meat (in the fat) | *0.01 |
| Soya bean (dry) | 0.06 | Stone fruits [except jujube, Chinese] | 0.7 |
| Soya bean oil | 0.06 | Strawberry | T0.3 |
| Sunflower oil | 0.3 | Tea, green, black | *0.05 |
| Sunflower seed | 0.3 | | |
| Sweet corn (corn-on-the-cob and kernels) | 0.015 | | |
| Agvet chemical: Pyroxsulam | | Agvet chemical: Quintozene | |
| <i>Permitted residue: Pyroxsulam</i> | | <i>Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene</i> | |
| Edible offal (mammalian) | *0.01 | Beans, except broad bean and soya bean | 0.01 |
| Eggs | *0.01 | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.2 |
| Meat (mammalian) | *0.01 | Broad bean (green pods and immature seeds) | 0.01 |
| Milks | *0.01 | Broccoli, Chinese (Gai lan) | 0.2 |
| Poppy seed | T*0.01 | Common bean (dry) (navy bean) | 0.2 |
| Poultry, edible offal of | *0.01 | Cotton seed | 0.03 |
| Poultry meat | *0.01 | Edible offal (mammalian) | *0.1 |
| | | Eggs | *0.03 |
| | | Lettuce, head | 0.3 |
| | | Lettuce, leaf | 0.3 |
| | | Meat (mammalian)(in the fat) | *0.2 |

| | |
|---------------------------|-------|
| Milks | *0.02 |
| Peanut | 0.3 |
| Peppers, chili, dried | 0.1 |
| Potato | 0.2 |
| Poultry, Edible offal of | *0.1 |
| Poultry meat (in the fat) | *0.1 |
| Tomato | 0.1 |

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

| | |
|--|--------|
| All other foods except animal food commodities | 0.01 |
| Barley | *0.02 |
| Beetroot | 0.02 |
| Cabbages, head | *0.01 |
| Carrot | *0.02 |
| Cauliflower | *0.05 |
| Common bean (pods and immature seeds) | *0.02 |
| Cucumber | *0.02 |
| Currants, black, red, white | *0.05 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.02 |
| Grapes | *0.02 |
| Hempseed | T*0.02 |
| Meat (mammalian) | *0.02 |
| Melons, except watermelon | *0.02 |
| Milks | 0.1 |
| Mustard seeds | T*0.02 |
| Onion, bulb | *0.02 |
| Peanut | *0.02 |
| Pineapple | *0.05 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.2 |
| Pumpkins | *0.02 |
| Radish | *0.02 |
| Rape seed (canola) | *0.02 |
| Sunflower seed | *0.05 |
| Tomato | *0.02 |

Agvet chemical: Quizalofop-p-tefuryl

Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl

| | |
|--|-------|
| All other foods except animal food commodities | 0.01 |
| Beetroot | 0.02 |
| Cabbages, head | *0.01 |
| Carrot | *0.02 |
| Cauliflower | *0.05 |
| Common bean (pods and/or immature seeds) | *0.02 |

| | |
|-----------------------------|--------|
| Cucumber | *0.02 |
| Currents, black, red, white | *0.05 |
| Edible offal (mammalian) | 0.2 |
| Eggs | *0.02 |
| Grapes | *0.02 |
| Meat (mammalian) | *0.02 |
| Melons, except watermelon | *0.02 |
| Milks | 0.1 |
| Mustard seeds | T*0.02 |
| Onion, bulb | *0.02 |
| Peanut | *0.02 |
| Pineapple | *0.05 |
| Potato | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Pulses | 0.2 |
| Pumpkins | *0.02 |
| Radish | *0.02 |
| Rape seed (canola) | *0.02 |
| Sunflower seed | *0.05 |
| Tomato | *0.02 |

Agvet chemical: Ractopamine

Permitted residue: Ractopamine

| | |
|-----------------|------|
| Cattle fat | 0.01 |
| Cattle kidney | 0.09 |
| Cattle liver | 0.04 |
| Cattle muscle | 0.01 |
| Pig fat | 0.05 |
| Pig kidney | 0.2 |
| Pig liver | 0.2 |
| Pig meat | 0.05 |
| Turkey kidney | 0.3 |
| Turkey liver | 0.3 |
| Turkey meat | 0.02 |
| Turkey fat/skin | 0.05 |

Agvet chemical: Rimsulfuron

Permitted residue: Rimsulfuron

| | |
|-------------|-------|
| Almonds | 0.01 |
| Blueberries | 0.02 |
| Cherries | 0.01 |
| Cranberry | 0.02 |
| Tomato | *0.05 |

Agvet chemical: Robenidine

Permitted residue: Robenidine

| | |
|--------------------------|------|
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |

Agvet chemical: Saflufenacil

*Permitted residue—commodities of plant origin:
Sum of saflufenacil, N'-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-(((isopropylamino)sulfonyl)amino)carbonyl]phenyl]urea, expressed as saflufenacil equivalents*

*Permitted residue—commodities of animal origin:
Saflufenacil*

| | |
|---|-------|
| All other foods except animal food commodities | 0.03 |
| Barley (desiccant use) | 1 |
| Cereal grains [except rice and sweet corns] | 0.2 |
| Cereal bran, unprocessed | 0.5 |
| Citrus fruits | *0.03 |
| Cotton seed | 0.2 |
| Edible offal (mammalian) | 7 |
| Eggs | *0.01 |
| Legume vegetables | *0.03 |
| Linseed | T0.5 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seed | 0.6 |
| Oilseed [except cotton seed; linseed; mustard seed; rapeseed; sunflower seed] | *0.03 |
| Palm nuts | *0.03 |
| Peanut | *0.03 |
| Pome fruits | *0.03 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | 0.2 |
| Rapeseed | 0.6 |
| Rice | *0.01 |
| Sunflower seed | 0.7 |
| Sugar cane molasses | 1 |
| Tree nuts | *0.03 |
| Wheat (desiccant use) | 0.6 |

Agvet chemical: Salinomycin

Permitted residue: Salinomycin

| | |
|--------------------------|-------|
| Cattle, edible offal of | 0.5 |
| Cattle meat | *0.05 |
| Eggs | *0.02 |
| Pig, edible offal of | *0.1 |
| Pig meat | *0.1 |
| Poultry, edible offal of | 0.5 |
| Poultry meat | 0.1 |

Agvet chemical: Sedaxane

Permitted residue: Sedaxane, sum of isomers

| | |
|--|-------|
| All other foods except animal food commodities | 0.01 |
| Beetroot | *0.01 |

| | |
|------------------------------------|--------|
| Beetroot leaves | *0.01 |
| Cereal grains [except sweet corns] | *0.01 |
| Cotton seed | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poppy seed | T*0.01 |
| Potato | 0.1 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Semduramicin

Permitted residue: Semduramicin

| | |
|------------------|-------|
| Chicken fat/skin | 0.5 |
| Chicken kidney | 0.2 |
| Chicken liver | 0.5 |
| Chicken meat | *0.05 |

Agvet chemical: Sethoxydim

Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim

| | |
|---|-------|
| All other foods except animal food commodities | 0.1 |
| Almonds | 0.2 |
| Asparagus | 1 |
| Barley | *0.1 |
| Beans [except broad bean; soya bean] | T0.5 |
| Blueberries | 4 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Broad bean (green pods and immature seeds) | *0.1 |
| Broccoli, Chinese (Gai lan) | 0.5 |
| Celery | 0.1 |
| Chia | T0.7 |
| Chinese cabbage (Pe-tsai) | T0.5 |
| Chives, Chinese | T1 |
| Citrus fruits [except kumquats] | 0.5 |
| Cotton seed | 0.2 |
| Cranberry | 2.5 |
| Dried herbs [except hops, dry]} | T5 |
| Dry beans (subgroup) [except lupin (dry); soya bean (dry)] | 25 |
| Edible offal (mammalian) | *0.05 |
| Egg plant | T0.1 |
| Eggs | *0.05 |
| Fennel, bulb | T1 |
| Fruiting vegetables, cucurbits | *0.1 |
| Garlic | 0.3 |
| Garlic chives | T1 |

| | | | |
|--|--------|--|--------|
| Eggs | *0.01 | Beans [except broad bean; soya bean] | 0.5 |
| Fennel, bulb | 0.1 | Berries and other small fruits [except currents, black, red, white; grapes; raspberries, red, black] | 0.7 |
| Fennel, seed | 5 | Bergamot | 5 |
| Fig | T0.1 | Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 0.5 |
| Fruiting vegetables, cucurbits | 0.05 | Broccoli, Chinese (Gai lan) | 0.5 |
| Fruiting vegetables, other than cucurbits | 0.1 | Celery | 2 |
| Fungi, edible (except mushrooms) | 0.1 | Cereal grains [except sweet corns] | 1 |
| Ginger, root | T0.02 | Chervil | 5 |
| Ginger, Japanese | T1 | Chinese cabbage (Pe-tsai) | 5 |
| Herbs | 1 | Chives | 5 |
| Hops, dry | 22 | Citrus fruits | 0.3 |
| Kaffir lime leaves | 5 | Coffee beans | *0.01 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 0.7 | Coriander, seed | 5 |
| Legume vegetables | 0.2 | Cotton seed | *0.01 |
| Lemon grass | 5 | Currants, black, red, white | 1.5 |
| Lemon verbena (dry leaves) | 5 | Dill, seed | 5 |
| Maize cereals | *0.01 | Edible offal (mammalian) | 0.5 |
| Meat (mammalian) (in the fat) | 2 | Eggs | 0.05 |
| Milk fats | 0.2 | Fennel, seed | 5 |
| Milks | 0.01 | Fruiting vegetables, cucurbits | 0.2 |
| Mizuna | 0.7 | Fruiting vegetables, other than cucurbits | 0.2 |
| Mushrooms | 0.1 | Fungi, edible (except mushrooms) | 0.2 |
| Mustard seeds | T*0.01 | Galangal, Greater | 0.02 |
| Olives for oil production | T0.07 | Grapes | 0.5 |
| Peaches (including nectarines and apricots) | 0.3 | Herbs | 5 |
| Peanut | 0.04 | Hops, dry | 22 |
| Peppers, chili, dried | 4 | Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 5 |
| Pitaya (dragon fruit) | 0.5 | Lemon verbena (dry leaves) | 5 |
| Plums | 0.3 | Meat (mammalian) (in the fat) | 2 |
| Pome fruits | 0.1 | Milk fats | 0.7 |
| Poultry, edible offal of | *0.01 | Milks | 0.1 |
| Poultry meat (in the fat) | *0.01 | Mushrooms | 0.2 |
| Pulses | 0.01 | Peanut | 0.02 |
| Rape seed (canola) | *0.01 | Peas (pods and succulent, immature seeds) | 0.5 |
| Raspberries, red, black | 0.8 | Peppers, chili, dried | 3 |
| Root and tuber vegetables | 0.02 | Pome fruits | 0.5 |
| Sorghum grains and millet | T*0.01 | Potato | 0.1 |
| Stalk and stem vegetables [except fennel, bulb; celery] | 2 | Poultry, edible offal of | 0.05 |
| Sweet corn (corn-on-the-cob) | *0.01 | Poultry meat (in the fat) | 0.5 |
| Table olives | T0.07 | Pulses | 0.01 |
| Tea, green, black | 70 | Raspberries, red, black | 1.5 |
| Tree nuts [except almonds] | 0.02 | Rhubarb | 2 |
| Turmeric, root | 0.02 | Root and tuber vegetables [except potato] | 0.02 |
| Witloof, chicory | 2 | Stone fruits | 1 |
| <hr/> | | Sweet corn (corn-on-the-cob) | 0.02 |
| Agvet chemical: Spinosad | | Tree nuts | T*0.01 |
| <i>Permitted residue: Sum of spinosyn A and spinosyn D</i> | | Turmeric, root | 0.02 |
| All other foods except animal food commodities | 0.01 | Wheat bran, unprocessed | 2 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | 0.3 | | |

| | | | |
|--|-------|--|--------|
| Agvet chemical: Spirodiclofen | | Grapes | 2 |
| <i>Permitted residue: Spirodiclofen</i> | | Herbs | 15 |
| Almonds | 0.1 | Hops, dry | 15 |
| Citrus fruits [except kumquats] | 0.5 | Leafy vegetables [except brassica leafy vegetables; lettuce, head; lettuce, leaf; witloof chicory] | 5 |
| Currants, black, red, white | 1 | Legume vegetables | 2 |
| Grapes | 2 | Lettuce, head | 7 |
| Hops, dry | 30 | Lettuce, leaf | 15 |
| Stone fruits [except jujube, Chinese] | 1 | Maize | T*0.02 |
| Agvet chemical: Spiromesifen | | Mango | 0.3 |
| <i>Permitted residue: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen</i> | | Meat (mammalian) | 0.02 |
| Cranberry | 2 | Melons, except watermelon | 0.5 |
| Peppers, chili, dried | 5 | Milks | *0.005 |
| Potato | 0.02 | Mushrooms | 7 |
| Strawberry | 1 | Passionfruit | 0.5 |
| Tea, green, black | 50 | Peanut | *0.02 |
| Agvet chemical: Spirotetramat | | Peppers, chili, dried | 15 |
| <i>Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat</i> | | Pineapple | 0.3 |
| All other foods except animal food commodities | 0.1 | Pome fruits | 0.5 |
| Almonds | 0.25 | Potato | 5 |
| Banana | 0.3 | Poultry, edible offal of | *0.02 |
| Blueberries | 3 | Poultry meat | *0.02 |
| Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)] | 7 | Rhubarb | 5 |
| Brassica leafy vegetables [except broccoli, Chinese (Gai lan)] | 10 | Sorghum, grain | T*0.02 |
| Broccoli, Chinese (Gai lan) | 7 | Soya bean (dry) | T5 |
| Brussels sprouts | 1 | Stone fruits | 4.5 |
| Bulb vegetables [except chives] | 0.5 | Strawberry | 0.3 |
| Carrot | 0.04 | Sugar beet | 0.06 |
| Celery | 5 | Sugar beet, molasses | 0.3 |
| Chinese cabbage (Pe-tsai) | 5 | Sweet corn (corn-on-the-cob) | 1 |
| Chives | 15 | Sweet potato | 5 |
| Citrus fruits | 1 | Tree nuts [except almonds] | 0.5 |
| Cotton seed | 0.7 | Watermelon | 0.5 |
| Cranberry | 0.3 | Agvet chemical: Spiroxamine | |
| Currants, black, red, white | 1.5 | <i>Permitted residue—commodities of plant origin: Spiroxamine</i> | |
| Dried grapes | 4 | <i>Permitted residue—commodities of animal origin: Spiroxamine carboxylic acid, expressed as spiroxamine</i> | |
| Edible offal (mammalian) | 0.5 | All other foods except animal food commodities | 0.05 |
| Eggs | *0.02 | Banana | T5 |
| Fennel, bulb | 0.5 | Barley | 0.03 |
| Fig | T1 | Dried grapes | 3 |
| Fruiting vegetables, cucurbits [except melons] | 2 | Edible offal (mammalian) | 0.5 |
| Fruiting vegetables, other than cucurbits | 7 | Eggs | *0.02 |
| Fungi, edible (except mushrooms) | 7 | Grapes | 2 |
| | | Hops, dry | 50 |
| | | Mammalian fats [except milk fats] | 0.05 |
| | | Meat (mammalian) | 0.05 |
| | | Milks | 0.05 |
| | | Podded pea (young pods) (snow and sugar snap) | T0.6 |
| | | Poultry, edible offal of | *0.05 |

| | | | |
|---|--------|---|--------|
| Poultry meat | *0.05 | Fruiting vegetables, other than cucurbits | 1 |
| Agvet chemical: Streptomycin and Dihydrostreptomycin | | Fungi, edible (except mushrooms) | 1 |
| <i>Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin</i> | | Herbs | 20 |
| Edible offal (mammalian) | *0.3 | Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory] | 5 |
| Meat (mammalian) | *0.3 | Lettuce, head | 1 |
| Milks | *0.2 | Meat (mammalian) | 0.7 |
| Agvet chemical: Sulfosulfuron | | Milks | 0.3 |
| <i>Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron</i> | | Mushrooms | 1 |
| Edible offal (mammalian) | *0.005 | Mustard seeds | T0.15 |
| Eggs | *0.005 | Oats | *0.01 |
| Meat (mammalian) | *0.005 | Peppers, chili, dried | 15 |
| Milks | *0.005 | Pineapple | 0.2 |
| Poultry, edible offal of | *0.005 | Pome fruits | 0.5 |
| Poultry meat | *0.005 | Potato | 0.01 |
| Triticale | *0.01 | Poultry, edible offal of | 0.02 |
| Wheat | *0.01 | Poultry meat | 0.7 |
| Agvet chemical: Sulfoxaflor | | Rape seed (canola) | 0.15 |
| <i>Permitted residue: Sulfoxaflor</i> | | Rice | 7 |
| All other foods except animal food commodities | 0.01 | Rice, husked | 1.5 |
| Asparagus | 0.015 | Rice, polished | 1 |
| Assorted tropical and sub-tropical fruits – inedible peel [except banana and pineapple] | 0.5 | Root and tuber vegetables [except potato] | 0.05 |
| Barley, similar grains, and pseudocereals with husks [except oats] | 0.2 | Sorghum, grain | 0.2 |
| Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; Chinese cabbage (Pe-tsai)] | 3 | Sorghum grain and millet | 0.15 |
| Broccoli, Chinese (Gai lan) | 3 | Soya bean (dry) | 0.3 |
| Bush berries | 2 | Stone fruits [except cherries (subgroup)] | 1 |
| Cane berries | 1.5 | Strawberry | 0.7 |
| Carob | 5 | Table grapes | 2 |
| Cauliflower | 0.1 | Tree nuts | 0.03 |
| Celery | 1.5 | Wheat, similar grains, and pseudocereals without husks | 0.05 |
| Cherries | 3 | Wine grapes | *0.01 |
| Chinese cabbage (Pe-tsai) | 5 | Agvet chemical: Sulfuryl fluoride | |
| Citrus fruits | 0.7 | <i>Permitted residue: Sulfuryl fluoride</i> | |
| Coffee bean | 0.3 | All other foods except animal food commodities | 0.02 |
| Cotton seed | 0.3 | Cereal grains [except sweet corns] | 0.05 |
| Cranberry | 0.7 | Dried fruits | 0.07 |
| Dry beans | 0.7 | Peanut | 15 |
| Edible offal (mammalian) | 2 | Tree nuts | 7 |
| Eggs | *0.01 | Agvet chemical: Sulphadiazine | |
| Elderberries | 2 | <i>Permitted residue: Sulphadiazine</i> | |
| Fats (mammalian) | 0.2 | Cattle milk | 0.1 |
| Fruiting vegetables, cucurbits | 0.5 | Edible offal (mammalian) | 0.1 |
| | | Eggs | T*0.02 |
| | | Meat (mammalian) | 0.1 |
| | | Poultry, edible offal of | 0.1 |
| | | Poultry meat | 0.1 |

| | |
|--|--------|
| Agvet chemical: Sulphadimidine | |
| <i>Permitted residue: Sulphadimidine</i> | |
| Meat (mammalian) | 0.1 |
| Edible offal (mammalian) | 0.1 |
| Eggs | *0.005 |
| Poultry, edible offal of [except turkey] | 0.1 |
| Poultry meat | 0.1 |
| Turkey, edible offal of | 0.2 |

| | |
|--|------|
| Agvet chemical: Sulphadoxine | |
| <i>Permitted residue: Sulphadoxine</i> | |
| Cattle milk | *0.1 |
| Edible offal (mammalian) | *0.1 |
| Meat (mammalian) | *0.1 |

| | |
|---|--------|
| Agvet chemical: Sulphaquinoxaline | |
| <i>Permitted residue: Sulphaquinoxaline</i> | |
| Eggs | T*0.01 |
| Poultry, edible offal of | 0.1 |
| Poultry meat | 0.1 |

| | |
|---|-----|
| Agvet chemical: Sulphatroxozole | |
| <i>Permitted residue: Sulphatroxozole</i> | |
| Cattle milk | 0.1 |
| Edible offal (mammalian) | 0.1 |
| Meat (mammalian) | 0.1 |

| | |
|---|-----|
| Agvet chemical: Sulphur dioxide | |
| <i>Permitted residue: Sulphur dioxide</i> | |
| Blueberries | 10 |
| Longan, edible aril | 10 |
| Strawberry | T30 |
| Table grapes | 10 |

| | |
|--|------|
| Agvet chemical: Tebuconazole | |
| <i>Permitted residue: Tebuconazole</i> | |
| All other foods except animal food commodities | 0.05 |
| Anise myrtle leaves (dried) | T5 |
| Avocado | 0.2 |
| Banana | 0.2 |
| Barley | 1 |
| Beetroot | T0.3 |
| Beetroot leaves | T2 |
| Bulb onions [except garlic] | 0.07 |
| Cane berries | 1 |
| Carrot | T0.5 |
| Cereal grains [except barley, oats; rice; sweet corns] | 0.2 |
| Chard (silver beet) | T2 |
| Cherries | 5 |
| Chicory leaves | T2 |

| | |
|---|--------|
| Citrus fruits [except mandarins (subgroup); oranges, sweet, sour] | 0.2 |
| Coffee bean | 0.4 |
| Cotton seed | 2 |
| Custard apple | 2 |
| Dried grapes (currants, raisins and sultanas) | 7 |
| Edible offal (mammalian) | 0.5 |
| Eggs | 0.1 |
| Endive | T2 |
| Fennel, bulb | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Garlic | T0.2 |
| Grapes | 6 |
| Green onions | 2 |
| Hops, dry | 40 |
| Legume vegetables | 0.5 |
| Lemon myrtle leaves (dried) | T5 |
| Lettuce, head | 0.1 |
| Lettuce, leaf | 0.1 |
| Mandarins | 0.7 |
| Meat (mammalian) | 0.1 |
| Melons, except watermelon | 0.4 |
| Milks | 0.05 |
| Mustard seeds | 0.3 |
| Oats | 1 |
| Olives for oil production | 2 |
| Olive oil, crude | 5 |
| Orange oil, edible | 10 |
| Oranges, Sweet, Sour | 0.4 |
| Papaya (pawpaw) | 0.2 |
| Passionfruit | 0.5 |
| Peanut | 0.1 |
| Pear | 1 |
| Persimmon, American | 2 |
| Peppers, chili, dried | 10 |
| Peppers, sweet | 1 |
| Pome fruits [except pear] | *0.01 |
| Pomegranate | T*0.01 |
| Poultry, edible offal of | 0.5 |
| Poultry meat | 0.1 |
| Pulses [except soya bean (dry)] | 1 |
| Radish | T0.3 |
| Radish leaves | T2 |
| Rape seed (canola) | 0.3 |
| Rice | 1.5 |
| Soya bean (dry) | 0.1 |
| Spices [except peppers, chili, dried] | 1 |
| Spinach | T2 |
| Stone fruits [except cherries (subgroup)] | 1 |
| Strawberry | 2 |
| Sugar cane | 0.1 |
| Sunflower seed | 0.1 |
| Sunflower seed oil, edible | 0.2 |
| Sweet corn (corn-on-the-cob) | T0.7 |
| Table olives | 2 |

| | |
|-----------|------|
| Tomato | 0.5 |
| Tree nuts | 0.05 |

Agvet chemical: Tebufenozide

Permitted residue: Tebufenozide

| | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Avocado | 0.5 |
| Blueberries | 3 |
| Citrus fruits | 1 |
| Cranberry | 0.5 |
| Custard apple | 0.3 |
| Dried grapes | 4 |
| Edible offal (mammalian) | *0.02 |
| Grapes | 2 |
| Kiwifruit | 2 |
| Litchi | 2 |
| Longan | 2 |
| Macadamia nuts | 0.05 |
| Meat (mammalian) (in the fat) | *0.02 |
| Milks | *0.01 |
| Peppers, chili, dried | 10 |
| Pome fruits [except Persimmon, Japanese] | 1 |
| Raspberries, red, black | 3 |

Agvet chemical: Tebufenpyrad

Permitted residue: Tebufenpyrad

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Cucumber | *0.02 |
| Peach | 1 |
| Pome fruits [except Persimmon, Japanese] | 1 |
| Strawberry | 1 |
| Tea, green, black | 0.1 |

Agvet chemical: Tebuthiuron

Permitted residue: Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron

| | |
|--------------------------|-----|
| Edible offal (mammalian) | 2 |
| Meat (mammalian) | 0.5 |
| Milks | 0.2 |

Agvet chemical: Teflubenzuron

Permitted residue: Teflubenzuron

| | |
|---------------------------------|------|
| Citrus fruits [except kumquats] | 0.5 |
| Coffee beans | 0.3 |
| Maize | 0.1 |
| Soya bean (dry) | 0.05 |
| Sugar cane | 0.01 |

Agvet chemical: Temephos

Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos

| | |
|--------------------------|-----|
| Cattle, edible offal of | T2 |
| Cattle meat (in the fat) | T5 |
| Sheep, edible offal of | 0.5 |
| Sheep meat (in the fat) | 3 |

Agvet chemical: Terbacil

Permitted residue: Terbacil

| | |
|----------------|-------|
| Apple | *0.04 |
| Blueberries | 0.2 |
| Peach | *0.04 |
| Peppermint oil | *0.1 |

Agvet chemical: Terbufos

Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos

| | |
|------------------------------------|-------|
| Banana | 0.05 |
| Cattle, edible offal of | *0.05 |
| Cattle meat | *0.05 |
| Cattle milk | *0.01 |
| Cereal grains [except sweet corns] | *0.01 |
| Eggs | *0.01 |
| Peanut | *0.05 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Sunflower seed | *0.05 |
| Sweet corn (corn-on-the-cob) | *0.05 |

Agvet chemical: Terbutylazine

Permitted residue: Terbutylazine

| | |
|------------------------------------|--------|
| Cereal grains [except sweet corns] | *0.01 |
| Cotton seed | 0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mustard seeds | T*0.02 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Pulses | *0.02 |
| Rape seed (canola) | *0.02 |
| Sugar cane | *0.01 |
| Sweet corn (corn-on-the-cob) | *0.01 |

Agvet chemical: Terbutryn

Permitted residue: Terbutryn

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.1 |
| Edible offal (mammalian) | 3 |
| Eggs | *0.05 |
| Meat (mammalian) | 0.1 |

| | |
|--------------------------|-------|
| Milks | 0.1 |
| Peas | *0.1 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | 0.1 |
| Sugar cane | *0.05 |

Agvet chemical: Tetraconazole

Permitted residue: Tetraconazole

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Berries and other small fruits [except grapes] | 0.2 |
| Edible offal (mammalian) | 0.2 |
| Grapes | 0.5 |
| Meat (mammalian) (in the fat) | *0.01 |
| Milks | *0.01 |
| Peanut | 0.03 |

Agvet chemical: Tetracycline

Permitted residue: Inhibitory substance, identified as tetracycline

| | |
|-------|------|
| Milks | *0.1 |
|-------|------|

Agvet chemical: Tetraniliprole

Permitted residue: Tetraniliprole

| | |
|--|--------|
| All other foods except animal food commodities | 0.02 |
| Almonds | 0.05 |
| Apricots, dried | 3 |
| Banana | *0.01 |
| Cane berries | T0.5 |
| Cherries | 1 |
| Edible offal (mammalian) | 0.7 |
| Eggs | *0.01 |
| Fig | T0.5 |
| Grapes | 0.5 |
| Litchi | T0.5 |
| Macadamia nuts | *0.01 |
| Maize | 0.02 |
| Mango | 0.1 |
| Meat (mammalian) [in the fat] | 0.1 |
| Milks | 0.1 |
| Milk fats | 0.2 |
| Pineapple | T*0.01 |
| Pome fruits | 0.5 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Prunes | 3 |
| Stone fruits [except cherries] | 0.7 |
| Sweet corn (corn-on-the-cob) | *0.01 |

Agvet chemical: Thiabendazole

Permitted residue—commodities of plant origin: Thiabendazole

Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxylthiabendazole, expressed as thiabendazole

| | |
|--|------|
| All other foods except animal food commodities | 0.03 |
| Apple | 10 |
| Banana | 3 |
| Citrus fruits | 10 |
| Edible offal (mammalian) | 0.2 |
| Mango | 7 |
| Meat (mammalian) | 0.2 |
| Milks | 0.05 |
| Mushrooms | 0.5 |
| Onion, bulb | 0.05 |
| Pear | 10 |
| Potato | 5 |
| Sweet potato | 9 |
| Taro | T50 |

Agvet chemical: Thiacloprid

Permitted residue: Thiacloprid

| | |
|--|-------|
| All other foods except animal food commodities | 0.1 |
| Chives | 5 |
| Coriander (leaves) | 5 |
| Cotton seed | 0.1 |
| Currants, black, red, white | 1 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Herbs | 5 |
| Meat (mammalian) | *0.02 |
| Milks | *0.01 |
| Mustard seed | 0.5 |
| Peppers, chili | 1 |
| Peppers, sweet | 1 |
| Pome fruits | 1 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Raspberries, red, black | 6 |
| Spices | 0.1 |
| Stone fruits | 2 |
| Strawberry | 1 |
| Tea, green, black | 10 |

Agvet chemical: ThiamethoxamSee also *Clothianidin**Permitted residue—commodities of plant origin:
Thiamethoxam**Commodities of animal origin: Sum of thiamethoxam
and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-
nitro-guanidine, expressed as Thiamethoxam**(Note: the metabolite clothianidin has separate
MRLs)*

| | |
|--|--------|
| All other foods except animal food commodities | T0.5 |
| Barley | 0.5 |
| Barley bran, processed | 1.5 |
| Beans [except broad bean; soya bean] | T0.2 |
| Berries and other small fruits [except grapes] | 0.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 3 |
| Broccoli, Chinese (Gai lan) | 3 |
| Celery | 1 |
| Cereal grains [except barley; maize; oats; rice; sorghum, grain; sweet corn (corn-on-the-cob); triticale; wheat] | *0.01 |
| Chinese cabbage (Pe-tsai) | 2 |
| Citrus fruits | 1 |
| Cotton seed | *0.02 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.02 |
| Fruiting vegetables, cucurbits | T1 |
| Fruiting vegetables, other than cucurbits | 0.7 |
| Fungi, edible (except mushrooms) | 0.7 |
| Grapes | 0.2 |
| Hops, dry | 0.1 |
| Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory] | 2 |
| Maize | *0.02 |
| Mango | 0.07 |
| Meat (mammalian) | 0.07 |
| Milks | 0.15 |
| Mushrooms | 0.7 |
| Mustard seeds | T*0.01 |
| Oats | 0.5 |
| Peppers, chili, dried | 7 |
| Persimmon, Japanese | 0.6 |
| Podded pea (young pods) (snow and sugar snap) | 0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry fats | *0.01 |
| Poultry meat | 0.03 |
| Rape seed (canola) | *0.01 |
| Rice | 50 |
| Rice bran, unprocessed | 30 |

| | |
|------------------------------|-------|
| Rice, husked | 5 |
| Rice, polished | 3 |
| Root and tuber vegetables | T0.7 |
| Sorghum, grain | 0.6 |
| Sorghum, sweet (sorgo) | 0.6 |
| Stone fruits | 0.5 |
| Sunflower seed | *0.02 |
| Sweet corn (corn-on-the-cob) | *0.02 |
| Tea, green, black | 20 |
| Triticale | 0.15 |
| Wheat | 0.15 |

Agvet chemical: Thidiazuron*Permitted residue: Thidiazuron*

| | |
|--------------------------|-------|
| Cotton seed | *0.5 |
| Edible offal (mammalian) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |

Agvet chemical: Thiobencarb*Permitted residue: Thiobencarb*

| | |
|------|-------|
| Rice | *0.05 |
|------|-------|

Agvet chemical: Thiodicarb*Permitted residue: Sum of thiodicarb and methomyl,
expressed as thiodicarb*

| | |
|---|-------|
| All other foods except animal food commodities | 0.1 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 2 |
| Broccoli, Chinese (Gai lan) | 2 |
| Chia | T1 |
| Cotton seed | *0.1 |
| Cotton seed oil, crude | *0.1 |
| Edible offal (mammalian) | *0.05 |
| Maize | *0.1 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Potato | 0.1 |
| Pulses | *0.1 |
| Sweet corn (corn-on-the-cob) | *0.1 |
| Tomato | 2 |

Agvet chemical: Thiophanate*see Carbendazim***Agvet chemical: Thiophanate-methyl***Permitted residue: Sum of thiophanate-methyl and
2-aminobenzimidazole, expressed as thiophanate-
methyl*

| | |
|--|-----|
| All other foods except animal food commodities | 0.1 |
| Almonds | 0.1 |

| | |
|-----------------------------|------|
| Apricot | 15 |
| Cherries | 20 |
| Currants, black, red, white | *0.1 |
| Grapes | 5 |
| Mango | 2 |
| Nectarine | 3 |
| Peach | 3 |
| Peanut | 0.1 |
| Plums | 0.5 |
| Raspberries, red, black | *0.1 |
| Rhubarb | *0.1 |
| Strawberry | *0.1 |

Agvet chemical: Thiram

see *Dithiocarbamates*

Agvet chemical: Tiafenacil

Permitted residue—commodities of plant origin: Tiafenacil

Permitted residue—Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.01 |
| Cotton seed | *0.01 |
| Edible offal (mammalian) | *0.02 |
| Eggs | *0.02 |
| Meat (mammalian) | *0.02 |
| Milks | *0.02 |
| Mustard seeds | *0.01 |
| Poultry, edible offal of | *0.02 |
| Poultry meat | *0.02 |
| Pulses | *0.01 |
| Rape seed (canola) | *0.01 |

Agvet chemical: Tiamulin

Permitted residue: Tiamulin

| | |
|--------------------------|------|
| Pig, edible offal of | *0.1 |
| Pig meat | *0.1 |
| Poultry, edible offal of | *0.1 |
| Poultry meat | *0.1 |

Agvet chemical: Tilmicosin

Permitted residue: Tilmicosin

| | |
|-------------------------|-------|
| Cattle, edible offal of | 1 |
| Cattle meat | *0.05 |
| Pig, edible offal of | 1 |
| Pig meat | 0.05 |

Agvet chemical: Tioxazafen

Permitted residue: Sum of tioxazafen and benzamidine (benzenecarboximidamide), expressed as tioxazafen

| | |
|--------------------------|-------|
| Cotton seed | *0.01 |
| Edible offal (mammalian) | 0.03 |
| Eggs | *0.02 |
| Fats (mammalian) | 0.03 |
| Maize | *0.01 |
| Meat (mammalian) | 0.02 |
| Milks | 0.02 |
| Poultry, edible offal of | *0.02 |
| Poultry fats | *0.02 |
| Poultry meat | *0.02 |
| Soya bean (dry) | 0.04 |

Agvet chemical: Tolclofos-methyl

Permitted residue: Tolclofos-methyl

| | |
|--|-------|
| All other foods except animal food commodities | 0.02 |
| Beetroot | *0.01 |
| Cotton seed | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Leafy greens [except chard; purslane; spinach] | 0.7 |
| Mammalian fats [except meat fats] | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Potato | 0.3 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |

Agvet chemical: Tolfenamic acid

Permitted residue: Tolfenamic acid

| | |
|---------------|-------|
| Cattle kidney | *0.01 |
| Cattle liver | *0.01 |
| Cattle meat | 0.05 |
| Cattle milk | 0.05 |
| Pig kidney | *0.01 |
| Pig liver | 0.1 |
| Pig meat | *0.01 |

Agvet chemical: Tolfenpyrad

Permitted residue—commodities of plant origin:
Tolfenpyrad

Permitted residue—commodities of animal origin:
Sum of tolfenpyrad, and free and conjugated PT-CA (4-[4-[[4-chloro-3-ethyl-1-methylpyrazol-5-yl] carbonylamino]methyl] phenoxy] benzoic acid and OH-PT-CA (4-[4-[[4-chloro-3(1-hydroxyethyl)-1-methylpyrazol-5-yl] carbonylamino]methyl] phenoxy] benzoic acid) (released with alkaline hydrolysis), expressed as tolfenpyrad

| | |
|--|-------|
| Bulb onions | 0.09 |
| Citrus oil, edible | 80 |
| Edible offal (mammalian) | 0.4 |
| Eggs | *0.01 |
| Lemons and Limes | 0.9 |
| Mammalian fats [except milk fats] | *0.01 |
| Mandarins | 0.9 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Oranges, Sweet, Sour | 0.6 |
| Peppers [except martynia; okra; roselle] | 0.5 |
| Peppers, chili, dried | 5 |
| Potato | 0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Pummelos | 0.6 |

Agvet chemical: Toltrazuril

Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril

| | |
|--------------------------|-------|
| Cattle fat | 1 |
| Cattle kidney | 1 |
| Cattle liver | 2 |
| Cattle muscle | 0.25 |
| Chicken, edible offal of | 5 |
| Chicken meat | 2 |
| Eggs | *0.03 |
| Pig, edible offal of | 2 |
| Pig meat (in the fat) | 1 |

Agvet chemical: Topramezone

Permitted residue: Topramezone

| | |
|--------------------------|--------|
| Barley | *0.01 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.001 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Tralkoxydim

Permitted residue: Tralkoxydim

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.02 |
|------------------------------------|-------|

Agvet chemical: Trenbolone acetate

Permitted residue: Sum of trenbolone acetate and 17 Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone

| | |
|-------------------------|-------|
| Cattle, edible offal of | 0.01 |
| Cattle meat | 0.002 |

Agvet chemical: Triadimefon

Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon

see also *Triadimenol*

| | |
|--|-------|
| All other foods except animal food commodities | 0.05 |
| Apple | T1 |
| Cereal grains [except sweet corns] | 0.5 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.1 |
| Field pea (dry) | 0.1 |
| Fruiting vegetables, cucurbits | 0.2 |
| Fruiting vegetables, other than cucurbits | 0.2 |
| Fungi, edible (except mushrooms) | 0.2 |
| Garden pea, shelled (succulent seeds) | 0.1 |
| Garden pea (young pods, succulent seeds) | 0.1 |
| Grapes | 1 |
| Fats (mammalian) | *0.25 |
| Meat (mammalian) | *0.05 |
| Milks | *0.1 |
| Mushrooms | 0.2 |
| Peppers, chili, dried | 5 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Strawberry | 0.5 |
| Sugar cane | *0.05 |
| Sweet corns | 0.2 |
| Tea, green, black | 0.2 |

Agvet chemical: Triadimenol

Permitted residue: Triadimenol

see also *Triadimefon*

| | |
|---|------|
| All other foods except animal food commodities | 0.05 |
| Anise myrtle leaves (dried) | 0.05 |
| Berries and other small fruits [except grapes; riberry; strawberry] | T0.5 |
| Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)] | 1 |
| Broccoli, Chinese (Gai lan) | 1 |

| | |
|--|-------|
| Cereal grains [except sorghum, grain; sweet corns] | *0.01 |
| Cherries | 0.1 |
| Chives | T3 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Fruiting vegetables, cucurbits | 0.5 |
| Fruiting vegetables, other than cucurbits | 1 |
| Fungi, edible (except mushrooms) | 1 |
| Grapes | 0.5 |
| Leek | T3 |
| Lemon myrtle leaves (dried) | 0.05 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mushrooms | 1 |
| Onion, bulb | 0.05 |
| Onion, Chinese | T3 |
| Onion, Welsh | T3 |
| Papaya (pawpaw) | 0.2 |
| Parsnip | 0.2 |
| Peppers, chili, dried | 5 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Radish | 0.2 |
| Riberry | 0.3 |
| Shallot | T3 |
| Sorghum, grain | 0.5 |
| Spring onion | T3 |
| Strawberry | 0.5 |
| Sugar cane | *0.05 |
| Swede | 0.2 |
| Sweet corns | 1 |
| Tea, green, black | 0.2 |
| Turnip, garden | 0.2 |

Agvet chemical: Triallate

Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate

| | |
|--|-------|
| Cereal grains [except sweet corns] | *0.05 |
| Edible offal (mammalian) [except kidney] | *0.1 |
| Eggs | *0.01 |
| Fats (mammalian) | 0.2 |
| Kidney of cattle, goats, pigs and sheep | 0.2 |
| Legume vegetables | *0.05 |
| Meat (mammalian) | *0.1 |
| Milks | *0.1 |
| Oilseed | 0.1 |
| Palm nuts | 0.1 |
| Peanut | 0.1 |
| Poultry, edible offal of | 0.2 |
| Poultry fats | 0.2 |
| Poultry meat | *0.1 |
| Pulses | 0.1 |

Agvet chemical: Triasulfuron

Permitted residue: Triasulfuron

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.02 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |

Agvet chemical: Triazophos

Permitted residue: Triazophos

| | |
|-----------------|-----|
| Coriander, seed | 0.1 |
|-----------------|-----|

Agvet chemical: Tribenuron-methyl

Permitted residue: Tribenuron-methyl

| | |
|--------------------------|-------|
| Barley | *0.01 |
| Chick-pea (dry) | *0.01 |
| Cotton seed | *0.05 |
| Edible offal (mammalian) | *0.01 |
| Maize | *0.05 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Mung bean (dry) | *0.01 |
| Oats | *0.01 |
| Rape seed (canola) | *0.01 |
| Sorghum, grain | *0.01 |
| Soya bean (dry) | *0.01 |
| Sunflower seed | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Trichlorfon

Permitted residue: Trichlorfon

| | |
|--|------|
| Achachairu | T3 |
| All other foods except animal food commodities | 0.05 |
| Assorted tropical and sub-tropical fruits – edible peel | T3 |
| Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)] | T3 |
| Babaco | T3 |
| Beetroot | 0.2 |
| Berries and other small fruits | T2 |
| Brussels sprouts | 0.2 |
| Cape gooseberry (ground cherry) | T0.5 |
| Cattle, edible offal of | 0.1 |
| Cattle fat | 0.1 |
| Cattle meat | 0.1 |
| Cauliflower | 0.2 |
| Celery | 0.2 |
| Cereal grains [except sweet corn (corn-on-the-cob)] | 0.1 |
| Dried fruits | 2 |
| Eye plant | T0.5 |

| | |
|---|--------|
| Mustard seeds | T*0.02 |
| Oranges | 0.6 |
| Peanut | 0.05 |
| Peanut oil, crude | 0.05 |
| Peas with pods (subgroup) | 1.5 |
| Peppers, sweet, chili | 0.5 |
| Persimmon, Japanese | 1.5 |
| Pistachio nut | 0.04 |
| Podded pea (young pods) (snow and sugar snap) | 0.06 |
| Pome fruits [except Persimmon, Japanese] | 0.7 |
| Popcorn | 0.05 |
| Poultry, edible offal of | *0.04 |
| Poultry meat (in the fat) | *0.04 |
| Rape seed (canola) | *0.02 |
| Rice | 5 |
| Spinach | T10 |
| Stone fruits | 5 |
| Strawberry | 2 |
| Sugar beet | 0.1 |
| Sweet corn (corn-on-the-cob) | 0.04 |
| Tomato | 0.7 |
| Walnuts | 0.04 |
| Wheat | 0.2 |

Agvet chemical: Trifloxysulfuron sodium

Permitted residue: Trifloxysulfuron

| | |
|--------------------------|-------|
| Cotton seed | *0.01 |
| Cotton seed oil, crude | *0.01 |
| Cotton seed oil, edible | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Sugar cane | *0.01 |

Agvet chemical: Trifludimoxazin

Permitted residue: Trifludimoxazin

| | |
|--------------------------|--------|
| Barley | *0.01 |
| Edible offal (mammalian) | *0.01 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.001 |
| Oats | *0.01 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |
| Triticale | *0.01 |
| Wheat | *0.01 |

Agvet chemical: Triflumezopyrim

Permitted residue—commodities of plant origin: Triflumezopyrim

Permitted residue—commodities of animal origin: Triflumezopyrim

| | |
|------|-----|
| Rice | 0.2 |
|------|-----|

Agvet chemical: Triflumizole

Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro- N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole

| | |
|-----------|-----|
| Cherries | 1.5 |
| Grapes | 2.5 |
| Hops, dry | 50 |

Agvet chemical: Triflumuron

Permitted residue: Triflumuron

| | |
|--|-------|
| Cereal grains [except sweet corns] | *0.05 |
| Edible offal (mammalian) [except sheep, edible offal of] | *0.05 |
| Eggs | 0.01 |
| Hops, dry | 50 |
| Meat (mammalian) [except sheep meat (in the fat)] | *0.05 |
| Milks | *0.05 |
| Mushrooms | 0.1 |
| Palm nuts | *0.05 |
| Peanut | *0.05 |
| Poultry, edible offal of | 0.01 |
| Poultry meat (in the fat) | 0.1 |
| Sheep, edible offal of | 0.1 |
| Sheep meat (in the fat) | 2 |

Agvet chemical: Trifluralin

Permitted residue: Trifluralin

| | |
|--|--------|
| Adzuki bean (dry) | *0.05 |
| All other foods except animal food commodities | 0.01 |
| Almonds | 0.05 |
| Bergamot | T*0.05 |
| Broad bean (dry) | *0.05 |
| Carrot | 0.5 |
| Cereal grains [except sweet corns] | *0.05 |
| Chick-pea (dry) | *0.05 |
| Chives | T*0.05 |
| Coriander (leaves, roots, stems) | *0.05 |
| Coriander, seed | *0.05 |
| Cowpea (dry) | *0.05 |
| Dill, seed | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Fennel, bulb | T0.5 |

| | |
|---|-------|
| Fennel, seed | *0.05 |
| Fruit | *0.05 |
| Galangal, Greater | 0.5 |
| Herbs | *0.05 |
| Hyacinth bean (dry) | *0.05 |
| Lemon verbena (fresh weight) | *0.05 |
| Lupin (dry) | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.05 |
| Mizuna | *0.05 |
| Mung bean (dry) | *0.05 |
| Oilseed | *0.05 |
| Parsnip | 0.5 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |
| Rose and dianthus (edible flowers) | *0.05 |
| Sugar cane | *0.05 |
| Sweet corns | 0.05 |
| Tea, green, black | *0.05 |
| Turmeric, root (fresh) | 0.5 |
| Vegetables [except as otherwise listed under this chemical] | 0.05 |

Agvet chemical: Triforine

Permitted residue: Triforine

| | |
|--|----|
| Pome fruits [except Persimmon, Japanese] | 1 |
| Stone fruits [except jujube, Chinese] | 10 |

Agvet chemical: Trimethoprim

Permitted residue: Trimethoprim

| | |
|--------------------------|-------|
| Cattle milk | 0.05 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | 0.05 |
| Poultry, edible offal of | 0.05 |
| Poultry meat | 0.05 |

Agvet chemical: Trinexapac-ethyl

Permitted residue: Trinexapac acid

| | |
|---|--------|
| All other foods except animal food commodities | 0.02 |
| Barley bran, processed | 4 |
| Bran, unprocessed of cereal grains [except rice bran, unprocessed; wheat bran, unprocessed] | 0.5 |
| Cereal grains [except rice; rye; sweet corns (subgroup)] | 0.2 |
| Edible offal (mammalian) | 0.05 |
| Eggs | *0.01 |
| Meat (mammalian) | *0.02 |
| Milks | *0.005 |
| Poppy seed | 20 |
| Poultry, edible offal of | *0.01 |
| Poultry meat | *0.01 |

| | |
|-------------------------|-----|
| Rice | 0.5 |
| Rice bran, unprocessed | 3 |
| Rice, polished | 0.7 |
| Rye | 3 |
| Sugar cane | 0.1 |
| Wheat bran, unprocessed | 5 |

Agvet chemical: Triticonazole

Permitted residue: Triticonazole

| | |
|------------------------------------|-------|
| Cereal grains [except sweet corns] | *0.05 |
| Edible offal (mammalian) | *0.05 |
| Eggs | *0.05 |
| Meat (mammalian) | *0.05 |
| Milks | *0.01 |
| Poultry, edible offal of | *0.05 |
| Poultry meat | *0.05 |

Agvet chemical: Tulathromycin

Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents

| | |
|---------------|-------|
| Cattle fat | 0.1 |
| Cattle kidney | 1 |
| Cattle liver | 3 |
| Cattle muscle | 0.1 |
| Pig fat/skin | 0.3 |
| Pig kidney | 3 |
| Pig liver | 2 |
| Pig muscle | 0.5 |
| Sheep fat | *0.05 |
| Sheep kidney | 0.3 |
| Sheep liver | 1 |
| Sheep muscle | 0.15 |

Agvet chemical: Tylosin

Permitted residue: Tylosin A

| | |
|--------------------------|-------|
| Cattle, edible offal of | *0.1 |
| Cattle meat | *0.1 |
| Eggs | *0.2 |
| Milks | *0.05 |
| Pig, edible offal of | *0.2 |
| Pig fat | *0.1 |
| Pig meat | *0.2 |
| Poultry, edible offal of | *0.2 |
| Poultry fats | *0.1 |
| Poultry meat | *0.2 |

Agvet chemical: Uniconazole-p

Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p

| | |
|---------------|--------|
| Avocado | 0.5 |
| Carrot | T*0.01 |
| Custard apple | T*0.01 |
| Poppy seed | *0.01 |
| Walnuts | T*0.01 |

Agvet chemical: Valifenalate

Permitted residue: Valifenalate

| | |
|-----------------------------------|-------|
| Edible offal (mammalian) | *0.01 |
| Eggplant | 0.4 |
| Eggs | *0.01 |
| Table grapes | 0.3 |
| Mammalian fats [except milk fats] | *0.01 |
| Meat (mammalian) | *0.01 |
| Milks | *0.01 |
| Onion, bulb | 0.5 |
| Poultry, edible offal of | *0.01 |
| Poultry fats | *0.01 |
| Poultry meat | *0.01 |
| Shallot | 0.5 |
| Tomato | 0.4 |

Agvet chemical: Virginiamycin

Permitted residue: Inhibitory substance, identified as virginiamycin

| | |
|--------------------------|------|
| Cattle, edible offal of | 0.2 |
| Cattle fat | 0.2 |
| Cattle milk | 0.1 |
| Cattle meat | *0.1 |
| Poultry, edible offal of | 0.2 |
| Poultry fats | 0.2 |
| Poultry meat | 0.1 |
| Sheep, edible offal of | 0.2 |
| Sheep meat | 0.1 |

Agvet chemical: Warfarin

Permitted residue: Warfarin

| | |
|----------------------------------|--------|
| Pig, edible offal [except liver] | T0.007 |
| Pig fat | T0.007 |
| Pig liver | T0.04 |
| Pig meat | T0.007 |

Agvet chemical: Zeranol

Permitted residue: Zeranol

| | |
|-------------------------|-------|
| Cattle, edible offal of | 0.02 |
| Cattle meat | 0.005 |

Agvet chemical: Zeta-cypermethrin

see Cypermethrin

Agvet chemical: Zetacypermethrin

see Cypermethrin

Agvet chemical: Zinc phosphide

See Phosphine

Agvet chemical: Zineb

See Dithiocarbamates

Agvet chemical: Ziram

See Dithiocarbamates

Agvet chemical: Zoxamide

Permitted residue: Zoxamide

| | |
|--------|---|
| Grapes | 5 |
|--------|---|

Flutianil

Permitted residue: Flutianil

| | |
|---------------------------|------|
| Apple | 0.15 |
| Cherries (subgroup) | 0.4 |
| Small fruit vine climbing | 0.7 |

Isoprothiolane

Permitted residue — commodities of plant origin: isoprothiolane

Permitted residue — commodities of animal origin: sum of isoprothiolane and 2-(1,3-dithiolan-2-ylidene)-3-oxo-3-(propan-2-yloxy)propanoic acid (M-2), expressed as isoprothiolane

| | |
|--------|---|
| Banana | 1 |
|--------|---|

Pyraziflumid

Permitted residue — commodities of plant origin: pyraziflumid

Permitted residue — commodities of animal origin: pyraziflumid and its pyraziflumid-4'-OH metabolite (free), expressed as pyraziflumid

| | |
|--|-----|
| Dried grapes (currants; raisins; sultanas) | 6 |
| Grapes | 3 |
| Pome fruits | 1.5 |

| Spirodidion | | | |
|--|--------|--------------------------|--------|
| <i>Permitted residue — commodities of plant origin: sum of spirodidion and spirodidion-enol (SYN547305) expressed as spirodidion</i> | | Meat (mammalian) | *0.012 |
| <i>Permitted residue — commodities of animal origin: spirodidionenol (SYN547305) expressed as spirodidion</i> | | Milks | *0.012 |
| Cucumber | 0.8 | Peppers (subgroup) | 1 |
| Edible offal (mammalian) | 0.2 | Peppers, chili, dried | 7 |
| Eggs | *0.012 | Potato | 1.5 |
| Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes | 0.9 | Potato, flakes/granules | 5 |
| Mammalian fats (except milk fats) | 0.025 | Poultry, edible offal of | *0.012 |
| | | Poultry fats | *0.012 |
| | | Poultry meat | *0.012 |
| | | Soya bean (dry) | 3 |
| | | Soya flour | 5 |
| | | Tomato | 0.8 |
| | | Tomato, dried | 7 |
| | | Tomato, puree | 1.5 |

Amendment History

The Amendment History provides information about each amendment to the Schedule. The information includes commencement or cessation information for relevant amendments.

These amendments are made under section 92 of the *Food Standards Australia New Zealand Act 1991* unless otherwise indicated. Amendments do not have a specific date for cessation unless indicated as such.

About this compilation

This is compilation No. 76 of Schedule 20 as in force on **23 February 2024** (up to Amendment No. 226). It includes any commenced amendment affecting the compilation to that date.

Prepared by the Office of Parliamentary Counsel, Canberra.

Uncommenced amendments or provisions ceasing to have effect.

To assist stakeholders, the effect of any uncommenced amendments or provisions which will cease to have effect, may be reflected in the Schedule as shaded boxed text with the relevant commencement or cessation date. These amendments will be reflected in a compilation registered on the Federal Register of Legislation including or omitting those amendments and provided in the Amendment History once the date is passed.

The following abbreviations may be used in the table below:

| | |
|--|--|
| ad = added or inserted | am = amended |
| C[x] = Compilation No. x | ed = editorial change |
| exp = expired or ceased to have effect | (md not Incorp) = misdescribed amendment cannot be given effect. |
| rep = repealed | rs = repealed and substituted |

Schedule 20 was published in the Food Standards Gazette No. FSC96 on 10 April 2015 as part of Amendment 154 (F2015L00468 — 1 April 2015) and has since been amended as follows:

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|---------------|---|--------------------------|--------------|--|
| Std heading | 161 | F2016L00118 17 Feb 2016 FSC103 22 Feb 2016 | 1 March 2016 | am | Remove number from Note. |
| 2(b), (c) | 166 | F2017L00026 5 Jan 2017 FSC108 12 Jan 2017 | 12 Jan 2017 | am, ad | Insert new paragraph (c) with consequential formatting amendment to paragraph (b). |
| table to S20—3 | 161 | F2016L00118 17 Feb 2016 FSC103 22 Feb 2016 | 1 March 2016 | rs | Table. |
| table to S20—3 | APVMA 1, 2016 | F2016L00141 24 Feb 2016 APVMA Special 1 March 2016 | 1 March 2016 | am | Abamectin, Azoxystrobin, Chlorothalonil, Clothianidin, Cyazofamid, Dithiocarbamates, Flumioxazin, Imidacloprid, Methabenzthiazuron, Propachlor, Pymetrozine, Spinetoram, Tebuconazole and Trichlorfon. |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|---------------|---|--------------------------|--------------|--|
| table to S20—3 | APVMA 2, 2016 | F2016L00247 8 March 2016 APVMA 5 8 March 2016 | 8 March 2016 | ad | Oxathiapiprolin. |
| table to S20—3 | APVMA 2, 2016 | F2016L00247 8 March 2016 APVMA 5 8 March 2016 | 8 March 2016 | am | Aminoethoxyvinyl-glycine, Chlorantraniliprole, Difenconazole, Etoazole, Flumioxazin, Glyphosate, Prochloraz, Propiconazole, Sethoxydim, Spirotetramat and Triclabendazole. |
| table to S20—3 | APVMA 3, 2016 | F2016L00489 5 April 2016 APVMA 7 5 April 2016 | 5 April 2016 | am | Permitted residue for Abamectin. |
| table to S20—3 | APVMA 3, 2016 | F2016L00489 5 April 2016 APVMA 7 5 April 2016 | 5 April 2016 | am | Abamectin and Sethoxydim. |
| table to S20—3 | APVMA 4, 2016 | F2016L00616 2 May 2016 APVMA 9 3 May 2016 | 3 May 2016 | ad | Decoquinatate. |
| table to S20—3 | APVMA 4, 2016 | F2016L00616 2 May 2016 APVMA 9 3 May 2016 | 3 May 2016 | am | Azoxystrobin, Bifenthrin, Cyproconazole, Difenconazole, Ethephon, Etoazole, Maldison and Spinetoram. |
| table to S20—3 | 163 | F2016L00788 12 May 2016 FSC105 19 May 2016 | 19 May 2016 | am | Permitted residue for Clethodim. |
| table to S20—3 | 163 | F2016L00788 12 May 2016 FSC105 19 May 2016 | 19 May 2016 | ad | Cycloxydim, Famoxadone, Flupyradifurone, Folpet, Fosetyl-aluminium and Mesotrione. |
| table to S20—3 | 163 | F2016L00788 12 May 2016 FSC105 19 May 2016 | 19 May 2016 | am | Acetamiprid, Boscalid, Buprofezin, Carbaryl, Carbendazim, Clopyralid, Clothianidin, Cyantraniliprole, Cyprodinil, Dichlobenil, Difenconazole, Dimethenamid-P, Dodine, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fludioxonil, Fluopyram, Flutriafol, Fluxapyroxad, Fosetyl, Glyphosate, Imazamox, Imazapic, Imazapyr, Imazethapyr, Indoxacarb, Maldison, Metaflumizone, Metalaxyl, Metrafenone, Norflurazon, Penconazole, Pyraclostrobin, Spinetoram, Spinosad, Tebuconazole, Thiamethoxam, Thiophanate-methyl and Triadimefon. |
| table to S20—3 | APVMA 5, 2016 | F2016L00863 31 May 2016 APVMA 11 31 May 2016 | 31 May 2016 | am | Residue definition for Glyphosate. |
| table to S20—3 | APVMA 5, 2016 | F2016L00863 31 May 2016 APVMA 11 31 May 2016 | 31 May 2016 | am | Acetamiprid, Acibenzolar-S-methyl, Boscalid, Clothianidin, Flonicamid, Metalaxyl, Metsulfuron-methyl, Pymetrozine and Sulfoxaflor. |
| table to S20—3 | APVMA 6, 2016 | F2016L01088 28 June 2016 APVMA 13 28 June 2016 | 28 June 2016 | am | Bixafen, Difenconazole, Fenvalerate, Imazapic, Imazapyr, Milbemectin and Quinoxifen. |
| table to S20—3 | APVMA 7, 2016 | F2016L01238 26 July 2016 APVMA 15 26 July 2016 | 26 July 2016 | am | Azoxystrobin, Chloridazon, Flamprop-methyl, Fluensulfone, Mandipropamid, Meloxicam. |
| table to S20—3 | APVMA 8, 2016 | F2016L01316 23 Aug 2016 APVMA 17 23 Aug 2016 | 23 Aug 2016 | am | Azoxystrobin, Buprofezin, Cyproconazole, Prothioconazole and Spirotetramat. |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|----------------|--|--------------------------|--------------|--|
| table to S20—3 | APVMA 9, 2016 | F2016L01579 4 Oct 2016 APVMA 20 4 Oct 2016 | 4 Oct 2016 | am | Bromoxynil, Carbendazim, Clothianidin, Ethephon, Iprodione, Linuron, Methabenzthiazuron and Pirimicarb. |
| table to S20—3 | APVMA 10, 2016 | F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016 | 15 Nov 2016 | ad | Amisulbrom and Mandestrobin. |
| table to S20—3 | APVMA 10, 2016 | F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016 | 15 Nov 2016 | am | Abamectin, Acibenzolar-S-methyl, Boscalid, Buprofezin, Chlorantranilprole, Chlorothalonil, Difenconazole, Dithiocarbamates, Etoazole, Flubendiamide, Iprodione and Saflufenacil. |
| table to S20—3 | APVMA 11, 2016 | F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016 | 29 Nov 2016 | ad | Pyriofenone. |
| table to S20—3 | APVMA 11, 2016 | F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016 | 29 Nov 2016 | am | Azoxystrobin, Boscalid and Propachlor. |
| table to S20—3 | APVMA 1, 2017 | F2017L00033 6 Jan 2017 APVMA1 10 Jan 2017 | 10 Jan 2017 | ad | Nicosamide. |
| table to S20—3 | APVMA 1, 2017 | F2017L00033 6 Jan 2017 APVMA 1 10 Jan 2017 | 10 Jan 2017 | am | Azoxystrobin, Captan, Cyproconazole, Cypermethrin, Dimethomorph, Emamectin, Metribuzin, Prothioconazole and Tebuconazole. |
| table to S20—3 | 166 | F2017L00026 5 Jan 2017 FSC108 12 Jan 2017 | 12 Jan 2017 | am | Ametoctradin, Azoxystrobin, Bifenthrin, Captan, Cyfluthrin, Deltamethrin, Fenhexamid, Fludioxonil, Glyphosate, Iprodione, Methomyl, Penthopyrad, 2-Phenylphenol, Pyrimethanil, Spinosad, Thiabendazole, Thiodicarb, Triadimefon and Triadimenol. |
| table to S20—3 | APVMA 2, 2017 | F2017L00096 6 Feb 2017 APVMA 3 7 Feb 2017 | 7 Feb 2017 | am | Azoxystrobin, Clothianidin, Fluopicolide, Propamocarb, Propiconazole, Sulfoxaflor and Tebuconazole. |
| table to S20—3 | APVMA 3, 2017 | F2017L00264 20 March 2017 APVMA 6 21 March 2017 | 21 March 2017 | am | Abamectin, Acetamidrid, Boscalid, Chlorantranilprole, Cypermethrin, Cyprodinil, Dithianon, Dithiocarbamates, Fludioxonil, Novaluron, Spirotetramat, Sulfoxaflor and Trifloxystrobin. |
| table to S20—3 | APVMA 4, 2017 | F2017L00449 18 April 2017 APVMA 8 18 April 2017 | 18 April 2017 | ad | Metazachlor. |
| table to S20—3 | APVMA 4, 2017 | F2017L00449 18 April 2017 APVMA 8 18 April 2017 | 18 April 2017 | am | Boscalid, Flonicamid, Fluopyram, Imazamox, Propiconazole and Pyrimethanil. |
| table to S20—3 | APVMA 5, 2017 | F2017L00522 12 May 2017 APVMA 10 16 May 2017 | 16 May 2017 | am | Flonicamid, Imazamox, Monepantel, Pirimicarb, Propiconazole, Pyriproxyfen and Spirotetramat. |
| table to S20—3 | 170 | F2017L00591 23 May 2017 FSC112 25 May 2017 | 25 May 2017 | am | Avilamycin. |
| table to S20—3 | APVMA 6, 2017 | F2017L00649 8 June 2017 APVMA 12 13 June 2017 | 13 June 2017 | ad | Cloquintocet acid. |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|---------------|---|--------------------------|--------------|--|
| table to S20—3 | APVMA 6, 2017 | F2017L00649 8 June 2017 APVMA 12 8 June 2017 | 13 June 2017 | am | Fluopicolide, Metolachlor, Propamocarb and Propyzamide. |
| table to S20—3 | APVMA 7 2017 | F2017L00897 7 July 2017 APVMA 14 11 July 2017 | 11 July 2017 | ad | Bicyclopyrone. |
| table to S20—3 | APVMA 7 2017 | F2017L00897 7 July 2017 APVMA 14 11 July 2017 | 11 July 2017 | am | Iprodione, Metalaxyl and Propyzamide. |
| Table to S20—3 | APVMA 8 2017 | F2017L00995 8 August 2017 APVMA 16 8 August 2017 | 8 August 2017 | am | Bixafen, Buprofezin, Clopyralid, Clothianidin, Flumioxazin, Imazamox and Imazapyr. |
| Table to S20—3 | APVMA 9 2017 | F2017L01129 5 Sept 2017 APVMA 18 5 Sept 2017 | 5 September 2017 | am | Fluazinam, Pyraflufen-ethyl and Spirotetramat |
| Table to S20—3 | APVMA 10 2017 | F2017L01317 3 October 2017 APVMA 20 3 October 2017 | 3 October 2017 | am | Abamectin, Azoxystrobin, Cyproconazole, Fludioxonil, Fluxapyroxad, Penflufen, Sulfoxaflor, Trifloxystrobin, |
| Table to S20—3 | APVMA 11 2017 | F2017L01404 31 Oct 2017 APVMA 22 31 October 2017 | 31 October 2017 | am | Cloquintocet-mexyl, Diquat, Fludioxonil, Tebuconazole |
| Table to S20—3 | APVMA 12 2017 | F2017L01522 28 Nov 2017 APVMA 24 28 November 2017 | 28 Nov 2017 | ad | Clothianidin, Cyclanilprole, Chlorantraniliprole, Clomazone, Cyanamide, Cyantraniliprole, Cyprodinil, Dimethomorph, Fludioxonil, Haloxypop Mandipropamid, Methomyl, Methoxyfenozide, Napropamide, Phosphorous acid |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|---------------|---|--------------------------|--------------|---|
| Table to S20—3 | 175 | F2017L01594 7 December 2017 FSC116 7 December 2017 | 7 December 2017 | ad | Acequinocyl, Acephate, Acetamidrid, Aminocyclopyrachlor, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Brodifacoum, Buprofezin, Carbaryl, Carbendazim, Chlorantraniliprole, Chlorfenvinphos, Clopyralid, Chlorpyrifos-methyl, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, Deltamethrin, Dichlorvos, Dicloran, Difenoconazole, Disulfoton, Endothal, Ethoprophos, Etofenprox, Fenamiphos, Fenarimol, Fenpropathrin, Fenpropimorph, Fenthion, Fenpyroximate, Fenvalerate, Flonicamid, Flubendiamide, Fludioxonil, Flumioxazin, Fluopyram, Flusilazole, Flutriafol, Fosetyl-aluminium, Glyphosate, Hexythiazox, Imazamox, Inorganic bromide, Iprodione, Imidacloprid, Metalaxyl, Methamidophos, Myclobutanil, Maldison, Mesotrione, Metaflumizone, Metalaxyl, Metconazole, Methomyl, Myclobutanil, Naled, Nicarbazin, Norflurazon, Novaluron, Oxathiapiprolin, Paraquat, Phenothrin, 2-Phenylphenol, Phosphine, Propyzamide, Prothioconazole, Pyraflufen-ethyl, Pyridaben, Pyrimethanil, Phosphine, Quintozene, Rimsulfuron, Safflufenacil, Sedaxane, Sethoxydim, Spinetoram, Spirotetramat, Tebuconazole, Tetradifon, Thiachloprid, Thiamethoxam, Thifensulfuron, Thifensulfuron-methyl, Triadimenol, Trifloxystrobin, Virginiamycin |
| Table to S20—3 | APVMA 1, 2018 | F2018L00038 9 Jan 2018 APVMA 1, 16 January 2018 | 16 Jan 2018 | am | Azoxystrobin, Butafenacil, Chlorantraniliprole, Dicamba, Etoazole, Fludioxonil, Paraquat, Penflufen, Pyraclostrobin, Safflufenacil, Sulfoxaflor, Tebuconazole, Trifloxystrobin |
| Table to S20—3 | APVMA 2, 2018 | F2018L00240 7 March 2018 APVMA 2, 13 March 2018 | 13 March 2018 | ad | Florpyrauxifen-benzyl, |
| Table to S20—3 | APVMA 2, 2018 | F2018L00240 7 March 2018 APVMA 2, 13 March 2018 | 13 March 2018 | am | Flutriafol, Pirimicarb, Sedaxane |
| Table to S20—3 | APVMA 3, 2018 | F2018L00512 18 April 2018 APVMA 8, 24 April 2018 | 24 April 2018 | ad | Afidopyropen, Isopyrazam, Pydiflumetofen |
| Table to S20—3 | APVMA 3, 2018 | F2018L00512 18 April 2018 APVMA 8, 24 April 2018 | 24 April 2018 | am | Abamectin, Azoxystrobin, Bifenthrin, Buprofezin, Cyantraniliprole, Cyazofamid, Cyhalothrin, Dithiocarbamates, Endothal, Florpyrauxifen-benzyl, Fludioxonil, Fluopicolide, Fluroxypyr, Imazalil, Metribuzin, Myclobutanil, Oxathiapiprolin, Propamocarb, Prosulfocarb |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|---------------|---|--------------------------|--------------|---|
| Table to S20—3 | APVMA 4, 2018 | F2018L00990 28 June 2018 APVMA 13, 3 July 2018 | 3 July 2018 | ad | Acetamiprid, Emamectin, Metalaxyl, Novaluron, Pendimethalin, Penflufen, Prochloraz |
| Table to S20—3 | APVMA 4, 2018 | F2018L00990 28 June 2018 APVMA 13, 3 July 2018 | 3 July 2018 | am | Pendimethalin, Prochloraz, |
| Table to S20—3 | APVMA 5, 2018 | F2018L01103 9 August APVMA 16 14 August 2018 | 14 August 2018 | ad | Amicarbazone |
| Table to S20—3 | APVMA 5, 2018 | F2018L01103 9 August APVMA 16 14 August 2018 | 14 August 2018 | am | Abamectin, Bixafen, Clothianidin, Cypermethrin, Cyromazine, Endothal, Halosulfuron-methyl, Sulfoxaflor |
| Table to S20—3 | 180 | F2018L01151 22 August 2018 FSC121 23 August 2018 | 23 August 2018 | ad | Acetochlor, Isofetamid, Teflubenzuron |
| Table to S20—3 | 180 | F2018L01151 22 August 2018 FSC121 23 August 2018 | 23 August 2018 | am | 2,4-DB, Acetamiprid, Aldicarb, Ametoctradin, Amitraz, Amitrole, Azoxystrobin, Benzovindiflupyr, Bitertanol, Buprofezin, Carbendazim, Carbofuran, Chlorpyrifos, Clofentezine, Chlorfluazuron, Clothianidin, Cyhalothrin, Cyprodinil, Dicamba, Difenoconazole, Diflubenzuron, Diflufenican, Dithiocarbamates, Dimethenamid-P, Dithiocarbamates, Dodine, Emamectin, Etoxazole, Endothal, Fenarimol, Fenbuconazole, Fenbuconazole oxide, Fenitrothion, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fipronil, Florfenicol, Fluazinam, Flumioxazin, Fluopyram, Fluxapyroxad, Fosetyl-aluminium, Imazamox, Ipconazole, Iprodione, Ivermectin, Levamisole, Maldison, MCPA, Mesotrione, Metalaxyl, Metconazole, Methidathion, Methomyl, Metrafenone, Mevinphos, Naled, Oxadixyl, Oxathiapiprolin, Pebulate, Penconazole, Permethrin, Phorate, Phosmet, Phosphorous acid, Piperonyl butoxide, Pyriofenone, Profenofos, Propachlor, Propamocarb, Prothioconazole, Prothiofos, Prothiofos, Pyraflufen-ethyl, Pyriproxyfen, Pyroxasulfone, Quinoxifen, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Tetraconazole, Thiodicarb, Thiophanate-methyl, Trichlorfon, Tridemorph, Trifloxystrobin, Trifluralin, Tylosin |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|---------------|---|--------------------------|--------------|---|
| Table to S20—3 | APVMA 6, 2018 | F2018L01205 22 August 2018 APVMZ 17 28 August 2018 | 28 August 2018 | am | Aminoethoxyvinylglycine, Pendimethalin, Pyridate |
| Table to S20—3 | APVMA 7, 2018 | F2018L01346 20 September 2018 APVMA 19 25 September 2018 | 25 September 2018 | ad | Metamitron |
| Table to S20—3 | APVMA 7, 2018 | F2018L01346 20 September 2018 APVMA 19 25 September 2018 | 25 September 2018 | am | Acetamiprid, Emamectin, Etoxazole, Flumioxazin, Propiconazole (md not incorp), Sedaxane (md not incorp) |
| Table to S20—3 | APVMA 8 2018 | F2018L01446 16 October 2018 APVMA 22 6 November 2018 | 6 November 2018 | ad | Cypermethrin, Flamprop-methyl, Maldison, Methomyl (md not incorp), Pymetrozine, Quintozene |
| Table to S20—3 | APVMA 8 2018 | F2018L01446 16 October 2018 APVMA 22 6 November 2018 | 6 November 2018 | am | Chlorantraniliprole, Maldison, Propiconazole, Sedaxane |
| Table to S20—3 | APVMA 9 2018 | F2018L01641 28 Nov 2018 APVMA 24 4 Dec 2018 | 4 Dec 2018 | am | Fluopicolide, Fluvalinate, Methomyl, Propamocarb, Terbutylazine, |
| Table to S20—3 | APVMA 1 2019 | F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019 | 29 January 2019 | ad | Abamectin, 2,4-D, Fipronil, Fluensulfone, Fluvalinate, Hexythiazox, Indoxacarb, Linuron, Paclobutrazol, Pyraclostrobin, Spiroxamine, Sulfoxaflor, Tebuconazole |
| Table to S20—3 | APVMA 1 2019 | F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019 | 29 January 2019 | am | Linuron, Fluensulfone, Paclobutrazol, Spiroxamine |
| Table to S20—3 | APVMA 2 2019 | F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019 | 26 February 2019 | ad | Amisulbrom, Azoxystrobin, Bixafen, Cyprodinil, Diafenthiuron, Dinotefuran, Ethephon, Fludioxonil, Indoxacarb, Phosphine, Phosphorous acid, Praziquantel, Spinetoram, Tebuconazole |
| Table to S20—3 | APVMA 2 2019 | F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019 | 26 February 2019 | am | Azoxystrobin, Bifenthrin, Bixafen, Clothianidin, Fluensulfone, Fluopyram, Imidacloprid, Phosphorous acid, Sulfoxaflor, Tebuconazole |
| Table to S20—3 | APVMA 3 2019 | F2019L00670 1 May 2019 APVMA 9 7 May 2019 | 7 May 2019 | ad | Azoxystrobin, Cyproconazole, Fenoxycarb, Fenvalerate, Fipronil, Florryprauxifenbenzyl, Thiabendazole, |
| Table to S20—3 | APVMA 3 2019 | F2019L00670 1 May 2019 APVMA 9 7 May 2019 | 7 May 2019 | am | Azoxystrobin, Bifenthrin, Fenoxycarb, Phosphorous acid |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|--------------|--|--------------------------|--------------|--|
| Table to S20—3 | APVMA 4 2019 | F2019L00974 8 July 2019 APVMA 14 16 July 2019 | 16 July 2019 | ad | Bromoxynil, Chlorantranilprole, Diflubenzuron, Fluopyram, Glyphosate (md not Incorp) Haloxyfop, Indoxacarb, Mandestrobin (md not Incorp) Praziquantel, Pyrethrins, Sethoxydim, Trichlorfon |
| Table to S20—3 | APVMA 4 2019 | F2019L00974 8 July 2019 APVMA 14 16 July 2019 | 16 July 2019 | am | Glyphosate (md not Incorp), Praziquantel, Fluopyram |
| Table to S20—3 | 186 | F2019L00994 17 July 2019 FSC127 25 July 2019 | 25 July 2019 | am | Aldoxycarb, Azaconazole, Boscalid, Carbaryl, Chinomethionat, Chlorpropham, Chlorantranilprole, Clodinafop acid, Clodinafop-propargyl, Clofentezine, Clothianidin, Cyhalothrin, Cypermethrin, Deltamethrin, Diafenthion, Diuron,, Dimethipin, Dimethirimol, Fenvalerate, Flamprop-methyl, Flucythrinate, Flusilazole, Fluxapyroxad, Metaflumizone, Olaquinox, Oxydemeton-methyl, Oxythioquinox, Permethrin, Phosmet, Pyrimethanil, Sethoxydim, Sulfoxaflor, Sulprofos, Tebufenozide, Tetrachlorvinphos, Tetradifon, Thiamethoxam, Thiometon, Tolyfluanid, Trichloroethylene, Triflumizole, |
| Table to S20—3 | 186 | F2019L00994 17 July 2019 FSC127 25 July 2019 | 25 July 2019 | ad | 2,4D, Abamectin, Acetamiprid, Benzovindiflupyr, Boscalid, Bupirimate, Fenazaquin, Carbaryl, Chlorpyrifos-methyl, Clofentezine, Clothianidin, Cyflufenamid, Cyhalothrin, Cyprodinil, Cypermethrin, Difenconazole, Diflubenzuron, Diflufenican, Diuron, Emamectin, Famoxadone, Fenbuconazole, Fenpyrazamine, Fluazifop-p-butyl, Fluazinam, Fluopyram, Flupyradifurone, Fluxapyroxad, Folpet, Halosulfuron-methyl, Mandestrobin, Mesotrione, Metaflumizone, Metalaxyl, Methamidophos, Methidathion, Penthiopyrad, Phenmedipham, Phosmet, Phosphine, Pirimicarb, Prochloraz, Profenofos, Propaquizafop, Pyraclostrobin, Quinoxifen, Quizalofop-ethyl, Quizalofop-p-tefuryl, Rimsulfuron, Saflufenacil, Sethoxydim, Sulfoxaflor, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbacil, Thiophanate-methyl, Trifluralin |
| Table to S20—3 | APVMA 5 2019 | F2019I01059 7 August 2019 APVMA 16 13 August 2019 | 13 August 2019 | ad | Acetamiprid, Aminopyralid, Bromoxynil, Cyprodinil, Fludioxonil, Fluralaner, Fluxapyroxad, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazapyr, Mandestrobin, Mefentrifluconazole, Metolachlor, Penthiopyrad, Phosphorous acid, Pirimicarb, Pyriproxyfen (md not Incorp, Topramezone |
| Table to S20—3 | APVMA 5 2019 | F2019I01059 7 August 2019 APVMA 16 13 August 2019 | 13 August 2019 | am | Clofentezine, Cyfluthrin, Cyprodinil, Fludioxonil, Glyphosate, Haloxyfop, Phosphorous acid, Pyraclostrobin |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|--------------|--|--------------------------|--------------|---|
| Table to S20—3 | APVMA 6 2019 | F2019L01150 4 September 2019 APVMA 18 10 September 2019 | 10 September 2019 | am | Chlorantraniliprole, Clothianidin, Thiamethoxam |
| Table to S20—3 | APVMA 7 2019 | F2019L01515 28 November 2019 APVMA 24 3 December 2019 | 3 December 2019 | ad | Afidopyropen, Aminopyralid, Azoxystrobin, Benzovindiflupyr, Cypermethrin, Flumioxazin, Halauxifen-methyl, Imazapyr, Metalaxyl, Napropamide, Pyraclostrobin, Pyrethrins, Pyriproxyfen, Quizalofop-ethyl, Sethoxydim, Sulfoxaflor, Terbutylazine, |
| Table to S20—3 | APVMA 7 2019 | F2019L01515 28 November 2019 APVMA 24 3 December 2019 | 3 December 2019 | am | Abamectin , Azoxystrobin, Cyflufenamid, Difenoconazole, Fludioxonil , Imidacloprid , Pyraclostrobin, |
| Table to S20—3 | APVMA 1 2020 | F2020L00022 9 January 2020 APVMA 1 14 January 2020 | 14 January 2020 | ad | Afidopyropen, Bixafen, Cinmethylin, Dithiocarbamates, Etofenprox, Etoxazole, Indoxacarb, Iprodione, Prothioconazole |
| Table to S20—3 | APVMA 1 2020 | F2020L00022 9 January 2020 APVMA 1 14 January 2020 | 14 January 2020 | am | Amoxicillin, Bixafen, Dithiocarbamates, Emamectin, Imidacloprid, Indoxacarb |
| Table to S20—3 | 191 | F2020L00152 20 February 2020 FSC 131 26 February 2020 | 26 February 2020 | am | Imazapyr |
| Table to S20—3 | APVMA 2 2020 | F2020L00219 2 March 2020 APVMA 5 10 March 2020 | 10 March 2020 | ad | 2,4-D, Bifenthrin, Glufosinate and Glufosinate ammonium, Glyphosate, Mesotrione, Methiocarb |
| Table to S20—3 | APVMA 3 2020 | F2020L00380 31 March 2020 APVMA 7 7 April 2020 | 7 April 2020 | ad | Bixlozone, Carbetamide, , Diafenthiuron, Difenoconazole, Etoxazole, Flubendazole, Fluopyram, Fluralaner, Halosulfuron-methyl, Imazamox, Napropamide, Prosulfocarb, Tebuconazole, Trifloxystrobin |
| Table to S20—3 | APVMA 3 2020 | F2020L00380 31 March 2020 APVMA 7 7 April 2020 | 7 April 2020 | am | Bifenthrin, Glufosinate and Glufosinate-ammonium, Lasalocid, Oxamyl, Trinexapac-ethyl |
| Table to S20—3 | APVMA 4 2020 | F2020L00619 27 May 2020 APVMA 11 2 June 2020 | 2 June 2020 | ad | Bupirimate, Cyanamide, Cyazofamid, Diafenthiuron, Fludioxonil, Fluopicolide, Indoxacarb, Metolachlor, Paracetamol Propamocarb |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|--------------|---|--------------------------|--------------|---|
| Table to S20—3 | APVMA 4 2020 | F2020L00619 27 May 2020 APVMA 11 2 June 2020 | 2 June 2020 | am | Cyanamide, Fluopicolide, Linuron, Metolachlor, Propamocarb |
| Table to S20—3 | APVMA 5 2020 | F2020L00903 10 July 2020 APVMA 14 14 July 2020 | 14 July 2020 | ad | Chlorantraniliprole, Tetraniliprole, Trifludimoxazin, Methomyl, Spinetoram |
| Table to S20—3 | APVMA 5 2020 | F2020L00903 10 July 2020 APVMA 14 14 July 2020 | 14 July 2020 | am | Chlorantraniliprole, Fluopyram, Trifloxystrobin |
| Table to S20—3 | 193 | F2020L00939 23 July 2020 FSC 134 28 July 2020 | 28 July 2020 | ad | Acephate, Benzovindiflupyr, Boscalid, Carbendazim, Clofentezine, Cypermethrin, Deltamethrin, Dimethomorph, Dithiocarbamates, Endosulfan, Fenazaquin, Flazasulfuron, Fluazifop-p-butyl, Fluopicolide, Fluopyram, Folpet, Halosulfuron-methyl, Imidacloprid, Metalaxyl, Oxathiapiprolin, Pendimethalin Phosmet, Phosphorous acid, Propiconazole, Sethoxydim, Tetraconazole, Triadimenol |
| Table to S20—3 | 193 | F2020L00939 23 July 2020 FSC 134 28 July 2020 | 28 July 2020 | am | Abamectin, Acequinocyl, Boscalid, Buprofezin, Chlorothalonil, Clofentezine, Clothianidin, Cypermethrin, Cyproconazole, Difenoconazole, Dithiocarbamates, Emamectin, Etridiazole, Fentin, Fenazaquin, Fenhexamid, Fenoxycarb, Flonicamid, Fluazifop-p-butyl, Fluopyram, Hexythiazox, Imidacloprid, Indoxacarb, Metalaxyl, Iprodione, Metalaxyl, Methoxyfenozide, Myclobutanil, Pendimethalin, Phosphorous acid, Propiconazole, Quinoxifen, Tebuconazole, Tebuthiuron, Tetraconazole, Thiamethoxam, Trifloxystrobin |
| Table to S20—3 | APVMA 6 | F2020L00989 5 August 2020 APVMA 16 11 August 2020 | 11 August 2020 | ad | Azoxystrobin, Chlorantraniliprole, Cyproconazole, Emamectin, Etoxazole Flonicamid, Fludioxonil, Glufosinate and Glufosinate-ammonium, Glyphosate, Indoxacarb (md not Incorp), Linuron, Napropamide, Novaluron, Permethrin, Prothioconazole, Pyridate. |
| Table to S20—3 | APVMA 6 | F2020L00989 5 August 2020 APVMA 16 11 August 2020 | 11 August 2020 | am | Aclonifen, Metcamifen |
| Table to S20--3 | AMPVA 7 | F2020L01316 16 October 2020 AMPVA 17 20 October 2020 | 20 October 2020 | ad | Ametoctradin, Buprofezin, Cyazofamid, Glyphosate, Propyzamide, Proquinazid, Spinosad, Uniconazole-p |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|------------|---|--------------------------|--------------|--|
| Table to S20—3 | APVMA 7 | F2020L01316 16 October 2020 AMPVA 17 20 October 2020 | 20 October 2020 | am | Amisulbrom, Azoxystrobin, Buprofezin, Chlorantraniliprole, Cyazofamid, Glyphosate, Indoxacarb, Methomyl, Spinosad |
| Table to S20—3 | APVMA 8 | F2020L01424 12 November 2020 APVMA 23 17 November 2020 | 17 November 2020 | ad | Bifenazate, Bifenthrin, Isofetamid, Metalaxyl |
| Table to S20—3 | APVMA 8 | F2020L01424 12 November 2020 APVMA 23 17 November 2020 | 17 November 2020 | am | Abamectin, Bifenthrin, Bupirimate, Carfentrazone-ethyl, Clofentezine, Cyprodinil, Fludioxonil, Isofetamid, Metsulfuron-methyl, Phosphorous acid, Tolclofos-methyl, Triadimenol |
| Table to S20—3 | APVMA 9 | F2020L01503 27 November 2020 APVMA 24 1 December 2020 | 1 December 2020 | ad | Imidacloprid, Pyraflufen-ethyl, Saflufenacil |
| Table to S20—3 | APVMA 9 | F2020L01503 27 November 2020 APVMA 24 1 December 2020 | 1 December 2020 | am | Metribuzin, Pyraflufen-ethyl (md not incorp), Saflufenacil, Clothianidin, Fluralaner, Metribuzin |
| Table to S20—3 | APVMA 1 | F2021L00067 22 January 2021 APVMA 2 27 January 2021 | 27 January 2021 | ad | 2,4-D, Acetamiprid, Carbaryl, Uniconazole-p |
| Table to S20—3 | APVMA 1 | F2021L00067 22 January 2021 APVMA 2 27 January 2021 | 27 January 2021 | am | 2,4-D, Pyraclostrobin |
| Table to S20—3 | APVMA 2 | F2021L00125 18 February 2021 APVMA 4 23 February 2021 | 23 February 2021 | ad | Acequinocyl, Acetamiprid, Cyproconazole, Fludioxonil, Pyriproxyfen, Acequinocyl, Acetamiprid, Afidopyropen, Azoxystrobin, Cyproconazole, Fludioxonil, Flumioxazin, Forchlorfenuron, Propachlor, Pydiflumetofen, Pyriproxyfen, Ractopamine, Tiafenacil, Tetrailiprole |
| Table to S20—3 | APVMA 2 | F2021L00125 18 February 2021 APVMA 4 23 February 2021 | 23 February 2021 | am | Afidopyropen, Azoxystrobin, Captan, Cyproconazole, Fludioxonil, Pydiflumetofen |
| Table to S20—3 | APVMA 3 | F2021L00491 27 April 2021 APVMA 9 4 May 2021 | 4 May 2021 | ad | Fomesafen, Azoxystrobin, Bromoxynil, Diflufenican, Fluopyram, Trifloxystrobin |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|------------|---|--------------------------|--------------|---|
| Table to S20—3 | APVMA 3 | F2021L00491 27 April 2021 APVMA 9 4 May 2021 | 4 May 2021 | am | Fluopyram, Pyraflufen-ethyl, Spinetoram, Metalaxyl, Methomyl |
| Table to S20—3 | 200 | F2021L00684 2 June 2021 FSC141 3 June 2021 | 3 June 2021 | am | Aminocyclopyrachlor, <i>Clodinafop-propargyl</i> , <i>Clodinafop acid</i> , Difenoconazole, Flumioxazin, Kresoxim-methyl, Phosphine, Pirimicarb |
| Table to S20—3 | APVMA 4 | F2021L00976 9 July 2021 APVMA 13 13 July 2021 | 13 July 2021 | am | Afidopyropen, Ametoctradin, Chlorantraniliprole, Cyantraniliprole, Cypermethrin, Cyprodinil, Dimethoate (md not incorp), Dimethomorph, Fipronil, Fludioxonil, Flumioxazin, Fluopyram, Propiconazole, Sulfoxaflor, Haloxyfop, Metalaxyl, Metrafenone, Omethoate (md not incorp), Propiconazole. |
| Table to S20—3 | 202 | F2021L01174 23 August 2021 FSC143 26 August 2021 | 26 August 2021 | am | Ethiprole, Fenpicoxamid, Flusilazole, Picoxystrobin, Tioxazafen, Triflumezopyrim, Zinc phosphide, Zineb, Ziram, Zoxamide, Abamectin, Acetamiprid, Acibenzolar-S-methyl, Ametoctradin, Azoxystrobin, Bentazone, Carbendazim, Carfentrazone-ethyl, Chlorantraniliprole, Chlorpyrifos, Cyclaniliprole, Cypermethrin, Fluazifop-p-butyl, Fludioxonil, Flutriafol, Imazalil, Imidacloprid, Kresoxim-methyl, Mefentrifluconazole, Metalaxyl, Oxathiapiprolin, Paraquat, Permethrin, Phosphine, Pyraclostrobin, Pyriofenone, Pyriproxyfen, Sethoxydim, Sulfoxaflor, Tebuconazole, 2,4-D, Acephate, Acifluorfen, Afidopyropen, Benzovindiflupyr, Bifenthrin, Boscalid, Carboxin, Chlorfenapyr, Chlorpyrifos-methyl, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cyhalothrin, Deltamethrin, Difenoconazole, Dithianon, Diuron, Fenbuconazole, Fenoxaprop-ethyl, Fenpyroximate, Flubendiamide, Fluopyram, Fluoxastrobin, Flupyradifurone, Flutolanil, Fluxapyroxad, Folpet, Glyphosate, Halosulfuron-methyl, Hexythiazox, Isofetamid, Lufenuron, Maldison, Mandipropamid, MCPA, MCPB, Metconazole, Methamidophos, Milbemectin, Myclobutanil, Norflurazon, Oxamyl, Pendimethalin, Phorate, Pirimiphos-methyl, Profenofos, Prohexadione-calcium, Propamocarb, Propiconazole, Pyraflufen-ethyl, Pyrethrins, Pyroxasulfone, Sethoxydim, Simazine, Spinosad, Sulfuryl fluoride, Tebufenozide, Thiacloprid, Thiamethoxam, Thiophanate-methyl, Iprodione, Methomyl, Metolachlor, |
| Table to S20—3 | APVMA 5 | F2021L01235 3 Sept 2021 APVMA 18 7 Sept 2021 | 7 September 2021 | am | Flonicamid, Fluxapyroxad, Isopyrazam, Isoxaflutole, Mefentrifluconazole (md not incorp), Mesotrione, Pyriproxyfen, Saflufenacil, Cyantraniliprole, Dimethoate, Methomyl, Metribuzin, Omethoate, Azoxystrobin, Bromoxynil, Carbendazim, Dimethoate, Imazapyr, Spiroxamine |
| Table to S20—3 | APVMA 6 | F2021L01426 13 Oct 2021 APVMA 21 19 Oct 2021 | 19 October 2021 | am | Fluazaindolizine, Benzyladenine, Metamitron, Pydiflumetofen, Pyroxasulfone. |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|------------|---|--------------------------|--------------|---|
| Table to S20—3 | APVMA 1 | F2022L00142 17 Feb 2022 APVMA 4 22 Feb 2022 | 22 Feb 2022 | am | Abamectin, Aclonifen, Afidopyropen, Bifenazate, Bixlozone, Chlorantraniliprole, Cyantraniliprole, Cyflumetofen, Cyprodinil, Dicamba, Dithiocarbamates, Etoxazole, Florylpicoxamid, Fludioxonil, Fluopyram, Flupyradifurone, Glyphosate, Imazapic, Imazapyr, Imidacloprid, Mefentrifluconazole, Moxidectin, Pendimethalin, Propiconazole, Proquinazid, Spirotetramat, Trifloxystrobin, |
| Table to S20—3 | APVMA 2 | F2022L00696 12 May 2022 APVMA 10 17 May 2022 | 17 May 2022 | am | Acequinocyl , Acetamiprid, Difenoconazole, Mesotrione, Methoxyfenozide, Pydiflumetofen, Pyriproxyfen, Sulfoxaflor, Tulathromycin |
| Table to S20—3 | APVMA 3 | F2022L00970 12 July 2022 APVMA 14 12 July 2022 | 12 July 2022 | ad | Fluoxapiprolin, Isotianil, Metobromuron |
| Table to S20—3 | APVMA 3 | F2022L00970 12 July 2022 APVMA 14 12 July 2022 | 12 July 2022 | am | Florpyrauxifen-benzyl, Fluroxypyr Glyphosate (safflower seed md not incorp), Haloxyfop Imidacloprid, Isofetamid, Maldison, Mandestrobin, Permethrin, Sethoxydim |
| Table to S20—3 | APVMA 4 | F2022L01102 22 Aug 2022 APVMA 17 23 Aug 2022 | 23 August 2022 | am | Bifenthrin, Diflufenican, Fluopyram, Fluroxypyr, Indoxacarb, Prothioconazole, Tebuconazole, Tetraniliprole Thiabendazole, Trifludimoxazin |
| Table to S20—3 | 211 | F2022L01118 26 Aug 2022 FSC151 1 Sept 2022 | 1 September 2022 | am | Abamectin, Acephate, Acequinocyl, Acetamiprid, Afidopyropen, Ametoctradin, Ametryn, Aminoethoxyvinylglycine, Aminopyralid, Amisulbrom, Amitrole, Atrazine, Azamethiphos, Azoxystrobin, Benzovindiflupyr, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromacil, Bromoxynil, Buprofezin, Butafenacil, Butoxydim, Cadusafos, Captan, Carbaryl, Carbendazim, Carbon disulphide, Carbonyl sulphide, Carboxin, Carfentrazone-ethyl, Chlorantraniliprole, Chlorfenapyr, Chloropicrin, Chlorothalonil, Chlorpyrifos, Chlorpyrifos-methyl, Chlorsulfuron, Chlorthal-dimethyl, Clofentezine, Clopyralid, Cloquintocet-mexyl, Clothianidin, Cyanazine, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, 2,4-D, 2,4-DB, Deltamethrin, Diafenthiuron, Diazinon, Dicamba, Dichlobenil, Dichlorprop-P, Dichlorvos, Diclofop-methyl, Dicofof, Didecyldimethylammonium chloride, Difenoconazole, Diflubenzuron, Dimethoate, Dimethomorph, Diquat, Dithiocarbamates, Diuron, Dodine, 2,2-DPA, Emamectin, Epoxiconazole, EPTC, Ethion, Ethofumesate, Ethoprophos, Ethylene dichloride (EDC), Etofenprox, Etoxazole, Fenazaquin, Fenbutatin oxide, Fenhexamid, Fenitrothion, Fenoxycarb, Fenpropathrin, Fenpyroximate, |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|------------|---|--------------------------|--------------|---|
| | | | | | <p>Fenvalerate, Fipronil, Flonicamid, Florasulam, Floryprauxifen-benzyl, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Flubendiamide, Fludioxonil, Fluensulfone, Flumioxazin, Fluometuron, Fluopicolide, Fluopyram, Flupyradifurone, Fluquinconazole, Fluroxypr (md), Flutriafol, Fluvalinate, Fluxapyroxad, Fosetyl, Fosetyl-aluminium, Glufosinate and Glufosinate-ammonium, Glyphosate, Guazatine, Halauxifen-methyl, Halosulfuron-methyl, Haloxyfop, Hexythiazox, Imazalil, Imazamox, Imazapyr, Imidacloprid, Indoxacarb, Inorganic bromide, Ipconazole, Iprodione, Isofetamid, Isoxaflutole, Lufenuron, Maldison, Mandestrobin, Mandipropamid, MCPA, MCPB, Mefenpyr-diethyl, Mefentrifluconazole, Metaflumizone, Metalaxyl, Metaldehyde, Metamitron, Metazachlor, Metcamifen, Methamidophos, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Methyl bromide, Metolachlor, Metosulam, Metrafenone, Metribuzin, Metsulfuron-methyl, Mevinphos, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Omethoate, Oryzalin, Oxadixyl, Oxamyl, Oxathiapirolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penflufen, Penthiopyrad, Permethrin, Phenmedipham, 2-Phenylphenol, Phorate, Phosmet, Phosphine, Phosphorous acid, Picloram, Picolinafen, Piperonyl butoxide, Pirimicarb, Pirimiphos-methyl, Procymidone, Profenofos, Propachlor, Propamocarb, Propaquizafop, Propargite, Propazine, Propiconazole, , Prothioconazole, Prothiofos, Pydiflumetofen, Pymetrozine, Pyraclostrobin, Pyraflufen-ethylv, Pyrasulfotole, Pyrethrins, Pyridaben, Pyrimethanil, Pyriofenone, Pyriproxyfen, Pyroxasulfone, Quinoxifen, , Saflufenacil, Sedaxane, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirodiclofen, Spirotetramat, Sulfoxaflor, Sulfuryl fluoride, Tebuconazole, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbufos, Terbutylazine, Terbutryn, Tetraniliprole, Thiabendazole, Thiacloprid, Thiamethoxam, Thiodicarb, Tiafenacil, Tralkoxydim, Triadimefon, Triadimenol, Triallate, Triasulfuron, Tribenuron-methyl, Trichlorfon, Triclopyr, Trifloxystrobin, Triflumuron, Trifluralin, Triforine, Trinexapac-ethyl, Triticonazole</p> |
| Table to S20—3 | 212 | F2022L01172 6 Sept 2022 FSC152 8 Sept 2022 | 7 September 2022 | am | <p>1,4-Dimethyl naphthalene, Abamectin, Acephate, Acequinocyl, Acetamidrid, Acetochlor, Acifluorfen, Afidopyropen, Ametryn, Amitrole, Azinphos-methyl, Azoxystrobin, Bentazone, Benzovindiflupyr, Bifenazate, Boscalid, Bupirimate, Buprofezin, Carbaryl, Carbenfendazim, Carbofuran, Chlorantraniliprole, Chlorothalonil, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyfluthrin (beta-cyfluthrin), Cyhalothrin, Cyhexatin, Cypermethrin, Cyprodinil, Cyromazine,</p> |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|------------|---|--------------------------|--------------|---|
| | | | | | Dichlobenil, Dichlorvos, Difenoconazole, Diflubenzuron, Dimethoate, Dimethomorph, Dinocap, Dinotefuran, Diphenylamine, Diquat, Diuron, Emamectin (Emamectin benzoate), EPTC, Ethiprole, Ethofumesate, Ethoprophos, Ethylene, Etofenprox, Fenamidone, Fenarimol, Fenazaquin, Fenbuconazole, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fenvalerate (esfenvalerate), Fipronil, Flonicamid, Fluazifop-p-butyl, Fludioxonil, Fluensulfone, Fluopicolide, Fluopyram, Flupyradifurone, Flutianil, Flutolanil, Flutriafol, Fluxapyroxad, Forchlorfenuron, Fosetyl-aluminium, Glufosinate (see Glufosinate-ammonium), Glufosinate-ammonium, Glyphosate, Hexazinone, Imazapic, Imazapyr, Imazethapyr, Imidacloprid, Inpyrfluxam, Iprodione, Isofetamid, Isoxaflutole, Kasugamycin, Kresoxim-Methyl, Mancozeb (Dithiocarbamates), Mandestrobin, Mandipropamid, Maneb (Dithiocarbamates), Mefentrifluconazole, Mepanipirim, Metaflumizone, Metalaxyl (Metalaxyl-M), Metconazole, Methamidophos, Methidathion, Methomyl, Methoprene, Methoxyfenozide, Metribuzin, Novaluron, Omethoate, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paraquat, Pendimethalin, Penthiopyrad, Phorate, Picoxystrobin, Piperonyl Butoxide, Pirimicarb, Prochloraz, Procymidone, Profenofos, Propamocarb, Propiconazole, Propoxur, Prothiofos, Pydiflumetofen, Pyraclostrobin, Pyrethrins, Pyrimethanil, Pyriofenone, Pyriproxyfen, Quinclorac, Quinoxifen, Quintozene, Quizalofop-ethyl, Rimsulfuron, Saflufenacil, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Tepraloxydim, Terbacil, Thiabendazole, Thiacloprid, Thiamethoxam, Thifensulfuron-methyl, Tolclofos-Methyl, Tolfenpyrad, Triadimefon, Triadimenol, Triazophos, Trifloxystrobin, Valifenalate |
| Table to S20—3 | APVMA 5 | F2022L01442 10 November 2022 APVMA 23 15 November 2022 | 15 November 2022 | am | Aminocyclopyrachlor, Amitraz, Bupirimate, Buprofezin, Captan, Emamectin, Fluopyram, Flupyradifurone, Fluxapyroxad, Glyphosate, Imazapic, Imazapyr, Myclobutanil, Tebuconazole, Tetrailiprole, Pyraclostrobin, Quizalofop-ethyl |
| Table to S20—3 | APVMA 1 | F2023L00107 15 February 2023 APVMA 4 21 February 2023 | 21 February 2023 | am | Afidopyropen, Aminopyralid, Atrazine, Azoxystrobin Bifenthrin, Bixlozone, Butafenacil, Clomazone, Clopyralid, Clothianidin, Cyhalothrin, Cypermethrin, Diafenthiuron, Dimpropyridaz, Emamectin, Flonicamid, Fluquinconazole, Florylpicoxamid, Fludioxonil, Flutriafol, Glufosinate and Glufosinate-ammonium, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazamox, Imazapic, Imazapyr, Imidacloprid, Iprodione, Isocycloseram, Maldison, Methomyl, Metribuzin, Metolachlor, Napropamide, Oryzalin, Penflufen, Permethrin, Pirimicarb, Procymidone, Prothioconazole |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|------------|---|--------------------------|--------------|--|
| | | | | | Propyzamide, Pydiflumetofen, Quizalofop-ethyl,, Quizalofop-p-tefuryl, Sedaxane, Sethoxydim, Simazine, Spinetoram, Sulfoxaflor, Tebuconazole, Terbutylazine , Tetraniliprole, |
| Table to S20—3 | APVMA 2 | F2023L00445 17 April 2023 APVMA 8 18 April 2023 | 18 April 2023 | am | Acetamiprid, Bifenthrin, Cyfluthrin, Dithiocarbamates, Flazasulfuron, Fluopyram, Methoxyfenozide, Procymidone, Spinetoram, Sulfoxaflor, Trifloxystrobin |
| Table to S20—3 | 220 | F2023L01004 11 July 2023 FSC160 19 July 2023 | 19 July 2023 | am | Amisulbrom, Bifenazate, Buprofezin, Cyflumetofen, Cyproconazole, Cyprodinil, Diafenthiuron, Didecyldimethylammonium chloride, Dinotefuran, Ethephon, Fenazaquin, Fludioxonil, Fluoxapiprolin, Fluxapyroxad, Imazamox, Kresoxim-methyl, Maldison, Metalaxyl, Niclosamide, Phosphorous acid, Propyzamide, Prosulfocarb, Prothioconazole, Pydiflumetofen, Pyraflufen-ethyl , Pyroxasulfone, Sethoxydim, Tetraniliprole, Trichlorfon, Triticonazole |
| Table to S20—3 | APVMA 3 | F2023L01013 18 July 2023 APVMA 15 25 July 2023 | 25 July 2023 | am | Dodine, Fipronil, Fluopicolide, Fluralaner, Indaziflam, Inpyrfluxam, Ipflufenquin, Mandestrobilin, Mesotrione, Metrafenone, Propamocarb, Proquinazid, Prosulfocarb, Pyraclostrobin, Sethoxydim, Tetraniliprole |
| Table to S20—3 | 226 | F2024L00184 20 February 2024 FSC166 23 February 2024 | 23 February 2024 | rep | Bensulide, Bioresmethrin, Fenarimol, Pebulate |
| Table to S20—3 | 226 | F2024L00184 20 February 2024 FSC166 23 February 2024 | 23 February 2024 | ad | Flutianil, Isoprothiolane, Pyraziflumid, Spiropidion |
| Table to S20—3 | 226 | F2024L00184 20 February 2024 FSC166 23 February 2024 | 23 February 2024 | am ed C76 | Abamectin, Acequinocyl, Acetamiprid, Aclonifen, Altrenogest, Aminoethoxyvinylglycine, Amitrole, Azinphos-methyl, Azoxystrobin, Benalaxyl, Bendiocarb, Bentazone, Benzovindiflupyr, Bicycloporyne, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromoxynil, Buprofezin, Butafenacil, Cadusafos, Captan, Carbaryl, Chlorantraniliprole, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyclaniliprole, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyproconazole, Cyprodinil, Cyromazine, 2,4-D, Diazinon, Dichlobenil, Dichlorvos, Difenconazole, Dimethomorph, Diphenylamine, Diquat, Dithiocarbamates, 2,2-DPA, Ethephon (md not incorp), Ethiprole, Ethoprophos, Etofenprox, Etoxazole, Fenbuconazole, Fenbutatin oxide, Fenhexamid, Fenpicoxamid, Fenpyroximate, Fipronil (Sch items 230, 232 md not incorp), Florylpicoxamid, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Fludioxonil, |

| Section affected | A'ment No. | FRL registration Gazette | Commencement (Cessation) | How affected | Description of amendment |
|------------------|------------|--------------------------|--------------------------|--------------|--|
| | | | | | Flumioxazin, Fluopyram, Flupyradifurone, Fluroxypyr, Fluxapyroxad, Fomesafen, Forchlorfenuron, Glufosinate and Glufosinate-ammonium, Glyphosate, Haloxypop, Hexazinone, Hexythiazox, Imazalil, Imazamox, Imidacloprid, Indoxacarb, Ioxynil, Iprodione, Isofetamid, Isoxaben, Linuron, Maldison, Mandestrobin (Sch item 232 md not incorp), Mandipropamid, Metalaxyl, Metconazole, Methidathion, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Metolachlor, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Oryzalin, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penthopyrad, Permethrin, 2-Phenylphenol, Phosphorous acid, Pinoxaden, Pirimicarb, Prometryn, Propachlor, Propaquizafop, Propargite, Propazine, Propiconazole, Propyzamide, Proquinazid (md not incorp), Prothioconazole, Pydiflumetofen, Pymetrozine, Pyrasulfotole, Pyridaben, Pyridate, Pyrimethanil, Pyriproxyfen, Pyroxasulfone, Pyroxsulam, Quinclorac, Quinoxifen, Saflufenacil, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Thiabendazole, Thiacloprid, Thiamethoxam, Tiafenacil, Tolfenpyrad, Triadimefon, Triadimenol, Trichlorfon, Trifloxystrobin, Trifluralin, Trinexapac-ethyl |

Editorial changes

The *Legislation Act 2003* authorises First Parliamentary Counsel to make editorial and presentational changes to a compiled law in preparing a compilation of the law for registration. The changes must not change the effect of the law. Editorial changes take effect from the compilation registration date.

If the compilation includes editorial changes, the notes will include a brief outline of the changes in general terms. Full details of any changes can be obtained from the Office of Parliamentary Counsel.

The editorial change amendments can be given effect as intended and incorporated into the compiled law and the abbreviation “ed” will be added to the details of the amendment in the Table of Amendments.

In preparing this compilation for registration, the following kinds of editorial change(s) were made under the *Legislation Act 2003*.

Section S20—3 (table entry for Agvet chemical: Maldison)

Kind of editorial change

Give effect to the misdescribed amendment as intended and change to capitalisation

Details of editorial change

Paragraph 230(z) of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit “Citrus fruits [except kumquats]” and substitute “Citrus fruits” in the entry for Agvet chemical: Maldison in section S20—3.

The text “citrus fruits [except kumquats]” also appears in the entry for Agvet chemical: Maldison in section S20—3.

This compilation was editorially changed to omit “citrus fruits [except kumquats]” and substitute “citrus fruits” in the entry for Agvet chemical: Maldison in section S20—3 to give effect to the misdescribed amendment as intended and to correct the capitalisation.

Section S20—3 (table entry for Agvet chemical: Metolachlor)

Kind of editorial change

Give effect to the misdescribed amendment as intended

Details of editorial change

Table item 7 of item 143 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit “T*0.05” and substitute “*0.05” in the food commodity for Dill seed in the entry for Agvet chemical: Metolachlor in section S20—3.

The text “Dill seed” does not appear in the entry for Agvet chemical: Metolachlor in section S20—3. However, “Dill, seed” does appear.

This compilation was editorially changed to omit “T*0.05” and substitute “*0.05” in the food commodity for Dill, seed in the entry for Agvet chemical: Metolachlor in section S20—3 to give effect to the misdescribed amendment as intended.

Section S20—3 (table entry for Agvet chemical: Propiconazole)

Kind of editorial change

Give effect to the misdescribed amendment as intended and reordering of provisions

Details of editorial change

Item 166 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* provides as follows:

[166] Section S20—3 (table entry for Agvet chemical: Propiconazole)

Insert in alphabetical order:

Broccoli, Chinese

T1

However, the existing entries for Boysenberry and Blueberries in the entry for Agvet chemical: Propiconazole in section S20—3 are not in alphabetical order.

This compilation was editorially changed to move the entry for Boysenberry to after the entry for Blueberries and to insert the entry for Broccoli, Chinese after the entry for Boysenberry in the entry for Agvet chemical: Propiconazole in section S20—3 to correct the alphabetical order and to give effect to the misdescribed amendment as intended.

Section S20—3 (table entry for Agvet chemical: Trichlorfon)

Kind of editorial change

Give effect to the misdescribed amendment as intended

Details of editorial change

Table item 2 of item 218 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit “Fruit [except achachairu; assorted

tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; pomelo; stone fruits (except jujube, Chinese)]” and substitute “Fruit [except as otherwise listed under this chemical]” in the entry for Agvet chemical: Trichlorfon in section S20—3.

The text contained in the entry for Agvet chemical: Trichlorfon in section S20—3 does not exactly match the text to be omitted as outlined in table item 2 of item 218 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation*.

This compilation was editorially changed to omit and substitute the text in the entry for Agvet chemical: Trichlorfon in section S20—3 to give effect to the misdescribed amendment as intended.

Section S20—3 (table entry for Agvet chemical: Trichlorfon)

Kind of editorial change

Give effect to the misdescribed amendment as intended and change to capitalisation

Details of editorial change

Item 228 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit “perisimmon” (wherever occurring) and substitute “persimmon” in section S20—3.

The word “perisimmon” does not appear in the entry for Agvet chemical: Trichlorfon in section S20—3. However, the word “Perisimmon” does appear.

This compilation was editorially changed to omit “Perisimmon” and substitute “Persimmon” in the entry for Agvet chemical: Trichlorfon in section S20—3 to give effect to the misdescribed amendment as intended and to correct the capitalisation.

Section S20—3 (table entry for Agvet chemical: Trifluralin)

Kind of editorial change

Give effect to the misdescribed amendment as intended

Details of editorial change

Item 223 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit the entry for Burnet, Salad from the entry for Agvet chemical: Trifluralin in section S20—3.

The text “Burnet, Salad” does not appear in the entry for Agvet chemical: Trifluralin in section S20—3. However, “Burnet, salad” does appear.

This compilation was editorially changed to omit the entry for Burnet, salad from the entry for Agvet chemical: Trifluralin in section S20—3 to give effect to the misdescribed amendment as intended.

Section S20—3 (table entry for Agvet chemical: Trifluralin)

Kind of editorial change

Give effect to the misdescribed amendment as intended

Details of editorial change

Table item 3 of item 224 of the Schedule to the *Food Standards (Proposal M1021 – Maximum Residue Limits (2022) – Schedule 20) Variation* instructs to omit “T*0.05” and substitute “*0.05” in the food commodity for Dill seed in the entry for Agvet chemical: Trifluralin in section S20—3.

The text “Dill seed” does not appear in the entry for Agvet chemical: Trifluralin in section S20—3. However, “Dill, seed” does appear.

This compilation was editorially changed to omit “T*0.05” and substitute “*0.05” in the food commodity for Dill, seed in the entry for Agvet chemical: Trifluralin in section S20—3 to give effect to the misdescribed amendment as intended.