

Schedule 20 Maximum residue limits

Note This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Maximum residue limits are regulated by subsection 1.1.1—10(6) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2—4.

S20—1

Name

This Standard is *Australia New Zealand Food Standards Code – Schedule 20 – Maximum residue limits*.

Note Commencement:

This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

Note 2 This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S20—2

Interpretation

In this Schedule:

- (a) an asterisk (*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol 'T' indicates that the maximum residue limit is a temporary maximum residue limit; and
- (c) **animal food commodities** means an animal food commodity listed in Schedule 22, including a secondary commodity of animal origin listed in that Schedule.

S20—3

Maximum residue limits

For section 1.4.2—4, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

Maximum residue limits		
Agvet chemical: Abamectin		Common bean (dry) (navy bean) *0.002
Permitted residue: Avermectin B1a		Cotton seed *0.01
Adzuki bean (dry) *0.002		Cranberry 0.05
All other foods except animal food commodities 0.01		Cucumber 0.05
Almonds *0.01		Currant, black 0.02
Avocado 0.05		Custard apple *0.01
Beetroot leaves 0.5		Dried grapes (currants, raisins and sultanas) 0.1
Blueberries T0.1		Fennel, bulb 0.05
Bulb vegetables [except chives] 0.05		Fruiting vegetables, cucurbits [except cucumber; squash, summer] 0.02
Cabbages, head T0.05		Fruiting vegetables, other than cucurbits 0.1
Cacao beans T0.07		Fungi, edible (except mushrooms) 0.1
Cane berries 0.2		Goat fat 0.1
Cattle, edible offal of 0.1		Goat kidney 0.01
Cattle fat 0.1		Goat liver 0.05
Cattle meat 0.005		Goat milk 0.005
Cattle milk 0.02		Goat muscle 0.01
Celery T0.05		Grapes 0.03
Chinese cabbage (Pe-tsai) T0.5		Grape juice 0.05
Chive, dry 0.08		Hops, dry 0.2
Citrus fruits 0.02		

Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, leaf; whitloof chicory]	T0.5
Legume vegetables [except peas (pods and succulent, immature seeds)]	T0.1
Lettuce, leaf	T1
Litchi	0.05
Macadamia nuts	T*0.01
Maize	T*0.01
Mung bean (dry)	*0.002
Mushrooms	0.05
Orange oil, edible	0.1
Papaya (pawpaw)	0.1
Passionfruit	0.2
Peanut	T*0.01
Peas	0.5
Peppers, chili, dried	0.5
Persimmon, Japanese	0.01
Pig kidney	0.01
Pig liver	0.02
Pig meat (in the fat)	0.02
Pineapple	T*0.002
Pome fruits [except Persimmon, Japanese]	0.02
Popcorn	T*0.01
Rhubarb	T0.05
Root and tuber vegetables	*0.01
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Squash, summer	0.05
Stone fruits	0.09
Strawberry	0.1
Sweet corn (corn-on-the-cob)	0.05

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

Banana	1
Bean, seed (dry)	3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Broccoli, Chinese (Gai lan)	5
Cranberry	0.5
Edible offal (mammalian)	0.2
Eggs	0.2
Lime	1
Macadamia nuts	*0.1
Mango	*0.01
Meat (mammalian) [except sheep meat]	0.2
Peanut	0.2
Peppers, chili, dried	50
Peppers, sweet	5
Potato	0.5
Sheep meat	*0.01
Tomato	5

Agvet chemical: Acequinocyl

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

All other foods except animal food commodities	0.02
Apricots, dried	1
Blueberries	3
Citrus fruits [except kumquats]	0.2
Grapes	1.6
Edible offal (mammalian)	*0.02
Hops, dry	15
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Peach, dried	1
Peppers, sweet	1
Pome fruits [except Persimmon, Japanese]	0.7
Prunes	1
Raspberries, red, black	4
Stone fruits	0.7
Tomato	2

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin: Acetamiprid

Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹-[(6-chloro-3-pyridyl)methyl]-N²-cyanoacetamide), expressed as acetamiprid

All other foods except animal food commodities	0.1
Almonds	0.1
Apple	0.2
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Blueberries	1.6
Cane berries [except raspberries, red, black]	1
Celery	1.5
Cherries (subgroup)	2
Chives	3
Citrus fruits	1
Cotton seed	0.2
Cranberry	0.6
Currants, black, red, white	2
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruiting vegetables other than cucurbits [except tomato]	0.2
Fungi, edible (except mushrooms)	0.2
Goji berries	2
Grapes	0.35
Herbs	3
Macadamia nuts	*0.01

Meat (mammalian)	*0.01
Milks	*0.01
Olives for oil production	T0.5
Peaches (subgroup)	1
Pear	0.3
Peppers, chili, dried	2
Persimmon, Japanese	T0.3
Pistachio nuts	1
Plums (subgroup)	0.5
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.01
Pulses [except field pea (dry); lupin (dry)]	0.1
Raspberries, red, black	2
Sentul	0.2
Spices [except peppers, chili, dried; spices, seeds]	0.1
Spices, seeds	2
Strawberry	0.5
Table olives	T0.5

Agvet chemical: Acetochlor

Permitted residue: Sum of compounds hydrolysable with base to 2-ethyl-6-methylaniline (EMA) and 2-(1-hydroxyethyl)-6-methylaniline (HEMA), expressed in terms of Acetochlor

Edible offal (mammalian)	0.05
Peanut	0.2
Soya bean (dry)	1.5

Agvet chemical: Acibenzolar-S-methyl

Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl

Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Kiwifruit	T0.03
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Tomato	1

Agvet chemical: Acifluorfen

Permitted residue: Acifluorfen

All other foods except animal food commodities	0.01
Edible offal (mammalian)	0.1
Eggs	*0.01
Legume vegetables	0.1
Meat (mammalian)	*0.01

Milks	*0.01
Peanut	0.1
Poultry, edible offal of	0.1
Poultry meat	*0.01
Pulses	0.1

Agvet chemical: Aclonifen

Permitted residue: Aclonifen

Barley	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) [in the fat]	*0.01
Milks [in the fat]	*0.01
Poultry, edible offal of	*0.01
Poultry meat [in the fat]	*0.01
Triticale	T*0.01
Wheat	*0.01

Agvet chemical: Afidopyropen

Permitted residue: commodities of plant origin: Afidopyropen

Permitted residue: commodities of animal origin: Afidopyropen and the carnitine conjugate of cyclopropanecarboxylic acid (M4401060), expressed as afidopyropen

All other foods except animal food commodities	0.02
Apples, dried (peeled)	0.02
Artichoke, globe	0.1
Banana	0.1
Barley	*0.01
Brassica vegetables (except Brassica leafy vegetables), [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Bulb vegetables	*0.01
Cane berries	0.3
Carrot	*0.01
Chinese cabbage (Pe-tsai)	5
Citrus fruits [except kumquats]	0.15
Cotton seed	0.1
Edible offal (mammalian)	0.2
Eggs	*0.1
Fruiting vegetables, cucurbits	0.7
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Ginger, root	*0.01
Grapes	*0.01
Herbs	T5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Litchi	0.1
Mammalian fats [except milk fats]	*0.01
Meat (mammalian)	*0.1
Milks	*0.01

Mushrooms	0.2
Mustard seeds	T*0.01
Orange oil, edible	0.7
Passionfruit	0.1
Peppers, chili, dried	1
Pome fruits [except persimmon, Japanese]	0.03
Potato	*0.01
Poultry, edible offal of	*0.1
Poultry fats	*0.01
Poultry meat	*0.1
Rape seed [canola]	*0.01
Stalk and Stem Vegetables - Stems and Petioles	3
Strawberry	0.2
Stone fruits [except jujube, Chinese]	0.03
Sweet corn (corn-on-the-cob)	*0.01
Sweet Potato	*0.01
Tomato, dried	0.7
Wheat	*0.01

Agvet chemical: Albendazole

Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

Agvet chemical: Albendazole sulphoxide

see Albendazole

Agvet chemical: Aldicarb

Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

Peanut	0.05
--------	------

Agvet chemical: Aliphatic alcohol ethoxylates

Permitted residue: Aliphatic alcohol ethoxylates

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

Agvet chemical: Alpha-cypermethrin

see Cypermethrin

Agvet chemical: Altrenogest

Permitted residue: Altrenogest

Pig, edible offal of	0.005
----------------------	-------

Pig meat	*0.005
----------	--------

Agvet chemical: Aluminium phosphide

see Phosphine

Agvet chemical: Ametoctradin

Permitted residue—commodities of plant origin: Ametoctradin

Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

All other foods except animal food commodities	0.2
Basil	T50
Beetroot	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	9
Broccoli, Chinese (Gai lan)	9
Bulb onions [except garlic; onion, bulb; Shallot]	0.7
Celery	20
Chinese cabbage (Pe-tsai)	50
Cucumber	2
Dried grapes (currants, raisins and sultanas)	20
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits [except cucumber]	3
Fruiting vegetables, other than cucurbits [except tomato]	1.5
Fungi, edible (except mushrooms)	1.5
Garlic	1.5
Grapes [except dried grapes]	6
Green onions [except leek; spring onion]	3
Hops, dry	100
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	50
Leek	5
Meat (mammalian)	*0.02
Milks	*0.02
Onion, bulb	1.5
Peppers, chili, dried	15
Poppy seed	0.7
Potato	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Shallot	1.5
Spring onion	20
Tomato	2

Agvet chemical: Ametryn	
<i>Permitted residue: Ametryn</i>	
All other foods except animal food commodities	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.05
Sugar cane	0.05

Agvet chemical: Amicarbazone	
<i>Permitted residue— Sum of amicarbazone, N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide and N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-hydroxy-1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide, expressed as amicarbazone</i>	
Edible offal (Mammalian)	0.7
Meat [mammalian]	0.01
Milks	*0.01
Sugarcane	0.1

Agvet chemical: Aminocyclopyrachlor	
<i>Permitted residue: Aminocyclopyrachlor</i>	
Edible offal (mammalian)	0.5
Meat (mammalian) [in the fat]	0.05
Milks	0.02

Agvet chemical: Aminoethoxyvinylglycine	
<i>Permitted residue: Aminoethoxyvinylglycine</i>	
Almonds	*0.05
Apple	0.1
Cherries	*0.05
Stone fruits [except cherries (subgroup)]	0.2
Walnuts	*0.05

Agvet chemical: Aminopyralid	
<i>Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid</i>	
<i>Permitted residue—commodities of animal origin: Aminopyralid</i>	
All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	0.1
Edible offal (mammalian) [except kidney]	0.02
Eggs	*0.01
Kidney (mammalian)	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.01
Poultry, edible offal of	*0.01

Poultry meat	*0.01
Rape seed (canola)	*0.01
Wheat bran, unprocessed	0.3

Agvet chemical: Amisulbrom	
<i>Permitted residue: Amisulbrom</i>	
All other foods except animal food commodities	0.02
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Potato	0.3
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Amitraz	
<i>Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine</i>	
Cotton seed	*0.1
Cotton seed oil, crude	1
Edible offal (mammalian)	0.5
Honey	0.2
Meat (mammalian)	0.1
Milks	0.1

Agvet chemical: Amitrole	
<i>Permitted residue: Amitrole</i>	
Avocado	*0.01
Banana	*0.01
Cereal grains [except sweet corns]	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Grapes	*0.01
Hops, dry	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Palm nuts	*0.01
Papaya (pawpaw)	*0.01
Passionfruit	*0.01
Peanut	*0.01
Pecan	*0.01
Pineapple	*0.01
Pome fruits	*0.01
Potato	*0.05
Pulses	*0.01

Stone fruits	*0.02
Agvet chemical: Amoxicillin	
<i>Permitted residue: Inhibitory substance, identified as amoxicillin</i>	
Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	0.05
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01
Agvet chemical: Ampicillin	
<i>Permitted residue: Inhibitory substance, identified as ampicillin</i>	
Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01
Agvet chemical: Amprolium	
<i>Permitted residue: Amprolium</i>	
Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5
Agvet chemical: Apramycin	
<i>Permitted residue: Apramycin</i>	
Edible offal (mammalian)	2
Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05
Agvet chemical: Asulam	
<i>Permitted residue: Asulam</i>	
Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4
Sugar cane	*0.1
Agvet chemical: Atrazine	
<i>Permitted residue: Atrazine</i>	
Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02
Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Mustard seeds	T*0.02

Potato	*0.01
Rape seed (canola)	*0.02
Sorghum, grain	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1
Agvet chemical: Avermectin B1	
see <i>Abamectin</i>	
Agvet chemical: Avilamycin	
<i>Permitted residue: Inhibitory substance, identified as avilamycin</i>	
Pig fat/skin	0.2
Pig kidney	0.2
Pig liver	0.3
Pig meat	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Agvet chemical: Azamethiphos	
<i>Permitted residue: Azamethiphos</i>	
Cereal grains [except sweet corns]	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5
Agvet chemical: Azaperone	
<i>Permitted residue: Azaperone</i>	
Pig, edible offal of	0.2
Pig meat	0.2
Agvet chemical: Azimsulfuron	
<i>Permitted residue: Azimsulfuron</i>	
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02
Agvet chemical: Azinphos-methyl	
<i>Permitted residue: Azinphos-methyl</i>	
Blueberries	*0.01
Grapes	*0.01
Pome fruits [except apples]	2
Stone fruits	0.01
Strawberry	*0.01

Agvet chemical: Azoxystrobin		Passionfruit	0.5
<i>Permitted residue: Azoxystrobin</i>		Peanut	0.2
All other foods except animal food commodities	0.1	Peanut oil, crude	0.1
Almonds	*0.01	Peppers	3
Anise myrtle leaves (dried)	T3	Peppers, chili, dried	30
Avocado	3	Poppy seed	*0.02
Banana	2	Potato	7
Barley	0.2	Poultry, edible offal of	*0.01
Bayberries	T5	Poultry meat	*0.01
Bayberry, red	T5	Pulses	0.3
Beetroot	T*0.005	Radish	0.5
Blackberries	5	Rape seed (canola)	0.01
Blueberries	5	Raspberries, red, black	5
Boysenberry	5	Rhubarb	0.6
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1	Riberry	T1
Broccoli, Chinese (Gai lan)	1	Rice	T7
Bulb vegetables [except chives; onion, bulb]	5	Rye	0.1
Carrot	0.2	Spices [except peppers, chili, dried]	*0.1
Celery	5	Stone fruits [except jujube, Chinese]	1.5
Chinese cabbage (Pe-tsai)	15	Strawberry	10
Chives	70	Sweet corns (subgroup)	0.05
Citrus fruits	10	Tomato	T1
Cloudberry	T5	Tree nuts [except almonds and macadamia nuts]	2
Cotton seed	T0.05	Triticale	0.1
Cranberry	0.5	Wheat	0.1
Currants, black, red, white	5		
Dewberries (including boysenberry and loganberry)	T5	Agvet chemical: Bacitracin	
Dried grapes	5	<i>Permitted residue: Inhibitory substance, identified as bacitracin</i>	
Edible offal (mammalian)	0.03	Chicken, edible offal of	*0.5
Egg plant	T2	Chicken fat	*0.5
Eggs	*0.01	Chicken meat	*0.5
Fennel, bulb	5	Eggs	*0.5
Fruiting vegetables, cucurbits	2	Milks	*0.5
Grapes	2		
Guava	0.2	Agvet chemical: Benalaxyl	
Herbs	70	<i>Permitted residue: Benalaxyl</i>	
Horseradish	0.5	Grapes	T0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	15		
Legume vegetables	3	Agvet chemical: Bendiocarb	
Lemon myrtle leaves (dried)	T3	<i>Permitted residue—commodities of plant origin: Unconjugated bendiocarb</i>	
Macadamia nuts	*0.01	<i>Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb</i>	
Maize cereals	0.05	Cattle, edible offal of	0.2
Mango	0.5	Cattle meat	0.1
Meat (mammalian) (in the fat)	0.02	Eggs	0.05
Milks	0.005	Milks	0.1
Mustard seeds	T0.01	Poultry, edible offal of	0.1
Oats	0.1	Poultry meat	0.05
Okra	T2		
Olives	T2		
Onion, bulb	0.2		

Agvet chemical: Benfluralin	
<i>Permitted residue: Benfluralin</i>	
Lettuce, head	T*0.05
Lettuce, leaf	T*0.05
Agvet chemical: Benomyl	
see <i>Carbendazim</i>	
Agvet chemical: Bensulfuron-methyl	
<i>Permitted residue: Bensulfuron-methyl</i>	
Rice	*0.02
Rice bran, processed	*0.05
Agvet chemical: Bentazone	
<i>Permitted residue: Bentazone</i>	
All other foods except animal food commodities	0.1
Beans [except soya bean]	0.5
Dry beans	0.5
Dry peas	0.5
Dry underground pulses	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fats (mammalian)	*0.01
Herbs	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	T0.1
Peanut	*0.1
Peas	3
Potato	0.15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05
Agvet chemical: Benzocaine	
<i>Permitted residue: Benzocaine</i>	
Abalone	*0.05
Finfish	*0.05
Agvet chemical: Benzofenap	
<i>Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap</i>	
Rice	*0.01
Agvet chemical: Benzovindiflupyr	
<i>Permitted residue: Benzovindiflupyr</i>	
All other foods except animal food commodities	0.02
Barley	0.2
Beans, dry [except soya bean (dry)]	0.15

Blueberries	2
Bulb onions	0.02
Coffee beans	0.15
Edible offal (mammalian)	*0.01
Eggs	*0.01
Ginseng	0.3
Grapes	1
Green onions	0.4
Meat (mammalian) [in the fat]	*0.01
Milks	*0.01
Oats	0.2
Peanut	0.4
Peas, dry	0.2
Peppers, chili, dried	9
Pome fruits [except Persimmon, Japanese]	0.2
Potato	0.02
Poultry, edible offal of	*0.01
Poultry meat [in the fat]	*0.01
Soya bean (dry)	0.08
Sugar beet	0.08
Sugar cane	0.4
Tomato	1.5
Wheat (subgroup)	0.01

Agvet chemical: Benzyladenine

Permitted residue: Benzyladenine

All other foods except animal food commodities	0.01
Apple	0.2
Pear	*0.005
Walnut	T*0.005

Agvet chemical: Benzyl G penicillin

Permitted residue: Inhibitory substance, identified as benzyl G penicillin

Edible offal (mammalian)	*0.06
Meat (mammalian)	*0.06
Milks	*0.0015

Agvet chemical: Betacyfluthrin

see *Cyfluthrin*

Agvet chemical: Bicyclopyrone

Permitted residue: Bicyclopyrone and its structurally related metabolites determined as the common moieties SYN503780 and CSCD686480 and expressed as bicyclopyrone

All other foods except animal food commodities	0.02
Barley	0.02
Bulb onions (subgroup)	0.02
Edible offal (mammalian)	2
Eggs	*0.02

Green onions	0.05
Hops, dry	0.04
Maize	0.02
Meat (mammalian)	*0.02
Milk	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sweet corn (corn on the cob)	0.03
Wheat	0.02
Wheat bran, unprocessed	0.05

Agvet chemical: Bifenazate

Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate

All other foods except animal food commodities	0.2
Almonds	0.2
Apricot	0.5
Avocado	T2
Blackberries	T7
Cherries	2.5
Cloudberry	T7
Cos lettuce	T20
Cranberry	1.5
Dewberries (including boysenberry and loganberry)	T7
Dried grapes	T2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits [except peppers, chili]	1
Fungi, edible (except mushrooms)	1
Grapes [except wine grapes]	T1
Hops, dry	15
Lettuce, head	T20
Lettuce, leaf	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Nectarine	0.5
Papaya (pawpaw)	2
Peach	2
Peppers, chili	3
Plums (including prunes)	0.5
Podded pea (young pods) (snow and sugar snap)	T1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pome fruits [except Persimmon, Japanese]	2
Raspberries, red, black	T7
Strawberry	2
Yard-long bean (pods)	T1

Agvet chemical: Bifenthrin

Permitted residue: Bifenthrin

All other foods except animal food commodities	0.03
Almonds	T0.1
Apple	*0.05
Avocado	T0.1
Banana	0.1
Blackberries	T3
Blueberries	T3
Brassica vegetables (except Brassica leafy vegetables), [except cabbages, head; Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Bulb vegetables [except chives; onion, bulb]	T5
Cabbages, head	T0.5
Celery	T*0.01
Cereal grains [except sweet corns]	*0.02
Cherries	T3
Chervil	T0.5
Chia	T0.2
Chinese cabbage (Pe-tsai)	*0.01
Chives	T0.5
Citrus fruits	*0.05
Cloudberry	T3
Common bean (dry) (navy bean)	0.2
Common bean (pods and/or immature seeds)	0.7
Cotton seed	0.5
Cranberry	3
Cucumber	0.5
Currants, black, red, white	T3
Dewberries (including boysenberry and loganberry)	T3
Edible offal (mammalian)	0.5
Eggs	*0.05
Fennel, bulb	T5
Fig	T1
Fruiting vegetables, cucurbits [except cucumber]	0.1
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Galangal, rhizomes	T10
Ginger, root	T*0.01
Gooseberry	T3
Grapes	0.2
Herbs	T0.5
Hops, dry	10
Kaffir lime leaves	T10
Leafy vegetables [except broccoli, Chinese (Gai lan); chervil; mizuna; rucola (rocket); witloof chicory]	*0.01
Lemon balm	T10
Lemon grass	T10
Lemon verbena	T10

Meat (mammalian) (in the fat)	2
Milks	0.5
Mizuna	T0.5
Mung bean (dry)	T0.2
Mushrooms	0.5
Mustard seeds	*0.02
Olives	T0.5
Pear	0.5
Peanut	0.05
Peas (pods and succulent, immature seeds)	*0.01
Peppers, chili, dried	5
Pineapple	*0.01
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses [except common bean (dry) (navy bean); mung bean (dry)]	0.3
Rape seed (canola)	*0.02
Raspberries, red, black	T3
Rucola (rocket)	T0.5
Stone fruits [except cherries (subgroup)]	1
Strawberry	1
Sugar cane	T0.7
Sweet corns	0.5
Sweet potato	*0.05
Taro	T*0.05
Tea, green, black	5
Truffle	T*0.01
Turmeric, root	T10

Agvet chemical: Bitertanol
Permitted residue: Bitertanol

Beans [except broad bean; soya bean]	0.5
Edible offal (mammalian)	3
Eggs	*0.01
Meat (mammalian) (in the fat)	0.3
Milks	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Bixafen
Permitted residue—commodities of plant origin: Bixafen
Permitted residue—commodities of animal origin: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen

All other foods	0.03
Barley	1.5
Cereal grains [except barley; sorghum grain; sweet corns (subgroup); wheat; wheat bran, processed]	*0.01
Cotton seed	0.3
Cotton seed oil, crude	T0.5

Edible offal (mammalian)	0.7
Eggs	*0.02
Lupin (dry)	T0.1
Meat (mammalian) (in the fat)	0.2
Milk fats	0.5
Milks	0.05
Oilseeds [except cotton seed; sunflower seed]	*0.01
Palm nuts	*0.01
Peanut	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Pulses [except lupin (dry); soya bean (dry)]	0.04
Root and tuber vegetables	0.06
Sorghum grain	2
Soya bean (dry)	0.08
Soya bean oil, refined	0.15
Sunflower seed	3
Wheat	0.3
Wheat bran, processed	0.8

Agvet chemical: Bixlozone

Permitted residue: Bixlozone

All other foods except animal food commodities	0.01
Barley	*0.01
Broad bean (dry)	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Field pea (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.01
Wheat	*0.01

Agvet chemical: Boscalid

Permitted residue—commodities of plant origin: Boscalid

Permitted residue—commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents

Adzuki bean	T3
All other foods	0.5
Almonds	0.7
Barley, grain	4
Blackberries	T10
Blueberries	T15
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2

Broccoli, Chinese (Gai lan)	2	Agvet chemical: Broflanilide <i>Permitted residue—Commodities of plant origin: Broflanilide</i> <i>Permitted residue—Commodities of animal origin: Sum of broflanilide plus 3-benzamido-N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluorobenzamide (DM-8007), expressed as broflanilide.</i>
Bulb vegetables [except chives; onion, bulb]	5	
Cassava	2	
Celery	T15	
Cherries	5	
Citrus fruits [except kumquats]	2	
Chick-pea (dry)	T3	
Chinese cabbage (Pe-tsai)	40	
Cloudberry	T10	
Currants, black, red, white	15	
Dewberries (including boysenberry and loganberry and youngberry)	T10	
Dried grapes	15	
Edible Fungi	1	
Edible offal (mammalian)	0.3	
Fennel, bulb	5	
Fruiting vegetables, cucurbits	3	
Fruiting vegetables, other than cucurbits	3	
Grapes	5	
Hops, dry	60	
Kiwifruit	5	
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	40	
Legume vegetables	3	
Lentil (dry)	T3	
Lupin (dry)	T0.1	
Mango	2	
Meat (mammalian) (in the fat)	0.3	
Milk fats	0.7	
Milks	0.1	
Oilseed	3.5	
Onion, bulb	0.5	
Palm nuts	3.5	
Papaya	1.5	
Peaches (subgroup)	4	
Peanut	T0.1	
Peanut oil, edible	T0.7	
Peppers, chili, dried	10	
Pistachio nut	T2	
Plums (including fresh prunes)	3.5	
Pome fruits [except Persimmon, Japanese]	2	
Potato	2	
Prunes, dried	5	
Pulses [except chick-pea (dry); lentil (dry); lupin (dry); soya bean (dry)]	2.5	
Raspberries, red, black	T10	
Root and tuber vegetables [except cassava; potato]	1	
Silvanberries	T10	
Strawberry	10	
Sweet corn (corn-on-the cob)	1	
Tea, green, black	40	
		Brassica vegetables (except Brassica leafy vegetables) 0.5
		Edible offal (mammalian) *0.02
		Eggs *0.02
		Leafy vegetables 4
		Meat (mammalian) (in the fat) *0.02
		Milk fats *0.02
		Milks *0.002
		Poultry, edible offal of *0.02
		Poultry meat (in the fat) *0.02
		Agvet chemical: Bromacil
		<i>Permitted residue: Bromacil</i>
		Asparagus *0.04
		Citrus fruits [except kumquats] *0.04
		Edible offal (mammalian) *0.04
		Meat (mammalian) *0.04
		Milks *0.04
		Pineapple *0.04
		Agvet chemical: Bromoxynil
		<i>Permitted residue: Bromoxynil</i>
		All other foods except animal food commodities 0.1
		Cereal grains [except sweet corns] *0.2
		Edible offal (mammalian) T3
		Eggs *0.02
		Garlic T*0.05
		Hempseed T*0.02
		Linseed *0.02
		Meat (mammalian) (in the fat) T1
		Milks T0.1
		Onion, bulb *0.01
		Poultry, edible offal of *0.02
		Poultry meat *0.02
		Walnuts T*0.01
		Agvet chemical: Bupirimate
		<i>Permitted residue: Bupirimate</i>
		All other foods except animal food commodities 0.02
		Apple 1
		Currants, black, red, white 5
		Egg plant 1
		Fruiting vegetables, cucurbits 1
		Peppers 0.7
		Strawberry 1.5

Tomato	T0.3
Agvet chemical: Bupivacaine	
<i>Permitted residue: Bupivacaine</i>	
Sheep fat	0.07
Sheep kidney	0.02
Sheep liver	0.02
Sheep muscle	0.0005

Agvet chemical: Buprofezin	
<i>Permitted residue: Buprofezin</i>	
All other foods except animal food commodities	0.1
Almonds	0.05
Apple	3
Apricot	9
Basil	5
Celery	T5
Cereal grains [except sweet corns]	*0.01
Chives, Chinese	2
Citrus fruits	2
Citrus oil, edible	6
Cotton seed	0.3
Custard apple	0.1
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	T2
Fruiting vegetables, other than cucurbits [except peppers, chili; tomato]	T2
Fungi, edible (except mushrooms)	T2
Garlic chives	2
Grapes	2.5
Lettuce, leaf	T10
Litchi	T0.5
Mango	0.2
Marjoram (oregano)	5
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mints	5
Mushrooms	T2
Nectarine	9
Oilseeds [except cotton seed]	*0.01
Olive oil, virgin	20
Palm nuts	*0.01
Passionfruit	2
Peach	9
Peanut	*0.01
Pear	0.2
Peppers, chili	10
Persimmon, Japanese	1
Poultry, edible offal of	*0.01
Poultry fats	*0.01

Poultry meat	*0.01
Pulses	*0.01
Stone fruits [except apricot; jujube, Chinese; nectarine; peach]	1.9
Sweet corns	T2
Tomato	1
Thyme	5
Tree tomato	T1
Walnut	T0.05

Agvet chemical: Butafenacil	
<i>Permitted residue: Butafenacil</i>	
Cereal grains [except rice; sweet corns]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.01
Pulses	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Butroxydim	
<i>Permitted residue: Butroxydim</i>	
Edible offal (mammalian)	*0.01
Eggs	*0.01
Legume vegetables	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Palm nuts	*0.01
Peanut	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01

Agvet chemical: Cadusafos	
<i>Permitted residue: Cadusafos</i>	
Banana	*0.01
Citrus fruits	*0.01
Ginger, root	0.1
Sugar cane	*0.01
Tomato	*0.01

Agvet chemical: Captan	
<i>Permitted residue: Captan</i>	
All other foods except animal food commodities	0.1
Almonds	0.3
Berries and other small fruits [except blueberries; grapes; strawberry]	T30
Blueberries	20
Chick-pea (dry)	T0.1

Cucumber	T5	Pecan	2
Dried grapes	15	Peppers, chili, dried	2
Edible offal (mammalian)	*0.05	Pome fruits [except Persimmon, Japanese]	0.2
Eggs	*0.02	Potato	0.1
Grapes	10	Poultry, edible offal of	0.2
Lentil (dry)	T0.1	Poultry meat	*0.02
Lettuce, leaf	T15	Pulses	0.1
Mandarins	T3	Rambutan	*0.01
Meat (mammalian)	*0.05	Raspberries, red, black	15
Milks	*0.01	Rice	7
Peppers, chili	T7	Sorghum, grain	10
Peppers, sweet	T7	Strawberry	*0.01
Pitaya (dragon fruit)	T20	Stone fruits [except cherries (subgroup)]	0.5
Pome fruits [except Persimmon, Japanese]	10	Swede	2
Poultry, edible offal of	*0.02	Sweet potato	0.1
Poultry meat	*0.02	Turnip, garden	2
Stone fruits	15	Wheat bran, unprocessed	10
Strawberry	10		
Tangelo, large-sized cultivars	T3		
Tree nuts [except almonds]	3		
<hr/>		<hr/>	
Agvet chemical: Carbaryl		Agvet chemical: Carbendazim	
<i>Permitted residue: Carbaryl</i>		<i>Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim</i>	
<hr/>		<hr/>	
All other foods except animal food commodities	0.02	Apple	0.2
Avocado	2	Apricot	2
Barley	15	Blackberry	*0.1
Beetroot	0.5	Cherries	20
Cacao bean	0.02	Chives	*0.1
Cereal grains [except barley; rice; sorghum, grain; sweet corns (subgroup)]	5	Citron	0.7
Coconut	*0.01	Currants, black, red, white	0.1
Cotton seed	3	Edible offal (mammalian)	0.2
Cranberry	3	Eggs	*0.1
Edible offal (mammalian)	3	Garlic	T*0.01
Eggs	*0.02	Grapefruit	0.2
Feijoa	*0.01	Grapes	0.3
Fruiting vegetables, cucurbits	*0.01	Lemon	0.7
Grapes	*0.01	Lime	0.7
Guava	*0.01	Macadamia nuts	0.1
Hazelnuts	0.01	Mandarins	0.7
Jaboticaba	*0.01	Mango	2
Jackfruit	*0.01	Meat (mammalian)	0.2
Lemon	3	Milks	*0.1
Litchi	*0.01	Mineola	0.7
Longan	*0.01	Mushrooms	T1
Macadamia nuts	2	Nectarine	0.2
Mango	2	Oranges	0.2
Meat (mammalian)	0.07	Peach	0.2
Milks	0.1	Pear	0.2
Oilseed [except cotton seed]	0.1	Peppers, chili	2
Oranges, sweet, sour	3	Peppers, chili, dried	20
Palm nuts	0.1	Peppers [except peppers, chili]	*0.1
Peanut	0.1	Podded pea (young pods) (snow and sugar snap)	0.02
		Poultry, edible offal of	*0.1
		Poultry meat	*0.1
		Pulses	0.5

Raspberries, red, black	0.1
Rhubarb	0.1
Rice, husked	2
Shaddock (pomelo)	0.2
Spices [except peppers, chili, dried; spices, seeds]	*0.1
Spices, seeds	5
Strawberry	1
Tangelo [except mineola]	0.2
Tangors	0.7
Tomato	0.5

Agvet chemical: Carbetamide

Permitted residue: Carbetamide

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01

Agvet chemical: Carbofuran

Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran

Cotton seed	0.1
Sunflower seed	0.1

Agvet chemical: Carbon disulphide

Permitted residue: Carbon disulfide

Cereal grains [except sweet corns]	10
Pulses	T10

Agvet chemical: Carbonyl sulphide

Permitted residue: Carbonyl sulphide

Cereal grains [except sweet corns]	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2

Agvet chemical: Carbosulfan

see *Carbofuran*

Agvet chemical: Carboxin

Permitted residue: Carboxin

Cereal grains [except sweet corns]	0.1
Peanut	0.2

Agvet chemical: Carfentrazone-ethyl

Permitted residue: Carfentrazone-ethyl

All other foods except animal food commodities	0.05
--	------

Assorted tropical and sub-tropical fruits – edible peel	*0.05
Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits [except blueberries; grapes]	*0.05
Blueberries	0.1
Cereal grains [except sweet corns]	*0.05
Citrus fruits	*0.05
Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	0.1
Meat (mammalian)	*0.05
Milks	*0.025
Peanut	0.1
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05

Agvet chemical: Ceftiofur

Permitted residue: Desfuroylceftiofur

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

Agvet chemical: Cefuroxime

Permitted residue: Inhibitory substance, identified as cefuroxime

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: Cephalonium

Permitted residue: Inhibitory substance, identified as cephalonium

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02

Agvet chemical: Cephapirin

Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin

Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01

Agvet chemical: Chlorantraniliprole*Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole**Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole*

All other foods	T0.1
Asparagus	13
Avocado	4
Berries and other small fruits [except blueberries]	2.5
Blueberries	T3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Cacao beans	T0.2
Celery	7
Cherries	2.5
Chinese cabbage (Pe-tsai)	15
Chives	T20
Citrus fruits	1.4
Coffee beans	0.4
Cotton seed	0.3
Coriander (leaves, roots, stems)	T20
Dried fruits	2
Dry beans [except mung beans (dry); soya bean (dry)]	0.3
Dry peas	0.3
Dry underground pulses	0.07
Edible Fungi	0.6
Edible offal (mammalian)	0.02
Eggs	0.03
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits [except peppers, chili]	0.6
Ginger, root	T0.1
Hempseed	T1
Herbs	T20
Hops, dry	40
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; rucola; witloof chicory]	15
Legume vegetables	2
Lettuce, head	3
Linseed	T0.5
Maize cereals	T*0.01
Meat (mammalian) (in the fat)	0.02
Mexican tarragon	T20
Milk fats	0.1
Milks	0.02
Mung bean (dry)	0.7
Mushrooms	0.6

Palm fruit (African oil palm)	0.8
Palm kernel oil, crude	2
Peanuts	0.06
Peppers, chili	1
Peppers, chili, dried	5
Persimmon, Japanese	0.3
Plums	1
Pome fruits [except Persimmon, Japanese]	1.2
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	2
Rhubarb	5
Rice	0.4
Root and tuber vegetables [except potato]	T0.5
Rucola (rocket)	T20
Safflower seed	T0.1
Sesame seed	T0.5
Sorghum grain and millet	T1
Soya bean (dry)	0.07
Stone fruits [except cherries (subgroup); plums (subgroup)]	4
Sugar cane	T0.5
Sunflower seed	2
Sweet corn (corn-on-the-cob)	*0.01
Tree nuts	0.1

Agvet chemical: Chlorfenapyr*Permitted residue: Chlorfenapyr*

All other foods except animal food commodities	0.02
Brassica leafy vegetables [except Chinese cabbage (Pak-choi)]	T3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Chinese cabbage (Pak-choi)	3
Citron	0.8
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fats (mammalian)	0.6
Garlic	*0.01
Lemon	0.8
Lime	0.8
Meat (mammalian)	0.6
Meat (mammalian) (in the fat)	0.05
Melons [except watermelon]	0.4
Milks	0.03
Mizuna	T3
Onion, bulb	*0.01
Onion, Welsh	T1
Oranges, sweet, sour	1.5
Papaya	0.3

Peach	1	Grapes	0.75
Peppers	0.3	Meat (mammalian)	0.2
Peppers, chili	0.01	Milks	0.5
Peppers, chili, dried	3	Poultry, edible offal of	0.1
Persimmon, Japanese	1	Poultry meat	*0.05
Pome fruits [except Persimmon, Japanese]	0.5	Wheat	5
Potato	*0.01		
Poultry, edible offal of	0.01	Agvet chemical: Chloropicrin	
Poultry fats	0.02	<i>Permitted residue: Chloropicrin</i>	
Poultry meat	0.02	Cereal grains [except sweet corns]	*0.1
Poultry meat (in the fat)	*0.01		
Rucola (rocket)	T5	Agvet chemical: Chlorothalonil	
Shallot	T1	<i>Permitted residue—commodities of plant origin: Chlorothalonil</i>	
Soya bean (dry)	0.08	<i>Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil</i>	
Soya bean oil, crude	0.4		
Spices [except peppers, chili, dried]	0.05	Almonds	T0.1
Spring onion	T1	Apricot	7
Tea, green, black	60	Asparagus	T*0.1
Tomato	0.4	Banana	3
		Berries and other small fruits [except cranberry; currant, black; grapes]	T10
Agvet chemical: Chlorfenvinphos		Brussels sprouts	7
<i>Permitted residue: Chlorfenvinphos, sum of E and Z isomers</i>		Carrot	7
Cattle, edible offal of	T*0.1	Celery	20
Cattle meat (in the fat)	T0.2	Cherries	10
Cattle milk (in the fat)	T0.2	Chinese cabbage (Pe-tsai)	T100
Deer meat (in the fat)	0.2	Coriander (leaves, roots, stems)	T20
Goat, edible offal of	T*0.1	Cranberry	15
Goat meat (in the fat)	T0.2	Currant, black	10
Sheep, edible offal of	T*0.1	Edible offal (mammalian)	7
Sheep meat (in the fat)	T0.2	Eggplant	T10
		Fennel, bulb	5
Agvet chemical: Chlorhexidine		Fennel, leaf	5
<i>Permitted residue: Chlorhexidine</i>		Fennel, seed	5
Milks	0.05	Fruiting vegetables, cucurbits	5
Sheep, edible offal of	*0.5	Galangal, Greater	T7
Sheep fat	*0.5	Galangal, Lesser	T7
Sheep meat	*0.5	Garlic	10
		Grapes	10
Agvet chemical: Chloridazon		Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaves; witloof chicory]	T100
<i>Permitted residue: Chloridazon</i>		Leek	T10
Beetroot	0.5	Lettuce, head	T10
Beetroot leaves	1	Lettuce, leaf	T10
Chard (silver beet)	1	Mango	T1
Spinach	1	Meat (mammalian) (in the fat)	2
		Milks	0.05
Agvet chemical: Chlormequat		Nectarine	7
<i>Permitted residue: Chlormequat cation</i>		Onion, bulb	10
Barley	T2	Onion, Welsh	T10
Dried grapes	0.75	Papaya (pawpaw)	10
Edible offal (mammalian)	0.5	Parsley	T20
Eggs	0.1		

Peach	30	Cotton seed oil, crude	0.2
Peanut	0.3	Cranberry	1
Peas (pods and succulent, immature seeds)	10	Dried fruits	T2
Peppers, chili, dried	70	Edible offal (mammalian)	T0.1
Persimmon, American	T5	Eggs	T*0.01
Persimmon, Japanese	T5	Ginger, root	*0.02
Pistachio nut	T0.1	Grapes	T1
Plums (including prunes)	10	Herbs [except parsley]	*0.01
Potato	0.1	Kiwifruit	2
Poultry, edible offal of	*0.05	Leek	T5
Poultry meat	*0.05	Mango	*0.05
Pulses	3	Meat (mammalian) (in the fat)	T0.5
Rice	T*0.1	Milks (in the fat)	T0.2
Shallot	T10	Oilseed [except cotton seed; peanut]	T*0.05
Spring onion	T10	Olives	T*0.05
Sunflower seed	T*0.01	Onion, bulb	*0.01
Sweet corns	T7	Parsley	0.05
Tomato	10	Passionfruit	*0.05
Tree tomato	T10	Peanut	0.2
Turmeric, root	T7	Peppers, sweet	T1
Vegetables [except asparagus; Brussels sprouts; carrot; celery; eggplant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7	Persimmon, American	T1
Wasabi	T7	Persimmon, Japanese	T1
<hr/>		Pineapple	T0.5
Agvet chemical: Chlorpropham		Pitaya (dragon fruit)	T*0.05
<i>Permitted residue: Chlorpropham</i>		Pome fruits [except Persimmon, Japanese]	T0.5
Potato	30	Potato	0.05
<hr/>		Poultry, edible offal of	T0.1
Agvet chemical: Chlorpyrifos		Poultry meat (in the fat)	T0.1
<i>Permitted residue: Chlorpyrifos</i>		Raspberries, red, black	0.01
Asparagus	T0.5	Rice	0.5
Avocado	0.5	Sorghum, grain	T3
Banana	T0.5	Spices	*0.01
Bean, dry seed	0.05	Star apple	T*0.05
Blackberries	0.5	Stone fruits [except cherries (subgroup)]	T1
Blueberries	*0.01	Strawberry	0.05
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.5	Sugar cane	T0.1
Broccoli, Chinese (Gai lan)	T0.5	Swede	T0.3
Cacao beans	*0.01	Sweet corns	T*0.01
Cassava	T*0.02	Sweet potato	T0.05
Celery	T5	Taro	0.05
Cereal grains [except rice; sorghum, grain; sweet corns]	T0.1	Tomato	T0.5
Cherries	1	Tree nuts	T0.05
Chives	*0.01	Vegetables [except asparagus; bean, dry, seed; brassica vegetables; cassava; celery; leek; peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01
Citrus fruits	1	<hr/>	
Coffee beans	T0.5	Agvet chemical: Chlorpyrifos-methyl	
Cotton seed	0.05	<i>Permitted residue: Chlorpyrifos-methyl</i>	
		Cereal grains [except rice; sweet corns]	10
		Chives	*0.01
		Cotton seed	*0.01
		Edible offal (mammalian)	*0.05

Eggs	*0.05
Herbs	*0.01
Lupin (dry)	10
Meat (mammalian) (in the fat)	*0.05
Milks (in the fat)	*0.05
Oilseed [except cotton seed]	0.15
Palm nuts	0.15
Peanut	0.15
Peppers	1
Peppers, chili, dried	10
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses [except lupin (dry)]	0.15
Strawberry	0.5
Tea, green, black	0.1
Wheat bran, unprocessed	20
Wheat germ	30

Agvet chemical: Chlorsulfuron

Permitted residue: Chlorsulfuron

Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Chlortetracycline

Permitted residue: Inhibitory substance, identified as chlortetracycline

Cattle kidney	0.6
Cattle liver	0.3
Cattle meat	0.1
Eggs	0.2
Pig kidney	0.6
Pig liver	0.3
Pig meat	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Chlorthal-dimethyl

Permitted residue: Chlorthal-dimethyl

Eggs	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Lettuce, head	2
Lettuce, leaf	2
Milks	*0.05
Parsley	T2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sweet corns	5
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Cinmethylin

Permitted residue: Cinmethylin

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.01

Agvet chemical: Clavulanic acid

Permitted residue: Clavulanic acid

Cattle, edible offal of	*0.01
Cattle meat	*0.01
Cattle milk	*0.01

Agvet chemical: Clethodim

see Sethoxydim

Residues arising from the use of clethodim are covered by MRLs for sethoxydim

Agvet chemical: Clodinafop acid

Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Wheat	*0.1

Agvet chemical: Clodinafop-propargyl

Permitted residue: Clodinafop-propargyl

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat	*0.05

Agvet chemical: Clofentezine

Permitted residue: Clofentezine

All other foods except animal food commodities	0.02
Almonds	0.5
Banana	*0.01
Edible offal (mammalian)	T*0.05
Grapes	1
Hops, dry	7
Jujube, Chinese	0.1

Meat (mammalian)	T*0.05
Milks	T*0.05
Plums (including prunes)	0.1
Pome fruits	0.1
Stone fruits [except jujube, Chinese; plums (including prunes)]	1
Strawberry	2
Tea, green, black	*0.05
Tomato	0.5

Agvet chemical: Clomazone

Permitted residue: Clomazone

Beans [except broad bean; soya bean]	*0.05
Common bean (pod and/or immature seeds)	T*0.05
Edible offal (mammalian)	*0.03
Eggs	*0.03
Fruiting vegetables, cucurbits	*0.05
Meat (mammalian)	*0.03
Milks	0.03
Mustard seeds	T*0.01
Potato	*0.05
Poultry, edible offal of	0.03
Poultry meat	0.03
Rape seed (canola)	0.01
Rice	*0.01

Agvet chemical: Clopyralid

Permitted residue: Clopyralid

All other foods except animal food commodities	0.1
Blueberries	0.5
Cauliflower	T0.2
Cereal grains [except sweet corns]	2
Cherries	0.5
Cranberry	4
Currants, black, red, white	0.5
Edible offal (mammalian) [except kidney]	0.5
Hops, dry	5
Kidney of cattle, goats, pigs and sheep	5
Meat (mammalian)	0.1
Milks	0.05
Mustard seeds	T0.5
Poppy seed	T1
Rape seed (canola)	0.5
Raspberries, red, black	0.5
Strawberry	4

Agvet chemical: Cloquintocet acid

see Cloquintocet mexyl

Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl

Agvet chemical: Cloquintocet-mexyl

Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxycetic acid, expressed as cloquintocet mexyl

Cereal grains [except sweet corns]	*0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	T*0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Clorsulon

Permitted residue: Clorsulon

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1.5

Agvet chemical: Closantel

Permitted residue: Closantel

Sheep, edible offal of	5
Sheep meat	2

Agvet chemical: Clothianidin

Permitted residue: Clothianidin

see also Thiamethoxam

All other foods except animal food commodities	T0.1
Almonds	0.05
Banana	*0.02
Barley	0.07
Barley bran, processed	0.15
Blueberries	T*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Cereal grains [except as otherwise listed under this chemical]	*0.02
Cherimoya	T0.1
Chinese cabbage (Pe-tsai)	0.7
Citrus fruits	0.5
Common bean (dry) (navy bean)	T0.1
Cotton seed	*0.02
Cranberry	0.07
Custard apple	T0.1
Dried grapes	10
Edible offal (mammalian) [except liver of cattle, goats, pigs and sheep]	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	T0.5
Fruiting vegetables, other than cucurbits	T0.7

Fungi, edible (except mushrooms)	T0.7	Cattle liver	*0.02
Grapes [except wine grapes]	3	Cattle milk	*0.01
Llama	T0.1	Cattle milk fat	0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.7	Cattle muscle	*0.02
Liver of cattle, goats, pigs and sheep	0.4		
Maize	*0.01	Agvet chemical: Coumatetralyl	
Mango	T2	<i>Permitted residue: Coumatetralyl</i>	
Meat (mammalian)	*0.02	Pig, edible offal of [except liver]	T0.003
Milks	0.05	Pig fat	T*0.001
Mung bean (dry)	T0.1	Pig liver	T0.004
Mustard seeds	T*0.01	Pig meat	T*0.001
Oats	0.07		
Olives	T0.3	Agvet chemical: Cyanamide	
Persimmon, American	2	<i>Permitted residue: Cyanamide</i>	
Pome fruits	2	Almonds	*0.01
Popcorn	*0.01	Apple	*0.02
Poultry, edible offal of	0.4	Blueberries	*0.05
Poultry fats	*0.01	Cherries (subgroup)	T*0.02
Poultry meat	*0.02	Grapes	*0.05
Pulses [except common bean (navy bean) (dry); mung bean (dry); soya bean (dry)]	*0.02	Kiwifruit	*0.1
Rape seed (canola)	*0.01	Pear, Oriental (nashi)	*0.1
Rice	0.9	Plums (including prunes)	*0.02
Rice bran, unprocessed	1	Walnuts	*0.02
Rice, husked	0.5		
Rice, polished	0.5	Agvet chemical: Cyanazine	
Sorghum, grain	0.15	<i>Permitted residue: Cyanazine</i>	
Sorghum, sweet (sorgo)	0.4	Bulb vegetables [except chives]	*0.02
Soursop	T0.1	Cereal grains [except sweet corns]	*0.01
Soya bean (dry)	T0.02	Fennel, bulb	*0.02
Spices	0.05	Leek	0.05
Stone fruits	3	Peas	0.02
Sugar apple	T0.1	Podded pea (young pods) (snow and sugar snap)	0.05
Sugar cane	0.1	Potato	0.02
Sunflower seed	*0.01	Pulses	*0.01
Sweet corns (subgroup)	0.02	Sweet corn (corn-on-the-cob)	*0.02
Tea, green, black	T0.7		
Triticale	0.15	Agvet chemical: Cyantraniliprole	
Wheat	0.15	<i>Permitted residue: Cyantraniliprole</i>	
Wheat bran, processed	6	All other foods	0.05
Wheat germ	6	Apple	1.5
Wine grapes	0.07	Apricot	0.5
		Avocado	T1
Agvet chemical: Cloxacillin		Beans (dry)	0.3
<i>Permitted residue: Inhibitory substance, identified as Cloxacillin</i>		Blueberries	4
Cattle milk	*0.01	Bulb vegetables [except chives; onion, bulb]	7
		Celery	15
Agvet chemical: Coumaphos		Cherries	6
<i>Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos</i>		Citrus fruits	0.7
Cattle fat	*0.02	Common beans (pods and/or immature seeds)	T1
Cattle kidney	*0.02	Cranberry	4
		Currants, black, red	4

Edible offal (mammalian)	0.05
Eggs	*0.01
Fennel, bulb	7
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	2
Fungi, edible (except mushrooms)	2
Gooseberry	4
Macadamia nuts	T*0.01
Maize	*0.01
Mango	0.7
Meat (mammalian) (in the fat)	*0.01
Milk fats	0.07
Milks	*0.01
Mushrooms	2
Nectarine	1.5
Oilseed	1.5
Onion, bulb	0.05
Palm nuts	1.5
Peach	1.5
Peanut	1.5
Pear	1.5
Peas with pods (subgroup)	2
Peppers, chili, dried	5
Plums (including prunes)	0.5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Raspberries, red, black	4
Sorghum	*0.01
Strawberry	1.5
Succulent seeds of Beans with pods	0.3
Succulent seeds of Peas with pods	0.3
Sweet corn (corn-on-the-cob)	*0.01
Sweet potato	T0.05
Wine grapes	1

Agvet chemical: Cyazofamid

Permitted residue: Cyazofamid

All other foods except animal food commodities	0.04
Basil	T30
Basil, dry	T90
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Brassica leafy vegetables	15
Broccoli, Chinese (Gai lan)	2
Chard (silver beet)	15
Edible offal (mammalian)	*0.01
Eggs	*0.01
Garlic	2
Ginger, root	T*0.01
Green onions	6
Hops, dry	10
Meat (mammalian)	*0.01

Milks	*0.01
Onions, bulb	2
Parsley	T10
Peppers, chili	0.8
Poppy seed	T*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Spinach	15

Agvet chemical: Cyclanilide

Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide

Cotton seed	0.2
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05
Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Cyclanilprole

Permitted residue: Cyclanilprole

All other foods except animal food commodities	0.02
Brassica leafy vegetables	10
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Bush berries	1.5
Cane berries	0.8
Citrus fruits	0.4
Citrus oil, edible	50
Edible offal (mammalian)	0.2
Eggs	*0.01
Elderberries	1.5
Fruiting vegetables, Cucurbits – Cucumbers and Summer squashes	0.05
Fruiting vegetables, Cucurbits – Melons, Pumpkins and Winter squashes	0.1
Fruiting vegetables other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Grapes	0.8
Guelder rose	1.5
Leafy greens	7
Leafy vegetables [except brassica leafy vegetables; leafy greens]	3
Low growing berries	0.4
Mammalian fats [except milk fats]	0.25
Meat (mammalian) (in the fat)	0.25
Milks	*0.01
Milk fats	0.2
Mushrooms	0.2
Peppers, chili, dried	1.5

Pome fruit [except persimmon, Japanese]	0.3
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Stone fruits [except jujube, Chinese]	1
Sweet corns	0.2
Tea, green, black	50
Tomato, dried	0.35
Tree nuts	0.03

Agvet chemical: Cycloxydim

Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim

Beans (dry)	30
Beans (green pods and immature seeds) [except broad bean; soya bean]	15
Carrot	5
Grapes	0.3
Leek	4
Linseed	7
Maize	0.2
Onion, bulb	3
Peas (dry)	30
Peas, shelled (succulent seeds)	15
Peppers, chili, dried	90
Potato	15
Rape seed (canola)	3
Rice	0.09
Soya bean (dry)	80
Stone fruits [except jujube, Chinese]	0.09
Strawberry	3
Sugar beet	0.2
Sunflower seed	6
Tomato	1.5

Agvet chemical: Cyflufenamid

Permitted residue: Cyflufenamid

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Hops, dry	5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	0.3

Agvet chemical: Cyflumetofen

Permitted residue—commodities of plant origin: Cyflumetofen

Permitted residue—commodities of animal origin: Sum of cyflumetofen and 2-trifluoromethylbenzoic acid, expressed as cyflumetofen

All other foods except animal food commodities	0.02
Citrus fruits	0.3
Dried grapes (currants, raisins and sultanas)	3
Edible offal (mammalian)	*0.03
Fruiting vegetables, other than cucurbits	2
Grapes [except dried]	0.7
Hops, dry	30
Meat (mammalian)	*0.03
Milks	*0.003
Pome fruits [except persimmon, Japanese]	0.5
Strawberry	0.8
Tree nuts	0.01

Agvet chemical: Cyfluthrin

Permitted residue: Cyfluthrin, sum of isomers

All other foods except animal food commodities	0.05
Avocado	0.1
Chia	T*0.05
Citrus fruits [except kumquats]	0.2
Custard apple	T0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	1
Hops, dry	20
Litchi	T0.3
Macadamia nuts	0.05
Mango	T0.1
Mammalian fats [except milk fats]	0.5
Meat (mammalian)	0.02
Milks	0.1
Papaya (pawpaw)	T0.2
Peppers, chili, dried	1
Persimmon, American	T0.1
Persimmon, Japanese	T0.1
Pomegranate	T0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except jujube, Chinese]	0.3
Tomato	0.2

Agvet chemical: Cyhalofop-butyl	
<i>Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl</i>	
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	*0.01

Agvet chemical: Cyhalothrin	
<i>Permitted residue: Cyhalothrin, sum of isomers</i>	
Almonds	0.05
Asparagus	0.02
Barley	0.2
Basil	0.7
Beetroot	*0.01
Berries and other small fruits [except Strawberry]	0.2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.1
Broccoli, Chinese (Gai lan)	0.1
Cereal grains [except barley; maize cereals; sorghum, grain; sweet corns (subgroup); wheat]	*0.01
Chard	T0.5
Citrus fruits [except lemon and limes (subgroup)]	*0.01
Coffee beans	0.05
Coriander (leaves, roots, stems)	T1
Cotton seed	*0.02
Cucumber	T0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, other than cucurbits	0.3
Fungi, edible (except mushrooms)	0.3
Garlic	*0.05
Hazelnuts	T*0.01
Hops, dry	10
Legume vegetables	0.1
Lemons and limes (subgroup)	0.2
Maize cereals	0.05
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Mustard seeds	T0.02
Onion, bulb	*0.05
Onion, Welsh	T0.05
Parsley	T1
Peanut	0.05
Pecan	0.05
Peppers, chili, dried	3

Podded pea (young pods) (snow and sugar snap)	0.2
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses [except soya bean (dry)]	0.2
Radish	*0.01
Rape seed (canola)	0.02
Shallot	T0.05
Sorghum, grain	0.5
Soya bean (dry)	0.05
Spring onion	T0.05
Stone fruits [except jujube, Chinese]	0.5
Strawberry	0.5
Sunflower seed	*0.01
Sweet corns (subgroup)	0.3
Tea, green, black	1
Tomato	0.1
Walnuts	0.05
Wheat	*0.05

Agvet chemical: Cyhexatin	
<i>Permitted residue: Sum of azocyclotin and cyhexatin, expressed as cyhexatin</i>	
Peppers, chili, dried	5

Agvet chemical: Cypermethrin	
<i>Permitted residue: Cypermethrin, sum of isomers</i>	
Adzuki bean (dry)	T0.05
All other foods	*0.01
Asparagus	0.5
Avocado	T0.2
Beetroot	T0.1
Berries and other small fruits [except blueberries; grapes; raspberries, red, black]	0.5
Blueberries	0.8
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broad bean (dry) (fava bean)	0.05
Broccoli, Chinese (Gai lan)	1
Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.5
Celery	T1
Cereal grains [except rice; sweet corns; wheat]	1
Cherries	2
Chick-pea (dry)	0.2
Chinese cabbage (Pe-tsai)	T5
Chives	T8
Citrus fruits [except kumquats]	0.3
Common bean (dry) (navy bean)	0.05
Coriander (leaves, roots, stems)	T8
Cotton seed	0.2
Cotton seed oil, crude	*0.02

Cumin seed	0.5	Rice	2
Deer meat (in the fat)	T0.5	Shallot	T0.5
Durian	1	Sheep, edible offal of	0.05
Eggs	0.05	Sheep meat (in the fat)	0.5
Field pea (dry)	0.05	Soya bean (dry)	0.05
Fruiting vegetables, cucurbits	T0.3	Soya bean oil, crude	0.1
Fruiting vegetables, other than cucurbits [except; tomato]	T1	Spring onion	T0.5
Fungi, edible (except mushrooms)	T1	Stone fruits [except cherries]	1
Ginseng	*0.03	Sunflower seed	0.1
Ginseng, dried	0.15	Sunflower seed oil, crude	0.1
Ginseng, extract	*0.06	Sweet corn (corn-on-the-cob)	0.05
Goat, edible offal of	0.05	Tea, green, black	0.5
Goat meat (in the fat)	0.5	Tomato	0.5
Grapes	2	Wheat	0.2
Hempseed	T0.1		
Herbs	T8	Agvet chemical: Cyproconazole	
Horse, edible offal of	*0.05	<i>Permitted residue: Cyproconazole, sum of isomers</i>	
Horse meat (in the fat)	*0.05	All other foods except animal food commodities	0.01
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	T5	Barley	*0.02
Leek	T0.5	Coffee bean	0.07
Lentil (dry)	T0.05	Coffee bean, roasted	0.1
Lettuce, head	2	Edible offal (mammalian)	1
Linola oil, edible	0.1	Eggs	*0.01
Linola seed	0.1	Maize	*0.01
Linseed	0.5	Meat (mammalian)	0.03
Longan	1	Milks	*0.01
Lupin (dry)	*0.01	Oats	0.05
Mango	0.7	Peanut	0.02
Milks (in the fat)	1	Potato	*0.02
Mung bean (dry)	0.05	Poultry, edible offal of	*0.01
Mustard seeds	T0.2	Poultry meat	*0.01
Mustard seeds oil, edible	T0.2	Pulses	0.05
Mushrooms	T1	Rape seed (canola)	T0.02
Olives	T*0.05	Rye	*0.02
Onion, bulb	*0.01	Soya bean oil, refined	0.1
Onion, Welsh	T0.5	Sweet corn (corn-on-the-cob)	*0.01
Peanut	T*0.05	Triticale	*0.02
Peas	1	Wheat	*0.02
Peppers, chili	2		
Peppers, chili, dried	10	Agvet chemical: Cyprodinil	
Persimmon, American	T0.2	<i>Permitted residue: Cyprodinil</i>	
Persimmon, Japanese	T0.2	All other foods except animal food commodities	0.05
Pig, edible offal of	*0.05	Almonds	0.02
Pig meat (in the fat)	*0.05	Avocado	T2
Pome fruits [except Persimmon, Japanese]	1	Basil	40
Poppy seed	T*0.05	Bayberries	T3
Potato	*0.01	Bayberry, red	T3
Poultry, edible offal of	*0.05	Blackberries	10
Poultry meat (in the fat)	*0.05	Blueberries	3
Radish	T0.05	Boysenberry	10
Rape seed (canola)	0.2	Bulb vegetables [except onion, bulb]	3
Rape seed oil, edible	0.2	Celery	30
Raspberries, red, black	0.8	Chinese cabbage (Pe-tsai)	10

Poultry meat	*0.05
--------------	-------

Agvet chemical: Decoquinat

Permitted residue: Decoquinat

Chicken kidney	0.8
Chicken liver	1
Chicken meat	0.5
Chicken fat/skin	1

Agvet chemical: Deltamethrin

Permitted residue: Deltamethrin

All other foods except animal food commodities	0.05
Brassica vegetables (except Brassica leafy vegetables [except Chinese cabbage (Pe-tsai)])	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Cattle, edible offal of	0.1
Cattle meat (in the fat)	0.5
Cereal grains [except sweet corns]	2
Cherries	0.1
Currants, black, red, white	0.6
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.1
Fungi, edible (except mushrooms)	0.1
Goat, edible offal of	0.1
Goat meat (in the fat)	0.2
Legume vegetables	0.1
Milks	0.05
Mushrooms	0.1
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Pig, edible offal of	*0.01
Pig meat (in the fat)	0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.1
Raspberries, red, black	0.5
Sheep, edible offal of	0.1
Sheep meat (in the fat)	0.2
Strawberry	0.2
Sweet corn (kernels)	0.1
Tea, green, black	5
Wheat bran, unprocessed	5
Wheat germ	3

Agvet chemical: Derquantel

Permitted residue: Derquantel

Sheep fat	0.0002
Sheep kidney	0.0002
Sheep liver	0.0002
Sheep muscle	0.0002

Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate

Permitted residue: Dexamethasone

Cattle, edible offal of	0.1
Cattle meat	0.1
Cattle milk	*0.05
Horse, edible offal of	0.1
Horse meat	0.1
Pig, edible offal of	0.1
Pig meat	0.1

Agvet chemical: Diafenthuron

Permitted residue: Sum of diafenthuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthuron

All other foods except animal food commodities	0.01
Cotton seed	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Mushrooms	0.5
Mustard seeds	T*0.01
Peanut	T0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Soya bean (dry)	T0.3

Agvet chemical: Diazinon

Permitted residue: Diazinon

Cereal grains [except sweet corns]	0.1
Citrus fruits	0.7
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5

Spring onion	T0.5
Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, crude]	0.1
Vegetables	0.7

Agvet chemical: Dicamba

Permitted residue: Dicamba

All other foods except animal food commodities	0.05
Cereal grains [except maize; sweet corns]	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.05
Maize	0.1
Meat (mammalian)	0.05
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	0.1
Sugar cane molasses	2

Agvet chemical: Dicamba

Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba

Cotton seed	3
Soya bean	10

Agvet chemical: Dichlobenil

Permitted residue: Dichlobenil

All other foods except animal food commodities	0.05
Blueberries	T1
Celery	0.07
Cereal grains [except maize and sweet corns]	*0.05
Citrus fruits	0.1
Cranberry	0.1
Currants, black, red, white	T1
Gooseberry	T1
Grapes	0.1
Maize	0.1
Peppers, chili, dried	*0.01
Pome fruits	0.1
Raspberries, red, black	T1
Stone fruits	0.1
Tomato	0.1

Agvet chemical: Dichlofluanid

Permitted residue: Dichlofluanid

Berries and other small fruits [except grapes; strawberry]	T50
Grapes	0.5
Peanut	*0.02
Strawberry	10
Tomato	1

Agvet chemical: 1,3-dichloropropene

Permitted residue: 1,3-dichloropropene

Grapes	0.018
--------	-------

Agvet chemical: Dichlorprop-P

Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid

Citrus fruits [except kumquats]	0.2
Edible offal (mammalian)	*0.05
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.02

Agvet chemical: Dichlorvos

Permitted residue: Dichlorvos

All other foods except animal food commodities	0.01
Almonds	2
Cereal grains [except rice; sweet corns]	*0.01
Coffee beans	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed [except peanut]	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01
Rice	7

Agvet chemical: Diclofop-methyl

Permitted residue: Diclofop-methyl

Cereal grains [except sweet corns]	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1

Peas	0.1	Cereal grains [except rice; sweet corns]	*0.01
Poppy seed	0.1	Chard (silver beet)	T5
Poultry, edible offal of	*0.05	Chicory leaves (green and red cultivars)	T5
Poultry meat	*0.05	Chives	T10
<hr/>		Coffee beans	T*0.01
Agvet chemical: Dicofol		Cotton seed	0.4
<i>Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol</i>		Cranberry	0.6
<hr/>		Currants, black, red, white	0.2
Almonds	5	Dried grapes	6
Cotton seed	0.1	Edible offal (mammalian)	*0.05
Cucumber	2	Eggs	*0.05
Fruit [except strawberry]	5	Endive	T5
Gherkin	2	Fruiting vegetables, cucurbits	0.3
Hops, dry	5	Fruiting vegetables, other than cucurbits	1
Strawberry	1	Grapefruit	0.6
Sweet corns	5	Grapes	4
Tea, green, black	5	Guava	0.15
Tomato	1	Herbs	T40
Vegetables [except as otherwise listed under this chemical]	5	Lemon	0.6
<hr/>		Macadamia nuts	*0.01
Agvet chemical: Dicyclanil		Meat (mammalian)	*0.05
<i>Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil</i>		Milks	*0.01
<hr/>		Onion, bulb	T0.1
Sheep fat	0.3	Orange	0.6
Sheep kidney	0.3	Papaya (pawpaw)	1
Sheep liver	0.3	Peanut	*0.01
Sheep meat	0.3	Pecan	0.03
<hr/>		Peppers, chili	0.9
Agvet chemical: Didecyldimethylammonium chloride		Peppers, chili, dried	5
<i>Permitted residue: Didecyldimethylammonium chloride</i>		Pome fruits [except Persimmon, Japanese]	0.3
<hr/>		Poppy seed	T*0.01
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	20	Potato	4
Sentul	20	Poultry, edible offal of	*0.05
<hr/>		Poultry meat	*0.05
Agvet chemical: Dieldrin		Riberry	T1
see Aldrin and Dieldrin		Rice	8
<hr/>		Root and tuber vegetables [except celeriac; potato]	0.5
Agvet chemical: Difenoconazole		Spinach	T5
<i>Permitted residue: Difenoconazole</i>		Stone fruits [except jujube, Chinese]	2.5
<hr/>		Strawberry	2
All other foods except animal food commodities	0.02	Tea, green, black	20
Almonds	0.03	<hr/>	
Asparagus	*0.05	Agvet chemical: Diflubenzuron	
Avocado	T2	<i>Permitted residue: Diflubenzuron</i>	
Banana	*0.02	<hr/>	
Blueberries	4	Almonds	0.2
Brassica leafy vegetables	T5	Cattle, edible offal of	*0.02
Celeriac	T1	Cattle milk	0.05
Celery	10	Citrus fruits [except kumquats]	3
		Fish muscle	T*0.002
		Mushrooms	0.1
		Peanut	0.1
		Peppers, chili, dried	20
		Rice	*0.01

Sheep kidney	0.05
Sheep liver	0.05
Sheep meat (in the fat)	0.05
Sheep milk	0.05
Stone fruits [except cherries; jujube, Chinese]	0.07
Tea, green, black	0.1

Agvet chemical: Diflufenican

Permitted residue: Diflufenican

All other foods except animal food commodities	0.01
Barley	0.05
Edible offal (mammalian)	0.1
Eggs	*0.02
Grapes	*0.002
Meat (mammalian) (in the fat)	0.05
Milks	0.01
Oats	0.05
Peas	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	0.05
Rye	0.05
Safflower seed	T*0.05
Tea, green, black	*0.05
Triticale	0.05
Wheat	0.02
Walnuts	T*0.01

Agvet chemical: Dimethenamid-P

Permitted residue: Sum of dimethenamid-P and its (R)-isomer

Common bean (pods and/or immature seeds)	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Hops, dry	0.05
Maize	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	T*0.01
Peanut	0.01
Peas	*0.02
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Pumpkins	*0.02
Rape seed (canola)	T*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Dimethoate

Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate

see also *Omethoate*

Asparagus	0.02
Avocado	0.7
Bearberry	T5
Beetroot	*0.1
Bilberry	T5
Bilberry, bog	T5
Bilberry, red	T5
Blackberries	T5
Blueberries	T5
Boysenberry	0.02
Cereal grains [except sweet corns]	0.5
Cherries	T0.2
Citrus fruits [except kumquats]	5
Cotton seed	*0.1
Cranberry	T5
Currant, black, red, white	*0.01
Edible offal (mammalian)	0.1
Egg plant	T0.2
Eggs	*0.05
Elderberries	0.02
Legume vegetables	2
Litchi	5
Mango	0.5
Meat (mammalian)	*0.05
Melons [except watermelon]	5
Milks	*0.05
Oilseed [except cotton seed; peanut]	0.2
Olive oil, refined	T0.3
Olives for oil production	T3
Onion, bulb	0.7
Peanut	0.02
Peppers, sweet	0.7
Pineapple	0.07
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.7
Raspberries, red, black	T5
Rhubarb	0.7
Squash, summer (including zucchini)	0.7
Strawberry	*0.02
Sweet potato	0.1
Tomato	0.02
Turnip, garden	*0.2
Watermelon	5
Wheat bran, processed	1

Agvet chemical: Dimethomorph	
<i>Permitted residue: Sum of E and Z isomers of dimethomorph</i>	
All other foods except animal food commodities	0.2
Beetroot	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	6
Bulb onions [except garlic; onion, bulb; shallot]	0.5
Celery	15
Chinese cabbage (Pe-tsai)	30
Chives	10
Corn salad (lamb's lettuce)	10
Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1.5
Fungi, edible (except mushrooms)	1.5
Garlic	0.6
Grapes	3
Green onions [except chives; spring onion]	2
Herbs [except parsley]	10
Hops, dry	80
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30
Lima bean (young pods and/or immature seeds)	0.6
Meat (mammalian)	*0.01
Milks	*0.01
Mizuna	T10
Mushrooms	1.5
Onion, bulb	0.6
Parsley	T20
Peas	1
Peppers, chili, dried	5
Poppy seed	*0.02
Potato	0.05
Radish	T0.3
Shallot	0.6
Spices [except peppers, chili, dried]	0.05
Spring onion	15
Strawberry	0.7
Sweet corns	1.5

Agvet chemical: Dimpropridaz	
<i>Permitted residue—commodities of plant origin: Dimpropridaz</i>	
<i>Permitted residue—commodities of animal origin: sum of dimpropridaz and 1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide, expressed as dimpropridaz</i>	
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Cotton seed	0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.3
Fruiting vegetables, other than cucurbits	1
Leafy vegetables	15
Meat (mammalian)	*0.02
Milks	*0.02
Poultry meat	*0.02
Poultry, edible offal of	*0.02

Agvet chemical: Dinitolmide	
<i>Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents</i>	
Poultry, edible offal of	6
Poultry fats	2
Poultry meat	3

Agvet chemical: Dinitro-o-toluamide	
see <i>Dinitolmide</i>	

Agvet chemical: Dinocap	
<i>Permitted residue: Sum of dinocap isomers and dinocap phenols, expressed as dinocap</i>	
Peppers, chili, dried	2

Agvet chemical: Dinotefuran	
<i>Permitted residue—commodities of plant origin: Dinotefuran</i>	
<i>Permitted residue—commodities of animal origin: Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran</i>	
All other foods except animal food commodities	0.02
Celery	0.6
Cotton seed	0.1
Cranberry	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes	0.9
Meat (mammalian)	*0.02

Milks	*0.02
Mung bean (dry)	0.3
Peppers, chili, dried	5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	8

Agvet chemical: Diphenylamine

Permitted residue: Diphenylamine

All other foods except animal food commodities	0.05
Apple	10
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.05
Fruits [except apple; pear]	0.5
Liver of cattle, goats, pigs and sheep	0.05
Meat (mammalian) (in the fat)	*0.01
Milks (in the fat)	*0.01
Pear	7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Diquat

Permitted residue: Diquat cation

Barley	5
Beans [except broad bean; soya bean]	1
Broad bean (green pods and/or immature seeds)	1
Coffee bean	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.05
Hops, dry	T0.2
Linseed	*0.01
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Oats	5
Oilseed [except linseed; poppy seed]	5
Onion, bulb	0.1
Palm nuts	5
Peanut	5
Peas	0.1
Poppy seed	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Quinoa	T5
Rice	5
Rice, polished	1
Rye	2
Sorghum, grain	2
Sugar beet	0.1
Sugar cane	*0.05

Sweet corns	*0.05
Tea, green, black	0.1
Tree nuts	*0.05
Triticale	2
Vegetable oils, crude	1
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05
Wheat	2

Agvet chemical: Dithianon

Permitted residue: Dithianon

All other foods except animal food commodities	0.02
Blueberries	T7
Fruits [except blueberries]	2
Hops, dry	100

Agvet chemical: Dithiocarbamates

Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food

Almonds	3
Asparagus	T1
Avocado	7
Banana	T15
Basil	T5
Beans [except broad bean; soya bean]	2
Beetroot	1
Berries and other small fruits [except strawberry]	T15
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broad bean (green pods and immature seeds)	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; garlic; onion, bulb]	T10
Carrot	1
Celery	5
Cereal grains [except sweet corns]	0.5
Chinese cabbage (Pe-tsai)	5
Citrus fruits	T7
Common bean (pods and/or immature seeds)	2
Coriander, seed	0.1
Cotton seed	10
Custard apple	5
Edible offal (mammalian)	2
Eggs	*0.5
Fennel, bulb	T10
Fig	3
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits [except roselle; tomato]	3

Fungi, edible (except mushrooms)	3	Oilseed	0.5
Garlic	4	Palm nuts	0.5
Ginger, root	T3	Peanut	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5	Pineapple	0.5
Litchi	5	Pulses	*0.05
Mango	7	Sugar cane	0.2
Meat (mammalian)	*0.5		
Milks	*0.2		
Mushrooms	3		
Olives for oil production	T30		
Onion, bulb	4		
Papaya (pawpaw)	5		
Parsley	5		
Parsnip	T1		
Passionfruit (including granadilla)	3		
Peanut	0.2		
Peas (pods and succulent, immature seeds)	2		
Pepper, black, white	0.1		
Peppers, chili, dried	20		
Pistachio nut	T3		
Pome fruits	3		
Pomegranate	T5		
Poppy seed	*0.2		
Potato	1		
Poultry, edible offal of	*0.5		
Poultry meat	*0.5		
Pulses	0.5		
Radish	T1		
Rhubarb	2		
Roselle (rosella)	5		
Stone fruits [except jujube, Chinese]	3		
Strawberry	10		
Sunflower seed	T*0.05		
Sweet corns	3		
Table olives	T30		
Tomato	T5		
Tree tomato	T5		
Walnuts	T*0.2		
Agvet chemical: Diuron			
<i>Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron</i>			
All other foods except animal food commodities	0.05		
Asparagus	2		
Banana	0.5		
Blueberries	0.1		
Cereal grains [except sweet corns]	0.1		
Cotton seed oil, crude	0.5		
Date	T0.5		
Edible offal (mammalian)	3		
Lime	1		
Meat (mammalian)	0.1		
Milks	0.1		
Agvet chemical: Dodine			
<i>Permitted residue: Dodine</i>			
All other foods, except animal food commodities	0.1		
Almonds	0.3		
Cherries	3		
Peanut	0.013		
Pome fruits [except Persimmon, Japanese]	5		
Stone fruits [except cherries; jujube, Chinese]	*0.05		
Walnuts	T0.3		
Agvet chemical: Doramectin			
<i>Permitted residue: Doramectin</i>			
Cattle, edible offal of	0.1		
Cattle fat	0.1		
Cattle meat	0.01		
Cattle milk	0.05		
Pig kidney	0.03		
Pig liver	0.05		
Pig meat (in the fat)	0.1		
Sheep, edible offal of	0.05		
Sheep fat	0.1		
Sheep meat	0.02		
Agvet chemical: 2,2-DPA			
<i>Permitted residue: 2,2-dichloropropionic acid</i>			
Avocado	*0.1		
Banana	*0.1		
Cereal grains [except sweet corns]	*0.1		
Citrus fruits	*0.1		
Cotton seed	*0.1		
Currants, black, red, white	15		
Edible offal (mammalian)	0.2		
Grapes	3		
Meat (mammalian)	0.2		
Milks	*0.1		
Papaya (pawpaw)	*0.1		
Pecan	*0.1		
Pineapple	*0.1		
Pome fruits	*0.1		
Stone fruits [except jujube, Chinese]	1		
Sugar cane	*0.1		
Sunflower seed	*0.1		
Vegetables	*0.1		

Agvet chemical: EDC	
<i>see Ethylene dichloride</i>	
Agvet chemical: Emamectin	
<i>Permitted residue: Sum of emamectin B1a and emamectin B1b</i>	
All other foods except animal food commodities	0.005
Almonds	0.02
Blueberries	T0.07
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.02
Broccoli, Chinese (Gai lan)	0.02
Celery	T0.2
Chia	T0.05
Chinese cabbage (Pe-tsai)	T0.5
Cotton seed	0.005
Edible offal (mammalian)	0.02
Fruiting vegetables, cucurbits	0.01
Fruiting vegetables, other than cucurbits	0.1
Fungi, edible (except mushrooms)	0.1
Grapes	*0.002
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head and lettuce, leaf; witloof chicory]	T0.5
Legume vegetables	0.1
Lettuce, head	0.2
Lettuce, leaf	0.2
Maize cereals	*0.002
Meat (mammalian) (in the fat)	0.01
Milks	*0.001
Milk fats	0.01
Mustard seeds	T*0.01
Pecan	0.02
Peppers, chili, dried	0.2
Pulses	*0.01
Rape seed (canola)	*0.01
Root and tuber vegetables [except potato]	*0.01
Sorghum, grain	*0.002
Strawberry	0.05
Sweet corn (corn-on-the-cob)	*0.002
Tea, green, black	*0.02
Wheat, similar grains, and pseudocereals without husks	T*0.01
Agvet chemical: Endosulfan	
<i>Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate</i>	
Cacao beans	0.2
Tea, green, black	10

Agvet chemical: Endothal	
<i>Permitted residue: Endothal</i>	
Edible offal (mammalian)	T*0.05
Eggs	T*0.05
Hops, dry	0.1
Meat (mammalian)	T*0.05
Milks	T*0.01
Poultry, edible offal of	T*0.05
Poultry meat	T*0.05
Agvet chemical: Enilconazole	
<i>see Imazalil</i>	
Agvet chemical: Epoxiconazole	
<i>Permitted residue: Epoxiconazole</i>	
Avocado	0.5
Banana	1
Cereal grains [except sweet corns]	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat bran, unprocessed	0.3
Wheat germ	0.2
Agvet chemical: Eprinomectin	
<i>Permitted residue: Eprinomectin B1a</i>	
Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.03
Deer, edible offal of	2
Deer meat	0.1
Agvet chemical: EPTC	
<i>Permitted residue: EPTC</i>	
All other foods except animal food commodities	0.04
Cereal grains	*0.04
Edible offal (mammalian)	*0.1
Eggs	*0.01
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables [except potato]	*0.04

Agvet chemical: Erythromycin	
<i>Permitted residue: Inhibitory substance, identified as erythromycin</i>	
Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.04
Poultry, edible offal of	*0.3
Poultry meat	*0.3

Agvet chemical: Esfenvalerate	
see Fenvalerate	

Agvet chemical: Ethephon	
<i>Permitted residue: Ethephon</i>	
All other foods except animal food commodities	0.1
Apple	1
Banana	T*0.05
Barley	1
Blueberries	T10
Cherries	15
Cotton seed	2
Cotton seed oil, crude	*0.1
Currant, black	1
Edible offal (mammalian)	0.2
Eggs	*0.2
Grapes	6
Kiwifruit	0.1
Lychee	T*0.05
Macadamia nuts	*0.1
Mandarins	2
Mango	T*0.02
Meat (mammalian)	0.1
Milks	0.1
Nectarine	0.01
Olives	T20
Oranges, sweet, sour	2
Papaya	T1
Peach	0.5
Pineapple	2
Poultry, edible offal of	*0.2
Poultry meat	*0.1
Sugar cane	0.5
Sugar cane molasses	7
Tomato	2
Walnuts	T5
Wheat	T1

Agvet chemical: Ethion	
<i>Permitted residue: Ethion</i>	
Cattle, edible offal of	2.5
Cattle meat (in the fat)	2.5
Citrus fruits [except kumquats]	1
Cotton seed	0.1

Cotton seed oil, crude	0.05
Grapes	2
Milks (in the fat)	0.5
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	1
Tea, green, black	5

Agvet chemical: Ethiprole	
<i>Permitted residue—commodities of plant origin: Ethiprole</i>	
<i>Permitted residue—commodities of animal origin:</i>	
<i>Sum of ethiprole and 5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-ethylsulfonylpyrazole-3-carbonitrile (ethiprole-sulfone), expressed as parent equivalents.</i>	
Coffee beans	0.07
Coffee beans, roasted	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Fats (mammalian)	0.15
Meat (mammalian)	0.15
Milk fats	0.5
Milks	0.01
Poultry, Edible offal of	0.05
Poultry fats	0.05
Poultry meat	0.05
Rice	3
Rice, husked	1.5
Rice, polished	0.4
Soya bean (dry)	0.05

Agvet chemical: Ethofumesate	
<i>Permitted residue: Ethofumesate</i>	
Beetroot	0.1
Bulb vegetables [except chives]	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Fennel, bulb	*0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Strawberry	*0.03
Sugar beet	0.1

Agvet chemical: Ethopabate	
<i>Permitted residue: Ethopabate</i>	
Poultry, edible offal of	15
Poultry meat	5

Agvet chemical: Ethoprophos	
<i>Permitted residue: Ethoprophos</i>	
Banana	*0.02
Hops, dry	0.02
Peppers, chili, dried	0.2
Tomato	*0.01
Agvet chemical: Ethoxyquin	
<i>Permitted residue: Ethoxyquin</i>	
Crustaceans	1
Diadromous fish	1
Edible offal (mammalian)	1
Eggs	0.1
Freshwater fish	1
Marine fish	1
Meat (mammalian)	0.5
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.5
Agvet chemical: Ethoxysulfuron	
<i>Permitted residue—commodities of plant origin: Ethoxysulfuron</i>	
<i>Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxy pyrimidine, expressed as ethoxysulfuron</i>	
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01
Agvet chemical: Ethyl formate	
<i>Permitted residue: Ethyl formate</i>	
Dried fruits	1
Agvet chemical: Ethylene dichloride (EDC)	
<i>Permitted residue: 1,2-dichloroethane</i>	
Cereal grains [except sweet corns]	*0.1
Agvet chemical: Etofenprox	
<i>Permitted residue: Etofenprox</i>	
All other foods except animal food commodities	0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Hops, dry	5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rice	*0.01
Stone fruits [except cherries (subgroup)]	5

Agvet chemical: Etoazole	
<i>Permitted residue: Etoazole</i>	
All other foods except animal food commodities	0.05
Almonds	*0.01
Avocado	T0.1
Banana	0.2
Cane berries	T0.5
Cherries	1
Chervil	T1
Chives	T1
Citrus fruits	0.5
Coriander (leaves, roots, stems)	T1
Cotton seed	0.2
Custard apple	T0.1
Dried grapes	1.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.05
Fruiting vegetables, cucurbits	T0.1
Fungi, edible (except mushrooms)	0.05
Grapes	0.5
Herbs	T1
Hops, dry	7
Ivy gourd	T0.1
Maize	T*0.01
Mango	T0.1
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Mizuna	T1
Mushrooms	0.05
Papaya	T0.1
Passionfruit	T0.1
Podded pea (young pods) (snow and sugar snap)	T*0.02
Pointed gourd	T0.1
Pome fruits	0.2
Popcorn	T*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.02
Rucola (Rocket)	T1
Strawberry	0.2
Stone fruits [except cherries (subgroup)]	0.3
Sweet corn (kernels)	T*0.01
Tea, green, black	15
Agvet chemical: Famoxadone	
<i>Permitted residue: Famoxadone</i>	
Dried grapes (currants, raisins and sultanas)	5
Hops, dry	80
Raspberries, red, black	10

Agvet chemical: Fenamidone	
<i>Permitted residue: Fenamidone</i>	
Celery	40
Peppers, chili, dried	30

Agvet chemical: Fenamiphos	
<i>Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos</i>	
Aloe vera	*0.05
Banana	*0.05
Strawberry	*0.05

Agvet chemical: Fenazaquin	
<i>Permitted residue: Fenazaquin</i>	
Citrus fruits [except kumquats]	0.4
Dried grapes (currants, raisins and sultanas)	0.8
Edible offal (mammalian)	*0.02
Grapes [except dried]	0.7
Hops, dry	30
Meat (mammalian)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Milks (in the fat)	*0.02
Podded pea (young pods) (snow and sugar snap)	0.4
Raspberries, red, black	0.7
Stone fruits [except jujube, Chinese]	2
Tree nuts	0.02

Agvet chemical: Fenbendazole	
<i>Permitted residue: Fenbendazole</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	0.5
Goat meat	0.5
Milks	0.1
Sheep, edible offal of	0.5
Sheep meat	0.5

Agvet chemical: Fenbuconazole	
<i>Permitted residue: Fenbuconazole</i>	
All other foods except animal food commodities	0.02
Almonds	0.05
Banana	0.5
Blueberries	0.3
Cherries (subgroup)	1
Cranberry	0.5
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01

Milks	*0.01
Nectarine	0.5
Peanut	0.1
Peppers, chili, dried	2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Tea, green, black	30
Wheat	*0.01

Agvet chemical: Fenbutatin oxide	
<i>Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide</i>	
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	5
Berries and other small fruits [except table grapes]	1
Cherries	6
Citrus fruits	5
Citrus peel	30
Dried grapes	T10
Grapes [except wine grapes]	5
Hops, dry	20
Nectarine	3
Peach	3
Pome fruits [except Persimmon, Japanese]	3
Tomato	T2
Sentul	5

Agvet chemical: Fenhexamid	
<i>Permitted residue: Fenhexamid</i>	
All other foods except animal food commodities	0.1
Blueberries	5
Bulb onions (subgroup)	3
Cane berries	20
Cloudberry	20
Cucumber	10
Currant, black, red, white	20
Dried grapes	20
Edible offal (mammalian)	2
Grapes	10
Kiwifruit	15
Lettuce, head	50
Lettuce, leaf	50
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Pear	6
Peas with pods (subgroup)	5
Peppers (subgroup)	30
Plums (including prunes)	1.5
Stone fruits [except jujube, Chinese; plums]	10
Strawberry	10
Tomato	T2

Agvet chemical: Fenitrothion	
<i>Permitted residue: Fenitrothion</i>	
Apple	1
Cabbages, head	0.5
Cacao beans	0.1
Cereal grains [except sweet corns]	10
Cherries	1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	1
Lettuce, head	0.5
Lettuce, leaf	0.5
Meat (mammalian)	T*0.05
Milks (in the fat)	T*0.05
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.1
Rice, polished	0.1
Soya bean (dry)	0.3
Sugar cane	0.02
Tea, green, black	0.5
Tomato	0.5
Tree nuts	0.1
Wheat bran, unprocessed	20
Wheat germ	20

Agvet chemical: Fenoxaprop-ethyl	
<i>Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolyloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl</i>	
Barley	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian)	0.05
Milks	0.02
Peanut	0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.01
Rice	T*0.02
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Fenoxycarb	
<i>Permitted residue: Fenoxycarb</i>	
All other foods except animal food commodities	0.1
Olive oil, virgin	7

Olives for oil production	2
Pome fruits [except Persimmon, Japanese]	2
Table Olives	2

Agvet chemical: Fenpicoxamid

Permitted residue—commodities of plant origin: Fenpicoxamid

Banana	0.15
Edible offal (mammalian)	0.02
Mammalian fats (except milk fats)	*0.015
Meat (mammalian)	*0.015
Milks	*0.015
Rye	0.15
Triticale	0.15
Wheat	0.15

Agvet chemical: Fenpropathrin

Permitted residue: Fenpropathrin

Blueberries	3
Cherries	5
Citrus fruits [except kumquats]	2
Cranberry	2
Grapes	5
Peanut	0.01
Peppers, chili, dried	10
Stone fruits [except cherries; jujube, Chinese]	1.4
Tea, green, black	2

Agvet chemical: Fenpropidin

Permitted residue—Commodities of plant origin: Fenpropidin

Permitted residue—Commodities of animal origin: Sum of fenpropidin and 2-methyl-2-[4-(2-methyl-3-piperidin-1-ylpropyl)-phenyl]-propanoic acid (CGA 289267), expressed as fenpropidin

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wine grapes	0.03

Agvet chemical: Fenpropimorph

Permitted residue: Fenpropimorph

Banana	2
Barley	0.5
Oats	0.5
Wheat	0.5

Agvet chemical: Fenpyrazamine	
<i>Permitted residue: Fenpyrazamine</i>	
All other foods except animal food commodities	0.02
Blueberries	5
Dried grapes (currants, raisins and sultanas)	10
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Raspberries, red, black	5
Strawberry	3
Table grapes	3
Wine grapes	0.05

Agvet chemical: Fenpyroximate	
<i>Permitted residue: Fenpyroximate</i>	
All other foods except animal food commodities	0.1
Almonds	0.1
Apple	0.3
Cherries	2
Cranberry	1
Currants, black, red, white	1
Edible offal (mammalian)	0.8
Fats (mammalian)	0.1
Grapes	1
Hops, dry	10
Lemons and limes (subgroup)	1
Meat (mammalian) (in the fat)	0.2
Milks	*0.01
Pear	0.3
Pomelo	0.5
Raspberries, red, black	3
Stone fruits [except cherries]	0.4
Strawberry	1
Tangelo	0.5
Tea, green, black	0.1
Tomatoes (includes goji berry)	0.3

Agvet chemical: Fenvalerate	
<i>Permitted residue: Fenvalerate, sum of isomers</i>	
All other foods except animal food commodities	0.05
Almonds	0.2
Berries and other small fruits	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Brassica leafy vegetables	1
Cereal grains [except sweet corns]	2
Celery	2

Cherries	3
Dried grapes	0.5
Edible offal (mammalian)	0.05
Eggs	0.02
Grapes	0.1
Legume vegetables	0.5
Meat (mammalian) (in the fat)	1
Milks	0.2
Oilseed [except peanut]	0.5
Olives for oil production	T1
Olive oil, crude	T5
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	0.05
Pulses	0.5
Sweet corn (corn-on-the-cob)	0.05
Table olives	T1
Tea, green, black	0.05
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Fipronil	
<i>Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)</i>	
Asparagus	0.2
Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple; tamarillo (tree tomato)]	T*0.01
Banana	0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.05
Broccoli, Chinese (Gai lan)	T0.05
Carob	T*0.01
Carrot	T*0.01
Celery	T0.3
Citrus fruit	T*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Edible offal (mammalian)	0.02
Eggs	0.02
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Honey	0.01
Lettuce, head	T0.1
Lettuce, leaf	T0.1
Maize cereals	T*0.01
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mushrooms	0.02
Oilseed	*0.01

Palm nuts	*0.01
Peanut	*0.01
Peppers, chili	*0.005
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rice	0.01
Sentul	T*0.01
Sorghum, grain	0.01
Soya bean (dry)	T*0.01
Stone fruits	0.01
Sugar cane	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

Agvet chemical: Flamprop-methyl

Permitted residue: Flamprop-methyl

Chick-pea (dry)	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	0.05
Wheat	0.05

Agvet chemical: Flamprop-M-methyl

see Flamprop-methyl

Agvet chemical: Flavophospholipol

Permitted residue: Flavophospholipol

Cattle fat	*0.01
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	*0.01
Cattle milk	T*0.01
Eggs	*0.02

Agvet chemical: Flazasulfuron

Permitted residue: Flazasulfuron

Almonds	0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Olives for oil production	*0.01
Poultry meat	*0.01
Poultry, edible offal of	*0.01

Table olives	*0.01
--------------	-------

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N -(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N -(4-trifluoromethylnicotinoyl)glycine]

All other foods except animal food commodities	0.2
Blackberries	T2
Bulb vegetables [except chives]	T0.2
Celery	1.5
Cotton seed	1
Cranberry	1.5
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fennel, bulb	T0.2
Fruiting vegetables, cucurbits	0.7
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	T0.5
Hops, dry	20
Lemons and Limes	1.5
Meat (mammalian)	*0.02
Milks	*0.02
Mushrooms	T0.5
Mustard seeds	T0.5
Oranges, Sweet, Sour	0.4
Pome fruits [except Persimmon, Japanese]	0.7
Potato	0.3
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pummelos	0.3
Rape seed (canola)	0.5
Raspberries, red, black	T2
Stone fruits	0.6
Strawberry	2
Sweet corns	T0.5

Agvet chemical: Florasulam

Permitted residue: Florasulam

Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Florfenicol

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

Cattle kidney	0.5
Cattle liver	3
Cattle meat	0.3
Pig fat/skin	1
Pig kidney	1
Pig liver	3
Pig meat	0.5

Agvet chemical: Florylpicoxamid

Permitted residue: commodities of plant origin: Sum of florylpicoxamid and (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

Permitted residue: commodities of animal origin: (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

All other foods except animal food commodities	0.01
Banana	0.5
Dried grapes (currants, raisins and sultanas)	15
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes	3
Leafy greens	20
Meat (mammalian) (in the fat)	0.07
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	1
Wheat	0.02
Wheat bran, unprocessed	0.07

Agvet chemical: Florpyrauxifen-benzyl

Permitted residue: Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl

Edible offal (mammalian)	T*0.02
Eggs	T*0.02
Meat (mammalian) [in the fat]	T*0.02
Milks	T*0.02
Poultry, edible offal of	T*0.02
Poultry meat (in the fat)	T*0.02
Rice	T*0.02
Sorghum, grain	*0.02

Agvet chemical: Fluoxapiprolin

Permitted residue: Fluoxapiprolin

Dried grapes (= currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	0.15
Meat (mammalian) [in the fat]	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat [in the fat]	*0.01

Agvet chemical: Fluazaindolizine

Permitted residue: Fluazaindolizine

All other foods except animal food commodities	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Galangal, rhizomes	0.3
Legume vegetables	0.8
Meat (mammalian)	*0.01
Milks	*0.01
Mushrooms	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Root and tuber vegetables	0.3
Sweet corns	0.2

Agvet chemical: Fluazifop-p-butyl

Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop

All other foods except animal food commodities	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana; tamarillo (tree tomato)]	0.05
Avocado	*0.02
Banana	*0.02
Berries and other small fruits [except bush berries; elderberries; guelder rose, strawberry]	0.2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Bush berries	0.3
Celery	*0.02
Chia	T2
Chinese cabbage (Pe-tsai)	T2
Citrus fruits	*0.02

Coriander (leaves, roots, stems)	2	Agvet chemical: Fluazinam	
Date	T0.2	<i>Permitted residue: Fluazinam</i>	
Edible offal (mammalian)	*0.05	All other foods except animal food commodities	0.01
Egg plant	T0.7	Blueberries	7
Eggs	*0.05	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.01
Elderberries	0.3	Broccoli, Chinese (Gai lan)	*0.01
Fruiting vegetables, cucurbits	0.1	Peanut	0.02
Galangal, rhizomes	0.05	Pome fruits	*0.01
Garlic	0.05	Potato	*0.01
Ginger, root	0.05	Strawberry	T*0.05
Guelder rose	0.3	Wine grapes	*0.05
Hops, dry	0.05		
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	2	Agvet chemical: Fluazuron	
Leek	T1	<i>Permitted residue: Fluazuron</i>	
Legume vegetables	0.1	Cattle, edible offal of	0.5
Lettuce, head	0.05	Cattle meat (in the fat)	7
Lotus root	T3		
Lupin (dry)	0.1	Agvet chemical: Flubendazole	
Meat (mammalian)	*0.05	<i>Permitted residue—commodities other than eggs: Sum of flubendazole and 2-amino-1 H-benzimidazole-5-yl)(4-fluorophenyl methanone, expressed as flubendazole</i>	
Milks	0.1	<i>Permitted residue—eggs: Flubendazole</i>	
Oilseed [except peanut]	0.5	Chicken fat/skin	0.03
Olives for oil production	0.05	Chicken liver	0.2
Onion, bulb	0.05	Chicken kidney	0.1
Onion, Chinese	0.05	Chicken muscle	*0.02
Onion, Welsh	0.05	Eggs	0.6
Parsley	2	Pig fat/skin	*0.02
Peanut	1.5	Pig liver	0.4
Pecan	0.05	Pig kidney	0.3
Peppers, sweet	*0.02	Pig muscle	*0.02
Pome fruits	*0.01		
Potato	0.05	Agvet chemical: Flubendiamide	
Poultry, edible offal of	*0.05	<i>Permitted residue—commodities of plant origin: Flubendiamide</i>	
Poultry meat	*0.05	<i>Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide</i>	
Pulses [lupin (dry); soya bean (dry)]	0.5	All other foods except animal food commodities	0.05
Root and tuber vegetables [except lotus root; potato; sweet potato; taro; water chestnut; yam bean; yams]	1	Almonds	0.06
Sentul	0.05	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Shallot	0.05	Broccoli, Chinese (Gai lan)	5
Soya bean (dry)	15	Chia	1
Spring Onion	0.05	Chinese cabbage (Pe-tsai)	10
Stone fruits	0.05	Chives	20
Strawberry	3	Common bean (pods and/or immature seeds)	T2
Sugar cane	T*0.1		
Sweet potato	T0.3		
Table olives	0.05		
Taro	T3		
Tea, green, black	T50		
Tomato	0.1		
Turmeric, root	0.05		
Water chestnut	T3		
Yam bean	T3		
Yams	T0.3		

Cotton seed	0.5	Chick-pea (dry)	0.3
Edible offal (mammalian)	0.03	Chinese cabbage (Pe-tsai)	15
Eggs	*0.01	Chives	T10
Fruiting vegetables, cucurbits	0.2	Citrus fruits	10
Fruiting vegetables, other than cucurbits	2	Common bean (pods and/or immature seeds)	0.7
Fungi, edible (except mushrooms)	2	Cotton seed	*0.05
Grapes	1.4	Cucumber	0.5
Herbs	20	Dried grapes (currants, raisins and sultanas)	5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof, chicory]	10	Dried herbs	T70
Lettuce, head	5	Edible offal (mammalian)	0.1
Meat (mammalian) (in the fat)	0.05	Egg plant	T0.2
Milk fats	0.05	Eggs	0.02
Milks	*0.01	Fats (mammalian)	0.02
Mushrooms	2	Grapes	2
Peppers, chili, dried	7	Guava	0.5
Potato	*0.02	Herbs	T20
Poultry, edible offal of	*0.01	Kiwifruit	15
Poultry meat (in the fat)	*0.01	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	15
Root and tuber vegetables [except potato]	0.2	Lentils (dry)	0.3
Spices [except peppers, chili, dried]	0.02	Litchi	T2
Stalk and stem vegetables [except fennel, bulb]	5	Maize	*0.02
Stone fruits [except jujube, Chinese]	1.6	Mango	3
Strawberry	0.3	Meat (mammalian)	0.05
Sweet corn (corn-on-the-cob)	T*0.05	Melons, except watermelon	T0.2
Tea, green, black	0.02	Milks	0.05
Witloof, chicory	5	Mustard seeds	*0.01
<hr/>		Papaya	T5
Agvet chemical: Fludioxonil		Peach	10
<i>Permitted residue—commodities of animal origin:</i>		Peanut	T*0.01
<i>Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil</i>		Peas (pods and succulent, immature seeds)	0.5
<i>Permitted residue—commodities of plant origin:</i>		Peppers, chili, dried	4
<i>Fludioxonil</i>		Peppers, chili [except dried]	T2
<hr/>		Peppers, sweet	2
All other foods except animal food commodities	0.02	Pineapple	5
Almonds	0.2	Pistachio nut	T0.2
Apricot	10	Pome fruits	5
Avocado	2	Pomegranate	5
Bayberry, red	T2	Potato	5
Beetroot	*0.01	Poultry, edible offal of	0.1
Berries and other small fruits [except grapes]	5	Poultry fats	*0.01
Brassica leafy vegetables [except radish leaves]	15	Poultry meat	*0.01
Broccoli	T*0.01	Pulses [except chick-pea (dry); lentil (dry), soya bean (dry)]	T0.1
Bulb onions (subgroup)	0.5	Rape seed (canola)	*0.01
Bulb vegetables [except chives; bulb onions (subgroup)]	3	Sorghum, grain	*0.01
Cabbages, head	0.7	Soya bean (dry)	0.2
Carrot	1	Stone fruits [except apricot; peach]	5
Celery	15	Strawberry	5
Chestnuts	1	Sunflower seed	T*0.02
		Sweet corn (corn-on-the-cob)	*0.02
		Tomato	T1

Agvet chemical: Fluensulfone	
<i>Permitted residue—commodities of plant origin: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone</i>	
<i>Permitted residue—commodities of animal origin: Fluensulfone</i>	
All other foods	1
Barley, similar grains, and pseudocereals with husks	0.08
Celery	2
Citrus oil, edible	1.5
Dried grapes (equals currants; raisins; sultanas)	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Maize Cereals	0.15
Meat (mammalian)	*0.01
Milks	*0.01
Mushrooms	1
Oilseeds	0.05
Palm nuts	0.05
Peanut	0.05
Peppers, chili, dried	7
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	0.05
Rice Cereals	0.05
Root and tuber vegetables	2
Sorghum Grain and Millet	0.05
Sugar cane	0.06
Sweet corns	1
Wheat, similar grains, and pseudocereals without husks	0.08
Agvet chemical: Flumethrin	
<i>Permitted residue: Flumethrin, sum of isomers</i>	
Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	T*0.005
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05
Agvet chemical: Flumetsulam	
<i>Permitted residue: Flumetsulam</i>	
Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1
Maize	*0.05
Meat (mammalian)	*0.1

Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05
Triticale	*0.05
Wheat	*0.05

Agvet chemical: Flumiclorac pentyl	
<i>Permitted residue: Flumiclorac pentyl</i>	
Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Flumioxazin	
<i>Permitted residue: Flumioxazin</i>	
All other foods except animal food commodities	0.02
Avocado	*0.02
Banana	T*0.02
Blueberries	0.02
Carrot	T*0.05
Cereal grains [except sweet corns]	*0.05
Citrus fruits	*0.05
Cranberry	0.07
Edible offal (mammalian)	*0.01
Eggs	*0.01
Garlic	T*0.02
Grapes	*0.01
Hops, dry	T*0.05
Lavender	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Mints	T*0.02
Oilseed	*0.1
Olives	*0.02
Palm nuts	*0.1
Peanut	*0.1
Pome fruits	*0.02
Pomegranate	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.1
Stone fruits [except jujube, Chinese]	*0.02
Sugar cane	*0.01
Tree nuts	*0.02

Agvet chemical: Flunixin		Beans [except broad bean; snap bean (immature seeds); soya bean]	1
<i>Permitted residue: Flunixin</i>		Blueberries	7
Cattle kidney	0.02	Brussels sprouts	0.3
Cattle liver	0.02	Bulb onions	0.07
Cattle meat (in the fat)	0.02	Cane berries [except raspberries, red, black]	3
Agvet chemical: Fluometuron		Cereal grains [except rice; sweet corns]	0.03
<i>Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron</i>		Cherries	3
Cereal grains [except sweet corns]	*0.1	Chicory witloof	0.3
Citrus fruits [except kumquats]	0.5	Citrus fruits	1
Cotton seed	*0.1	Cranberry	2
Pineapple	*0.1	Currants, black, red, white	7
Agvet chemical: Fluopicolide		Dried grapes (= currants, raisins and sultanas)	3
<i>Permitted residue: Fluopicolide</i>		Edible offal (mammalian)	0.7
All other foods	0.01	Eggs	*0.02
Basil	T30	Fruiting vegetables, cucurbits	0.5
Brassica vegetables (except Brassica leafy vegetables)	5	Garden pea, shelled	0.2
Bulb vegetables [except chives; onion, bulb]	3	Grapes	2
Cane berries	T1.5	Green onions	2
Celery	20	Hops, dry	100
Edible offal (mammalian)	*0.01	Lentil (dry)	0.4
Eggs	*0.01	Lettuce, head	15
Fennel, bulb	3	Lettuce, leaf	15
Fruiting vegetables, cucurbits	0.5	Macadamia nuts	0.2
Grapes	2	Meat (mammalian)	0.1
Hops, dry	15	Milks	0.1
Leafy vegetables	30	Oilseed	0.03
Meat (mammalian) (in the fat)	*0.01	Olives for oil production	3
Milks	*0.01	Olive oil, crude	5
Onion, bulb	0.1	Palm nuts	0.03
Peppers, chili, dried	7	Peanut	0.2
Poppy seed	0.5	Peas (dry)	0.7
Potato	0.05	Peppers, chili, dried	30
Poultry, edible offal of	*0.01	Peppers, sweet	0.3
Poultry meat (in the fat)	*0.01	Persimmon, Japanese	1.5
Agvet chemical: Fluopyram		Pistachio nut	0.2
<i>Permitted residue—commodities of plant origin: Fluopyram</i>		Podded pea (young pods) (snow and sugar snap)	1
<i>Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram</i>		Pome fruits [except Persimmon, Japanese]	1
All other foods except animal food commodities	0.2	Potato	0.1
Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2	Poultry, Edible offal of	*0.02
Banana	0.1	Poultry meat	*0.02
		Pulses [except lentil (dry); peas (dry); soya bean (dry)]	0.09
		Raspberries, red, black	5
		Rice	4
		Rice, husked	1.5
		Rice, polished	0.5
		Root and tuber vegetables [except sweet potato]	0.2
		Sentul	2
		Snap bean (immature seeds)	0.2
		Soya bean (dry)	0.04
		Stone fruits [except cherries (subgroup)]	2

Strawberry	2
Sugar beet	0.04
Sweet Potato	0.02
Table olives	3
Tomatoes (subgroup)	T1.5
Tree nuts [except macadamia nuts; pistachio nut; walnuts]	0.05
Walnuts	T0.07

Agvet chemical: Fluoxastrobin

Permitted residue: Sum of fluoxastrobin and its Z isomer

Cranberry	1.9
Peanut	0.02

Agvet chemical: Flupropanate

Permitted residue: Flupropanate

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

Agvet chemical: Flupyradifurone

Permitted residue: Flupyradifurone

All other foods except animal food commodities	0.2
Apple	0.7
Assorted tropical and sub-tropical fruits – inedible peel [except banana; mango; papaya; pineapple]	1.5
Blueberry	4
Cacao beans	*0.01
Cane berries	6
Citrus fruits [except kumquats]	3
Coffee beans	0.9
Common bean (pods and/or immature seeds)	2
Dried grapes (currants, raisins and sultanas)	5
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1.5
Fungi, edible (except mushrooms)	1.5
Grapes	3
Hops, dry	10
Mango	0.7
Meat (mammalian)	0.1
Milks	0.07
Olives for oil production	1
Papaya (pawpaw)	0.5
Peppers, chili, dried	9
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Peanut	0.04

Potato	0.07
Soya bean (dry)	1.5
Stone fruits [except jujube, Chinese]	1.5
Strawberry	1.5
Sweet potato	0.07
Table olives	1
Tree nuts	0.02

Agvet chemical: Fluquinconazole

Permitted residue: Fluquinconazole

All other foods except animal food commodities	0.02
Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Mustard seeds	T*0.01
Pome fruits [except Persimmon, Japanese]	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02

Agvet chemical: Fluralaner

Permitted residue: Fluralaner

Cattle, edible offal of [except kidney, liver]	0.25
Cattle fat	0.7
Cattle kidney	0.25
Cattle liver	0.6
Cattle muscle	0.07
Chicken eggs	1.3
Chicken fat/skin	0.6
Chicken kidney	0.4
Chicken liver	0.6
Chicken muscle	0.06
Sheep fat	0.35
Sheep kidney	0.15
Sheep liver	0.4
Sheep muscle	0.1

Agvet chemical: Fluroxypyr

Permitted residue: Fluroxypyr

All other foods except animal food commodities	0.02
Cereal grains	0.2
Edible offal (mammalian) [except kidney]	0.1
Eggs	*0.01
Kidney (mammalian)	1
Meat (mammalian) (in the fat)	0.1
Milks	0.1
Onion, bulb	0.2

Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice bran, unprocessed	T0.3
Sugar cane (in the juice)	0.2

Agvet chemical: Flusilazole

Permitted residue: Flusilazole

Apple	0.3
-------	-----

Agvet chemical: Flutolanil

Permitted residue—commodities of plant origin: Flutolanil

Permitted residue—commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Peanut	0.5
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Flutriafol

Permitted residue: Flutriafol

All other foods except animal food commodities	0.5
Barley	0.2
Celery	3
Cereal grains [except barley and sweet corns]	0.1
Edible offal (mammalian)	0.5
Eggs	*0.05
Garden pea (young pods)	*0.01
Hops, dry	20
Grapes	1.5
Meat (mammalian)	*0.05
Milks	*0.05
Mustard seeds	T0.07
Oilseed [except mustard seeds; peanut; rape seed (canola)]	0.05
Peanut	0.09
Peppers, chili, dried	10
Pome fruits [except Persimmon, Japanese]	0.4
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.05
Rape seed (canola)	0.07
Stone fruits [except jujube, Chinese]	1.5
Strawberry	1.5
Sugar cane	*0.01

Agvet chemical: Fluvalinate

Permitted residue: Fluvalinate, sum of isomers

All other foods except animal food commodities	0.02
Apple	0.1
Asparagus	0.2
Carrot	T*0.01
Cauliflower	0.5
Cotton seed	0.1
Honey	T*0.01
Stone fruits [except jujube, Chinese]	0.05
Table grapes	0.05
Tomato	0.5

Agvet chemical: Fluxapyroxad

Permitted residue: Fluxapyroxad

All other foods	0.1
Banana	3
Barley	3
Barley bran, unprocessed	0.5
Beans, shelled	0.5
Berries and other small fruit [except grapes]	7
Brassica leafy vegetables	4
Broccoli	4
Brussels sprouts	4
Bulb vegetables [except chives]	1.5
Cabbages, head	4
Cauliflower	4
Celery	10
Chicory	30
Citrus oil, edible	90
Coffee beans	0.2
Cotton seed	0.5
Dried grapes (currants, raisins and sultanas)	15
Edible offal (mammalian)	0.03
Eggs	0.005
Fennel, bulb	1.5
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	0.6
Fungi, edible (except mushrooms)	0.6
Grapes [except dried grapes]	3
Jujube, Chinese	T7
Legume vegetables [except beans, shelled; peas, shelled (succulent seeds)]	2
Lemons and Limes	1
Lettuce, head	30
Lettuce, leaf	30
Mandarins	1
Mango	0.8
Meat (mammalian) (in the fat)	0.05
Milk fats	0.1

Milks	0.005	Poultry, Edible offal of	*0.02
Millet	3	Poultry meat	*0.02
Oats	0.2	Pulses	*0.01
Oilseed [except cotton; peanut]	0.9	Tomato	0.025
Oranges, Sweet, Sour	1.5		
Papaya (pawpaw)	1		
Peas, shelled (succulent seeds)	0.5		
Pecan	0.06		
Peppers, chili, dried	6		
Pome fruits [except Persimmon, Japanese]	0.8		
Pomegranate	T0.3		
Poultry, edible offal of	*0.01		
Poultry meat (in the fat)	*0.01		
Prunes	5		
Pulses [except soya bean (dry)]	0.4		
Pummelos and grapefruit	0.6		
Rice [except rice bran, unprocessed; rice hulls]	5		
Rice bran, unprocessed	8.5		
Rice hulls	15		
Root and tuber vegetables [except sugar beet]	0.9		
Rye	3		
Sorghum, grain	3		
Soya bean (dry)	0.3		
Soya bean (immature seeds)	0.15		
Stone fruits [except jujube, Chinese; prunes]	3		
Sugar beet	0.15		
Sugar cane	3		
Sweet corn (corn-on-the-cob)	0.15		
Tangelo, large-sized cultivars	1.5		
Tangelo, small and medium sized cultivars	1.5		
Tea, green, black	T7		
Tree nuts	0.07		
Tumeric root	0.3		
Valerian root	2		
Wheat	0.3		
<hr/>			
Agvet chemical: Folpet			
<i>Permitted residue: Folpet</i>			
Currants, black, red, white	0.03		
Hops, dry	120		
Peppers, sweet, chili	*0.03		
Strawberry	T5		
<hr/>			
Agvet chemical: Fomesafen			
<i>Permitted residue: Fomesafen</i>			
Edible offal (mammalian)	*0.02		
Eggs	*0.02		
Meat (mammalian)	*0.02		
Milks	*0.02		
Potato	0.025		
<hr/>			
Agvet chemical: Forchlorfenuron			
<i>Permitted residue: Forchlorfenuron</i>			
Apple			*0.01
Blueberries			*0.01
Cherries			*0.01
Grapes			0.03
Kiwifruit			*0.01
Mango			*0.01
<hr/>			
Agvet chemical: Fosetyl			
<i>Permitted residue: Fosetyl</i>			
Apple			1
Avocado			5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]			T0.1
Broccoli, Chinese (Gai lan)			T0.1
Chinese cabbage (Pe-tsai)			T0.2
Durian			T5
Fruiting vegetables, other than cucurbits			T0.02
Fungi, edible (except mushrooms)			T0.02
Leafy vegetables [except broccoli, Chinese (Gai lan); rucola (rocket); spinach; witloof chicory]			T0.2
Mushrooms			T0.02
Peach			1
Pineapple			5
Rucola (rocket)			T0.7
Spinach			T0.7
Stone fruits [except cherries; jujube, Chinese; peach]			T1
Sweet corns			T0.02
<hr/>			
Agvet chemical: Fosetyl-aluminium			
<i>Permitted residue: Fosetyl-aluminium</i>			
Blackberries			70
Blueberries			40
Citrus fruits [except kumquats]			5
Coffee beans			30
Cranberry			0.5
Eggs			*0.05
Flowerhead brassicas			*0.2
Head brassicas			*0.2
Hops, dry			45
Kale			*0.2
Kiwifruit			150
Mammalian fats [except milk fats]			0.3
Pineapple			15
Poultry, edible offal of			*0.05

Poultry fats	*0.05
Poultry meat	*0.05
Raspberries, red, black	100
Strawberry	75

Agvet chemical: Furathiocarb

see Carbofuran

Residues arising from the use of furathiocarb are covered by MRLs for carbofuran

Agvet chemical: Glufosinate and Glufosinate-ammonium

Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)

All other foods except animal food commodities	0.1
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Berries and other small fruits [except strawberry]	0.1
Cereal grains [except rice; sweet corns]	*0.1
Cherries	*0.05
Citrus fruits	0.1
Coffee beans	T*0.05
Common bean (pods and immature seeds)	T*0.05
Cotton seed	3
Date	*0.05
Edible offal (mammalian)	5
Eggs	*0.05
Hops, dry	T1
Maize	0.2
Meat (mammalian)	0.1
Milks	*0.05
Mustard seeds	T0.5
Native foods	*0.05
Oilseed [except cotton seed; mustard seeds; rape seed (canola)]	T*0.1
Olives	*0.1
Palm nuts	*0.1
Peaches (including nectarines and apricots)	0.3
Peanut	*0.1
Peppers, sweet	*0.05
Plums	0.3
Podded pea (young pods) (snow and sugar snap)	T*0.05
Pome fruits	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.1
Rape seed (canola)	0.5
Rice	0.9

Saffron	T*0.05
Sentul	0.2
Soya bean (dry)	2
Strawberry	0.3
Sugar cane	*0.2
Tomato	*0.05
Tea, green, black	*0.05
Tree nuts	0.1
Truffle	T*0.2

Agvet chemical: Glyphosate

Permitted residue: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate

All other foods except animal food commodities	0.2
Almonds	1
Avocado	*0.05
Babaco	*0.05
Banana	0.2
Barley	20
Berries and other small fruits [except cranberry; raspberries, red, black]	*0.05
Bulb vegetables [except chives]	*0.1
Cereal grains [except barley; maize; popcorn, sorghum, grain; sweet corns; wheat]	T*0.1
Chinese cabbage (Pe-tsai)	*0.1
Citrus fruits	0.5
Coffee beans	T0.2
Cotton seed	15
Cotton seed oil, crude	*0.1
Cranberry	0.2
Custard apple	*0.05
Date	T2
Dry beans [except soya bean (dry)]	15
Dry peas	10
Dry underground pulses	5
Edible offal (mammalian)	2
Eggs	*0.05
Fennel, bulb	*0.1
Fig	*0.05
Fruiting vegetables, cucurbits	*0.1
Fruiting vegetables, other than cucurbits	*0.1
Fungi, edible (except mushrooms)	*0.1
Guava	*0.05
Honey	0.2
Hops, dry	7
Kiwifruit	*0.05
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	*0.1
Legume vegetables	*0.1
Linseed	15
Litchi	0.2
Maize	5
Mango	*0.05

Meat (mammalian)	*0.1
Millet	T15
Milks	*0.1
Monstero	*0.05
Mushrooms	*0.1
Mustard seeds	20
Native foods	T2
Oilseed [except cotton seed; linseed; mustard seeds; peanut; poppy seed; rape seed (canola); safflower seed; sesame seed; sunflower seed]	T*0.1
Olives	*0.1
Papaya (pawpaw)	*0.05
Passionfruit	3
Peanut	*0.1
Persimmon, American	*0.05
Pome fruits	*0.05
Popcorn	T2
Poppy seed	20
Potato	0.2
Poultry, edible offal of	1
Poultry meat	*0.1
Rape seed (canola)	20
Raspberries, red, black	0.2
Rollinia	*0.05
Root and tuber vegetables [except potato]	*0.1
Safflower seed	7
Saffron	T*0.05
Sesame seed	20
Sorghum, grain	15
Soya bean (dry)	20
Stalk and stem vegetables [except fennel, bulb]	*0.01
Stone fruits	0.2
Sugar cane	T0.3
Sugar cane molasses	T5
Sunflower seed	20
Sweet corns	*0.1
Tea, green, black	T20
Tree nuts [except almonds]	0.2
Truffle	T*0.05
Wheat	5
Wheat bran, unprocessed	20
Witloof, chicory	*0.01

Agvet chemical: Guazatine

Permitted residue: Guazatine

Citrus fruits [except kumquats]	5
Melons, except watermelon	10
Tomato	5

Agvet chemical: Halauxifen-methyl

Permitted residue—commodities of plant origin: Halauxifen-methyl

Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl

All other foods except animal food commodities	0.01
Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	0.03
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed	*0.01

Agvet chemical: Halofuginone

Permitted residue: Halofuginone

Cattle fat	0.025
Cattle kidney	0.03
Cattle liver	0.03
Cattle muscle	0.01

Agvet chemical: Halosulfuron-methyl

Permitted residue: Halosulfuron-methyl

Almonds	0.05
Blueberries	0.05
Cotton seed	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.01
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Raspberries, red, black	0.05
Rice	T*0.05
Sorghum, grain	*0.05
Soya bean (dry)	T*0.01
Sugar cane	*0.05

Agvet chemical: Haloxyfop

Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
Berries and other small fruits	*0.05
Chia	T3
Chinese cabbage (Pe-tsai)	T0.5
Citrus fruits	*0.05

Cotton seed	0.1	Fruiting vegetables, cucurbits	T0.05
Cotton seed oil, crude	0.2	Fruiting vegetables, other than cucurbits	T1
Edible offal (mammalian)	0.5	Fungi, edible (except mushrooms)	T1
Eggs	*0.01	Hops, dry	20
Hempseed	T0.1	Meat (mammalian) (in the fat)	*0.01
Leafy vegetables [except broccoli, Chinese (Gai lan); mizuna; witloof chicory]	T0.5	Milks	*0.01
Linola seed	0.1	Peas	T*0.05
Linseed	0.1	Pome fruits [except Persimmon, Japanese]	1
Meat (mammalian) (in the fat)	0.02	Potato	T*0.02
Milks	0.02	Raspberries, red, black	3
Mizuna	T0.5	Stone fruits [except jujube, Chinese]	1
Mustard seeds	0.1	Strawberry	6
Onion, bulb	T0.2	Tea, green, black	4
Peanut	0.05		
Pome fruits	*0.05	Agvet chemical: Hydrogen phosphide	
Poppy seed	T0.5	see <i>Phosphine</i>	
Poultry, edible offal of	0.05		
Poultry meat (in the fat)	*0.01	Agvet chemical: Imazalil	
Pulses	0.1	<i>Permitted residue: Imazalil</i>	
Rape seed (canola)	0.1	All other foods except animal food commodities	0.05
Sentul	*0.05	Banana	3
Sesame seed	T0.1	Chicken, edible offal of	*0.01
Stone fruits	*0.05	Chicken meat	*0.01
Sunflower seed	*0.05	Citrus fruits [except mandarins (subgroup); pummelos and grapefruit]	15
Tree nuts	*0.05	Citrus oil, edible	500
		Edible offal (mammalian)	0.3
Agvet chemical: Hexaconazole		Eggs	*0.01
<i>Permitted residue: Hexaconazole</i>		Fats (mammalian)	0.02
Apple	0.1	Mandarins (subgroup)	10
Grapes	0.05	Meat (mammalian)	*0.02
Pear	0.1	Melons, except watermelon	10
		Milks	*0.02
Agvet chemical: Hexazinone		Mushrooms	1
<i>Permitted residue: Hexazinone</i>		Onion, bulb	0.05
Blueberries	0.6	Pome fruits [except Persimmon, Japanese]	5
Edible offal (mammalian)	*0.1	Potato	5
Eggs	*0.05	Poultry, edible offal of [except chicken edible offal]	*0.02
Meat (mammalian)	*0.1	Poultry fats	*0.02
Milks	*0.05	Poultry meat [except chicken meat]	*0.02
Pineapple	0.6	Pummelos and grapefruit	10
Poultry, edible offal of	*0.05	Tomato	0.5
Poultry meat	*0.05		
Sugar cane	*0.1	Agvet chemical: Imazamox	
		<i>Permitted residue: Imazamox</i>	
Agvet chemical: Hexythiazox		All other foods except animal food commodities	0.05
<i>Permitted residue: Hexythiazox</i>		Barley	*0.05
All other foods except animal food commodities	0.05	Beans, shelled	0.05
Almonds	0.3	Dry beans [except soya bean (dry)]	0.05
Berries and other small fruits [except raspberries, red, black; strawberry]	1		
Dates, dried	3		
Edible offal (mammalian)	*0.01		

Edible offal (mammalian)	*0.05	Poultry, edible offal of	*0.01
Eggs	*0.01	Poultry meat (in the fat)	*0.01
Lentil (dry)	0.25	Rape seed (canola)	*0.05
Meat (mammalian)	*0.05	Rice	0.05
Milks	*0.05	Sorghum, grain	0.02
Mung bean (dry)	T*0.05	Soya bean (dry)	5
Mustard seeds	T*0.05	Sugar cane	0.05
Peanut	*0.05	Sunflower seed	0.05
Peas (dry)	0.05	Wheat	*0.05
Peas, shelled	0.05		
Poppy seed	T*0.05		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		
Rape seed (canola)	*0.05		
Rice	2.5		
Sorghum, grain	*0.02		
Soya bean (dry)	0.3		
Sunflower seed	0.3		
Wheat	0.3		
<hr/>			
Agvet chemical: Imazapic			
<i>Permitted residue: Sum of imazapic and its hydroxymethyl derivative</i>			
<hr/>			
Barley	0.02		
Edible offal (mammalian)	*0.05		
Eggs	*0.01		
Maize	0.1		
Meat (mammalian) (in the fat)	*0.05		
Milks	*0.01		
Mustard seeds	T*0.05		
Oats	0.05		
Peanut	*0.1		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		
Rape seed (canola)	*0.05		
Rice	0.05		
Soya bean (dry)	0.5		
Sugar cane	0.1		
Wheat	*0.05		
<hr/>			
Agvet chemical: Imazapyr			
<i>Permitted residue: Imazapyr</i>			
<hr/>			
All other foods except animal food commodities	0.05		
Barley	0.7		
Broad bean (dry)	0.07		
Edible offal (mammalian)	*0.05		
Eggs	*0.01		
Lentil (dry)	0.2		
Meat (mammalian) (in the fat)	*0.05		
Maize	0.1		
Milks	*0.01		
Mustard seeds	T*0.05		
Oats	0.1		
Poppy seed	T*0.05		
<hr/>			
Agvet chemical: Imazethapyr			
<i>Permitted residue: Imazethapyr</i>			
<hr/>			
Edible offal (mammalian)	*0.1		
Eggs	*0.1		
Legume vegetables	*0.1		
Maize	*0.05		
Meat (mammalian)	*0.1		
Milks	*0.1		
Peanut	*0.1		
Poultry, edible offal of	*0.1		
Poultry meat	*0.1		
Pulses	*0.1		
Rape seed (canola)	0.05		
Rice	0.3		
<hr/>			
Agvet chemical: Imidacloprid			
<i>Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid</i>			
<hr/>			
All other foods except animal food commodities	0.05		
Apple	0.3		
Avocado	0.2		
Banana	0.5		
Beetroot	T0.05		
Beetroot leaves	T1		
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5		
Blueberries	3.5		
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5		
Broad bean (dry)	*0.05		
Broccoli, Chinese (Gai lan)	0.5		
Burdock, greater	T0.05		
Carrot	T0.05		
Celery	6		
Cereal grains [except maize; popcorn; sorghum, grain; sweet corns]	*0.05		
Cherries	3		
Chinese cabbage (Pe-tsai)	20		
Citrus fruits	2		
Common bean (dry) (navy bean)	T1		

Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5	<i>Permitted residue—commodities of plant origin:</i> Inpyrfluxam	
Lettuce, head	3	<i>Permitted residue—commodities of animal origin:</i> Sum of inpyrfluxam and 1'-CH ₂ OH-S-2840 (free or conjugated), expressed as inpyrfluxam.	
Linseed	T0.5		
Macadamia nuts	0.03	Banana	0.7
Maize cereals	T*0.01	Edible offal (mammalian)	*0.02
Meat (mammalian) (in the fat)	3	Eggs	*0.02
Milk fats	2	Meat (mammalian)	*0.02
Milks	0.1	Milks	*0.02
Olives	T0.2	Poultry, edible offal of	*0.02
Peanut	T0.02	Poultry meat	*0.02
Peppers	0.5	Potato	0.05
Pome fruits [except Persimmon, Japanese]	2		
Poultry (edible offal of)	*0.01	Agvet chemical: Iodosulfuron methyl	
Poultry meat (in the fat)	*0.01	<i>Permitted residue: Iodosulfuron methyl</i>	
Pulses	0.2	Barley	*0.01
Pumpkin	0.5	Edible offal (mammalian)	*0.01
Rape seed (canola)	T*0.05	Eggs	*0.01
Safflower seed	T0.5	Meat (mammalian) (in the fat)	*0.01
Stone fruits [except cherries (subgroup)]	2	Milks	*0.01
Sunflower seed	T1	Poultry, edible offal of	*0.01
Sweet corn (corn-on-the-cob)	0.02	Poultry meat (in the fat)	*0.01
Tea, green, black	5	Wheat	*0.01
Tomato	0.2		
Walnuts	T0.02	Agvet chemical: Ioxynil	
		<i>Permitted residue: Ioxynil</i>	
Agvet chemical: Inorganic bromide		Garlic	*0.02
<i>Permitted residue: Bromide ion</i>		Leek	2
All other foods except animal food commodities	15	Onion, bulb	*0.02
Almonds	200	Onion, Welsh	10
Avocado	75	Shallot	10
Cereal grains [except sweet corns]	50	Spring onion	10
Citrus fruits [except kumquats]	30	Sugar cane	*0.02
Dates, dried	100		
Dried fruits [except as otherwise listed under this chemical]	30	Agvet chemical: Ipconazole	
Dried grapes	100	<i>Permitted residue: Ipconazole</i>	
Dried herbs	400	Cereal grains [except sweet corns]	*0.01
Dried peach	50	Edible offal (mammalian)	*0.01
Figs, dried	250	Eggs	*0.01
Fruit [except as otherwise listed under this chemical]	20	Meat (mammalian)	*0.01
Peppers, sweet	50	Milks	*0.01
Prunes	20	Peanut	0.01
Spices	400	Poultry, edible offal of	*0.01
Strawberry	30	Poultry meat	*0.01
Sweet corns	20		
Vegetables [except as otherwise listed under this chemical]	20	Agvet chemical: Ipflufenquin	
		<i>Permitted residue: Ipflufenquin</i>	
Agvet chemical: Inpyrfluxam		Edible offal (mammalian)	*0.01
		Eggs	*0.01
		Meat (mammalian) (in the fat)	*0.01
		Milks	*0.01
		Pome fruits	0.05

Agvet chemical: Ipflufenquin	
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	0.3
Wine grapes	0.05

Agvet chemical: Iprodione	
<i>Permitted residue: Iprodione</i>	
All other foods except animal food commodities	0.1
Almonds	0.3
Beans [except broad bean; soya bean]	T2
Beetroot	T0.1
Beetroot leaves	T20
Berries and other small fruits [except blackberries; blueberries; grapes]	12
Blackberries	25
Blueberries	15
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Carrot	T0.5
Celeriac	T0.7
Celery	2
Chard (silver beet)	T15
Chestnuts	T10
Chicory leaves	T20
Cucumber	T0.5
Edible offal (mammalian)	*0.1
Egg plant	T1
Endive	T20
Garlic	T0.3
Grapes	60
Kiwifruit	10
Lettuce, head	5
Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1
Mustard seeds	T0.5
Onion, bulb	T0.7
Parsley	T20
Passionfruit	10
Peanut	0.5
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T0.2
Podded pea (young pods) (snow and sugar snap)	T2
Pome fruits [except Persimmon, Japanese]	3
Potato	*0.05

Rape seed (canola)	0.5
Soya bean (dry)	0.05
Spinach	T5
Stone fruits [except jujube, Chinese]	10
Tangelo, large-sized cultivars	T5
Tomato	2

Agvet chemical: Isocycloseram	
<i>Permitted residue: Isocycloseram</i>	
All other foods except animal food commodities	0.02
Almonds	*0.01
Assorted tropical and sub-tropical fruits – inedible peel, Small	0.2
Assorted tropical and sub-tropical fruits – inedible smooth peel – Large [except Banana; Papaya]	*0.01
Baby leaves	T8
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Brassica leafy vegetables (except Kale)	4
Bulb onions	*0.01
Bush berries	T*0.01
Cane berries	T*0.01
Celery	T4
Citrus fruits	0.2
Coriander (leaves, stems)	T8
Coriander, roots	T8
Coriander, seed	T8
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Green onions	0.6
Kale	T8
Leafy greens	T8
Low growing berries	T*0.01
Macadamia nuts	*0.01
Meat (mammalian)(in the fat)	*0.01
Milks	*0.01
Papaya	0.3
Parsley	T8
Poultry meat (in the fat)	*0.01
Poultry, edible offal of	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Isoeugenol	
<i>Permitted residue: Isoeugenol, sum of cis- and trans- isomers</i>	
Diadromous fish (whole commodity)	100
Freshwater fish (whole commodity)	100
Marine fish (whole commodity)	100

Agvet chemical: Isofetamid

Permitted residue: commodities of plant origin:
Isofetamid

Permitted residue: commodities of animal origin:
Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2- carboxamido) propanoyl]phenoxy]propanoic acid (PPA), expressed as isofetamid

All other foods except animal food commodities	0.02
Almonds	0.01
Beans with pods	0.6
Berries and other small fruits [except grapes]	5
Cherries	4
Dry beans [except soya bean (dry)]	0.09
Dry peas	0.09
Edible offal (mammalian)	*0.02
Grapes	3
Lettuce, head	30
Lettuce, leaf	30
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Milk fats	*0.02
Peaches (including nectarines and apricots)	3
Plums (including fresh prunes)	0.8
Podded peas (young pods) (snow and sugar snap)	0.6
Pome fruits [except Persimmon, Japanese]	0.6
Poultry, edible offal of	*0.02
Poultry eggs	*0.02
Poultry meat (in the fat)	*0.02
Prunes, dried	3

Agvet chemical: Isopyrazam

Permitted residue: Isopyrazam

All other foods except animal food commodities	0.01
Almonds	*0.01
Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian) (in the fat)	*0.005
Milks	*0.005
Plums	T0.7
Pome fruit	0.7
Poultry, edible offal of	*0.005
Poultry meat (in the fat)	*0.005
Prunes	T3

Agvet chemical: Isotianil

Permitted residue: Commodities of plant origin:
Isotianil

Permitted residue: Commodities of animal origin:
sum of isotianil and 3,4-dichloro-isothiazole-5-carboxylic acid, expressed as isotianil

Banana	0.03
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Isoxaben

Permitted residue: Isoxaben

Assorted tropical and sub-tropical fruits – edible peel	*0.01
Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Barley	*0.01
Blueberries	0.05
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.01
Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Isoxaflutole

Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.02
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Soya bean (dry)	0.05

Sugar cane	*0.01	Edible offal (mammalian)	0.05
Agvet chemical: Ivermectin		Eggs	*0.02
<i>Permitted residue: H₂B_{1a}</i>		Egg plant	0.6
Cattle kidney	0.06	Fruiting vegetables, cucurbits	0.5
Cattle liver	0.5	Garlic	0.3
Cattle meat (in the fat)	0.2	Ginseng (dried)	1
Cattle milk	0.05	Grape leaves	15
Deer kidney	*0.01	Grapefruit	0.5
Deer liver	*0.01	Leek	10
Deer meat (in the fat)	*0.01	Mammalian fats [except milk fats]	0.05
Horse, edible offal of	*0.01	Mango	0.1
Horse meat	*0.01	Meat (mammalian)	0.05
Pig kidney	*0.01	Milks	0.05
Pig liver	*0.01	Oats	0.1
Pig meat (in the fat)	0.02	Olive oil, virgin	1
Sheep kidney	*0.01	Olives	0.2
Sheep liver	0.015	Onion, bulb	0.3
Sheep meat (in the fat)	0.02	Oranges, sweet, sour	0.5
Agvet chemical: Ketoprofen		Peach	1.5
<i>Permitted residue: Ketoprofen</i>		Pear	5
Cattle, edible offal of	*0.05	Pecan	0.15
Cattle meat	*0.05	Peppers, sweet	1
Cattle milk	*0.05	Persimmon, Japanese	5
Agvet chemical: Kitasamycin		Pome fruits [except pear; persimmon, Japanese]	0.2
<i>Permitted residue: Inhibitory substance, identified as kitasamycin</i>		Potato	0.1
Eggs	*0.2	Poultry, edible offal of	*0.02
Pig, edible offal of	*0.2	Poultry fats	*0.02
Pig meat	*0.2	Poultry meat	0.05
Agvet chemical: Kresoxim-methyl		Rice	0.02
<i>Permitted residue—commodities of plant origin: Kresoxim-methyl</i>		Rye	0.1
<i>Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl</i>		Shallot	0.3
All other foods except animal food commodities	0.02	Soya bean (dry)	0.05
Asparagus	0.05	Sugar beet	0.05
Barley, similar grains, and pseudocereals with husks (barley; buckwheat; oats)	0.15	Sunflower seed	0.1
Beetroot	0.05	Tea, green, black	15
Berries and other small fruits	1.5	Tomato	0.6
Chard (beet leaves)	0.05	Turnip, garden	0.05
Coffee beans	0.05	Wheat	0.1
Cotton seed	0.05	Agvet chemical: Lambda-cyhalothrin	
Dried grapes (= currants, raisins and sultanas)	3	see Cyhalothrin	
Agvet chemical: Lasalocid		<i>Permitted residue: Lasalocid</i>	
<i>Permitted residue: Lasalocid</i>		Cattle milk	*0.01
		Edible offal (mammalian)	0.7
		Eggs	*0.05
		Meat (mammalian)	*0.05
		Poultry fat/skin	0.6
		Poultry kidney	0.7
		Poultry liver	1.2
		Poultry muscle	0.4

Agvet chemical: Levamisole	
<i>Permitted residue: Levamisole</i>	
Edible offal (mammalian)	1
Eggs	1
Meat (mammalian)	0.1
Milks [except goat milk]	0.3
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lignocaine	
<i>Permitted residue: Lignocaine</i>	
Sheep fat	0.2
Sheep kidney	0.2
Sheep liver	0.1
Sheep muscle	0.15

Agvet chemical: Lincomycin	
<i>Permitted residue: Inhibitory substance, identified as lincomycin</i>	
Cattle milk	*0.02
Edible offal (mammalian) [except sheep, edible offal of]	0.2
Eggs	0.2
Goat milk	*0.1
Meat (mammalian) [except sheep meat]	0.2
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lindane	
<i>Permitted residue: Lindane</i>	
Pineapple	0.5

Agvet chemical: Linuron	
<i>Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron</i>	
All other foods except animal food commodities	0.05
Celeriac	3
Celery	*0.05
Cereal grains	*0.05
Chia	T*0.05
Coriander (leaves, roots, stems)	T2
Coriander, seed	0.2
Edible offal (mammalian)	1
Eggs	*0.05
Leek	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Parsley	T1
Parsnip	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Turmeric, root	T*0.05

Vegetables [except celeriac; celery; leek; parsnip]	*0.05
---	-------

Agvet chemical: Lufenuron	
<i>Permitted residue: Lufenuron</i>	
All other foods except animal food commodities	0.02
Coffee beans	0.07
Cotton seed	T0.2
Cotton seed oil, crude	T0.5
Edible offal (mammalian)	0.15
Eggs	T0.05
Fats (mammalian)	2
Lime	0.4
Maize	*0.01
Meat (mammalian)	2
Meat (mammalian) (in the fat)	T1
Milks	T0.2
Milk fats	5
Orange oil, edible	8
Oranges, sweet, sour	0.3
Pome fruits [except Persimmon, Japanese]	1
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T1

Agvet chemical: Maduramicin	
<i>Permitted residue: Maduramicin</i>	
Poultry, edible offal of	1
Poultry meat	0.1

Agvet chemical: Magnesium phosphide	
see Phosphine	

Agvet chemical: Malathion	
see Maldison	

Agvet chemical: Maldison	
<i>Permitted residue: Maldison</i>	
All other foods except animal food commodities	0.05
Berries and other small fruits [except grapes; strawberry]	10
Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; kohlrabi]	2
Brassica leafy vegetables [except kale]	2
Carrot	0.5
Cauliflower	0.5
Celery	2
Cereal grains [except sweet corns]	8
Cherries	8
Citrus fruits	4
Cucumber	3

Dried fruits	8
Dry beans (subgroup)	8
Edible offal (mammalian)	1
Eggs	1
Fruiting vegetables, cucurbits [except cucumber]	2
Fruiting vegetables, other the cucurbits [except peppers, sweet]	3
Fruits [except berries and other small fruits; citrus fruits; dried fruits; stone fruits [except jujube, Chinese]	2
Garden pea	0.5
Grapes	8
Hops, dry	1
Kale	3
Kohlrabi	0.5
Leek	2
Legume vegetable [except garden pea]	2
Lettuce, head	2
Lettuce, leaf	2
Lentil (dry)	8
Linseed	10
Meat (mammalian) (in the fat)	1
Milks (in the fat)	1
Mustard seeds	T10
Onion, bulb	2
Onion, Welsh	T0.1
Peanut	8
Peppers, sweet	T5
Poultry, edible offal of	1
Poultry meat (in the fat)	1
Pulses [except dry beans; lentils (dry)]	2
Rape seed	10
Safflower seed	10
Shallot	T0.1
Spring onion	T0.1
Stone fruits	5
Strawberry	1
Sunflower seed	10
Sweet corns	3
Tree nuts	8
Wheat bran, unprocessed	20

Agvet chemical: Maleic hydrazide

Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide

Carrot	T40
Garlic	15
Onion, bulb	15
Potato	50

Agvet chemical: Mancozeb

see *Dithiocarbamates*

Agvet chemical: Mandestrobin

Permitted residue: Mandestrobin

All other foods except animal food commodities	0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Beans (except broad bean and soya bean)	0.7
Dried grapes (equals currants; raisins; sultanas)	10
Edible offal (Mammalian)	0.02
Eggs	*0.01
Fruiting vegetables, curcubits	0.6
Grapes	5
Leafy vegetables [except lettuce, head]	20
Lettuce, Head	5
Mammalian fats [except milk fats]	*0.01
Meat (mammalian) (in the fat)	0.02
Milk	*0.02
Onion, bulb	*0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Rape seed (canola)	0.5
Stone fruits	3
Strawberry	3

Agvet chemical: Mandipropamid

Permitted residue: Mandipropamid

All other foods except animal food commodities	0.5
Basil	T30
Beans with pods	1
Celery	20
Chinese cabbage (Pe-tsai)	30
Citrus oil, edible	30
Dried grapes (currants, raisins and sultanas)	10
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	2
Hops, dry	50
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30
Mammalian fats (except milk fats)	0.02
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Mizuna	30
Peppers, chili, dried	10
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: MCPA		Poultry meat	*0.05
<i>Permitted residue: MCPA</i>			
Cereal grains [except sweet corns]	*0.02	Agvet chemical: Mefentrifluconazole	
Cherry	0.05	<i>Permitted residue: Mefentrifluconazole</i>	
Chives	*0.05	All other foods except animal food commodities	0.02
Edible offal (mammalian)	*0.05	Baby leaves	30
Eggs	*0.05	Barley, similar grains, and pseudocereals with husks	4
Field pea (dry)	*0.05	Brassica leafy vegetables	30
Herbs	*0.05	Bulb onions	0.2
Hops, dry	*0.1	Bush berries	5
Meat (mammalian)	*0.05	Cane berries	3
Milks	*0.05	Cherries	4
Peas without pods (succulent)	T*0.01	Citrus fruit [except kumquat; lemon; lime]	0.6
Poultry, edible offal of	*0.05	Citrus oil	15
Poultry meat	*0.05	Cottonseed	0.2
Rhubarb	*0.02	Dried grapes (equals currants; sultanas)	3
Agvet chemical: MCPB		Dried grapes (raisin)	4
<i>Permitted residue: MCPB</i>		Edible offal (mammalian)	0.3
Cereal grains [except sweet corns]	*0.02	Eggs	*0.01
Chives	*0.05	Fruiting vegetables, cucurbits [except melons]	0.3
Edible offal (mammalian)	*0.05	Fruiting vegetables, other than cucurbits	1
Eggs	*0.05	Grapes	1.5
Herbs	*0.05	Green onions	4
Legume vegetables	*0.02	Kumquat	1
Meat (mammalian)	*0.05	Leafy greens [except lettuce, head]	30
Milks	*0.05	Leaves of root and tuber vegetables	20
Poultry, edible offal of	*0.05	Legume vegetables [except lentils; soya bean]	0.15
Poultry meat	*0.05	Lemon	1
Pulses	*0.02	Lentils, dry	2
Agvet chemical: Mebendazole		Lettuce, head	5
<i>Permitted residue: Mebendazole</i>		Lime	1
Edible offal (mammalian)	*0.02	Low growing berries	2
Meat (mammalian)	*0.02	Maize Cereals	0.01
Milks	0.02	Meat (mammalian) (in the fat)	0.2
Agvet chemical: Mefenpyr-diethyl		Melons (including watermelon)	0.5
<i>Permitted residue—commodities of plant origin:</i>		Milks	0.03
<i>Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl</i>		Peaches (including nectarines and apricots)	1.5
<i>Permitted residue—commodities of animal origin:</i>		Peanut	0.01
<i>Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl</i>		Plums	2
Cereal grains [except sweet corns]	*0.01	Pome fruits [except Persimmon, Japanese]	1.5
Edible offal (mammalian)	*0.05	Potato	0.04
Eggs	*0.01	Poultry, edible offal of	0.02
Meat (mammalian)	*0.05	Poultry meat (in the fat)	*0.01
Milks	*0.01	Prunes, dried	4
Poultry, edible offal of	*0.05	Rape seed	1
		Rice Cereals	4
		Root vegetables [except sugar beet]	0.7
		Sorghum Grain and Millet	4
		Soya bean (dry)	0.4
		Sugar beet	0.6
		Sugar cane	1.5
		Sunflower seeds	0.15

Sweet corn (corn-on-the-cob; kernels)	0.03
Tree nuts	0.06
Wheat, similar grains, and pseudocereals without husks	0.3

Agvet chemical: Meloxicam

Permitted residue: Meloxicam

Cattle kidney	0.2
Cattle liver	0.1
Cattle meat	*0.01
Cattle milk	0.005
Pig fat/skin	0.1
Pig kidney	*0.01
Pig liver	*0.01
Pig meat	0.02
Sheep fat	0.01
Sheep kidney	0.01
Sheep liver	0.01
Sheep meat	0.01

Agvet chemical: Mepanipyrim

Permitted residue: Mepanipyrim

Strawberry	3
Raspberries, red, black	4

Agvet chemical: Mepiquat

Permitted residue: Mepiquat

Cotton seed	1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Meat (mammalian)	0.1
Milks	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Mesosulfuron-methyl

Permitted residue: Mesosulfuron-methyl

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Mesotrione

Permitted residue: Mesotrione

All other foods except animal food commodities	0.01
Almonds	0.01
Asparagus	0.01
Barley	*0.01

Blueberries	0.01
Cherries	0.01
Cranberry	0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapefruit	0.01
Lemon	0.01
Linseed	T*0.01
Maize cereals	T*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oats	*0.01
Oranges, sweet, sour	0.01
Peach	0.01
Pecan	0.01
Plums (including prunes)	0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Soya bean (dry)	0.03
Sweet corn (corn-on-the-cob)	T*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Metaflumizone

Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzoxonitrile expressed as metaflumizone

Apple	0.9
Cherries	0.04
Citrus fruits [except kumquats; oranges, sweet, sour]	2
Coffee beans	0.15
Dried grapes (equals currants; raisins; sultanas)	13
Edible offal (mammalian)	*0.02
Eggs	0.02
Grapes	5
Maize	0.04
Mammalian fats [except milk fats]	0.6
Meat (mammalian) (in the fat)	*0.02
Melons [except watermelons]	1
Milk fats	0.7
Milks	0.02
Orange oil, edible	100
Oranges, Sweet, Sour	3
Peppers, chili, dried	6
Potato	0.02
Poultry, edible offal of	*0.02
Poultry fats	0.08
Poultry meat (fat)	*0.02
Soya bean (including soya bean (dry))	0.2
Sugar cane	0.02
Tomato	0.6
Tree nuts	0.04

Agvet chemical: Metalaxyl		Spices [except ginger root; pepper, black, white; peppers, chili, dried]	*0.05
<i>Permitted residue: Metalaxyl</i>		Stone fruits [except jujube, Chinese]	0.2
All other foods except animal food commodities	0.05	Strawberry	0.6
Almonds	T5	Sweet corns	T0.1
Asparagus	0.05	Tomatoes (subgroup)	T0.5
Avocado	0.5	Vegetables [except as otherwise listed under this chemical]	T0.1
Basil	T5	Walnuts	T*0.01
Basil, dry	T30	<hr/>	
Beetroot	T*0.01	Agvet chemical: Metalaxyl-M	
Beetroot leaves	T0.1	<i>see Metalaxyl</i>	
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	T0.5	<hr/>	
Blueberries	2	Agvet chemical: Metaldehyde	
Brussels sprouts	0.15	<i>Permitted residue: Metaldehyde</i>	
Bulb vegetables [except chives]	0.1	Cereal grains	1
Cacao beans	0.2	Chives	1
Cereal grains [except sweet corns]	*0.01	Fruit	1
Chestnuts	T0.05	Herbs	1
Chinese cabbage (Pe-tsai)	0.3	Oilseed	1
Chives	3	Palm nuts	1
Cranberry	4	Peanut	1
Edible offal (mammalian)	*0.05	Pulses	1
Eggs	*0.05	Spices	1
Fennel, bulb	0.1	Teas (tea and herb teas)	1
Flowerhead brassicas	0.2	Vegetables	1
Fruiting vegetables, cucurbits	0.2	<hr/>	
Ginger, root	0.5	Agvet chemical: Metamitron	
Grapefruit	1	<i>Permitted residue: Metamitron</i>	
Grapes	1.5	Edible offal (Mammalian)	*0.05
Hazelnuts	T*0.05	Meat [mammalian]	*0.05
Herbs [except basil; basil, dry; parsley]	3	Milks	*0.05
Hops, dry	20	Pome fruits [except Persimmon, Japanese]	0.01
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.3	<hr/>	
Lemon	1	Agvet chemical: Metazachlor	
Macadamia nuts	1	<i>Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor</i>	
Meat (mammalian)	*0.05	<i>Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor</i>	
Milks	*0.01	All other foods	1
Oranges, sweet, sour	1	Cereal grains [except sweet corns]	*0.03
Papaya (pawpaw)	*0.01	Eggs	*0.05
Parsley	T0.3	Edible offal (mammalian)	*0.05
Peanut	0.2	Meat (mammalian)	*0.05
Pepper, black, white	2	Milks	*0.01
Peppers	T0.1	Oilseeds	*0.03
Peppers, chili, dried	10		
Pineapple	0.1		
Podded pea (young pods) (snow and sugar snap)	T0.1		
Pome fruits [except Persimmon, Japanese]	0.2		
Poppy seed	*0.02		
Poultry, edible offal of	*0.05		
Poultry meat	*0.05		

Palm nuts	*0.03
Peanut	*0.03
Poultry, edible offal	*0.05
Poultry meat	*0.05
Pulses	*0.03

Agvet chemical: Metcamifen

Permitted residue—commodities of plant origin: metcamifen

Permitted residue—commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzensulfonamide, expressed as metcamifen

Edible offal (mammalian)	*0.03
Eggs	*0.03
Meat (mammalian)	*0.03
Milks	*0.03
Poultry, edible offal of	*0.03
Poultry meat	*0.03
Sorghum, grain	*0.01

Agvet chemical: Metconazole

Permitted residue: Metconazole

Banana	*0.1
Beans with pods	*0.05
Blueberries	0.5
Cherries	0.3
Cotton seed	0.3
Dry beans [except soya bean (dry)]	*0.04
Dry peas	0.15
Edible offal (mammalian)	*0.04
Eggs	*0.04
Garlic	*0.05
Maize (not including sweet corn)	0.015
Mammalian fats [except milk fats]	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Onion, bulb	*0.05
Peaches (including apricots; nectarines)	0.2
Peanut	0.04
Peanut oil, edible	0.06
Plums	0.1
Poultry, edible offal of	*0.04
Poultry fats	*0.04
Poultry meat	*0.04
Prunes, dried	0.5
Rape seed	0.15
Rape seed oil, edible	0.5
Soya bean (dry)	0.04
Sugar beet	0.07
Sugar cane	0.06
Sunflower seeds	1.5
Sweet corn (corn-on-the-cob)	0.015
Tree nuts	*0.04
Triticale	0.15

Tuberous and corm vegetables	*0.04
Wheat	0.15
Wheat bran, unprocessed	0.3

Agvet chemical: Methabenzthiazuron

Permitted residue: Methabenzthiazuron

Garlic	T*0.01
Leek	T*0.05
Onion, bulb	*0.05
Onion, Welsh	T0.5
Shallot	T0.5
Spring onion	T0.5

Agvet chemical: Metham

see *Dithiocarbamates*

Agvet chemical: Metham-sodium

see *Metham*

Agvet chemical: Methamidophos

Permitted residue: Methamidophos

see also *Acephate*

Banana	0.2
Bean, seed (dry)	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Edible offal (mammalian)	*0.01
Lime	0.01
Mango	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, chili, dried	0.1
Peppers, sweet	2
Potato	0.25
Raspberry, black, red	*0.01
Tomato	2

Agvet chemical: Methidathion

Permitted residue: Methidathion

Pear	1
------	---

Agvet chemical: Methiocarb

Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb

Citrus fruits	0.1
Fruit [except as otherwise listed under this chemical]	T0.1
Grapes	0.5
Sweet corns	0.1
Truffle	T0.05

Vegetables	0.1
Wine	0.1
Agvet chemical: Methomyl	
<i>Permitted residue: Methomyl</i>	
All other foods except animal food commodities	0.05
Apple	1
Avocado	*0.1
Blueberries	2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Brassica leafy vegetables	T0.7
Broccoli, Chinese (Gai lan)	2
Celery	3
Cereal grains [except sweet corn (corn-on-the-cob)]	*0.1
Chard	2
Cherries	2
Chia	T1
Citrus fruits	1
Coriander (leaves, roots, stems)	T10
Cotton seed	*0.1
Cumin seed	0.07
Dried grapes	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.02
Fennel, bulb	T0.2
Fennel, leaf	T3
Fruiting vegetables, cucurbits	0.1
Fruiting vegetables, other than cucurbits [except peppers]	1
Fungi, edible (except mushrooms)	1
Ginger, Japanese	T2
Ginger, root	*0.1
Grapes	2
Hops, dry	0.5
Leek	T0.5
Legume vegetables	1
Lettuce, head	2
Lettuce, leaf	2
Linseed	*0.1
Macadamia nuts	T1
Mango	T*0.01
Meat (mammalian)	0.05
Milks	0.05
Mints	0.5
Mushrooms	1
Mustard seeds	T0.5
Onion, bulb	T0.1
Onion, Chinese	T1
Onion, Welsh	T2
Parsley	T10
Peanut	0.1
Pear	3

Peppers	T2
Peppers, chili, dried	10
Persimmon, Japanese	T0.05
Pitaya (dragon fruit)	T0.2
Poppy seed	*0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	1
Rape seed (canola)	0.5
Root and tuber vegetables	1
Sesame seed	*0.1
Shallot	T2
Spinach	T0.7
Spring onion	T2
Stone fruits [except cherries; jujube, Chinese]	1
Strawberry	3
Sunflower seed	*0.1
Sweet corn (corn-on-the-cob)	0.1

Agvet chemical: Methoprene

Permitted residue: Methoprene, sum of cis- and trans-isomers

All other foods except animal food commodities	0.05
Cattle milk	0.1
Cereal grains [except sweet corns]	2
Edible offal (mammalian)	*0.01
Meat (mammalian) (in the fat)	0.3
Peanut	5
Soya bean (dry)	3
Wheat bran, unprocessed	5
Wheat germ	10

Agvet chemical: Methoxyfenozide

Permitted residue: Methoxyfenozide

All other foods except animal food commodities	0.03
Almonds	0.2
Avocado	0.5
Basil, dry	400
Basil, leaves	80
Blueberries	2
Celery	15
Chick-pea (dry)	2
Citrus fruits	3
Coffee beans	0.2
Cotton seed	2
Cranberry	0.5
Cucumber	T2
Custard apple	0.3
Dried grapes	6
Edible offal (mammalian)	0.05
Eggs	*0.01

Agvet chemical: Metsulfuron-methyl	
<i>Permitted residue: Metsulfuron-methyl</i>	
Cereal grains [except sweet corns]	*0.02
Chick-pea (dry)	T*0.05
Edible offal (mammalian)	*0.1
Linseed	*0.02
Meat (mammalian)	*0.1
Milks	*0.1
Mung bean (dry)	0.2
Poppy seed	*0.01
Safflower seed	*0.02

Agvet chemical: Mevinphos	
<i>Permitted residue: Mevinphos</i>	
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.05
Broccoli, Chinese (Gai lan)	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Milbemectin	
<i>Permitted residue: Sum of milbemycin MA₃ and milbemycin MA₄ and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄</i>	
Edible offal (mammalian)	*0.002
Fruiting vegetables, other than cucurbits	0.02
Fungi, edible (except mushrooms)	0.02
Hops, dry	*0.2
Meat (mammalian) (in the fat)	*0.002
Milk fats	*0.0005
Milks	*0.0005
Mushrooms	0.02
Pome fruits	0.03
Stone fruits	0.1
Strawberry	0.2
Sweet corns	0.02

Agvet chemical: Molinate	
<i>Permitted residue: Molinate</i>	
Rice	*0.05

Agvet chemical: Monensin	
<i>Permitted residue: Monensin</i>	
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Goat, edible offal of	*0.05
Goat meat	*0.05
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5

Sheep fat	0.07
Sheep kidney	0.015
Sheep liver	0.2
Sheep muscle	0.005

Agvet chemical: Monepantel	
<i>Permitted residue: Monepantel</i>	
Cattle fat	7
Cattle kidney	1
Cattle liver	2
Cattle meat	0.3
Milks	*0.05
Sheep fat	7
Sheep kidney	2
Sheep muscle	0.7
Sheep liver	5

Agvet chemical: Morantel	
<i>Permitted residue: Morantel</i>	
Cattle, edible offal of	2
Goat, edible offal of	2
Meat (mammalian)	0.3
Milks	*0.1
Pig, edible offal of	5
Sheep, edible offal of	2

Agvet chemical: Moxidectin	
<i>Permitted residue: Moxidectin</i>	
Cattle, edible offal of	0.5
Cattle meat (in the fat)	1
Cattle milk (in the fat)	2
Deer meat (in the fat)	1
Deer, edible offal of	0.2
Goat meat (in the fat)	T0.5
Goat, edible offal of	T0.05
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5

Agvet chemical: MSMA	
<i>Permitted residue: Total arsenic, expressed as MSMA</i>	
Sugar cane	0.3

Agvet chemical: Myclobutanil	
<i>Permitted residue: Myclobutanil</i>	
All other foods except animal food commodities	0.05
Asparagus	T0.02
Cane berries	2
Cherries	5
Edible offal (mammalian)	*0.01
Grapes	1
Hops, dry	10

Meat (mammalian)	*0.01
Milks	*0.01
Peppers	3
Peppers, chili, dried	20
Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except cherries; jujube, Chinese]	2
Strawberry	2

Agvet chemical: Naled

Permitted residue: Sum of naled and dichlorvos, expressed as naled

Hops, dry	0.5
-----------	-----

Agvet chemical: Naphthalene acetic acid

Permitted residue: 1-Naphthelene acetic acid

Apple	1
Pear	1
Pineapple	1
Rambutan	T*0.05

Agvet chemical: Naphthalophos

Permitted residue: Naphthalophos

Sheep, edible offal of	*0.01
Sheep meat	*0.01

Agvet chemical: Napropamide

Permitted residue: Napropamide

All other foods except animal food commodities	0.02
Almonds	*0.1
Basil	T*0.1
Berries and other small fruits	*0.1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T*0.1
Broccoli, Chinese (Gai lan)	T*0.1
Edible offal (mammalian)	*0.08
Eggs	*0.08
Meat (mammalian)	*0.08
Milks	*0.08
Mustard seeds	T*0.01
Poultry, edible offal of	*0.08
Poultry meat	*0.08
Rape seed (canola)	*0.01
Stone fruits	*0.1
Tomato	*0.1

Agvet chemical: Narasin

Permitted residue: Narasin

Cattle, edible offal of	0.05
Cattle meat	0.05

Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Neomycin

Permitted residue: Inhibitory substance, identified as neomycin

Eggs	T0.5
Fats (mammalian) [except milk fats]	T0.5
Kidney of cattle, goats, pigs and sheep	T10
Liver of cattle, goats, pigs and sheep	T0.5
Meat (mammalian)	T0.5
Milks	T1.5
Poultry kidney	T10
Poultry liver	T0.5
Poultry meat	T0.5

Agvet chemical: Netobimin

see Albendazole

Agvet chemical: Nicarbazin

Permitted residue: 4,4'-dinitrocarbanilide (DNC)

Chicken fat/skin	10
Chicken kidney	20
Chicken liver	35
Chicken muscle	5
Eggs	0.3

Agvet chemical: Niclosamide

Permitted residue: Niclosamide

Edible offal (mammalian)	T*0.01
Eggs	T*0.01
Meat (mammalian)	T*0.01
Milks	T*0.01
Poultry, edible offal of	T*0.01
Poultry meat	T*0.01
Rice	T*0.01

Agvet chemical: Nitrothal-isopropyl

Permitted residue: Nitrothal-isopropyl

Apple	1
-------	---

Agvet chemical: Nitroxynil

Permitted residue: Nitroxynil

Cattle, edible offal of	1
Cattle meat	1
Cattle milk	T0.5
Goat, edible offal of	1
Goat meat	1
Sheep, edible offal of	1
Sheep meat	1

Agvet chemical: Norflurazon	
<i>Permitted residue: Norflurazon</i>	
All other foods except animal food commodities	0.05
Asparagus	0.05
Citrus fruits [except kumquats]	0.2
Cotton seed	0.1
Cranberry	0.1
Edible offal (mammalian)	0.3
Eggs	*0.02
Fats (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Grapes	0.1
Hops, dry	3
Pome fruits	*0.2
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Stone fruits	*0.2
Tree nuts	*0.2

Agvet chemical: Norgestomet	
<i>Permitted residue: Norgestomet</i>	
Edible offal (mammalian)	*0.0001
Meat (mammalian)	*0.0001

Agvet chemical: Novaluron	
<i>Permitted residue: Novaluron</i>	
All other foods except animal food commodities	0.1
Apple	0.3
Blueberries	7
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.3
Broccoli, Chinese (Gai lan)	0.3
Cherries	8
Chinese cabbage (Pe-tsai)	5
Cotton seed	T1
Cotton seed oil, crude	T2
Cranberry	0.45
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Meat (mammalian) (in the fat)	0.1
Milk fats	0.2
Milks	*0.01
Mushrooms	0.2
Pear	0.3
Peppers, chili, sweet	0.7

Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except cherries]	0.5
Strawberry	0.5
Sweet corns	0.2

Agvet chemical: Novobiocin	
<i>Permitted residue: Novobiocin</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: ODB	
<i>Permitted residue: 1,2-dichlorobenzene</i>	
Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Olaquinox	
<i>Permitted residue: Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxaline, expressed as olaquinox</i>	
Pig, edible offal of	0.3
Pig meat	0.3

Agvet chemical: Oleandomycin	
<i>Permitted residue: Oleandomycin</i>	
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Agvet chemical: Omethoate	
<i>Permitted residue: Omethoate</i>	
see also <i>Dimethoate</i>	
Asparagus	*0.002
Avocado	0.1
Beetroot	*0.05
Blackberries	T3
Cereal grains	*0.05
Citrus fruits	0.5
Cottonseed	*0.05
Edible offal (mammalian)	0.1
Eggs	*0.05
Eggplant	T0.07
Legume vegetables	1
Litchi	2
Mango	0.1
Meat (mammalian)	*0.05
Melons [except watermelon]	0.2
Milks	*0.05
Oilseed [except cottonseed; peanut]	0.05
Olives for oil production	T2
Olive oil, refined	T0.01
Onion, bulb	0.5

Palm nuts	0.05
Peanut	*0.01
Peppers, sweet	0.3
Pineapple	0.03
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.1
Raspberries, red, black	T3
Rhubarb	0.3
Squash, summer (zucchini)	0.2
Strawberry	*0.01
Sweet potato	0.05
Tomato	0.02
Turnip, garden	*0.1
Vaccinium berries (including bearberry) [except cranberry]	T2
Watermelon	0.2
Wheat bran, processed	0.05

Agvet chemical: OPP

see 2-phenylphenol

Agvet chemical: Oryzalin

Permitted residue: Oryzalin

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	*0.01
Coffee beans	T0.1
Fruit	0.1
Ginger root	*0.05
Mustard seeds	*0.05
Rape seed (canola)	*0.05
Tree nuts	0.1

Agvet chemical: Oxabetrinil

Permitted residue: Oxabetrinil

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Oxadixyl

Permitted residue: Oxadixyl

All other foods except animal food commodities	0.1
Chinese cabbage (Pe-tsai)	T5
Fruiting vegetables, cucurbits	0.5
Grapes	2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T5
Onion, bulb	0.5

Agvet chemical: Oxamyl

Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl

All other foods except animal food commodities	0.05
Banana	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Peanut	0.05
Peppers, sweet	1
Peppers, chilli	*0.01
Potato	0.1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Sweet potato	0.2
Tomato	*0.05

Agvet chemical: Oxathiapiprolin

Permitted residue: Oxathiapiprolin

All other foods except animal food commodities	0.02
Avocado	0.1
Basil	10
Basil, dry	T90
Blueberries	0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; onion, bulb]	2
Cane berries	0.5
Cardoon	15
Citrus fruits [except kumquats]	0.06
Citrus oil, edible	3
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, bulb	2
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Grapes	0.9
Hops, dried cones	5
Leafy vegetables (including brassica leafy vegetables) [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	15
Lettuce, head	2
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01

Mushrooms	0.5
Onion, bulb	0.04
Peas (pods and succulent, immature seeds)	1
Peas, shelled (succulent seeds)	0.05
Peppers, chili, dried	4
Pomegranate	0.1
Poppy seed	*0.01
Potato	0.04
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Poultry meat (in the fat)	*0.01
Root and tuber vegetables [except beetroot; carrot; celeriac; chicory, roots; horseradish; parsnip; radish, japanese; salsify; scorzonera; sugar beet; swede; turnip, garden	0.04
Strawberry	0.4
Sweet corns (subgroup)	0.5
Tree nuts	0.01
Young shoots	2

Agvet chemical: Oxfendazole

Permitted residue: Oxfendazole

Edible offal (mammalian)	3
Meat (mammalian)	*0.1
Milks	0.1

Agvet chemical: Oxycarboxin

Permitted residue: Oxycarboxin

Beans [except broad bean; soya bean]	5
Blueberries	T10
Broad bean (green pods and immature seeds)	5

Agvet chemical: Oxyclozanide

Permitted residue: Oxyclozanide

Cattle, edible offal of	2
Cattle meat	0.5
Goat, edible offal of	2
Goat meat	0.5
Milks	0.05
Sheep, edible offal of	2
Sheep meat	0.5

Agvet chemical: Oxyfluorfen

Permitted residue: Oxyfluorfen

All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.01

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Bulb vegetables [except chives]	*0.05
Cereal grains [except sweet corns]	*0.05
Coffee beans	T0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Eggs	0.05
Fennel, bulb	*0.05
Grapes	0.05
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Olives	1
Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.2
Stone fruits	0.05
Tree nuts	0.05

Agvet chemical: Oxytetracycline

Permitted residue: Inhibitory substance, identified as oxytetracycline

Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Paclobutrazol

Permitted residue: Paclobutrazol

All other foods except animal food commodities	0.01
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; tamarillo (tree tomato)]	*0.01
Avocado	0.1
Fruiting vegetables, cucurbits	T*0.01
Fruiting vegetables, other than cucurbits	T*0.01
Mango	T1
Pome fruits [except Persimmon, Japanese]	1
Potato	T*0.01
Stone fruits	*0.01

Agvet chemical: Paracetamol

Permitted residue: Paracetamol

Pig fat/skin	*0.1
Pig kidney	*0.1

Pig liver	*0.1
Pig muscle	*0.1

Agvet chemical: Paraquat

Permitted residue: Paraquat cation

Cacao bean	0.05
Cereal grains [except as otherwise listed under this chemical]	*0.05
Cotton seed	0.2
Cotton seed oil, edible	0.05
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruit [except olives]	*0.05
Hops, dry	0.5
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Oilseed [except cotton seed]	*0.05
Olives	1
Palm nuts	*0.05
Peanut	*0.05
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Rice	10
Rice, polished	0.5
Sugar cane	*0.05
Tree nuts	*0.05
Vegetables [except potato; pulses]	*0.05

Agvet chemical: Penconazole

Permitted residue: Penconazole

All other foods except animal food commodities	0.02
Brussels sprouts	0.05
Chives	0.05
Grapes	0.1
Herbs	0.05
Pome fruits	0.1
Raspberries, red, black	0.1
Spices	0.1
Strawberries	0.5
Tea, green, black	0.1

Agvet chemical: Pencycuron

Permitted residue: Pencycuron

Potato	0.05
--------	------

Agvet chemical: Pendimethalin

Permitted residue: Pendimethalin

All other foods except animal food commodities	0.02
Artichoke, globe	0.05

Asparagus	0.15
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
Barley	*0.05
Berries and other small fruits [except blueberries]	*0.05
Blueberries	0.1
Brassica leafy vegetables (except Broccoli, Chinese (Gai lan))	0.2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Bulb vegetables [except chives; leek]	*0.05
Carrot	T0.3
Celery	0.09
Cherries (subgroup)	0.1
Chinese cabbage (Pe-tsai)	*0.05
Citrus fruits	*0.05
Date	T*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, bulb	*0.05
Fruiting vegetables, other than cucurbits	*0.05
Hops, dry	*0.1
Leafy vegetables [except brassica leafy vegetables; lettuce, leaf; witloof chicory]	*0.05
Leek	0.3
Legume vegetables	T0.2
Lettuce, leaf	4
Maize	*0.05
Meat (mammalian)	*0.01
Melons, including watermelon	0.1
Mints	0.2
Milk	*0.01
Oats	T*0.05
Oilseed	*0.05
Olives	*0.05
Palm nuts	*0.05
Parsley	T*0.05
Parsley, leaves	1.5
Peanut	0.1
Peppermint oil, edible	6
Peppers, sweet	*0.05
Pome fruits	*0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.05
Rice	*0.05
Root and tuber vegetables [except carrot]	*0.05
Sorghum, grain	0.1
Stone fruits [except cherries (subgroup)]	*0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	*0.05

Tomato	*0.05
Tree nuts	*0.05
Wheat	*0.05

Agvet chemical: Penflufen

Permitted residue: Penflufen

Cereal grains [except sweet corns]	*0.01
Chick-pea (dry)	T*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lentil (dry)	T*0.01
Lupin (dry)	T*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Milk fats	*0.01
Mustard seeds	T*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	*0.01
Soya bean (dry)	T*0.01

Agvet chemical: Penthioopyrad

Permitted residue—commodities of plant origin: Penthioopyrad

Permitted residue—commodities of animal origin: Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad

All other foods except animal food commodities	0.05
Bayberries	T5
Bayberry, red	T5
Brassica leafy vegetables (except broccoli, Chinese (Gai lan)	70
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	7
Broccoli, Chinese (Gai lan)	7
Bush berries	7
Cane berries	10
Celery	15
Chinese cabbage (Pe-tsai)	50
Cranberry	3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Elderberries	7
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	5
Fungi, edible (except mushrooms)	5
Guelder rose	7
Leafy vegetables [except brassica leafy vegetables; lettuce, head; witloof chicory]	50

Lettuce, head	10
Meat (mammalian)	*0.01
Milks	*0.01
Mushrooms	5
Onion, bulb	1
Onion, Welsh	5
Peppers, chili, dried	14
Pome fruits	0.5
Potato	0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Root and tuber vegetables [except potato]	2
Shallot	5
Spring onion	5
Stone fruits	5
Strawberry	5
Sweet corns	5
Tree nuts	0.1

Agvet chemical: Permethrin

Permitted residue: Permethrin, sum of isomers

All other foods except animal food commodities	0.05
Almonds	0.05
Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Brussels sprouts	2
Celery	5
Cereal grains [except sweet corn (corn-on-the-cob)]	2
Cherries	4
Chervil	T30
Chives	T30
Common bean (dry) (navy bean)	0.1
Common bean (pods and/or immature seeds)	0.5
Coriander (leaves, roots, stems)	T30
Edible offal (mammalian)	0.5
Eggs	0.1
Herbs	T30
Lettuce, head	5
Lettuce, leaf	5
Linseed	0.1
Meat (mammalian) (in the fat)	1
Milks	0.05
Mushrooms	2
Mustard seeds	T0.2
Nectarine	2
Peach	1
Peas	1
Peppers, chili, dried	10
Poppy seed	T0.2
Potato	0.05

Poultry meat (in the fat)	0.1
Rape seed (canola)	0.2
Rhubarb	1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.05
Tea, green, black	0.1
Tomato	0.4
Wheat bran, unprocessed	5
Wheat germ	2

Agvet chemical: Phenmedipham

Permitted residue—commodities of plant origin: Phenmedipham

Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate

All other foods except animal food commodities	0.02
Beetroot	0.5
Chard (silver beet)	2
Chinese cabbage (Pe-tsai)	T1
Edible offal (mammalian)	*0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); chard (silver beet); witloof chicory]	T1
Meat (mammalian)	*0.1
Milks	*0.1
Radicchio	T1
Strawberry	0.3

Agvet chemical: 2-Phenylphenol

Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol

All other foods except animal food commodities	0.1
Citrus fruits	10

Agvet chemical: Phorate

Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate

Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; broccoli; cauliflower; Chinese cabbage (Pe-tsai); head cabbages]	T*0.01
Broccoli	0.5
Cabbages, head	0.5
Carrot	0.5
Cauliflower	0.5
Celery	T*0.01
Coriander (leaves, roots, stems)	T*0.01
Coriander, seed	0.1
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggplant	0.5
Eggs	*0.05

Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	0.5
Onion, Welsh	0.5
Parsley	T*0.01
Peanut	0.1
Peppers	0.5
Potato	0.5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	0.5
Spring onion	0.5
Sweet potato	0.5
Tomato	0.5

Agvet chemical: Phosmet

Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet

All other foods except animal food commodities	0.05
Blueberries	10
Cattle, edible offal of	1
Cattle meat (in the fat)	1
Cereal grains [except sweet corns]	*0.05
Cranberry	10
Currants, black, red, white	2
Goat, edible offal of	*0.05
Goat meat	*0.05
Grapes	10
Lemon	5
Mandarins	5
Milks (in the fat)	0.2
Oranges	3
Pig, edible offal of	0.1
Pig meat	0.1
Sheep, edible offal of	*0.05
Sheep meat	*0.05
Stone fruits [except cherries; jujube, Chinese]	5

Agvet chemical: Phosphine

Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)

All other foods except animal food commodities	*0.01
Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	*0.01
Dried foods [except as otherwise listed under this chemical]	*0.01
Dried fruits	*0.01
Dried vegetables	*0.01
Garlic	T*0.01
Honey	*0.01
Oilseed [except peanut]	*0.01

Peanut	0.1
Pulses	*0.01
Seed for beverages	T*0.01
Spices	*0.01
Sugar cane	*0.01
Tree nuts	*0.01

Agvet chemical: Phosphorous acid

Permitted residue: Phosphorous acid

Avocado	500
Basil	T300
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai); flowerhead brassicas]	T1
Broccoli, Chinese (Gai lan)	T1
Bulb vegetables [except chives]	T10
Chinese cabbage (Pe-tsai)	T150
Citrus fruits	100
Coriander (leaves, roots, stems)	T300
Custard apple	500
Edible offal (mammalian)	5
Fennel, bulb	T10
Fennel, leaf	T300
Flowerhead brassicas	50
Fruiting vegetables, cucurbits	T100
Fruiting vegetables, other than cucurbits	T100
Fungi, edible (except mushrooms)	T100
Galangal, rhizomes	T100
Ginger, root	T100
Grapes	200
Hops, dry	2000
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T150
Meat (mammalian)	1
Mushrooms	T100
Papaya [pawpaw]	T100
Parsley	T300
Passionfruit	T500
Peach	100
Peas, shelled	T100
Pineapple	T20
Poppy seed	1
Potato	T700
Rhubarb	T100
Root and tuber vegetables [except potato]	T100
Stone fruits [except cherries; jujube, Chinese; peach]	T100
Strawberry	T500
Sweet corns	T100
Tree nuts	3000

Agvet chemical: Picloram

Permitted residue: Picloram

Cereal grains [except sweet corns]	0.2
Edible offal (mammalian)	5
Meat (mammalian)	*0.05
Milks	*0.05
Sugar cane	*0.01

Agvet chemical: Picolinafen

Permitted residue—commodities of plant origin: Picolinafen

Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid

Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.01
Field pea (dry)	*0.02
Lupin (dry)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Picoxystrobin

Permitted residue: Picoxystrobin

Coffee beans	0.04
Cottonseed	2
Edible offal (mammalian)	0.02
Mammalian fats [except milk fats]	0.02
Meat mammalian (in the fat)	0.02
Milks	*0.01
Peanut	0.05
Rice	0.05
Sorghum, grain	0.02
Soya bean (dry)	0.06
Tea, green, black	15
Wheat	0.04

Agvet chemical: Pinoxaden

Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden

All other foods except animal food commodities	0.06
Barley	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Wheat	0.7
Wheat bran, unprocessed	0.5

Agvet chemical: Piperonyl butoxide

Permitted residue: Piperonyl butoxide

All other foods except animal food commodities	0.5
Cattle milk	0.05
Cereal bran, unprocessed	40
Cereal grains [except sweet corns]	20
Chives	8
Dried fruits	8
Dried vegetables	8
Edible offal (mammalian)	0.1
Eggs	*0.1
Fruit	8
Herbs	8
Meat (mammalian)	0.1
Oilseed	8
Palm nuts	8
Peanut	8
Peppers, chili, dried	20
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sweet corns	8
Tree nuts	8
Vegetables	8
Wheat germ	50

Agvet chemical: Pirimicarb

Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb

All other foods except animal food commodities	0.05
Almonds	0.05
Blackberries	2
Celeriac	0.1
Celery	15
Cereal grains [except sweet corns]	*0.02
Cherries	5
Chinese cabbage (Pe-tsai)	7
Cotton seed	0.05
Cotton seed oil, crude	T0.1
Currants, black, red, white	1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Fruit [except listed under this chemical]	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	7
Meat (mammalian)	*0.1
Milks	*0.1
Mustard seeds	T0.2
Onion, Welsh	7
Peppers, chili, dried	20

Peppers, chilli, other cultivars	1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.02
Rape seed (canola)	0.2
Raspberries, red, black	4
Sesame seed	T0.05
Shallot	7
Spices	*0.05
Spring onion	7
Strawberry	3
Sweet corn (corn-on-the-cob)	0.1
Tree nuts [except almonds]	T*0.05
Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion;]	1

Agvet chemical: Pirimiphos-methyl

Permitted residue: Pirimiphos-methyl

All other foods except animal food commodities	0.02
Barley	7
Cacao beans	*0.05
Cereal bran, unprocessed	20
Edible offal (mammalian)	*0.05
Eggs	*0.05
Maize	7
Meat (mammalian)	*0.05
Milks	*0.05
Millet	10
Oats	7
Peanut	5
Peanut oil, edible	15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	10
Rice, husked	2
Rice, polished	1
Rye	10
Sorghum, grain	10
Triticale	10
Wheat	10
Wheat germ	30

Agvet chemical: Praziquantel

Permitted residue: Praziquantel

Fish muscle	T*0.02
Sheep, edible offal of	*0.05
Sheep meat	*0.05

Agvet chemical: Procaine penicillin

Permitted residue: Inhibitory substance, identified as procaine penicillin

Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Milks	*0.0025	Wine grapes	5
Agvet chemical: Prochloraz		Agvet chemical: Profenofos	
<i>Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz</i>		<i>Permitted residue: Profenofos</i>	
All other foods except animal food commodities	0.1	All other foods except animal food commodities	0.02
Avocado	5	Cattle milk	*0.01
Banana	5	Coffee beans	0.04
Cherimoya	T1	Coriander, seed	0.1
Cherries	*0.05	Cotton seed	1
Custard apple	T1	Cotton seed oil, edible	0.3
Lettuce, head	2	Edible offal (mammalian)	*0.05
Lettuce, leaf	T3	Eggs	*0.02
Litchi	T1	Mangosteen	5
Llama	T1	Meat (mammalian)	*0.05
Mandarins	T10	Peppers, chili	3
Mango	5	Peppers, chili, dried	20
Mushrooms	3	Poultry, edible offal of	*0.05
Papaya (pawpaw)	5	Poultry meat	*0.05
Pepper, black, white	10	Tea, green, black	*0.05
Pineapple	2		
Pistachio nut	T0.5	Agvet chemical: Profoxydim	
Soursop	T1	<i>Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim</i>	
Sugar apple	T1	Edible offal (mammalian)	0.5
Sugar cane	*0.05	Eggs	*0.05
Agvet chemical: Procymidone		Meat (mammalian)	*0.05
<i>Permitted residue: Procymidone</i>		Milks	*0.01
All other foods except animal food commodities	0.05	Poultry, edible offal of	*0.05
Cherries	7	Poultry meat	*0.05
Chick-pea (dry)	T0.5	Rice	0.05
Chives	T3		
Common bean (dry) (navy bean)	T10	Agvet chemical: Prohexadione-calcium	
Durian (in the pulp)	0.05	<i>Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione</i>	
Edible offal (mammalian)	0.05	Apple	*0.02
Eggs	*0.01	Cherries	0.4
Garlic	5	Edible offal (mammalian)	*0.05
Lentil (dry)	0.5	Meat (mammalian)	*0.05
Lupin (dry)	*0.01	Milks	*0.01
Meat (mammalian) (in the fat)	0.2	Peanut	1
Milks	0.02		
Mustard seeds	T0.5	Agvet chemical: Prometryn	
Mustard seed oil, crude	T2	<i>Permitted residue: Prometryn</i>	
Onion, bulb	0.2	Cattle milk	*0.05
Peppers	T2	Cereal grains	*0.1
Potato	0.2	Coriander (leaves, roots, stems)	T1
Poultry, edible offal of	*0.01	Coriander, seed	T1
Poultry meat (in the fat)	*0.01	Cotton seed	*0.1
Rape seed (canola)	0.5	Edible offal (mammalian)	*0.05
Rape seed (canola) oil, crude	2	Meat (mammalian)	*0.05
Strawberry	*0.02		
Stone fruits [except cherries]	2		

Peanut	*0.1
Sunflower seed	*0.1
Vegetables	*0.1

Agvet chemical: Propachlor

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

All other foods except animal food commodities	0.05
Beetroot	*0.05
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.6
Broccoli, Chinese (Gai lan)	0.6
Cereal grains [except sorghum, grain; sweet corns]	0.05
Chinese cabbage (Pe-tsai)	T1
Edible offal (mammalian)	0.1
Eggs	*0.02
Garlic	2.5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	T1
Leek	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Onion, bulb	0.7
Onion, Welsh	T1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Radish	*0.02
Shallot	T1
Sorghum, grain	0.2
Spring onion	T1
Swede	*0.02
Sweet corn (corn-on-the-cob)	0.05
Turnip, garden	*0.02

Agvet chemical: Propamocarb

Permitted residue: Propamocarb (base)

All other foods except animal food commodities	0.1
Basil	T150
Brassica vegetables (except Brassica leafy vegetables)	30
Bulb vegetables [except chives; onion, bulb]	30
Cane berries	T15
Chives	30
Edible offal (mammalian)	1.5
Eggs	*0.01
Fats (mammalian)	0.03
Fennel, bulb	30
Fruiting vegetables, cucurbits	5
Fruiting vegetables, other than cucurbits	T0.3

Fungi, edible (except mushrooms)	T0.3
Herbs [except basil]	30
Leafy vegetables	70
Meat (mammalian)	0.03
Milks	*0.01
Mushrooms	T0.3
Onion, bulb	0.5
Peppers, chili, dried	10
Poppy seed	5
Potato	0.3
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sweet corns	T0.3

Agvet chemical: Propanil

Permitted residue: Propanil

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.1
Milks	*0.01
Poultry, edible offal of	3
Poultry meat	*0.1
Rice	2
Sheep, edible offal of	*0.1
Sheep meat	*0.1

Agvet chemical: Propaquizafop

Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop

Currants, black, red, white	*0.05
Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Oilseed	*0.05
Palm nuts	*0.05
Peanut	*0.05
Peas	*0.05
Pulses	*0.05
Raspberries, red, black	*0.05
Strawberry	*0.05

Agvet chemical: Propargite

Permitted residue: Propargite

Apple	3
Banana	3
Cotton seed	0.2
Edible offal (mammalian)	*0.1
Eggs	*0.1
Hops, dry	3
Meat (mammalian) (in the fat)	*0.1
Milks	*0.1
Passionfruit	3
Pear	3

Poultry, edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Stone fruits	3
Strawberry	7
Sweet corns	3
Vegetables	3

Agvet chemical: Propazine

Permitted residue: Propazine

Carrot	*0.1
--------	------

Agvet chemical: Propetamphos

Permitted residue: Propetamphos

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Propiconazole

Permitted residue: Propiconazole

All other foods except animal food commodities	0.05
Almonds	0.2
Avocado	*0.02
Banana	0.2
Beetroot	*0.02
Blackberries	1
Blueberries	2
Boysenberry	1
Broccoli, Chinese	T1
Celery	T5
Cereal grains [except sweet corns]	*0.05
Chard (silver beet)	T0.5
Chicory leaves	T1
Citrus fruits	10
Cranberry	0.3
Edible offal (mammalian)	1
Eggs	*0.05
Endive	T1
Grapes	T1
Meat (mammalian)	0.1
Milks	*0.01
Mint oil	*0.02
Mushrooms	*0.05
Orange oil, edible	1850
Parsley	T30
Peanut	*0.05
Pineapple	2
Plums (including prunes)	2
Poppy seed	*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1
Pulses	T0.3
Radicchio	T1
Radish	T0.2
Raspberries, red, black	1

Spices	*0.1
Spinach	T0.7
Stone fruits [except plum (including prunes)]	4
Sugar cane	*0.02
Sunflower seed	T0.5
Sweet corn (corn-on-the-cob)	*0.02
Tree nuts [except almonds]	T0.2

Agvet chemical: Propineb

see *Dithiocarbamates*

Agvet chemical: Propoxur

Permitted residue: Propoxur

Agvet chemical: Propylene oxide

Permitted residue: Propylene oxide

Almonds	100
---------	-----

Agvet chemical: Propyzamide

Permitted residue: Propyzamide

All other foods except animal food commodities	0.02
Cherries	0.1
Chicory leaves	*0.2
Currants, black, red, white	0.01
Edible offal (mammalian)	*0.2
Eggs	*0.05
Endive	*0.2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	*0.05
Milks	*0.01
Mustard seeds	0.02
Poppy seed	0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01
Quinoa	T0.2
Rape seed (canola)	0.02
Safflower Seed	T0.02

Agvet chemical: Proquinazid

Permitted residue—commodities of plant origin: Proquinazid

Permitted residue—commodities of animal origin: Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-ylloxy)propionic acid, expressed as proquinazid

All other foods except animal food commodities	0.1
Dried grapes (currants, raisins and sultanas)	2

Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except peppers, sweet]	0.3
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, sweet	0.2
Pome fruits	0.3
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	T*0.02

Agvet chemical: Prosulfocarb

Permitted residue: Prosulfocarb

Barley	*0.01
Carrot	T*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Oats	*0.01
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.01
Safflower seed	T*0.1
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Prothioconazole

Permitted residue—commodities of plant origin:

Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Permitted residue—commodities of animal origin:

Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

All other foods except animal food commodities	0.02
Blueberries	2
Cereal bran, unprocessed	0.5
Cereal grains [except sweet corns]	0.3
Cotton seed	T0.2
Cranberry	0.2
Edible offal (mammalian)	0.2
Eggs	*0.01
Linseed	0.03

Meat (mammalian) (in the fat)	0.02
Milks	*0.004
Mustard seeds	*0.02
Peanut	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses [except soya bean (dry)]	T0.7
Rape seed	0.2
Rape seed oil, edible	0.15
Soya bean (dry)	0.2
Sunflower seed oil, crude	0.5
Sunflower seeds (subgroup)	0.5
Watermelon	T0.2
Wheat germ	0.5

Agvet chemical: Prothiofos

Permitted residue: Prothiofos

Banana	*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broccoli, Chinese (Gai lan)	0.2
Pear	0.05

Agvet chemical: Pydiflumetofen

Permitted residue: Pydiflumetofen

All other foods except animal food commodities	0.05
Beans with pods	0.7
Berries and other small fruits [except blueberries; grapes; strawberry]]	3
Brassica leafy vegetables [except broccoli, Chinese (Gai lan)]	15
Broccoli, Chinese (Gai lan)	0.5
Bulb onions (subgroup)	0.3
Bush berries	5
Cereal grains [except maize cereals; sweet corns (subgroup)]	T3
Cherries (subgroup)	2
Chinese cabbage (Pe-tsai)	T30
Citrus fruits	1
Citrus oil, edible	40
Cotton seed	0.02
Dried grapes (currants, raisins and sultanas)	5
Edible offal (mammalian)	0.1
Eggs	0.02
Elderberries	5
Flowerhead brassicas	3
Fruiting vegetables, cucurbits	T0.5
Fruiting vegetables, other than cucurbits	T0.7
Fungi, edible (except mushrooms)	T0.7
Grapes	2
Green onions	2

Head brassicas [except Chinese cabbage (Pe-tsai)]	2
Leafy vegetables [except brassica leafy vegetables; witloof chicory]	T30
Legume vegetables [except beans with pods; peas with pods (subgroup)]	T0.5
Maize	0.04
Maize flour	0.07
Maize oil, edible	0.08
Mammalian fats [except milk fats]	0.1
Meat (mammalian) (in the fat)	0.1
Milks	*0.01
Mustard seeds	T0.05
Peaches (subgroup)	1
Peanut	0.05
Peanut oil, edible	0.15
Peas with pods (subgroup)	1.5
Peppers, chili, dried	5
Plums (including fresh prunes)	0.6
Pome fruits [except Persimmon, Japanese]	T0.2
Popcorn	T0.02
Potato	T0.05
Potato, dried	0.5
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Prunes, dried	1.5
Pulses	0.4
Rape seed (canola)	T0.07
Root and tuber vegetables [except potato]	0.3
Small seed oilseeds	0.9
Stalk and stem vegetables - stems and petioles	15
Stem brassicas	0.5
Strawberry	2
Sunflower seeds (subgroup)	0.5
Sweet corn (corn-on-the-cob)	0.03
Tomato, dried	7

Agvet chemical: Pymetrozine

Permitted residue: Pymetrozine

All other foods except animal food commodities	0.02
Almonds	*0.01
Beetroot	*0.02
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broad bean (dry)	T0.02
Broccoli, Chinese (Gai lan)	0.5
Celery	0.2
Chinese cabbage (Pe-tsai)	5
Cotton seed	*0.02
Cotton seed oil, edible	*0.02
Edible offal (mammalian)	*0.01

Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Lupin (dry)	T0.02
Meat (mammalian)	*0.01
Milks	*0.01
Pistachio nut	*0.01
Podded pea (young pods) (snow and sugar snap)	0.3
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.05
Strawberry	T0.3
Sweet corn (corn-on-the-cob)	*0.01

Agvet chemical: Pyraclofos

Permitted residue: Pyraclofos

Sheep fat	0.5
Sheep kidney	*0.01
Sheep liver	*0.01
Sheep muscle	*0.01

Agvet chemical: Pyraclostrobin

Permitted residue—commodities of plant origin: Pyraclostrobin

Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin

All other foods except animal food commodities	0.05
Artichoke, globe	2
Avocado	0.2
Banana	*0.02
Barley	1
Beans, podded [except common bean]	0.3
Berries and other small fruits [except blackberries; blueberries; boysenberry; grapes]	3
Blackberries	4
Blueberries	T5
Boysenberry	4
Brassica leafy vegetables	T3
Broccoli, Chinese (Gai lan)	T1
Brussels sprouts	0.3
Cabbages, head	0.2
Cereal grains [except barley; oats; rice; rye; sweet corns; triticale; wheat]	*0.01
Celery	T8
Cherries	3
Chick-pea (dry)	T0.5

Chives	2	Poultry, edible offal of	*0.05
Coffee beans	0.3	Poultry meat (in the fat)	*0.05
Common bean (pods and/or immature seeds)	0.6	Raspberries, red, black	4
Common beans (succulent seeds)	0.3	Rice	1.5
Corn salad (lamb's lettuce)	10	Rice, husked	0.09
Cress, garden	10	Rice, polished	0.03
Custard apple	T3	Root and tuber vegetables	0.5
Endive	0.4	Rucola	10
Dried grapes	5	Rye	0.2
Dry beans	0.3	Shallot	0.3
Edible offal (mammalian)	0.1	Silvanberries	T3
Eggs	*0.05	Sorghum, grain	0.5
Fats (mammalian)	0.5	Spices	0.1
Flowerhead brassicas (including broccoli; broccoli, Chinese (Gai lan); cauliflower)	0.1	Spinach	0.6
Fruiting vegetables, cucurbits	0.5	Spring onion	1.5
Fruiting vegetables, other than cucurbits	0.5	Stone fruits [except jujube, Chinese]	2.5
Fungi, edible (except mushrooms)	0.3	Sugar cane	0.08
Garlic	0.3	Sunflower seed	T0.3
Grapes	2	Sweet corns	0.3
Herbs	2	Table olives	T0.3
Hops, dry	23	Tangelo, large-sized cultivars	1
Jujube, Chinese	T7	Tangelo, small and medium sized cultivars	1
Leek	0.7	Tea, green, black	T7
Lemon	0.7	Tree nuts [except pistachio nut and walnut]	0.07
Lentil (dry)	0.5	Triticale	0.2
Lettuce, head	2	Walnut	T0.01
Lettuce, leaf	2	Wheat	0.2
Litchi	T2	Witloof chicory (sprouts)	0.09
Mango	0.6		
Meat (mammalian) (in the fat)	0.5	Agvet chemical: Pyraflufen-ethyl	
Milks	0.03	<i>Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)</i>	
Mung bean (dry)	T0.2		
Mushrooms	0.3	Almonds	0.01
Oats	1	Cereal grains [except sweet corns]	*0.02
Oilseed [except peanut]	0.4	Cherries	0.01
Olives for oil production	T0.3	Cotton seed	*0.05
Olive oil, crude	T1	Edible offal (mammalian)	*0.02
Olive oil, virgin	0.07	Eggs	*0.02
Onion, bulb	1.5	Hops, dry	*0.1
Onion, Welsh	1.5	Meat (mammalian)	*0.02
Oranges	2	Milks	*0.02
Papaya (pawpaw)	T0.5	Poultry, edible offal of	*0.02
Passionfruit	T1	Poultry meat	*0.02
Peanut	0.05	Pulses	*0.02
Peas (dry)	0.3		
Peas with pods	0.3	Agvet chemical: Pyrasulfotole	
Peas without pods (succulent)	0.08	<i>Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole</i>	
Pineapple	0.3		
Pistachio nut	T1	Barley	0.03
Pome fruits [except Persimmon, Japanese]	1	Cereal bran, unprocessed	0.03
Pomegranate	T0.3		
Poppy seed	*0.05		

Cereal grains [except barley; oats; sorghum, grain; sweet corns (subgroup)]	*0.02	Tree nuts	T*0.05
Edible offal (mammalian)	0.5	Agvet chemical: Pyridate	
Eggs	*0.02	<i>Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate</i>	
Mammalian fats (except milk fats)	*0.02	Chick-pea (dry)	*0.05
Meat (mammalian)	*0.02	Edible offal (mammalian)	*0.2
Milks	*0.01	Eggs	*0.2
Oats	0.15	Meat (mammalian)	*0.2
Poultry, edible offal of	0.05	Milks	*0.2
Poultry fats	*0.02	Poultry, edible offal of	*0.2
Poultry meat	*0.02	Poultry meat	*0.2
Sorghum, grain	0.5	Agvet chemical: Pyrimethanil	
Agvet chemical: Pyrethrins		<i>Permitted residue: Pyrimethanil</i>	
<i>Permitted residue: Sum of pyrethrins i and ii, Cinerins i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard</i>		All other foods except animal food commodities	0.1
All other foods except animal food commodities	0.2	Almond	0.2
Cereal grains [except sweet corns]	3	Banana	2
Chives	1	Berries and other small fruits [except blueberries; grapes; strawberry]	15
Cucumber	T2	Blueberries	8
Dried fruits	1	Chives	3
Dried vegetables	1	Citrus fruits [except lemon]	10
Edible offal (Mammalian)	*0.05	Coriander (leaves)	3
Eggs	*0.05	Cucumber	5
Fennel, leaf	1	Edible offal (mammalian)	*0.05
Fruit	1	Grapes	5
Fruiting vegetables, cucurbits [except cucumber]	0.2	Herbs	3
Herbs	1	Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	T5
Meat (mammalian) (in the fat)	*0.05	Lemon	11
Milks	*0.05	Lettuce, head	20
Oilseed	1	Lettuce, leaf	20
Olive oil, crude	T3	Meat (mammalian)	*0.05
Palm nuts	1	Milks	*0.01
Peanut	1	Onion, bulb	0.2
Peppers, chili, dried	0.5	Peppers, sweet	1
Poultry, Edible offal of	*0.05	Podded pea (young pods) (snow and sugar snap)	T10
Poultry, Meat (in the fat)	*0.05	Pome fruits [except Persimmon, Japanese]	15
Tree nuts	1	Potato	0.05
Vegetables	1	Spices	0.1
Agvet chemical: Pyridaben		Stone fruits [except jujube, Chinese]	10
<i>Permitted residue: Pyridaben</i>		Strawberry	5
Banana	0.5	Sweet potato	0.05
Cranberry	0.5	Tomato	1
Citrus fruits [except kumquats]	0.5	Agvet chemical: Pyriofenone	
Grapes	5	<i>Permitted residue: Pyriofenone</i>	
Hops, dry	10	All other foods	0.05
Pome fruits [except Persimmon, Japanese]	0.5		
Stone fruits	0.5		
Strawberry	1		

Berries and other small fruit [except Cane berries; cloudberry; cranberry; strawberry]	1.5
Cane berries	0.9
Cloudberry	0.5
Cranberry	0.5
Dried grapes (currants, raisins and sultanas)	2.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.7
Mammalian fats [except milk fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Strawberry	0.5

Agvet chemical: Pyriproxyfen

Permitted residue: Pyriproxyfen

All other foods except animal food commodities	0.1
Almonds	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3
Beans with pods	T0.3
Blueberries	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.7
Broccoli, Chinese (Gai lan)	T0.7
Cane berries	1
Chervil	T5
Chives	T5
Citrus fruits	0.5
Coriander (leaves, roots, stems)	T5
Cotton seed	*0.01
Cotton seed oil, crude	*0.02
Cranberry	1
Edible offal (mammalian)	*0.02
Eggs	0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Galangal, Greater	T*0.05
Galangal, Lesser	T*0.05
Grapes	2.5
Herbs	T5
Lettuce, leaf	5
Macadamia nuts	*0.01
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Mizuna	T5
Mushrooms	1

Olives for oil production	1
Olive oil, crude	3
Peanut	0.2
Peppers, chili, dried)	6
Persimmon, Japanese	T0.2
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.1
Rose and dianthus (edible flowers)	T5
Rucola (rocket)	T5
Stone fruits [except jujube, Chinese]	1
Strawberry	T0.5
Sweet corns	1
Sweet potato	*0.05
Table olives	1
Turmeric, root	T*0.05

Agvet chemical: Pyriproxyfen

Permitted residue: Pyriproxyfen

Cotton seed	*0.02
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyroxasulfone

Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone

Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone

All other foods except animal food commodities	0.01
Cereal grains [except maize; popcorn and sweet corns]	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Maize	0.02
Meat (mammalian)	*0.02
Milks	*0.002
Peanut	0.3
Popcorn	0.015
Potato	0.08
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses [except soya bean (dry)]	*0.01
Safflower seed	T*0.01
Soya bean (dry)	0.06
Soya bean oil	0.06

Sunflower oil	0.3
Sunflower seed	0.3
Sweet corn (corn-on-the-cob and kernels)	0.015

Agvet chemical: Pyroxsulam

Permitted residue: Pyroxsulam

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Quinclorac

Permitted residue: Quinclorac

Barley	2
Blueberries	0.08
Cranberry	1.5
Rape seed (canola)	1.5
Rice	10
Rice, husked	10
Rice, polished	8
Wheat	0.5

Agvet chemical: Quinoxifen

Permitted residue: Quinoxifen

All other foods except animal food commodities	0.02
Barley	*0.01
Chard (silver beet)	3
Cherries	0.7
Dried grapes	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	2
Hops, dry	3
Meat (mammalian) (in the fat)	0.1
Milk fats	0.2
Milks	0.01
Peppers, chili, dried	10
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except jujube, Chinese]	0.7
Strawberry	T0.3
Tea, green, black	*0.05
Wheat	T*0.01

Agvet chemical: Quintozene

Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene

Beans, except broad bean and soya bean	0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broad bean (green pods and immature seeds)	0.01
Broccoli, Chinese (Gai lan)	0.2
Common bean (dry) (navy bean)	0.2
Cotton seed	0.03
Edible offal (mammalian)	*0.1
Eggs	*0.03
Lettuce, head	0.3
Lettuce, leaf	0.3
Meat (mammalian)(in the fat)	*0.2
Milks	*0.02
Peanut	0.3
Peppers, chili, dried	0.1
Potato	0.2
Poultry, Edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Tomato	0.1

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

All other foods except animal food commodities	0.01
Barley	*0.02
Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and immature seeds)	*0.02
Cucumber	*0.02
Currants, black, red, white	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Hempseed	T*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Mustard seeds	T*0.02
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Quizalofop-p-tefuryl

Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl

All other foods except animal food commodities	0.01
Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and/or immature seeds)	*0.02
Cucumber	*0.02
Currents, black, red, white	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Mustard seeds	T*0.02
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Ractopamine

Permitted residue: Ractopamine

Cattle fat	0.01
Cattle kidney	0.09
Cattle liver	0.04
Cattle muscle	0.01
Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05
Turkey kidney	0.3
Turkey liver	0.3
Turkey meat	0.02
Turkey fat/skin	0.05

Agvet chemical: Rimsulfuron

Permitted residue: Rimsulfuron

Almonds	0.01
Blueberries	0.02
Cherries	0.01
Cranberry	0.02
Tomato	*0.05

Agvet chemical: Robenidone

Permitted residue: Robenidone

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Saflufenacil

Permitted residue—commodities of plant origin: Sum of saflufenacil, N'-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-(((isopropylamino)sulfonyl)amino)carbonyl]phenyl]urea, expressed as saflufenacil equivalents

Permitted residue—commodities of animal origin: Saflufenacil

All other foods except animal food commodities	0.03
Barley (desiccant use)	1
Cereal grains [except rice and sweet corns]	0.2
Cereal bran, unprocessed	0.5
Citrus fruits	*0.03
Cotton seed	0.2
Edible offal (mammalian)	7
Eggs	*0.01
Legume vegetables	*0.03
Linseed	T0.5
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seed	0.6
Oilseed [except cotton seed; linseed; mustard seed; rapeseed; sunflower seed]	*0.03
Palm nuts	*0.03
Peanut	*0.03
Pome fruits	*0.03
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	0.2
Rapeseed	0.6
Rice	*0.01
Sunflower seed	0.7
Sugar cane molasses	1
Tree nuts	*0.03
Wheat (desiccant use)	0.6

Agvet chemical: Salinomycin			
<i>Permitted residue: Salinomycin</i>			
Cattle, edible offal of	0.5	Chia	T0.7
Cattle meat	*0.05	Chinese cabbage (Pe-tsai)	T0.5
Eggs	*0.02	Chives, Chinese	T1
Pig, edible offal of	*0.1	Citrus fruits [except kumquats]	0.5
Pig meat	*0.1	Cotton seed	0.2
Poultry, edible offal of	0.5	Cranberry	2.5
Poultry meat	0.1	Dried herbs [except hops, dry]}	T5
		Dry beans (subgroup) [except lupin (dry); soya bean (dry)]	25
		Edible offal (mammalian)	*0.05
		Egg plant	T0.1
		Eggs	*0.05
		Fennel, bulb	T1
		Fruiting vegetables, cucurbits	*0.1
		Garlic	0.3
		Garlic chives	T1
		Hazelnut	T*0.03
		Hempseed	T0.5
		Herbs	T1
		Hops, dry	0.5
		Leafy vegetables [except lettuce, head; lettuce, leaf]	T1
		Leek	0.7
		Lettuce, head	0.2
		Lettuce, leaf	0.2
		Linseed	0.5
		Lupin (dry)	0.2
		Meat (mammalian)	*0.05
		Milks	*0.05
		Mustard seeds	T0.5
		Onion, bulb	0.3
		Onion, Welsh	0.7
		Peanut	25
		Peas (pods and succulent, immature seeds)	T0.7
		Peppers	T2
		Poppy seed	0.2
		Poultry, edible offal of	*0.05
		Poultry meat	*0.05
		Pulses [except dry beans (subgroup)]	*0.1
		Quinoa	T0.5
		Radicchio	T0.5
		Rape seed (canola)	0.5
		Rhubarb	0.1
		Root and tuber vegetables	1
		Safflower seed	T0.5
		Sesame seed	T0.5
		Shallot	0.7
		Spices	T5
		Spring onion	0.7
		Stone fruits [except jujube, Chinese; plum]	0.2
		Strawberry	10
		Sunflower seed	*0.1
		Tomato	0.1
		Wheat	*0.1
Agvet chemical: Sedaxane			
<i>Permitted residue: Sedaxane, sum of isomers</i>			
All other foods except animal food commodities	0.01		
Beetroot	*0.01		
Beetroot leaves	*0.01		
Cereal grains [except sweet corns]	*0.01		
Cotton seed	*0.01		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Meat (mammalian)	*0.01		
Milks	*0.01		
Poppy seed	T*0.01		
Potato	0.1		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		
Agvet chemical: Semduramicin			
<i>Permitted residue: Semduramicin</i>			
Chicken fat/skin	0.5		
Chicken kidney	0.2		
Chicken liver	0.5		
Chicken meat	*0.05		
Agvet chemical: Sethoxydim			
<i>Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim</i>			
All other foods except animal food commodities	0.1		
Almonds	0.2		
Asparagus	1		
Barley	*0.1		
Beans [except broad bean; soya bean]	T0.5		
Blueberries	4		
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5		
Broad bean (green pods and immature seeds)	*0.1		
Broccoli, Chinese (Gai lan)	0.5		
Celery	0.1		

Agvet chemical: Simazine		Cacao beans	*0.01
<i>Permitted residue: Simazine</i>		Carob	0.1
Asparagus	*0.1	Celery	6
Basil	T1	Cherries	0.2
Basil, dry	T5	Chinese cabbage (Pe-tsai)	0.7
Broad bean (dry)	*0.01	Chives	1
Broad bean (green pods and immature seeds)	*0.01	Citrus fruits	3
Chick-pea (dry)	*0.05	Coffee beans	*0.01
Chick-pea (green pods)	*0.05	Coriander (leaves, roots, stems)	5
Citrus fruits [except kumquats]	0.25	Coriander, seed	5
Cranberry	0.25	Cotton seed	*0.01
Edible offal (mammalian)	*0.05	Dill, seed	5
Eggs	*0.01	Dried grapes (currants, raisins and sultanas)	1
Fruit [except citrus fruits]	*0.1	Edible offal (mammalian)	0.2
Ginger root	*0.05	Eggs	*0.01
Hazelnut	T*0.03	Fennel, bulb	0.1
Kumquats	*0.1	Fennel, seed	5
Leek	*0.01	Fig	T0.1
Lupin (dry)	*0.05	Fruiting vegetables, cucurbits	0.05
Meat (mammalian)	*0.05	Fruiting vegetables, other than cucurbits	0.1
Milks	*0.02	Fungi, edible (except mushrooms)	0.1
Mustard seeds	T*0.02	Ginger, root	T0.02
Poultry, edible offal of	*0.01	Ginger, Japanese	T1
Poultry meat	*0.01	Herbs	1
Rape seed (canola)	*0.02	Hops, dry	22
Tree nuts	*0.1	Kaffir lime leaves	5
Agvet chemical: Spectinomycin		Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.7
<i>Permitted residue: Inhibitory substance, identified as spectinomycin</i>		Legume vegetables	0.2
Edible offal (mammalian) [except sheep, edible offal of]	*1	Lemon grass	5
Eggs	2	Lemon verbena (dry leaves)	5
Meat (mammalian) [except sheep meat]	*1	Maize cereals	*0.01
Poultry, edible offal of	*1	Meat (mammalian) (in the fat)	2
Poultry meat	*1	Milk fats	0.2
Agvet chemical: Spinetoram		Milks	0.01
<i>Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L</i>		Mizuna	0.7
All other foods except animal food commodities	0.01	Mushrooms	0.1
Almonds	0.1	Mustard seeds	T*0.01
Assorted tropical and sub-tropical fruits – inedible peel [except pitaya (dragon fruit); tamarillo (tree tomato)]	0.3	Olives for oil production	T0.07
Bayberry, red	T0.5	Peaches (including nectarines and apricots)	0.3
Berries and other small fruits [except raspberries, red, black]	0.5	Peanut	0.04
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2	Peppers, chili, dried	4
Broccoli, Chinese (Gai lan)	0.2	Pitaya (dragon fruit)	0.5
Bulb vegetables (alliums) [except chives]	0.1	Plums	0.3
		Pome fruits	0.1
		Poultry, edible offal of	*0.01
		Poultry meat (in the fat)	*0.01
		Pulses	0.01
		Rape seed (canola)	*0.01
		Raspberries, red, black	0.8
		Root and tuber vegetables	0.02
		Sorghum grains and millet	T*0.01
		Stalk and stem vegetables [except fennel, bulb; celery]	2

Sweet corn (corn-on-the-cob)	*0.01
Table olives	T0.07
Tea, green, black	70
Tree nuts [except almonds]	0.02
Turmeric, root	0.02
Witloof, chicory	2

Agvet chemical: Spinosad

Permitted residue: Sum of spinosyn A and spinosyn D

All other foods except animal food commodities	0.01
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3
Beans [except broad bean; soya bean]	0.5
Berries and other small fruits [except currants, black, red, white; grapes; raspberries, red, black]	0.7
Bergamot	5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Celery	2
Cereal grains [except sweet corns]	1
Chervil	5
Chinese cabbage (Pe-tsai)	5
Chives	5
Citrus fruits	0.3
Coffee beans	*0.01
Coriander, seed	5
Cotton seed	*0.01
Currants, black, red, white	1.5
Dill, seed	5
Edible offal (mammalian)	0.5
Eggs	0.05
Fennel, seed	5
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Galangal, Greater	0.02
Grapes	0.5
Herbs	5
Hops, dry	22
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.7
Milks	0.1
Mushrooms	0.2
Peanut	0.02
Peas (pods and succulent, immature seeds)	0.5
Peppers, chili, dried	3

Pome fruits	0.5
Potato	0.1
Poultry, edible offal of	0.05
Poultry meat (in the fat)	0.5
Pulses	0.01
Raspberries, red, black	1.5
Rhubarb	2
Root and tuber vegetables [except potato]	0.02
Stone fruits	1
Sweet corn (corn-on-the-cob)	0.02
Tree nuts	T*0.01
Turmeric, root	0.02
Wheat bran, unprocessed	2

Agvet chemical: Spirodiclofen

Permitted residue: Spirodiclofen

Almonds	0.1
Citrus fruits [except kumquats]	0.5
Currants, black, red, white	1
Grapes	2
Hops, dry	30
Stone fruits [except jujube, Chinese]	1

Agvet chemical: Spiromesifen

Permitted residue: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen

Cranberry	2
Peppers, chili, dried	5
Potato	0.02
Strawberry	1
Tea, green, black	50

Agvet chemical: Spirotetramat

Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat

All other foods except animal food commodities	0.1
Almonds	0.25
Banana	0.3
Blueberries	3
Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	7
Brassica leafy vegetables [except broccoli, Chinese (Gai lan)]	10
Broccoli, Chinese (Gai lan)	7
Brussels sprouts	1
Bulb vegetables [except chives]	0.5
Carrot	0.04
Celery	5
Chinese cabbage (Pe-tsai)	5

Chives	15	Agvet chemical: Spiroxamine	
Citrus fruits	1	<i>Permitted residue—commodities of plant origin:</i>	
Cotton seed	0.7	<i>Spiroxamine</i>	
Cranberry	0.3	<i>Permitted residue—commodities of animal origin:</i>	
Currants, black, red, white	1.5	<i>Spiroxamine carboxylic acid, expressed as</i>	
Dried grapes	4	<i>spiroxamine</i>	
Edible offal (mammalian)	0.5		
Eggs	*0.02	All other foods except animal food	0.05
Fennel, bulb	0.5	commodities	
Fig	T1	Banana	T5
Fruiting vegetables, cucurbits [except melons]	2	Barley	0.03
Fruiting vegetables, other than cucurbits	7	Dried grapes	3
Fungi, edible (except mushrooms)	7	Edible offal (mammalian)	0.5
Grapes	2	Eggs	*0.02
Herbs	15	Grapes	2
Hops, dry	15	Hops, dry	50
Leafy vegetables [except brassica leafy vegetables; lettuce, head; lettuce, leaf; witloof chicory]	5	Mammalian fats [except milk fats]	0.05
Legume vegetables	2	Meat (mammalian)	0.05
Lentil (dry)	T1	Milks	0.05
Lettuce, head	7	Podded pea (young pods) (snow and sugar snap)	T0.6
Lettuce, leaf	15	Poultry, edible offal of	*0.05
Maize	T*0.02	Poultry meat	*0.05
Mango	0.3		
Meat (mammalian)	0.02	Agvet chemical: Streptomycin and Dihydrostreptomycin	
Melons, except watermelon	0.5	<i>Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin</i>	
Milks	*0.005	Edible offal (mammalian)	*0.3
Mushrooms	7	Meat (mammalian)	*0.3
Passionfruit	0.5	Milks	*0.2
Peanut	*0.02		
Peppers, chili, dried	15	Agvet chemical: Sulfosulfuron	
Pineapple	0.3	<i>Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron</i>	
Pome fruits	0.5	Edible offal (mammalian)	*0.005
Potato	5	Eggs	*0.005
Poultry, edible offal of	*0.02	Meat (mammalian)	*0.005
Poultry meat	*0.02	Milks	*0.005
Rhubarb	5	Poultry, edible offal of	*0.005
Sorghum, grain	T*0.02	Poultry meat	*0.005
Soya bean (dry)	T5	Triticale	*0.01
Stone fruits	4.5	Wheat	*0.01
Strawberry	0.3		
Sugar beet	0.06	Agvet chemical: Sulfoxaflo	
Sugar beet, molasses	0.3	<i>Permitted residue: Sulfoxaflo</i>	
Sweet corn (corn-on-the-cob)	1	All other foods except animal food	0.01
Sweet potato	5	commodities	
Tree nuts [except almonds]	0.5	Asparagus	0.015
Watermelon	0.5	Assorted tropical and sub-tropical fruits – inedible peel [except banana and pineapple]	0.5
		Barley, similar grains, and pseudocereals with husks [except oats]	0.2

Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; Chinese cabbage (Pe-tsai)]	3
Broccoli, Chinese (Gai lan)	3
Bush berries	2
Cane berries	1.5
Carob	5
Cauliflower	0.1
Celery	1.5
Cherries	3
Chinese cabbage (Pe-tsai)	5
Citrus fruits	0.7
Coffee bean	0.3
Cotton seed	0.3
Cranberry	0.7
Dry beans	0.7
Edible offal (mammalian)	2
Eggs	*0.01
Elderberries	2
Fats (mammalian)	0.2
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Herbs	20
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5
Lettuce, head	1
Meat (mammalian)	0.7
Milks	0.3
Mushrooms	1
Mustard seeds	T0.15
Oats	*0.01
Peppers, chili, dried	15
Pineapple	0.2
Pome fruits	0.5
Potato	0.01
Poultry, edible offal of	0.02
Poultry meat	0.7
Rape seed (canola)	0.15
Rice	7
Rice, husked	1.5
Rice, polished	1
Root and tuber vegetables [except potato]	0.05
Sorghum, grain	0.2
Sorghum grain and millet	0.15
Soya bean (dry)	0.3
Stone fruits [except cherries (subgroup)]	1
Strawberry	0.7
Table grapes	2
Tree nuts	0.03
Wheat, similar grains, and pseudocereals without husks	0.05
Wine grapes	*0.01

Agvet chemical: Sulfuryl fluoride	
<i>Permitted residue: Sulfuryl fluoride</i>	
All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	0.05
Dried fruits	0.07
Peanut	15
Tree nuts	7

Agvet chemical: Sulphadiazine	
<i>Permitted residue: Sulphadiazine</i>	
Cattle milk	0.1
Edible offal (mammalian)	0.1
Eggs	T*0.02
Meat (mammalian)	0.1
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Sulphadimidine	
<i>Permitted residue: Sulphadimidine</i>	
Meat (mammalian)	0.1
Edible offal (mammalian)	0.1
Eggs	*0.005
Poultry, edible offal of [except turkey]	0.1
Poultry meat	0.1
Turkey, edible offal of	0.2

Agvet chemical: Sulphadoxine	
<i>Permitted residue: Sulphadoxine</i>	
Cattle milk	*0.1
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Agvet chemical: Sulphaquinoxaline	
<i>Permitted residue: Sulphaquinoxaline</i>	
Eggs	T*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Sulphatroxazole	
<i>Permitted residue: Sulphatroxazole</i>	
Cattle milk	0.1
Edible offal (mammalian)	0.1
Meat (mammalian)	0.1

Agvet chemical: Sulphur dioxide	
<i>Permitted residue: Sulphur dioxide</i>	
Blueberries	10
Longan, edible aril	10
Strawberry	T30
Table grapes	10

Agvet chemical: Tebuconazole		Pome fruits [except pear]	*0.01
<i>Permitted residue: Tebuconazole</i>		Pomegranate	T*0.01
All other foods except animal food commodities	0.05	Poultry, edible offal of	0.5
Anise myrtle leaves (dried)	T5	Poultry meat	0.1
Avocado	0.2	Prunes	T2
Banana	0.2	Pulses [except soya bean (dry)]	1
Barley	1	Radish	T0.3
Beetroot	T0.3	Radish leaves	T2
Beetroot leaves	T2	Rape seed (canola)	0.3
Bulb onions [except garlic]	0.07	Rice	1.5
Cane berries	1	Soya bean (dry)	0.1
Carrot	T0.5	Spices [except peppers, chili, dried]	1
Cereal grains [except barley, oats; rice; sweet corns]	0.2	Spinach	T2
Chard (silver beet)	T2	Stone fruits [except cherries (subgroup)]	1
Cherries	5	Strawberry	2
Chicory leaves	T2	Sugar cane	0.1
Citrus fruits [except mandarins (subgroup); oranges, sweet, sour]	0.2	Sunflower seed	0.1
Coffee bean	0.4	Sunflower seed oil, edible	0.2
Cotton seed	2	Sweet corn (corn-on-the-cob)	T0.7
Custard apple	2	Table olives	2
Dried grapes (currants, raisins and sultanas)	7	Tomato	0.5
Edible offal (mammalian)	0.5	Tree nuts	0.05
Eggs	0.1	Agvet chemical: Tebufenozide	
Endive	T2	<i>Permitted residue: Tebufenozide</i>	
Fennel, bulb	*0.01	All other foods except animal food commodities	0.05
Fruiting vegetables, cucurbits	0.5	Avocado	0.5
Garlic	T0.2	Blueberries	3
Grapes	6	Citrus fruits	1
Green onions	2	Cranberry	0.5
Hops, dry	40	Custard apple	0.3
Legume vegetables	0.5	Dried grapes	4
Lemon myrtle leaves (dried)	T5	Edible offal (mammalian)	*0.02
Lettuce, head	0.1	Grapes	2
Lettuce, leaf	0.1	Kiwifruit	2
Mandarins	0.7	Litchi	2
Meat (mammalian)	0.1	Longan	2
Melons, except watermelon	0.4	Macadamia nuts	0.05
Milks	0.05	Meat (mammalian) (in the fat)	*0.02
Mustard seeds	0.3	Milks	*0.01
Oats	1	Peppers, chili, dried	10
Olives for oil production	2	Pome fruits [except Persimmon, Japanese]	1
Olive oil, crude	5	Raspberries, red, black	3
Orange oil, edible	10	Agvet chemical: Tebufenpyrad	
Oranges, Sweet, Sour	0.4	<i>Permitted residue: Tebufenpyrad</i>	
Papaya (pawpaw)	0.2	All other foods except animal food commodities	0.02
Passionfruit	0.5	Cucumber	*0.02
Peanut	0.1	Peach	1
Pear	1	Pome fruits [except Persimmon, Japanese]	1
Persimmon, American	2		
Peppers, chili, dried	10		
Peppers, sweet	1		

Strawberry	1
Tea, green, black	0.1

Agvet chemical: Tebuthiuron

Permitted residue: Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron

Edible offal (mammalian)	2
Meat (mammalian)	0.5
Milks	0.2

Agvet chemical: Teflubenzuron

Permitted residue: Teflubenzuron

Citrus fruits [except kumquats]	0.5
Coffee beans	0.3
Maize	0.1
Soya bean (dry)	0.05
Sugar cane	0.01

Agvet chemical: Temephos

Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos

Cattle, edible offal of	T2
Cattle meat (in the fat)	T5
Sheep, edible offal of	0.5
Sheep meat (in the fat)	3

Agvet chemical: Terbacil

Permitted residue: Terbacil

Apple	*0.04
Blueberries	0.2
Peach	*0.04
Peppermint oil	*0.1

Agvet chemical: Terbufos

Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos

Banana	0.05
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Cereal grains [except sweet corns]	*0.01
Eggs	*0.01
Peanut	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sunflower seed	*0.05
Sweet corn (corn-on-the-cob)	*0.05

Agvet chemical: Terbutylazine

Permitted residue: Terbutylazine

Cereal grains [except sweet corns]	*0.01
Cotton seed	0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Rape seed (canola)	*0.02
Sugar cane	*0.01
Sweet corn (corn-on-the-cob)	*0.01

Agvet chemical: Terbutryn

Permitted residue: Terbutryn

Cereal grains [except sweet corns]	*0.1
Edible offal (mammalian)	3
Eggs	*0.05
Meat (mammalian)	0.1
Milks	0.1
Peas	*0.1
Poultry, edible offal of	*0.05
Poultry meat	0.1
Sugar cane	*0.05

Agvet chemical: Tetraconazole

Permitted residue: Tetraconazole

All other foods except animal food commodities	0.02
Berries and other small fruits [except grapes]	0.2
Edible offal (mammalian)	0.2
Grapes	0.5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Peanut	0.03

Agvet chemical: Tetracycline

Permitted residue: Inhibitory substance, identified as tetracycline

Milks	*0.1
-------	------

Agvet chemical: Tetraniliprole

Permitted residue: Tetraniliprole

All other foods except animal food commodities	0.02
Almonds	0.05
Apricots, dried	3
Avocado	T0.2
Banana	*0.01

Cane berries	T0.5
Cherries	1
Edible offal (mammalian)	0.7
Eggs	*0.01
Fig	T0.5
Grapes	0.5
Litchi	T0.5
Macadamia nuts	*0.01
Maize cereals	0.02
Mango	0.1
Meat (mammalian) [in the fat]	0.1
Milks	0.1
Milk fats	0.2
Pineapple	T*0.01
Pome fruits	0.5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Prunes	3
Sorghum grain and millet	*0.01
Stone fruits [except cherries]	0.7
Sweet corns	*0.01

Agvet chemical: Thiabendazole

Permitted residue—commodities of plant origin: Thiabendazole

Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole

All other foods except animal food commodities	0.03
Apple	10
Banana	3
Citrus fruits	10
Edible offal (mammalian)	0.2
Mango	7
Meat (mammalian)	0.2
Milks	0.05
Mushrooms	0.5
Onion, bulb	0.05
Pear	10
Potato	5
Sweet potato	9
Taro	T50

Agvet chemical: Thiacloprid

Permitted residue: Thiacloprid

All other foods except animal food commodities	0.1
Chives	5
Coriander (leaves)	5
Cotton seed	0.1
Currants, black, red, white	1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Herbs	5

Meat (mammalian)	*0.02
Milks	*0.01
Mustard seed	0.5
Peppers, chili	1
Peppers, sweet	1
Pome fruits	1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Raspberries, red, black	6
Spices	0.1
Stone fruits	2
Strawberry	1
Tea, green, black	10

Agvet chemical: Thiamethoxam

See also *Clothianidin*

Permitted residue—commodities of plant origin: Thiamethoxam

Commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as Thiamethoxam

(Note: the metabolite clothianidin has separate MRLs)

All other foods except animal food commodities	T0.5
Barley	0.5
Barley bran, processed	1.5
Beans [except broad bean; soya bean]	T0.2
Berries and other small fruits [except grapes]	0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	3
Broccoli, Chinese (Gai lan)	3
Celery	1
Cereal grains [except barley; maize; oats; rice; sorghum, grain; sweet corn (corn-on-the-cob); triticale; wheat]	*0.01
Chinese cabbage (Pe-tsai)	2
Citrus fruits	1
Cotton seed	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.02
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits	0.7
Fungi, edible (except mushrooms)	0.7
Grapes	0.2
Hops, dry	0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	2
Maize	*0.02
Mango	0.07
Meat (mammalian)	0.07

Milks	0.15	Pulses	*0.1
Mushrooms	0.7	Sweet corn (corn-on-the-cob)	*0.1
Mustard seeds	T*0.01	Tomato	2
Oats	0.5		
Peppers, chili, dried	7	Agvet chemical: Thiophanate	
Persimmon, Japanese	0.6	see <i>Carbendazim</i>	
Podded pea (young pods) (snow and sugar snap)	0.01		
Poultry, edible offal of	*0.02	Agvet chemical: Thiophanate-methyl	
Poultry fats	*0.01	<i>Permitted residue: Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl</i>	
Poultry meat	0.03		
Pulses	*0.02	All other foods except animal food commodities	0.1
Rape seed (canola)	*0.01	Almonds	0.1
Rice	50	Apricot	15
Rice bran, unprocessed	30	Cherries	20
Rice, husked	5	Currants, black, red, white	*0.1
Rice, polished	3	Grapes	5
Root and tuber vegetables	T0.7	Mango	2
Sorghum, grain	0.6	Nectarine	3
Sorghum, sweet (sorgo)	0.6	Peach	3
Stone fruits	0.5	Peanut	0.1
Sunflower seed	*0.02	Plums	0.5
Sweet corn (corn-on-the-cob)	*0.02	Raspberries, red, black	*0.1
Tea, green, black	20	Rhubarb	*0.1
Triticale	0.15	Strawberry	*0.1
Wheat	0.15		
		Agvet chemical: Thiram	
Agvet chemical: Thidiazuron		see <i>Dithiocarbamates</i>	
<i>Permitted residue: Thidiazuron</i>			
Cotton seed	*0.5	Agvet chemical: Tiafenacil	
Edible offal (mammalian)	*0.05	<i>Permitted residue—commodities of plant origin: Tiafenacil</i>	
Meat (mammalian)	*0.05	<i>Permitted residue—Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil</i>	
Milks	*0.01		
		Cereal grains [except sweet corns]	*0.01
Agvet chemical: Thiobencarb		Cotton seed	*0.01
<i>Permitted residue: Thiobencarb</i>		Edible offal (mammalian)	*0.02
Rice	*0.05	Eggs	*0.02
		Meat (mammalian)	*0.02
Agvet chemical: Thiodicarb		Milks	*0.02
<i>Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb</i>		Mustard seeds	*0.01
All other foods except animal food commodities	0.1	Poultry, edible offal of	*0.02
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2	Poultry meat	*0.02
Broccoli, Chinese (Gai lan)	2	Pulses	*0.01
Chia	T1	Rape seed (canola)	*0.01
Cotton seed	*0.1		
Cotton seed oil, crude	*0.1	Agvet chemical: Tiamulin	
Edible offal (mammalian)	*0.05	<i>Permitted residue: Tiamulin</i>	
Maize	*0.1	Pig, edible offal of	*0.1
Meat (mammalian)	*0.05	Pig meat	*0.1
Milks	*0.05		
Potato	0.1		

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Tilmicosin

Permitted residue: Tilmicosin

Cattle, edible offal of	1
Cattle meat	*0.05
Pig, edible offal of	1
Pig meat	0.05

Agvet chemical: Tioxazafen

Permitted residue: Sum of tioxazafen and benzamidine (benzenecarboximidamide), expressed as tioxazafen

Cotton seed	*0.01
Edible offal (mammalian)	0.03
Eggs	*0.02
Fats (mammalian)	0.03
Maize	*0.01
Meat (mammalian)	0.02
Milks	0.02
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Soya bean (dry)	0.04

Agvet chemical: Tolclofos-methyl

Permitted residue: Tolclofos-methyl

All other foods except animal food commodities	0.02
Beetroot	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Leafy greens [except chard; purslane; spinach]	0.7
Mammalian fats [except meat fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Potato	0.3
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01

Agvet chemical: Tolfenamic acid

Permitted residue: Tolfenamic acid

Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	0.05
Cattle milk	0.05
Pig kidney	*0.01
Pig liver	0.1
Pig meat	*0.01

Agvet chemical: Tolfenpyrad

Permitted residue—commodities of plant origin: Tolfenpyrad

Permitted residue—commodities of animal origin: Sum of tolfenpyrad, and free and conjugated PT-CA (4-[4-[(4-chloro-3-ethyl-1-methylpyrazol-5-yl) carbonylamino]methoxy] benzoic acid and OH-PT-CA (4-[4-[[4-chloro-3(1-hydroxyethyl)-1-methylpyrazol-5-yl] carbonylamino]methoxy] benzoic acid) (released with alkaline hydrolysis), expressed as tolfenpyrad

Bulb onions	0.09
Citrus oil, edible	80
Edible offal (mammalian)	0.4
Eggs	*0.01
Lemons and Limes	0.9
Mammalian fats [except milk fats]	*0.01
Mandarins	0.9
Meat (mammalian)	*0.01
Milks	*0.01
Oranges, Sweet, Sour	0.6
Peppers [except martynia; okra; roselle]	0.5
Peppers, chili, dried	5
Potato	0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Pummelos	0.6

Agvet chemical: Toltrazuril

Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril

Cattle fat	1
Cattle kidney	1
Cattle liver	2
Cattle muscle	0.25
Chicken, edible offal of	5
Chicken meat	2
Eggs	*0.03
Pig, edible offal of	2
Pig meat (in the fat)	1

Agvet chemical: Topramezone

Permitted residue: Topramezone

Barley	*0.01
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.001
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.01

Agvet chemical: Tralkoxydim	
<i>Permitted residue: Tralkoxydim</i>	
Cereal grains [except sweet corns]	*0.02

Agvet chemical: Trenbolone acetate	
<i>Permitted residue: Sum of trenbolone acetate and 17 Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone</i>	
Cattle, edible offal of	0.01
Cattle meat	0.002

Agvet chemical: Triadimefon	
<i>Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon</i>	
<i>see also Triadimenol</i>	
All other foods except animal food commodities	0.05
Apple	T1
Cereal grains [except sweet corns]	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.1
Field pea (dry)	0.1
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Garden pea, shelled (succulent seeds)	0.1
Garden pea (young pods, succulent seeds)	0.1
Grapes	1
Fats (mammalian)	*0.25
Meat (mammalian)	*0.05
Milks	*0.1
Mushrooms	0.2
Peppers, chili, dried	5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Strawberry	0.5
Sugar cane	*0.05
Sweet corns	0.2
Tea, green, black	0.2

Agvet chemical: Triadimenol	
<i>Permitted residue: Triadimenol</i>	
<i>see also Triadimefon</i>	
All other foods except animal food commodities	0.05
Anise myrtle leaves (dried)	0.05
Berries and other small fruits [except grapes; riberry; strawberry]	T0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1

Cereal grains [except sorghum, grain; sweet corns]	*0.01
Cherries	0.1
Chives	T3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Grapes	0.5
Leek	T3
Lemon myrtle leaves (dried)	0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mushrooms	1
Onion, bulb	0.05
Onion, Chinese	T3
Onion, Welsh	T3
Papaya (pawpaw)	0.2
Parsnip	0.2
Peppers, chili, dried	5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	0.2
Riberry	0.3
Shallot	T3
Sorghum, grain	0.5
Spring onion	T3
Strawberry	0.5
Sugar cane	*0.05
Swede	0.2
Sweet corns	1
Tea, green, black	0.2
Turnip, garden	0.2

Agvet chemical: Triallate	
<i>Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCP SA), expressed as triallate</i>	
Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian) [except kidney]	*0.1
Eggs	*0.01
Fats (mammalian)	0.2
Kidney of cattle, goats, pigs and sheep	0.2
Legume vegetables	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	*0.1
Pulses	0.1

Agvet chemical: Triasulfuron	
<i>Permitted residue: Triasulfuron</i>	
Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Triazophos	
<i>Permitted residue: Triazophos</i>	
Coriander, seed	0.1

Agvet chemical: Tribenuron-methyl	
<i>Permitted residue: Tribenuron-methyl</i>	
Barley	*0.01
Chick-pea (dry)	*0.01
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mung bean (dry)	*0.01
Oats	*0.01
Rape seed (canola)	*0.01
Sorghum, grain	*0.01
Soya bean (dry)	*0.01
Sunflower seed	*0.01
Wheat	*0.01

Agvet chemical: Trichlorfon	
<i>Permitted residue: Trichlorfon</i>	
Achachairu	T3
All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – edible peel	T3
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	T3
Babaco	T3
Beetroot	0.2
Berries and other small fruits	T2
Brussels sprouts	0.2
Cape gooseberry (ground cherry)	T0.5
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.1
Cauliflower	0.2
Celery	0.2
Cereal grains [except sweet corn (corn-on-the-cob)]	0.1
Dried fruits	2
Egg plant	T0.5

Eggs	*0.05
Fish muscle	T*0.01
Fruit [except as otherwise listed under this chemical]	T0.1
Goat, edible offal of	0.1
Goat meat	0.1
Kumquats	T3
Loquat	T3
Macadamia nuts	0.1
Medlar	T3
Milks	*0.05
Miracle fruit	T3
Oilseed [except peanut]	0.1
Pepino	T5
Peppers	0.2
Persimmon, Japanese	T3
Pig, edible offal of	0.1
Pig fat	0.1
Pig meat	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.2
Quince	T3
Rollinia	T3
Shaddock (pomelo)	T3
Soya bean (dry)	0.1
Stone fruits	T3
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	0.2
Tamarillo (tree tomato)	T3
Thai egg plant	T0.5
Vegetables [except as otherwise listed under this chemical]	0.1

Agvet chemical: Triclabendazole	
<i>Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents</i>	
Fats (mammalian)	1
Kidney (mammalian)	1
Liver (mammalian)	2
Meat (mammalian)	0.5
Milks	0.01

Agvet chemical: Triclopyr	
<i>Permitted residue: Triclopyr</i>	
Cattle, edible offal of	5
Cattle meat (in the fat)	0.2
Citrus fruits [except kumquats]	0.2
Goat, edible offal of	5
Goat meat (in the fat)	0.2
Litchi	0.1
Milks (in the fat)	0.1
Poppy seed	*0.01
Sheep, edible offal of	5

Sheep meat (in the fat)	0.2
Agvet chemical: Tridemorph	
<i>Permitted residue: Tridemorph</i>	
Tea, green, black	0.05
Agvet chemical: Trifloxystrobin	
<i>Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminooxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents</i>	
All other foods except animal food commodities	0.05
Almonds	0.05
Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2
Banana	0.5
Barley	0.5
Beans (except broad bean and soya bean)	0.06
Beans with pods [except beans (except broad bean and soya bean); common bean (pods and/or immature seeds)]	0.5
Beetroot	T0.5
Beetroot leaves	T10
Broccoli	2
Bush berries	3
Cane berries	3
Carrot	0.1
Cauliflower	2
Celery	T5
Chard (silver beet)	T10
Chicory leaves	T10
Common bean (pods and/or immature seeds)	0.4
Cotton seed	*0.04
Corn salad	15
Cucumber	0.5
Dried grapes	2
Edible offal (mammalian)	0.09
Eggs	*0.04
Endive	T10
Grapefruit	0.6
Grapes	3
Hazelnuts	T0.1
Hops, dry	11
Lemon	0.6
Lettuce, head	15
Lettuce, leaf	15
Linseed	0.4
Maize	0.05
Mammalian fats (except milk fats)	0.07
Meat (mammalian) (in the fat)	0.07
Melons, except watermelon	0.5

Milks	*0.02
Mustard seeds	T*0.02
Oranges	0.6
Peanut	0.05
Peanut oil, crude	0.05
Peas with pods (subgroup)	1.5
Peppers, sweet, chili	0.5
Persimmon, Japanese	1.5
Pistachio nut	0.04
Podded pea (young pods) (snow and sugar snap)	0.06
Pome fruits [except Persimmon, Japanese]	0.7
Popcorn	0.05
Poultry, edible offal of	*0.04
Poultry meat (in the fat)	*0.04
Rape seed (canola)	*0.02
Rice	5
Spinach	T10
Stone fruits	5
Strawberry	2
Sugar beet	0.1
Sweet corn (corn-on-the-cob)	0.04
Tomato	0.7
Walnuts	0.04
Wheat	0.2

Agvet chemical: Trifloxysulfuron sodium

Permitted residue: Trifloxysulfuron

Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	*0.01

Agvet chemical: Trifludimoxazin

Permitted residue: Trifludimoxazin

Barley	*0.01
Broad bean (dry)	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Field pea (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.001
Oats	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Triflumezopyrim	
<i>Permitted residue—commodities of plant origin: Triflumezopyrim</i>	
<i>Permitted residue—commodities of animal origin: Triflumezopyrim</i>	
Rice	0.2

Agvet chemical: Triflumizole	
<i>Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro- N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole</i>	
Cherries	1.5
Grapes	2.5
Hops, dry	50

Agvet chemical: Triflumuron	
<i>Permitted residue: Triflumuron</i>	
Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian) [except sheep, edible offal of]	*0.05
Eggs	0.01
Hops, dry	50
Meat (mammalian) [except sheep meat (in the fat)]	*0.05
Milks	*0.05
Mushrooms	0.1
Palm nuts	*0.05
Peanut	*0.05
Poultry, edible offal of	0.01
Poultry meat (in the fat)	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	2

Agvet chemical: Trifluralin	
<i>Permitted residue: Trifluralin</i>	
Adzuki bean (dry)	*0.05
All other foods except animal food commodities	0.01
Almonds	0.05
Bergamot	T*0.05
Broad bean (dry)	*0.05
Carrot	0.5
Cereal grains [except sweet corns]	*0.05
Chick-pea (dry)	*0.05
Chives	T*0.05
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Cowpea (dry)	*0.05
Dill, seed	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05

Fennel, bulb	T0.5
Fennel, seed	*0.05
Fruit	*0.05
Galangal, Greater	0.5
Herbs	*0.05
Hyacinth bean (dry)	*0.05
Lemon verbena (fresh weight)	*0.05
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	*0.05
Mung bean (dry)	*0.05
Oilseed	*0.05
Parsnip	0.5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rose and dianthus (edible flowers)	*0.05
Shrimps and Prawns	T0.001
Sugar cane	*0.05
Sweet corns	0.05
Tea, green, black	*0.05
Turmeric, root (fresh)	0.5
Vegetables [except as otherwise listed under this chemical]	0.05

Agvet chemical: Triforine	
<i>Permitted residue: Triforine</i>	
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	10

Agvet chemical: Trimethoprim	
<i>Permitted residue: Trimethoprim</i>	
Cattle milk	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	0.05
Poultry, edible offal of	0.05
Poultry meat	0.05

Agvet chemical: Trinexapac-ethyl	
<i>Permitted residue: Trinexapac acid</i>	
All other foods except animal food commodities	0.02
Barley bran, processed	4
Bran, unprocessed of cereal grains [except rice bran, unprocessed; wheat bran, unprocessed]	0.5
Cereal grains [except rice; rye; sweet corns (subgroup)]	0.2
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.02
Milks	*0.005
Poppy seed	20

Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rice	0.5
Rice bran, unprocessed	3
Rice, polished	0.7
Rye	3
Sugar cane	0.1
Wheat bran, unprocessed	5

Agvet chemical: Triticonazole

Permitted residue: Triticonazole

Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Tulathromycin

Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents

Cattle fat	0.1
Cattle kidney	1
Cattle liver	3
Cattle muscle	0.1
Pig fat/skin	0.3
Pig kidney	3
Pig liver	2
Pig muscle	0.5
Sheep fat	*0.05
Sheep kidney	0.3
Sheep liver	1
Sheep muscle	0.15

Agvet chemical: Tylosin

Permitted residue: Tylosin A

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.2
Milks	*0.05
Pig, edible offal of	*0.2
Pig fat	*0.1
Pig meat	*0.2
Poultry, edible offal of	*0.2
Poultry fats	*0.1
Poultry meat	*0.2

Agvet chemical: Uniconazole-p

Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p

Avocado	0.5
Carrot	T*0.01
Custard apple	T*0.01
Poppy seed	*0.01
Walnuts	T*0.01

Agvet chemical: Valifenalate

Permitted residue: Valifenalate

Edible offal (mammalian)	*0.01
Eggplant	0.4
Eggs	*0.01
Table grapes	0.3
Mammalian fats [except milk fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.5
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Shallot	0.5
Tomato	0.4

Agvet chemical: Virginiamycin

Permitted residue: Inhibitory substance, identified as virginiamycin

Cattle, edible offal of	0.2
Cattle fat	0.2
Cattle milk	0.1
Cattle meat	*0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	0.1
Sheep, edible offal of	0.2
Sheep meat	0.1

Agvet chemical: Warfarin

Permitted residue: Warfarin

Pig, edible offal [except liver]	T0.007
Pig fat	T0.007
Pig liver	T0.04
Pig meat	T0.007

Agvet chemical: Zeranol

Permitted residue: Zeranol

Cattle, edible offal of	0.02
Cattle meat	0.005

Agvet chemical: Zeta-cypermethrin
see Cypermethrin

Agvet chemical: Zetacypermethrin
see Cypermethrin

Agvet chemical: Zinc phosphide

See Phosphine

Agvet chemical: Zineb

See Dithiocarbamates

Agvet chemical: Ziram

See Dithiocarbamates

Agvet chemical: Zoxamide

Permitted residue: Zoxamide

Grapes	5
--------	---

Flutianil

Permitted residue: Flutianil

Apple	0.15
Cherries (subgroup)	0.4
Small fruit vine climbing	0.7

Isoprothiolane

Permitted residue — commodities of plant origin: isoprothiolane

Permitted residue — commodities of animal origin: sum of isoprothiolane and 2-(1,3-dithiolan-2-ylidene)-3-oxo-3-(propan-2-yloxy)propanoic acid (M-2), expressed as isoprothiolane

Banana	1
--------	---

Pyraziflumid

Permitted residue — commodities of plant origin: pyraziflumid

Permitted residue — commodities of animal origin: pyraziflumid and its pyraziflumid-4'-OH metabolite (free), expressed as pyraziflumid

Dried grapes (currants; raisins; sultanas)	6
Grapes	3
Pome fruits	1.5

Spiropidion

Permitted residue — commodities of plant origin: sum of spiropidion and spiropidion-enol (SYN547305) expressed as spiropidion

Permitted residue — commodities of animal origin: spiropidionenol (SYN547305) expressed as spiropidion

Cucumber	0.8
Edible offal (mammalian)	0.2
Eggs	*0.012
Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes	0.9
Mammalian fats (except milk fats)	0.025
Meat (mammalian)	*0.012
Milks	*0.012
Peppers (subgroup)	1
Peppers, chili, dried	7
Potato	1.5
Potato, flakes/granules	5
Poultry, edible offal of	*0.012
Poultry fats	*0.012
Poultry meat	*0.012
Soya bean (dry)	3
Soya flour	5
Tomato	0.8
Tomato, dried	7
Tomato, puree	1.5

Amendment History

The Amendment History provides information about each amendment to the Schedule. The information includes commencement or cessation information for relevant amendments.

These amendments are made under section 92 of the *Food Standards Australia New Zealand Act 1991* unless otherwise indicated. Amendments do not have a specific date for cessation unless indicated as such.

About this compilation

This is compilation No. 81 of Schedule 20 as in force on **11 December 2024** (up to Amendment No. APVMA 5, 2024). It includes any commenced amendment affecting the compilation to that date.

Prepared by Food Standards Australia New Zealand.

Uncommenced amendments or provisions ceasing to have effect.

To assist stakeholders, the effect of any uncommenced amendments or provisions which will cease to have effect, may be reflected in the Schedule as shaded boxed text with the relevant commencement or cessation date. These amendments will be reflected in a compilation registered on the Federal Register of Legislation including or omitting those amendments and provided in the Amendment History once the date is passed.

The following abbreviations may be used in the table below:

ad = added or inserted	am = amended
C[x] = Compilation No. x	ed = editorial change
exp = expired or ceased to have effect	(md not Incorp) = misdescribed amendment cannot be given effect.
rep = repealed	rs = repealed and substituted

Schedule 20 was published in the Food Standards Gazette No. FSC96 on 10 April 2015 as part of Amendment 154 (F2015L00468 — 1 April 2015) and has since been amended as follows:

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Std heading	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	am	Remove number from Note.
2(b), (c)	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am, ad	Insert new paragraph (c) with consequential formatting amendment to paragraph (b).
Table to S20—3	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	rs	Table.
Table to S20—3	APVMA 1, 2016	F2016L00141 24 Feb 2016 APVMA Special 1 March 2016	1 March 2016	am	Abamectin, Azoxystrobin, Chlorothalonil, Clothianidin, Cyazofamid, Dithiocarbamates, Flumioxazin, Imidacloprid, Methabenzthiazuron, Propachlor, Pymetrozine, Spinetoram, Tebuconazole and Trichlorfon.
Table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	ad	Oxathiapiprolin.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	am	Aminoethoxyvinyl-glycine, Chlorantraniliprole, Difenoconazole, Etoazole, Flumioxazin, Glyphosate, Prochloraz, Propiconazole, Sethoxydim, Spirotetramat and Triclabendazole.
Table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Permitted residue for Abamectin.
Table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Abamectin and Sethoxydim.
Table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	ad	Decoquinate.
Table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	am	Azoxystrobin, Bifenthrin, Cyproconazole, Difenoconazole, Ethepon, Etoazole, Maldison and Spinetoram.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Permitted residue for Clethodim.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	ad	Cycloxydim, Famoxadone, Flupyradifurone, Folpet, Fosetyl-aluminium and Mesotrione.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Acetamiprid, Boscalid, Buprofezin, Carbaryl, Carbendazim, Clopyralid, Clothianidin, Cyantraniliprole, Cyprodinil, Dichlobenil, Difenoconazole, Dimethenamid-P, Dodine, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fludioxonil, Fluopyram, Flutriafol, Fluxapyroxad, Fosetyl, Glyphosate, Imazamox, Imazapic, Imazapyr, Imazethapyr, Indoxacarb, Maldison, Metaflumizone, Metalaxyl, Metrafenone, Norflurazon, Penconazole, Pyraclostrobin, Spinetoram, Spinosad, Tebuconazole, Thiamethoxam, Thiophanate-methyl and Triadimefon.
Table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Residue definition for Glyphosate.
Table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Acetamiprid, Acibenzolar-S-methyl, Boscalid, Clothianidin, Flonicamid, Metalaxyl, Metsulfuron-methyl, Pymetrozine and Sulfoxaflor.
Table to S20—3	APVMA 6, 2016	F2016L01088 28 June 2016 APVMA 13 28 June 2016	28 June 2016	am	Bixafen, Difenoconazole, Fenvalerate, Imazapic, Imazapyr, Milbemectin and Quinoxifen.
Table to S20—3	APVMA 7, 2016	F2016L01238 26 July 2016 APVMA 15 26 July 2016	26 July 2016	am	Azoxystrobin, Chloridazon, Flamprop-methyl, Fluensulfone, Mandipropamid. Meloxicam.
Table to S20—3	APVMA 8, 2016	F2016L01316 23 Aug 2016 APVMA 17 23 Aug 2016	23 Aug 2016	am	Azoxystrobin, Buprofezin, Cyproconazole, Prothioconazole and Spirotetramat.
Table to S20—3	APVMA 9, 2016	F2016L01579 4 Oct 2016 APVMA 20 4 Oct 2016	4 Oct 2016	am	Bromoxynil, Carbendazim, Clothianidin, Ethepon, Iprodione, Linuron, Methabenzthiazuron and Pirimicarb.
Table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	ad	Amisulbrom and Mandestrobin.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	am	Abamectin, Acibenzolar-S-methyl, Boscalid, Buprofezin, Chlorantraniliprole, Chlorothalonil, Difenconazole, Dithiocarbamates, Etoxazole, Flubendiamide, Iprodione and Saflufenacil.
Table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	ad	Pyriofenone.
Table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	am	Azoxystrobin, Boscalid and Propachlor.
Table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA1 10 Jan 2017	10 Jan 2017	ad	Niclosamide.
Table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA 1 10 Jan 2017	10 Jan 2017	am	Azoxystrobin, Captan, Cyproconazole, Cypermethrin, Dimethomorph, Emamectin, Metribuzin, Prothioconazole and Tebuconazole.
Table to S20—3	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am	Ametoctradin, Azoxystrobin, Bifenthrin, Captan, Cyfluthrin, Deltamethrin, Fenhexamid, Fludioxonil, Glyphosate, Iprodione, Methomyl, Penthioopyrad, 2-Phenylphenol, Pyrimethanil, Spinosad, Thiabendazole, Thiodicarb, Triadimefon and Triadimenol.
Table to S20—3	APVMA 2, 2017	F2017L00096 6 Feb 2017 APVMA 3 7 Feb 2017	7 Feb 2017	am	Azoxystrobin, Clothianidin, Fluopicolide, Propamocarb, Propiconazole, Sulfoxaflor and Tebuconazole.
Table to S20—3	APVMA 3, 2017	F2017L00264 20 March 2017 APVMA 6 21 March 2017	21 March 2017	am	Abamectin, Acetamidrid, Boscalid, Chlorantraniliprole, Cypermethrin, Cyprodinil, Dithianon, Dithiocarbamates, Fludioxonil, Novaluron, Spirotetramat, Sulfoxaflor and Trifloxystrobin.
Table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	ad	Metazachlor.
Table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	am	Boscalid, Flonicamid, Fluopyram, Imazamox, Propiconazole and Pyrimethanil.
Table to S20—3	APVMA 5, 2017	F2017L00522 12 May 2017 APVMA 10 16 May 2017	16 May 2017	am	Flonicamid, Imazamox, Monepantel, Pirimicarb, Propiconazole, Pyriproxyfen and Spirotetramat.
Table to S20—3	170	F2017L00591 23 May 2017 FSC112 25 May 2017	25 May 2017	am	Avilamycin.
Table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 13 June 2017	13 June 2017	ad	Cloquintocet acid.
Table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 8 June 2017	13 June 2017	am	Fluopicolide, Metolachlor, Propamocarb and Propyzamide.
Table to S20—3	APVMA 7, 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	ad	Bicyclopyrone.
Table to S20—3	APVMA 7, 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	am	Iprodione, Metalaxyl and Propyzamide.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 8, 2017	F2017L00995 8 August 2017 APVMA 16 8 August 2017	8 August 2017	am	Bixafen, Buprofezin, Clopyralid, Clothianidin, Flumioxazin, Imazamox and Imazapyr.
Table to S20—3	APVMA 9, 2017	F2017L01129 5 Sept 2017 APVMA 18 5 Sept 2017	5 September 2017	am	Fluazinam, Pyraflufen-ethyl and Spirotetramat
Table to S20—3	APVMA 10, 2017	F2017L01317 3 October 2017 APVMA 20 3 October 2017	3 October 2017	am	Abamectin, Azoxystrobin, Cyproconazole, Fludioxonil, Fluxapyroxad, Penflufen, Sulfoxaflor, Trifloxystrobin,
Table to S20—3	APVMA 11, 2017	F2017L01404 31 Oct 2017 APVMA 22 31 Oct 2017	31 October 2017	am	Cloquintocet-mexyl, Diquat, Fludioxonil, Tebuconazole
Table to S20—3	APVMA 12, 2017	F2017L01522 28 Nov 2017 APVMA 24 28 November 2017	28 Nov 2017	ad	Clothianidin, Cyclanilprole, Chlorantranilprole, Clomazone, Cyanamide, Cyantranilprole, Cyprodinil, Dimethomorph, Fludioxonil, Haloxypop Mandipropamid, Methomyl, Methoxyfenozide, Napropamide, Phosphorous acid
Table to S20—3	175	F2017L01594 7 December 2017 FSC116 7 December 2017	7 December 2017	ad	Acequinocyl, Acephate, Acetamiprid, Aminocyclopyrachlor, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Brodifacoum, Buprofezin, Carbaryl, Carbendazim, Chlorantranilprole, Chlorfenvinphos, Clopyralid, Chlorpyrifos-methyl, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, Deltamethrin, Dichlorvos, Dicloran, Difenconazole, Disulfoton, Endothal, Ethoprophos, Etofenprox, Fenamiphos, Fenarimol, Fenpropathrin, Fenpropimorph, Fenthion, Fenpyroximate, Fenvalerate, Fonicamid, Flubendiamide, Fludioxonil, Flumioxazin, Fluopyram, Flusilazole, Flutriafol, Fosetyl-aluminium, Glyphosate, Hexythiazox, Imazamox, Inorganic bromide, Iprodione, Imidacloprid, Metalaxyl, Methamidophos, Myclobutanil, Maldison, Mesotrione, Metaflumizone, Metalaxyl, Metconazole, Methomyl, Myclobutanil, Naled, Nicarbazin, Norflurazon, Novaluron, Oxathiapiprolin, Paraquat, Phenothrin, 2-Phenylphenol, Phosphine, Propyzamide, Prothioconazole, Pyraflufen-ethyl, Pyridaben, Pyrimethanil, Phosphine, Quintozene, Rimsulfuron, Saflufenacil, Sedaxane, Sethoxydim, Spinetoram, Spirotetramat, Tebuconazole, Tetradifon, Thiacloprid, Thiamethoxam, Thifensulfuron, Thifensulfuron-methyl, Triadimenol, Trifloxystrobin, Virginiamycin
Table to S20—3	APVMA 1, 2018	F2018L00038 9 Jan 2018 APVMA 1, 16 January 2018	16 Jan 2018	am	Azoxystrobin, Butafenacil, Chlorantranilprole, Dicamba, Etoazole, Fludioxonil, Paraquat, Penflufen, Pyraclostrobin, Saflufenacil, Sulfoxaflor, Tebuconazole, Trifloxystrobin
Table to S20—3	APVMA 2, 2018	F2018L00240 7 March 2018 APVMA 2, 13 March 2018	13 March 2018	ad	Florpyrauxifen-benzyl,
Table to S20—3	APVMA 2, 2018	F2018L00240 7 March 2018 APVMA 2, 13 March 2018	13 March 2018	am	Flutriafol, Pirimicarb, Sedaxane

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 3, 2018	F2018L00512 18 April 2018 APVMA 8, 24 April 2018	24 April 2018	ad	Afidopyropen, Isopyrazam, Pydiflumetofen
Table to S20—3	APVMA 3, 2018	F2018L00512 18 April 2018 APVMA 8, 24 April 2018	24 April 2018	am	Abamectin, Azoxystrobin, Bifenthrin, Buprofezin, Cyantraniliprole, Cyazofamid, Cyhalothrin, Dithiocarbamates, Endothal, Floryprauxifen-benzyl, Fludioxonil, Fluopicolide, Fluroxypyr, Imazalil, Metribuzin, Myclobutanil, Oxathiapiprolin, Propamocarb, Prosulfocarb
Table to S20—3	APVMA 4, 2018	F2018L00990 28 June 2018 APVMA 13, 3 July 2018	3 July 2018	ad	Acetamiprid, Emamectin, Metalaxyl, Novaluron, Pendimethalin, Penflufen, Prochloraz
Table to S20—3	APVMA 4, 2018	F2018L00990 28 June 2018 APVMA 13, 3 July 2018	3 July 2018	am	Pendimethalin, Prochloraz,
Table to S20—3	APVMA 5, 2018	F2018L01103 9 August APVMA 16 14 August 2018	14 August 2018	ad	Amicarbazone
Table to S20—3	APVMA 5, 2018	F2018L01103 9 August APVMA 16 14 August 2018	14 August 2018	am	Abamectin, Bixafen, Clothianidin, Cypermethrin, Cyromazine, Endothal, Halosulfuron-methyl, Sulfoxaflor
Table to S20—3	180	F2018L01151 22 August 2018 FSC121 23 August 2018	23 August 2018	ad	Acetochlor, Isfetamid, Teflubenzuron
Table to S20—3	180	F2018L01151 22 August 2018 FSC121 23 August 2018	23 August 2018	am	2,4-DB, Acetamiprid, Aldicarb, Ametocradin, Amitraz, Amitrole, Azoxystrobin, Benzovindiflupyr, Bitertanol, Buprofezin, Carbendazim, Carbofuran, Chlorpyrifos, Clofentezine, Chlorfluazuron, Clothianidin, Cyhalothrin, Cyprodinil, Dicamba, Difenconazole, Diflubenzuron, Diflufenican, Dithiocarbamates, Dimethenamid-P, Dithiocarbamates, Dodine, Emamectin, Etoxazole, Endothal, Fenarimol, Fenbuconazole, Fenbuconazole oxide, Fenitrothion, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fipronil, Florfenicol, Fluazinam, Flumioxazin, Fluopyram, Fluxapyroxad, Fosetyl-aluminium, Imazamox, Ipconazole, Iprodione, Ivermectin, Levamisole, Maldison, MCPA, Mesotrione, Metalaxyl, Metconazole, Methidathion, Methomyl, Metrafenone, Mevinphos, Naled, Oxadixyl, Oxathiapiprolin, Pebulate, Penconazole, Permethrin, Phorate, Phosmet, Phosphorous acid, Piperonyl butoxide, Pyriofenone, Profenofos, Propachlor, Propamocarb, Prothioconazole, Prothiofos, Prothiofos, Pyraflufen-ethyl, Pyriproxyfen, Pyroxasulfone, Quinoxifen, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Tetraconazole, Thiodicarb, Thiophanate-methyl, Trichlorfon, Tridemorph, Trifloxystrobin, Trifluralin, Tylosin
Table to S20—3	APVMA 6, 2018	F2018L01205 22 August 2018 APVMZ 17 28 August 2018	28 August 2018	am	Aminoethoxyvinylglycine, Pendimethalin, Pyridate

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 7, 2018	F2018L01346 20 September 2018 APVMA 19 25 September 2018	25 September 2018	ad	Metamitron
Table to S20—3	APVMA 7, 2018	F2018L01346 20 September 2018 APVMA 19 25 September 2018	25 September 2018	am	Acetamiprid, Emamectin, Etoxazole, Flumioxazin, Propiconazole (md not incorp), Sedaxane (md not incorp)
Table to S20—3	APVMA 8, 2018	F2018L01446 16 October 2018 APVMA 22 6 November 2018	6 November 2018	ad	Cypermethrin, Flamprop-methyl, Maldison, Methomyl (md not incorp), Pymetrozine, Quintozene
Table to S20—3	APVMA 8, 2018	F2018L01446 16 October 2018 APVMA 22 6 November 2018	6 November 2018	am	Chlorantraniliprole, Maldison, Propiconazole, Sedaxane
Table to S20—3	APVMA 9, 2018	F2018L01641 28 Nov 2018 APVMA 24 4 Dec 2018	4 Dec 2018	am	Fluopicolide, Fluvalinate, Methomyl, Propamocarb, Terbutylazine,
Table to S20—3	APVMA 1, 2019	F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019	29 January 2019	ad	Abamectin, 2,4-D, Fipronil, Fluensulfone, Fluvalinate, Hexythiazox, Indoxacarb, Linuron, Paclobutrazol, Pyraclostrobin, Spiroxamine, Sulfoxaflor, Tebuconazole
Table to S20—3	APVMA 1, 2019	F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019	29 January 2019	am	Linuron, Fluensulfone, Paclobutrazol, Spiroxamine
Table to S20—3	APVMA 2, 2019	F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019	26 February 2019	ad	Amisulbrom, Azoxystrobin, Bixafen, Cyprodinil, Diafenthiuron, Dinotefuran, Ethephon, Fludioxonil, Indoxacarb, Phosphine, Phosphorous acid, Praziquantel, Spinetoram, Tebuconazole
Table to S20—3	APVMA 2, 2019	F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019	26 February 2019	am	Azoxystrobin, Bifenthrin, Bixafen, Clothianidin, Fluensulfone, Fluopyram, Imidacloprid, Phosphorous acid, Sulfoxaflor, Tebuconazole
Table to S20—3	APVMA 3, 2019	F2019L00670 1 May 2019 APVMA 9 7 May 2019	7 May 2019	ad	Azoxystrobin, Cyproconazole, Fenoxycarb, Fenvaterate, Fipronil, Florpyrauxifen-benzyl, Thiabendazole,
Table to S20—3	APVMA 3, 2019	F2019L00670 1 May 2019 APVMA 9 7 May 2019	7 May 2019	am	Azoxystrobin, Bifenthrin, Fenoxycarb, Phosphorous acid
Table to S20—3	APVMA 4, 2019	F2019L00974 8 July 2019 APVMA 14 16 July 2019	16 July 2019	ad	Bromoxynil, Chlorantraniliprole, Diflubenzuron, Fluopyram, Glyphosate (md not Incorp) Haloxyfop, Indoxacarb, Mandestrobin (md not Incorp) Praziquantel, Pyrethrins, Sethoxydim, Trichlorfon
Table to S20—3	APVMA 4, 2019	F2019L00974 8 July 2019 APVMA 14 16 July 2019	16 July 2019	am	Glyphosate (md not Incorp), Praziquantel, Fluopyram

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	186	F2019L00994 17 July 2019 FSC127 25 July 2019	25 July 2019	am	Aldoxycarb, Azaconazole, Boscalid, Carbaryl, Chinomethionat, Chlorpropham, Chlorantraniliprole, Clodinafop acid, Clodinafop-propargyl, Clofentezine, Clothianidin, Cyhalothrin, Cypermethrin, Deltamethrin, Diafenthiuron, Diuron,, Dimethipin, Dimethirimol, Fenvalerate, Flamprop-methyl, Flucythrinate, Flusilazole, Fluxapyroxad, Metaflumizone, Olaquinox, Oxydemeton-methyl, Oxythioquinox, Permethrin, Phosmet, Pyrimethanil, Sethoxydim, Sulfoxaflor, Sulprofos, Tebufenozide, Tetrachlorvinphos, Tetradifon, Thiamethoxam, Thiometon, Tolyfluanid, Trichloroethylene, Triflumizole,
Table to S20—3	186	F2019L00994 17 July 2019 FSC127 25 July 2019	25 July 2019	ad	2,4D, Abamectin, Acetamiprid, Benzovindiflupyr, Boscalid, Bupirimate, Fenazaquin, Carbaryl, Chlorpyrifos-methyl, Clofentezine, Clothianidin, Cyflufenamid, Cyhalothrin, Cyprodinil, Cypermethrin, Difenconazole, Diflubenzuron, Diflufenican, Diuron, Emamectin, Famoxadone, Fenbuconazole, Fenpyrazamine, Fluazifop-p-butyl, Fluazinam, Fluopyram, Flupyradifurone, Fluxapyroxad, Folpet, Halosulfuron-methyl, Mandestrobin, Mesotrione, Metaflumizone, Metalaxyl, Methamidophos, Methidathion, Penthiopyrad, Phenmedipham, Phosmet, Phosphine, Pirimicarb, Prochloraz, Profenofos, Propaquizafop, Pyraclostrobin, Quinoxifen, Quizalofop-ethyl, Quizalofop-p-tefuryl, Rimsulfuron, Saflufenacil, Sethoxydim, Sulfoxaflor, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbacil, Thiophanate-methyl, Trifluralin
Table to S20—3	APVMA 5, 2019	F2019I01059 7 August 2019 APVMA 16 13 August 2019	13 August 2019	ad	Acetamiprid, Aminopyralid, Bromoxynil, Cyprodinil, Fludioxonil, Fluralaner, Fluxapyroxad, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazapyr, Mandestrobin, Mefentrifluconazole, Metolachlor, Penthiopyrad, Phosphorous acid, Pirimicarb, Pyriproxyfen (md not Incorp, Topramezone
Table to S20—3	APVMA 5, 2019	F2019I01059 7 August 2019 APVMA 16 13 August 2019	13 August 2019	am	Clofentezine, Cyfluthrin, Cyprodinil, Fludioxonil, Glyphosate, Haloxyfop, Phosphorous acid, Pyraclostrobin
Table to S20—3	APVMA 6, 2019	F2019L01150 4 Sep 2019 APVMA 18 10 Sep 2019	10 September 2019	am	Chlorantraniliprole, Clothianidin, Thiamethoxam
Table to S20—3	APVMA 7, 2019	F2019L01515 28 November 2019 APVMA 24 3 December 2019	3 December 2019	ad	Afidopyropen, Aminopyralid, Azoxystrobin, Benzovindiflupyr, Cypermethrin, Flumioxazin, Halauxifen-methyl, Imazapyr, Metalaxyl, Napropamide, Pyraclostrobin, Pyrethrins, Pyriproxyfen, Quizalofop-ethyl, Sethoxydim, Sulfoxaflor, Terbutylazine,
Table to S20—3	APVMA 7, 2019	F2019L01515 28 Nov 2019 APVMA 24 3 Dec 2019	3 December 2019	am	Abamectin , Azoxystrobin, Cyflufenamid, Difenconazole, Fludioxonil , Imidacloprid , Pyraclostrobin,
Table to S20—3	APVMA 1, 2020	F2020L00022 9 Jan 2020 APVMA 1 14 Jan 2020	14 January 2020	ad	Afidopyropen, Bixafen, Cinmethylin, Dithiocarbamates, Etofenprox, Etoxazole, Indoxacarb, Iprodione, Prothioconazole

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 1, 2020	F2020L00022 9 Jan 2020 APVMA 1 14 Jan 2020	14 January 2020	am	Amoxycillin, Bixafen, Dithiocarbamates, Emamectin, Imidacloprid, Indoxacarb
Table to S20—3	191	F2020L00152 20 Feb 2020 FSC 131 26 Feb 2020	26 February 2020	am	Imazapyr
Table to S20—3	APVMA 2, 2020	F2020L00219 2 March 2020 APVMA 5 10 March 2020	10 March 2020	ad	2,4-D, Bifenthrin, Glufosinate and Glufosinate ammonium, Glyphosate, Mesotrione, Methiocarb
Table to S20—3	APVMA 3, 2020	F2020L00380 31 March 2020 APVMA 7 7 April 2020	7 April 2020	ad	Bixlozone, Carbetamide, , Diafenthiuron, Difenconazole, Etoxazole, Flubendazole, Fluopyram, Fluralaner, Halosulfuron-methyl, Imazamox, Napropamide, Prothiofencarb, Tebuconazole, Trifloxystrobin
Table to S20—3	APVMA 3, 2020	F2020L00380 31 March 2020 APVMA 7 7 April 2020	7 April 2020	am	Bifenthrin, Glufosinate and Glufosinate-ammonium, Lasalocid, Oxamyl, Trinexapac-ethyl
Table to S20—3	APVMA 4, 2020	F2020L00619 27 May 2020 APVMA 11 2 June 2020	2 June 2020	ad	Bupirimate, Cyanamide, Cyazofamid, Diafenthiuron, Fludioxonil, Fluopicolide, Indoxacarb, Metolachlor, Paracetamol Propamocarb
Table to S20—3	APVMA 4 2020	F2020L00619 27 May 2020 APVMA 11 2 June 2020	2 June 2020	am	Cyanamide, Fluopicolide, Linuron, Metolachlor, Propamocarb
Table to S20—3	APVMA 5, 2020	F2020L00903 10 July 2020 APVMA 14 14 July 2020	14 July 2020	ad	Chlorantraniliprole, Tetraniliprole, Trifludimoxazin, Methomyl, Spinetoram
Table to S20—3	APVMA 5, 2020	F2020L00903 10 July 2020 APVMA 14 14 July 2020	14 July 2020	am	Chlorantraniliprole, Fluopyram, Trifloxystrobin
Table to S20—3	193	F2020L00939 23 July 2020 FSC 134 28 July 2020	28 July 2020	ad	Acephate, Benzovindiflupyr, Boscalid, Carbendazim, Clofentezine, Cypermethrin, Deltamethrin, Dimethomorph, Dithiocarbamates, Endosulfan, Fenazaquin, Flazasulfuron, Fluaizifop-p-butyl, Fluopicolide, Fluopyram, Folpet, Halosulfuron-methyl, Imidacloprid, Metalaxyl, Oxathiapiprolin, Pendimethalin Phosmet, Phosphorous acid, Propiconazole, Sethoxydim, Tetraconazole, Triadimenol
Table to S20—3	193	F2020L00939 23 July 2020 FSC 134 28 July 2020	28 July 2020	am	Abamectin, Acequinocyl, Boscalid, Buprofezin, Chlorothalonil, Clofentezine, Clothianidin, Cypermethrin, Cyproconazole, Difenconazole, Dithiocarbamates, Emamectin, Etridiazole, Fentin, Fenazaquin, Fenhexamid, Fenoxycarb, Flonicamid, Fluaizifop-p-butyl, Fluopyram, Hexythiazox, Imidacloprid, Indoxacarb, Metalaxyl, Iprodione, Metalaxyl, Methoxyfenozide, Myclobutanil, Pendimethalin, Phosphorous acid, Propiconazole, Quinoxifen, Tebuconazole, Tebuthiuron, Tetraconazole, Thiamethoxam, Trifloxystrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 6, 2020	F2020L00989 5 August 2020 APVMA 16 11 August 2020	11 August 2020	ad	Azoxystrobin, Chlorantraniliprole, Cyproconazole, Emamectin, Etoxazole, Flonicamid, Fludioxonil, Glufosinate and Glufosinate-ammonium, Glyphosate, Indoxacarb (md not Incorp), Linuron, Napropamide, Novaluron, Permethrin, Prothioconazole, Pyridate.
Table to S20—3	APVMA 6, 2020	F2020L00989 5 August 2020 APVMA 16 11 August 2020	11 August 2020	am	Aclonifen, Metcamifen
Table to S20--3	AMPVA 7, 2020	F2020L01316 16 Oct 2020 AMPVA 17 20 Oct 2020	20 October 2020	ad	Ametoctradin, Buprofezin, Cyazofamid, Glyphosate, Propyzamide, Proquinazid, Spinosad, Uniconazole-p
Table to S20--3	APVMA 7, 2020	F2020L01316 16 Oct 2020 AMPVA 17 20 Oct 2020	20 October 2020	am	Amisulbrom, Azoxystrobin, Buprofezin, Chlorantraniliprole, Cyazofamid, Glyphosate, Indoxacarb, Methomyl, Spinosad
Table to S20—3	APVMA 8, 2020	F2020L01424 12 Nov 2020 APVMA 23 17 Nov 2020	17 November 2020	ad	Bifenazate, Bifenthrin, Isofetamid, Metalaxyl
Table to S20—3	APVMA 8, 2020	F2020L01424 12 Nov 2020 APVMA 23 17 Nov 2020	17 November 2020	am	Abamectin, Bifenthrin, Bupirimate, Carfentrazone-ethyl, Clofentezine, Cyprodinil, Fludioxonil, Isofetamid, Metsulfuron-methyl, Phosphorous acid, Tolclofos-methyl, Triadimenol
Table to S20—3	APVMA 9, 2020	F2020L01503 27 Nov 2020 APVMA 24 1 Dec 2020	1 December 2020	ad	Imidacloprid, Pyraflufen-ethyl, Saflufenacil
Table to S20—3	APVMA 9, 2020	F2020L01503 27 Nov 2020 APVMA 24 1 Dec 2020	1 December 2020	am	Metribuzin, Pyraflufen-ethyl (md not incorp), Safflufenacil, Clothianidin, Fluralaner, Metribuzin
Table to S20—3	APVMA 1, 2021	F2021L00067 22 Jan 2021 APVMA 2 27 Jan 2021	27 January 2021	ad	2,4-D, Acetamiprid, Carbaryl, Uniconazole-p
Table to S20—3	APVMA 1, 2021	F2021L00067 22 Jan 2021 APVMA 2 27 Jan 2021	27 January 2021	am	2,4-D, Pyraclostrobin
Table to S20—3	APVMA 2, 2021	F2021L00125 18 Feb 2021 APVMA 4 23 Feb 2021	23 February 2021	ad	Acequinocyl, Acetamiprid, Cyproconazole, Fludioxonil, Pyriproxyfen, Acequinocyl, Acetamiprid, Afidopyropen, Azoxystrobin, Cyproconazole, Fludioxonil, Flumioxazin, Forchlorfenuron, Propachlor, Pydiflumetofen, Pyriproxyfen, Ractopamine, Tiafenacil, Tetraniliprole
Table to S20—3	APVMA 2, 2021	F2021L00125 18 Feb 2021 APVMA 4 23 Feb 2021	23 February 2021	am	Afidopyropen, Azoxystrobin, Captan, Cyproconazole, Fludioxonil, Pydiflumetofen
Table to S20—3	APVMA 3, 2021	F2021L00491 27 April 2021 APVMA 9 4 May 2021	4 May 2021	ad	Fomesafen, Azoxystrobin, Bromoxynil, Diflufenican, Fluopyram, Trifloxystrobin
Table to S20—3	APVMA 3, 2021	F2021L00491 27 April 2021 APVMA 9 4 May 2021	4 May 2021	am	Fluopyram, Pyraflufen-ethyl, Spinetoram, Metalaxyl, Methomyl
Table to S20—3	200	F2021L00684 2 June 2021 FSC141 3 June 2021	3 June 2021	am	Aminocyclopyrachlor, <i>Clodinafop-propargyl</i> , <i>Clodinafop acid</i> , Difenconazole, Flumioxazin, Kresoxim-methyl, Phosphine, Pirimicarb

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 4, 2021	F2021L00976 9 July 2021 APVMA 13 13 July 2021	13 July 2021	am	Afidopyropen, Ametoctradin, Chlorantraniliprole, Cyantraniliprole, Cypermethrin, Cyprodinil, Dimethoate (md not incorp), Dimethomorph, Fipronil, Fludioxonil, Flumioxazin, Fluopyram, Propiconazole, Sulfoxaflor, Haloxypop, Metalaxyl, Metrafenone, Omethoate (md not incorp), Propiconazole.
Table to S20—3	202	F2021L01174 23 August 2021 FSC143 26 August 2021	26 August 2021	am	Ethiprole, Fempicoxamid, Flusilazole, Picoxystrobin, Tioxazafen, Triflumezopyrim, Zinc phosphide, Zineb, Ziram, Zoxamide, Abamectin, Acetamiprid Acibenzolar-S-methyl, Ametoctradin, Azoxystrobin, Bentazone, Carbendazim, Carfentrazone-ethyl, Chlorantraniliprole, Chlorpyrifos, Cyclaniliprole, Cypermethrin, Fluazifop-p-butyl, Fludioxonil, Flutriafol, Imazalil, Imidacloprid, Kresoxim-methyl, Mefentrifluconazole, Metalaxyl, Oxathiapiprolin, Paraquat, Permethrin, Phosphine, Pyraclostrobin, Pyriofenone, Pyriproxyfen, Sethoxydim, Sulfoxaflor, Tebuconazole, 2,4-D, Acephate, Acifluorfen, Afidopyropen, Benzovindiflupyr, Bifenthrin, Boscalid, Carboxin, Chlorfenapyr, Chlorpyrifos-methyl, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cyhalothrin, Deltamethrin, Difenconazole, Dithianon, Diuron, Fenbuconazole, Fenoxaprop-ethyl, Fenpyroximate, Flubendiamide, Fluopyram, Fluoxastrobin, Flupyradifurone, Flutolanil, Fluxapyroxad, Folpet, Glyphosate, Halosulfuron-methyl, Hexythiazox, Isofetamid, Lufenuron, Maldison, Mandipropamid, MCPA, MCPB, Metconazole, Methamidophos, Milbemectin, Myclobutanil, Norflurazon, Oxamyl, Pendimethalin, Phorate, Pirimiphos-methyl, Profenofos, Prohexadione-calcium, Propamocarb, Propiconazole, Pyraflufen-ethyl, Pyrethrins, Pyroxasulfone, Sethoxydim, Simazine, Spinosad, Sulfuryl fluoride, Tebufenozide, Thiacloprid, Thiamethoxam, Thiophanate-methyl, Iprodione, Methomyl, Metolachlor,
Table to S20—3	APVMA 5, 2021	F2021L01235 3 Sept 2021 APVMA 18 7 Sept 2021	7 September 2021	am	Fonicamid, Fluxapyroxad, Isopyrazam, Isoxaflutole, Mefentrifluconazole (md not incorp), Mesotrione Pyriproxyfen, Saflufenacil, Cyantraniliprole, Dimethoate, Methomyl, Metribuzin, Omethoate, Azoxystrobin, Bromoxynil, Carbendazim, Dimethoate, Imazapyr, Spiroxamine
Table to S20—3	APVMA 6, 2021	F2021L01426 13 Oct 2021 APVMA 21 19 Oct 2021	19 October 2021	am	Fluazaindolizine, Benzyladenine, Metamitron, Pydiflumetofen, Pyroxasulfone.
Table to S20—3	APVMA 1, 2022	F2022L00142 17 Feb 2022 APVMA 4 22 Feb 2022	22 Feb 2022	am	Abamectin, Aclonifen, Afidopyropen, Bifenazate, Bixlozone, Chlorantraniliprole, Cyantraniliprole, Cyflumetofen, Cyprodinil, Dicamba, Dithiocarbamates, Etoxazole, Florypicoxamid, Fludioxonil, Fluopyram, Flupyradifurone, Glyphosate, Imazapic, Imazapyr, Imidacloprid, Mefentrifluconazole, Moxidectin, Pendimethalin, Propiconazole,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Proquinazid, Spirotetramat, Trifloxystrobin,
Table to S20—3	APVMA 2, 2022	F2022L00696 12 May 2022 APVMA 10 17 May 2022	17 May 2022	am	Acequinocyl , Acetamiprid, Difenconazole, Mesotrione, Methoxyfenozide, Pydiflumetofen, Pyriproxyfen, Sulfoxaflor, Tulathromycin
Table to S20—3	APVMA 3, 2022	F2022L00970 12 July 2022 APVMA 14 12 July 2022	12 July 2022	ad	Fluoxapiprolin, Isotianil, Metobromuron
Table to S20—3	APVMA 3, 2022	F2022L00970 12 July 2022 APVMA 14 12 July 2022	12 July 2022	am	Florpyrauxifen-benzyl, Fluroxypyr Glyphosate (safflower seed md not incorp), Haloxyfop Imidacloprid, Isofetamid, Maldison, Mandestrobin, Permethrin, Sethoxydim
Table to S20—3	APVMA 4, 2022	F2022L01102 22 Aug 2022 APVMA 17 23 Aug 2022	23 August 2022	am	Bifenthrin, Diflufenican, Fluopyram, Fluroxypyr, Indoxacarb, Prothioconazole, Tebuconazole, Tetraniliprole Thiabendazole, Trifludimoxazin
Table to S20—3	211	F2022L01118 26 Aug 2022 FSC151 1 Sept 2022	1 September 2022	am	Abamectin, Acephate, Acequinocyl, Acetamiprid, Afidopyropen, Amectoctradin, Ametryn, Aminoethoxyvinylglycine, Aminopyralid, Amisulbrom, Amitrole, Atrazine, Azamethiphos, Azoxystrobin, Benzovindiflupyr, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromacil, Bromoxynil, Buprofezin, Butafenacil, Butoxydim, Cadusafos, Captan, Carbaryl, Carbendazim, Carbon disulphide, Carbonyl sulphide, Carboxin, Carfentrazone-ethyl, Chlorantraniliprole, Chlorfenapyr, Chloropicrin, Chlorothalonil, Chlorpyrifos, Chlorpyrifos-methyl, Chlorsulfuron, Chlorthal-dimethyl, Clofentezine, Clopyralid, Cloquintocet-mexyl, Clothianidin, Cyanazine, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, 2,4-D, 2,4-DB, Deltamethrin, Diafenthiuron, Diazinon, Dicamba, Dichlobenil, Dichlorprop-P, Dichlorvos, Diclofop-methyl, Dicofol, Didecyldimethylammonium chloride, Difenconazole, Diflubenzuron, Dimethoate, Dimethomorph, Diquat, Dithiocarbamates, Diuron, Dodine, 2,2-DPA, Emamectin, Epoxiconazole, EPTC, Ethion, Ethofumesate, Ethoprophos, Ethylene dichloride (EDC), Etofenprox, Etoxazole, Fenazaquin, Fenbutatin oxide, Fenhexamid, Fenitrothion, Fenoxycarb, Fenpropathrin, Fenpyroximate, Fenvalerate, Fipronil, Fonicamid, Florasulam, Florpyrauxifen-benzyl, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Flubendiamide, Fludioxonil, Fluensulfone, Flumioxazin, Fluometuron, Flupicolide, Fluopyram, Flupyradifurone, Fluquinconazole, Fluroxypyr (md), Flutriafol, Fluvalinate, Fluxapyroxad, Fosetyl, Fosetyl-aluminium, Glufosinate and Glufosinate-ammonium, Glyphosate, Guazatine, Halauxifen-methyl, Halosulfuron-methyl, Haloxyfop, Hexythiazox, Imazalil, Imazamox, Imazapyr, Imidacloprid, Indoxacarb,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Inorganic bromide, Ipconazole, Iprodione, Isofetamid, Isoxaflutole, Lufenuron, Maldison, Mandestrobin, Mandipropamid, MCPA, MCPB, Mefenpyr-diethyl, Mefentrifluconazole, Metaflumizone, Metalaxyl, Metaldehyde, Metamitron, Metazachlor, Metcamifen, Methamidophos, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Methyl bromide, Metolachlor, Metosulam, Metrafenone, Metribuzin, Metsulfuron-methyl, Mevinphos, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Omethoate, Oryzalin, Oxadixyl, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penflufen, Penthiopyrad, Permethrin, Phenmedipham, 2-Phenylphenol, Phorate, Phosmet, Phosphine, Phosphorous acid, Picloram, Picolinafen, Piperonyl butoxide, Pirimicarb, Pirimiphos-methyl, Procymidone, Profenofos, Propachlor, Propamocarb, Propaquizafop, Propargite, Propazine, Propiconazole, , Prothioconazole, Prothiofos, Pydiflumetofen, Pymetrozine, Pyraclostrobin, Pyraflufen-ethylvv, Pyrasulfotole, Pyrethrins, Pyridaben, Pyrimethanil, Pyriofenone, Pyriproxyfen, Pyroxasulfone, Quinoxyfen, , Saflufenacil, Sedaxane, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirodiclofen, Spirotetramat, Sulfoxaflor, Sulfuryl fluoride, Tebuconazole, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbufos, Terbutylazine, Terbutryn, Tetraniliprole, Thiabendazole, Thiacloprid, Thiamethoxam, Thiodicarb, Tiafenacil, Tralkoxydim, Triadimefon, Triadimenol, Triallate, Triasulfuron, Tribenuron-methyl, Trichlorfon, Triclopyr, Trifloxystrobin, Triflumuron, Trifluralin, Triforine, Trinexapac-ethyl, Triticonazole
Table to S20—3	212	F2022L01172 6 Sept 2022 FSC152 8 Sept 2022	7 September 2022	am	1,4-Dimethyl naphthalene, Abamectin, Acephate, Acequinocyl, Acetamiprid, Acetochlor, Acifluorfen, Afidopyropen, Ametryn, Amitrole, Azinphos-methyl, Azoxyastrobin, Bentazone, Benzovindiflupyr, Bifenazate, Boscalid, Bupirimate, Buprofezin, Carbaryl, Carbendazim, Carbofuran, Chlorantraniliprole, Chlorothalonil, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyfluthrin (beta-cyfluthrin), Cyhalothrin, Cyhexatin, Cypermethrin, Cyprodinil, Cyromazine, Dichlobenil, Dichlorvos, Difenconazole, Diflubenzuron, Dimethoate, Dimethomorph, Dinocap, Dinotefuran, Diphenylamine, Diquat, Diuron, Emamectin (Emamectin benzoate), EPTC, Ethiprole, Ethofumesate, Ethoprophos, Ethylene, Etofenprox, Fenamidone, Fenarimol, Fenazaquin, Fenbuconazole, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fenvalerate (esfenvalerate), Fipronil, Flonicamid, Fluazifop-p-butyl, Fludioxonil, Fluensulfone, Fluopicolide, Fluopyram,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Flupyradifurone, Flutianil, Flutolanil, Flutriafol, Fluxapyroxad, Forchlorfenuron, Fosetyl-aluminium, Glufosinate (see Glufosinate-ammonium), Glufosinate-ammonium, Glyphosate, Hexazinone, Imazapic, Imazapyr, Imazethapyr, Imidacloprid, Inpyrfluxam, Iprodione, Isofetamid, Isoxaflutole, Kasugamycin, Kresoxim-Methyl, Mancozeb (Dithiocarbamates), Mandestrobin, Mandipropamid, Maneb (Dithiocarbamates), Mefentrifluconazole, Mepanipyrim, Metaflumizone, Metalaxyl (Metalaxyl-M), Metconazole, Methamidophos , Methidathion, Methomyl, Methoprene, Methoxyfenozide, Metribuzin, Novaluron, Omethoate, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paraquat, Pendimethalin, Penthiopyrad, Phorate, Picoxystrobin, Piperonyl Butoxide, Pirimicarb, Prochloraz, Procymidone, Profenofos, Propamocarb, Propiconazole, Propoxur, Prothiofos, Pydiflumetofen, Pyraclostrobin, Pyrethrins, Pyrimethanil, Pyriofenone, Pyriproxyfen, Quinclorac, Quinoxifen, Quintozene, Quizalofop-ethyl, Rimsulfuron, Saflufenacil, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Tepraloxydim, Terbacil, Thiabendazole, Thiocloprid, Thiamethoxam, Thifensulfuron-methyl, Tolclofos-Methyl, Tolfenpyrad, Triadimefon, Triadimenol, Triazophos, Trifloxystrobin, Valifenalate
Table to S20—3	APVMA 5, 2022	F2022L01442 10 November 2022 APVMA 23 15 November 2022	15 November 2022	am	Aminocyclopyrachlor, Amitraz, Bupirimate, Buprofezin, Captan, Emamectin, Fluopyram , Flupyradifurone, Fluxapyroxad, Glyphosate, Imazapic, Imazapyr, Myclobutanil, Tebuconazole, Tetrailiprole, Pyraclostrobin, Quizalofop-ethyl
Table to S20—3	APVMA 1, 2023	F2023L00107 15 February 2023 APVMA 4 21 February 2023	21 February 2023	am	Afidopyropen, Aminopyralid, Atrazine, Azoxystrobin Bifenthrin, Bixlozone, Butafenacil, Clomazone, Clocyralid, Clothianidin, Cyhalothrin, Cypermethrin , Diafenthiuron, Dimpropyridaz, Emamectin , Flonicamid, Fluquinconazole, Florylpicoxamid, Fludioxonil, Flutriafol, Glufosinate and Glufosinate-ammonium, Glyphosate, Halauxifen-methyl, Haloxypop, Imazamox, Imazapic, Imazapyr, Imidacloprid, Iprodione, Isocycloseram, Maldison, Methomyl, Metribuzin Metolachlor, Napropamide, Oryzalin , Penflufen, Permethrin, Pirimicarb, Procymidone, Prothioconazole Propyzamide, Pydiflumetofen, Quizalofop-ethyl., Quizalofop-p-tefuryl, Sedaxane, Sethoxydim, Simazine, Spinetoram, Sulfoxaflor, Tebuconazole, Terbutylazine , Tetrailiprole,
Table to S20—3	APVMA 2, 2023	F2023L00445 17 April 2023 APVMA 8 18 April 2023	18 April 2023	am	Acetamiprid, Bifenthrin, Cyfluthrin, Dithiocarbamates, Flazasulfuron, Fluopyram, Methoxyfenozide, Procymidone, Spinetoram, Sulfoxaflor, Trifloxystrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	220	F2023L01004 11 July 2023 FSC160 19 July 2023	19 July 2023	am	Amisulbrom, Bifenazate, Buprofezin, Cyflumetofen, Cyproconazole, Cyprodinil, Diafenthiuron, Didecyldimethylammonium chloride, Dinotefuran, Ethephon, Fenazaquin, Fludioxonil, Fluoxapiprolin, Fluxapyroxad, Imazamox, Kresoxim-methyl, Maldison, Metalaxyl, Niclosamide, Phosphorous acid, Propyzamide, Prosulfocarb, Prothioconazole, Pydiflumetofen, Pyraflufen-ethyl, Pyroxasulfone, Sethoxydim, Tetraniliprole, Trichlorfon, Triticonazole
Table to S20—3	APVMA 3, 2023	F2023L01013 18 July 2023 APVMA 15 25 July 2023	25 July 2023	am	Dodine, Fipronil, Fluopicolide, Fluralaner, Indaziflam, Inpyrfluxam, Ipflufenquin, Mandestrobin, Mesotrione, Metrafenone, Propamocarb, Proquinazid, Prosulfocarb, Pyraclostrobin, Sethoxydim, Tetraniliprole
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	rep	Bensulide, Bioresmethrin, Fenarimol, Pebulate
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	ad	Flutianil, Isoprothiolane, Pyraziflumid, Spiropidion
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	am ed C76	Abamectin, Acequinocyl, Acetamiprid, Aclonifen, Altrenogest, Aminoethoxyvinylglycine, Amitrole, Azinphos-methyl, Azoxystrobin, Benalaxyl, Bendiocarb, Bentazone, Benzovindiflupyr, Bicyclopyrone, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromoxynil, Buprofezin, Butafenacil, Cadusafos, Captan, Carbaryl, Chlorantraniliprole, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyclaniliprole, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyproconazole, Cyprodinil, Cyromazine, 2,4-D, Diazinon, Dichlobenil, Dichlorvos, Difenconazole, Dimethomorph, Diphenylamine, Diquat, Dithiocarbamates, 2,2-DPA, Ethephon (md not incorp), Ethiprole, Ethoprophos, Etofenprox, Etoxazole, Fenbuconazole, Fenbutatin oxide, Fenhexamid, Fenpicoxamid, Fenpyroximate, Fipronil (Sch items 230, 232 md not incorp), Florypicoxamid, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Fludioxonil, Flumioxazin, Fluopyram, Flupyradifurone, Fluroxypyr, Fluxapyroxad, Fomesafen, Forchlorfenuron, Glufosinate and Glufosinate-ammonium, Glyphosate, Haloxyfop, Hexazinone, Hexythiazox, Imazalil, Imazamox, Imidacloprid, Indoxacarb, Ioxynil, Iprodione, Isofetamid, Isoxaben, Linuron, Maldison, Mandestrobin (Sch item 232 md not incorp), Mandipropamid, Metalaxyl, Metconazole, Methidathion, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Metolachlor, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Oryzalin, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penthiopyrad, Permethrin, 2-Phenylphenol,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Phosphorous acid, Pinoxaden, Pirimicarb, Prometryn, Propachlor, Propaquizafop, Propargite, Propazine, Propiconazole, Propyzamide, Proquinazid (md not incorp), Prothioconazole, Pydiflumetofen, Pymetrozine, Pyrasulfotole, Pyridaben, Pyridate, Pyrimethanil, Pyriproxyfen, Pyroxasulfone, Pyroxulam, Quinclorac, Quinoxifen, Saflufenacil, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Thiabendazole, Thiacloprid, Thiamethoxam, Tiafenacil, Tolfenpyrad, Triadimefon, Triadimenol, Trichlorfon, Trifloxystrobin, Trifluralin, Trinexapac-ethyl
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	ed C76	Maldison, Metolachlor, Propiconazole, Trichlorfon, Trifluralin
Table to S20—3	APVMA 1, 2024	F2024L00452 12 April 2024 APVMA 8 16 April 2024	16 April 2024	ad	Broflanilide, Fenpropidin
Table to S20—3	APVMA 1, 2024	F2024L00452 12 April 2024 APVMA 8 16 April 2024	16 April 2024	am	Abamectin, Acequinocyl, Acibenzolar-S-methyl, Afidopyropen, Benzovindiflupyr, Chlorantraniliprole, Clothianidin, Cyanamide, Cyantraniliprole, Cyclaniliprole, Cyprodinil, Difenconazole, Dimethoate, Florylpicoxamid, Fludioxonil, Flumioxazin, Fluxapyroxad, Glufosinate and Glufosinate-ammonium, Halauxifen-methyl, Isocycloseram, Isopyrazam, Mandipropamid, MCPA, Omethoate, Oxathiapiprolin, Pyraclostrobin, Spirotetramat, Tebuconazole, Tetraniliprole, Thiamethoxam, Trifloxystrobin, Trifludimoxazin, Trifluralin
Table to S20—3	APVMA 2, 2024	F2024L00861 8 July 2024 APVMA 14 9 July 2024	9 July 2024	ad	Bupivacaine, Lignocaine,
Table to S20—3	APVMA 2, 2024	F2024L00861 8 July 2024 APVMA 14 9 July 2024	9 July 2024	am	Ametoctradin, Cypermethrin, Ethephon, Fluxapyroxad, Ipflufenquin, Mefentrifluconazole, Metalaxyl, Pyraclostrobin
Table to S20—3	APVMA 3, 2024	F2024L00946 1 August 2024 APVMA 16 6 August 2024	6 August 2024	am	2,4-D
Table to S20-3	APVMA 4, 2024	F2024L01358 29 Oct 2024 APVMA 22 29 Oct 2024	29 October 2024	ad	Cyazofamid, Isocycloseram, Mesotrione, Methoxyfenozide, Metolachlor, Quinoxifen
Table to S20-3	APVMA 4, 2024	F2024L01358 29 Oct 2024 APVMA 22 29 Oct 2024	29 October 2024	am	Cyazofamid, Emamectin, Fonicamid, Fluopyram, Fluxapyroxad, Mefentrifluconazole, Metribuzin
Table to S20-3	APVMA 5, 2024	F2024L01580 11 Dec 2024 APVMA 25 10 Dec 2024	11 Dec 2024	rs	Chloridazon, Fluralaner, Isocycloseram.
Table to S20-3	APVMA 5, 2024	F2024L01580 11 Dec 2024 APVMA 25 10 Dec 2024	11 Dec 2024	ad	Fipronil, Florylpicoxamid, Fluralaner, Isocycloseram.

