

Schedule 20 Maximum residue limits

Note This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Maximum residue limits are regulated by subsection 1.1.1—10(6) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2—4.

S20—1 Name

This Standard is *Australia New Zealand Food Standards Code – Schedule 20 – Maximum residue limits*.

Note Commencement:
This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

Note 2 This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S20—2 Interpretation

In this Schedule:

- (a) an asterisk (*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol 'T' indicates that the maximum residue limit is a temporary maximum residue limit; and
- (c) **animal food commodities** means an animal food commodity listed in Schedule 22, including a secondary commodity of animal origin listed in that Schedule.

S20—3 Maximum residue limits

For section 1.4.2—4, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

Maximum residue limits			
Agvet chemical: Abamectin		Common bean (dry) (navy bean)	*0.002
Permitted residue: Avermectin B1a		Cotton seed	*0.01
		Cranberry	0.05
Adzuki bean (dry)	*0.002	Cucumber	0.05
All other foods except animal food commodities	0.01	Currant, black	0.02
Almonds	*0.01	Custard apple	*0.01
Avocado	0.05	Dried grapes (currants, raisins and sultanas)	0.1
Beetroot leaves	0.5	Fennel, bulb	0.05
Blueberries	T0.1	Fruiting vegetables, cucurbits [except cucumber; squash, summer]	0.02
Bulb vegetables [except chives]	0.05	Fruiting vegetables, other than cucurbits	0.1
Cabbages, head	T0.05	Fungi, edible (except mushrooms)	0.1
Cacao beans	T0.07	Goat fat	0.1
Cane berries	0.2	Goat kidney	0.01
Cattle, edible offal of	0.1	Goat liver	0.05
Cattle fat	0.1	Goat milk	0.005
Cattle meat	0.005	Goat muscle	0.01
Cattle milk	0.02	Grapes	0.03
Celery	T0.05	Grape juice	0.05
Chinese cabbage (Pe-tsai)	T0.5	Hops, dry	0.2
Chive, dry	0.08		
Citrus fruits	0.02		

Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, leaf; whitloof chicory]	T0.5
Legume vegetables [except peas (pods and succulent, immature seeds)]	T0.1
Lettuce, leaf	T1
Litchi	0.05
Macadamia nuts	T*0.01
Maize	T*0.01
Mung bean (dry)	*0.002
Mushrooms	0.05
Orange oil, edible	0.1
Papaya (pawpaw)	0.1
Passionfruit	0.2
Peanut	T*0.01
Peas	0.5
Peppers, chili, dried	0.5
Persimmon, Japanese	0.01
Pig kidney	0.01
Pig liver	0.02
Pig meat (in the fat)	0.02
Pineapple	T*0.002
Pome fruits [except Persimmon, Japanese]	0.02
Popcorn	T*0.01
Rhubarb	T0.05
Root and tuber vegetables	*0.01
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Squash, summer	0.05
Stone fruits	0.09
Strawberry	0.1
Sweet corn (corn-on-the-cob)	0.05

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

Banana	1
Bean, seed (dry)	3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Broccoli, Chinese (Gai lan)	5
Cranberry	0.5
Edible offal (mammalian)	0.2
Eggs	0.2
Lime	1
Macadamia nuts	*0.1
Mango	*0.01
Meat (mammalian) [except sheep meat]	0.2
Peanut	0.2
Peppers, chili, dried	50
Peppers, sweet	5
Potato	0.5
Sheep meat	*0.01
Tomato	5

Agvet chemical: Acequinocyl

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

All other foods except animal food commodities	0.02
Apricots, dried	1
Blueberries	3
Citrus fruits [except kumquats]	0.2
Grapes	1.6
Edible offal (mammalian)	*0.02
Hops, dry	15
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Peach, dried	1
Peppers, sweet	1
Pome fruits [except Persimmon, Japanese]	0.7
Prunes	1
Raspberries, red, black	4
Stone fruits	0.7
Tomato	2

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin: Acetamiprid

Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹-[(6-chloro-3-pyridyl)methyl]-N²-cyanoacetamidine), expressed as acetamiprid

All other foods except animal food commodities	0.1
Almonds	0.1
Apple	0.2
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Blueberries	1.6
Cane berries [except raspberries, red, black]	1
Celery	1.5
Cherries (subgroup)	2
Chives	3
Citrus fruits	1
Cotton seed	0.2
Cranberry	0.6
Currants, black, red, white	2
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruiting vegetables other than cucurbits [except tomato]	0.2
Fungi, edible (except mushrooms)	0.2
Goji berries	2
Grapes	0.35
Herbs	3
Macadamia nuts	*0.01

Meat (mammalian)	*0.01	Meat (mammalian)	*0.01
Milks	*0.01	Milks	*0.01
Olives for oil production	T0.5	Peanut	0.1
Peaches (subgroup)	1	Poultry, edible offal of	0.1
Pear	0.3	Poultry meat	*0.01
Peppers, chili, dried	2	Pulses	0.1
Persimmon, Japanese	T0.3		
Pistachio nuts	1	Agvet chemical: Aclonifen	
Plums (subgroup)	0.5	<i>Permitted residue: Aclonifen</i>	
Potato	*0.05	Barley	*0.01
Poultry, edible offal of	*0.05	Edible offal (mammalian)	*0.01
Poultry meat	*0.01	Eggs	*0.01
Pulses [except field pea (dry); lupin (dry)]	0.1	Marjoram (oregano)	0.8
Raspberries, red, black	2	Meat (mammalian) [in the fat]	*0.01
Sentul	0.2	Milks [in the fat]	*0.01
Spices [except peppers, chili, dried; spices, seeds]	0.1	Poultry, edible offal of	*0.01
Spices, seeds	2	Poultry meat [in the fat]	*0.01
Strawberry	0.5	Triticale	*0.01
Table olives	T0.5	Wheat	*0.01
Agvet chemical: Acetochlor		Agvet chemical: Afidopyropen	
<i>Permitted residue: Sum of compounds hydrolysable with base to 2-ethyl-6-methylaniline (EMA) and 2-(1-hydroxyethyl)-6-methylaniline (HEMA), expressed in terms of Acetochlor</i>		<i>Permitted residue: commodities of plant origin: Afidopyropen</i>	
Edible offal (mammalian)	0.05	<i>Permitted residue: commodities of animal origin: Afidopyropen and the carnitine conjugate of cyclopropanecarboxylic acid (M4401060), expressed as afidopyropen</i>	
Peanut	0.2	All other foods except animal food commodities	0.02
Soya bean (dry)	1.5	Apples, dried (peeled)	0.02
		Artichoke, globe	0.1
Agvet chemical: Acibenzolar-S-methyl		Banana	0.1
<i>Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl</i>		Barley	*0.01
Cotton seed	*0.02	Brassica vegetables (except Brassica leafy vegetables), [except Chinese cabbage (Pe-tsai)]	0.5
Edible offal (mammalian)	*0.02	Broccoli, Chinese (Gai lan)	0.5
Eggs	*0.02	Bulb vegetables	*0.01
Kiwifruit	T0.03	Cane berries	0.3
Marjoram (oregano)	0.3	Carrot	*0.01
Meat (mammalian)	*0.02	Chinese cabbage (Pe-tsai)	5
Milks	*0.005	Citrus fruits [except kumquats]	0.15
Poultry, edible offal of	*0.02	Cotton seed	0.1
Poultry meat	*0.02	Edible offal (mammalian)	0.3
Tomato	1	Eggs	*0.1
		Fruiting vegetables, cucurbits	0.7
Agvet chemical: Acifluorfen		Fruiting vegetables, other than cucurbits	0.2
<i>Permitted residue: Acifluorfen</i>		Fungi, edible (except mushrooms)	0.2
All other foods except animal food commodities	0.01	Ginger, root	*0.01
Edible offal (mammalian)	0.1	Grapes	*0.01
Eggs	*0.01	Herbs	T5
Legume vegetables	0.1	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
		Litchi	0.1
		Mammalian fats [except milk fats]	*0.01

Meat (mammalian)	*0.1
Milks	*0.01
Mushrooms	0.2
Mustard seeds	T*0.01
Orange oil, edible	0.7
Passionfruit	0.1
Peppers, chili, dried	1
Pome fruits [except persimmon, Japanese]	0.03
Potato	*0.01
Poultry, edible offal of	*0.1
Poultry fats	0.015
Poultry meat	*0.1
Rape seed [canola]	*0.01
Sorghum, grain	0.2
Stalk and Stem Vegetables - Stems and Petioles	3
Strawberry	0.2
Stone fruits [except jujube, Chinese]	0.03
Sweet corn (corn-on-the-cob)	*0.01
Sweet Potato	*0.01
Tomato, dried	0.7
Wheat	*0.01

Agvet chemical: Albendazole

Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

Agvet chemical: Albendazole sulphoxide

see Albendazole

Agvet chemical: Aldicarb

Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

Peanut	0.05
--------	------

Agvet chemical: Aliphatic alcohol ethoxylates

Permitted residue: Aliphatic alcohol ethoxylates

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

Agvet chemical: Alpha-cypermethrin

see Cypermethrin

Agvet chemical: Altrenogest

Permitted residue: Altrenogest

Pig, edible offal of	0.005
Pig meat	*0.005

Agvet chemical: Aluminium phosphide

see Phosphine

Agvet chemical: Ametoctradin

Permitted residue—commodities of plant origin: Ametoctradin

Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

All other foods except animal food commodities	0.2
Basil	T50
Beetroot	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	9
Broccoli, Chinese (Gai lan)	9
Bulb onions [except garlic; onion, bulb; Shallot]	0.7
Celery	20
Chinese cabbage (Pe-tsai)	50
Cucumber	2
Dried grapes (currants, raisins and sultanas)	20
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits [except cucumber]	3
Fruiting vegetables, other than cucurbits [except tomato]	1.5
Fungi, edible (except mushrooms)	1.5
Garlic	1.5
Grapes [except dried grapes]	6
Green onions [except leek; spring onion]	3
Hops, dry	100
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	50
Leek	5
Meat (mammalian)	*0.02
Milks	*0.02
Onion, bulb	1.5
Peppers, chili, dried	15
Poppy seed	0.7
Potato	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Shallot	1.5
Spring onion	20
Tomato	2

Agvet chemical: Ametryn		Poultry, edible offal of	*0.01
<i>Permitted residue: Ametryn</i>		Poultry meat	*0.01
All other foods except animal food commodities	0.05	Rape seed (canola)	*0.01
Edible offal (mammalian)	*0.05	Wheat bran, unprocessed	0.3
Meat (mammalian)	*0.05		
Milks	*0.05		
Pineapple	*0.05		
Sugar cane	0.05		
Agvet chemical: Amicarbazone			
<i>Permitted residue— Sum of amicarbazone, N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide and N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-hydroxy-1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide, expressed as amicarbazone</i>			
Edible offal (Mammalian)	0.7		
Meat [mammalian]	0.01		
Milks	*0.01		
Sugarcane	0.1		
Agvet chemical: Aminocyclopyrachlor			
<i>Permitted residue: Aminocyclopyrachlor</i>			
Edible offal (mammalian)	0.5		
Meat (mammalian) [in the fat]	0.05		
Milks	0.02		
Agvet chemical: Aminoethoxyvinylglycine			
<i>Permitted residue: Aminoethoxyvinylglycine</i>			
Almonds	*0.05		
Apple	0.1		
Avocado	*0.05		
Cherries	*0.05		
Stone fruits [except cherries (subgroup)]	0.2		
Walnuts	*0.05		
Agvet chemical: Aminopyralid			
<i>Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid</i>			
<i>Permitted residue—commodities of animal origin: Aminopyralid</i>			
All other foods except animal food commodities	0.02		
Cereal grains [except sweet corns]	0.1		
Edible offal (mammalian) [except kidney]	0.02		
Eggs	*0.01		
Kidney (mammalian)	0.3		
Meat (mammalian)	*0.01		
Milks	*0.01		
Mustard seeds	T*0.01		
		Poultry, edible offal of	*0.01
		Poultry meat	*0.01
		Rape seed (canola)	*0.01
		Wheat bran, unprocessed	0.3
		Agvet chemical: Amisulbrom	
		<i>Permitted residue: Amisulbrom</i>	
		All other foods except animal food commodities	0.02
		Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
		Broccoli, Chinese (Gai lan)	2
		Dried grapes (currants, raisins and sultanas)	1
		Edible offal (mammalian)	*0.01
		Eggs	*0.01
		Grapes	0.5
		Meat (mammalian)	*0.01
		Milks	*0.01
		Potato	0.3
		Poultry, edible offal of	*0.01
		Poultry meat	*0.01
		Agvet chemical: Amitraz	
		<i>Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine</i>	
		Cotton seed	*0.1
		Cotton seed oil, crude	1
		Edible offal (mammalian)	0.5
		Honey	0.2
		Meat (mammalian)	0.1
		Milks	0.1
		Agvet chemical: Amitrole	
		<i>Permitted residue: Amitrole</i>	
		Avocado	*0.01
		Banana	*0.01
		Cereal grains [except sweet corns]	*0.01
		Citrus fruits	*0.01
		Edible offal (mammalian)	*0.01
		Grapes	*0.01
		Hops, dry	*0.01
		Meat (mammalian)	*0.01
		Milks	*0.01
		Oilseeds (subgroup)	*0.01
		Papaya (pawpaw)	*0.01
		Passionfruit	*0.01
		Pecan	*0.01
		Pineapple	*0.01
		Pome fruits	*0.01
		Potato	*0.05
		Pulses	*0.01
		Stone fruits	*0.02

Aqvvet chemical: Amoxycillin

Permitted residue: Inhibitory substance, identified as amoxycillin

Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	0.05
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01

Aqvet chemical: Ampicillin

Permitted residue: Inhibitory substance, identified as ampicillin

Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01

Aqvvet chemical: Amprolium

Permitted residue: Amprolium

Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5

Aqvvet chemical: Apramycin

Permitted residue: Apramycin

Edible offal (mammalian)	2
Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05

Aqvet chemical: Asulam

Permitted residue: Asulam

Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4
Sugar cane	*0.1

Agvet chemical: Atrazine

Permitted residue: Atrazine

Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02
Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Mustard seeds	T*0.02
Potato	*0.01

Rape seed (canola)	*0.02
Sorghum, grain	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1

Aqvvet chemical: Avermectin B1

see *Abamectin*

Aqvet chemical: Avilamycin

Permitted residue: Inhibitory substance, identified as avilamycin

Pig fat/skin	0.2
Pig kidney	0.2
Pig liver	0.3
Pig meat	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Aqvet chemical: Azamethiphos

Permitted residue: Azamethiphos

Cereal grains [except sweet corns]	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5

Aqvvet chemical: Azaperone

Permitted residue: Azaperone

Pig, edible offal of	0.2
Pig meat	0.2

Aqvet chemical: Azimsulfuron

Permitted residue: Azimsulfuron

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02

Agvet chemical: Azinphos-methyl

Permitted residue: Azinphos-methyl

Blueberries	*0.01
Grapes	*0.01
Pome fruits [except apples]	2
Stone fruits	0.01
Strawberry	*0.01

Agvet chemical: Azoxystrobin			
<i>Permitted residue: Azoxystrobin</i>			
All other foods except animal food commodities	0.1	Peppers	3
Almonds	*0.01	Peppers, chili, dried	30
Anise myrtle leaves (dried)	T3	Poppy seed	*0.02
Avocado	3	Potato	7
Banana	2	Poultry, edible offal of	*0.01
Barley	0.2	Poultry meat	*0.01
Bayberries	T5	Pulses	0.3
Bayberry, red	T5	Rape seed (canola)	0.01
Blackberries	5	Raspberries, red, black	5
Blueberries	5	Rhubarb	0.6
Boysenberry	5	Riberry	T1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1	Rice	T7
Broccoli, Chinese (Gai lan)	1	Root and tuber vegetables [except potato; sugar beet]	1
Bulb vegetables [except chives; onion, bulb]	5	Rye	0.1
Celery	5	Spices [except peppers, chili, dried]	*0.1
Chinese cabbage (Pe-tsai)	15	Stone fruits [except jujube, Chinese]	1.5
Chives	70	Strawberry	10
Citrus fruits	10	Sugar beet	4
Cloudberry	T5	Sweet corns (subgroup)	0.05
Cotton seed	T0.05	Tomato	T1
Cranberry	0.5	Tree nuts [except almonds and macadamia nuts]	2
Currants, black, red, white	5	Triticale	0.1
Dewberries (including boysenberry and loganberry)	T5	Wheat	0.1
Dried grapes	5	Agvet chemical: Bacitracin	
Edible offal (mammalian)	0.03	<i>Permitted residue: Inhibitory substance, identified as bacitracin</i>	
Egg plant	T2	Chicken, edible offal of	*0.5
Eggs	*0.01	Chicken fat	*0.5
Fennel, bulb	5	Chicken meat	*0.5
Fruiting vegetables, cucurbits	2	Eggs	*0.5
Grapes	2	Milks	*0.5
Guava	0.2	Agvet chemical: Benalaxyl	
Herbs	70	<i>Permitted residue: Benalaxyl</i>	
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	15	Grapes	T0.5
Legume vegetables	3	Agvet chemical: Bendiocarb	
Lemon myrtle leaves (dried)	T3	<i>Permitted residue—commodities of plant origin: Unconjugated bendiocarb</i>	
Macadamia nuts	*0.01	<i>Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb</i>	
Maize cereals	0.05	Cattle, edible offal of	0.2
Mango	4	Cattle meat	0.1
Meat (mammalian) (in the fat)	0.02	Eggs	0.05
Milks	0.005	Milks	0.1
Mustard seeds	T0.01	Poultry, edible offal of	0.1
Oats	0.1	Poultry meat	0.05
Okra	T2		
Olives	T2		
Onion, bulb	0.2		
Papaya	4		
Passionfruit	0.5		
Peanut	0.2		
Peanut oil, crude	0.1		

Agvet chemical: Benfluralin	
<i>Permitted residue: Benfluralin</i>	
Lettuce, head	T*0.05
Lettuce, leaf	T*0.05
Agvet chemical: Benomyl	
<i>see Carbendazim</i>	
Agvet chemical: Bensulfuron-methyl	
<i>Permitted residue: Bensulfuron-methyl</i>	
Rice	*0.02
Rice bran, processed	*0.05
Agvet chemical: Bentazone	
<i>Permitted residue: Bentazone</i>	
All other foods except animal food commodities	0.1
Beans [except soya bean]	0.5
Dry beans	0.5
Dry peas	0.5
Dry underground pulses	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fats (mammalian)	*0.01
Herbs	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	T0.1
Peanut	*0.1
Peas	3
Potato	0.15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05
Agvet chemical: Benzocaine	
<i>Permitted residue: Benzocaine</i>	
Abalone	*0.05
Finfish	*0.05
Agvet chemical: Benzofenap	
<i>Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap</i>	
Rice	*0.01
Agvet chemical: Benzovindiflupyr	
<i>Permitted residue: Benzovindiflupyr</i>	
All other foods except animal food commodities	0.02
Barley	0.2
Beans, dry [except soya bean (dry)]	0.15

Blueberries	2
Bulb onions	0.02
Coffee beans	0.15
Edible offal (mammalian)	*0.01
Eggs	*0.01
Ginseng	0.3
Grapes	1
Green onions	0.4
Maize	0.02
Meat (mammalian) [in the fat]	*0.01
Milks	*0.01
Oats	0.2
Peanut	0.4
Peas, dry	0.2
Peppers, chili, dried	9
Pome fruits [except Persimmon, Japanese]	0.2
Popcorn	0.02
Potato	0.02
Poultry, edible offal of	*0.01
Poultry meat [in the fat]	*0.01
Soya bean (dry)	0.08
Sugar beet	0.08
Sugar cane	0.4
Tomato	1.5
Wheat (subgroup)	0.01

Agvet chemical: Benzyladenine

Permitted residue: Benzyladenine

All other foods except animal food commodities	0.01
Apple	0.2
Pear	*0.005
Walnut	T*0.005

Agvet chemical: Benzyl G penicillin

Permitted residue: Inhibitory substance, identified as benzyl G penicillin

Edible offal (mammalian)	*0.06
Meat (mammalian)	*0.06
Milks	*0.0015

Agvet chemical: Betacyfluthrin

see Cyfluthrin

Agvet chemical: Bicyclopyrone

Permitted residue: Bicyclopyrone and its structurally related metabolites determined as the common moieties SYN503780 and CSCD686480 and expressed as bicyclopyrone

All other foods except animal food commodities	0.02
Barley	0.02
Bulb onions (subgroup)	0.02

Edible offal (mammalian)	2
Eggs	*0.02
Green onions	0.05
Hops, dry	0.04
Maize	0.02
Meat (mammalian)	*0.02
Milk	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sweet corn (corn on the cob)	0.03
Wheat	0.02
Wheat bran, unprocessed	0.05

Agvet chemical: Bifenazate

Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate

All other foods except animal food commodities	0.2
Almonds	0.2
Apricot	0.5
Avocado	T2
Blackberries	T7
Cherries	2.5
Cloudberry	T7
Cos lettuce	T20
Cranberry	1.5
Dewberries (including boysenberry and loganberry)	T7
Dried grapes	T2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits [except peppers, chili]	1
Fungi, edible (except mushrooms)	1
Grapes [except wine grapes]	T1
Hops, dry	15
Lettuce, head	T20
Lettuce, leaf	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Nectarine	0.5
Papaya (pawpaw)	2
Peach	2
Peppers, chili	3
Plums (including prunes)	0.5
Podded pea (young pods) (snow and sugar snap)	T1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pome fruits [except Persimmon, Japanese]	2
Raspberries, red, black	T7
Strawberry	2
Yard-long bean (pods)	T1

Agvet chemical: Bifenthrin

Permitted residue: Bifenthrin

All other foods except animal food commodities	0.03
Almonds	T0.1
Apple	*0.05
Avocado	0.5
Banana	0.1
Blackberries	T3
Blueberries	T3
Brassica vegetables (except Brassica leafy vegetables), [except cabbages, head; Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Bulb vegetables [except chives; onion, bulb]	T5
Cabbages, head	T0.5
Celery	T*0.01
Cereal grains [except sweet corns]	*0.02
Cherries	T3
Chervil	T0.5
Chia	T0.2
Chinese cabbage (Pe-tsai)	*0.01
Chives	T0.5
Citrus fruits	*0.05
Cloudberry	T3
Common bean (dry) (navy bean)	0.2
Common bean (pods and/or immature seeds)	0.7
Cotton seed	0.5
Cranberry	3
Cucumber	0.5
Currants, black, red, white	T3
Dewberries (including boysenberry and loganberry)	T3
Edible offal (mammalian)	0.5
Eggs	*0.05
Fennel, bulb	T5
Fig	T1
Fruiting vegetables, cucurbits [except cucumber]	0.1
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Galangal, rhizomes	T10
Ginger, root	T*0.01
Gooseberry	T3
Grapes	0.2
Herbs	T0.5
Hops, dry	10
Kaffir lime leaves	T10
Leafy vegetables [except broccoli, Chinese (Gai lan); chervil; mizuna; rucola (rocket); witloof chicory]	*0.01
Lemon balm	T10
Lemon grass	T10

Lemon verbena	T10	Cotton seed	0.3
Meat (mammalian) (in the fat)	2	Cotton seed oil, crude	T0.5
Milks	0.5	Edible offal (mammalian)	0.7
Mizuna	T0.5	Eggs	*0.02
Mung bean (dry)	T0.2	Lupin (dry)	T0.1
Mushrooms	0.5	Meat (mammalian) (in the fat)	0.2
Mustard seeds	*0.02	Milk fats	0.5
Olives	T0.5	Milks	0.05
Pear	0.5	Oilseeds (subgroup) [except cotton seed; sunflower seed]	*0.01
Peanut	0.05	Peanut	*0.01
Peas (pods and succulent, immature seeds)	*0.01	Poultry, edible offal of	*0.02
Pecan	T*0.05	Poultry meat (in the fat)	*0.02
Peppers, chili, dried	4	Pulses [except lupin (dry); soya bean (dry)]	0.04
Pineapple	*0.01	Root and tuber vegetables	0.06
Poppy seed	*0.02	Sorghum grain	2
Poultry, edible offal of	*0.05	Soya bean (dry)	0.08
Poultry meat (in the fat)	*0.05	Soya bean oil, refined	0.15
Pulses [except common bean (dry) (navy bean); mung bean (dry)]	0.3	Sunflower seed	3
Rape seed (canola)	*0.02	Wheat	0.3
Raspberries, red, black	T3	Wheat bran, processed	0.8
Rucola (rocket)	T0.5		
Stone fruits [except cherries (subgroup)]	1	Agvet chemical: Bixlozone	
Strawberry	1	<i>Permitted residue: Bixlozone</i>	
Sugar cane	T0.7	All other foods except animal food commodities	0.01
Sweet corns	0.5	Barley	*0.01
Sweet potato	*0.05	Broad bean (dry)	*0.01
Taro	T*0.05	Edible offal (mammalian)	*0.01
Tea, green, black	5	Eggs	*0.01
Truffle	T*0.01	Field pea (dry)	*0.01
Turmeric, root	T10	Meat (mammalian)	*0.01
		Milks	*0.01
		Mustard seeds	T*0.01
		Poultry, edible offal of	*0.01
		Poultry meat	*0.01
		Rape seed (canola)	*0.01
		Wheat	*0.01
		Agvet chemical: Boscalid	
		<i>Permitted residue—commodities of plant origin: Boscalid</i>	
		<i>Permitted residue—commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents</i>	
		Adzuki bean	T3
		All other foods	0.5
		Almonds	0.7
		Barley, grain	4
		Blackberries	T10
		Blueberries	10

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2	Agvet chemical: Broflanilide	<i>Permitted residue—Commodities of plant origin: Broflanilide</i>
Broccoli, Chinese (Gai lan)	2		
Bulb vegetables [except chives; onion, bulb]	5	Agvet chemical: Broflanilide	<i>Permitted residue—Commodities of animal origin: Sum of broflanilide plus 3-benzamido-N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluorobenzamide (DM-8007), expressed as broflanilide.</i>
Cassava	2		
Celery	T15	Agvet chemical: Broflanilide	<i>Permitted residue—Commodities of animal origin: Sum of broflanilide plus 3-benzamido-N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluorobenzamide (DM-8007), expressed as broflanilide.</i>
Cherries	5		
Citrus fruits [except kumquats]	2	All other foods except animal food commodities	0.002
Chick-pea (dry)	T3	Brassica vegetables (except Brassica leafy vegetables) [except cabbages, head]	0.5
Chinese cabbage (Pe-tsai)	40	Cabbages, head	2
Cloudberry	T10	Cereal grains [except rice]	*0.001
Currants, black, red, white	15	Coffee bean	0.01
Dewberries (including boysenberry and loganberry and youngberry)	T10	Edible offal (mammalian)	0.03
Dried grapes	15	Eggs	0.03
Edible Fungi	1	Leafy vegetables	4
Edible offal (mammalian)	0.3	Maize flour	0.002
Fennel, bulb	5	Mammalian fats (except milk fats)	0.15
Fruiting vegetables, cucurbits	3	Meat (mammalian) (in the fat)	0.15
Fruiting vegetables, other than cucurbits	3	Milk fats	0.4
Grapes	5	Milks	0.015
Hops, dry	60	Poultry, edible offal of	0.03
Kiwifruit	5	Poultry fats	0.15
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	40	Poultry meat	*0.02
Legume vegetables	3	Poultry meat (in the fat)	*0.02
Lentil (dry)	T3	Radish, Japanese	0.01
Lupin (dry)	T0.1	Tuberous and corm vegetables	0.04
Mango	2	Wheat germ	0.002
Meat (mammalian) (in the fat)	0.3	Agvet chemical: Bromacil	<i>Permitted residue: Bromacil</i>
Milk fats	0.7		
Milks	0.1	Asparagus	*0.04
Oilseeds (subgroup)	3.5	Citrus fruits [except kumquats]	*0.04
Onion, bulb	0.5	Edible offal (mammalian)	*0.04
Palm nuts	1	Meat (mammalian)	*0.04
Papaya	1.5	Milks	*0.04
Peaches (subgroup)	4	Pineapple	*0.04
Peanut	T0.1	Agvet chemical: Bromoxynil	<i>Permitted residue: Bromoxynil</i>
Peanut oil, edible	T0.7		
Peppers, chili, dried	10	All other foods except animal food commodities	0.1
Pistachio nut	T2	Cereal grains [except sweet corns]	*0.2
Plums (including fresh prunes)	3.5	Edible offal (mammalian)	T3
Pome fruits [except Persimmon, Japanese]	2	Eggs	*0.02
Potato	2	Garlic	T*0.05
Prunes, dried	5	Hempseed	T*0.02
Pulses [except chick-pea (dry); lentil (dry); lupin (dry); soya bean (dry)]	2.5	Linseed	*0.02
Raspberries, red, black	T10	Meat (mammalian) (in the fat)	T1
Root and tuber vegetables [except cassava; potato]	1	Milks	T0.1
Silvanberries	T10	Onion, bulb	*0.01
Strawberry	10	Poultry, edible offal of	*0.02
Sweet corn (corn-on-the cob)	1		
Tea, green, black	40		

Poultry meat	*0.02
Walnuts	T*0.01

Agvet chemical: Bupirimate

Permitted residue: Bupirimate

All other foods except animal food commodities	0.02
Apple	1
Currants, black, red, white	5
Egg plant	1
Fruiting vegetables, cucurbits	1
Peppers	0.7
Strawberry	1.5
Tomato	T0.3

Agvet chemical: Bupivacaine

Permitted residue: Bupivacaine

Sheep fat	0.07
Sheep kidney	0.02
Sheep liver	0.02
Sheep muscle	0.0005

Agvet chemical: Buprofezin

Permitted residue: Buprofezin

All other foods except animal food commodities	0.1
Almonds	0.05
Apple	3
Apricot	9
Basil	5
Celery	T5
Cereal grains [except sweet corns]	*0.01
Chives, Chinese	2
Citrus fruits	2
Citrus oil, edible	6
Cotton seed	0.3
Custard apple	0.1
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	T2
Fruiting vegetables, other than cucurbits [except peppers, chili; tomato]	T2
Fungi, edible (except mushrooms)	T2
Garlic chives	2
Grapes	2.5
Lettuce, leaf	T10
Litchi	T0.5
Mango	0.2
Marjoram (oregano)	5
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mints	5

Mushrooms	T2
Nectarine	9
Oilseeds (subgroup) [except cotton seed]	*0.01
Olive oil, virgin	20
Passionfruit	2
Peach	9
Pear	0.2
Peppers, chili	10
Persimmon, Japanese	1
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Pulses	*0.01
Stone fruits [except apricot; jujube, Chinese; nectarine; peach]	1.9
Sweet corns	T2
Table olives	5
Tomato	1
Thyme	5
Tree tomato	T1
Walnut	T0.05

Agvet chemical: Butafenacil

Permitted residue: Butafenacil

Cereal grains [except rice; sweet corns]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.01
Pulses	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Butroxydim

Permitted residue: Butroxydim

Edible offal (mammalian)	*0.01
Eggs	*0.01
Legume vegetables	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseeds (subgroup)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01

Agvet chemical: Cadusafos

Permitted residue: Cadusafos

Banana	*0.01
Citrus fruits	*0.01
Ginger, root	0.1
Sugar cane	*0.01

Tomato	*0.01
Agvet chemical: Captan	
<i>Permitted residue: Captan</i>	
All other foods except animal food commodities	0.1
Almonds	0.3
Berries and other small fruits [except blueberries; grapes; strawberry]	T30
Blueberries	20
Chick-pea (dry)	T0.1
Cucumber	T5
Dried grapes	15
Edible offal (mammalian)	*0.05
Eggs	*0.02
Grapes	10
Lentil (dry)	T0.1
Lettuce, leaf	T15
Mandarins	T3
Meat (mammalian)	*0.05
Milks	*0.01
Peppers, chili	T7
Peppers, sweet	T7
Pitaya (dragon fruit)	T20
Pome fruits [except Persimmon, Japanese]	10
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	15
Strawberry	10
Tangelo, large-sized cultivars	T3
Tree nuts [except almonds]	3
Agvet chemical: Carbaryl	
<i>Permitted residue: Carbaryl</i>	
All other foods except animal food commodities	0.02
Avocado	2
Barley	15
Beetroot	0.5
Cacao bean	0.02
Cereal grains [except barley; rice; sorghum, grain; sweet corns (subgroup)]	5
Coconut	*0.01
Cotton seed	3
Cranberry	3
Edible offal (mammalian)	3
Eggs	*0.02
Feijoa	*0.01
Fruiting vegetables, cucurbits	*0.01
Grapes	*0.01
Guava	*0.01
Hazelnuts	0.01
Jaboticaba	*0.01
Jackfruit	*0.01

Lemon	3
Litchi	*0.01
Longan	*0.01
Macadamia nuts	2
Mango	2
Meat (mammalian)	0.07
Milks	0.1
Oilseeds (subgroup) [except cotton seed]	0.1
Oranges, sweet, sour	3
Pecan	2
Peppers, chili, dried	2
Pome fruits [except Persimmon, Japanese]	0.2
Potato	0.1
Poultry, edible offal of	0.2
Poultry meat	*0.02
Pulses	0.1
Rambutan	*0.01
Raspberries, red, black	15
Rice	7
Sorghum, grain	10
Strawberry	*0.01
Stone fruits [except cherries (subgroup)]	0.5
Swede	2
Sweet potato	0.1
Turnip, garden	2
Wheat bran, unprocessed	10

Agvet chemical: Carbendazim

Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim

Apple	0.2
Apricot	2
Blackberries	*0.1
Cherries	20
Chives	*0.1
Citron	0.7
Currants, black, red, white	0.1
Edible offal (mammalian)	0.2
Eggs	*0.1
Garlic	T*0.01
Grapefruit	0.2
Grapes	0.3
Lemon	0.7
Lime	0.7
Macadamia nuts	0.1
Mandarins	0.7
Mango	2
Meat (mammalian)	0.2
Milks	*0.1
Mineola	0.7
Mushrooms	T1
Nectarine	0.2
Oranges	0.2

Peach	0.2
Pear	0.2
Peppers, chili	2
Peppers, chili, dried	20
Peppers [except peppers, chili]	*0.1
Podded pea (young pods) (snow and sugar snap)	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	0.5
Raspberries, red, black	0.1
Rhubarb	0.1
Rice, husked	2
Shaddock (pomelo)	0.2
Spices [except peppers, chili, dried; spices, seeds]	*0.1
Spices, seeds	5
Strawberry	1
Tangelo [except mineola]	0.2
Tangors	0.7
Tomato	0.5

Agvet chemical: Carbetamide

Permitted residue: Carbetamide

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01

Agvet chemical: Carbofuran

Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran

Cotton seed	0.1
Sunflower seed	*0.1

Agvet chemical: Carbon disulphide

Permitted residue: Carbon disulfide

Cereal grains [except sweet corns]	10
Pulses	T10

Agvet chemical: Carbonyl sulphide

Permitted residue: Carbonyl sulphide

Cereal grains [except sweet corns]	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2

Agvet chemical: Carbosulfan

see *Carbofuran*

Agvet chemical: Carboxin

Permitted residue: Carboxin

Cereal grains [except sweet corns]	0.1
Peanut	0.2

Agvet chemical: Carfentrazone-ethyl

Permitted residue: Carfentrazone-ethyl

All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – edible peel	*0.05
Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits [except blueberries; grapes]	*0.05
Blueberries	0.1
Cereal grains [except sweet corns]	*0.05
Citrus fruits	*0.05
Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	0.1
Meat (mammalian)	*0.05
Milks	*0.025
Peanut	0.1
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05

Agvet chemical: Ceftiofur

Permitted residue: Desfuroylceftiofur

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

Agvet chemical: Cefuroxime

Permitted residue: Inhibitory substance, identified as cefuroxime

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: Cephalonium

Permitted residue: Inhibitory substance, identified as cephalonium

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02

Agvet chemical: Cephapirin	
<i>Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin</i>	
Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01
Agvet chemical: Chlorantraniliprole	
<i>Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole</i>	
<i>Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole</i>	
All other foods	T0.1
Asparagus	13
Avocado	4
Berries and other small fruits [except blueberries]	2.5
Blueberries	T3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Cacao beans	T0.2
Celery	7
Cherries	2.5
Chinese cabbage (Pe-tsai)	15
Chives	T20
Citrus fruits	1.4
Coffee beans	0.4
Cotton seed	0.3
Coriander (leaves, roots, stems)	T20
Dried fruits	2
Dry beans [except mung beans (dry); soya bean (dry)]	0.3
Dry peas	0.3
Dry underground pulses	0.07
Edible Fungi	0.6
Edible offal (mammalian)	0.02
Eggs	0.03
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits [except peppers, chili]	0.6
Ginger, root	T0.1
Hempseed	T1
Herbs	T20
Hops, dry	40
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; rucola; witloof chicory]	15
Legume vegetables	2

Lettuce, head	3
Linseed	T0.5
Maize cereals	T*0.01
Meat (mammalian) (in the fat)	0.02
Mexican tarragon	T20
Milk fats	0.1
Milks	0.02
Mung bean (dry)	0.7
Mushrooms	0.6
Palm fruit (African oil palm)	0.8
Palm kernel oil, crude	2
Peanuts	0.06
Peppers, chili	1
Peppers, chili, dried	5
Persimmon, Japanese	0.3
Plums	1
Pome fruits [except Persimmon, Japanese]	1.2
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	2
Rhubarb	5
Rice	T3
Rice bran, unprocessed	T5
Root and tuber vegetables [except potato]	T0.5
Rucola (rocket)	T20
Safflower seed	T0.1
Sesame seed	T0.5
Sorghum grain and millet	T1
Soya bean (dry)	0.07
Stone fruits [except cherries (subgroup); plums (subgroup)]	4
Sugar cane	T0.5
Sunflower seed	2
Sweet corn (corn-on-the-cob)	*0.01
Tea, green, black	80
Tree nuts	0.1

Agvet chemical: Chlorfenapyr

Permitted residue: Chlorfenapyr

All other foods except animal food commodities	0.02
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Chinese cabbage (Pak-choi)	3
Citron	0.8
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fats (mammalian)	0.6
Garlic	*0.01
Lemon	0.8

Lime	0.8
Meat (mammalian)	0.6
Meat (mammalian) (in the fat)	0.05
Melons [except watermelon]	0.4
Milks	0.03
Onion, bulb	*0.01
Oranges, sweet, sour	1.5
Papaya	0.3
Peach	1
Peppers	0.3
Peppers, chili	0.01
Peppers, chili, dried	3
Persimmon, Japanese	1
Pome fruits [except Persimmon, Japanese]	0.5
Potato	*0.01
Poultry, edible offal of	0.01
Poultry fats	0.02
Poultry meat	0.02
Poultry meat (in the fat)	*0.01
Soya bean (dry)	0.08
Soya bean oil, crude	0.4
Spices [except peppers, chili, dried]	0.05
Tea, green, black	60
Tomato	0.4

Agvet chemical: Chlorfenvinphos

Permitted residue: Chlorfenvinphos, sum of E and Z isomers

Cattle, edible offal of	T*0.1
Cattle meat (in the fat)	T0.2
Cattle milk (in the fat)	T0.2
Deer meat (in the fat)	0.2
Goat, edible offal of	T*0.1
Goat meat (in the fat)	T0.2
Sheep, edible offal of	T*0.1
Sheep meat (in the fat)	T0.2

Agvet chemical: Chlorhexidine

Permitted residue: Chlorhexidine

Milks	0.05
Sheep, edible offal of	*0.5
Sheep fat	*0.5
Sheep meat	*0.5

Agvet chemical: Chloridazon

Permitted residue: Chloridazon

Beetroot	0.5
Beetroot leaves	1
Chard (silver beet)	1
Spinach	1

Agvet chemical: Chlormequat

Permitted residue: Chlormequat cation

All other foods except animal food commodities	0.02
Barley	2
Dried grapes	0.75
Edible offal (mammalian)	0.5
Eggs	0.2
Grapes	0.75
Mammalian fats (except milk fats)	0.1
Meat (mammalian)	0.2
Milks	0.5
Poultry, edible offal of	0.2
Poultry fats	*0.04
Poultry meat	*0.05
Wheat	5
Wheat bran, unprocessed	10
Wheat germ	20

Agvet chemical: Chloropicrin

Permitted residue: Chloropicrin

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

Agvet chemical: Chlorothalonil

Permitted residue—commodities of plant origin: Chlorothalonil

Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil

Almonds	T0.1
Apricot	7
Asparagus	T*0.1
Banana	3
Berries and other small fruits [except cranberry; currant, black; grapes]	T10
Brussels sprouts	7
Carrot	7
Celery	20
Cherries	10
Chinese cabbage (Pe-tsai)	T100
Coriander (leaves, roots, stems)	T20
Cranberry	15
Currant, black	10
Edible offal (mammalian)	7
Eggplant	T10
Fennel, bulb	5
Fennel, leaf	5
Fennel, seed	5
Fruiting vegetables, cucurbits	5
Galangal, Greater	T7
Galangal, Lesser	T7
Garlic	10
Grapes	10

Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaves; witloof chicory]	T100	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.5
Leek	T10	Broccoli, Chinese (Gai lan)	T0.5
Lettuce, head	T10	Cacao beans	*0.01
Lettuce, leaf	T10	Cassava	T*0.02
Mango	T1	Celery	T5
Meat (mammalian) (in the fat)	2	Cereal grains [except rice; sorghum, grain; sweet corns]	T0.1
Milks	0.05	Cherries	1
Nectarine	7	Chives	*0.01
Onion, bulb	10	Citrus fruits	1
Onion, Welsh	T10	Coffee beans	T0.5
Papaya (pawpaw)	10	Cotton seed	0.05
Parsley	T20	Cotton seed oil, crude	0.2
Peach	30	Cranberry	1
Peanut	0.3	Dried fruits	T2
Peas (pods and succulent, immature seeds)	10	Edible offal (mammalian)	T0.1
Peppers, chili, dried	70	Eggs	T*0.01
Persimmon, American	T5	Ginger, root	*0.02
Persimmon, Japanese	T5	Grapes	T1
Pistachio nut	T0.1	Herbs [except parsley]	*0.01
Plums (including prunes)	10	Kiwifruit	2
Potato	0.1	Leek	T5
Poultry, edible offal of	*0.05	Mango	*0.05
Poultry meat	*0.05	Meat (mammalian) (in the fat)	T0.5
Pulses	3	Milks (in the fat)	T0.2
Rice	T*0.1	Oilseed [except cotton seed; peanut]	T*0.05
Shallot	T10	Olives	T*0.05
Spring onion	T10	Onion, bulb	*0.01
Sunflower seed	T*0.01	Parsley	0.05
Sweet corns	T7	Passionfruit	*0.05
Tomato	10	Peanut	0.2
Tree tomato	T10	Peppers, sweet	T1
Turmeric, root	T7	Persimmon, American	T1
Vegetables [except asparagus; Brussels sprouts; carrot; celery; eggplant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7	Persimmon, Japanese	T1
Wasabi	T7	Pineapple	T0.5
Agvet chemical: Chlorpropham		Pitaya (dragon fruit)	T*0.05
<i>Permitted residue: Chlorpropham</i>		Pome fruits [except Persimmon, Japanese]	T0.5
Potato	30	Potato	0.05
Agvet chemical: Chlorpyrifos		Poultry, edible offal of	T0.1
<i>Permitted residue: Chlorpyrifos</i>		Poultry meat (in the fat)	T0.1
Asparagus	T0.5	Raspberries, red, black	0.01
Avocado	0.5	Rice	0.5
Banana	T0.5	Sorghum, grain	T3
Bean, dry seed	0.05	Spices	*0.01
Blackberries	0.5	Star apple	T*0.05
Blueberries	*0.01	Stone fruits [except cherries (subgroup)]	T1
		Strawberry	0.05
		Sugar cane	T0.1
		Swede	T0.3
		Sweet corns	T*0.01
		Sweet potato	T0.05
		Taro	0.05
		Tomato	T0.5

Tree nuts	T0.05
Vegetables [except asparagus; bean, dry, seed; brassica vegetables; cassava; celery; leek; peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01
Agvet chemical: Chlorpyrifos-methyl	
<i>Permitted residue: Chlorpyrifos-methyl</i>	
Cereal grains [except rice; sweet corns]	10
Chives	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.05
Herbs	*0.01
Lupin (dry)	10
Meat (mammalian) (in the fat)	*0.05
Milks (in the fat)	*0.05
Oilseed [except cotton seed]	0.15
Palm nuts	0.15
Peanut	0.15
Peppers	1
Peppers, chili, dried	10
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses [except lupin (dry)]	0.15
Strawberry	0.5
Tea, green, black	0.1
Wheat bran, unprocessed	20
Wheat germ	30
Agvet chemical: Chlorsulfuron	
<i>Permitted residue: Chlorsulfuron</i>	
Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Agvet chemical: Chlortetracycline	
<i>Permitted residue: Inhibitory substance, identified as chlortetracycline</i>	
Cattle kidney	0.6
Cattle liver	0.3
Cattle meat	0.1
Eggs	0.2
Pig kidney	0.6
Pig liver	0.3
Pig meat	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1
Agvet chemical: Chlorthal-dimethyl	
<i>Permitted residue: Chlorthal-dimethyl</i>	
Eggs	*0.05

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Lettuce, head	2
Lettuce, leaf	2
Milks	*0.05
Parsley	T2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sweet corns	5
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Cinmethylin

Permitted residue: Cinmethylin

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.01

Agvet chemical: Clavulanic acid

Permitted residue: Clavulanic acid

Cattle, edible offal of	*0.01
Cattle meat	*0.01
Cattle milk	*0.01

Agvet chemical: Clethodim

see Sethoxydim

Residues arising from the use of clethodim are covered by MRLs for sethoxydim

Agvet chemical: Clodinafop acid

Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Wheat	*0.1

Agvet chemical: Clodinafop-propargyl

Permitted residue: Clodinafop-propargyl

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat	*0.05

Agvet chemical: Clofentezine		Poppy seed	T1
<i>Permitted residue: Clofentezine</i>		Rape seed (canola)	0.5
All other foods except animal food commodities	0.02	Raspberries, red, black	0.5
Almonds	0.5	Strawberry	4
Banana	*0.01	Agvet chemical: Cloquintocet acid	
Edible offal (mammalian)	T*0.05	see <i>Cloquintocet mexyl</i>	
Grapes	1	<i>Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl</i>	
Hops, dry	7	Agvet chemical: Cloquintocet-mexyl	
Jujube, Chinese	0.1	<i>Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxycetic acid, expressed as cloquintocet mexyl</i>	
Meat (mammalian)	T*0.05	Cereal grains [except sweet corns]	*0.1
Milks	T*0.05	Edible offal (mammalian)	*0.1
Plums (including prunes)	0.1	Eggs	*0.1
Pome fruits	0.1	Meat (mammalian)	*0.1
Stone fruits [except jujube, Chinese; plums (including prunes)]	1	Milks	*0.1
Strawberry	2	Poppy seed	T*0.02
Tea, green, black	*0.05	Poultry, edible offal of	*0.1
Tomato	0.5	Poultry meat	*0.1
Agvet chemical: Clomazone		Agvet chemical: Clorsulon	
<i>Permitted residue: Clomazone</i>		<i>Permitted residue: Clorsulon</i>	
Beans [except broad bean; soya bean]	*0.05	Cattle, edible offal of	*0.1
Common bean (pod and/or immature seeds)	T*0.05	Cattle meat	*0.1
Edible offal (mammalian)	*0.03	Cattle milk	1.5
Eggs	*0.03	Agvet chemical: Closantel	
Fruiting vegetables, cucurbits	*0.05	<i>Permitted residue: Closantel</i>	
Meat (mammalian)	*0.03	Sheep, edible offal of	5
Milks	0.03	Sheep meat	2
Mustard seeds	T*0.01	Agvet chemical: Clothianidin	
Potato	*0.05	<i>Permitted residue: Clothianidin</i>	
Poultry, edible offal of	0.03	see also <i>Thiamethoxam</i>	
Poultry meat	0.03	All other foods except animal food commodities	T0.1
Rape seed (canola)	0.01	Almonds	0.05
Rice	*0.01	Banana	*0.02
Agvet chemical: Clopyralid		Barley	0.07
<i>Permitted residue: Clopyralid</i>		Barley bran, processed	0.15
All other foods except animal food commodities	0.1	Blueberries	T*0.01
Blueberries	0.5	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Cauliflower	T0.2	Broccoli, Chinese (Gai lan)	0.5
Cereal grains [except sweet corns]	2	Cereal grains [except as otherwise listed under this chemical]	*0.02
Cherries	0.5	Cherimoya	T0.1
Cranberry	4	Chinese cabbage (Pe-tsai)	0.7
Currants, black, red, white	0.5	Citrus fruits	0.5
Edible offal (mammalian) [except kidney]	0.5		
Hops, dry	5		
Kidney of cattle, goats, pigs and sheep	5		
Meat (mammalian)	0.1		
Milks	0.05		
Mustard seeds	T0.5		

Common bean (dry) (navy bean)	T0.1	Agvet chemical: Cloxacillin	
Cotton seed	*0.02	<i>Permitted residue: Inhibitory substance, identified as Cloxacillin</i>	
Cranberry	0.07		
Custard apple	T0.1		
Dried grapes	10	Cattle milk	*0.01
Edible offal (mammalian) [except liver of cattle, goats, pigs and sheep]	*0.02		
Eggs	*0.02	Agvet chemical: Coumaphos	
Fruiting vegetables, cucurbits	T0.5	<i>Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos</i>	
Fruiting vegetables, other than cucurbits	T0.7		
Fungi, edible (except mushrooms)	T0.7	Cattle fat	*0.02
Grapes [except wine grapes]	3	Cattle kidney	*0.02
Llama	T0.1	Cattle liver	*0.02
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.7	Cattle milk	*0.01
Liver of cattle, goats, pigs and sheep	0.4	Cattle milk fat	0.1
Maize	*0.01	Cattle muscle	*0.02
Mango	T2		
Meat (mammalian)	*0.02	Agvet chemical: Coumatetralyl	
Milks	0.05	<i>Permitted residue: Coumatetralyl</i>	
Mung bean (dry)	T0.1		
Mustard seeds	T*0.01	Pig, edible offal of [except liver]	T0.003
Oats	0.07	Pig fat	T*0.001
Olives	T0.3	Pig liver	T0.004
Persimmon, American	2	Pig meat	T*0.001
Pome fruits	2		
Popcorn	*0.01	Agvet chemical: Cyanamide	
Poultry, edible offal of	0.4	<i>Permitted residue: Cyanamide</i>	
Poultry fats	*0.01		
Poultry meat	*0.02	Almonds	*0.01
Pulses [except common bean (navy bean) (dry); mung bean (dry); soya bean (dry)]	*0.02	Apple	*0.02
Rape seed (canola)	*0.01	Blueberries	*0.05
Rice	0.9	Cherries (subgroup)	T*0.02
Rice bran, unprocessed	1	Grapes	*0.05
Rice, husked	0.5	Kiwifruit	*0.1
Rice, polished	0.5	Pear, Oriental (nashi)	*0.1
Sorghum, grain	0.15	Plums (including prunes)	*0.02
Sorghum, sweet (sorgo)	0.4	Walnuts	*0.02
Soursop	T0.1		
Soya bean (dry)	T0.02	Agvet chemical: Cyanazine	
Spices	0.05	<i>Permitted residue: Cyanazine</i>	
Stone fruits	3		
Sugar apple	T0.1	Bulb vegetables [except chives]	*0.02
Sugar cane	0.1	Cereal grains [except sweet corns]	*0.01
Sunflower seed	*0.01	Fennel, bulb	*0.02
Sweet corns (subgroup)	0.02	Leek	0.05
Tea, green, black	T0.7	Peas	0.02
Triticale	0.15	Podded pea (young pods) (snow and sugar snap)	0.05
Wheat	0.15	Potato	0.02
Wheat bran, processed	6	Pulses	*0.01
Wheat germ	6	Sweet corn (corn-on-the-cob)	*0.02
Wine grapes	0.07		
		Agvet chemical: Cyantraniliprole	
		<i>Permitted residue: Cyantraniliprole</i>	
		All other foods	0.05
		Apple	1.5
		Apricot	0.5

Avocado	0.5	Brassica leafy vegetables	15
Beans (dry)	0.3	Broccoli, Chinese (Gai lan)	2
Blueberries	4	Chard (silver beet)	15
Bulb vegetables [except chives; onion, bulb]	7	Edible offal (mammalian)	*0.01
Celery	15	Eggs	*0.01
Cherries	6	Garlic	2
Citrus fruits	0.7	Ginger, root	T*0.01
Common beans (pods and/or immature seeds)	T1	Green onions	6
Cranberry	4	Hops, dry	10
Currants, black, red	4	Meat (mammalian)	*0.01
Edible offal (mammalian)	0.05	Milks	*0.01
Eggs	*0.01	Onions, bulb	2
Fennel, bulb	7	Parsley	T10
Fruiting vegetables, cucurbits	0.5	Peppers, chili	0.8
Fruiting vegetables, other than cucurbits	2	Poppy seed	T*0.01
Fungi, edible (except mushrooms)	2	Potato	*0.01
Gooseberry	4	Poultry, edible offal of	*0.01
Macadamia nuts	*0.01	Poultry meat	*0.01
Maize	*0.01	Spinach	15
Mango	0.7		
Meat (mammalian) (in the fat)	*0.01	Agvet chemical: Cyclanilide	
Milk fats	0.07	<i>Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide</i>	
Milks	*0.01	Cotton seed	0.2
Mushrooms	2	Cotton seed oil, crude	*0.01
Nectarine	1.5	Edible offal (mammalian)	2
Oilseed	1.5	Eggs	*0.01
Onion, bulb	0.05	Meat (mammalian)	0.05
Peach	1.5	Milks	0.05
Pear	1.5	Poultry, edible offal of	*0.01
Peas with pods (subgroup)	2	Poultry meat	*0.01
Peppers, chili, dried	5		
Plums (including prunes)	0.5	Agvet chemical: Cyclaniliprole	
Potato	0.05	<i>Permitted residue: Cyclaniliprole</i>	
Poultry, edible offal of	*0.01	All other foods except animal food commodities	0.02
Poultry meat (in the fat)	*0.01	Avocado	0.2
Raspberries, red, black	4	Brassica leafy vegetables	10
Sorghum	*0.01	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Strawberry	1.5	Broccoli, Chinese (Gai lan)	1
Succulent seeds of Beans with pods	0.3	Bush berries	1.5
Succulent seeds of Peas with pods	0.3	Cane berries	0.8
Sweet corn (corn-on-the-cob)	*0.01	Citrus fruits	0.4
Sweet potato	T0.05	Citrus oil, edible	50
Wine grapes	1	Edible offal (mammalian)	0.2
		Eggs	*0.01
Agvet chemical: Cyazofamid		Elderberries	1.5
<i>Permitted residue: Cyazofamid</i>		Fruiting vegetables, Cucurbits – Cucumbers and Summer squashes	0.05
All other foods except animal food commodities	0.04	Fruiting vegetables, Cucurbits – Melons, Pumpkins and Winter squashes	0.1
Basil	T30	Fruiting vegetables other than cucurbits	0.2
Basil, dry	T90	Fungi, edible (except mushrooms)	0.2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2	Grapes	0.8

Guelder rose	1.5
Leafy greens	7
Leafy vegetables [except brassica leafy vegetables; leafy greens]	3
Low growing berries	0.4
Mammalian fats [except milk fats]	0.25
Meat (mammalian) (in the fat)	0.25
Milks	*0.01
Milk fats	0.2
Mushrooms	0.2
Peppers, chili, dried	1.5
Pome fruit [except persimmon, Japanese]	0.3
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Stone fruits [except jujube, Chinese]	1
Sweet corns	0.2
Tea, green, black	50
Tomato, dried	0.35
Tree nuts	0.03

Agvet chemical: Cyclobutrifluram

Permitted residue — commodities of plant origin: Cyclobutrifluram

Permitted residue — commodities of animal origin:
sum of cyclobutifluram and 2-trifluoromethyl-
nicotinamide (SYN510275), expressed as
cyclobutifluram

All other foods except animal food commodities	0.05
Barley	*0.01
Edible offal (mammalian)	0.5
Eggs	*0.03
Meat (mammalian)	0.05
Milks	0.05
Poultry meat	*0.03
Poultry, edible offal of	*0.03
Wheat	*0.01

Permitted residue—commodities of plant origin: Cyflumetofen

Agvet chemical: Cycloxydim

Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim

Beans (dry)	30
Beans (green pods and immature seeds) [except broad bean; soya bean]	15
Carrot	5
Grapes	0.3
Leek	4
Linseed	7
Maize	0.2
Onion, bulb	3
Peas (dry)	30
Peas, shelled (succulent seeds)	15

Agvet chemical: Cyfluthrin			
<i>Permitted residue: Cyfluthrin, sum of isomers</i>			
All other foods except animal food commodities	0.05	Cereal grains [except barley; maize cereals; sorghum, grain; sweet corns (subgroup); wheat]	*0.01
Avocado	0.1	Chard	T0.5
Chia	T*0.05	Citrus fruits [except lemon and limes (subgroup)]	*0.01
Citrus fruits [except kumquats]	0.2	Coffee beans	0.05
Custard apple	T0.1	Coriander (leaves, roots, stems)	T1
Edible offal (mammalian)	*0.01	Cotton seed	*0.02
Eggs	*0.01	Cucumber	T0.05
Grapes	1	Edible offal (mammalian)	*0.02
Hops, dry	20	Eggs	*0.02
Litchi	T0.3	Fruiting vegetables, other than cucurbits	0.3
Macadamia nuts	0.05	Fungi, edible (except mushrooms)	0.3
Mango	T0.1	Garlic	*0.05
Mammalian fats [except milk fats]	0.5	Hazelnuts	T*0.01
Meat (mammalian)	0.02	Hops, dry	10
Milks	0.1	Legume vegetables	0.1
Papaya (pawpaw)	T0.2	Lemons and limes (subgroup)	0.2
Peppers, chili, dried	1	Maize cereals	0.05
Persimmon, American	T0.1	Marjoram (oregano)	0.7
Persimmon, Japanese	T0.1	Meat (mammalian) (in the fat)	0.5
Pomegranate	T0.1	Milks (in the fat)	0.5
Poultry, edible offal of	*0.01	Mustard seeds	T0.02
Poultry meat (in the fat)	*0.01	Onion, bulb	*0.05
Stone fruits [except jujube, Chinese]	0.3	Onion, Welsh	T0.05
Tomato	0.2	Parsley	T1
Agvet chemical: Cyhalofop-butyl		Peanut	0.05
<i>Permitted residue: Sum of cyhalofop-butyl and cyhalofop acid, expressed as cyhalofop-butyl</i>		Pecan	0.05
Edible offal (mammalian)	*0.05	Peppers, chili, dried	3
Eggs	*0.05	Pistachio nut	0.05
Marjoram (oregano)	*0.05	Podded pea (young pods) (snow and sugar snap)	0.2
Meat (mammalian) (in the fat)	*0.05	Potato	*0.01
Milks	*0.05	Poultry, edible offal of	*0.02
Poultry, edible offal of	*0.05	Poultry meat	*0.02
Poultry meat	*0.05	Pulses [except soya bean (dry)]	0.2
Rice	*0.01	Radish	*0.01
Agvet chemical: Cyhalothrin		Rape seed (canola)	0.02
<i>Permitted residue: Cyhalothrin, sum of isomers</i>		Shallot	T0.05
Almonds	0.05	Sorghum, grain	0.5
Asparagus	0.02	Soya bean (dry)	0.05
Barley	0.2	Spring onion	T0.05
Basil	0.7	Stone fruits [except jujube, Chinese]	0.5
Beetroot	*0.01	Strawberry	0.5
Berries and other small fruits [except Strawberry]	0.2	Sunflower seed	*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.1	Sweet corns (subgroup)	0.3
Broccoli, Chinese (Gai lan)	0.1	Tea, green, black	1
		Tomato	0.1
		Walnuts	0.05
		Wheat	*0.05

Agvet chemical: Cyhexatin		Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	T5
<i>Permitted residue: Sum of azocyclotin and cyhexatin, expressed as cyhexatin</i>		Leek	T0.5
Peppers, chili, dried	5	Lentil (dry)	T0.05
Agvet chemical: Cypermethrin		Lettuce, head	2
<i>Permitted residue: Cypermethrin, sum of isomers</i>		Linola oil, edible	0.1
Adzuki bean (dry)	T0.05	Linola seed	0.1
All other foods	*0.01	Linseed	0.5
Asparagus	0.5	Longan	1
Avocado	T0.2	Lupin (dry)	*0.01
Beetroot	T0.1	Mango	0.7
Berries and other small fruits [except blueberries; grapes; raspberries, red, black]	0.5	Milks (in the fat)	1
Blueberries	0.8	Mung bean (dry)	0.05
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1	Mustard seeds	T0.2
Broad bean (dry) (fava bean)	0.05	Mustard seeds oil, edible	T0.2
Broccoli, Chinese (Gai lan)	1	Mushrooms	T1
Cattle, edible offal of	0.05	Olives	T*0.05
Cattle meat (in the fat)	0.5	Onion, bulb	*0.01
Celery	T1	Onion, Welsh	T0.5
Cereal grains [except rice; sweet corns; wheat]	1	Peanut	T*0.05
Cherries	2	Peas	1
Chick-pea (dry)	0.2	Peppers, chili	2
Chinese cabbage (Pe-tsai)	T5	Peppers, chili, dried	10
Chives	T8	Persimmon, American	T0.2
Citrus fruits [except kumquats]	0.3	Persimmon, Japanese	T0.2
Common bean (dry) (navy bean)	0.05	Pig, edible offal of	*0.05
Coriander (leaves, roots, stems)	T8	Pig meat (in the fat)	*0.05
Cotton seed	0.2	Pome fruits [except Persimmon, Japanese]	1
Cotton seed oil, crude	*0.02	Poppy seed	T*0.05
Cumin seed	0.5	Potato	*0.01
Deer meat (in the fat)	T0.5	Poultry, edible offal of	*0.05
Durian	1	Poultry meat (in the fat)	*0.05
Eggs	0.05	Radish	T0.05
Field pea (dry)	0.05	Rape seed (canola)	0.2
Fruiting vegetables, cucurbits	T0.3	Rape seed oil, edible	0.2
Fruiting vegetables, other than cucurbits [except; tomato]	T1	Raspberries, red, black	0.8
Fungi, edible (except mushrooms)	T1	Rice	2
Ginseng	*0.03	Shallot	T0.5
Ginseng, dried	0.15	Sheep, edible offal of	0.05
Ginseng, extract	*0.06	Sheep meat (in the fat)	0.5
Goat, edible offal of	0.05	Soya bean (dry)	0.05
Goat meat (in the fat)	0.5	Soya bean oil, crude	0.1
Grapes	2	Spring onion	T0.5
Hempseed	T0.1	Stone fruits [except cherries]	1
Herbs	T8	Sunflower seed	0.1
Horse, edible offal of	*0.05	Sunflower seed oil, crude	0.1
Horse meat (in the fat)	*0.05	Sweet corn (corn-on-the-cob)	0.05
		Tea, green, black	0.5
		Tomato	0.5
		Wheat	0.2

Agvet chemical: Cyproconazole		Ginseng (including red), dried	3
<i>Permitted residue: Cyproconazole, sum of isomers</i>		Grapes	3
All other foods except animal food commodities	0.01	Herbs [except basil]	T50
Barley	*0.02	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	10
Coffee bean	0.07	Litchi	T2
Coffee bean, roasted	0.1	Meat (mammalian)	*0.01
Edible offal (mammalian)	1	Melons, except watermelon	T0.2
Eggs	*0.01	Milks	*0.01
Maize	*0.01	Onion, bulb	0.2
Meat (mammalian)	0.03	Peas with pods (subgroup)	2
Milks	*0.01	Peppers, chili [except dried]	T0.7
Oats	0.05	Peppers, chili, dried	9
Peanut	0.02	Peppers, sweet	0.7
Potato	*0.02	Pistachio nut	T0.1
Poultry, edible offal of	*0.01	Pome fruits [except Persimmon, Japanese]	2
Poultry meat	*0.01	Pomegranate	10
Pulses	0.05	Poultry, edible offal of	T*0.01
Rape seed (canola)	T0.02	Poultry meat	T*0.01
Rye	*0.02	Raspberries, red, black	10
Soya bean oil, refined	0.1	Soya bean (dry)	0.3
Sweet corn (corn-on-the-cob)	*0.01	Stone fruits	2
Triticale	*0.02	Strawberry	5
Wheat	*0.02	Succulent peas without pods	0.5
		Tomato	T1
Agvet chemical: Cyprodinil		Agvet chemical: Cyromazine	
<i>Permitted residue: Cyprodinil</i>		<i>Permitted residue: Cyromazine</i>	
All other foods except animal food commodities	0.05	All other foods except animal food commodities	0.05
Almonds	0.02	Broccoli	T1
Avocado	T2	Cattle, edible offal of	0.05
Basil	40	Cattle meat	0.05
Bayberries	T3	Eggs	0.2
Bayberry, red	T3	Fruiting vegetables, cucurbits	T0.7
Blackberries	10	Fruiting vegetables, other than cucurbits	T1
Blueberries	3	Fungi, edible (except mushrooms)	T1
Boysenberry	10	Goat, edible offal of	0.2
Bulb vegetables [except onion, bulb]	3	Goat meat	0.2
Celery	30	Legume vegetables	T1
Chinese cabbage (Pe-tsai)	10	Lettuce, head	T8
Cloudberry	T3	Milks	*0.01
Common bean (pods and/or immature seeds)	0.7	Mushrooms	10
Cucumber	0.5	Peppers, chili, dried	10
Currants, black, red, white	5	Pig, edible offal of	0.05
Dewberries (including boysenberry and loganberry) [except boysenberry]	T3	Pig meat	0.05
Dried herbs	T200	Poultry, edible offal of	0.1
Dried stone fruits	0.05	Poultry meat	0.05
Dry beans [except soya bean (dry)]	0.2	Root and tuber vegetables	T1
Dry peas	0.2	Sheep, edible offal of	0.2
Edible offal (mammalian)	*0.01	Sheep meat	0.2
Egg plant	T0.2	Stalk and stem vegetables [except fennel, bulb]	T7
Eggs	T*0.01	Witloof chicory	T7
Ginseng	0.3		

Agvet chemical: 2,4-D		Chicken fat/skin	1
<i>Permitted residue: 2,4-D</i>		Agvet chemical: Deltamethrin	
<i>Permitted residue: Deltamethrin</i>		<i>Permitted residue: Deltamethrin</i>	
All other foods except animal food commodities	0.05	All other foods except animal food commodities	0.05
Blueberries	0.2	Brassica vegetables (except Brassica leafy vegetables [except Chinese cabbage (Pe-tsai)])	*0.05
Cereal grains [except sweet corns]	0.2	Broccoli, Chinese (Gai lan)	*0.05
Cherries	0.05	Cattle, edible offal of	0.1
Citrus fruits	5	Cattle meat (in the fat)	0.5
Cranberry	0.5	Cereal grains [except sweet corns]	2
Edible offal (mammalian)	7	Cherries	0.1
Eggs	*0.05	Currants, black, red, white	0.6
Grapes	T*0.05	Eggs	*0.01
Hops, dry	0.2	Fruiting vegetables, other than cucurbits	0.1
Legume vegetables	*0.05	Fungi, edible (except mushrooms)	0.1
Meat (mammalian) (in the fat)	0.7	Goat, edible offal of	0.1
Milks	0.1	Goat meat (in the fat)	0.2
Oilseeds and oilfruits [except oilfruits]	*0.05	Legume vegetables	0.1
Pear	*0.05	Milks	0.05
Potato	0.1	Mushrooms	0.1
Poultry, edible offal of	*0.05	Oilseeds (subgroup)	0.1
Poultry meat	*0.05	Pig, edible offal of	*0.01
Pulses	*0.05	Pig meat (in the fat)	0.1
Raspberries, red, black	0.2	Poultry, edible offal of	*0.01
Sugar cane	5	Poultry meat (in the fat)	*0.01
Walnuts	0.2	Pulses	0.1
Agvet chemical: 2,4-DB		Raspberries, red, black	0.5
<i>Permitted residue: 2,4-DB</i>		Sheep, edible offal of	0.1
All other foods except animal food commodities	0.05	Sheep meat (in the fat)	0.2
Cereal grains [except sweet corns]	*0.02	Strawberry	0.2
Edible offal (mammalian)	0.2	Sweet corn (kernels)	0.1
Eggs	*0.05	Tea, green, black	5
Meat (mammalian)	0.2	Wheat bran, unprocessed	5
Milks	*0.05	Wheat germ	3
Peanut	0.2	Agvet chemical: Derquantel	
Poultry, edible offal of	*0.05	<i>Permitted residue: Derquantel</i>	
Poultry meat	*0.05	Sheep fat	0.0002
Agvet Chemical: 1,4-dimethylnaphthalene		Sheep kidney	0.0002
<i>Permitted residue—commodities of plant origin: 1,4-dimethylnaphthalene</i>		Sheep liver	0.0002
<i>Permitted maximum residue—commodities of animal origin, except milk: sum of 1,4-dimethylnaphthalene and metabolite 4-methyl-1-naphthoic acid (M23), expressed as 1,4-dimethylnaphthalene</i>		Sheep muscle	0.0002
Potato	20	Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate	
Agvet chemical: Decoquinat		<i>Permitted residue: Dexamethasone</i>	
<i>Permitted residue: Decoquinat</i>		Cattle, edible offal of	0.1
Chicken kidney	0.8	Cattle meat	0.1
Chicken liver	1	Cattle milk	*0.05
Chicken meat	0.5	Horse, edible offal of	0.1
		Horse meat	0.1
		Pig, edible offal of	0.1

Pig meat	0.1
----------	-----

Agvet chemical: Diafenthiuron	
<i>Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron</i>	
All other foods except animal food commodities	0.01
Cereal grains	T*0.01
Cotton seed	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Mushrooms	0.5
Mustard seeds	T*0.01
Peanut	T0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Pulses	T*0.01
Rape seed (canola)	*0.01

Agvet chemical: Diazinon	
<i>Permitted residue: Diazinon</i>	
Cereal grains [except sweet corns]	0.1
Citrus fruits	0.7
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5
Spring onion	T0.5
Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, crude]	0.1
Vegetables	0.7

Agvet chemical: Dicamba	
<i>Permitted residue: Dicamba</i>	
All other foods except animal food commodities	0.05
Cereal grains [except maize; sweet corns]	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.05
Maize	0.1
Meat (mammalian)	0.05
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	0.1
Sugar cane molasses	2

Agvet chemical: Dicamba	
<i>Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba</i>	
Cotton seed	3
Soya bean	10

Agvet chemical: Dichlobenil	
<i>Permitted residue: Dichlobenil</i>	
All other foods except animal food commodities	0.05
Blueberries	T1
Celery	0.07
Cereal grains [except maize and sweet corns]	*0.05
Citrus fruits	0.1
Cranberry	0.1
Currants, black, red, white	T1
Gooseberry	T1
Grapes	0.1
Maize	0.1
Peppers, chili, dried	*0.01
Pome fruits	0.1
Raspberries, red, black	T1
Stone fruits	0.1
Tomato	0.1

Agvet chemical: Dichlofluanid	
<i>Permitted residue: Dichlofluanid</i>	
Berries and other small fruits [except grapes; strawberry]	T50
Grapes	0.5
Peanut	*0.02
Strawberry	10
Tomato	1

Agvet chemical: 1,3-dichloropropene	
<i>Permitted residue: 1,3-dichloropropene</i>	
Grapes	0.018

Agvet chemical: Dichlorprop-P	
<i>Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid</i>	
Citrus fruits [except kumquats]	0.2
Edible offal (mammalian)	*0.05
Eggs	*0.02
Marjoram (oregano)	*0.05
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.02

Agvet chemical: Dichlorvos	
<i>Permitted residue: Dichlorvos</i>	
All other foods except animal food commodities	0.01
Almonds	2
Cereal grains [except rice; sweet corns]	*0.01
Coffee beans	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseeds and oilfruits [except oilfruits]	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01
Rice	7

Agvet chemical: Diclofop-methyl	
<i>Permitted residue: Diclofop-methyl</i>	
Cereal grains [except sweet corns]	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseeds (subgroup)	0.1
Peas	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Dicofof	
<i>Permitted residue: Sum of dicofof and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofof</i>	
Almonds	5
Cotton seed	0.1

Cucumber	2
Fruit [except strawberry]	5
Gherkin	2
Hops, dry	5
Strawberry	1
Sweet corns	5
Tea, green, black	5
Tomato	1
Vegetables [except as otherwise listed under this chemical]	5

Agvet chemical: Dicyclanil	
<i>Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil</i>	
Sheep fat	0.3
Sheep kidney	0.3
Sheep liver	0.3
Sheep meat	0.3

Agvet chemical: Didecyldimethylammonium chloride	
<i>Permitted residue: Didecyldimethylammonium chloride</i>	
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	20
Sentul	20

Agvet chemical: Dieldrin	
<i>see Aldrin and Dieldrin</i>	

Agvet chemical: Difenoconazole	
<i>Permitted residue: Difenoconazole</i>	
All other foods except animal food commodities	0.02
Almonds	0.03
Asparagus	*0.05
Avocado	T2
Banana	*0.02
Blueberries	4
Brassica leafy vegetables	T5
Celeriac	T1
Celery	10
Cereal grains [except rice; sweet corns]	*0.01
Chard (silver beet)	T5
Chicory leaves (green and red cultivars)	T5
Chives	T10
Coffee beans	T*0.01
Cotton seed	0.4
Cranberry	0.6
Currants, black, red, white	0.2
Dried grapes	6
Edible offal (mammalian)	*0.05
Eggs	*0.05

Endive	T5	Agvet chemical: Diflufenican	
Fruiting vegetables, cucurbits	0.3	<i>Permitted residue: Diflufenican</i>	
Fruiting vegetables, other than cucurbits [except goji berry]	1	All other foods except animal food commodities	0.01
Ginger root	0.2	Barley	0.05
Ginger root, dried	1.5	Edible offal (mammalian)	0.1
Goji berry	5	Eggs	*0.02
Goji berry, dried	15	Grapes	*0.002
Grapefruit	0.6	Meat (mammalian) (in the fat)	0.05
Grapes	4	Milks	0.01
Guava	0.15	Oats	0.05
Herbs	T40	Peas	0.05
Lemon	0.6	Poultry, edible offal of	*0.02
Macadamia nuts	*0.01	Poultry meat	*0.02
Meat (mammalian)	*0.05	Pulses	0.05
Milks	*0.01	Rye	0.05
Onion, bulb	T0.1	Safflower seed	T*0.05
Orange	0.6	Tea, green, black	*0.05
Papaya (pawpaw)	1	Triticale	0.05
Peanut	*0.01	Wheat	0.02
Pecan	0.03	Walnuts	T*0.01
Peppers, chili	0.9	Agvet chemical: Dimethenamid-P	
Peppers, chili, dried	5	<i>Permitted residue: Sum of dimethenamid-P and its (R)-isomer</i>	
Pome fruits [except Persimmon, Japanese]	0.3	Common bean (pods and/or immature seeds)	*0.02
Poppy seed	T*0.01	Edible offal (mammalian)	*0.01
Potato	4	Eggs	*0.01
Poultry, edible offal of	*0.05	Hops, dry	0.05
Poultry meat	*0.05	Maize	*0.02
Riberry	T1	Meat (mammalian)	*0.01
Rice	8	Milks	*0.01
Root and tuber vegetables [except celeriac; potato]	0.5	Onion, bulb	T*0.01
Spinach	T5	Peanut	0.01
Stone fruits [except jujube, Chinese]	2.5	Peas	*0.02
Strawberry	2	Poppy seed	*0.01
Tea, green, black	20	Poultry, edible offal of	*0.01
Agvet chemical: Diflubenzuron		Poultry meat	*0.01
<i>Permitted residue: Diflubenzuron</i>		Pulses	*0.02
Almonds	0.2	Pumpkins	*0.02
Cattle, edible offal of	*0.02	Rape seed (canola)	T*0.01
Cattle milk	0.05	Sweet corn (corn-on-the-cob)	*0.02
Citrus fruits [except kumquats]	3	Agvet chemical: Dimethoate	
Fish muscle	T*0.002	<i>Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate</i>	
Mushrooms	0.1	see also Omethoate	
Peaches (subgroup)	0.5	Asparagus	0.02
Peanut	0.1	Avocado	0.7
Peppers, chili, dried	20	Bearberry	T5
Plums (subgroup)	0.5	Beetroot	*0.1
Rice	*0.01	Bilberry	T5
Sheep kidney	0.05		
Sheep liver	0.05		
Sheep meat (in the fat)	0.05		
Sheep milk	0.05		
Tea, green, black	0.1		

Bilberry, bog	T5	Bulb onions [except garlic; onion, bulb; shallot]	0.5
Bilberry, red	T5	Celery	15
Blackberries	T5	Chinese cabbage (Pe-tsai)	30
Blueberries	T5	Chives	10
Boysenberry	0.02	Corn salad (lamb's lettuce)	10
Brussels sprouts	0.1	Edible offal (mammalian)	*0.01
Cereal grains [except sweet corns]	0.5	Fruiting vegetables, cucurbits	0.5
Cherries (subgroup)	*0.01	Fruiting vegetables, other than cucurbits	1.5
Citrus fruits [except kumquats]	5	Fungi, edible (except mushrooms)	1.5
Cotton seed	*0.1	Garlic	0.6
Cranberry	T5	Grapes	3
Currants, black, red, white	*0.01	Green onions [except chives; spring onion]	2
Edible offal (mammalian)	0.1	Herbs [except parsley]	10
Egg plant	T0.2	Hops, dry	80
Eggs	*0.05	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30
Elderberries	0.02	Lima bean (young pods and/or immature seeds)	0.6
Legume vegetables	2	Meat (mammalian)	*0.01
Litchi	5	Milks	*0.01
Mammalian fats (except milk fats)	0.03	Mizuna	T10
Mango	0.5	Mushrooms	1.5
Meat (mammalian)	*0.05	Onion, bulb	0.6
Melons [except watermelon]	5	Parsley	T20
Milks	*0.05	Peas	1
Oilseeds (subgroup) [except cotton seed]	0.2	Peppers, chili, dried	5
Olive oil, refined	T0.3	Poppy seed	*0.02
Olives for oil production	T3	Potato	0.05
Onion, bulb	0.7	Radish	T0.3
Peanut	0.02	Shallot	0.6
Peppers, sweet	0.7	Spices [except peppers, chili, dried]	0.05
Pineapple	0.07	Spring onion	15
Potato	0.1	Strawberry	0.7
Poultry, edible offal of	*0.05	Sweet corns	1.5
Poultry fats	*0.001		
Poultry meat	*0.05		
Pulses	0.7		
Raspberries, red, black	T5		
Rhubarb	0.7		
Squash, summer (including zucchini)	0.7		
Strawberry	*0.02		
Sweet potato	0.1		
Tomato	0.02		
Turnip, garden	*0.2		
Watermelon	5		
Wheat bran, processed	1		
Wheat germ	0.2		
Agvet chemical: Dimethomorph		Agvet chemical: Dimpropyridaz	
<i>Permitted residue: Sum of E and Z isomers of dimethomorph</i>		<i>Permitted residue—commodities of plant origin: Dimpropyridaz</i>	
<i>Permitted residue—commodities of animal origin: sum of dimpropyridaz and 1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide, expressed as dimpropyridaz</i>		<i>Permitted residue—commodities of animal origin: sum of dimpropyridaz and 1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide, expressed as dimpropyridaz</i>	
All other foods except animal food commodities	0.2	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Beetroot	0.3	Cotton seed	0.02
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	6	Edible offal (mammalian)	*0.02
		Eggs	*0.02
		Fruiting vegetables, cucurbits	0.3
		Fruiting vegetables, other than cucurbits	1
		Leafy vegetables	15
		Meat (mammalian)	*0.02

Milks	*0.02
Poultry meat	*0.02
Poultry, edible offal of	*0.02

Agvet chemical: Dinitolmide

Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents

Poultry, edible offal of	6
Poultry fats	2
Poultry meat	3

Agvet chemical: Dinitro-o-toluamide

see *Dinitolmide*

Agvet chemical: Dinocap

Permitted residue: Sum of dinocap isomers and dinocap phenols, expressed as dinocap

Peppers, chili, dried	2
-----------------------	---

Agvet chemical: Dinotefuran

Permitted residue—commodities of plant origin: Dinotefuran

Permitted residue—commodities of animal origin: Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran

All other foods except animal food commodities	0.02
Celery	0.6
Cotton seed	0.1
Cranberry	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes	0.9
Meat (mammalian)	*0.02
Milks	*0.02
Mung bean (dry)	0.3
Peppers, chili, dried	5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	8

Agvet chemical: Diphenylamine

Permitted residue: Diphenylamine

All other foods except animal food commodities	0.05
Apple	10
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.05
Fruits [except apple; pear]	0.5
Liver of cattle, goats, pigs and sheep	0.05
Meat (mammalian) (in the fat)	*0.01
Milks (in the fat)	*0.01

Pear	7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Diquat

Permitted residue: Diquat cation

Barley	5
Beans [except broad bean; soya bean]	1
Broad bean (green pods and/or immature seeds)	1
Coffee bean	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.05
Hops, dry	T0.2
Linseed	*0.01
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Oats	5
Oilseed [except linseed; poppy seed]	5
Onion, bulb	0.1
Palm nuts	5
Peanut	5
Peas	0.1
Poppy seed	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Quinoa	T5
Rice	5
Rice, polished	1
Rye	2
Sorghum, grain	2
Sugar beet	0.1
Sugar cane	*0.05
Sweet corns	*0.05
Tea, green, black	0.1
Tree nuts	*0.05
Triticale	2
Vegetable oils, crude	1
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05
Wheat	2

Agvet chemical: Dithianon

Permitted residue: Dithianon

All other foods except animal food commodities	0.02
Blueberries	T7
Fruits [except blueberries]	2
Hops, dry	100

Agvet chemical: Dithiocarbamates

Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food

Almonds	3
Asparagus	T1
Avocado	7
Banana	T15
Basil	T5
Beans [except broad bean; soya bean]	2
Beetroot	1
Berries and other small fruits [except strawberry]	T15
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broad bean (green pods and immature seeds)	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; garlic; onion, bulb]	T10
Carrot	1
Celery	5
Cereal grains [except sweet corns]	0.5
Chinese cabbage (Pe-tsai)	5
Citrus fruits	T7
Common bean (pods and/or immature seeds)	2
Coriander, seed	0.1
Cotton seed	10
Custard apple	5
Edible offal (mammalian)	2
Eggs	*0.5
Fennel, bulb	T10
Fig	3
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits [except roselle; tomato]	3
Fungi, edible (except mushrooms)	3
Garlic	4
Ginger, root	T3
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Litchi	5
Mango	7
Meat (mammalian)	*0.5
Milks	*0.2
Mushrooms	3
Olives for oil production	T30
Onion, bulb	4
Papaya (pawpaw)	5
Parsley	5
Parsnip	T1
Passionfruit (including granadilla)	3
Peanut	0.2

Peas (pods and succulent, immature seeds)	2
Pepper, black, white	0.1
Peppers, chili, dried	20
Pistachio nut	T3
Pome fruits	3
Pomegranate	T5
Poppy seed	*0.2
Potato	1
Poultry, edible offal of	*0.5
Poultry meat	*0.5
Pulses	0.5
Radish	T1
Rhubarb	2
Roselle (rosella)	5
Stone fruits [except jujube, Chinese]	3
Strawberry	10
Sunflower seed	T*0.05
Swede	T1
Sweet corns	3
Table olives	T30
Tomato	T5
Tree tomato	T5
Turnip, garden	T1
Walnuts	T*0.2

Agvet chemical: Diuron

Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron

All other foods except animal food commodities	0.05
Asparagus	2
Banana	0.5
Blueberries	0.1
Cereal grains [except sweet corns]	0.1
Cotton seed oil, crude	0.5
Date	T0.5
Edible offal (mammalian)	3
Lime	1
Meat (mammalian)	0.1
Milks	0.1
Oilseeds (subgroup)	0.5
Pineapple	0.5
Pulses	*0.05
Sugar cane	0.2

Agvet chemical: Dodine

Permitted residue: Dodine

All other foods except animal food commodities	0.1
Almonds	0.3
Cherries	3
Peanut	0.013
Pome fruits [except Persimmon, Japanese]	5

Stone fruits [except cherries; jujube, Chinese]	*0.05
Walnuts	T0.3

Agvet chemical: Doramectin

Permitted residue: Doramectin

Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.01
Cattle milk	0.05
Pig kidney	0.03
Pig liver	0.05
Pig meat (in the fat)	0.1
Sheep, edible offal of	0.05
Sheep fat	0.1
Sheep meat	0.02

Agvet chemical: 2,2-DPA

Permitted residue: 2,2-dichloropropionic acid

Avocado	*0.1
Banana	*0.1
Cereal grains [except sweet corns]	*0.1
Citrus fruits	*0.1
Cotton seed	*0.1
Currants, black, red, white	15
Edible offal (mammalian)	0.2
Grapes	3
Meat (mammalian)	0.2
Milks	*0.1
Papaya (pawpaw)	*0.1
Pecan	*0.1
Pineapple	*0.1
Pome fruits	*0.1
Stone fruits [except jujube, Chinese]	1
Sugar cane	*0.1
Sunflower seed	*0.1
Vegetables	*0.1

Agvet chemical: EDC

see Ethylene dichloride

Agvet chemical: Emamectin

Permitted residue: Sum of emamectin B1a and emamectin B1b

All other foods except animal food commodities	0.005
Almonds	0.02
Basil leaves	0.06
Basil leaves, dried	0.4
Blueberries	T0.07
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.02
Broccoli, Chinese (Gai lan)	0.02

Celery	T0.2
Cherries (subgroup)	0.09
Chia	T0.05
Chinese cabbage (Pe-tsai)	T0.5
Chives, dried	0.05
Cotton seed	0.005
Edible offal (mammalian)	0.1
Fruiting vegetables, cucurbits	0.01
Fruiting vegetables, other than cucurbits	0.1
Fungi, edible (except mushrooms)	0.1
Grapes	*0.002
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head and lettuce, leaf; witloof chicory]	T0.5
Legume vegetables	0.1
Lettuce, head	0.2
Lettuce, leaf	0.2
Maize cereals	*0.002
Mammalian fats (except milk fats)	0.02
Meat (mammalian)	0.005
Meat (mammalian) (in the fat)	0.01
Milks	0.003
Milk fats	0.01
Mustard seeds	T*0.01
Pecan	0.02
Peppers, chili, dried	0.2
Pistachio nut	0.02
Pulses	*0.01
Rape seed (canola)	*0.01
Root and tuber vegetables [except potato]	*0.01
Sorghum, grain	*0.002
Strawberry	0.05
Sweet corn (corn-on-the-cob)	*0.002
Tea, green, black	0.1
Walnuts	0.02
Wheat, similar grains, and pseudocereals without husks	T*0.01

Agvet chemical: Endosulfan

Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate

Cacao beans	0.2
Tea, green, black	10

Agvet chemical: Endothal

Permitted residue: Endothal

Edible offal (mammalian)	T*0.05
Eggs	T*0.05
Hops, dry	0.1
Meat (mammalian)	T*0.05
Milks	T*0.01
Poultry, edible offal of	T*0.05
Poultry meat	T*0.05

Agvet chemical: Enilconazole		Agvet chemical: Esfenvalerate	
see Imazalil		see Fenvalerate	
Agvet chemical: Epoxiconazole		Agvet chemical: Ethephon	
<i>Permitted residue: Epoxiconazole</i>		<i>Permitted residue: Ethephon</i>	
Avocado	0.5	All other foods except animal food commodities	0.1
Banana	1	Apple	1
Cereal grains [except sweet corns]	0.05	Banana	T*0.05
Edible offal (mammalian)	0.05	Barley	1
Eggs	*0.01	Blueberries	T10
Meat (mammalian)	*0.01	Cherries	15
Milks	*0.005	Cotton seed	2
Poultry, edible offal of	*0.01	Cotton seed oil, crude	*0.1
Poultry meat (in the fat)	*0.01	Currant, black	1
Wheat bran, unprocessed	0.3	Edible offal (mammalian)	0.2
Wheat germ	0.2	Eggs	*0.2
Agvet chemical: Eprinomectin		Grapes	6
<i>Permitted residue: Eprinomectin B1a</i>		Kiwifruit	0.1
Cattle, edible offal of	2	Lychee	T*0.05
Cattle fat	0.5	Macadamia nuts	*0.1
Cattle meat	0.1	Mandarins	2
Cattle milk	0.03	Mango	T*0.02
Deer, edible offal of	2	Meat (mammalian)	0.1
Deer meat	0.1	Milks	0.1
Agvet chemical: EPTC		Nectarine	0.01
<i>Permitted residue: EPTC</i>		Olives	T20
All other foods except animal food commodities	0.04	Oranges, sweet, sour	2
Cereal grains	*0.04	Papaya	T1
Edible offal (mammalian)	*0.1	Peach	0.5
Eggs	*0.01	Pineapple	2
Meat (mammalian)	*0.1	Poultry, edible offal of	*0.2
Milks	*0.1	Poultry meat	*0.1
Oilseeds (subgroup)	0.1	Sugar cane	0.5
Potato	0.1	Sugar cane molasses	7
Poultry, edible offal of	*0.05	Tomato	2
Poultry meat	*0.05	Walnuts	T5
Vegetables [except potato]	*0.04	Agvet chemical: Ethion	
Agvet chemical: Erythromycin		<i>Permitted residue: Ethion</i>	
<i>Permitted residue: Inhibitory substance, identified as erythromycin</i>		Cattle, edible offal of	2.5
Edible offal (mammalian)	*0.3	Cattle meat (in the fat)	2.5
Meat (mammalian)	*0.3	Citrus fruits [except kumquats]	1
Milks	*0.04	Cotton seed	0.1
Poultry, edible offal of	*0.3	Cotton seed oil, crude	0.05
Poultry meat	*0.3	Grapes	2
		Milks (in the fat)	0.5
		Pome fruits [except Persimmon, Japanese]	1
		Stone fruits [except jujube, Chinese]	1
		Tea, green, black	5

Agvet chemical: Ethiprole*Permitted residue—commodities of plant origin:*
*Ethiprole**Permitted residue—commodities of animal origin:**Sum of ethiprole and 5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-ethylsulfonylpyrazole-3-carbonitrile (ethiprole-sulfone), expressed as parent equivalents.*

Coffee beans	0.07
Coffee beans, roasted	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Fats (mammalian)	0.15
Meat (mammalian)	0.15
Milk fats	0.5
Milks	0.01
Poultry, Edible offal of	0.05
Poultry fats	0.05
Poultry meat	0.05
Rice	3
Rice, husked	1.5
Rice, polished	0.4
Soya bean (dry)	0.05

Agvet chemical: Ethofumesate*Permitted residue: Ethofumesate*

Beetroot	0.1
Bulb vegetables [except chives]	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Fennel, bulb	*0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Strawberry	*0.03
Sugar beet	0.1

Agvet chemical: Ethopabate*Permitted residue: Ethopabate*

Poultry, edible offal of	15
Poultry meat	5

Agvet chemical: Ethoprophos*Permitted residue: Ethoprophos*

Banana	*0.02
Hops, dry	0.02
Peppers, chili, dried	0.2
Tomato	*0.01

Agvet chemical: Ethoxyquin*Permitted residue: Ethoxyquin*

Crustaceans	1
Diadromous fish	1
Edible offal (mammalian)	1
Eggs	0.1
Freshwater fish	1
Marine fish	1
Meat (mammalian)	0.5
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.5

Agvet chemical: Ethoxysulfuron*Permitted residue—commodities of plant origin:*
*Ethoxysulfuron**Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron*

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

Agvet chemical: Ethyl formate*Permitted residue: Ethyl formate*

Dried fruits	1
--------------	---

Agvet chemical: Ethylene dichloride (EDC)*Permitted residue: 1,2-dichloroethane*

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

Agvet chemical: Etofenprox*Permitted residue: Etofenprox*

All other foods except animal food commodities	0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Hops, dry	5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rice	*0.01
Stone fruits [except cherries (subgroup)]	5

Agvet chemical: Etoxazole*Permitted residue: Etoxazole*

All other foods except animal food commodities	0.05
Almonds	*0.01
Avocado	T0. 1
Banana	0.2

Cane berries	T0.5	Peppers, chili	5
Cherries	1	Peppers, chili, dried	50
Chervil	T1	Peppers, sweet	5
Chives	T1	Potato	*0.02
Citrus fruits	0.5	Poultry, edible offal of	*0.01
Coriander (leaves, roots, stems)	T1	Poultry meat (in the fat)	*0.01
Cotton seed	0.2	Tomato	2
Custard apple	T0.1		
Dried grapes	1.5	Agvet chemical: Fenamidone	
Edible offal (mammalian)	*0.01	<i>Permitted residue: Fenamidone</i>	
Eggs	*0.01		
Fruiting vegetables, other than cucurbits	0.05	Celery	40
Fruiting vegetables, cucurbits	T0.1	Peppers, chili, dried	30
Fungi, edible (except mushrooms)	0.05		
Grapes	0.5	Agvet chemical: Fenamiphos	
Herbs	T1	<i>Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos</i>	
Hops, dry	7		
Ivy gourd	T0.1	Aloe vera	*0.05
Maize	T*0.01	Banana	*0.05
Mango	T0.1	Strawberry	*0.05
Meat (mammalian) (in the fat)	*0.02		
Milks	*0.01	Agvet chemical: Fenazaquin	
Mizuna	T1	<i>Permitted residue: Fenazaquin</i>	
Mushrooms	0.05		
Papaya	T0.1	Apple	0.3
Passionfruit	T0.1	Avocado	0.15
Peaches (subgroup)	1	Bush berries	0.8
Podded pea (young pods) (snow and sugar snap)	T*0.02	Cane berries	0.7
Pointed gourd	T0.1	Citrus fruits [except kumquats]	0.4
Pome fruits	0.2	Citrus oil, edible	40
Popcorn	T*0.01	Dried grapes	1.5
Poultry, edible offal of	*0.01	Edible offal (mammalian)	*0.02
Poultry meat (in the fat)	*0.02	Eggplants (subgroup)	0.3
Rucola (Rocket)	T1	Fruiting vegetables, cucurbits	0.3
Strawberry	0.2	Grapes [except dried]	0.7
Stone fruits [except cherries (subgroup); peaches (subgroup)]	0.3	Hops, dry	30
Sweet corn (kernels)	T*0.01	Low growing berries	2
Tea, green, black	15	Mammalian fats (except milk fats)	*0.02
		Marjoram (oregano)	*0.02
		Meat (mammalian)	*0.02
		Meat (mammalian) (in the fat)	*0.02
		Milks	*0.02
		Milks (in the fat)	*0.02
		Peppers (subgroup)	0.3
		Peppers, chili, dried	3
		Podded pea (young pods) (snow and sugar snap)	0.4
		Prunes, dried	3
		Small fruit vine climbing	0.7
		Stone fruits [except jujube, Chinese]	2
		Tomatoes (subgroup)	0.3
		Tree nuts	0.02
Agvet chemical: Famoxadone			
<i>Permitted residue: Famoxadone</i>			
Bulb onions (subgroup)	0.4		
Cane berries	10		
Dried grapes (currants, raisins and sultanas)	5		
Edible offal (mammalian)	*0.05		
Eggs	*0.01		
Fruiting vegetables, cucurbits - cucumbers and summer squashes	0.6		
Hops, dry	80		
Leafy vegetables	40		
Meat (mammalian) (in the fat)	*0.01		
Milks	*0.01		

Agvet chemical: Fenbendazole		Agvet chemical: Fenhexamid	
<i>Permitted residue: Fenbendazole</i>		<i>Permitted residue: Fenhexamid</i>	
Cattle, edible offal of	*0.1	All other foods except animal food commodities	0.1
Cattle meat	*0.1	Blueberries	5
Goat, edible offal of	0.5	Bulb onions (subgroup)	3
Goat meat	0.5	Cane berries	20
Milks	0.1	Cloudberry	20
Sheep, edible offal of	0.5	Cucumber	10
Sheep meat	0.5	Currant, black, red, white	20
Agvet chemical: Fenbuconazole		Dried grapes	20
<i>Permitted residue: Fenbuconazole</i>		Edible offal (mammalian)	2
All other foods except animal food commodities	0.02	Grapes	10
Almonds	0.05	Kiwifruit	15
Banana	0.5	Lettuce, head	50
Blueberries	0.3	Lettuce, leaf	50
Cherries (subgroup)	1	Meat (mammalian) (in the fat)	*0.05
Cranberry	0.5	Milks	*0.01
Edible offal (mammalian)	0.05	Pear	6
Eggs	*0.01	Peas with pods (subgroup)	5
Meat (mammalian)	*0.01	Peppers (subgroup)	30
Milks	*0.01	Plums (including prunes)	1.5
Nectarine	0.5	Stone fruits [except jujube, Chinese; plums]	10
Peanut	0.1	Strawberry	10
Peppers, chili, dried	2	Tomato	T2
Poultry, edible offal of	*0.01	Agvet chemical: Fenitrothion	
Poultry meat	*0.01	<i>Permitted residue: Fenitrothion</i>	
Tea, green, black	30	Apple	1
Wheat	*0.01	Cabbages, head	0.5
Agvet chemical: Fenbutatin oxide		Cacao beans	0.1
<i>Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide</i>		Cereal grains [except sweet corns]	10
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	5	Cherries	1
Berries and other small fruits [except table grapes]	1	Edible offal (mammalian)	*0.05
Cherries	6	Eggs	*0.05
Citrus fruits	5	Grapes	1
Citrus peel	30	Lettuce, head	0.5
Dried grapes	T10	Lettuce, leaf	0.5
Grapes [except wine grapes]	5	Meat (mammalian)	T*0.05
Hops, dry	20	Milks (in the fat)	T*0.05
Nectarine	3	Oilseed	0.1
Peach	3	Palm nuts	0.1
Pome fruits [except Persimmon, Japanese]	3	Peanut	0.1
Tomato	T2	Poultry, edible offal of	*0.05
Sentul	5	Poultry meat	*0.05
		Pulses [except soya bean (dry)]	0.1
		Rice, polished	0.1
		Soya bean (dry)	0.3
		Sugar cane	0.02
		Tea, green, black	0.5
		Tomato	0.5
		Tree nuts	0.1
		Wheat bran, unprocessed	20
		Wheat germ	20

Agvet chemical: Fenoxaprop-ethyl		Stone fruits [except cherries; jujube, Chinese]	1.4
<i>Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolyloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl</i>		Tea, green, black	2
Agvet chemical: Fenoxycarb		Agvet chemical: Fenpropidin	
<i>Permitted residue: Fenoxycarb</i>		<i>Permitted residue—Commodities of plant origin: Fenpropidin</i>	
Barley	*0.01	<i>Permitted residue—Commodities of animal origin: Sum of fenpropidin and 2-methyl-2-[4-(2-methyl-3-piperidin-1-ylpropyl)-phenyl]-propanoic acid (CGA 289267), expressed as fenpropidin</i>	
Chick-pea (dry)	*0.01	Edible offal (mammalian)	*0.02
Edible offal (mammalian)	0.2	Eggs	*0.02
Eggs	*0.02	Meat (mammalian)	*0.02
Meat (mammalian)	0.05	Milks	*0.01
Milks	0.02	Poultry, edible offal of	*0.02
Peanut	0.05	Poultry meat	*0.02
Poultry, edible offal of	*0.1	Wine grapes	0.03
Poultry meat	*0.01	Agvet chemical: Fenpropimorph	
Rice	T*0.02	<i>Permitted residue: Fenpropimorph</i>	
Rye	*0.01	Banana	2
Triticale	*0.01	Barley	0.5
Wheat	*0.01	Oats	0.5
Agvet chemical: Fenpicoxamid		Wheat	0.5
<i>Permitted residue—commodities of plant origin: Fenpicoxamid</i>		Agvet chemical: Fenpyrazamine	
All other foods except animal food commodities	0.1	<i>Permitted residue: Fenpyrazamine</i>	
Olive oil, virgin	7	All other foods except animal food commodities	0.02
Olives for oil production	2	Blueberries	5
Pome fruits [except Persimmon, Japanese]	2	Dried grapes (currants, raisins and sultanas)	10
Table Olives	2	Edible offal (mammalian)	*0.01
Agvet chemical: Fenpropathrin		Eggs	*0.01
<i>Permitted residue: Fenpropathrin</i>		Meat (mammalian)	*0.01
Blueberries	3	Milks	*0.005
Cherries	5	Poultry, edible offal of	*0.01
Citrus fruits [except kumquats]	2	Poultry meat	*0.01
Cranberry	2	Raspberries, red, black	5
Grapes	5	Strawberry	3
Peanut	0.01	Table grapes	3
Peppers, chili, dried	10	Wine grapes	0.05
Agvet chemical: Fenpyroximate		<i>Permitted residue: Fenpyroximate</i>	
<i>Permitted residue: Fenpyroximate</i>		All other foods except animal food commodities	0.1
		Almonds	0.1
		Apple	0.3
		Cherries	2
		Cranberry	1
		Currants, black, red, white	1
		Edible offal (mammalian)	0.8

Fats (mammalian)	0.1
Grapes	1
Hops, dry	10
Lemons and limes (subgroup)	1
Meat (mammalian) (in the fat)	0.2
Milks	*0.01
Pear	0.3
Pomelo	0.5
Raspberries, red, black	3
Stone fruits [except cherries]	0.4
Strawberry	1
Tangelo	0.5
Tea, green, black	0.1
Tomatoes (includes goji berry)	0.3

Agvet chemical: Fenvalerate

Permitted residue: Fenvalerate, sum of isomers

All other foods except animal food commodities	0.05
Almonds	0.2
Berries and other small fruits	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Brassica leafy vegetables	1
Cereal grains [except sweet corns]	2
Celery	2
Cherries	3
Dried grapes	0.5
Edible offal (mammalian)	0.05
Eggs	0.02
Grapes	0.1
Legume vegetables	0.5
Meat (mammalian) (in the fat)	1
Milks	0.2
Oilseeds and oilfruits [except oilfruits; peanut]	0.5
Olives for oil production	T1
Olive oil, crude	T5
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	0.05
Pulses	0.5
Sweet corn (corn-on-the-cob)	0.05
Table olives	T1
Tea, green, black	0.05
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Fipronil

Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)

Asparagus	0.2
Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple; tamarillo (tree tomato)]	T*0.01
Banana	0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.05
Broccoli, Chinese (Gai lan)	T0.05
Carob	T*0.01
Carrot	T*0.01
Celery	T0.3
Citrus fruit	T*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Edible offal (mammalian)	0.02
Eggs	0.02
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Honey	0.01
Lettuce, head	T0.1
Lettuce, leaf	T0.1
Maize cereals	T*0.01
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mushrooms	0.02
Oilseeds (subgroup)	*0.01
Peppers, chili	*0.005
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rice	0.01
Sentul	T*0.01
Sorghum, grain	0.01
Soya bean (dry)	T*0.01
Stone fruits	0.01
Sugar cane	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

Agvet chemical: Flamprop-methyl

Permitted residue: Flamprop-methyl

Chick-pea (dry)	*0.01
Edible offal (mammalian)	*0.01

Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	0.05
Wheat	0.05

Agvet chemical: Flamprop-M-methyl

see Flamprop-methyl

Agvet chemical: Flavophospholipol

Permitted residue: Flavophospholipol

Cattle fat	*0.01
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	*0.01
Cattle milk	T*0.01
Eggs	*0.02

Agvet chemical: Flazasulfuron

Permitted residue: Flazasulfuron

Almonds	0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Marjoram (oregano)	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Olives for oil production	*0.01
Poultry meat	*0.01
Poultry, edible offal of	*0.01
Table olives	*0.01

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N -(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N -(4-trifluoromethylnicotinoyl)glycine]

All other foods except animal food commodities	0.2
Blackberries	T2
Bulb vegetables [except chives]	T0.2
Celery	1.5
Cotton seed	1
Cranberry	1.5
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fennel, bulb	T0.2
Fruiting vegetables, cucurbits	0.7
Fruiting vegetables, other than cucurbits	0.5

Fungi, edible (except mushrooms)	T0.5
Hops, dry	20
Lemons and Limes	1.5
Meat (mammalian)	*0.02
Milks	*0.02
Mushrooms	T0.5
Mustard seeds	T0.5
Oranges, Sweet, Sour	0.4
Pome fruits [except Persimmon, Japanese]	0.7
Potato	0.3
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pummelos	0.3
Rape seed (canola)	0.5
Raspberries, red, black	T2
Stone fruits	0.6
Strawberry	2
Sweet corns	T0.5

Agvet chemical: Florasulam

Permitted residue: Florasulam

Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Marjoram (oregano)	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Florfenicol

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

Cattle kidney	0.5
Cattle liver	3
Cattle meat	0.3
Pig fat/skin	1
Pig kidney	1
Pig liver	3
Pig meat	0.5

Agvet chemical: Florylpicoxamid

Permitted residue: commodities of plant origin: Sum of florylpicoxamid and (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

Permitted residue: commodities of animal origin: (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

All other foods except animal food commodities	0.01
--	------

Agvet chemical: Florylpicoxamid		Agvet chemical: Fluazaindolizine	
Banana	0.5	Fungi, edible (except mushrooms)	0.2
Dried grapes (currants, raisins and sultanas)	15	Galangal, rhizomes	0.3
Edible offal (mammalian)	0.05	Legume vegetables	0.8
Eggs	*0.01	Mammalian fats (except milk fats)	*0.01
Fruiting vegetables, cucurbits	0.5	Meat (mammalian)	*0.01
Fruiting vegetables, other than cucurbits	1	Milk fats	*0.01
Grapes	3	Milks	*0.01
Leafy greens	20	Mushrooms	0.2
Meat (mammalian) (in the fat)	0.07	Peppers, chili, dried	0.3
Milks	*0.01	Poultry, edible offal of	0.02
Poultry, edible offal of	*0.01	Poultry meat	*0.01
Poultry meat (in the fat)	*0.01	Poultry fats	*0.01
Strawberry	1	Root and tuber vegetables	0.3
Wheat	0.02	Sweet corns	0.2
Wheat bran, unprocessed	0.07	Tomato, dried	0.5
Agvet chemical: Florpyrauxifen-benzyl		Agvet chemical: Fluazifop-p-butyl	
<i>Permitted residue: Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl</i>		<i>Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop</i>	
Edible offal (mammalian)	T*0.02	All other foods except animal food commodities	0.02
Eggs	T*0.02	Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana; tamarillo (tree tomato)]	0.05
Meat (mammalian) [in the fat]	T*0.02	Avocado	*0.02
Milks	T*0.02	Banana	*0.02
Poultry, edible offal of	T*0.02	Berries and other small fruits [except bush berries; elderberries; guelder rose, strawberry]	0.2
Poultry meat (in the fat)	T*0.02	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Rice	T*0.02	Broccoli, Chinese (Gai lan)	1
Sorghum, grain	*0.02	Bush berries	0.3
Agvet chemical: Fluoxapiprolin		Celery	*0.02
<i>Permitted residue: Fluoxapiprolin</i>		Chia	T2
Dried grapes (= currants, raisins and sultanas)	0.5	Chinese cabbage (Pe-tsai)	T2
Edible offal (mammalian)	*0.01	Citrus fruits	*0.02
Eggs	*0.01	Coriander (leaves, roots, stems)	2
Grapes	0.15	Date	T0.2
Meat (mammalian) [in the fat]	*0.01	Edible offal (mammalian)	*0.05
Milks	*0.01	Egg plant	T0.7
Poultry, edible offal of	*0.01	Eggs	*0.05
Poultry meat [in the fat]	*0.01	Elderberries	0.3
Agvet chemical: Fluazaindolizine		Fruiting vegetables, cucurbits	0.1
<i>Permitted residue: Fluazaindolizine</i>		Galangal, rhizomes	0.05
All other foods except animal food commodities	0.1	Garlic	0.05
Carrot	0.4	Ginger, root	0.05
Edible offal (mammalian)	0.01	Guelder rose	0.3
Eggs	*0.01	Hops, dry	0.05
Fruiting vegetables, cucurbits	0.2	Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	2
Fruiting vegetables, other than cucurbits	0.2	Leek	T1

Legume vegetables	0.1	Agvet chemical: Fluazuron	
Lettuce, head	0.05	<i>Permitted residue: Fluazuron</i>	
Lotus root	T3	Cattle, edible offal of	0.5
Lupin (dry)	0.1	Cattle meat (in the fat)	7
Meat (mammalian)	*0.05	Agvet chemical: Flubendazole	
Milks	0.1	<i>Permitted residue—commodities other than eggs:</i>	
Oilseeds (subgroup)	0.5	<i>Sum of flubendazole and 2-amino-1 H-benzimidazole-5-yl)(4-fluorophenyl methanone, expressed as flubendazole</i>	
Olives for oil production	0.05	<i>Permitted residue—eggs: Flubendazole</i>	
Onion, bulb	0.05	Chicken fat/skin	0.03
Onion, Chinese	0.05	Chicken liver	0.2
Onion, Welsh	0.05	Chicken kidney	0.1
Parsley	2	Chicken muscle	*0.02
Peanut	1.5	Eggs	0.6
Pecan	0.05	Pig fat/skin	*0.02
Peppers, sweet	*0.02	Pig liver	0.4
Pome fruits	*0.01	Pig kidney	0.3
Potato	0.05	Pig muscle	*0.02
Poultry, edible offal of	*0.05	Agvet chemical: Flubendiamide	
Poultry meat	*0.05	<i>Permitted residue—commodities of plant origin:</i>	
Pulses [lupin (dry); soya bean (dry)]	0.5	<i>Flubendiamide</i>	
Root and tuber vegetables [except lotus root; potato; sweet potato; taro; water chestnut; yam bean; yams]	1	<i>Permitted residue—commodities of animal origin:</i>	
Sentul	0.05	<i>sum of flubendiamide and flubendiamide-iodophthalimide, expressed as flubendiamide</i>	
Shallot	0.05	All other foods except animal food commodities	0.05
Soya bean (dry)	15	Almonds	0.06
Spring Onion	0.05	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Stone fruits	0.05	Broccoli, Chinese (Gai lan)	5
Strawberry	3	Chia	1
Sugar cane	T*0.1	Chinese cabbage (Pe-tsai)	10
Sweet potato	T0.3	Chives	20
Table olives	0.05	Common bean (pods and/or immature seeds)	T2
Taro	T3	Cotton seed	0.5
Tea, green, black	T50	Edible offal (mammalian)	0.03
Tomato	0.1	Eggs	*0.01
Turmeric, root	0.05	Fruiting vegetables, cucurbits	0.2
Water chestnut	T3	Fruiting vegetables, other than cucurbits	2
Yam bean	T3	Fungi, edible (except mushrooms)	2
Yams	T0.3	Grapes	1.4
Agvet chemical: Fluazinam		Herbs	20
<i>Permitted residue: Fluazinam</i>		Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof, chicory]	10
All other foods except animal food commodities	0.01	Lettuce, head	5
Blueberries	7	Meat (mammalian) (in the fat)	0.05
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.01	Milk fats	0.05
Broccoli, Chinese (Gai lan)	*0.01	Milks	*0.01
Peanut	0.02	Mushrooms	2
Pome fruits	*0.01		
Potato	*0.01		
Strawberry	T*0.05		
Wine grapes	*0.05		

Peppers, chili, dried	7	Leafy vegetables [except witloof chicory (sprouts)]	15
Potato	*0.02	Litchi	T2
Poultry, edible offal of	*0.01	Maize	*0.02
Poultry meat (in the fat)	*0.01	Mammalian fats (except milk fats)	0.02
Root and tuber vegetables [except potato]	0.2	Mango	7
Spices [except peppers, chili, dried]	0.02	Meat (mammalian)	0.05
Stalk and stem vegetables [except fennel, bulb]	5	Melons, except watermelon	T0.2
Stone fruits [except jujube, Chinese]	1.6	Milks	0.05
Strawberry	0.3	Mustard seeds	*0.01
Sweet corn (corn-on-the-cob)	T*0.05	Papaya	5
Tea, green, black	0.02	Peach	10
Witloof, chicory	5	Peanut	T*0.01
Agvet chemical: Fludioxonil		Peas with pods	0.8
<i>Permitted residue—commodities of animal origin: Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil</i>		Peppers, chili, dried	4
<i>Permitted residue—commodities of plant origin: Fludioxonil</i>		Peppers, chili [except dried]	T2
All other foods except animal food commodities	0.02	Peppers, sweet	2
Almond oil	0.3	Pineapple	5
Apricot	10	Pistachio nut	T0.2
Avocado	2	Pome fruits	5
Banana	2	Pomegranate	5
Bayberry, red	T2	Potato	5
Beans with pods [except soya beans]	0.8	Poultry, edible offal of	0.1
Beetroot	*0.01	Poultry fats	*0.01
Berries and other small fruits [except grapes]	5	Poultry meat	*0.01
Broccoli	T*0.01	Rape seed (canola)	*0.01
Bulb onions (subgroup)	0.5	Sorghum, grain	*0.01
Bulb vegetables [except chives; bulb onions (subgroup)]	3	Stone fruits [except apricot; peach]	5
Cabbages, head	0.7	Sugar beet	4
Carrot	1	Sunflower seed	T*0.02
Celery	15	Sweet corn (corn-on-the-cob)	*0.02
Chestnuts	1	Tomato	T1
Chinese cabbage (Pe-tsai)	15	Tree nuts [except canarium nut; chestnuts; Chilean hazelnut; pistachio nut]	0.3
Chives	T10	Agvet chemical: Fluensulfone	
Citrus fruits	10	<i>Permitted residue—commodities of plant origin: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone</i>	
Cotton seed	*0.05	<i>Permitted residue—commodities of animal origin: Fluensulfone</i>	
Cucumber	0.5	All other foods	1
Dry beans (subgroup)	0.3	Barley, similar grains, and pseudocereals with husks	0.08
Dried grapes (currants, raisins and sultanas)	5	Celery	2
Dried herbs	T70	Citrus oil, edible	1.5
Dry peas (subgroup)	0.3	Dried grapes (equals currants; raisins; sultanas)	2
Edible offal (mammalian)	0.15	Edible offal (mammalian)	*0.01
Egg plant	T0.2	Eggs	*0.01
Eggs	0.02	Fruiting vegetables, cucurbits	0.5
Grapes	2	Fruiting vegetables, other than cucurbits	1
Guava	0.5	Fungi, edible (except mushrooms)	1
Herbs	T20	Maize Cereals	0.15
Kiwifruit	15	Meat (mammalian)	*0.01

Milks	*0.01
Mushrooms	1
Oilseeds (subgroup)	0.05
Peppers, chili, dried	7
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	0.05
Rice Cereals	0.05
Root and tuber vegetables	2
Sorghum Grain and Millet	0.05
Sugar cane	0.06
Sweet corns	1
Wheat, similar grains, and pseudocereals without husks	0.08

Agvet Chemical: Flufenoxuron

Permitted residue: Flufenoxuron

Oranges (subgroup)	0.4
Tea, green, black	20

Agvet Chemical: Fluindapyr

Permitted residue — commodities of plant origin: sum of fluindapyr and 3-(difluoromethyl)-N-[7-fluoro-1-(hydroxymethyl)-1,3-dimethyl-2,3-dihydro-1H-inden-4-yl]-1-methyl-1H-pyrazole-4-carboxamide (1-OH-Met-fluindapyr) and its conjugates, expressed as fluindapyr
Permitted residue — commodities of animal origin: sum of fluindapyr, 4-(3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamido)-7-fluoro-1,3-dimethyl-2,3-dihydro-1H-indene-1-carboxylic acid (1-COOH-fluindapyr), 3-(difluoromethyl)-N-[7-fluoro-1-(hydroxymethyl)-1,3-dimethyl-2,3-dihydro-1H-inden-4-yl]-1-methyl-1H-pyrazole-4-carboxamide (1-OH-Met-fluindapyr), 3-(difluoromethyl)-N-[7-fluoro-1-(hydroxymethyl)-1,3-dimethyl-2,3-dihydro-1H-inden-4-yl]-1H-pyrazole-4-carboxamide (1-OH-Met-NDesMet-fluindapyr) and their conjugates, and 3-(difluoromethyl)-N-(7-fluoro-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl)-1H-pyrazole-4-carboxamide (N-DesMet-fluindapyr), expressed as fluindapyr

Maize cereals (subgroup)	*0.01
Sorghum (subgroup)	1
Sweet corn (corn-on-the-cob; kernels)	*0.01
Tree nuts	0.04
Wheat (subgroup)	0.4

Agvet chemical: Flumethrin

Permitted residue: Flumethrin, sum of isomers

Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	*0.003
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05

Agvet chemical: Flumetsulam

Permitted residue: Flumetsulam

Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05
Triticale	*0.05
Wheat	*0.05

Agvet chemical: Flumiclorac pentyl

Permitted residue: Flumiclorac pentyl

Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Flumioxazin

Permitted residue: Flumioxazin

All other foods except animal food commodities	0.02
Avocado	*0.02
Banana	T*0.02
Blueberries	0.02
Carrot	T*0.05
Cereal grains [except sweet corns]	*0.05
Citrus fruits	*0.05
Cranberry	0.07
Edible offal (mammalian)	*0.01
Eggs	*0.01
Garlic	T*0.02
Grapes	*0.01
Hops, dry	T*0.05
Lavender	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Mints	T*0.02
Oilseeds and oilfruits [except oilfruits]	*0.1
Peanut	*0.02
Pome fruits	*0.02
Pomegranate	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Pulses	*0.1
Stone fruits [except jujube, Chinese]	*0.02
Sugar cane	*0.01
Table olives	*0.02
Tree nuts	*0.02

Agvet chemical: Flunixin

Permitted residue: Flunixin

Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02

Agvet chemical: Fluometuron

Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron

Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	0.5
Cotton seed	*0.1
Pineapple	*0.1

Agvet chemical: Fluopicolide

Permitted residue: Fluopicolide

All other foods	0.01
Basil	T30
Brassica vegetables (except Brassica leafy vegetables)	5
Bulb vegetables [except chives; onion, bulb]	3
Cane berries	T1.5
Celery	20
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, bulb	3
Fruiting vegetables, cucurbits	0.5
Grapes	2
Hops, dry	15
Leafy vegetables	30
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Onion, bulb	0.1
Peppers, chili, dried	7
Poppy seed	0.5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Fluopyram

Permitted residue—commodities of plant origin: Fluopyram

Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram

All other foods except animal food commodities	0.2
Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2
Banana	0.1
Beans [except broad bean; snap bean (immature seeds); soya bean]	1
Blueberries	7
Brussels sprouts	0.3
Bulb onions	0.07
Cane berries [except raspberries, red, black]	3
Cereal grains [except rice; sweet corns]	0.03
Cherries	3
Chicory witloof	0.3
Citrus fruits	1
Cranberry	2
Currants, black, red, white	7
Dried grapes (= currants, raisins and sultanas)	3
Edible offal (mammalian)	0.7
Eggs	*0.02
Fruiting vegetables, cucurbits	0.5
Garden pea, shelled	0.2
Grapes	2
Green onions	2
Hops, dry	100
Lentil (dry)	0.4
Lettuce, head	15
Lettuce, leaf	15
Macadamia nuts	0.2
Meat (mammalian)	0.1
Milks	0.1
Oilseeds (subgroup)	0.03
Olives for oil production	3
Olive oil, crude	5
Peanut	0.2
Peas (dry)	0.7
Peppers, chili, dried	30
Peppers, sweet	0.3
Persimmon, Japanese	1.5
Pistachio nut	0.2
Podded pea (young pods) (snow and sugar snap)	1
Pome fruits [except Persimmon, Japanese]	1
Potato	0.1
Poultry, Edible offal of	*0.02
Poultry meat	*0.02

Pulses [except lentil (dry); peas (dry); soya bean (dry)]	0.09
Raspberries, red, black	5
Rice	4
Rice, husked	1.5
Rice, polished	0.5
Root and tuber vegetables [except sweet potato]	0.2
Sentul	2
Snap bean (immature seeds)	0.2
Soya bean (dry)	0.04
Stone fruits [except cherries (subgroup)]	2
Strawberry	2
Sugar beet	0.04
Sweet Potato	0.02
Table olives	3
Tomatoes (subgroup)	T1.5
Tree nuts [except macadamia nuts; pistachio nut; walnuts]	0.05
Walnuts	T0.07

Agvet chemical: Fluoxastrobin

Permitted residue: Sum of fluoxastrobin and its Z isomer

Cranberry	1.9
Peanut	0.02

Agvet chemical: Flupropanate

Permitted residue: Flupropanate

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

Agvet chemical: Flupyradifurone

Permitted residue: Flupyradifurone

All other foods except animal food commodities	0.2
Apple	0.7
Assorted tropical and sub-tropical fruits – inedible peel [except banana; mango; papaya; pineapple]	1.5
Blueberries	4
Cacao beans	*0.01
Cane berries	6
Citrus fruits [except kumquats]	3
Coffee beans	0.9
Common bean (pods and/or immature seeds)	2
Dried grapes (currants, raisins and sultanas)	5
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1.5
Fungi, edible (except mushrooms)	1.5

Grapes	3
Hops, dry	10
Mango	0.7
Meat (mammalian)	0.1
Milks	0.07
Olives for oil production	1
Papaya (pawpaw)	0.5
Peppers, chili, dried	9
Pineapple	0.3
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Peanut	0.04
Potato	0.07
Sesame seed	3
Soya bean (dry)	1.5
Stone fruits [except jujube, Chinese]	1.5
Strawberry	1.5
Sunflower seeds (subgroup)	0.8
Sweet potato	0.07
Table olives	1
Tree nuts	0.02

Agvet chemical: Fluquinconazole

Permitted residue: Fluquinconazole

All other foods except animal food commodities	0.02
Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Mustard seeds	T*0.01
Pome fruits [except Persimmon, Japanese]	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02

Agvet chemical: Fluralaner

Permitted residue: Fluralaner

Cattle, edible offal of [except kidney, liver]	0.25
Cattle fat	0.7
Cattle kidney	0.25
Cattle liver	0.6
Cattle muscle	0.07
Chicken eggs	1.3
Chicken fat/skin	0.6
Chicken kidney	0.4
Chicken liver	0.6
Chicken muscle	0.06
Sheep fat	0.35
Sheep kidney	0.15
Sheep liver	0.4

Sheep muscle	0.1	Barley	1.5
Agvet chemical: Fluroxypyr		Celery	3
<i>Permitted residue: Fluroxypyr</i>		Cereal grains [except barley and sweet corns]	0.1
All other foods except animal food commodities	0.02	Edible offal (mammalian)	1
Cereal grains	0.2	Eggs	*0.05
Edible offal (mammalian) [except kidney]	0.1	Garden pea (young pods)	*0.01
Eggs	*0.01	Hops, dry	20
Kidney (mammalian)	1	Grapes	1.5
Meat (mammalian) (in the fat)	0.1	Mammalian fats (except milk fats)	0.02
Milks	0.1	Meat (mammalian)	*0.05
Onion, bulb	0.2	Meat (mammalian) (in the fat)	0.02
Poultry, edible offal of	*0.05	Milks	*0.05
Poultry meat	*0.05	Mustard seeds	T0.07
Rice bran, unprocessed	T0.3	Oilseeds and oilfruits [except mustard seeds; oilfruits; peanut; rape seed (canola)]	0.05
Sugar cane (in the juice)	0.2	Peanut	0.09
Agvet chemical: Flusilazole		Peppers, chili, dried	10
<i>Permitted residue: Flusilazole</i>		Pome fruits [except Persimmon, Japanese]	0.4
Apple	0.3	Poultry, edible offal of	*0.05
Agvet chemical: Flutianil		Poultry fats	0.03
<i>Permitted residue: Flutianil</i>		Poultry meat	*0.05
Apple	0.15	Poultry meat (in the fat)	0.03
Cherries (subgroup)	0.4	Pulses	0.05
Marjoram (oregano)	*0.02	Rape seed (canola)	0.07
Small fruit vine climbing	0.7	Stone fruits [except jujube, Chinese]	1.5
Agvet chemical: Flutolanil		Strawberry	1.5
<i>Permitted residue—commodities of plant origin: Flutolanil</i>		Sugar cane	*0.01
<i>Permitted residue—commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil</i>		Agvet chemical: Fluvalinate	
Edible offal (mammalian)	*0.05	<i>Permitted residue: Fluvalinate, sum of isomers</i>	
Eggs	*0.05	All other foods except animal food commodities	0.02
Marjoram (oregano)	*0.02	Apple	0.1
Meat (mammalian) (in the fat)	*0.05	Asparagus	0.2
Milks	*0.05	Carrot	T*0.01
Peanut	0.5	Cauliflower	0.5
Potato	0.2	Cotton seed	0.1
Poultry, edible offal of	*0.05	Honey	T*0.01
Poultry meat (in the fat)	*0.05	Macadamia nuts	*0.01
Agvet chemical: Flutriafol		Stone fruits [except jujube, Chinese]	0.05
<i>Permitted residue: Flutriafol</i>		Table grapes	0.05
All other foods except animal food commodities	0.1	Tomato	0.5
Almonds	0.8	Agvet chemical: Fluxapyroxad	
		<i>Permitted residue: Fluxapyroxad</i>	
		All other foods	0.1
		Banana	3
		Barley	3
		Barley bran, processed	4
		Barley bran, unprocessed	0.5
		Beans, shelled	0.5
		Berries and other small fruit [except grapes]	7

Brassica leafy vegetables	4	Root and tuber vegetables [except parsnip; sugar beet]	0.9
Broccoli	4	Rye	3
Bulb vegetables [except chives]	1.5	Sorghum, grain	3
Cauliflower	4	Soya bean (dry)	0.3
Celery	10	Soya bean (immature seeds)	0.5
Chicory	30	Soya bean (young pod)	1.5
Citrus oil, edible	90	Stem brassicas	2
Coffee beans	0.2	Stone fruits [except jujube, Chinese; prunes]	3
Cotton seed	0.5	Sugar beet	0.15
Dried grapes (currants, raisins and sultanas)	15	Sugar cane	3
Edible offal (mammalian)	0.03	Sweet corn (corn-on-the-cob)	0.15
Eggs	0.005	Tangelo, large-sized cultivars	1.5
Fennel, bulb	1.5	Tangelo, small and medium sized cultivars	1.5
Flowerhead Brassicas	4	Tea, green, black	T7
Fruiting vegetables, cucurbits	0.5	Tree nuts	0.07
Fruiting vegetables, other than cucurbits	0.6	Tumeric root	0.3
Fungi, edible (except mushrooms)	0.6	Valerian root	2
Grapes [except dried grapes]	3	Wheat	0.3
Head Brassicas	4	Wheat bran, unprocessed	1
Jujube, Chinese	T7		
Legume vegetables [except beans, shelled; peas, shelled (succulent seeds)]	2	Agvet chemical: Folpet	
Lemons and Limes	1	<i>Permitted residue: Folpet</i>	
Lettuce, head	30	Currants, black, red, white	0.03
Lettuce, leaf	30	Hops, dry	120
Mandarins	1	Marjoram (oregano)	*0.06
Mango	0.8	Peppers, chili	*0.03
Meat (mammalian) (in the fat)	0.05	Peppers, sweet	*0.03
Milk fats	0.1	Strawberry	T5
Milks	0.005		
Millet	3	Agvet chemical: Fomesafen	
Oats	2	<i>Permitted residue: Fomesafen</i>	
Oilseeds and oilfruits [except oilseeds (subgroup); peanut]	0.8	Edible offal (mammalian)	*0.02
Oilseeds (subgroup) [except cotton seed]	0.9	Eggs	*0.02
Oranges, Sweet, Sour	1.5	Meat (mammalian)	*0.02
Papaya (pawpaw)	1	Milks	*0.02
Parsnip	1	Potato	0.025
Peas, shelled (succulent seeds)	0.5	Poultry, Edible offal of	*0.02
Pecan	0.06	Poultry meat	*0.02
Peppers, chili, dried	6	Pulses	*0.01
Pome fruits	0.9	Tomato	0.025
Pomegranate	T0.3		
Poultry, edible offal of	*0.01	Agvet chemical: Forchlorfenuron	
Poultry meat (in the fat)	*0.01	<i>Permitted residue: Forchlorfenuron</i>	
Prunes	5	Apple	*0.01
Pulses [except soya bean (dry)]	0.4	Blueberries	*0.01
Pummelos and grapefruit	0.6	Cherries	*0.01
Rice [except rice bran, unprocessed; rice hulls]	5	Grapes	0.03
Rice bran, unprocessed	8.5	Kiwifruit	*0.01
Rice hulls	15	Mango	*0.01

Agvet chemical: Fosetyl		Agvet chemical: Furathiocarb	
<i>Permitted residue: Fosetyl</i>		see Carbofuran	
Apple	1	<i>Residues arising from the use of furathiocarb are covered by MRLs for carbofuran</i>	
Avocado	5		
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.1		
Broccoli, Chinese (Gai lan)	T0.1		
Chinese cabbage (Pe-tsai)	T0.2		
Durian	T5		
Fruiting vegetables, other than cucurbits	T0.02		
Fungi, edible (except mushrooms)	T0.02		
Leafy vegetables [except broccoli, Chinese (Gai lan); rucola (rocket); spinach; witloof chicory]	T0.2		
Mushrooms	T0.02		
Peach	1		
Pineapple	5		
Rucola (rocket)	T0.7		
Spinach	T0.7		
Stone fruits [except cherries; jujube, Chinese; peach]	T1		
Sweet corns	T0.02		
Agvet chemical: Fosetyl-aluminium		Agvet chemical: Glufosinate and Glufosinate-ammonium	
<i>Permitted residue: Fosetyl-aluminium</i>		<i>Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)</i>	
Banana	2	All other foods except animal food commodities	0.1
Blackberries	70	Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Blueberries	40	Berries and other small fruits [except strawberry]	0.1
Citrus fruits [except kumquats]	5	Cereal grains [except rice; sweet corns]	*0.1
Coffee beans	30	Cherries	*0.05
Cranberry	0.5	Citrus fruits	0.1
Eggs	*0.05	Coffee beans	T*0.05
Flowerhead brassicas	*0.2	Common bean (pods and immature seeds)	T*0.05
Head brassicas	*0.2	Cotton seed	3
Hops, dry	45	Date	*0.05
Kale	*0.2	Edible offal (mammalian)	5
Kiwifruit	150	Eggs	*0.05
Mammalian fats [except milk fats]	0.3	Hops, dry	T1
Marjoram (oregano)	400	Maize	0.2
Pineapple	15	Meat (mammalian)	0.1
Pome fruits	50	Milks	*0.05
Pulses	2	Mustard seeds	T0.5
Poultry, edible offal of	*0.05	Native foods	*0.05
Poultry fats	*0.05	Oilseed (subgroup) [except cotton seed; mustard seeds; rape seed (canola)]	T*0.1
Poultry meat	*0.05	Peaches (including nectarines and apricots)	0.3
Quinoa	2	Peppers, sweet	*0.05
Raspberries, red, black	100	Plums	0.3
Strawberry	75	Podded pea (young pods) (snow and sugar snap)	T*0.05
		Pome fruits	*0.1
		Poultry, edible offal of	*0.1
		Poultry meat	*0.05
		Pulses [except soya bean (dry)]	*0.1
		Rape seed (canola)	0.5
		Rice	0.9
		Saffron	T*0.05
		Sentul	0.2
		Soya bean (dry)	2
		Strawberry	0.3
		Sugar cane	*0.2
		Table olives	*0.1
		Tomato	*0.05
		Tea, green, black	*0.05

Tree nuts	0.1
Truffle	T*0.2

Agvet chemical: Glyphosate

Permitted residue: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate

All other foods except animal food commodities	0.2
Almonds	1
Avocado	*0.05
Babaco	*0.05
Banana	0.2
Barley	20
Berries and other small fruits [except cranberry; raspberries, red, black]	*0.05
Bulb vegetables [except chives]	*0.1
Cereal grains [except barley; maize; popcorn, sorghum, grain; sweet corns; wheat]	T*0.1
Chinese cabbage (Pe-tsai)	*0.1
Citrus fruits	0.5
Coffee beans	T0.2
Cotton seed	15
Cotton seed oil, crude	*0.1
Cranberry	0.2
Custard apple	*0.05
Date	T2
Dry beans [except soya bean (dry)]	15
Dry peas	10
Dry underground pulses	5
Edible offal (mammalian)	2
Eggs	*0.05
Fennel, bulb	*0.1
Fig	*0.05
Fruiting vegetables, cucurbits	*0.1
Fruiting vegetables, other than cucurbits	*0.1
Fungi, edible (except mushrooms)	*0.1
Guava	*0.05
Hempseed	T*0.1
Honey	0.2
Hops, dry	7
Kiwifruit	*0.05
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	*0.1
Legume vegetables	*0.1
Linseed	15
Litchi	0.2
Maize	5
Mango	*0.05
Meat (mammalian)	*0.1
Millet	T15
Milks	*0.1
Monstero	*0.05
Mushrooms	*0.1
Native foods	T2

Papaya (pawpaw)	*0.05
Passionfruit	3
Peanut	*0.1
Persimmon, American	*0.05
Pome fruits	*0.05
Popcorn	T2
Potato	0.2
Poultry, edible offal of	1
Poultry meat	*0.1
Raspberries, red, black	0.2
Rollinia	*0.05
Root and tuber vegetables [except potato]	*0.1
Safflower seed	7
Saffron	T*0.05
Small seed oilseeds (subgroup) [except linseed]	20
Sorghum, grain	15
Soya bean (dry)	20
Stalk and stem vegetables [except fennel, bulb]	*0.01
Stone fruits	0.2
Sugar cane	T0.3
Sugar cane molasses	T5
Sunflower seed	20
Sweet corns	*0.1
Table olives	*0.1
Tea, green, black	T20
Tree nuts [except almonds]	0.2
Truffle	T*0.05
Wheat	5
Wheat bran, unprocessed	20
Witloof, chicory	*0.01

Agvet chemical: Guazatine

Permitted residue: Guazatine

Citrus fruits [except kumquats]	5
Melons, except watermelon	10
Tomato	5

Agvet chemical: Halauxifen-methyl

Permitted residue—commodities of plant origin: Halauxifen-methyl

Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl

All other foods except animal food commodities	0.01
Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	0.03
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.01
Poultry, edible offal of	*0.01

Poultry meat	*0.01
Rape seed	*0.01

Agvet chemical: Halofuginone

Permitted residue: Halofuginone

Cattle fat	0.025
Cattle kidney	0.03
Cattle liver	0.03
Cattle muscle	0.01

Agvet chemical: Halosulfuron-methyl

Permitted residue: Halosulfuron-methyl

Almonds	0.05
Blueberries	0.05
Cotton seed	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.01
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Raspberries, red, black	0.05
Rice	T*0.05
Sorghum, grain	*0.05
Soya bean (dry)	T*0.01
Sugar cane	*0.05

Agvet chemical: Haloxyfop

Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop

Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
Berries and other small fruits	*0.05
Chia	T3
Chinese cabbage (Pe-tsai)	T0.5
Citrus fruits	*0.05
Cotton seed	0.1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.5
Eggs	*0.01
Hempseed	T0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); mizuna; witloof chicory]	T0.5
Linola seed	0.1
Linseed	0.1
Meat (mammalian) (in the fat)	0.02
Milks	0.02
Mizuna	T0.5
Mustard seeds	0.1
Onion, bulb	T0.2
Peanut	0.05
Pome fruits	*0.05

Poppy seed	T0.5
Poultry, edible offal of	0.05
Poultry meat (in the fat)	*0.01
Pulses	0.1
Rape seed (canola)	0.1
Sentul	*0.05
Sesame seed	T0.1
Stone fruits	*0.05
Sunflower seed	*0.05
Tree nuts	*0.05

Agvet chemical: Hexaconazole

Permitted residue: Hexaconazole

Apple	0.1
Grapes	0.05
Pear	0.1

Agvet chemical: Hexazinone

Permitted residue: Hexazinone

Blueberries	0.6
Edible offal (mammalian)	*0.1
Eggs	*0.05
Meat (mammalian)	*0.1
Milks	*0.05
Pineapple	0.6
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.1

Agvet chemical: Hexythiazox

Permitted residue: Hexythiazox

All other foods except animal food commodities	0.05
Almonds	0.3
Berries and other small fruits [except raspberries, red, black; strawberry]	1
Dates, dried	3
Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	T0.05
Fruiting vegetables, other than cucurbits	T1
Fungi, edible (except mushrooms)	T1
Hops, dry	20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Peas	T*0.05
Pome fruits [except Persimmon, Japanese]	1
Potato	T*0.02
Raspberries, red, black	3
Stone fruits [except jujube, Chinese]	1
Strawberry	6
Tea, green, black	4

Agvet chemical: Hydrogen phosphide		Sorghum, grain	*0.02
see Phosphine		Soya bean (dry)	0.3
		Sunflower seed	0.3
		Wheat	0.3
Agvet chemical: Imazalil		Agvet chemical: Imazapic	
<i>Permitted residue: Imazalil</i>		<i>Permitted residue: Sum of imazapic and its hydroxymethyl derivative</i>	
All other foods except animal food commodities	0.05	Barley	0.02
Banana	3	Edible offal (mammalian)	*0.05
Chicken, edible offal of	*0.01	Eggs	*0.01
Chicken meat	*0.01	Maize	0.1
Citrus fruits [except mandarins (subgroup); pummelos and grapefruit]	15	Meat (mammalian) (in the fat)	*0.05
Citrus oil, edible	500	Milks	*0.01
Edible offal (mammalian)	0.3	Mustard seeds	T*0.05
Eggs	*0.01	Oats	0.05
Fats (mammalian)	0.02	Peanut	*0.1
Mandarins (subgroup)	10	Poultry, edible offal of	*0.01
Meat (mammalian)	*0.02	Poultry meat	*0.01
Melons, except watermelon	10	Rape seed (canola)	*0.05
Milks	*0.02	Rice	0.05
Mushrooms	1	Soya bean (dry)	0.5
Onion, bulb	0.05	Sugar cane	0.1
Pome fruits [except Persimmon, Japanese]	5	Wheat	*0.05
Potato	5	Agvet chemical: Imazapyr	
Poultry, edible offal of [except chicken edible offal]	*0.02	<i>Permitted residue: Imazapyr</i>	
Poultry fats	*0.02	All other foods except animal food commodities	0.05
Poultry meat [except chicken meat]	*0.02	Barley	0.7
Pummelos and grapefruit	10	Broad bean (dry)	0.07
Tomato	0.5	Edible offal (mammalian)	*0.05
Agvet chemical: Imazamox		Eggs	*0.01
<i>Permitted residue: Imazamox</i>		Lentil (dry)	0.2
All other foods except animal food commodities	0.05	Meat (mammalian) (in the fat)	*0.05
Barley	*0.05	Maize	0.1
Beans, shelled	0.05	Milks	*0.01
Dry beans [except soya bean (dry)]	0.05	Mustard seeds	T*0.05
Edible offal (mammalian)	*0.05	Oats	0.1
Eggs	*0.01	Poppy seed	T*0.05
Lentil (dry)	0.25	Poultry, edible offal of	*0.01
Maize cereals (subgroup)	T*0.02	Poultry meat (in the fat)	*0.01
Meat (mammalian)	*0.05	Rape seed (canola)	*0.05
Milks	*0.05	Rice	0.05
Mung bean (dry)	T*0.05	Sorghum, grain	0.02
Mustard seeds	T*0.05	Soya bean (dry)	5
Peanut	*0.05	Sugar cane	0.05
Peas (dry)	0.05	Sunflower seed	0.05
Peas, shelled	0.05	Wheat	*0.05
Poppy seed	T*0.05	Agvet chemical: Imazethapyr	
Poultry, edible offal of	*0.01	<i>Permitted residue: Imazethapyr</i>	
Poultry meat	*0.01	Edible offal (mammalian)	*0.1
Rape seed (canola)	*0.05	Eggs	*0.1
Rice	2.5		

Legume vegetables	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Peanut	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.1
Rape seed (canola)	0.05
Rice	0.3

Agvet chemical: Imidacloprid

Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid

All other foods except animal food commodities	0.05
Apple	0.3
Avocado	0.2
Banana	0.5
Beetroot	T0.05
Beetroot leaves	T1
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5
Blueberries	3.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broad bean (dry)	*0.05
Broccoli, Chinese (Gai lan)	0.5
Burdock, greater	T0.05
Carrot	T0.05
Celery	6
Cereal grains [except maize; popcorn; sorghum, grain; sweet corns]	*0.05
Cherries	3
Chinese cabbage (Pe-tsai)	20
Citrus fruits	2
Common bean (dry) (navy bean)	T1
Common bean (pods and/or immature seeds)	2
Cotton seed	*0.02
Cranberry	0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Field pea (dry)	*0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except peppers]	0.5
Fungi, edible (except mushrooms)	0.5
Galangal, Greater	T0.05
Galangal, Lesser	T0.05
Garlic	T0.5
Ginger, Japanese	T0.05
Ginger, root	T0.3

Grapes	1
Hazelnuts	T0.05
Hops, dry	T10
Kaffir lime leaves	T5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	20
Lentil (dry)	0.2
Lettuce, head	5
Lupin (dry)	0.2
Maize	0.05
Mango	0.2
Meat (mammalian)	0.05
Milks	0.05
Mushrooms	0.5
Mustard seeds	T*0.05
Papaya (pawpaw)	0.2
Peanut	0.45
Peppers	1
Peppers, chili, dried	10
Persimmon, Japanese	T1
Podded Pea (young pods) (snow and sugar snap)	T0.2
Popcorn	0.05
Poppy seed	T*0.05
Potato	0.4
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Radish, Japanese	T0.05
Rape seed (canola)	*0.05
Rhubarb	T0.2
Sorghum, grain	*0.02
Spices [except galangal; ginger root; peppers, chili, dried]	0.05
Stone fruits [except cherries (subgroup)]	0.5
Strawberry	0.5
Sugar cane	*0.05
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.05
Sweet potato	0.3
Taro	T0.05
Tea, green, black	50
Tree tomato	T2
Yam bean	T0.05
Yams	T0.05

Agvet chemical: Imidocarb (dipropionate salt)

Permitted residue: Imidocarb

Cattle, edible offal of	5
Cattle meat	1
Cattle milk	0.2

Agvet chemical: Indaziflam

Permitted residue—commodities of plant origin: Sum of indaziflam and 6-[(1R)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine, expressed as indaziflam

Permitted residue—commodities of animal origin: Indaziflam

Almonds	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	0.1
Grapes	*0.01
Hops, dry	0.06
Meat (mammalian) (in the fat)	0.03
Milks	*0.005

Agvet chemical: Indoxacarb

Permitted residue: Sum of indoxacarb and its R-isomer

All other foods except animal food commodities	0.05
Asparagus	*0.01
Bayberry, red	T1
Beans with pods	0.9
Beetroot	0.5
Berries and other small fruits	2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Celery	3
Cherries	1
Chinese cabbage (Pe-tsai)	5
Chia	T0.5
Cotton seed	1
Cucumber	0.5
Dried grapes (currants, raisins, and sultanas)	5
Edible offal (mammalian) [except kidney]	0.05
Egg plant	0.5
Eggs	*0.01
Fennel, leaf	5
Fruiting vegetables, cucurbits	0.2
Hempseed	T*0.05
Kidney (mammalian)	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5
Lettuce, head	3
Linseed	T0.5
Macadamia nuts	0.03
Maize cereals	T*0.01
Mammalian fats (except milk fats)	2
Meat (mammalian) (in the fat)	3
Milk fats	6
Milks	0.2
Olives	T0.2

Peanut	T0.02
Peppers	0.5
Pome fruits [except Persimmon, Japanese]	2
Poultry (edible offal of)	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.2
Pumpkin	0.5
Rape seed (canola)	T*0.05
Safflower seed	T0.5
Stone fruits [except cherries (subgroup)]	2
Sunflower seed	T1
Sweet corn (corn-on-the-cob)	0.02
Tea, green, black	5
Tomato	0.2
Tree nuts	0.07

Agvet chemical: Inorganic bromide

Permitted residue: Bromide ion

All other foods except animal food commodities	15
Almonds	200
Avocado	75
Cereal grains [except sweet corns]	50
Citrus fruits [except kumquats]	30
Dates, dried	100
Dried fruits [except as otherwise listed under this chemical]	30
Dried grapes	100
Dried herbs	400
Dried peach	50
Figs, dried	250
Fruit [except as otherwise listed under this chemical]	20
Peppers, sweet	50
Prunes	20
Spices	400
Strawberry	30
Sweet corns	20
Vegetables [except as otherwise listed under this chemical]	20

Agvet chemical: Inpyrfluxam

Permitted residue—commodities of plant origin: Inpyrfluxam

Permitted residue—commodities of animal origin: Sum of inpyrfluxam and 1'-CH₂OH-S-2840 (free or conjugated), expressed as inpyrfluxam.

All other foods except animal food commodities	0.02
Apple	4
Banana	0.7
Edible offal (mammalian)	*0.02
Eggs	*0.02
Maize	*0.01

Mammalian fats (except milk fats)	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Peanut	0.01
Popcorn	*0.01
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Potato	0.05
Rice, husked	*0.01
Soya bean (dry)	*0.01
Sugar beet	*0.01
Sweet corn (corn-on-the-cob; kernels)	*0.01

Agvet chemical: Iodosulfuron methyl

Permitted residue: Iodosulfuron methyl

Barley	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat	*0.01

Agvet chemical: Ioxynil

Permitted residue: Ioxynil

Garlic	*0.02
Leek	2
Onion, bulb	*0.02
Onion, Welsh	10
Shallot	10
Spring onion	10
Sugar cane	*0.02

Agvet chemical: Ipconazole

Permitted residue: Ipconazole

Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Ipflufenquin

Permitted residue: Ipflufenquin

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01

Agvet chemical: Ipflufenquin

Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	0.3
Wine grapes	0.05

Agvet chemical: Iprodione

Permitted residue: Iprodione

All other foods except animal food commodities	0.1
Almonds	0.3
Beans [except broad bean; soya bean]	T2
Beetroot	T0.1
Beetroot leaves	T20
Berries and other small fruits [except blackberries; blueberries; grapes]	12
Blackberries	25
Blueberries	15
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Carrot	T0.5
Celeriac	T0.7
Celery	2
Chard (silver beet)	T15
Chestnuts	T10
Chicory leaves	T20
Cucumber	T0.5
Edible offal (mammalian)	*0.1
Egg plant	T1
Endive	T20
Garlic	T0.3
Grapes	60
Kiwifruit	10
Lettuce, head	5
Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1
Mustard seeds	T0.5
Onion, bulb	T0.7
Parsley	T20
Passionfruit	10
Peanut	0.5
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T0.2
Podded pea (young pods) (snow and sugar snap)	T2
Pome fruits [except Persimmon, Japanese]	3

Potato	*0.05
Rape seed (canola)	0.5
Soya bean (dry)	0.05
Spinach	T5
Stone fruits [except jujube, Chinese]	10
Tangelo, large-sized cultivars	T5
Tomato	2

Agvet chemical: Isocycloseram

Permitted residue: Isocycloseram

All other foods except animal food commodities	0.02
Almonds	*0.01
Assorted tropical and sub-tropical fruits – inedible peel, Small	0.2
Assorted tropical and sub-tropical fruits – inedible smooth peel – Large [except Banana; Papaya]	*0.01
Baby leaves	T8
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Brassica leafy vegetables (except Kale)	4
Bulb onions	*0.01
Bush berries	T*0.01
Cane berries	T*0.01
Celery	T4
Citrus fruits	0.2
Coriander (leaves, stems)	T8
Coriander, roots	T8
Coriander, seed	T8
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Green onions	0.6
Kale	T8
Leafy greens	T8
Low growing berries	T*0.01
Macadamia nuts	*0.01
Meat (mammalian)(in the fat)	*0.01
Milks	*0.01
Papaya	0.3
Parsley	T8
Poultry meat (in the fat)	*0.01
Poultry, edible offal of	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Isoeugenol

Permitted residue: Isoeugenol, sum of cis- and trans- isomers

Diadromous fish (whole commodity)	100
Freshwater fish (whole commodity)	100
Marine fish (whole commodity)	100

Agvet chemical: Isofetamid

Permitted residue: commodities of plant origin: Isofetamid

Permitted residue: commodities of animal origin: Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2- carboxamido)propanoyl]phenoxy]propanoic acid (PPA), expressed as isofetamid

All other foods except animal food commodities	0.02
Almonds	0.01
Beans with pods	0.6
Berries and other small fruits [except grapes]	5
Cherries	4
Dry beans [except soya bean (dry)]	0.09
Dry peas	0.09
Edible offal (mammalian)	*0.02
Grapes	3
Lettuce, head	30
Lettuce, leaf	30
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Milk fats	*0.02
Peaches (including nectarines and apricots)	3
Plums (including fresh prunes)	0.8
Podded peas (young pods) (snow and sugar snap)	0.6
Pome fruits [except Persimmon, Japanese]	0.6
Poultry, edible offal of	*0.02
Poultry eggs	*0.02
Poultry meat (in the fat)	*0.02
Prunes, dried	3

Agvet chemical: Isoprothiolane

Permitted residue — commodities of plant origin: isoprothiolane

Permitted residue — commodities of animal origin: sum of isoprothiolane and 2-(1,3-dithiolan-2-ylidene)-3-oxo-3-(propan-2-yloxy)propanoic acid (M-2), expressed as isoprothiolane

Banana	1
--------	---

Agvet chemical: Isopyrazam

Permitted residue: Isopyrazam

All other foods except animal food commodities	0.01
Almonds	*0.01
Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian) (in the fat)	*0.005
Milks	*0.005
Plums	T0.7

Pome fruit	0.7
Poultry, edible offal of	*0.005
Poultry meat (in the fat)	*0.005
Prunes	T3

Agvet chemical: Isotianil

Permitted residue: Commodities of plant origin: Isotianil

Permitted residue: Commodities of animal origin: sum of isotianil and 3,4-dichloroisothiazole-5-carboxylic acid, expressed as isotianil

Banana	0.03
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Isoxaben

Permitted residue: Isoxaben

Assorted tropical and sub-tropical fruits – edible peel	*0.01
Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Barley	*0.01
Blueberries	0.05
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01
Stone fruits	*0.01
Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Isoxaflutole

Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1
Eggs	*0.05
Meat (mammalian)	*0.05

Milks	*0.05
Pineapple	*0.02
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Soya bean (dry)	0.05
Sugar cane	*0.01

Agvet chemical: Ivermectin

Permitted residue: H₂B_{1a}

Cattle kidney	0.06
Cattle liver	0.5
Cattle meat (in the fat)	0.2
Cattle milk	0.05
Deer kidney	*0.01
Deer liver	*0.01
Deer meat (in the fat)	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01
Pig kidney	*0.01
Pig liver	*0.01
Pig meat (in the fat)	0.02
Sheep kidney	*0.01
Sheep liver	0.015
Sheep meat (in the fat)	0.02

Agvet chemical: Ketoprofen

Permitted residue: Ketoprofen

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.05

Agvet chemical: Kitasamycin

Permitted residue: Inhibitory substance, identified as kitasamycin

Eggs	*0.2
Pig, edible offal of	*0.2
Pig meat	*0.2

Agvet chemical: Kresoxim-methyl

Permitted residue—commodities of plant origin: Kresoxim-methyl

Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl

All other foods except animal food commodities	0.02
Asparagus	0.05
Barley, similar grains, and pseudocereals with husks (barley; buckwheat; oats)	0.15
Beetroot	0.05

Berries and other small fruits	1.5	Poultry fat/skin	0.6
Chard (beet leaves)	0.05	Poultry kidney	0.7
Coffee beans	0.05	Poultry liver	1.2
Cotton seed	0.05	Poultry muscle	0.4
Dried grapes (= currants, raisins and sultanas)	3		
Edible offal (mammalian)	0.05	Agvet chemical: Levamisole	
Eggs	*0.02	<i>Permitted residue: Levamisole</i>	
Egg plant	0.6	Edible offal (mammalian)	1
Fruiting vegetables, cucurbits	0.5	Eggs	1
Garlic	0.3	Meat (mammalian)	0.1
Ginseng (dried)	1	Milks [except goat milk]	0.3
Grape leaves	15	Poultry, edible offal of	0.1
Grapefruit	0.5	Poultry meat	0.1
Leek	10		
Mammalian fats [except milk fats]	0.05	Agvet chemical: Lignocaine	
Mango	0.1	<i>Permitted residue: Lignocaine</i>	
Meat (mammalian)	0.05	Sheep fat	0.2
Milks	0.05	Sheep kidney	0.2
Oats	0.1	Sheep liver	0.1
Olive oil, virgin	1	Sheep muscle	0.15
Olives	0.2		
Onion, bulb	0.3	Agvet chemical: Lincomycin	
Oranges, sweet, sour	0.5	<i>Permitted residue: Inhibitory substance, identified as lincomycin</i>	
Peach	1.5	Cattle milk	*0.02
Pear	5	Edible offal (mammalian) [except sheep, edible offal of]	0.2
Pecan	0.15	Eggs	0.2
Peppers, sweet	1	Goat milk	*0.1
Persimmon, Japanese	5	Meat (mammalian) [except sheep meat]	0.2
Pome fruits [except pear; persimmon, Japanese]	0.2	Poultry, edible offal of	0.1
Potato	0.1	Poultry meat	0.1
Poultry, edible offal of	*0.02		
Poultry fats	*0.02	Agvet chemical: Lindane	
Poultry meat	0.05	<i>Permitted residue: Lindane</i>	
Rice	0.02	Pineapple	0.5
Rye	0.1		
Shallot	0.3	Agvet chemical: Linuron	
Soya bean (dry)	0.05	<i>Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron</i>	
Sugar beet	0.05	All other foods except animal food commodities	0.05
Sunflower seed	0.1	Celeriac	3
Tea, green, black	15	Celery	*0.05
Tomato	0.6	Cereal grains	*0.05
Turnip, garden	0.05	Chia	T*0.05
Wheat	0.1	Coriander (leaves, roots, stems)	T2
		Coriander, seed	0.2
Agvet chemical: Lambda-cyhalothrin		Edible offal (mammalian)	1
see <i>Cyhalothrin</i>		Eggs	*0.05
		Leek	*0.02
Agvet chemical: Lasalocid		Meat (mammalian)	*0.05
<i>Permitted residue: Lasalocid</i>		Milks	*0.05
Cattle milk	*0.01		
Edible offal (mammalian)	0.7		
Eggs	*0.05		
Meat (mammalian)	*0.05		

Parsley	T1	Celery	2
Parsnip	0.05	Cereal grains [except sweet corns]	8
Poultry, edible offal of	*0.05	Cherries	8
Poultry meat	*0.05	Citrus fruits	4
Turmeric, root	T*0.05	Cucumber	3
Vegetables [except celeriac; celery; leek; parsnip]	*0.05	Dried fruits	8
Agvet chemical: Lufenuron		Dry beans (subgroup)	8
<i>Permitted residue: Lufenuron</i>		Edible offal (mammalian)	1
All other foods except animal food commodities	0.02	Eggs	1
Coffee beans	0.07	Fruiting vegetables, cucurbits [except cucumber]	2
Cotton seed	T0.2	Fruiting vegetables, other the cucurbits [except peppers, sweet]	3
Cotton seed oil, crude	T0.5	Fruits [except berries and other small fruits; citrus fruits; dried fruits; stone fruits	2
Edible offal (mammalian)	0.15	[except jujube, Chinese]	
Eggs	T0.05	Garden pea	0.5
Fats (mammalian)	2	Grapes	8
Lime	0.4	Hops, dry	1
Maize	*0.01	Kale	3
Meat (mammalian)	2	Kohlrabi	0.5
Meat (mammalian) (in the fat)	T1	Leek	2
Milks	T0.2	Legume vegetable [except garden pea]	2
Milk fats	5	Lettuce, head	2
Orange oil, edible	8	Lettuce, leaf	2
Oranges, sweet, sour	0.3	Lentil (dry)	8
Pome fruits [except Persimmon, Japanese]	1	Linseed	10
Poultry, edible offal of	T*0.01	Meat (mammalian) (in the fat)	1
Poultry meat (in the fat)	T1	Milks (in the fat)	1
Agvet chemical: Maduramicin		Mustard seeds	T10
<i>Permitted residue: Maduramicin</i>		Onion, bulb	2
Poultry, edible offal of	1	Onion, Welsh	T0.1
Poultry meat	0.1	Peanut	8
Agvet chemical: Magnesium phosphide		Peppers, sweet	T5
<i>see Phosphine</i>		Poultry, edible offal of	1
Agvet chemical: Malathion		Poultry meat (in the fat)	1
<i>see Maldison</i>		Pulses [except dry beans; lentils (dry)]	2
Agvet chemical: Maldison		Rape seed	10
<i>Permitted residue: Maldison</i>		Safflower seed	10
All other foods except animal food commodities	0.05	Shallot	T0.1
Berries and other small fruits [except grapes; strawberry]	10	Spring onion	T0.1
Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; kohlrabi]	2	Stone fruits	5
Brassica leafy vegetables [except kale]	2	Strawberry	1
Carrot	0.5	Sunflower seed	10
Cauliflower	0.5	Sweet corns	3
		Tree nuts	8
		Wheat bran, unprocessed	20
Agvet chemical: Maleic hydrazide		<i>Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide</i>	
		Carrot	T40
		Garlic	15
		Onion, bulb	15
		Potato	50

Agvet chemical: Mancozeb		Peppers (subgroup)	0.7
see <i>Dithiocarbamates</i>		Peppers, chili, dried	7
		Poppy seed	*0.01
		Poultry, edible offal of	*0.01
		Poultry meat (in the fat)	*0.01
		Tomatoes (subgroup)	1
Agvet chemical: Mandestrobin			
<i>Permitted residue: Mandestrobin</i>			
All other foods except animal food commodities	0.05	Agvet chemical: MCPA	
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2	<i>Permitted residue: MCPA</i>	
Beans (except broad bean and soya bean)	0.7	Cereal grains [except sweet corns]	*0.02
Dried grapes (equals currants; raisins; sultanas)	10	Cherry	0.05
Edible offal (Mammalian)	0.02	Chives	*0.05
Eggs	*0.01	Edible offal (mammalian)	*0.05
Fruiting vegetables, curcubits	0.6	Eggs	*0.05
Grapes	5	Field pea (dry)	*0.05
Leafy vegetables [except lettuce, head]	20	Herbs	*0.05
Lettuce, Head	5	Hops, dry	*0.1
Mammalian fats [except milk fats]	*0.01	Meat (mammalian)	*0.05
Meat (mammalian) (in the fat)	0.02	Milks	*0.05
Milk	*0.02	Peas without pods (succulent)	T*0.01
Onion, bulb	*0.01	Poultry, edible offal of	*0.05
Poultry, edible offal of	*0.01	Poultry meat	*0.05
Poultry fats	*0.01	Rhubarb	*0.02
Poultry meat	*0.01	Sugar cane	T*0.01
Rape seed (canola)	0.5		
Stone fruits	3	Agvet chemical: MCPB	
Strawberry	3	<i>Permitted residue: MCPB</i>	
Agvet chemical: Mandipropamid		Cereal grains [except sweet corns]	*0.02
<i>Permitted residue: Mandipropamid</i>		Chives	*0.05
All other foods except animal food commodities	0.5	Edible offal (mammalian)	*0.05
Basil leaves	30	Eggs	*0.05
Basil leaves, dried	200	Herbs	*0.05
Beans with pods	1	Legume vegetables	*0.02
Celery	20	Meat (mammalian)	*0.05
Chinese cabbage (Pe-tsai)	30	Milks	*0.05
Citrus oil, edible	30	Poultry, edible offal of	*0.05
Dried grapes (currants, raisins and sultanas)	10	Poultry meat	*0.05
Edible offal (mammalian)	*0.01	Pulses	*0.02
Eggplants (subgroup)	0.7		
Eggs	*0.01	Agvet chemical: Mebendazole	
Ginseng, dried including red ginseng	4	<i>Permitted residue: Mebendazole</i>	
Grapes	2	Edible offal (mammalian)	*0.02
Hops, dry	50	Meat (mammalian)	*0.02
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30	Milks	0.02
Mammalian fats (except milk fats)	0.02		
Meat (mammalian) (in the fat)	*0.01		
Milks	*0.01		
Mizuna	30		

Agvet chemical: Mefenpyr-diethyl

Permitted residue—commodities of plant origin:
Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl

*Permitted residue—commodities of animal origin:
Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-
5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic
acid, expressed as mefenpyr-diethyl*

Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Mefentrifluconazole

Permitted residue: Mefentrifluconazole

All other foods except animal food commodities	0.02
Avocado	1
Baby leaves	30
Banana	1.5
Barley, similar grains, and pseudocereals with husks	4
Barley bran, unprocessed	15
Barley, flour	15
Brassica leafy vegetables	30
Bulb onions	0.2
Bush berries	5
Cane berries	3
Cherries (subgroup)	5
Citrus oil, edible	70
Coffee bean	0.4
Cottonseed	0.2
Dry beans (subgroup) [except soya bean (dry)]	0.07
Dried grapes [except raisins]	3
Dry peas (subgroup) [except lentil (dry)]	0.15
Edible offal (mammalian)	2
Eggplants (subgroup)	1.5
Eggs	0.04
Elderberries	5
Fruiting vegetables, cucurbits [except melons (excluding watermelon); watermelon]	0.3
Green onions	4
Guelder rose	5
Leafy greens [except lettuce, head]	30
Leaves of root and tuber vegetables	20
Legume vegetables [except lentils; soya bean]	0.15
Lemons and Limes (subgroup)	1.5
Lentil (dry)	2
Lettuce, head	5

Low growing berries	2
Maize Cereals	0.01
Mammalian fats (except milk fats)	1.5
Mandarins (subgroup)	1.5
Mango	0.6
Meat (mammalian) (in the fat)	0.2
Melons, except watermelon	0.5
Milks	0.1
Oranges (subgroup)	1.5
Papaya	0.5
Peaches (subgroup)	2
Peanut	0.01
Peppers (subgroup)	1.5
Peppers, chili, dried	15
Plums	2
Pome fruits [except Persimmon, Japanese]	1.5
Potato	0.05
Poultry, edible offal of	0.7
Poultry fats	0.2
Poultry meat (in the fat)	0.03
Prunes, dried	7
Pummelos and Grapefruits (subgroup)	0.6
Raisins	4
Rice	5
Rice cereals [except rice; rice, husked]	4
Rice, husked	1.5
Root vegetables [except sugar beet]	0.7
Small seed oilseeds	1
Sorghum Grain and Millet	4
Soya bean (dry)	0.4
Sugar beet	0.6
Sugar cane	1.5
Sunflower seeds	0.15
Sweet corn (corn-on-the-cob; kernels)	0.04
Table grapes	1.5
Tomato, dried	7
Tomatoes (subgroup)	1
Tree nuts	0.06
Watermelon	0.5
Wheat bran, unprocessed	1.5
Wheat germ	0.5
Wheat (subgroup)	0.4
Wine grapes	2

Agvet chemical: Meloxicam

Permitted residue: Meloxicam

Cattle kidney	0.2
Cattle liver	0.1
Cattle meat	*0.01
Cattle milk	0.005
Pig fat/skin	0.1
Pig kidney	*0.01
Pig liver	*0.01
Pig meat	0.02
Sheep fat	0.01
Sheep kidney	0.01
Sheep liver	0.01
Sheep meat	0.01

Agvet chemical: Mepanipirim		Soya bean (dry)	0.03
<i>Permitted residue: Mepanipirim</i>		Sweet corn (corn-on-the-cob)	T*0.01
Strawberry	3	Triticale	*0.01
Raspberries, red, black	4	Wheat	*0.01
Agvet chemical: Mepiquat		Agvet chemical: Metaflumizone	
<i>Permitted residue: Mepiquat</i>		<i>Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzonitrile expressed as metaflumizone</i>	
Cotton seed	1	Apple	0.9
Cotton seed oil, crude	0.2	Cherries	0.04
Edible offal (mammalian)	0.1	Citrus fruits [except kumquats; oranges, sweet, sour]	2
Eggs	0.05	Coffee beans	0.15
Meat (mammalian)	0.1	Dried grapes (equals currants; raisins; sultanas)	13
Milks	0.05	Edible offal (mammalian)	*0.02
Poultry, edible offal of	0.1	Eggs	0.02
Poultry meat	0.1	Grapes	5
Agvet chemical: Mesosulfuron-methyl		Maize	0.04
<i>Permitted residue: Mesosulfuron-methyl</i>		Mammalian fats [except milk fats]	0.6
Edible offal (mammalian)	*0.01	Marjoram (oregano)	*0.04
Eggs	*0.01	Meat (mammalian) (in the fat)	*0.02
Marjoram (oregano)	*0.02	Melons [except watermelons]	1
Meat (mammalian)	*0.01	Milk fats	0.7
Milks	*0.01	Milks	0.02
Poultry, edible offal of	*0.01	Orange oil, edible	100
Poultry meat	*0.01	Oranges, Sweet, Sour	3
Wheat	*0.02	Peppers, chili, dried	6
Agvet chemical: Mesotrione		Potato	0.02
<i>Permitted residue: Mesotrione</i>		Poultry, edible offal of	*0.02
All other foods except animal food commodities	0.01	Poultry fats	0.08
Almonds	0.01	Poultry meat (fat)	*0.02
Asparagus	0.01	Soya bean (including soya bean (dry))	0.2
Barley	*0.01	Sugar cane	0.02
Blueberries	0.01	Tomato	0.6
Cherries	0.01	Tree nuts	0.04
Cranberry	0.02	Agvet chemical: Metalaxyl	
Edible offal (mammalian)	*0.01	<i>Permitted residue: Metalaxyl</i>	
Eggs	*0.01	All other foods except animal food commodities	0.05
Grapefruit	0.01	Asparagus	0.05
Lemon	0.01	Avocado	0.5
Linseed	T*0.01	Basil	T5
Maize cereals	T*0.01	Basil, dry	T30
Meat (mammalian)	*0.01	Beetroot	T*0.01
Milks	*0.01	Beetroot leaves	T0.1
Oats	*0.01	Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	T0.5
Oranges, sweet, sour	0.01	Blueberries	2
Peach	0.01	Brussels sprouts	0.15
Pecan	0.01	Bulb vegetables [except chives]	0.1
Plums (including prunes)	0.01	Cacao beans	0.2
Poppy seed	T*0.01		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		

Cereal grains [except sweet corns]	*0.01	Oilseeds (subgroup)	1
Chinese cabbage (Pe-tsai)	0.3	Pulses	1
Chives	3	Spices	1
Cranberry	4	Teas (tea and herb teas)	1
Edible offal (mammalian)	*0.05	Vegetables	1
Eggs	*0.05		
Fennel, bulb	0.1	Agvet chemical: Metamitron	
Flowerhead brassicas	0.2	<i>Permitted residue: Metamitron</i>	
Fruiting vegetables, cucurbits	0.2	Edible offal (Mammalian)	*0.05
Ginger, root	0.5	Marjoram (oregano)	0.15
Ginseng, dried including red ginseng	*0.06	Meat [mammalian]	*0.05
Grapefruit	1	Milks	*0.05
Grapes	1.5	Pome fruits [except Persimmon, Japanese]	0.01
Herbs [except basil; basil, dry; parsley]	3		
Hops, dry	20	Agvet chemical: Metazachlor	
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.3	<i>Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor</i>	
Lemon	1	<i>Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor</i>	
Meat (mammalian)	*0.05	All other foods	1
Milks	*0.01	Cereal grains [except sweet corns]	*0.03
Oranges, sweet, sour	1	Eggs	*0.05
Papaya (pawpaw)	*0.01	Edible offal (mammalian)	*0.05
Parsley	T0.3	Meat (mammalian)	*0.05
Peach	0.6	Milks	*0.01
Peanut	0.2	Oilseeds (subgroup)	*0.03
Pepper, black, white	2	Poultry, edible offal	*0.05
Peppers	T0.1	Poultry meat	*0.05
Peppers, chili, dried	10	Pulses	*0.03
Pineapple	0.1		
Podded pea (young pods) (snow and sugar snap)	T0.1	Agvet chemical: Metcamifen	
Pome fruits [except Persimmon, Japanese]	0.2	<i>Permitted residue—commodities of plant origin: metcamifen</i>	
Poppy seed	*0.02	<i>Permitted residue—commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzensulfonamide, expressed as metcamifen</i>	
Poultry, edible offal of	*0.05	Edible offal (mammalian)	*0.03
Poultry meat	*0.05	Eggs	*0.03
Spices [except ginger root; pepper, black, white; peppers, chili, dried]	*0.05	Meat (mammalian)	*0.03
Stone fruits [except jujube, Chinese; peach]	0.2	Milks	*0.03
Strawberry	0.6	Poultry, edible offal of	*0.03
Sweet corns	T0.1	Poultry meat	*0.03
Tomatoes (subgroup)	T0.5	Sorghum, grain	*0.01
Tree nuts [except pecan]	2		
Vegetables [except as otherwise listed under this chemical]	T0.1		
Agvet chemical: Metalaxyl-M			
see <i>Metalaxyl</i>			
Agvet chemical: Metaldehyde			
<i>Permitted residue: Metaldehyde</i>			
Cereal grains	1		
Chives	1		
Fruit	1		
Herbs	1		

Agvet chemical: Metconazole		Agvet chemical: Metham-sodium	
<i>Permitted residue: Metconazole</i>		see <i>Metham</i>	
Banana	*0.1	Agvet chemical: Methamidophos	
Beans with pods	*0.05	<i>Permitted residue: Methamidophos</i>	
Blueberries	0.5	see also <i>Acephate</i>	
Cherries	0.3	Banana	0.2
Cotton seed	0.3	Bean, seed (dry)	1
Dry beans [except soya bean (dry)]	*0.04	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Dry peas	0.15	Broccoli, Chinese (Gai lan)	1
Edible offal (mammalian)	*0.04	Edible offal (mammalian)	*0.01
Eggs	*0.04	Lime	0.01
Garlic	*0.05	Mango	*0.01
Maize	0.015	Meat (mammalian)	*0.01
Mammalian fats [except milk fats]	*0.04	Milks	*0.01
Marjoram (oregano)	*0.05	Peppers, chili, dried	0.1
Meat (mammalian)	*0.04	Peppers, sweet	2
Milks	*0.04	Potato	0.25
Onion, bulb	*0.05	Raspberry, black, red	*0.01
Peaches (subgroup)	0.2	Tomato	2
Peanut	0.04	Agvet chemical: Methiocarb	
Peanut oil, edible	0.06	<i>Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb</i>	
Plums	0.1	Citrus fruits	0.1
Poultry, edible offal of	*0.04	Fruit [except as otherwise listed under this chemical]	T0.1
Poultry fats	*0.04	Grapes	0.5
Poultry meat	*0.04	Sweet corns	0.1
Prunes, dried	0.5	Truffle	T0.05
Rape seed	0.15	Vegetables	0.1
Rape seed oil, edible	0.5	Wine	0.1
Soya bean (dry)	0.04	Agvet chemical: Methomyl	
Sugar beet	0.07	<i>Permitted residue: Methomyl</i>	
Sugar cane	0.06	All other foods except animal food commodities	0.05
Sunflower seeds	1.5	Apple	1
Sweet corn (corn-on-the-cob)	0.015	Avocado	*0.1
Tree nuts	*0.04	Blueberries	2
Triticale	0.15	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Tuberous and corm vegetables	*0.04	Brassica leafy vegetables	T0.7
Wheat	0.15	Broccoli, Chinese (Gai lan)	2
Wheat bran, unprocessed	0.3	Celery	3
Agvet chemical: Methabenzthiazuron		Cereal grains [except sweet corn (corn-on-the-cob)]	*0.1
<i>Permitted residue: Methabenzthiazuron</i>		Chard	2
Garlic	T*0.01	Cherries	2
Leek	T*0.05	Chia	T1
Onion, bulb	*0.05		
Onion, Welsh	T0.5		
Shallot	T0.5		
Spring onion	T0.5		
Agvet chemical: Metham			
see <i>Dithiocarbamates</i>			

Citrus fruits	1	Agvet chemical: Methoprene	
Coriander (leaves, roots, stems)	T10	<i>Permitted residue: Methoprene, sum of cis- and trans-isomers</i>	
Cotton seed	*0.1		
Cumin seed	0.07		
Dried grapes	*0.05	All other foods except animal food commodities	0.05
Edible offal (mammalian)	0.05	Cattle milk	0.1
Eggs	*0.02	Cereal grains [except sweet corns]	2
Fennel, bulb	T0.2	Edible offal (mammalian)	*0.01
Fennel, leaf	T3	Meat (mammalian) (in the fat)	0.3
Fruiting vegetables, cucurbits	0.1	Peanut	5
Fruiting vegetables, other than cucurbits [except peppers]	1	Soya bean (dry)	3
Fungi, edible (except mushrooms)	1	Wheat bran, unprocessed	5
Ginger, Japanese	T2	Wheat germ	10
Ginger, root	*0.1	Agvet chemical: Methoxyfenozide	
Grapes	2	<i>Permitted residue: Methoxyfenozide</i>	
Hops, dry	0.5		
Leek	T0.5	All other foods except animal food commodities	0.03
Legume vegetables	1	Almonds	0.2
Lettuce, head	2	Avocado	0.5
Lettuce, leaf	2	Basil, dry	400
Linseed	*0.1	Basil, leaves	80
Macadamia nuts	T1	Blueberries	2
Mango	T*0.01	Carob	5
Meat (mammalian)	0.05	Celery	15
Milks	0.05	Chick-pea (dry)	2
Mints	0.5	Citrus fruits	3
Mushrooms	1	Coffee beans	0.2
Mustard seeds	T0.5	Cotton seed	2
Onion, bulb	T0.1	Cranberry	0.5
Onion, Chinese	T1	Cucumber	T2
Onion, Welsh	T2	Custard apple	0.3
Parsley	T10	Dried grapes	6
Peanut	0.1	Edible offal (mammalian)	0.05
Pear	3	Eggs	*0.01
Peppers	T2	Fruiting vegetables, other than cucurbits	3
Peppers, chili, dried	10	Fungi, edible (except mushrooms)	3
Persimmon, Japanese	T0.05	Grapes	2
Pitaya (dragon fruit)	T0.2	Kiwifruit	2
Poppy seed	*0.05	Lettuce, head	T30
Poultry, edible offal of	*0.02	Lettuce, leaf	T30
Poultry meat	*0.02	Litchi	2
Pulses	1	Longan	2
Rape seed (canola)	0.5	Macadamia nuts	0.05
Root and tuber vegetables	1	Maize	*0.02
Sesame seed	*0.1	Mango	T0.5
Shallot	T2	Meat (mammalian) (in the fat)	0.1
Spinach	T0.7	Milks	*0.01
Spring onion	T2	Mung bean (dry)	0.5
Stone fruits [except cherries; jujube, Chinese]	1	Mushrooms	3
Strawberry	3	Peppers, chili, dried	20
Sunflower seed	*0.1	Persimmon, American	1
Sweet corn (corn-on-the-cob)	0.1	Persimmon, Japanese	1
		Plums (including prunes)	0.3

Podded pea (young pods) (snow and sugar snap)	T3
Pome fruits [except Persimmon, Japanese]	0.5
Popcorn	T*0.02
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Raspberries, red, black	6
Soya bean (dry)	0.9
Stone fruits [except jujube, Chinese; plums (including prunes)]	3
Sugar cane, molasses	0.1
Sweet corn (corn-on-the-cob)	T0.05
Tea, green, black	80

Agvet chemical: Methyl benzoate

Permitted residue: Methyl benzoate

Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Methyl bromide

Permitted residue: Methyl bromide

Cereal grains [except sweet corns]	50
Chives	*0.05
Cucumber	*0.05
Dried fruits	*0.05
Fruit [except jackfruit; litchi; mango; papaya]	T*0.05
Herbs	*0.05
Jackfruit	*0.05
Litchi	*0.05
Mango	*0.05
Papaya (pawpaw)	*0.05
Peppers, sweet	*0.05
Spices	*0.05
Sweet corns	T*0.05
Vegetables [except cucumber; peppers, sweet]	T*0.05

Agvet chemical: Methyl isothiocyanate

Permitted residue: Methyl isothiocyanate

Barley	T0.1
Rape seed (canola)	T0.1
Wheat	T0.1

Agvet chemical: Metiram

see *Dithiocarbamates*

Agvet chemical: Metobromuron

Permitted residue: Commodities of plant origin: Sum of metobromuron and 4-bromophenylurea (CGA18237), expressed as metobromuron

Permitted residue: Commodities of animal origin: Sum of 4-bromo-2-hydroxyphenylurea (CGA 72905) and 4-bromophenyl urea (CGA18237), expressed as metobromuron

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Potato	*0.02

Agvet chemical: Metolachlor

Permitted residue: Metolachlor

Adzuki bean (dry)	*0.05
All other foods except animal food commodities	0.02
Beetroot	T0.7
Beetroot leaves	T15
Bergamot	T*0.05
Blueberries	0.15
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.02
Brassica leafy vegetables	*0.01
Broccoli, Chinese (Gai lan)	*0.02
Bulb onions (subgroup)	0.1
Celeriac	T*0.2
Celery	T0.05
Cereal grains [except maize; sorghum, grain; sweet corns]	*0.02
Chard (silver beet)	*0.01
Chervil	*0.05
Coriander (leaves, stems)	*0.05
Coriander, roots	0.5
Coriander, seed	*0.05
Cotton seed	*0.01
Dill, seed	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fennel, seed	*0.05
Fruiting vegetables, cucurbits	*0.05
Galangal, Greater	0.5
Ginger, root	T0.5
Green onions	2
Herbs	*0.05
Lemon verbena (dry leaves)	*0.05
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	*0.05
Mung bean (dry)	T*0.05

Mustard seeds	*0.02	Oats	0.6
Peanut	0.2	Peach	0.7
Potato	0.2	Peppers, chili	2
Poultry, edible offal of	*0.01	Peppers, chili, dried	20
Poultry meat	*0.01	Peppers, sweet (including pimento and pimienta)	2
Pulses [except soya beans (dry); adzuki beans (dry)]	*0.01	Poultry, edible offal of	*0.05
Rape seed (canola)	*0.02	Poultry meat (in the fat)	*0.05
Rhubarb	*0.05	Strawberry	0.6
Rose and dianthus (edible flowers)	*0.05	Tomato	0.9
Rucola (rocket)	*0.05	Wheat	0.06
Safflower seed	*0.05	Wheat bran, processed	T0.3
Sesame seed	T*0.02		
Sorghum, grain	*0.05	Agvet chemical: Metribuzin	
Soya bean (dry)	*0.05	<i>Permitted residue: Metribuzin</i>	
Spinach	*0.01	All other foods except animal food commodities	0.05
Spring onion	*0.01	Asparagus	0.2
Sugar cane	*0.05	Carrot	T0.05
Sunflower seed	*0.05	Cereal grains [except sweet corns]	*0.05
Sweet corn (kernels)	0.1	Edible offal (mammalian)	*0.05
Sweet potato	*0.2	Eggs	*0.05
Tomato	0.1	Ginger root	T*0.01
Turmeric, root	0.5	Meat (mammalian)	*0.05
		Milks	*0.05
Agvet chemical: Metosulam		Mustard seeds	T*0.02
<i>Permitted residue: Metosulam</i>		Peas [except peas, shelled]	T*0.05
Cereal grains [except sweet corns]	*0.02	Peas, shelled	*0.05
Edible offal (mammalian)	*0.01	Pineapple	*0.01
Eggs	*0.01	Potato	0.6
Lupin (dry)	*0.02	Poultry, edible offal of	*0.05
Meat (mammalian)	*0.01	Poultry meat	*0.05
Milks	*0.01	Pulses [except soya bean (dry)]	*0.01
Poppy seed	*0.01	Rape seed (canola)	*0.02
Poultry, edible offal of	*0.01	Soya bean (dry)	*0.05
Poultry meat	*0.01	Sugar cane	*0.02
		Sugar cane molasses	0.1
Agvet chemical: Metrafenone		Tomato	0.1
<i>Permitted residue: Metrafenone</i>			
All other foods except animal food commodities	0.05	Agvet chemical: Metsulfuron-methyl	
Apple	1.5	<i>Permitted residue: Metsulfuron-methyl</i>	
Apricot	0.7	Cereal grains [except sweet corns]	*0.02
Barley	0.5	Chick-pea (dry)	T*0.05
Cherries	2	Edible offal (mammalian)	*0.1
Dried grapes (currants, raisins and sultanas)	17	Linseed	*0.02
Edible offal (mammalian)	*0.05	Meat (mammalian)	*0.1
Eggs	*0.05	Milks	*0.1
Fruiting vegetables, cucurbits	0.2	Mung bean (dry)	0.2
Grapes	7	Poppy seed	*0.01
Hops, dry	70	Safflower seed	*0.02
Meat (mammalian) (in the fat)	*0.05		
Milks	*0.01		
Mushrooms	T0.5		
Nectarine	0.7		

Agvet chemical: Mevinphos		Milks	*0.05
<i>Permitted residue: Mevinphos</i>		Sheep fat	7
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.05	Sheep kidney	2
Broccoli, Chinese (Gai lan)	0.05	Sheep muscle	0.7
Edible offal (mammalian)	*0.05	Sheep liver	5
Meat (mammalian)	*0.05		
Milks	*0.05		
Agvet chemical: Milbemectin		Agvet chemical: Morantel	
<i>Permitted residue: Sum of milbemycin MA₃ and milbemycin MA₄ and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄</i>		<i>Permitted residue: Morantel</i>	
Edible offal (mammalian)	*0.002	Cattle, edible offal of	2
Fruiting vegetables, other than cucurbits	0.02	Goat, edible offal of	2
Fungi, edible (except mushrooms)	0.02	Meat (mammalian)	0.3
Hops, dry	*0.2	Milks	*0.1
Marjoram (oregano)	*0.05	Pig, edible offal of	5
Meat (mammalian) (in the fat)	*0.002	Sheep, edible offal of	2
Milk fats	*0.0005		
Milks	*0.0005	Agvet chemical: Moxidectin	
Mushrooms	0.02	<i>Permitted residue: Moxidectin</i>	
Pome fruits	0.03	Cattle, edible offal of	0.5
Stone fruits	0.1	Cattle meat (in the fat)	1
Strawberry	0.2	Cattle milk (in the fat)	2
Sweet corns	0.02	Deer meat (in the fat)	1
		Deer, edible offal of	0.2
		Goat meat (in the fat)	T0.5
		Goat, edible offal of	T0.05
		Sheep, edible offal of	0.05
		Sheep meat (in the fat)	0.5
Agvet chemical: Molinate		Agvet chemical: MSMA	
<i>Permitted residue: Molinate</i>		<i>Permitted residue: Total arsenic, expressed as MSMA</i>	
Rice	*0.05	Sugar cane	0.3
Agvet chemical: Monensin		Agvet chemical: Myclobutanil	
<i>Permitted residue: Monensin</i>		<i>Permitted residue: Myclobutanil</i>	
Cattle, edible offal of	*0.05	All other foods except animal food commodities	0.05
Cattle meat	*0.05	Asparagus	T0.02
Cattle milk	*0.01	Cane berries	2
Goat, edible offal of	*0.05	Cherries	5
Goat meat	*0.05	Edible offal (mammalian)	*0.01
Poultry, edible offal of	*0.5	Grapes	1
Poultry meat (in the fat)	*0.5	Hops, dry	10
Sheep fat	0.07	Meat (mammalian)	*0.01
Sheep kidney	0.015	Milks	*0.01
Sheep liver	0.2	Peppers	3
Sheep muscle	0.005	Peppers, chili, dried	20
		Pome fruits [except Persimmon, Japanese]	0.5
		Stone fruits [except cherries; jujube, Chinese]	2
		Strawberry	2
Agvet chemical: Monepantel			
<i>Permitted residue: Monepantel</i>			
Cattle fat	7		
Cattle kidney	1		
Cattle liver	2		
Cattle meat	0.3		

Agvet chemical: Naled	
<i>Permitted residue: Sum of naled and dichlorvos, expressed as naled</i>	
Hops, dry	0.5
Agvet chemical: Naphthalene acetic acid	
<i>Permitted residue: 1-Naphthelene acetic acid</i>	
Apple	1
Pear	1
Pineapple	1
Rambutan	T*0.05
Agvet chemical: Naphthalophos	
<i>Permitted residue: Naphthalophos</i>	
Sheep, edible offal of	*0.01
Sheep meat	*0.01
Agvet chemical: Napropamide	
<i>Permitted residue: Napropamide</i>	
All other foods except animal food commodities	0.02
Almonds	*0.1
Basil	T*0.1
Berries and other small fruits	*0.1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T*0.1
Broccoli, Chinese (Gai lan)	T*0.1
Edible offal (mammalian)	*0.08
Eggs	*0.08
Meat (mammalian)	*0.08
Milks	*0.08
Mustard seeds	T*0.01
Poultry, edible offal of	*0.08
Poultry meat	*0.08
Rape seed (canola)	*0.01
Stone fruits	*0.1
Tomato	*0.1
Agvet chemical: Narasin	
<i>Permitted residue: Narasin</i>	
Cattle, edible offal of	0.05
Cattle meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1
Agvet chemical: Neomycin	
<i>Permitted residue: Inhibitory substance, identified as neomycin</i>	
Eggs	T0.5
Fats (mammalian) [except milk fats]	T0.5
Kidney of cattle, goats, pigs and sheep	T10

Poultry fats	*0.001
Poultry meat	*0.05
Pulses	0.1
Raspberries, red, black	T3
Rhubarb	0.3
Squash, summer (zucchini)	0.2
Strawberry	*0.01
Sweet potato	0.05
Tomato	0.02
Turnip, garden	*0.1
Vaccinium berries (including bearberry) [except cranberry]	T2
Watermelon	0.2
Wheat bran, processed	0.05
Wheat germ	0.06

Agvet chemical: OPP

see 2-phenylphenol

Agvet chemical: Oryzalin

Permitted residue: Oryzalin

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	*0.01
Coffee beans	T0.1
Fruit	0.1
Ginger root	*0.05
Mustard seeds	*0.05
Rape seed (canola)	*0.05
Tree nuts	0.1

Agvet chemical: Oxabetrinil

Permitted residue: Oxabetrinil

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Oxadixyl

Permitted residue: Oxadixyl

All other foods except animal food commodities	0.1
Chinese cabbage (Pe-tsai)	T5
Fruiting vegetables, cucurbits	0.5
Grapes	2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T5
Onion, bulb	0.5

Agvet chemical: Oxamyl

Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl

All other foods except animal food commodities	0.05
Banana	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Peanut	0.05
Peppers, sweet	1
Peppers, chilli	*0.01
Potato	0.1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Sweet potato	0.2
Tomato	*0.05

Agvet chemical: Oxathiapiprolin

Permitted residue: Oxathiapiprolin

All other foods except animal food commodities	0.02
Avocado	0.1
Basil	10
Basil, dry	T90
Blueberries	0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; onion, bulb]	2
Cane berries	0.5
Cardoon	15
Citrus fruits [except kumquats]	0.06
Citrus oil, edible	3
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, bulb	2
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Ginseng, dried including red ginseng	0.15
Grapes	0.9
Hops, dry	5
Leafy vegetables (including brassica leafy vegetables) [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	15
Lettuce, head	2
Meat (mammalian) (in the fat)	*0.01

Milks	*0.01
Mushrooms	0.5
Onion, bulb	0.04
Peas (pods and succulent, immature seeds)	1
Peas, shelled (succulent seeds)	0.05
Peppers, chili, dried	4
Pomegranate	0.1
Poppy seed	*0.01
Potato	0.04
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Poultry meat (in the fat)	*0.01
Root and tuber vegetables [except beetroot; carrot; celeriac; chicory, roots; horseradish; parsnip; radish, japanese; salsify; scorzonera; sugar beet; swede; turnip, garden	0.04
Strawberry	0.4
Sweet corns (subgroup)	0.5
Tree nuts	0.01
Young shoots	2

Agvet chemical: Oxfendazole

Permitted residue: Oxfendazole

Edible offal (mammalian)	3
Meat (mammalian)	*0.1
Milks	0.1

Agvet chemical: Oxycarboxin

Permitted residue: Oxycarboxin

Beans [except broad bean; soya bean]	5
Blueberries	T10
Broad bean (green pods and immature seeds)	5

Agvet chemical: Oxyclozanide

Permitted residue: Oxyclozanide

Cattle, edible offal of	2
Cattle meat	0.5
Goat, edible offal of	2
Goat meat	0.5
Milks	0.05
Sheep, edible offal of	2
Sheep meat	0.5

Agvet chemical: Oxyfluorfen

Permitted residue: Oxyfluorfen

All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.01

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Broccoli, Chinese (Gai lan)	*0.05
Bulb vegetables [except chives]	*0.05
Cereal grains [except sweet corns]	*0.05
Coffee beans	T0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Eggs	0.05
Fennel, bulb	*0.05
Grapes	0.05
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Olives	1
Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.2
Stone fruits	0.05
Tree nuts	0.05

Agvet chemical: Oxytetracycline

Permitted residue: Inhibitory substance, identified as oxytetracycline

Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Paclobutrazol

Permitted residue: Paclobutrazol

All other foods except animal food commodities	0.01
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; tamarillo (tree tomato)]	*0.01
Avocado	0.1
Fruiting vegetables, cucurbits	T*0.01
Fruiting vegetables, other than cucurbits	T*0.01
Mango	T1
Pome fruits [except Persimmon, Japanese]	1
Potato	T*0.01
Stone fruits	*0.01

Agvet chemical: Paracetamol

Permitted residue: Paracetamol

Pig fat/skin	*0.1
Pig kidney	*0.1

Pig liver	*0.1	Asparagus	0.15
Pig muscle	*0.1	Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
Agvet chemical: Paraquat		Barley	*0.05
<i>Permitted residue: Paraquat cation</i>		Berries and other small fruits [except blueberries]	*0.05
Cacao bean	0.05	Blueberries	0.1
Cereal grains [except as otherwise listed under this chemical]	*0.05	Brassica leafy vegetables (except Broccoli, Chinese (Gai lan))	0.2
Cotton seed	0.2	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Cotton seed oil, edible	0.05	Broccoli, Chinese (Gai lan)	*0.05
Edible offal (mammalian)	0.5	Bulb vegetables [except chives; leek]	*0.05
Eggs	*0.01	Carrot	T0.3
Fruit [except olives]	*0.05	Celery	0.09
Hops, dry	0.5	Cherries (subgroup)	0.1
Maize	0.1	Chinese cabbage (Pe-tsai)	*0.05
Meat (mammalian)	*0.05	Citrus fruits	*0.05
Milks	*0.01	Date	T*0.05
Oilseed [except cotton seed]	*0.05	Edible offal (mammalian)	*0.01
Olives	1	Eggs	*0.01
Palm nuts	*0.05	Fennel, bulb	*0.05
Peanut	*0.05	Fruiting vegetables, other than cucurbits	*0.05
Potato	0.2	Hops, dry	*0.1
Poultry, edible offal of	*0.05	Leafy vegetables [except brassica leafy vegetables; lettuce, leaf; witloof chicory]	*0.05
Poultry meat	*0.05	Leek	0.3
Pulses	1	Legume vegetables	T0.2
Rice	10	Lettuce, leaf	4
Rice, polished	0.5	Maize	*0.05
Sugar cane	*0.05	Meat (mammalian)	*0.01
Tree nuts	*0.05	Melons, including watermelon	0.1
Vegetables [except potato; pulses]	*0.05	Mints	0.2
Agvet chemical: Penconazole		Milk	*0.01
<i>Permitted residue: Penconazole</i>		Oats	T*0.05
All other foods except animal food commodities	0.02	Oilseeds and oilfruits [except peanut]	*0.05
Brussels sprouts	0.05	Parsley	T*0.05
Chives	0.05	Parsley, leaves	1.5
Grapes	0.1	Peanut	0.1
Herbs	0.05	Peppermint oil, edible	6
Pome fruits	0.1	Peppers, sweet	*0.05
Raspberries, red, black	0.1	Pome fruits	*0.05
Spices	0.1	Poultry, edible offal of	*0.01
Strawberries	0.5	Poultry meat	*0.01
Tea, green, black	0.1	Pulses	*0.05
Agvet chemical: Pencycuron		Rice	*0.05
<i>Permitted residue: Pencycuron</i>		Root and tuber vegetables [except carrot]	*0.05
Potato	0.05	Sorghum, grain	0.1
Agvet chemical: Pendimethalin		Stone fruits [except cherries (subgroup)]	*0.05
<i>Permitted residue: Pendimethalin</i>		Sugar cane	*0.05
All other foods except animal food commodities	0.02	Sweet corn (corn-on-the-cob)	*0.05
Artichoke, globe	0.05	Table olives	*0.05
		Tomato	*0.05

Tree nuts	*0.05
Wheat	*0.05

Agvet chemical: Penflufen

Permitted residue: Penflufen

Cereal grains [except sweet corns]	*0.01
Chick-pea (dry)	T*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lentil (dry)	T*0.01
Lupin (dry)	T*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Milk fats	*0.01
Mustard seeds	T*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	*0.01
Soya bean (dry)	T*0.01

Agvet chemical: Penthioopyrad

Permitted residue—commodities of plant origin: Penthioopyrad

Permitted residue—commodities of animal origin: Sum of penthioopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthioopyrad

All other foods except animal food commodities	0.05
Bayberries	T5
Bayberry, red	T5
Brassica leafy vegetables (except broccoli, Chinese (Gai lan))	70
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	7
Broccoli, Chinese (Gai lan)	7
Bush berries	7
Cane berries	10
Celery	15
Chinese cabbage (Pe-tsai)	50
Cranberry	3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Elderberries	7
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	5
Fungi, edible (except mushrooms)	5
Guelder rose	7
Leafy vegetables [except brassica leafy vegetables; lettuce, head; witloof chicory]	50
Lettuce, head	10

Meat (mammalian)	*0.01
Milks	*0.01
Mushrooms	5
Onion, bulb	1
Onion, Welsh	5
Peppers, chili, dried	14
Pome fruits	0.5
Potato	0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Root and tuber vegetables [except potato]	2
Shallot	5
Spring onion	5
Stone fruits	5
Strawberry	5
Sweet corns	5
Tree nuts	0.1

Agvet chemical: Permethrin

Permitted residue: Permethrin, sum of isomers

All other foods except animal food commodities	0.05
Almonds	0.05
Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Brussels sprouts	2
Celery	5
Cereal grains [except sweet corn (corn-on-the-cob)]	2
Cherries	4
Chervil	T30
Chives	T30
Common bean (dry) (navy bean)	0.1
Common bean (pods and/or immature seeds)	0.5
Coriander (leaves, roots, stems)	T30
Edible offal (mammalian)	0.5
Eggs	0.1
Herbs	T30
Lettuce, head	5
Lettuce, leaf	5
Linseed	0.1
Meat (mammalian) (in the fat)	1
Milks	0.05
Mushrooms	2
Mustard seeds	T0.2
Nectarine	2
Peach	1
Peas	1
Peppers, chili, dried	10
Poppy seed	T0.2
Potato	0.05
Poultry meat (in the fat)	0.1

Rape seed (canola)	0.2
Rhubarb	1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.05
Tea, green, black	0.1
Tomato	0.4
Wheat bran, unprocessed	5
Wheat germ	2

Agvet chemical: Phenmedipham

Permitted residue—commodities of plant origin: Phenmedipham

Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate

All other foods except animal food commodities	0.02
Beetroot	0.5
Chard (silver beet)	2
Chinese cabbage (Pe-tsai)	T1
Edible offal (mammalian)	*0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); chard (silver beet); witloof chicory]	T1
Meat (mammalian)	*0.1
Milks	*0.1
Radicchio	T1
Strawberry	0.3

Agvet chemical: 2-Phenylphenol

Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol

All other foods except animal food commodities	0.1
Citrus fruits	10

Agvet chemical: Phorate

Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate

Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; broccoli; cauliflower; Chinese cabbage (Pe-tsai); head cabbages]	T*0.01
Broccoli	0.5
Cabbages, head	0.5
Carrot	0.5
Cauliflower	0.5
Celery	T*0.01
Coriander (leaves, roots, stems)	T*0.01
Coriander, seed	0.1
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggplant	0.5
Eggs	*0.05
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T*0.01

Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	0.5
Onion, Welsh	0.5
Parsley	T*0.01
Peanut	0.1
Peppers	0.5
Potato	0.5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	0.5
Spring onion	0.5
Sweet potato	0.5
Tomato	0.5

Agvet chemical: Phosmet

Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet

All other foods except animal food commodities	0.05
Blueberries	10
Cattle, edible offal of	1
Cattle meat (in the fat)	1
Cereal grains [except sweet corns]	*0.05
Cranberry	10
Currants, black, red, white	2
Goat, edible offal of	*0.05
Goat meat	*0.05
Grapes	10
Lemon	5
Mandarins	5
Milks (in the fat)	0.2
Oranges	3
Pig, edible offal of	0.1
Pig meat	0.1
Sheep, edible offal of	*0.05
Sheep meat	*0.05
Stone fruits [except cherries; jujube, Chinese]	5

Agvet chemical: Phosphine

Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)

All other foods except animal food commodities	*0.01
Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	*0.01
Dried foods [except as otherwise listed under this chemical]	*0.01
Dried fruits	*0.01
Dried vegetables	*0.01
Garlic	T*0.01
Honey	*0.01
Oilseeds (subgroup)	*0.01
Peanut	0.1
Pulses	*0.01

Seed for beverages	T*0.01
Spices	*0.01
Sugar cane	*0.01
Tree nuts	*0.01

Agvet chemical: Phosphorous acid

Permitted residue: Phosphorous acid

Avocado	500
Basil	T300
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai); flowerhead brassicas]	T1
Broccoli, Chinese (Gai lan)	T1
Bulb vegetables [except chives]	T10
Chinese cabbage (Pe-tsai)	T150
Citrus fruits	100
Coriander (leaves, roots, stems)	T300
Custard apple	500
Edible offal (mammalian)	5
Fennel, bulb	T10
Fennel, leaf	T300
Flowerhead brassicas	50
Fruiting vegetables, cucurbits	T100
Fruiting vegetables, other than cucurbits	T100
Fungi, edible (except mushrooms)	T100
Galangal, rhizomes	T100
Ginger, root	T100
Grapes	200
Hops, dry	2000
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T150
Meat (mammalian)	1
Mushrooms	T100
Papaya [pawpaw]	T100
Parsley	T300
Passionfruit	T500
Peach	100
Peas, shelled	T100
Pineapple	T20
Poppy seed	1
Potato	T700
Rhubarb	T100
Root and tuber vegetables [except potato]	T100
Stone fruits [except cherries; jujube, Chinese; peach]	T100
Strawberry	T500
Sweet corns	T100
Tree nuts	3000

Agvet chemical: Picloram

Permitted residue: Picloram

Cereal grains [except sweet corns]	0.2
Edible offal (mammalian)	5

Meat (mammalian)	*0.05
Milks	*0.05
Sugar cane	*0.01

Agvet chemical: Picolinafen

Permitted residue—commodities of plant origin: Picolinafen

Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid

Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.01
Field pea (dry)	*0.02
Lupin (dry)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Picoxystrobin

Permitted residue: Picoxystrobin

Coffee beans	0.04
Cottonseed	2
Edible offal (mammalian)	0.02
Mammalian fats [except milk fats]	0.02
Meat mammalian (in the fat)	0.02
Milks	*0.01
Peanut	0.05
Rice	0.05
Sorghum, grain	0.02
Soya bean (dry)	0.06
Tea, green, black	15
Wheat	0.04

Agvet chemical: Pinoxaden

Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden

All other foods except animal food commodities	0.06
Barley	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Marjoram (oregano)	*0.06
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wheat	0.7
Wheat bran, unprocessed	0.5

Agvet chemical: Piperonyl butoxide			
<i>Permitted residue: Piperonyl butoxide</i>			
All other foods except animal food commodities	0.5	Rape seed (canola)	0.2
Cattle milk	0.05	Raspberries, red, black	4
Cereal bran, unprocessed	40	Sesame seed	T0.05
Cereal grains [except sweet corns]	20	Shallot	7
Chives	8	Spices	*0.05
Dried fruits	8	Spring onion	7
Dried vegetables	8	Strawberry	3
Edible offal (mammalian)	0.1	Sweet corn (corn-on-the-cob)	0.1
Eggs	*0.1	Tree nuts [except almonds]	T*0.05
Fruit	8	Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion;]	1
Herbs	8		
Meat (mammalian)	0.1	Agvet chemical: Pirimiphos-methyl	
Oilseeds (subgroup)	8	<i>Permitted residue: Pirimiphos-methyl</i>	
Peanut	1	All other foods except animal food commodities	0.02
Peppers, chili, dried	20	Barley	7
Poultry, edible offal of	*0.5	Cacao beans	*0.05
Poultry meat (in the fat)	*0.5	Cereal bran, unprocessed	20
Sweet corns	8	Edible offal (mammalian)	*0.05
Tree nuts	8	Eggs	*0.05
Vegetables	8	Maize	7
Wheat germ	50	Meat (mammalian)	*0.05
		Milks	*0.05
Agvet chemical: Pirimicarb		Millet	10
<i>Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb</i>		Oats	7
All other foods except animal food commodities	0.05	Peanut	5
Almonds	0.05	Peanut oil, edible	15
Blackberries	2	Poultry, edible offal of	*0.05
Celeriac	0.1	Poultry meat	*0.05
Celery	15	Rice	10
Cereal grains [except sweet corns]	*0.02	Rice, husked	2
Cherries	5	Rice, polished	1
Chinese cabbage (Pe-tsai)	7	Rye	10
Cotton seed	0.05	Sorghum, grain	10
Cotton seed oil, crude	T0.1	Triticale	10
Currants, black, red, white	1	Wheat	10
Edible offal (mammalian)	*0.1	Wheat germ	30
Eggs	*0.1		
Fruit [except listed under this chemical]	0.5	Agvet chemical: Praziquantel	
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	7	<i>Permitted residue: Praziquantel</i>	
Meat (mammalian)	*0.1	Fish muscle	T*0.02
Milks	*0.1	Sheep, edible offal of	*0.05
Mustard seeds	T0.2	Sheep meat	*0.05
Onion, Welsh	7		
Peppers, chili, dried	20	Agvet chemical: Procaine penicillin	
Peppers, chilli, other cultivars	1	<i>Permitted residue: Inhibitory substance, identified as procaine penicillin</i>	
Poultry, edible offal of	*0.1	Edible offal (mammalian)	*0.1
Poultry meat	*0.1	Meat (mammalian)	*0.1
Pulses	*0.02	Milks	*0.0025

Agvet chemical: Prochloraz

Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz

All other foods except animal food commodities	0.1
Avocado	5
Banana	5
Cherimoya	T1
Cherries	*0.05
Custard apple	T1
Lettuce, head	2
Lettuce, leaf	T3
Litchi	T1
Llama	T1
Mandarins	T10
Mango	5
Mushrooms	3
Papaya (pawpaw)	5
Pepper, black, white	10
Pineapple	2
Pistachio nut	T0.5
Soursop	T1
Sugar apple	T1
Sugar cane	*0.05

Agvet chemical: Procymidone

Permitted residue: Procymidone

All other foods except animal food commodities	0.05
Cherries	7
Chick-pea (dry)	T0.5
Chives	T3
Common bean (dry) (navy bean)	T10
Durian (in the pulp)	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Garlic	5
Lentil (dry)	0.5
Lupin (dry)	*0.01
Meat (mammalian) (in the fat)	0.2
Milks	0.02
Mustard seeds	T0.5
Mustard seed oil, crude	T2
Onion, bulb	0.2
Peppers	T2
Potato	0.2
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	0.5
Rape seed (canola) oil, crude	2
Strawberry	*0.02
Stone fruits [except cherries]	2
Wine grapes	5

Agvet chemical: Profenofos

Permitted residue: Profenofos

All other foods except animal food commodities	0.02
Cattle milk	*0.01
Coffee beans	0.04
Coriander, seed	0.1
Cotton seed	1
Cotton seed oil, edible	0.3
Edible offal (mammalian)	*0.05
Eggs	*0.02
Mangosteen	5
Meat (mammalian)	*0.05
Peppers, chili	3
Peppers, chili, dried	20
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Tea, green, black	*0.05

Agvet chemical: Profoxydim

Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim

Edible offal (mammalian)	0.5
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05

Agvet chemical: Prohexadione-calcium

Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione

Apple	*0.02
Cherries	0.4
Edible offal (mammalian)	*0.05
Marjoram (oregano)	*0.02
Meat (mammalian)	*0.05
Milks	*0.01
Peanut	1

Agvet chemical: Prometryn

Permitted residue: Prometryn

Cattle milk	*0.05
Cereal grains	*0.1
Coriander (leaves, roots, stems)	T1
Coriander, seed	T1
Cotton seed	*0.1
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Peanut	*0.1

Sunflower seed	*0.1
Vegetables	*0.1

Agvet chemical: Propachlor

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

All other foods except animal food commodities	0.05
Beetroot	*0.05
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.6
Broccoli, Chinese (Gai lan)	0.6
Cereal grains [except sorghum, grain; sweet corns]	0.05
Chinese cabbage (Pe-tsai)	T1
Edible offal (mammalian)	0.1
Eggs	*0.02
Garlic	2.5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	T1
Leek	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Onion, bulb	0.7
Onion, Welsh	T1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Radish	*0.02
Shallot	T1
Sorghum, grain	0.2
Spring onion	T1
Swede	*0.02
Sweet corn (corn-on-the-cob)	0.05
Turnip, garden	*0.02

Agvet chemical: Propamocarb

Permitted residue: Propamocarb (base)

All other foods except animal food commodities	0.1
Basil	T150
Brassica vegetables (except Brassica leafy vegetables)	30
Bulb vegetables [except chives; onion, bulb]	30
Cane berries	T15
Chives	30
Edible offal (mammalian)	1.5
Eggs	*0.01
Fats (mammalian)	0.03
Fennel, bulb	30
Fruiting vegetables, cucurbits	5
Fruiting vegetables, other than cucurbits	T0.3
Fungi, edible (except mushrooms)	T0.3

Ginger	T50
Herbs [except basil]	30
Leafy vegetables	70
Meat (mammalian)	0.03
Milks	*0.01
Mushrooms	T0.3
Onion, bulb	0.5
Peppers, chili, dried	10
Poppy seed	5
Potato	0.3
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sweet corns	T0.3

Agvet chemical: Propanil

Permitted residue: Propanil

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.1
Milks	*0.01
Poultry, edible offal of	3
Poultry meat	*0.1
Rice	2
Sheep, edible offal of	*0.1
Sheep meat	*0.1

Agvet chemical: Propaquizafop

Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop

Currants, black, red, white	*0.05
Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Oilseeds (subgroup)	*0.05
Peas	*0.05
Pulses	*0.05
Raspberries, red, black	*0.05
Strawberry	*0.05

Agvet chemical: Propargite

Permitted residue: Propargite

Apple	3
Banana	3
Cotton seed	0.2
Edible offal (mammalian)	*0.1
Eggs	*0.1
Hops, dry	3
Meat (mammalian) (in the fat)	*0.1
Milks	*0.1
Passionfruit	3
Pear	3
Poultry, edible offal of	*0.1
Poultry meat (in the fat)	*0.1

Stone fruits	3
Strawberry	7
Sweet corns	3
Vegetables	3

Agvet chemical: Propazine

Permitted residue: Propazine

Carrot	*0.1
--------	------

Agvet chemical: Propetamphos

Permitted residue: Propetamphos

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Propiconazole

Permitted residue: Propiconazole

All other foods except animal food commodities	0.05
Almonds	0.2
Avocado	*0.02
Banana	0.2
Beetroot	*0.02
Blackberries	1
Blueberries	2
Boysenberry	1
Broccoli, Chinese	T1
Celery	T5
Cereal grains [except sweet corns]	*0.05
Chard (silver beet)	T0.5
Chicory leaves	T1
Citrus fruits	10
Cranberry	0.3
Edible offal (mammalian)	1
Eggs	*0.05
Endive	T1
Grapes	T1
Meat (mammalian)	0.1
Milks	*0.01
Mint oil	*0.02
Mushrooms	*0.05
Orange oil, edible	1850
Parsley	T30
Peanut	*0.05
Pineapple	2
Plums (including prunes)	2
Poppy seed	*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1
Pulses	T0.3
Radicchio	T1
Radish	T0.2
Raspberries, red, black	1
Spices	*0.1
Spinach	T0.7

Stone fruits [except plum (including prunes)]	4
Sugar cane	*0.02
Sunflower seed	T0.5
Sweet corn (corn-on-the-cob)	*0.02
Tree nuts [except almonds]	T0.2

Agvet chemical: Propineb

see *Dithiocarbamates*

Agvet chemical: Propoxur

Permitted residue: Propoxur

Agvet chemical: Propylene oxide

Permitted residue: Propylene oxide

Almonds	100
---------	-----

Agvet chemical: Propyzamide

Permitted residue: Propyzamide

All other foods except animal food commodities	0.02
Cherries	0.1
Chicory leaves	*0.2
Currants, black, red, white	0.01
Edible offal (mammalian)	*0.2
Eggs	*0.05
Endive	*0.2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	*0.05
Milks	*0.01
Mustard seeds	0.02
Poppy seed	0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01
Quinoa	T0.2
Rape seed (canola)	0.02
Safflower Seed	T0.02

Agvet chemical: Proquinazid

Permitted residue—commodities of plant origin: Proquinazid

Permitted residue—commodities of animal origin: Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yl)oxypropionic acid, expressed as proquinazid

All other foods except animal food commodities	0.1
Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	0.05
Eggs	*0.01

Fruiting vegetables, cucurbits	0.2	Mustard seeds	*0.02
Fruiting vegetables, other than cucurbits [except peppers, sweet]	0.3	Peanut	*0.02
Grapes	0.5	Poultry, edible offal of	*0.05
Meat (mammalian)	*0.01	Poultry meat (in the fat)	*0.05
Milks	*0.01	Pulses [except soya bean (dry)]	T0.7
Peppers, sweet	0.2	Rape seed	0.2
Pome fruits	0.3	Rape seed oil, edible	0.15
Poultry, edible offal of	*0.01	Soya bean (dry)	0.2
Poultry meat	*0.01	Sunflower seed oil, crude	0.5
Wheat	T*0.02	Sunflower seeds (subgroup)	0.5
Agvet chemical: Prosulfocarb		Watermelon	T0.2
<i>Permitted residue: Prosulfocarb</i>		Wheat germ	0.5
Barley	*0.01	Agvet chemical: Prothiofos	
Carrot	T*0.01	<i>Permitted residue: Prothiofos</i>	
Edible offal (mammalian)	*0.02	Banana	*0.01
Eggs	*0.02	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Marjoram (oregano)	20	Broccoli, Chinese (Gai lan)	0.2
Meat (mammalian)	*0.02	Pear	0.05
Milks	*0.02	Agvet chemical: Pydiflumetofen	
Oats	*0.01	<i>Permitted residue: Pydiflumetofen</i>	
Potato	*0.01	All other foods except animal food commodities	0.05
Poultry, edible offal of	*0.02	Beans with pods	0.7
Poultry meat	*0.02	Berries and other small fruits [except blueberries; grapes; strawberry]]	3
Pulses	*0.01	Broccoli, Chinese (Gai lan)	0.5
Triticale	*0.01	Bulb onions (subgroup)	0.3
Wheat	*0.01	Bush berries	5
Agvet chemical: Prothioconazole		Cherries (subgroup)	2
<i>Permitted residue—commodities of plant origin:</i>		Chinese cabbage (Pe-tsai)	T30
<i>Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole</i>		Citrus fruits	1
<i>Permitted residue—commodities of animal origin:</i>		Citrus oil, edible	40
<i>Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole</i>		Cotton seed	0.02
All other foods except animal food commodities	0.02	Dried grapes (currants, raisins and sultanas)	5
Blueberries	2	Edible offal (mammalian)	0.1
Cereal bran, unprocessed	0.5	Eggs	0.02
Cereal grains [except sweet corns]	0.3	Elderberries	5
Cotton seed	T0.2	Flowerhead brassicas	3
Cranberry	0.2	Fruiting vegetables, cucurbits	0.4
Edible offal (mammalian)	0.2	Fruiting vegetables, other than cucurbits	0.5
Eggs	*0.01	Grapes	2
Linseed	0.03	Green onions	2
Meat (mammalian) (in the fat)	0.02	Head brassicas [except Chinese cabbage (Pe-tsai)]	2
Milks	*0.004	Leafy vegetables	15
		Maize	0.04
		Maize flour	0.07
		Maize oil, edible	0.08
		Mammalian fats [except milk fats]	0.1
		Meat (mammalian) (in the fat)	0.1

Milks	*0.01	Podded pea (young pods) (snow and sugar snap)	0.3
Mustard seeds	T0.05	Potato	*0.02
Peaches (subgroup)	1	Poultry, edible offal of	*0.01
Peanut	0.05	Poultry meat	*0.01
Peanut oil, edible	0.15	Stone fruits	*0.05
Peas with pods (subgroup)	1.5	Strawberry	T0.3
Peppers, chili, dried	5	Sweet corn (corn-on-the-cob)	*0.01
Plums (including fresh prunes)	0.6		
Pome fruits [except persimmon, Japanese]	0.2	Agvet chemical: Pyraclofos	
Potato	*0.01	<i>Permitted residue: Pyraclofos</i>	
Potato, dried	0.5	Sheep fat	0.5
Poultry, edible offal of	*0.01	Sheep kidney	*0.01
Poultry fats	*0.01	Sheep liver	*0.01
Poultry meat	*0.01	Sheep muscle	*0.01
Prunes, dried	1.5		
Pulses	0.4	Agvet chemical: Pyraclostrobin	
Rape seed (canola)	0.05	<i>Permitted residue—commodities of plant origin: Pyraclostrobin</i>	
Root and tuber vegetables [except potato]	0.3	<i>Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin</i>	
Small seed oilseeds	0.9	All other foods except animal food commodities	0.05
Stalk and stem vegetables - stems and petioles	15	Artichoke, globe	2
Stem brassicas	0.5	Avocado	0.2
Strawberry	2	Banana	*0.02
Sunflower seeds (subgroup)	0.5	Barley	1
Sweet corn (corn-on-the-cob)	0.03	Beans, podded [except common bean]	0.3
Tomato	T0.7	Berries and other small fruits [except blackberries; blueberries; boysenberry; grapes]	3
Tomato, dried	7	Blackberries	4
		Blueberries	4
Agvet chemical: Pymetrozine		Boysenberry	4
<i>Permitted residue: Pymetrozine</i>		Brassica leafy vegetables	T3
All other foods except animal food commodities	0.02	Brussels sprouts	0.3
Almonds	*0.01	Cabbages, head	0.2
Beetroot	*0.02	Cereal grains [except barley; oats; rice; rye; sweet corns; triticale; wheat]	*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Celery	T8
Broad bean (dry)	T0.02	Cherries	3
Broccoli, Chinese (Gai lan)	0.5	Chick-pea (dry)	T0.5
Celery	0.2	Chives	2
Chinese cabbage (Pe-tsai)	5	Coffee beans	0.3
Cotton seed	*0.02	Common bean (pods and/or immature seeds)	0.6
Cotton seed oil, edible	*0.02	Common beans (succulent seeds)	0.3
Edible offal (mammalian)	*0.01	Corn salad (lamb's lettuce)	10
Eggs	*0.01	Cress, garden	10
Fruiting vegetables, cucurbits	1	Custard apple	T3
Fruiting vegetables, other than cucurbits	0.5	Endive	0.4
Fungi, edible (except mushrooms)	0.5	Dried grapes	5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5	Dry beans	0.3
Lupin (dry)	T0.02	Edible offal (mammalian)	0.1
Meat (mammalian)	*0.01		
Milks	*0.01		
Pistachio nut	*0.01		

Eggs	*0.05	Spinach	0.6
Fats (mammalian)	0.5	Spring onion	1.5
Flowerhead brassicas	0.1	Stone fruits [except jujube, Chinese]	2.5
Fruiting vegetables, cucurbits	0.5	Sugar cane	0.08
Fruiting vegetables, other than cucurbits	0.5	Sweet corns	0.3
Fungi, edible (except mushrooms)	0.3	Table olives	T0.3
Garlic	0.3	Tangelo, large-sized cultivars	1
Grapes	2	Tangelo, small and medium sized cultivars	1
Herbs	2	Tea, green, black	T7
Hops, dry	23	Tree nuts [except pistachio nut and walnut]	0.07
Jujube, Chinese	T7	Triticale	0.2
Leek	0.7	Walnut	T0.01
Lemon	0.7	Wheat	0.2
Lentil (dry)	0.5	Witloof chicory (sprouts)	0.09
Lettuce, head	2		
Lettuce, leaf	2		
Litchi	T2	Agvet chemical: Pyraflufen-ethyl	
Mango	0.6	<i>Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)</i>	
Meat (mammalian) (in the fat)	0.5		
Milks	0.03	Almonds	0.01
Mung bean (dry)	T0.2	Cereal grains [except sweet corns]	*0.02
Mushrooms	0.3	Cherries	0.01
Oats	1	Cotton seed	*0.05
Oilseeds and oilfruits [except oilfruits; peanut; poppy seed]	0.4	Edible offal (mammalian)	*0.02
Olives for oil production	T0.3	Eggs	*0.02
Olive oil, crude	T1	Hops, dry	*0.1
Olive oil, virgin	0.07	Meat (mammalian)	*0.02
Onion, bulb	1.5	Milks	*0.02
Onion, Welsh	1.5	Potato	0.02
Oranges	2	Poultry, edible offal of	*0.02
Papaya (pawpaw)	T0.5	Poultry meat	*0.02
Passionfruit	T1	Pulses	*0.02
Peanut	0.05		
Peas (dry)	0.3	Agvet chemical: Pyrasulfotole	
Peas with pods	0.3	<i>Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole</i>	
Peas without pods (succulent)	0.08		
Pineapple	0.3	Barley	0.03
Pistachio nut	T1	Cereal bran, unprocessed	0.03
Pome fruits [except Persimmon, Japanese]	1	Cereal grains [except barley; oats; sorghum, grain; sweet corns (subgroup)]	*0.02
Pomegranate	T0.3	Edible offal (mammalian)	0.5
Poppy seed	*0.05	Eggs	*0.02
Poultry, edible offal of	*0.05	Mammalian fats (except milk fats)	*0.02
Poultry meat (in the fat)	*0.05	Meat (mammalian)	*0.02
Raspberries, red, black	4	Milks	*0.01
Rice	1.5	Oats	0.15
Rice, husked	0.09	Poultry, edible offal of	0.05
Rice, polished	0.03	Poultry fats	*0.02
Root and tuber vegetables	0.5	Poultry meat	*0.02
Rucola	10	Sorghum, grain	0.5
Rye	0.2		
Shallot	0.3		
Silvanberries	T3		
Sorghum, grain	0.5		
Spices	0.1		

Agvet chemical: Pyraziflumid		Agvet chemical: Pyridate	
<i>Permitted residue — commodities of plant origin: pyraziflumid</i>		<i>Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate</i>	
<i>Permitted residue — commodities of animal origin: pyraziflumid and its pyraziflumid-4'-OH metabolite (free), expressed as pyraziflumid</i>			
Dried grapes (currants; raisins; sultanas)	6	Chick-pea (dry)	*0.05
Grapes	3	Edible offal (mammalian)	*0.2
Pome fruits	1.5	Eggs	*0.2
Agvet chemical: Pyrethrins		Marjoram (oregano)	*0.05
<i>Permitted residue: Sum of pyrethrins i and ii, Cinerins i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard</i>		Meat (mammalian)	*0.2
All other foods except animal food commodities	0.2	Milks	*0.2
Cereal grains [except sweet corns]	3	Poultry, edible offal of	*0.2
Chives	1	Poultry meat	*0.2
Cucumber	T2	Agvet chemical: Pyrimethanil	
Dried fruits	1	<i>Permitted residue: Pyrimethanil</i>	
Dried vegetables	1	All other foods except animal food commodities	0.1
Edible offal (Mammalian)	*0.05	Almonds	0.2
Eggs	*0.05	Banana	2
Fennel, leaf	1	Berries and other small fruits [except blueberries; grapes; strawberry]	15
Fruit	1	Blueberries	8
Fruiting vegetables, cucurbits [except cucumber]	0.2	Carrot	1
Herbs	1	Chives	3
Meat (mammalian) (in the fat)	*0.05	Citrus fruits [except lemon]	10
Milks	*0.05	Common bean	3
Oilseeds (subgroup)	1	Coriander (leaves)	3
Olive oil, crude	T3	Cucumber	5
Peanut	0.5	Edible offal (mammalian)	*0.05
Peppers, chili, dried	0.5	Field pea (dry)	0.5
Poultry, Edible offal of	*0.05	Grapes	5
Poultry, Meat (in the fat)	*0.05	Herbs	3
Tree nuts	1	Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	T5
Vegetables	1	Lemon	11
Agvet chemical: Pyridaben		Lettuce, head	20
<i>Permitted residue: Pyridaben</i>		Lettuce, leaf	20
Banana	0.5	Meat (mammalian)	*0.05
Cranberry	0.5	Milks	*0.01
Citrus fruits [except kumquats]	0.5	Onion, bulb	0.2
Grapes	5	Peppers, sweet	1
Hops, dry	10	Podded pea (young pods) (snow and sugar snap)	T10
Pome fruits [except Persimmon, Japanese]	0.5	Pome fruits [except Persimmon, Japanese]	15
Stone fruits	0.5	Potato	0.05
Strawberry	1	Spices	0.1
Tree nuts	T*0.05	Stone fruits [except jujube, Chinese]	10
		Strawberry	5
		Sweet potato	0.05
		Tomato	1

Agvet chemical: Pyriofenone*Permitted residue: Pyriofenone*

All other foods	0.05
Berries and other small fruit [except Cane berries; cloudberry; cranberry; strawberry]	1.5
Cane berries	0.9
Cloudberry	0.5
Cranberry	0.5
Dried grapes (currants, raisins and sultanas)	2.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.7
Mammalian fats [except milk fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Strawberry	0.5

Agvet chemical: Pyriproxyfen*Permitted residue: Pyriproxyfen*

All other foods except animal food commodities	0.1
Almonds	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3
Beans with pods	T0.3
Blueberries	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.7
Broccoli, Chinese (Gai lan)	T0.7
Cane berries	1
Chervil	T5
Chives	T5
Citrus fruits	0.5
Coriander (leaves, roots, stems)	T5
Cotton seed	*0.01
Cotton seed oil, crude	*0.02
Cranberry	1
Edible offal (mammalian)	*0.02
Eggs	0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Galangal, Greater	T*0.05
Galangal, Lesser	T*0.05
Grapes	2.5
Herbs	T5
Lettuce, leaf	5
Macadamia nuts	*0.01

Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Mizuna	T5
Mushrooms	1
Olives for oil production	1
Olive oil, crude	3
Peanut	0.2
Peppers, chili, dried)	6
Persimmon, Japanese	T0.2
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.1
Rose and dianthus (edible flowers)	T5
Rucola (rocket)	T5
Stone fruits [except jujube, Chinese]	1
Strawberry	T0.5
Sweet corns	1
Sweet potato	*0.05
Table olives	1
Turmeric, root	T*0.05

Agvet chemical: Pyriothobac sodium*Permitted residue: Pyriothobac sodium*

Cotton seed	*0.02
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyroxasulfone

Permitted residue—commodities of plant origin:
Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone

Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone

All other foods except animal food commodities	0.01
Cereal grains [except maize; popcorn and sweet corns]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Maize	0.02
Meat (mammalian)	*0.02
Milks	*0.002
Peanut	0.3
Popcorn	0.015
Potato	0.08
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Pulses [except soya bean (dry)]	*0.01
Safflower seed	T*0.01
Soya bean (dry)	0.06
Soya bean oil	0.06
Sunflower oil	0.3
Sunflower seed	0.3
Sweet corn (corn-on-the-cob and kernels)	0.015

Agvet chemical: Pyroxsulam

Permitted residue: Pyroxsulam

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Quinclorac

Permitted residue: Quinclorac

Barley	2
Blueberries	0.08
Cranberry	1.5
Rape seed (canola)	1.5
Rice	10
Rice, husked	10
Rice, polished	8
Wheat	0.5

Agvet chemical: Quinoxifen

Permitted residue: Quinoxifen

All other foods except animal food commodities	0.02
Barley	*0.01
Chard (silver beet)	3
Cherries	0.7
Dried grapes	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	2
Hops, dry	3
Meat (mammalian) (in the fat)	0.1
Milk fats	0.2
Milks	0.01
Peppers, chili, dried	10
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except jujube, Chinese]	0.7
Strawberry	T0.3
Tea, green, black	*0.05
Wheat	T*0.01

Agvet chemical: Quintozene

Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene

Beans, except broad bean and soya bean	0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broad bean (green pods and immature seeds)	0.01
Broccoli, Chinese (Gai lan)	0.2
Common bean (dry) (navy bean)	0.2
Cotton seed	0.03
Edible offal (mammalian)	*0.1
Eggs	*0.03
Lettuce, head	0.3
Lettuce, leaf	0.3
Meat (mammalian)(in the fat)	*0.2
Milks	*0.02
Peanut	0.3
Peppers, chili, dried	0.1
Potato	0.2
Poultry, Edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Tomato	0.1

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

All other foods except animal food commodities	0.01
Barley	*0.02
Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and immature seeds)	*0.02
Cucumber	*0.02
Currants, black, red, white	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Hempseed	T*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Mustard seeds	T*0.02
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05

Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Quizalofop-p-tefuryl

Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl

All other foods except animal food commodities	0.01
Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and/or immature seeds)	*0.02
Cucumber	*0.02
Currents, black, red, white	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Mustard seeds	T*0.02
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Ractopamine

Permitted residue: Ractopamine

Cattle fat	0.01
Cattle kidney	0.09
Cattle liver	0.04
Cattle muscle	0.01
Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05
Turkey kidney	0.3
Turkey liver	0.3
Turkey meat	0.02
Turkey fat/skin	0.05

Agvet chemical: Rimsulfuron

Permitted residue: Rimsulfuron

Almonds	0.01
Blueberries	0.02
Cherries	0.01
Cranberry	0.02
Potato	0.1
Tomato	*0.05

Agvet chemical: Robenidine

Permitted residue: Robenidine

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Saflufenacil

*Permitted residue—commodities of plant origin:
Sum of saflufenacil, N'-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-({[(isopropylamino)sulfonyl]amino} carbonyl)phenyl]urea, expressed as saflufenacil equivalents*

*Permitted residue—commodities of animal origin:
Saflufenacil*

All other foods except animal food commodities	0.03
Barley (desiccant use)	1
Cereal grains [except rice and sweet corns]	0.2
Cereal bran, unprocessed	0.5
Citrus fruits	*0.03
Cotton seed	0.2
Edible offal (mammalian)	7
Eggs	*0.01
Legume vegetables	*0.03
Linseed	T0.5
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seed	0.6
Oilseeds (subgroup) [except cotton seed; linseed; mustard seed; rape seed (canola); sunflower seed]	*0.03
Peanut	*0.01
Pome fruits	*0.03
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	0.2
Rape seed (canola)	0.6
Rice	*0.01
Sunflower seed	0.7
Sugar cane molasses	1
Tree nuts	*0.03
Wheat (desiccant use)	0.6

Agvet chemical: Salinomycin			
<i>Permitted residue: Salinomycin</i>			
Cattle, edible offal of	0.5	Chia	T0.7
Cattle meat	*0.05	Chinese cabbage (Pe-tsai)	T0.5
Eggs	*0.02	Chives, Chinese	T1
Pig, edible offal of	*0.1	Citrus fruits [except kumquats]	0.5
Pig meat	*0.1	Cotton seed	0.2
Poultry, edible offal of	0.5	Cranberry	2.5
Poultry meat	0.1	Dried herbs [except hops, dry]}	T5
		Dry beans (subgroup) [except lupin (dry); soya bean (dry)]	25
		Edible offal (mammalian)	*0.05
		Egg plant	T0.1
		Eggs	*0.05
		Fennel, bulb	T1
		Fruiting vegetables, cucurbits	*0.1
		Garlic	0.3
		Garlic chives	T1
		Hazelnut	T*0.03
		Hempseed	T0.5
		Herbs	T1
		Hops, dry	0.5
		Leafy vegetables [except lettuce, head; lettuce, leaf]	T1
		Leek	0.7
		Lettuce, head	0.2
		Lettuce, leaf	0.2
		Linseed	0.5
		Lupin (dry)	0.2
		Meat (mammalian)	*0.05
		Milks	*0.05
		Mustard seeds	T0.5
		Onion, bulb	0.3
		Onion, Welsh	0.7
		Peanut	25
		Peas (pods and succulent, immature seeds)	T0.7
		Peppers	T2
		Poppy seed	0.2
		Poultry, edible offal of	*0.05
		Poultry meat	*0.05
		Pulses [except dry beans (subgroup)]	*0.1
		Quinoa	T0.5
		Radicchio	T0.5
		Rape seed (canola)	0.5
		Rhubarb	0.1
		Root and tuber vegetables	1
		Safflower seed	T0.5
		Sesame seed	T0.5
		Shallot	0.7
		Spices	T5
		Spring onion	0.7
		Stone fruits [except jujube, Chinese; plum]	0.2
		Strawberry	10
		Sunflower seed	*0.1
		Tomato	0.1
		Wheat	*0.1
Agvet chemical: Sedaxane			
<i>Permitted residue: Sedaxane, sum of isomers</i>			
All other foods except animal food commodities	0.01		
Beetroot	*0.01		
Beetroot leaves	*0.01		
Cereal grains [except sweet corns]	*0.01		
Cotton seed	*0.01		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Meat (mammalian)	*0.01		
Milks	*0.01		
Poppy seed	T*0.01		
Potato	0.1		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		
Agvet chemical: Semduramicin			
<i>Permitted residue: Semduramicin</i>			
Chicken fat/skin	0.5		
Chicken kidney	0.2		
Chicken liver	0.5		
Chicken meat	*0.05		
Agvet chemical: Sethoxydim			
<i>Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim</i>			
All other foods except animal food commodities	0.1		
Almonds	0.2		
Asparagus	1		
Barley	*0.1		
Beans [except broad bean; soya bean]	T0.5		
Blueberries	4		
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5		
Broad bean (green pods and immature seeds)	*0.1		
Broccoli, Chinese (Gai lan)	0.5		
Celery	0.1		

Agvet chemical: Simazine		Bulb vegetables (alliums) [except chives]		0.1
<i>Permitted residue: Simazine</i>		Cacao beans		0.05
Asparagus	*0.1	Carob		0.1
Basil	T1	Celery		6
Basil, dry	T5	Cherries		0.2
Blueberries	0.2	Chinese cabbage (Pe-tsai)		0.7
Broad bean (dry)	*0.01	Chives		1
Broad bean (green pods and immature seeds)	*0.01	Citrus fruits		3
Chick-pea (dry)	*0.05	Coffee beans		*0.01
Chick-pea (green pods)	*0.05	Coriander (leaves, roots, stems)		5
Citrus fruits [except kumquats]	0.25	Coriander, seed		5
Cranberry	0.25	Cotton seed		*0.01
Edible offal (mammalian)	*0.05	Dill, seed		5
Eggs	*0.01	Dried grapes (currants, raisins and sultanas)		1
Fruit [except blueberries; citrus fruits [except kumquats]; cranberry]	*0.1	Edible offal (mammalian)		0.2
Ginger root	*0.05	Eggs		*0.01
Hazelnut	T*0.03	Fennel, bulb		0.1
Kumquats	*0.1	Fennel, seed		5
Leek	*0.01	Fig		T0.1
Lupin (dry)	*0.05	Fruiting vegetables, cucurbits		0.05
Meat (mammalian)	*0.05	Fruiting vegetables, other than cucurbits		0.1
Milks	*0.02	Fungi, edible (except mushrooms)		0.1
Mustard seeds	T*0.02	Ginger, root		0.02
Poultry, edible offal of	*0.01	Ginger, Japanese		T1
Poultry meat	*0.01	Herbs		1
Rape seed (canola)	*0.02	Hops, dry		22
Tree nuts	*0.1	Kaffir lime leaves		5
Agvet chemical: Spectinomycin		Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]		0.7
<i>Permitted residue: Inhibitory substance, identified as spectinomycin</i>		Legume vegetables		0.2
Edible offal (mammalian) [except sheep, edible offal of]	*1	Lemon grass		5
Eggs	2	Lemon verbena (dry leaves)		5
Meat (mammalian) [except sheep meat]	*1	Maize cereals		*0.01
Poultry, edible offal of	*1	Meat (mammalian) (in the fat)		2
Poultry meat	*1	Milk fats		0.2
Agvet chemical: Spinetoram		Milks		0.01
<i>Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L</i>		Mizuna		0.7
All other foods except animal food commodities	0.01	Mushrooms		0.1
Almonds	0.1	Mustard seeds		T*0.01
Assorted tropical and sub-tropical fruits – inedible peel [except pitaya (dragon fruit); tamarillo (tree tomato)]	0.3	Olives for oil production		T0.07
Bayberry, red	T0.5	Peaches (including nectarines and apricots)		0.3
Berries and other small fruits [except raspberries, red, black]	0.5	Peanut		0.04
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2	Peppers, chili, dried		4
Broccoli, Chinese (Gai lan)	0.2	Pitaya (dragon fruit)		0.5
		Plums		0.3
		Pome fruits		0.1
		Poultry, edible offal of		*0.01
		Poultry meat (in the fat)		*0.01
		Pulses		0.01
		Rape seed (canola)		*0.01
		Raspberries, red, black		0.8
		Root and tuber vegetables		0.02
		Sorghum grains and millet		T*0.01

Stalk and stem vegetables [except fennel, bulb; celery]	2	Peas (pods and succulent, immature seeds)	0.5
Sweet corn (corn-on-the-cob)	*0.01	Peppers, chili, dried	3
Table olives	T0.07	Pome fruits	0.5
Tea, green, black	70	Potato	0.1
Tree nuts [except almonds]	0.02	Poultry, edible offal of	0.05
Turmeric, root	0.02	Poultry meat (in the fat)	0.5
Witloof, chicory	2	Pulses	0.01
Agvet chemical: Spinosad		Raspberries, red, black	1.5
<i>Permitted residue: Sum of spinosyn A and spinosyn D</i>		Rhubarb	2
All other foods except animal food commodities	0.01	Root and tuber vegetables [except potato]	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3	Stone fruits	1
Beans [except broad bean; soya bean]	0.5	Sweet corn (corn-on-the-cob)	0.02
Berries and other small fruits [except currants, black, red, white; grapes; raspberries, red, black]	0.7	Tree nuts	T*0.01
Bergamot	5	Turmeric, root	0.02
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Wheat bran, unprocessed	2
Broccoli, Chinese (Gai lan)	0.5	Agvet chemical: Spirodiclofen	
Celery	2	<i>Permitted residue: Spirodiclofen</i>	
Cereal grains [except sweet corns]	1	Almonds	0.1
Chervil	5	Citrus fruits [except kumquats]	0.5
Chinese cabbage (Pe-tsai)	5	Currants, black, red, white	1
Chives	5	Grapes	2
Citrus fruits	0.3	Hops, dry	30
Coffee beans	*0.01	Stone fruits [except jujube, Chinese]	1
Coriander, seed	5	Agvet chemical: Spiromesifen	
Cotton seed	*0.01	<i>Permitted residue: sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one (spiromesifen-enol), expressed as spiromesifen</i>	
Currants, black, red, white	1.5	Beans with pods	0.5
Dill, seed	5	Cranberry	2
Edible offal (mammalian)	0.5	Dry beans (subgroup)	*0.03
Eggs	0.05	Edible offal (mammalian)	0.3
Fennel, seed	5	Eggs	0.02
Fruiting vegetables, cucurbits	0.2	Mammalian fats (except milk fats)	0.15
Fruiting vegetables, other than cucurbits	0.2	Mango	0.5
Fungi, edible (except mushrooms)	0.2	Meat (mammalian)	0.15
Galangal, Greater	0.02	Milks	0.015
Grapes	0.5	Orange oil, edible	30
Herbs	5	Oranges (subgroup)	0.15
Hops, dry	22	Papaya	0.7
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5	Peppers, chili, dried	5
Lemon verbena (dry leaves)	5	Pome fruits	0.5
Meat (mammalian) (in the fat)	2	Potato	0.02
Milk fats	0.7	Poultry, edible offal of	0.05
Milks	0.1	Poultry fats	0.02
Mushrooms	0.2	Poultry meat	0.02
Peanut	0.02	Soya bean oil, crude	*0.03
		Stone fruits	0.6
		Strawberry	1
		Succulent beans without pods	*0.15
		Tea, green, black	50

Agvet chemical: Spiropidion

*Permitted residue — commodities of plant origin:
sum of spiropidion and spiropidion-enol
(SYN547305) expressed as spiropidion*

*Permitted residue — commodities of animal origin:
spiropidionenol (SYN547305) expressed as
spiropidion*

Cucumber	0.8
Edible offal (mammalian)	0.2
Eggs	*0.012
Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes	0.9
Mammalian fats (except milk fats)	0.025
Meat (mammalian)	*0.012
Milks	*0.012
Peppers (subgroup)	1
Peppers, chili, dried	7
Potato	1.5
Potato, flakes/granules	5
Poultry, edible offal of	*0.012
Poultry fats	*0.012
Poultry meat	*0.012
Soya bean (dry)	3
Soya flour	5
Tomato	0.8
Tomato, dried	7
Tomato, puree	1.5

Agvet chemical: Spirotetramat

*Permitted residue: Sum of spirotetramat, and cis-3-
(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-
azaspiro[4.5]dec-3-en-2-one, expressed as
spirotetramat*

All other foods except animal food commodities	0.1
Almonds	0.25
Banana	0.3
Blueberries	3
Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]]	7
Brassica leafy vegetables [except broccoli, Chinese (Gai lan)]	10
Broccoli, Chinese (Gai lan)	7
Brussels sprouts	1
Bulb vegetables [except chives]	0.5
Carrot	0.04
Celery	5
Chinese cabbage (Pe-tsai)	5
Chives	15
Citrus fruits	1
Cotton seed	0.7
Cranberry	0.3
Currants, black, red, white	1.5
Dried grapes	4
Edible offal (mammalian)	0.5

Eggs	*0.02
Fennel, bulb	0.5
Fig	T1
Fruiting vegetables, cucurbits [except melons]	2
Fruiting vegetables, other than cucurbits	7
Fungi, edible (except mushrooms)	7
Grapes	2
Herbs	15
Hops, dry	15
Leafy vegetables [except brassica leafy vegetables; lettuce, head; lettuce, leaf; witloof chicory]	5
Legume vegetables	2
Lentil (dry)	T1
Lettuce, head	7
Lettuce, leaf	15
Maize	T*0.02
Mango	0.3
Meat (mammalian)	0.02
Melons, except watermelon	0.5
Milks	*0.005
Mushrooms	7
Passionfruit	0.5
Peanut	*0.02
Peppers, chili, dried	15
Pineapple	0.3
Pome fruits	0.5
Potato	5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rhubarb	5
Sorghum, grain	T*0.02
Soya bean (dry)	T5
Stone fruits	4.5
Strawberry	0.3
Sugar beet	0.06
Sugar beet, molasses	0.3
Sweet corn (corn-on-the-cob)	1
Sweet potato	5
Tree nuts [except almonds]	0.5
Watermelon	0.5

Agvet chemical: Spiroxamine

*Permitted residue—commodities of plant origin:
Spiroxamine*

*Permitted residue—commodities of animal origin:
Spiroxamine carboxylic acid, expressed as
spiroxamine*

All other foods except animal food commodities	0.05
Banana	T5
Barley	0.03
Dried grapes	3
Edible offal (mammalian)	0.5

Eggs	*0.02	Coffee bean	0.3
Grapes	2	Cotton seed	0.3
Hops, dry	50	Cranberry	0.7
Mammalian fats [except milk fats]	0.05	Dry beans	0.7
Meat (mammalian)	0.05	Edible offal (mammalian)	2
Milks	0.05	Eggs	*0.01
Podded pea (young pods) (snow and sugar snap)	T0.6	Elderberries	2
Poultry, edible offal of	*0.05	Fats (mammalian)	0.2
Poultry meat	*0.05	Fruiting vegetables, cucurbits	0.5
		Fruiting vegetables, other than cucurbits	1
Agvet chemical: Streptomycin and Dihydrostreptomycin		Fungi, edible (except mushrooms)	1
<i>Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin</i>		Herbs	20
Edible offal (mammalian)	*0.3	Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5
Meat (mammalian)	*0.3	Lettuce, head	1
Milks	*0.2	Meat (mammalian)	0.7
Agvet chemical: Sulfosulfuron		Milks	0.3
<i>Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron</i>		Mushrooms	1
Edible offal (mammalian)	*0.005	Mustard seeds	T0.15
Eggs	*0.005	Oats	*0.01
Meat (mammalian)	*0.005	Peppers, chili, dried	15
Milks	*0.005	Pineapple	0.2
Poultry, edible offal of	*0.005	Pome fruits	0.5
Poultry meat	*0.005	Potato	0.01
Triticale	*0.01	Poultry, edible offal of	0.02
Wheat	*0.01	Poultry meat	0.7
Agvet chemical: Sulfoxaflor		Rape seed (canola)	0.15
<i>Permitted residue: Sulfoxaflor</i>		Rice	7
All other foods except animal food commodities	0.01	Rice, husked	1.5
Artichoke, globe	0.9	Rice, polished	1
Asparagus	0.015	Root and tuber vegetables [except potato]	0.05
Assorted tropical and sub-tropical fruits – inedible peel [except banana and pineapple]	0.5	Sorghum, grain	0.2
Barley, similar grains, and pseudocereals with husks [except oats]	0.2	Sorghum grain and millet	0.15
Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; Chinese cabbage (Pe-tsai)]	3	Soya bean (dry)	0.3
Broccoli, Chinese (Gai lan)	3	Stone fruits [except cherries (subgroup)]	1
Bush berries	2	Strawberry	0.7
Cane berries	1.5	Sunflower seeds (subgroup)	0.4
Carob	5	Table grapes	2
Cauliflower	0.1	Tree nuts	0.03
Celery	1.5	Wheat, similar grains, and pseudocereals without husks	0.05
Cherries	3	Wine grapes	2
Chinese cabbage (Pe-tsai)	5		
Citrus fruits	0.7	Agvet chemical: Sulfuryl fluoride	
		<i>Permitted residue: Sulfuryl fluoride</i>	
		All other foods except animal food commodities	0.02
		Cereal grains [except sweet corns]	0.05
		Dried fruits	0.07
		Peanut	15
		Tree nuts	7

Agvet chemical: Sulphadiazine		Beetroot	T0.3
<i>Permitted residue: Sulphadiazine</i>		Beetroot leaves	T2
Cattle milk	0.1	Bulb onions [except garlic]	0.07
Edible offal (mammalian)	0.1	Cane berries	1
Eggs	T*0.02	Carrot	T0.5
Meat (mammalian)	0.1	Cereal grains [except barley, oats; rice; sweet corns]	0.2
Poultry, edible offal of	0.1	Chard (silver beet)	T2
Poultry meat	0.1	Cherries	5
Agvet chemical: Sulphadimidine		Chicory leaves	T2
<i>Permitted residue: Sulphadimidine</i>		Citrus fruits [except mandarins (subgroup); oranges, sweet, sour]	0.2
Meat (mammalian)	0.1	Coffee bean	0.4
Edible offal (mammalian)	0.1	Cotton seed	2
Eggs	*0.005	Custard apple	2
Poultry, edible offal of [except turkey]	0.1	Dried grapes (currants, raisins and sultanas)	7
Poultry meat	0.1	Edible offal (mammalian)	0.5
Turkey, edible offal of	0.2	Eggs	0.1
Agvet chemical: Sulphadoxine		Endive	T2
<i>Permitted residue: Sulphadoxine</i>		Fennel, bulb	*0.01
Cattle milk	*0.1	Fruiting vegetables, cucurbits	0.5
Edible offal (mammalian)	*0.1	Garlic	T0.2
Meat (mammalian)	*0.1	Grapes	6
Agvet chemical: Sulphaquinoxaline		Green onions	2
<i>Permitted residue: Sulphaquinoxaline</i>		Hops, dry	40
Eggs	T*0.01	Legume vegetables	0.5
Poultry, edible offal of	0.1	Lemon myrtle leaves (dried)	T5
Poultry meat	0.1	Lettuce, head	0.1
Agvet chemical: Sulphatroxazole		Lettuce, leaf	0.1
<i>Permitted residue: Sulphatroxazole</i>		Mandarins	0.7
Cattle milk	0.1	Meat (mammalian)	0.1
Edible offal (mammalian)	0.1	Melons, except watermelon	0.4
Meat (mammalian)	0.1	Milks	0.05
Agvet chemical: Sulphur dioxide		Mustard seeds	0.3
<i>Permitted residue: Sulphur dioxide</i>		Oats	1
Blueberries	10	Olives for oil production	2
Longan, edible aril	10	Olive oil, crude	5
Strawberry	T30	Orange oil, edible	10
Table grapes	10	Oranges, Sweet, Sour	0.4
Agvet chemical: Tebuconazole		Papaya (pawpaw)	0.2
<i>Permitted residue: Tebuconazole</i>		Passionfruit	0.5
All other foods except animal food commodities	0.05	Peanut	0.1
Anise myrtle leaves (dried)	T5	Pear	1
Avocado	0.2	Persimmon, American	2
Banana	0.2	Peppers, chili, dried	10
Barley	1	Peppers, sweet	1
		Pome fruits [except pear]	*0.01
		Pomegranate	T*0.01
		Poultry, edible offal of	0.5
		Poultry meat	0.1
		Prunes	T2
		Pulses [except soya bean (dry)]	1
		Radish	T0.3
		Radish leaves	T2
		Rape seed (canola)	0.3
		Rice	1.5

Soya bean (dry)	0.1
Spices [except peppers, chili, dried]	1
Spinach	T2
Stone fruits [except cherries (subgroup)]	1
Strawberry	2
Sugar cane	0.1
Sunflower seed	0.1
Sunflower seed oil, edible	0.2
Sweet corn (corn-on-the-cob)	T0.7
Table olives	2
Tomato	0.5
Tree nuts	0.05

Agvet chemical: Tebufenozide

Permitted residue: Tebufenozide

All other foods except animal food commodities	0.05
Avocado	0.5
Blueberries	3
Citrus fruits	1
Cranberry	0.5
Custard apple	0.3
Dried grapes	4
Edible offal (mammalian)	*0.02
Grapes	2
Kiwifruit	2
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Peppers, chili, dried	10
Pome fruits [except Persimmon, Japanese]	1
Raspberries, red, black	3

Agvet chemical: Tebufenpyrad

Permitted residue: Tebufenpyrad

All other foods except animal food commodities	0.02
Cucumber	*0.02
Peach	1
Pome fruits [except Persimmon, Japanese]	1
Strawberry	1
Tea, green, black	0.1

Agvet chemical: Tebuthiuron

Permitted residue: Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron

Edible offal (mammalian)	2
Meat (mammalian)	0.5
Milks	0.2

Agvet chemical: Teflubenzuron

Permitted residue: Teflubenzuron

Citrus fruits [except kumquats]	0.5
Coffee beans	0.3
Grapes	0.7
Maize	0.1
Papaya	0.4
Soya bean (dry)	0.05
Sugar cane	0.01

Agvet chemical: Temephos

Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos

Cattle, edible offal of	T2
Cattle meat (in the fat)	T5
Sheep, edible offal of	0.5
Sheep meat (in the fat)	3

Agvet chemical: Terbacil

Permitted residue: Terbacil

Apple	*0.04
Blueberries	0.2
Peach	*0.04
Peppermint oil	*0.1

Agvet chemical: Terbufos

Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos

Banana	0.05
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Cereal grains [except sweet corns]	*0.01
Eggs	*0.01
Peanut	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sunflower seed	*0.05
Sweet corn (corn-on-the-cob)	*0.05

Agvet chemical: Terbuthylazine

Permitted residue: Terbuthylazine

Cereal grains [except sweet corns]	*0.01
Cotton seed	0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Pulses	*0.02
Rape seed (canola)	*0.02
Sugar cane	*0.01
Sweet corn (corn-on-the-cob)	*0.01

Agvet chemical: Terbutryn

Permitted residue: Terbutryn

Cereal grains [except sweet corns]	*0.1
Edible offal (mammalian)	3
Eggs	*0.05
Meat (mammalian)	0.1
Milks	0.1
Peas	*0.1
Poultry, edible offal of	*0.05
Poultry meat	0.1
Sugar cane	*0.05

Agvet chemical: Tetraconazole

Permitted residue: Tetraconazole

All other foods except animal food commodities	0.02
Berries and other small fruits [except grapes]	0.2
Edible offal (mammalian)	0.2
Grapes	0.5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Peanut	0.03

Agvet chemical: Tetracycline

Permitted residue: Inhibitory substance, identified as tetracycline

Milks	*0.1
-------	------

Agvet chemical: Tetraniliprole

Permitted residue: Tetraniliprole

All other foods except animal food commodities	0.02
Almonds	0.05
Apricots, dried	3
Avocado	T0.2
Banana	*0.01
Brassica leafy vegetables	15
Cabbages, head	2
Cane berries	T0.5
Cherries (subgroup)	1.5
Dried grapes	2
Edible offal (mammalian)	1
Eggs	*0.01
Fig	T0.5
Flowerhead brassicas	0.5
Fruiting vegetables, other than cucurbits	0.4
Lemons and Limes (subgroup)	1.5
Litchi	T0.5

Maize cereals	0.02
Mammalian fats (except milk fats)	0.15
Mandarins (subgroup)	1
Mango	0.1
Meat (mammalian) [in the fat]	0.1
Milks	0.15
Milk fats	0.2
Orange oil, edible	5
Oranges (subgroup)	0.5
Peppers, chili, dried	4
Pineapple	T*0.01
Pome fruits	0.5
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Prunes	3
Pummelos and Grapefruits (subgroup)	0.9
Small fruit vine climbing	1.5
Sorghum grain and millet	*0.01
Soya bean (dry)	0.2
Stone fruits [except cherries]	0.7
Sweet corns	*0.01
Tomato, puree (tomato paste)	1.5
Tree nuts [except almonds]	0.03

Agvet chemical: Thiabendazole

Permitted residue—commodities of plant origin: Thiabendazole

Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole

All other foods except animal food commodities	0.03
Apple	10
Banana	3
Citrus fruits	10
Edible offal (mammalian)	0.2
Mango	7
Meat (mammalian)	0.2
Milks	0.05
Mushrooms	0.5
Onion, bulb	0.05
Pear	10
Potato	5
Sweet potato	9
Taro	T50

Agvet chemical: Thiacloprid

Permitted residue: Thiacloprid

All other foods except animal food commodities	0.1
Chives	5
Coriander (leaves)	5
Cotton seed	0.1
Currants, black, red, white	1

Edible offal (mammalian)	*0.02	Milks	0.15
Eggs	*0.02	Mushrooms	0.7
Herbs	5	Mustard seeds	T*0.01
Meat (mammalian)	*0.02	Oats	0.5
Milks	*0.01	Peppers, chili, dried	7
Mustard seed	0.5	Persimmon, Japanese	0.6
Peppers, chili	1	Podded pea (young pods) (snow and sugar snap)	0.01
Peppers, sweet	1	Poultry, edible offal of	*0.02
Pome fruits	1	Poultry fats	*0.01
Poultry, edible offal of	*0.02	Poultry meat	0.03
Poultry meat	*0.02	Pulses	*0.02
Raspberries, red, black	6	Rape seed (canola)	*0.01
Spices	0.1	Rice	50
Stone fruits	2	Rice bran, unprocessed	30
Strawberry	1	Rice, husked	5
Tea, green, black	10	Rice, polished	3
Agvet chemical: Thiamethoxam		Root and tuber vegetables	T0.7
See also Clothianidin		Sorghum, grain	0.6
Permitted residue—commodities of plant origin: Thiamethoxam		Sorghum, sweet (sorgo)	0.6
Commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as Thiamethoxam		Stone fruits	0.5
(Note: the metabolite clothianidin has separate MRLs)		Sunflower seed	*0.02
		Sweet corn (corn-on-the-cob)	*0.02
		Tea, green, black	20
		Triticale	0.15
		Wheat	0.15
All other foods except animal food commodities	T0.5	Agvet chemical: Thidiazuron	
Barley	0.5	Permitted residue: Thidiazuron	
Barley bran, processed	1.5	Cotton seed	*0.5
Beans [except broad bean; soya bean]	T0.2	Edible offal (mammalian)	*0.05
Berries and other small fruits [except grapes]	0.5	Meat (mammalian)	*0.05
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	3	Milks	*0.01
Broccoli, Chinese (Gai lan)	3	Agvet chemical: Thiobencarb	
Celery	1	Permitted residue: Thiobencarb	
Cereal grains [except barley; maize; oats; rice; sorghum, grain; sweet corn (corn-on-the-cob); triticale; wheat]	*0.01	Rice	*0.05
Chinese cabbage (Pe-tsai)	2	Agvet chemical: Thiodicarb	
Citrus fruits	1	Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb	
Cotton seed	*0.02	All other foods except animal food commodities	0.1
Edible offal (mammalian)	0.05	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Eggs	*0.02	Broccoli, Chinese (Gai lan)	2
Fruiting vegetables, cucurbits	T1	Chia	T1
Fruiting vegetables, other than cucurbits	0.7	Cotton seed	*0.1
Fungi, edible (except mushrooms)	0.7	Cotton seed oil, crude	*0.1
Grapes	0.2	Edible offal (mammalian)	*0.05
Hops, dry	0.1	Maize	*0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	2	Meat (mammalian)	*0.05
Maize	*0.02	Milks	*0.05
Mango	0.07	Potato	0.1
Meat (mammalian)	0.07		

Pulses	*0.1
Sweet corn (corn-on-the-cob)	*0.1
Tomato	2

Agvet chemical: Thiophanate

see *Carbendazim*

Agvet chemical: Thiophanate-methyl

Permitted residue: Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl

All other foods except animal food commodities	0.1
Almonds	0.1
Apricot	15
Cherries	20
Currants, black, red, white	*0.1
Grapes	5
Mango	2
Nectarine	3
Peach	3
Peanut	0.1
Plums	0.5
Raspberries, red, black	*0.1
Rhubarb	*0.1
Strawberry	*0.1

Agvet chemical: Thiram

see *Dithiocarbamates*

Agvet chemical: Tiafenacil

Permitted residue—commodities of plant origin: Tiafenacil

Permitted residue—Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil

Cereal grains [except sweet corns]	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Mustard seeds	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Tiamulin

Permitted residue: Tiamulin

Pig, edible offal of	*0.1
Pig meat	*0.1

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Tilmicosin

Permitted residue: Tilmicosin

Cattle, edible offal of	1
Cattle meat	*0.05
Pig, edible offal of	1
Pig meat	0.05

Agvet chemical: Tioxazafen

Permitted residue: Sum of tioxazafen and benzamidine (benzenecarboximidamide), expressed as tioxazafen

Cotton seed	*0.01
Edible offal (mammalian)	0.03
Eggs	*0.02
Fats (mammalian)	0.03
Maize	*0.01
Meat (mammalian)	0.02
Milks	0.02
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Soya bean (dry)	0.04

Agvet chemical: Tolclofos-methyl

Permitted residue: Tolclofos-methyl

All other foods except animal food commodities	0.02
Beetroot	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Leafy greens [except chard; purslane; spinach]	0.7
Mammalian fats [except meat fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Potato	0.3
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01

Agvet chemical: Tolfenamic acid

Permitted residue: Tolfenamic acid

Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	0.05
Cattle milk	0.05
Pig kidney	*0.01
Pig liver	0.1
Pig meat	*0.01

Agvet chemical: Tolfenpyrad

Permitted residue—commodities of plant origin:
Tolfenpyrad

Permitted residue—commodities of animal origin:
Sum of tolfenpyrad, and free and conjugated PT-CA (4-[4-[(4-chloro-3-ethyl-1-methylpyrazol-5-yl) carbonylaminomethyl] phenoxy] benzoic acid and OH-PT-CA (4-[4-[(4-chloro-3(1-hydroxyethyl)-1-methylpyrazol-5-yl) carbonylaminomethyl] phenoxy] benzoic acid) (released with alkaline hydrolysis), expressed as tolfenpyrad

Bulb onions	0.09
Citrus oil, edible	80
Edible offal (mammalian)	0.4
Eggs	*0.01
Lemons and Limes	0.9
Mammalian fats [except milk fats]	*0.01
Mandarins	0.9
Meat (mammalian)	*0.01
Milks	*0.01
Oranges, Sweet, Sour	0.6
Peppers [except martynia; okra; roselle]	0.5
Peppers, chili, dried	5
Potato	0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Pummelos	0.6

Agvet chemical: Toltrazuril

Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril

Cattle fat	1
Cattle kidney	1
Cattle liver	2
Cattle muscle	0.25
Chicken, edible offal of	5
Chicken meat	2
Eggs	*0.03
Pig, edible offal of	2
Pig meat (in the fat)	1

Agvet chemical: Topramezone

Permitted residue: Topramezone

Barley	*0.01
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.001
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.01

Agvet chemical: Tralkoxydim

Permitted residue: Tralkoxydim

Cereal grains [except sweet corns]	*0.02
------------------------------------	-------

Agvet chemical: Trenbolone acetate

Permitted residue: Sum of trenbolone acetate and 17 Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone

Cattle, edible offal of	0.01
Cattle meat	0.002

Agvet chemical: Triadimefon

Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon

see also Triadimenol

All other foods except animal food commodities	0.05
Apple	T1
Cereal grains [except sweet corns]	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.1
Field pea (dry)	0.1
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Garden pea, shelled (succulent seeds)	0.1
Garden pea (young pods, succulent seeds)	0.1
Grapes	1
Fats (mammalian)	*0.25
Meat (mammalian)	*0.05
Milks	*0.1
Mushrooms	0.2
Peppers, chili, dried	5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Strawberry	0.5
Sugar cane	*0.05
Sweet corns	0.2
Tea, green, black	0.2

Agvet chemical: Triadimenol

Permitted residue: Triadimenol

see also Triadimefon

All other foods except animal food commodities	0.05
Anise myrtle leaves (dried)	0.05
Berries and other small fruits [except grapes; riberry; strawberry]	T0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1

Cereal grains [except sorghum, grain; sweet corns]	*0.01	Agvet chemical: Triasulfuron	
Cherries	0.1	<i>Permitted residue: Triasulfuron</i>	
Chives	T3	Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	*0.01	Edible offal (mammalian)	*0.05
Eggs	*0.01	Eggs	*0.05
Fruiting vegetables, cucurbits	0.5	Meat (mammalian)	*0.05
Fruiting vegetables, other than cucurbits	1	Milks	*0.01
Fungi, edible (except mushrooms)	1		
Grapes	0.5	Agvet chemical: Triazophos	
Leek	T3	<i>Permitted residue: Triazophos</i>	
Lemon myrtle leaves (dried)	0.05	Coriander, seed	0.1
Meat (mammalian)	*0.01		
Milks	*0.01	Agvet chemical: Tribenuron-methyl	
Mushrooms	1	<i>Permitted residue: Tribenuron-methyl</i>	
Onion, bulb	0.05	Barley	*0.01
Onion, Chinese	T3	Chick-pea (dry)	*0.01
Onion, Welsh	T3	Cotton seed	*0.05
Papaya (pawpaw)	0.2	Edible offal (mammalian)	*0.01
Parsnip	0.2	Maize	*0.05
Peppers, chili, dried	5	Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01	Milks	*0.01
Poultry meat	*0.01	Mung bean (dry)	*0.01
Radish	0.2	Oats	*0.01
Riberry	0.3	Rape seed (canola)	*0.01
Shallot	T3	Sorghum, grain	*0.01
Sorghum, grain	0.5	Soya bean (dry)	*0.01
Spring onion	T3	Sunflower seed	*0.01
Strawberry	0.5	Wheat	*0.01
Sugar cane	*0.05		
Swede	0.2	Agvet chemical: Trichlorfon	
Sweet corns	1	<i>Permitted residue: Trichlorfon</i>	
Tea, green, black	0.2	Achachairu	T3
Turnip, garden	0.2	All other foods except animal food commodities	0.05
		Assorted tropical and sub-tropical fruits – edible peel	T3
Agvet chemical: Triallate		Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	T3
<i>Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate</i>		Babaco	T3
Cereal grains [except sweet corns]	*0.05	Beetroot	0.2
Edible offal (mammalian) [except kidney]	*0.1	Berries and other small fruits	T2
Eggs	*0.01	Brussels sprouts	0.2
Fats (mammalian)	0.2	Cape gooseberry (ground cherry)	T0.5
Kidney of cattle, goats, pigs and sheep	0.2	Cattle, edible offal of	0.1
Legume vegetables	*0.05	Cattle fat	0.1
Meat (mammalian)	*0.1	Cattle meat	0.1
Milks	*0.1	Cauliflower	0.2
Oilseeds (subgroup)	0.1	Celery	0.2
Poultry, edible offal of	0.2	Cereal grains [except sweet corn (corn-on-the-cob)]	0.1
Poultry fats	0.2	Dried fruits	2
Poultry meat	*0.1	Egg plant	T0.5
Pulses	0.1	Eggs	*0.05

Fruit [except as otherwise listed under this chemical]	T0.1		
Goat, edible offal of	0.1		
Goat meat	0.1		
Kumquats	T3		
Leafy vegetables	15		
Loquat	T3		
Macadamia nuts	0.1		
Medlar	T3		
Milks	*0.05		
Miracle fruit	T3		
Oilseeds (subgroup)	0.1		
Pepino	T5		
Peppers	0.2		
Persimmon, Japanese	T3		
Pig, edible offal of	0.1		
Pig fat	0.1		
Pig meat	0.1		
Poultry, edible offal of	*0.05		
Poultry meat	*0.05		
Pulses [except soya bean (dry)]	0.2		
Quince	T3		
Rollinia	T3		
Shaddock (pomelo)	T3		
Soya bean (dry)	0.1		
Stone fruits	T3		
Sugar cane	*0.05		
Sweet corn (corn-on-the-cob)	0.2		
Tamarillo (tree tomato)	T3		
Thai egg plant	T0.5		
Vegetables [except as otherwise listed under this chemical]	0.1		
Agvet chemical: Triclabendazole			
<i>Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents</i>			
Fats (mammalian)	1		
Kidney (mammalian)	1		
Liver (mammalian)	2		
Meat (mammalian)	0.5		
Milks	0.01		
Agvet chemical: Triclopyr			
<i>Permitted residue: Triclopyr</i>			
Cattle, edible offal of	5		
Cattle meat (in the fat)	0.2		
Citrus fruits [except kumquats]	0.2		
Goat, edible offal of	5		
Goat meat (in the fat)	0.2		
Litchi	0.1		
Milks (in the fat)	0.1		
Poppy seed	*0.01		
Sheep, edible offal of	5		
Sheep meat (in the fat)	0.2		
Agvet chemical: Tridemorph			
<i>Permitted residue: Tridemorph</i>			
Tea, green, black	0.05		
Agvet chemical: Trifloxystrobin			
<i>Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents</i>			
All other foods except animal food commodities	0.05		
Almonds	0.05		
Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2		
Banana	0.5		
Barley	0.5		
Beans (except broad bean and soya bean)	0.06		
Beans with pods [except beans (except broad bean and soya bean); common bean (pods and/or immature seeds)]	0.5		
Beetroot	T0.5		
Beetroot leaves	T10		
Broccoli	2		
Bush berries	3		
Cane berries	3		
Carrot	0.1		
Cauliflower	2		
Celery	T5		
Chard (silver beet)	T10		
Chicory leaves	T10		
Common bean (pods and/or immature seeds)	0.4		
Cotton seed	*0.04		
Corn salad	15		
Cucumber	0.5		
Dried grapes	2		
Edible offal (mammalian)	0.09		
Eggs	*0.04		
Endive	T10		
Grapefruit	0.6		
Grapes	3		
Hazelnuts	T0.1		
Hops, dry	11		
Lemon	0.6		
Lettuce, head	15		
Lettuce, leaf	15		
Linseed	0.4		
Maize	0.05		
Mammalian fats (except milk fats)	0.07		
Meat (mammalian) (in the fat)	0.07		
Melons, except watermelon	0.5		
Milks	*0.02		
Mustard seeds	T*0.02		

Oranges	0.6
Peanut	0.05
Peanut oil, crude	0.05
Peas with pods (subgroup)	1.5
Peppers, sweet, chili	0.5
Persimmon, Japanese	1.5
Pistachio nut	0.04
Podded pea (young pods) (snow and sugar snap)	0.06
Pome fruits [except Persimmon, Japanese]	0.7
Popcorn	0.05
Poultry, edible offal of	*0.04
Poultry meat (in the fat)	*0.04
Rape seed (canola)	*0.02
Rice	5
Spinach	T10
Stone fruits	5
Strawberry	2
Sugar beet	0.1
Sweet corn (corn-on-the-cob)	0.04
Tomato	0.7
Walnuts	0.04
Wheat	0.2

Agvet chemical: Trifloxysulfuron sodium

Permitted residue: Trifloxysulfuron

Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	*0.01

Agvet chemical: Trifludimoxazin

Permitted residue: Trifludimoxazin

Barley	*0.01
Broad bean (dry)	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Field pea (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.001
Oats	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Triflumezopyrim

Permitted residue—commodities of plant origin: Triflumezopyrim

Permitted residue—commodities of animal origin: Triflumezopyrim

Rice	0.2
------	-----

Agvet chemical: Triflumizole

Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro- N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole

Cherries	1.5
Grapes	2.5
Hops, dry	50

Agvet chemical: Triflumuron

Permitted residue: Triflumuron

Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian) [except sheep, edible offal of]	*0.05
Eggs	0.01
Mammalian fats (except milk fats)	*0.1
Meat (mammalian) (in the fat) [except sheep meat (in the fat)]	*0.1
Milks	*0.05
Mushrooms	0.1
Palm nuts	*0.05
Peanut	*0.05
Poultry, edible offal of	0.01
Poultry meat (in the fat)	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	2
Soya bean (dry)	0.1

Agvet chemical: Trifluralin

Permitted residue: Trifluralin

Adzuki bean (dry)	*0.05
All other foods except animal food commodities	0.01
Almonds	0.05
Bergamot	T*0.05
Broad bean (dry)	*0.05
Carrot	0.5
Cereal grains [except sweet corns]	*0.05
Chick-pea (dry)	*0.05
Chives	T*0.05
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Cowpea (dry)	*0.05
Dill, seed	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05

Fennel, bulb	T0.5	Poppy seed	20
Fennel, seed	*0.05	Poultry, edible offal of	*0.01
Fruit	*0.05	Poultry meat	*0.01
Galangal, Greater	0.5	Rice	0.5
Herbs	*0.05	Rice bran, unprocessed	3
Hyacinth bean (dry)	*0.05	Rice, polished	0.7
Lemon verbena (fresh weight)	*0.05	Rye	3
Lupin (dry)	*0.05	Sugar cane	0.1
Meat (mammalian)	*0.05	Wheat bran, unprocessed	5
Milks	*0.05		
Mizuna	*0.05	Agvet chemical: Triticonazole	
Mung bean (dry)	*0.05	<i>Permitted residue: Triticonazole</i>	
Oilseeds (subgroup)	*0.05	Cereal grains [except sweet corns]	*0.05
Parsnip	0.5	Edible offal (mammalian)	*0.05
Poultry, edible offal of	*0.05	Eggs	*0.05
Poultry meat	*0.05	Meat (mammalian)	*0.05
Rose and dianthus (edible flowers)	*0.05	Milks	*0.01
Shrimps and Prawns	T0.001	Poultry, edible offal of	*0.05
Sugar cane	*0.05	Poultry meat	*0.05
Sweet corns	0.05		
Tea, green, black	*0.05	Agvet chemical: Tulathromycin	
Turmeric, root (fresh)	0.5	<i>Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents</i>	
Vegetables [except as otherwise listed under this chemical]	0.05	Cattle fat	0.1
		Cattle kidney	1
Agvet chemical: Triforine		Cattle liver	3
<i>Permitted residue: Triforine</i>		Cattle muscle	0.1
Pome fruits [except Persimmon, Japanese]	1	Pig fat/skin	0.3
Stone fruits [except jujube, Chinese]	10	Pig kidney	3
		Pig liver	2
Agvet chemical: Trimethoprim		Pig muscle	0.5
<i>Permitted residue: Trimethoprim</i>		Sheep fat	*0.05
Cattle milk	0.05	Sheep kidney	0.3
Edible offal (mammalian)	0.05	Sheep liver	1
Eggs	*0.01	Sheep muscle	0.15
Meat (mammalian)	0.05		
Poultry, edible offal of	0.05	Agvet chemical: Tylosin	
Poultry meat	0.05	<i>Permitted residue: Tylosin A</i>	
		Cattle, edible offal of	*0.1
Agvet chemical: Trinexapac-ethyl		Cattle meat	*0.1
<i>Permitted residue: Trinexapac acid</i>		Eggs	*0.2
All other foods except animal food commodities	0.02	Milks	*0.05
Barley bran, processed	4	Pig, edible offal of	*0.2
Bran, unprocessed of cereal grains [except rice bran, unprocessed; wheat bran, unprocessed]	0.5	Pig fat	*0.1
Cereal grains [except rice; rye; sweet corns (subgroup)]	0.2	Pig meat	*0.2
Edible offal (mammalian)	0.05	Poultry, edible offal of	*0.2
Eggs	*0.01	Poultry fats	*0.1
Marjoram (oregano)	*0.02	Poultry meat	*0.2
Meat (mammalian)	*0.02		
Milks	*0.005		

Agvet chemical: Uniconazole-p		Agvet chemical: Warfarin	
<i>Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p</i>		<i>Permitted residue: Warfarin</i>	
Avocado	0.5	Pig, edible offal [except liver]	T0.007
Carrot	T*0.01	Pig fat	T0.007
Custard apple	T*0.01	Pig liver	T0.04
Poppy seed	*0.01	Pig meat	T0.007
Walnuts	T*0.01		
Agvet chemical: Valifenalate		Agvet chemical: Zeranol	
<i>Permitted residue: Valifenalate</i>		<i>Permitted residue: Zeranol</i>	
Edible offal (mammalian)	*0.01	Cattle, edible offal of	0.02
Eggplant	0.4	Cattle meat	0.005
Eggs	*0.01		
Table grapes	0.3	Agvet chemical: Zeta-cypermethrin	
Mammalian fats [except milk fats]	*0.01	see <i>Cypermethrin</i>	
Marjoram (oregano)	*0.02		
Meat (mammalian)	*0.01	Agvet chemical: Zetacypermethrin	
Milks	*0.01	see <i>Cypermethrin</i>	
Onion, bulb	0.5		
Poultry, edible offal of	*0.01	Agvet chemical: Zinc phosphide	
Poultry fats	*0.01	See <i>Phosphine</i>	
Poultry meat	*0.01		
Shallot	0.5		
Tomato	0.4		
Agvet chemical: Virginiamycin		Agvet chemical: Zineb	
<i>Permitted residue: Inhibitory substance, identified as virginiamycin</i>		See <i>Dithiocarbamates</i>	
Cattle, edible offal of	0.2		
Cattle fat	0.2	Agvet chemical: Ziram	
Cattle milk	0.1	See <i>Dithiocarbamates</i>	
Cattle meat	*0.1		
Poultry, edible offal of	0.2	Agvet chemical: Zoxamide	
Poultry fats	0.2	<i>Permitted residue: Zoxamide</i>	
Poultry meat	0.1	Grapes	5
Sheep, edible offal of	0.2	Marjoram (oregano)	30
Sheep meat	0.1	Potato	0.06

Amendment History

The Amendment History provides information about each amendment to the Schedule. The information includes commencement or cessation information for relevant amendments.

These amendments are made under section 92 of the *Food Standards Australia New Zealand Act 1991* unless otherwise indicated. Amendments do not have a specific date for cessation unless indicated as such.

About this compilation

This is compilation No. 84 of Schedule 20 as in force on **2 September 2025** (up to Amendment No. APVMA 4 2025). It includes any commenced amendment affecting the compilation to that date.

Prepared by Food Standards Australia New Zealand.

Uncommenced amendments or provisions ceasing to have effect.

To assist stakeholders, the effect of any uncommenced amendments or provisions which will cease to have effect, may be reflected in the Schedule as shaded boxed text with the relevant commencement or cessation date. These amendments will be reflected in a compilation registered on the Federal Register of Legislation including or omitting those amendments and provided in the Amendment History once the date is passed.

The following abbreviations may be used in the table below:

ad = added or inserted

C[x] = Compilation No. x

exp = expired or ceased to have effect

rep = repealed

am = amended

ed = editorial change

(md not Incorp) = misdescribed amendment cannot be given effect.

rs = repealed and substituted

Schedule 20 was published in the Food Standards Gazette No. FSC96 on 10 April 2015 as part of Amendment 154 (F2015L00468 — 1 April 2015) and has since been amended as follows:

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Std heading	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	am	Remove number from Note.
2(b), (c)	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am, ad	Insert new paragraph (c) with consequential formatting amendment to paragraph (b).
Table to S20—3	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	rs	Table.
Table to S20—3	APVMA 1, 2016	F2016L00141 24 Feb 2016 APVMA Special 1 March 2016	1 March 2016	am	Abamectin, Azoxystrobin, Chlorothalonil, Clothianidin, Cyazofamid, Dithiocarbamates, Flumioxazin, Imidacloprid, Methabenzthiazuron, Propachlor, Pymetrozine, Spinetoram, Tebuconazole and Trichlorfon.
Table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	ad	Oxathiapiprolin.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	am	Aminoethoxyvinyl-glycine, Chlorantraniliprole, Difenconazole, Etoxazole, Flumioxazin, Glyphosate, Prochloraz, Propiconazole, Sethoxydim, Spirotetramat and Triclabendazole.
Table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Permitted residue for Abamectin.
Table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Abamectin and Sethoxydim.
Table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	ad	Decoquinate.
Table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	am	Azoxystrobin, Bifenthrin, Cyproconazole, Difenconazole, Ethephon, Etoxazole, Maldison and Spinetoram.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Permitted residue for Clethodim.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	ad	Cycloxydim, Famoxadone, Flupyradifurone, Folpet, Fosetyl-aluminium and Mesotrione.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Acetamiprid, Boscalid, Buprofezin, Carbaryl, Carbendazim, Clopyralid, Clothianidin, Cyantraniliprole, Cyprodinil, Dichlobenil, Difenconazole, Dimethenamid-P, Dodine, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fludioxonil, Fluopyram, Flutriafol, Fluxapyroxad, Fosetyl, Glyphosate, Imazamox, Imazapic, Imazapyr, Imazethapyr, Indoxacarb, Maldison, Metaflumizone, Metalaxyl, Metrafenone, Norflurazon, Penconazole, Pyraclostrobin, Spinetoram, Spinosad, Tebuconazole, Thiamethoxam, Thiophanate-methyl and Triadimefon.
Table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Residue definition for Glyphosate.
Table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Acetamiprid, Acibenzolar-S-methyl, Boscalid, Clothianidin, Flonicamid, Metalaxyl, Metsulfuron-methyl, Pymetrozine and Sulfoxaflor.
Table to S20—3	APVMA 6, 2016	F2016L01088 28 June 2016 APVMA 13 28 June 2016	28 June 2016	am	Bixafen, Difenconazole, Fenvalerate, Imazapic, Imazapyr, Milbemectin and Quinoxifen.
Table to S20—3	APVMA 7, 2016	F2016L01238 26 July 2016 APVMA 15 26 July 2016	26 July 2016	am	Azoxystrobin, Chloridazon, Flamprop-methyl, Fluensulfone, Mandipropamid. Meloxicam.
Table to S20—3	APVMA 8, 2016	F2016L01316 23 Aug 2016 APVMA 17 23 Aug 2016	23 Aug 2016	am	Azoxystrobin, Buprofezin, Cyproconazole, Prothioconazole and Spirotetramat.
Table to S20—3	APVMA 9, 2016	F2016L01579 4 Oct 2016 APVMA 20 4 Oct 2016	4 Oct 2016	am	Bromoxynil, Carbendazim, Clothianidin, Ethephon, Iprodione, Linuron, Methabenzthiazuron and Pirimicarb.
Table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	ad	Amisulbrom and Mandestrobin.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	am	Abamectin, Acibenzolar-S-methyl, Boscalid, Buprofezin, Chlorantraniliprole, Chlorothalonil, Difenconazole, Dithiocarbamates, Etoxazole, Flubendiamide, Iprodione and Saflufenacil.
Table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	ad	Pyriofenone.
Table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	am	Azoxystrobin, Boscalid and Propachlor.
Table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA1 10 Jan 2017	10 Jan 2017	ad	Niclosamide.
Table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA 1 10 Jan 2017	10 Jan 2017	am	Azoxystrobin, Captan, Cyproconazole, Cypermethrin, Dimethomorph, Emamectin, Metribuzin, Prothioconazole and Tebuconazole.
Table to S20—3	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am	Ametoctradin, Azoxystrobin, Bifenthrin, Captan, Cyfluthrin, Deltamethrin, Fenhexamid, Fludioxonil, Glyphosate, Iprodione, Methomyl, Penthioopyrad, 2-Phenylphenol, Pyrimethanil, Spinosad, Thiabendazole, Thiodicarb, Triadimefon and Triadimenol.
Table to S20—3	APVMA 2, 2017	F2017L00096 6 Feb 2017 APVMA 3 7 Feb 2017	7 Feb 2017	am	Azoxystrobin, Clothianidin, Fluopicolide, Propamocarb, Propiconazole, Sulfoxaflor and Tebuconazole.
Table to S20—3	APVMA 3, 2017	F2017L00264 20 March 2017 APVMA 6 21 March 2017	21 March 2017	am	Abamectin, Acetamiprid, Boscalid, Chlorantraniliprole, Cypermethrin, Cyprodinil, Dithianon, Dithiocarbamates, Fludioxonil, Novaluron, Spirotetramat, Sulfoxaflor and Trifloxystrobin.
Table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	ad	Metazachlor.
Table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	am	Boscalid, Flonicamid, Fluopyram, Imazamox, Propiconazole and Pyrimethanil.
Table to S20—3	APVMA 5, 2017	F2017L00522 12 May 2017 APVMA 10 16 May 2017	16 May 2017	am	Flonicamid, Imazamox, Monepantel, Pirimicarb, Propiconazole, Pyriproxyfen and Spirotetramat.
Table to S20—3	170	F2017L00591 23 May 2017 FSC112 25 May 2017	25 May 2017	am	Avilamycin.
Table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 13 June 2017	13 June 2017	ad	Cloquintocet acid.
Table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 8 June 2017	13 June 2017	am	Fluopicolide, Metolachlor, Propamocarb and Propyzamide.
Table to S20—3	APVMA 7, 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	ad	Bicyclopyrone.
Table to S20—3	APVMA 7, 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	am	Iprodione, Metalaxyl and Propyzamide.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 8, 2017	F2017L00995 8 August 2017 APVMA 16 8 August 2017	8 August 2017	am	Bixafen, Buprofezin, Clopyralid, Clothianidin, Flumioxazin, Imazamox and Imazapyr.
Table to S20—3	APVMA 9, 2017	F2017L01129 5 Sept 2017 APVMA 18 5 Sept 2017	5 September 2017	am	Fluazinam, Pyraflufen-ethyl and Spirotetramat
Table to S20—3	APVMA 10, 2017	F2017L01317 3 October 2017 APVMA 20 3 October 2017	3 October 2017	am	Abamectin, Azoxystrobin, Cyproconazole, Fludioxonil, Fluxapyroxad, Penflufen, Sulfoxaflor, Trifloxystrobin,
Table to S20—3	APVMA 11, 2017	F2017L01404 31 Oct 2017 APVMA 22 31 Oct 2017	31 October 2017	am	Cloquintocet-mexyl, Diquat, Fludioxonil, Tebuconazole
Table to S20—3	APVMA 12, 2017	F2017L01522 28 Nov 2017 APVMA 24 28 November 2017	28 Nov 2017	ad	Clothianidin, Cyclaniliprole, Chlorantraniliprole, Clomazone, Cyanamide, Cyantraniliprole, Cyprodinil, Dimethomorph, Fludioxonil, Haloxypop Mandipropamid, Methomyl, Methoxyfenozide, Napropamide, Phosphorous acid
Table to S20—3	175	F2017L01594 7 December 2017 FSC116 7 December 2017	7 December 2017	ad	Acequinocyl, Acephate, Acetamiprid, Aminocyclopyrachlor, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Brodifacoum, Buprofezin, Carbaryl, Carbendazim, Chlorantraniliprole, Chlorfenvinphos, Clopyralid, Chlorpyrifos-methyl, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, Deltamethrin, Dichlorvos, Dicloran, Difenconazole, Disulfoton, Endothal, Ethoprophos, Etofenprox, Fenamiphos, Fenarimol, Fenpropathrin, Fenpropimorph, Fenthion, Fenpyroximate, Fenvaterate, Flonicamid, Flubendiamide, Fludioxonil, Flumioxazin, Fluopyram, Flusilazole, Flutriafol, Fosetyl-aluminium, Glyphosate, Hexythiazox, Imazamox, Inorganic bromide, Iprodione, Imidacloprid, Metalaxyl, Methamidophos, Myclobutanil, Maldison, Mesotrione, Metaflumizone, Metalaxyl, Metconazole, Methomyl, Myclobutanil, Naled, Nicarbazin, Norflurazon, Novaluron, Oxathiapiprolin, Paraquat, Phenothrin, 2-Phenylphenol, Phosphine, Propyzamide, Prothioconazole, Pyraflufen-ethyl, Pyridaben, Pyrimethanil, Phosphine, Quintozene, Rimsulfuron, Saflufenacil, Sedaxane, Sethoxydim, Spinetoram, Spirotetramat, Tebuconazole, Tetradifon, Thiacloprid, Thiamethoxam, Thifensulfuron, Thifensulfuron-methyl, Triadimenol, Trifloxystrobin, Virginiamycin
Table to S20—3	APVMA 1, 2018	F2018L00038 9 Jan 2018 APVMA 1, 16 January 2018	16 Jan 2018	am	Azoxystrobin, Butafenacil, Chlorantraniliprole, Dicamba, Etoazole, Fludioxonil, Paraquat, Penflufen, Pyraclostrobin, Saflufenacil, Sulfoxaflor, Tebuconazole, Trifloxystrobin
Table to S20—3	APVMA 2, 2018	F2018L00240 7 March 2018 APVMA 2, 13 March 2018	13 March 2018	ad	Florpyrauxifen-benzyl,
Table to S20—3	APVMA 2, 2018	F2018L00240 7 March 2018 APVMA 2, 13 March 2018	13 March 2018	am	Flutriafol, Pirimicarb, Sedaxane

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 3, 2018	F2018L00512 18 April 2018 APVMA 8, 24 April 2018	24 April 2018	ad	Afidopyropen, Isopyrazam, Pydiflumetofen
Table to S20—3	APVMA 3, 2018	F2018L00512 18 April 2018 APVMA 8, 24 April 2018	24 April 2018	am	Abamectin, Azoxystrobin, Bifenthrin, Buprofezin, Cyantraniliprole, Cyazofamid, Cyhalothrin, Dithiocarbamates, Endothal, Florpyrauxifen-benzyl, Fludioxonil, Fluopicolide, Fluroxypyr, Imazalil, Metribuzin, Myclobutanil, Oxathiapiprolin, Propamocarb, Prosulfocarb
Table to S20—3	APVMA 4, 2018	F2018L00990 28 June 2018 APVMA 13, 3 July 2018	3 July 2018	ad	Acetamiprid, Emamectin, Metalaxyl, Novaluron, Pendimethalin, Penflufen, Prochloraz
Table to S20—3	APVMA 4, 2018	F2018L00990 28 June 2018 APVMA 13, 3 July 2018	3 July 2018	am	Pendimethalin, Prochloraz,
Table to S20—3	APVMA 5, 2018	F2018L01103 9 August APVMA 16 14 August 2018	14 August 2018	ad	Amicarbazone
Table to S20—3	APVMA 5, 2018	F2018L01103 9 August APVMA 16 14 August 2018	14 August 2018	am	Abamectin, Bixafen, Clothianidin, Cypermethrin, Cyromazine, Endothal, Halosulfuron-methyl, Sulfoxaflor
Table to S20—3	180	F2018L01151 22 August 2018 FSC121 23 August 2018	23 August 2018	ad	Acetochlor, Isofetamid, Teflubenzuron
Table to S20—3	180	F2018L01151 22 August 2018 FSC121 23 August 2018	23 August 2018	am	2,4-DB, Acetamiprid, Aldicarb, Ametoctradin, Amitraz, Amitrole, Azoxystrobin, Benzovindiflupyr, Bitertanol, Buprofezin, Carbendazim, Carbofuran, Chlorpyrifos, Clofentezine, Chlorfluazuron, Clothianidin, Cyhalothrin, Cyprodinil, Dicamba, Difenconazole, Diflubenzuron, Diflufenican, Dithiocarbamates, Dimethenamid-P, Dithiocarbamates, Dodine, Emamectin, Etoxazole, Endothal, Fenarimol, Fenbuconazole, Fenbuconazole oxide, Fenitrothion, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fipronil, Florfenicol, Fluazinam, Flumioxazin, Fluopyram, Fluxapyroxad, Fosetyl-aluminium, Imazamox, Ipconazole, Iprodione, Ivermectin, Levamisole, Maldison, MCPA, Mesotrione, Metalaxyl, Metconazole, Methidathion, Methomyl, Metrafenone, Mevinphos, Naled, Oxadixyl, Oxathiapiprolin, Pebulate, Penconazole, Permethrin, Phorate, Phosmet, Phosphorous acid, Piperonyl butoxide, Pyriofenone, Profenofos, Propachlor, Propamocarb, Prothioconazole, Prothiofos, Prothiofos, Pyraflufen-ethyl, Pyriproxyfen, Pyroxasulfone, Quinoxifen, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Tetraconazole, Thiodicarb, Thiophanate-methyl, Trichlorfon, Tridemorph, Trifloxystrobin, Trifluralin, Tylosin
Table to S20—3	APVMA 6, 2018	F2018L01205 22 August 2018 APVMZ 17 28 August 2018	28 August 2018	am	Aminoethoxyvinylglycine, Pendimethalin, Pyridate

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 7, 2018	F2018L01346 20 September 2018 APVMA 19 25 September 2018	25 September 2018	ad	Metamitron
Table to S20—3	APVMA 7, 2018	F2018L01346 20 September 2018 APVMA 19 25 September 2018	25 September 2018	am	Acetamiprid, Emamectin, Etoxazole, Flumioxazin, Propiconazole (md not incorp), Sedaxane (md not incorp)
Table to S20—3	APVMA 8, 2018	F2018L01446 16 October 2018 APVMA 22 6 November 2018	6 November 2018	ad	Cypermethrin, Flamprop-methyl, Maldison, Methomyl (md not incorp), Pymetrozine, Quintozene
Table to S20—3	APVMA 8, 2018	F2018L01446 16 October 2018 APVMA 22 6 November 2018	6 November 2018	am	Chlorantraniliprole, Maldison, Propiconazole, Sedaxane
Table to S20—3	APVMA 9, 2018	F2018L01641 28 Nov 2018 APVMA 24 4 Dec 2018	4 Dec 2018	am	Fluopicolide, Fluvalinate, Methomyl, Propamocarb, Terbutylazine,
Table to S20—3	APVMA 1, 2019	F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019	29 January 2019	ad	Abamectin, 2,4-D, Fipronil, Fluensulfone, Fluvalinate, Hexythiazox, Indoxacarb, Linuron, Paclobutrazol, Pyraclostrobin, Spiroxamine, Sulfoxaflor, Tebuconazole
Table to S20—3	APVMA 1, 2019	F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019	29 January 2019	am	Linuron, Fluensulfone, Paclobutrazol, Spiroxamine
Table to S20—3	APVMA 2, 2019	F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019	26 February 2019	ad	Amisulbrom, Azoxystrobin, Bixafen, Cyprodinil, Diafenthiuron, Dinotefuran, Ethephon, Fludioxonil, Indoxacarb, Phosphine, Phosphorous acid, Praziquantel, Spinetoram, Tebuconazole
Table to S20—3	APVMA 2, 2019	F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019	26 February 2019	am	Azoxystrobin, Bifenthrin, Bixafen, Clothianidin, Fluensulfone, Fluopyram, Imidacloprid, Phosphorous acid, Sulfoxaflor, Tebuconazole
Table to S20—3	APVMA 3, 2019	F2019L00670 1 May 2019 APVMA 9 7 May 2019	7 May 2019	ad	Azoxystrobin, Cyproconazole, Fenoxycarb, Fenvalerate, Fipronil, Florpyrauxifen-benzyl, Thiabendazole,
Table to S20—3	APVMA 3, 2019	F2019L00670 1 May 2019 APVMA 9 7 May 2019	7 May 2019	am	Azoxystrobin, Bifenthrin, Fenoxycarb, Phosphorous acid
Table to S20—3	APVMA 4, 2019	F2019L00974 8 July 2019 APVMA 14 16 July 2019	16 July 2019	ad	Bromoxynil, Chlorantraniliprole, Diflubenzuron, Fluopyram, Glyphosate (md not Incorp) Haloxifyop, Indoxacarb, Mandestrobin (md not Incorp) Praziquantel, Pyrethrins, Sethoxydim, Trichlorfon
Table to S20—3	APVMA 4, 2019	F2019L00974 8 July 2019 APVMA 14 16 July 2019	16 July 2019	am	Glyphosate (md not Incorp), Praziquantel, Fluopyram

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	186	F2019L00994 17 July 2019 FSC127 25 July 2019	25 July 2019	am	Aldoxycarb, Azaconazole, Boscalid, Carbaryl, Chinomethionat, Chlorpropham, Chlorantraniliprole, Clodinafop acid, Clodinafop-propargyl, Clofentezine, Clothianidin, Cyhalothrin, Cypermethrin, Deltamethrin, Diafenthuron, Diuron,, Dimethipin, Dimethirimol, Fenvalerate, Flamprom-methyl, Flucythrinate, Flusilazole, Fluxapyroxad, Metaflumizone, Olaquinox, Oxydemeton-methyl, Oxythioquinox, Permethrin, Phosmet, Pyrimethanil, Sethoxydim, Sulfoxaflor, Sulprofos, Tebufenozide, Tetrachlorvinphos, Tetradifon, Thiamethoxam, Thiometon, Tolyfluanid, Trichloroethylene, Triflumizole,
Table to S20—3	186	F2019L00994 17 July 2019 FSC127 25 July 2019	25 July 2019	ad	2,4D, Abamectin, Acetamiprid, Benzovindiflupyr, Boscalid, Bupirimate, Fenazaquin, Carbaryl, Chlorpyrifos-methyl, Clofentezine, Clothianidin, Cyflufenamid, Cyhalothrin, Cyprodinil, Cypermethrin, Difenconazole, Diflubenzuron, Diflufenican, Diuron, Eamectin, Famoxadone, Fenbuconazole, Fenpyrazamine, Fluazifop-p-butyl, Fluazinam, Fluopyram, Flupyradifurone, Fluxapyroxad, Folpet, Halosulfuron-methyl, Mandestrobin, Mesotrione, Metaflumizone, Metalaxyl, Methamidophos, Methidathion, Penthiopyrad, Phenmedipham, Phosmet, Phosphine, Pirimicarb, Prochloraz, Profenofos, Propaquizafop, Pyraclostrobin, Quinoxifen, Quizalofop-ethyl, Quizalofop-p-tefuryl, Rimsulfuron, Saflufenacil, Sethoxydim, Sulfoxaflor, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbacil, Thiophanate-methyl, Trifluralin
Table to S20—3	APVMA 5, 2019	F2019I01059 7 August 2019 APVMA 16 13 August 2019	13 August 2019	ad	Acetamiprid, Aminopyralid, Bromoxynil, Cyprodinil, Fludioxonil, Fluralaner, Fluxapyroxad, Glyphosate, Halauxifen-methyl, Haloxifyop, Imazapyr, Mandestrobin, Mefentrifluconazole, Metolachlor, Penthiopyrad, Phosphorous acid, Pirimicarb, Pyriproxyfen (md not Incorp, Topramezone
Table to S20—3	APVMA 5, 2019	F2019I01059 7 August 2019 APVMA 16 13 August 2019	13 August 2019	am	Clofentezine, Cyfluthrin, Cyprodinil, Fludioxonil, Glyphosate, Haloxifyop, Phosphorous acid, Pyraclostrobin
Table to S20—3	APVMA 6, 2019	F2019L01150 4 Sep 2019 APVMA 18 10 Sep 2019	10 September 2019	am	Chlorantraniliprole, Clothianidin, Thiamethoxam
Table to S20—3	APVMA 7, 2019	F2019L01515 28 November 2019 APVMA 24 3 December 2019	3 December 2019	ad	Afidopyropen, Aminopyralid, Azoxystrobin, Benzovindiflupyr, Cypermethrin, Flumioxazin, Halauxifen-methyl, Imazapyr, Metalaxyl, Napropamide, Pyraclostrobin, Pyrethrins, Pyriproxyfen, Quizalofop-ethyl, Sethoxydim, Sulfoxaflor, Terbutylazine,
Table to S20—3	APVMA 7, 2019	F2019L01515 28 Nov 2019 APVMA 24 3 Dec 2019	3 December 2019	am	Abamectin , Azoxystrobin, Cyflufenamid, Difenconazole, Fludioxonil , Imidacloprid , Pyraclostrobin,
Table to S20—3	APVMA 1, 2020	F2020L00022 9 Jan 2020 APVMA 1 14 Jan 2020	14 January 2020	ad	Afidopyropen, Bixafen, Cinmethylin, Dithiocarbamates, Etofenprox, Etoxazole, Indoxacarb, Iprodione, Prothioconazole

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 1, 2020	F2020L00022 9 Jan 2020 APVMA 1 14 Jan 2020	14 January 2020	am	Amoxycillin, Bixafen, Dithiocarbamates, Enamectin, Imidacloprid, Indoxacarb
Table to S20—3	191	F2020L00152 20 Feb 2020 FSC 131 26 Feb 2020	26 February 2020	am	Imazapyr
Table to S20—3	APVMA 2, 2020	F2020L00219 2 March 2020 APVMA 5 10 March 2020	10 March 2020	ad	2,4-D, Bifenthrin, Glufosinate and Glufosinate ammonium, Glyphosate, Mesotrione, Methiocarb
Table to S20—3	APVMA 3, 2020	F2020L00380 31 March 2020 APVMA 7 7 April 2020	7 April 2020	ad	Bixlozone, Carbetamide, , Diafenthiuron, Difenconazole, Etoxazole, Flubendazole, Fluopyram, Fluralaner, Halosulfuron-methyl, Imazamox, Napropamide, Prosulfocarb, Tebuconazole, Trifloxystrobin
Table to S20—3	APVMA 3, 2020	F2020L00380 31 March 2020 APVMA 7 7 April 2020	7 April 2020	am	Bifenthrin, Glufosinate and Glufosinate-ammonium, Lasalocid, Oxamyl, Trinexapac-ethyl
Table to S20—3	APVMA 4, 2020	F2020L00619 27 May 2020 APVMA 11 2 June 2020	2 June 2020	ad	Bupirimate, Cyanamide, Cyazofamid, Diafenthiuron, Fludioxonil, Fluopicolide, Indoxacarb, Metolachlor, Paracetamol Propamocarb
Table to S20—3	APVMA 4 2020	F2020L00619 27 May 2020 APVMA 11 2 June 2020	2 June 2020	am	Cyanamide, Fluopicolide, Linuron, Metolachlor, Propamocarb
Table to S20—3	APVMA 5, 2020	F2020L00903 10 July 2020 APVMA 14 14 July 2020	14 July 2020	ad	Chlorantraniliprole, Tetraniliprole, Trifludimoxazin, Methomyl, Spinetoram
Table to S20—3	APVMA 5, 2020	F2020L00903 10 July 2020 APVMA 14 14 July 2020	14 July 2020	am	Chlorantraniliprole, Fluopyram, Trifloxystrobin
Table to S20—3	193	F2020L00939 23 July 2020 FSC 134 28 July 2020	28 July 2020	ad	Acephate, Benzovindiflupyr, Boscalid, Carbendazim, Clofentezine, Cypermethrin, Deltamethrin, Dimethomorph, Dithiocarbamates, Endosulfan, Fenazaquin, Flazasulfuron, Fluzafop-p-butyl, Fluopicolide, Fluopyram, Folpet, Halosulfuron-methyl, Imidacloprid, Metalaxyl, Oxathiapiprolin, Pendimethalin Phosmet, Phosphorous acid, Propiconazole, Sethoxydim, Tetraconazole, Triadimenol
Table to S20—3	193	F2020L00939 23 July 2020 FSC 134 28 July 2020	28 July 2020	am	Abamectin, Acequinocyl, Boscalid, Buprofezin, Chlorothalonil, Clofentezine, Clothianidin, Cypermethrin, Cyproconazole, Difenconazole, Dithiocarbamates, Enamectin, Etridiazole, Fentin, Fenazaquin, Fenhexamid, Fenoxycarb, Flonicamid, Fluzafop-p-butyl, Fluopyram, Hexythiazox, Imidacloprid, Indoxacarb, Metalaxyl, Iprodione, Metalaxyl, Methoxyfenozide, Myclobutanil, Pendimethalin, Phosphorous acid, Propiconazole, Quinoxifen, Tebuconazole, Tebuthiuron, Tetraconazole, Thiamethoxam, Trifloxystrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 6, 2020	F2020L00989 5 August 2020 APVMA 16 11 August 2020	11 August 2020	ad	Azoxystrobin, Chlorantraniliprole, Cyproconazole, Emamectin, Etoxazole Flonicamid, Fludioxonil, Glufosinate and Glufosinate-ammonium, Glyphosate, Indoxacarb (md not Incorp), Linuron, Napropamide, Novaluron, Permethrin, Prothioconazole, Pyridate.
Table to S20—3	APVMA 6, 2020	F2020L00989 5 August 2020 APVMA 16 11 August 2020	11 August 2020	am	Acronifen, Metcamifen
Table to S20—3	AMPVA 7, 2020	F2020L01316 16 Oct 2020 AMPVA 17 20 Oct 2020	20 October 2020	ad	Ametoctradin, Buprofezin, Cyazofamid, Glyphosate, Propyzamide, Proquinazid, Spinosad, Uniconazole-p
Table to S20—3	APVMA 7, 2020	F2020L01316 16 Oct 2020 AMPVA 17 20 Oct 2020	20 October 2020	am	Amisulbrom, Azoxystrobin, Buprofezin, Chlorantraniliprole, Cyazofamid, Glyphosate, Indoxacarb, Methomyl, Spinosad
Table to S20—3	APVMA 8, 2020	F2020L01424 12 Nov 2020 APVMA 23 17 Nov 2020	17 November 2020	ad	Bifenazate, Bifenthrin, Isofetamid, Metalaxyl
Table to S20—3	APVMA 8, 2020	F2020L01424 12 Nov 2020 APVMA 23 17 Nov 2020	17 November 2020	am	Abamectin, Bifenthrin, Bupirimate, Carfentrazone-ethyl, Clofentezine, Cyprodinil, Fludioxonil, Isofetamid Metsulfuron-methyl, Phosphorous acid Tolclofos-methyl, Triadimenol
Table to S20—3	APVMA 9, 2020	F2020L01503 27 Nov 2020 APVMA 24 1 Dec 2020	1 December 2020	ad	Imidacloprid, Pyraflufen-ethyl, Saflufenacil
Table to S20—3	APVMA 9, 2020	F2020L01503 27 Nov 2020 APVMA 24 1 Dec 2020	1 December 2020	am	Metribuzin, Pyraflufen-ethyl (md not incorp), Saflufenacil, Clothianidin, Fluralaner, Metribuzin
Table to S20—3	APVMA 1, 2021	F2021L00067 22 Jan 2021 APVMA 2 27 Jan 2021	27 January 2021	ad	2,4-D, Acetamiprid, Carbaryl, Uniconazole-p
Table to S20—3	APVMA 1, 2021	F2021L00067 22 Jan 2021 APVMA 2 27 Jan 2021	27 January 2021	am	2,4-D, Pyraclostrobin
Table to S20—3	APVMA 2, 2021	F2021L00125 18 Feb 2021 APVMA 4 23 Feb 2021	23 February 2021	ad	Acequinocyl, Acetamiprid, Cyproconazole, Fludioxonil, Pyriproxyfen, Acequinocyl, Acetamiprid, Afidopyropen Azoxystrobin, Cyproconazole Fludioxonil, Flumioxazin Forchlorfenuron, Propachlor Pydiflumetofen, Pyriproxyfen Ractopamine, Tiafenacil Tetraniliprole
Table to S20—3	APVMA 2, 2021	F2021L00125 18 Feb 2021 APVMA 4 23 Feb 2021	23 February 2021	am	Afidopyropen, Azoxystrobin, Captan, Cyproconazole, Fludioxonil, Pydiflumetofen
Table to S20—3	APVMA 3, 2021	F2021L00491 27 April 2021 APVMA 9 4 May 2021	4 May 2021	ad	Fomesafen, Azoxystrobin, Bromoxynil, Diflufenican, Fluopyram, Trifloxystrobin
Table to S20—3	APVMA 3, 2021	F2021L00491 27 April 2021 APVMA 9 4 May 2021	4 May 2021	am	Fluopyram, Pyraflufen-ethyl, Spinetoram, Metalaxyl, Methomyl
Table to S20—3	200	F2021L00684 2 June 2021 FSC141 3 June 2021	3 June 2021	am	Aminocyclopyrachlor, <i>Clodinafop-propargyl</i> , <i>Clodinafop acid</i> , Difenconazole, Flumioxazin, Kresoxim-methyl, Phosphine, Pirimicarb

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 4, 2021	F2021L00976 9 July 2021 APVMA 13 13 July 2021	13 July 2021	am	Afidopyropen, Ametoctradin, Chlorantraniliprole, Cyantraniliprole, Cypermethrin, Cyprodinil, Dimethoate (md not incorp), Dimethomorph, Fipronil, Fludioxonil, Flumioxazin, Fluopyram, Propiconazole, Sulfoxaflor, Haloxypop, Metalaxyl, Metrafenone, Omethoate (md not incorp), Propiconazole.
Table to S20—3	202	F2021L01174 23 August 2021 FSC143 26 August 2021	26 August 2021	am	Ethiprole, Fenpicoxamid, Flusilazole, Picoxystrobin, Tioxazafen, Triflumezopyrim, Zinc phosphide, Zineb, Ziram, Zoxamide, Abamectin, Acetamiprid Acibenzolar-S-methyl, Ametoctradin, Azoxystrobin, Bentazone, Carbendazim, Carfentrazone-ethyl, Chlorantraniliprole, Chlorpyrifos, Cyclaniliprole, Cypermethrin, Fluazifop-p-butyl, Fludioxonil, Flutriafol, Imazalil, Imidacloprid, Kresoxim-methyl, Mefentrifluconazole, Metalaxyl, Oxathiapiprolin, Paraquat, Permethrin, Phosphine, Pyraclostrobin, Pyriofenone, Pyriproxyfen, Sethoxydim, Sulfoxaflor, Tebuconazole, 2,4-D, Acephate, Acifluorfen, Afidopyropen, Benzovindiflupyr, Bifenthrin, Boscalid, Carboxin, Chlorfenapyr, Chlorpyrifos-methyl, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cyhalothrin, Deltamethrin, Difenconazole, Dithianon, Diuron, Fenbuconazole, Fenoxaprop-ethyl, Fenpyroximate, Flubendiamide, Fluopyram, Fluoxastrobin, Flupyradifurone, Flutolanil, Fluxapyroxad, Folpet, Glyphosate, Halosulfuron-methyl, Hexythiazox, Isofetamid, Lufenuron, Maldison, Mandipropamid, MCPA, MCPB, Metconazole, Methamidophos, Milbemectin, Myclobutanil, Norflurazon, Oxamyl, Pendimethalin, Phorate, Pirimiphos-methyl, Profenofos, Prohexadione-calcium, Propamocarb, Propiconazole, Pyraflufen-ethyl, Pyrethrins, Pyroxasulfone, Sethoxydim, Simazine, Spinosad, Sulfuryl fluoride, Tebufenozide, Thiacloprid, Thiamethoxam, Thiophanate-methyl, Iprodione, Methomyl, Metolachlor,
Table to S20—3	APVMA 5, 2021	F2021L01235 3 Sept 2021 APVMA 18 7 Sept 2021	7 September 2021	am	Fonicamid, Fluxapyroxad, Isopyrazam, Isoxaflutole, Mefentrifluconazole (md not incorp), Mesotrione Pyriproxyfen, Saflufenacil, Cyantraniliprole, Dimethoate, Methomyl, Metribuzin, Omethoate, Azoxystrobin, Bromoxynil, Carbendazim, Dimethoate, Imazapyr, Spiroamine
Table to S20—3	APVMA 6, 2021	F2021L01426 13 Oct 2021 APVMA 21 19 Oct 2021	19 October 2021	am	Fluazaindolizine, Benzyladenine, Metamitron, Pydiflumetofen, Pyroxasulfone.
Table to S20—3	APVMA 1, 2022	F2022L00142 17 Feb 2022 APVMA 4 22 Feb 2022	22 Feb 2022	am	Abamectin, Aclonifen, Afidopyropen, Bifenazate, Bixlozone, Chlorantraniliprole, Cyantraniliprole, Cyflumetofen, Cyprodinil, Dicamba, Dithiocarbamates, Etoxazole, Florypicoxamid, Fludioxonil, Fluopyram, Flupyradifurone, Glyphosate, Imazapic, Imazapyr, Imidacloprid, Mefentrifluconazole, Moxidectin, Pendimethalin, Propiconazole,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Proquinazid, Spirotetramat, Trifloxystrobin,
Table to S20—3	APVMA 2, 2022	F2022L00696 12 May 2022 APVMA 10 17 May 2022	17 May 2022	am	Acequinocyl , Acetamiprid, Difenconazole, Mesotrione, Methoxyfenozide, Pydiflumetofen, Pyriproxyfen, Sulfoxaflor, Tulathromycin
Table to S20—3	APVMA 3, 2022	F2022L00970 12 July 2022 APVMA 14 12 July 2022	12 July 2022	ad	Fluoxapiprolin, Isotianil, Metobromuron
Table to S20—3	APVMA 3, 2022	F2022L00970 12 July 2022 APVMA 14 12 July 2022	12 July 2022	am	Florpyrauxifen-benzyl, Fluroxypyr Glyphosate (safflower seed md not incorp), Haloxypop Imidacloprid, Isofetamid, Maldison, Mandestrobin, Permethrin, Sethoxydim
Table to S20—3	APVMA 4, 2022	F2022L01102 22 Aug 2022 APVMA 17 23 Aug 2022	23 August 2022	am	Bifenthrin, Diflufenican, Fluopyram, Fluroxypyr, Indoxacarb, Prothioconazole, Tebuconazole, Tetraniliprole Thiabendazole, Trifludimoxazin
Table to S20—3	211	F2022L01118 26 Aug 2022 FSC151 1 Sept 2022	1 September 2022	am	Abamectin, Acephate, Acequinocyl, Acetamiprid, Afidopyropen, Ametoctradin, Ametryn, Aminoethoxyvinylglycine, Aminopyralid, Amisulbrom, Amitrole, Atrazine, Azamethiphos, Azoxystrobin, Benzovindiflupyr, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromacil, Bromoxynil, Buprofezin, Butafenacil, Butoxydim, Cadusafos, Captan, Carbaryl, Carbendazim, Carbon disulphide, Carbonyl sulphide, Carboxin, Carfentrazone-ethyl, Chlorantraniliprole, Chlorfenapyr, Chloropicrin, Chlorothalonil, Chlorpyrifos, Chlorpyrifos-methyl, Chlorsulfuron, Chlorthal-dimethyl, Clofentezine, Clopyralid, Cloquintocet-mexyl, Clothianidin, Cyanazine, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, 2,4-D, 2,4-DB, Deltamethrin, Diafenthiuron, Diazinon, Dicamba, Dichlobenil, Dichlorprop-P, Dichlorvos, Diclofop-methyl, Dicofol, Didecylidimethylammonium chloride, Difenconazole, Diflubenzuron, Dimethoate, Dimethomorph, Diquat, Dithiocarbamates, Diuron, Dodine, 2,2-DPA, Eamectin, Epoxiconazole, EPTC, Ethion, Ethofumesate, Ethoprophos, Ethylene dichloride (EDC), Etofenprox, Etoxazole, Fenazaquin, Fenbutatin oxide, Fenhexamid, Fenitrothion, Fenoxycarb, Fenpropathrin, Fenpyroximate, Fenvalerate, Fipronil, Flonicamid, Florasulam, Florpyrauxifen-benzyl, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Flubendiamide, Fludioxonil, Fluensulfone, Flumioxazin, Fluometuron, Flupicolide, Fluopyram, Flupyradifurone, Fluquinconazole, Fluroxypyr (md), Flutriafol, Fluvalinate, Fluxapyroxad, Fosetyl, Fosetyl-aluminium, Glufosinate and Glufosinate-ammonium, Glyphosate, Guazatine, Halauxifen-methyl, Halosulfuron-methyl, Haloxypop, Hexythiazox, Imazalil, Imazamox, Imazapyr, Imidacloprid, Indoxacarb,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					<p>Inorganic bromide, Ipconazole, Iprodione, Isofetamid, Isoxaflutole, Lufenuron, Maldison, Mandestrobin, Mandipropamid, MCPA, MCPB, Mefenpyr-diethyl, Mefentrifluconazole, Metaflumizone, Metalaxyl, Metaldehyde, Metamitron, Metazachlor, Metcamifen, Methamidophos, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Methyl bromide, Metolachlor, Metosulam, Metrafenone, Metribuzin, Metsulfuron-methyl, Mevinphos, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Omethoate, Oryzalin, Oxadixyl, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penflufen, Penthiopyrad, Permethrin, Phenmedipham, 2-Phenylphenol, Phorate, Phosmet, Phosphine, Phosphorous acid, Picloram, Picolinafen, Piperonyl butoxide, Pirimicarb, Pirimiphos-methyl, Procymidone, Profenofos, Propachlor, Propamocarb, Propaquizafop, Propargite, Propazine, Propiconazole, , Prothioconazole, Prothiofos, Pydiflumetofen, Pymetrozine, Pyraclostrobin, Pyraflufen-ethylvv, Pyrasulfotole, Pyrethrins, Pyridaben, Pyrimethanil, Pyriofenone, Pyriproxyfen, Pyroxasulfone, Quinoxifen, , Saflufenacil, Sedaxane, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirodiclofen, Spirotetramat, Sulfoxaflor, Sulfuryl fluoride, Tebuconazole, Tebufenozide, Tebufenpyrad, Teflubenzuron, Terbufos, Terbutylazine, Terbutryn, Tetraniliprole, Thiabendazole, Thiacloprid, Thiamethoxam, Thiodicarb, Tiafenacil, Tralkoxydim, Triadimefon, Triadimenol, Triallate, Triasulfuron, Tribenuron-methyl, Trichlorfon, Triclopyr, Trifloxystrobin, Triflumuron, Trifluralin, Triforine, Trinexapac-ethyl, Triticonazole</p>
Table to S20—3	212	F2022L01172 6 Sept 2022 FSC152 8 Sept 2022	7 September 2022	am	<p>1,4-Dimethyl naphthalene, Abamectin, Acephate, Acequinocyl, Acetamiprid, Acetochlor, Acifluorfen, Afidopyropen, Ametryn, Amitrole, Azinphos-methyl, Azoxystrobin, Bentazone, Benzovindiflupyr, Bifenazate, Boscalid, Bupirimate, Buprofezin, Carbaryl, Carbendazim, Carbofuran, Chlorantraniliprole, Chlorothalonil, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyfluthrin (beta-cyfluthrin), Cyhalothrin, Cyhexatin, Cypermethrin, Cyprodinil, Cyromazine, Dichlobenil, Dichlorvos, Difenconazole, Diflubenzuron, Dimethoate, Dimethomorph, Dinocap, Dinotefuran, Diphenylamine, Diquat, Diuron, Eamectin (Eamectin benzoate), EPTC, Ethiprole, Ethofumesate, Ethoprophos, Ethylene, Etofenprox, Fenamidone, Fenarimol, Fenazaquin, Fenbuconazole, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fenvaterate (esfenvaterate), Fipronil, Flonicamid, Fluazifop-p-butyl, Fludioxonil, Fluensulfone, Fluopicolide, Fluopyram,</p>

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Flupyradifurone, Flutianil, Flutolanil, Flutriafol, Fluxapyroxad, Forchlorfenuron, Fosetyl-aluminium, Glufosinate (see Glufosinate-ammonium), Glufosinate-ammonium, Glyphosate, Hexazinone, Imazapic, Imazapyr, Imazethapyr, Imidacloprid, Inpyrfluxam, Iprodione, Isofetamid, Isoxaflutole, Kasugamycin, Kresoxim-Methyl, Mancozeb (Dithiocarbamates), Mandestrobin, Mandipropamid, Maneb (Dithiocarbamates), Mefentrifluconazole, Mepanipyrim, Metaflumizone, Metalaxyl (Metalaxyl-M), Metconazole, Methamidophos, Methidathion, Methomyl, Methoprene, Methoxyfenozide, Metribuzin, Novaluron, Omethoate, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paraquat, Pendimethalin, Penthiopyrad, Phorate, Picoxystrobin, Piperonyl Butoxide, Pirimicarb, Prochloraz, Procymidone, Profenofos, Propamocarb, Propiconazole, Propoxur, Prothiofos, Pydiflumetofen, Pyraclostrobin, Pyrethrins, Pyrimethanil, Pyriofenone, Pyriproxyfen, Quinclorac, Quinoxifen, Quintozene, Quizalofop-ethyl, Rimsulfuron, Saflufenacil, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Tepraloxydim, Terbacil, Thiabendazole, Thiacloprid, Thiamethoxam, Thifensulfuron-methyl, Tolclofos-Methyl, Tolfenpyrad, Triadimefon, Triadimenol, Triazophos, Trifloxystrobin, Valifenalate
Table to S20—3	APVMA 5, 2022	F2022L01442 10 November 2022 APVMA 23 15 November 2022	15 November 2022	am	Aminocyclopyrachlor, Amitraz, Bupirimate, Buprofezin, Captan, Emamectin, Flupopyram, Flupyradifurone, Fluxapyroxad, Glyphosate, Imazapic, Imazapyr, Myclobutanil, Tebuconazole, Tetraniliprole, Pyraclostrobin, Quizalofop-ethyl
Table to S20—3	APVMA 1, 2023	F2023L00107 15 February 2023 APVMA 4 21 February 2023	21 February 2023	am	Afidopyropen, Aminopyralid, Atrazine, Azoxystrobin Bifenthrin, Bixlozone, Butafenacil, Clomazone, Clopyralid, Clothianidin, Cyhalothrin, Cypermethrin, Diafenthiuron, Dimpropridaz, Emamectin, Flonicamid, Fluquinconazole, Florylpicoxamid, Fludioxonil, Flutriafol, Glufosinate and Glufosinate-ammonium, Glyphosate, Halauxifen-methyl, Haloxifyop, Imazamox, Imazapic, Imazapyr, Imidacloprid, Iprodione, Isocycloseram, Maldison, Methomyl, Metribuzin, Metolachlor, Napropamide, Oryzalin, Penflufen, Permethrin, Pirimicarb, Procymidone, Prothioconazole, Propyzamide, Pydiflumetofen, Quizalofop-ethyl, Quizalofop-p-tefuryl, Sedaxane, Sethoxydim, Simazine, Spinetoram, Sulfoxaflor, Tebuconazole, Terbutylazine, Tetraniliprole,
Table to S20—3	APVMA 2, 2023	F2023L00445 17 April 2023 APVMA 8 18 April 2023	18 April 2023	am	Acetamiprid, Bifenthrin, Cyfluthrin, Dithiocarbamates, Flazasulfuron, Flupopyram, Methoxyfenozide, Procymidone, Spinetoram, Sulfoxaflor, Trifloxystrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	220	F2023L01004 11 July 2023 FSC160 19 July 2023	19 July 2023	am	Amisulbrom, Bifenazate, Buprofezin, Cyflumetofen, Cyproconazole, Cyprodinil, Diafenthiuron, Didecyldimethylammonium chloride, Dinotefuran, Ethephon, Fenazaquin, Fludioxonil, Fluoxapiprolin, Fluxapyroxad, Imazamox, Kresoxim-methyl, Maldison, Metalaxyl, Niclosamide, Phosphorous acid, Propyzamide, Prosulfocarb, Prothioconazole, Pydiflumetofen, Pyraflufen-ethyl, Pyroxasulfone, Sethoxydim, Tetraniliprole, Trichlorfon, Triticonazole
Table to S20—3	APVMA 3, 2023	F2023L01013 18 July 2023 APVMA 15 25 July 2023	25 July 2023	am	Dodine, Fipronil, Fluopicolide, Fluralaner, Indaziflam, Inpyrfluxam, Ipflufenquin, Mandestrobin, Mesotrione, Metrafenone, Propamocarb, Proquinazid, Prosulfocarb, Pyraclostrobin, Sethoxydim, Tetraniliprole
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	rep	Bensulide, Bioresmethrin, Fenarimol, Pebulate
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	ad	Flutianil, Isoprothiolane, Pyraziflumid, Spiropidion
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	am ed C76	Abamectin, Acequinocyl, Acetamiprid, Aclonifen, Altrenogest, Aminoethoxyvinylglycine, Amitrole, Azinphos-methyl, Azoxystrobin, Benalaxyl, Bendiocarb, Bentazone, Benzovindiflupyr, Bicyclopyrone, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromoxynil, Buprofezin, Butafenacil, Cadusafos, Captan, Carbaryl, Chlorantraniliprole, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyclaniliprole, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyproconazole, Cyprodinil, Cyromazine, 2,4-D, Diazinon, Dichlobenil, Dichlorvos, Difenconazole, Dimethomorph, Diphenylamine, Diquat, Dithiocarbamates, 2,2-DPA, Ethephon (md not incorp), Ethiprole, Ethoprophos, Etofenprox, Etoxazole, Fenbuconazole, Fenbutatin oxide, Fenhexamid, Fenpicoxamid, Fenpyroximate, Fipronil (Sch items 230, 232 md not incorp), Florylpicoxamid, Fluzaindolizine, Fluazifop-p-butyl, Fluazinam, Fludioxonil, Flumioxazin, Fluopyram, Flupyradifurone, Fluroxypyr, Fluxapyroxad, Fomesafen, Forchlorfenuron, Glufosinate and Glufosinate-ammonium, Glyphosate, Haloxypfop, Hexazinone, Hexythiazox, Imazalil, Imazamox, Imidacloprid, Indoxacarb, Ioxynil, Iprodione, Isofetamid, Isoxaben, Linuron, Maldison, Mandestrobin (Sch item 232 md not incorp), Mandipropamid, Metalaxyl, Metconazole, Methidathion, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Metolachlor, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Oryzalin, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penthopyrad, Permethrin, 2-Phenylphenol,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Phosphorous acid, Pinoxaden, Pirimicarb, Prometryn, Propachlor, Propaquizafop, Propargite, Propazine, Propiconazole, Propyzamide, Proquinazid (md not incorp), Prothioconazole, Pydiflumetofen, Pymetrozine, Pyrasulfotole, Pyridaben, Pyridate, Pyrimethanil, Pyriproxyfen, Pyroxasulfone, Pyroxulam, Quinclorac, Quinoxifen, Saflufenacil, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Thiabendazole, Thiacloprid, Thiamethoxam, Tiafenacil, Tolfenpyrad, Triadimefon, Triadimenol, Trichlorfon, Trifloxystrobin, Trifluralin, Trinexapac-ethyl
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	ed C76	Maldison, Metolachlor, Propiconazole, Trichlorfon, Trifluralin
Table to S20—3	APVMA 1, 2024	F2024L00452 12 April 2024 APVMA 8 16 April 2024	16 April 2024	ad	Broflanilide, Fenpropidin
Table to S20—3	APVMA 1, 2024	F2024L00452 12 April 2024 APVMA 8 16 April 2024	16 April 2024	am	Abamectin, Acequinocyl, Acibenzolar-S-methyl, Afidopyropen, Benzovindiflupyr, Chlorantraniliprole, Clothianidin, Cyanamide, Cyantraniliprole, Cyclaniliprole, Cyprodinil, Difenconazole, Dimethoate, Florylpicoxamid, Fludioxonil, Flumioxazin, Fluxapyroxad, Glufosinate and Glufosinate-ammonium, Halauxifen-methyl, Isocycloseram, Isoprazam, Mandipropamid, MCPA, Omethoate, Oxathiapiprolin, Pyraclostrobin, Spirotetramat, Tebuconazole, Tetraniliprole, Thiamethoxam, Trifloxystrobin, Trifludimoxazin, Trifluralin
Table to S20—3	APVMA 2, 2024	F2024L00861 8 July 2024 APVMA 14 9 July 2024	9 July 2024	ad	Bupivacaine, Lignocaine,
Table to S20—3	APVMA 2, 2024	F2024L00861 8 July 2024 APVMA 14 9 July 2024	9 July 2024	am	Ametoctradin, Cypermethrin, Ethepon, Fluxapyroxad, Ipflufenquin, Mefentrifluconazole, Metalaxyl, Pyraclostrobin
Table to S20—3	APVMA 3, 2024	F2024L00946 1 August 2024 APVMA 16 6 August 2024	6 August 2024	am	2,4-D
Table to S20-3	APVMA 4, 2024	F2024L01358 29 Oct 2024 APVMA 22 29 Oct 2024	29 October 2024	ad	Cyazofamid, Isocycloseram, Mesotrione, Methoxyfenozide, Metolachlor, Quinoxifen
Table to S20-3	APVMA 4, 2024	F2024L01358 29 Oct 2024 APVMA 22 29 Oct 2024	29 October 2024	am	Cyazofamid, Enamectin, Flonicamid, Fluopyram, Fluxapyroxad, Mefentrifluconazole, Metribuzin
Table to S20-3	APVMA 5, 2024	F2024L01580 11 Dec 2024 APVMA 25 10 Dec 2024	11 Dec 2024	rs	Chloridazon, Fluralaner, Isocycloseram.
Table to S20-3	APVMA 5, 2024	F2024L01580 11 Dec 2024 APVMA 25 10 Dec 2024	11 Dec 2024	ad	Fipronil, Florylpicoxamid, Fluralaner, Isocycloseram.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20-3	APVMA 1, 2025	F2025L00126 17 Feb 2025 APVMA 4 18 Feb 2025	18 Feb 2025	rs	updating the permitted chemical residues for Flubendiamide and Spiromesifen
Table to S20-3	APVMA 1, 2025	F2025L00126 17 Feb 2025 APVMA 4 18 Feb 2025	18 Feb 2025	ad	Cyclaniliprole, Cyflumetofen, Diafenthiuron, and Spiromesifen
Table to S20-3	APVMA 1, 2025	F2025L00126 17 Feb 2025 APVMA 4 18 Feb 2025	18 Feb 2025	rep	Diafenthiuron, Ethepon, Prosulfocarb
Table to S20-3	APVMA 1, 2025	F2025L00126 17 Feb 2025 APVMA 4 18 Feb 2025	18 Feb 2025	rs	Flumethrin
Table to S20-3	237	F2025L00529 29 April 2025 FSC 177 01 May 2025	01 May 2025	rep	Methidathion
Table to S20-3	237	F2025L00529 29 April 2025 FSC 177 01 May 2025	01 May 2025	ad	1,4-dimethylnaphthalene, Flufenoxuron, Fluindapyr
Table to S20-3	237	F2025L00529 29 April 2025 FSC 177 01 May 2025	01 May 2025	am	Acibenzolar-S-methyl, Aclonifen, Afidopyropen, Amitrole, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Bixafen, Boscalid, Broflanilide, Buprofezin, Butoxydim, Carbaryl, Carbendazim, Carbofuran, Chlorantraniliprole, Chlorfenapyr, Chlormequat, Cyantraniliprole, Cyflufenamid, Cyflumetofen, Cyhalofop-butyl, Cyhalothrin, 2,4-D, Deltamethrin, Dichlorprop-P, Dichlorvos, Diclofop-methyl, Difenconazole, Diflubenzuron, Dimethoate, Diuron, Dodine, Emaxectin, EPTC, Etoxazole, Famoxadone, Fenazaquin, Fenpicoxamid, Fenvalerate, Fipronil, Flazasulfuron, Florasulam, Fluazaindolizine, Fluazifop-p-butyl, Fludioxonil, Fluensulfone, Flumioxazin, Fluopyram, Flupyradifurone, Flutianil, Flutolanil, Flutriafol, Fluxapyroxad, Folpet, Fosetyl-aluminium, Glufosinate and Glufosinate-ammonium, Glyphosate, Indaziflam, Indoxacarb, Inpyrfluxam, Isoprothiolane, Mandipropamid, Mefentrifluconazole, Mesosulfuron-methyl, Metaflumizone, Metalaxyl, Metaldehyde, Metamitron, Metazachlor, Metconazole, Milbemectin, Norflurazon, Omethoate, Oxathiapiprolin, Pendimethalin, Phosphine, Pinoxaden, Piperonyl butoxide, Prohexadione-calcium, Propaquizafop, Prosulfocarb, Pydiflumetofen, Pyraclostrobin, Pyraflufen-ethyl, Pyraziflumid, Pyrethrins, Pyridate, Pyrimethanil, Rimsulfuron, Saflufenacil, Simazine, Spiromesifen, Spiropidion, Sulfoxaflor, Teflubenzuron, Tetraniliprole, Triallate, Trichlorfon, Triflumuron, Trifluralin, Trinexapac-ethyl, Valifenalate, Zoxamide
Table to S20-3	APVMA 2, 2025	F2025L01004 29 August 2025 APVMA 2 2 Sept 2025	2 September 2025	am	Aminoethoxyvinylglycine, Boscalid, Famoxadone, MCPA, Methoxyfenozide, Pyraclostrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20-3	APVMA 3, 2025	F2025L01005 29 August 2025 APVMA 3 2 Sept 2025	2 September 2025	am	Aclonifen, Dithiocarbamates, Fluvalinate, Imazamox, Pyroxasulfone, Spinetoram
Table to S20-3	APVMA 4, 2025	F2025L01009 29 August 2025 APVMA 4 2 Sept 2025	2 September 2025	ad	Cyclobutrifluram
Table to S20-3	APVMA 4, 2025	F2025L01009 29 August 2025 APVMA 4 2 Sept 2025	2 September 2025	am	Bifenthrin, Chlorantraniliprole, Cyantraniliprole, Isoxaben, Metalaxyl, Propamocarb, Trichlorfon