

## Schedule 20

## Maximum residue limits

**Note** This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Maximum residue limits are regulated by subsection 1.1.1—10(6) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2—4.

### S20—1

#### Name

This Standard is *Australia New Zealand Food Standards Code* – Schedule 20 – Maximum residue limits.

**Note** Commencement:

This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

**Note 2** This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

### S20—2

#### Interpretation

In this Schedule:

- (a) an asterisk (\*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol 'T' indicates that the maximum residue limit is a temporary maximum residue limit; and
- (c) **animal food commodities** means an animal food commodity listed in Schedule 22, including a secondary commodity of animal origin listed in that Schedule.

### S20—3

#### Maximum residue limits

For section 1.4.2—4, the \*agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

#### Maximum residue limits

<b>Agvet chemical: Abamectin</b>			
<b>Permitted residue: Avermectin B1a</b>			
Adzuki bean (dry)	*0.002	Common bean (dry) (navy bean)	*0.002
All other foods except animal food commodities	0.01	Cotton seed	*0.01
Almonds	*0.01	Cranberry	0.05
Avocado	0.05	Cucumber	0.05
Beetroot leaves	0.5	Currant, black	0.02
Blueberries	T0.1	Custard apple	*0.01
Bulb vegetables [except chives]	0.05	Dried grapes (currants, raisins and sultanas)	0.1
Cabbages, head	T0.05	Fennel, bulb	0.05
Cacao beans	T0.07	Fruiting vegetables, cucurbits [except cucumber; squash, summer]	0.02
Cane berries	0.2	Fruiting vegetables, other than cucurbits	0.1
Cattle, edible offal of	0.1	Fungi, edible (except mushrooms)	0.1
Cattle fat	0.1	Goat fat	0.1
Cattle meat	0.005	Goat kidney	0.01
Cattle milk	0.02	Goat liver	0.05
Celery	T0.05	Goat milk	0.005
Chinese cabbage (Pe-tsai)	T0.5	Goat muscle	0.01
Chive, dry	0.08	Grapes	0.03
Citrus fruits	0.02	Grape juice	0.05
		Hops, dry	0.2

Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, leaf; whitloof chicory]	T0.5
Legume vegetables [except peas (pods and succulent, immature seeds)]	T0.1
Lettuce, leaf	T1
Litchi	0.05
Macadamia nuts	T*0.01
Maize	T*0.01
Mung bean (dry)	*0.002
Mushrooms	0.05
Orange oil, edible	0.1
Papaya (pawpaw)	0.1
Passionfruit	0.2
Peanut	T*0.01
Peas	0.5
Peppers, chili, dried	0.5
Persimmon, Japanese	0.01
Pig kidney	0.01
Pig liver	0.02
Pig meat (in the fat)	0.02
Pineapple	T*0.002
Pome fruits [except Persimmon, Japanese]	0.02
Popcorn	T*0.01
Rhubarb	T0.05
Root and tuber vegetables	*0.01
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Squash, summer	0.05
Stone fruits	0.09
Strawberry	0.1
Sweet corn (corn-on-the-cob)	0.05

#### **Agvet chemical: Acephate**

*Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)*

Banana	1
Bean, seed (dry)	3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5
Broccoli, Chinese (Gai lan)	5
Cranberry	0.5
Edible offal (mammalian)	0.2
Eggs	0.2
Lime	1
Macadamia nuts	*0.1
Mango	*0.01
Meat (mammalian) [except sheep meat]	0.2
Peanut	0.2
Peppers, chili, dried	50
Peppers, sweet	5
Potato	0.5
Sheep meat	*0.01
Tomato	5

#### **Agvet chemical: Acequinocyl**

*Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl*

All other foods except animal food commodities	0.02
Apricots, dried	1
Blueberries	3
Citrus fruits [except kumquats]	0.2
Grapes	1.6
Edible offal (mammalian)	*0.02
Hops, dry	15
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Peach, dried	1
Peppers, sweet	1
Pome fruits [except Persimmon, Japanese]	0.7
Prunes	1
Raspberries, red, black	4
Stone fruits	0.7
Tomato	2

#### **Agvet chemical: Acetamiprid**

*Permitted residue—commodities of plant origin: Acetamiprid*

*Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N<sup>1</sup>-[(6-chloro-3-pyridyl)methyl]-N<sup>2</sup>-cyanoacetamidine), expressed as acetamiprid*

All other foods except animal food commodities	0.1
Almonds	0.1
Apple	0.2
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Blueberries	1.6
Cane berries [except raspberries, red, black]	1
Celery	1.5
Cherries (subgroup)	2
Chives	3
Citrus fruits	1
Cotton seed	0.2
Cranberry	0.6
Currants, black, red, white	2
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruiting vegetables other than cucurbits [except tomato]	0.2
Fungi, edible (except mushrooms)	0.2
Goji berries	2
Grapes	0.35
Herbs	3
Macadamia nuts	*0.01

Meat (mammalian)	*0.01	Meat (mammalian)	*0.01
Milks	*0.01	Milks	*0.01
Olives for oil production	T0.5	Peanut	0.1
Peaches (subgroup)	1	Poultry, edible offal of	0.1
Pear	0.3	Poultry meat	*0.01
Peppers, chili, dried	2	Pulses	0.1
Persimmon, Japanese	T0.3		
Pistachio nuts	1		
Plums (subgroup)	0.5		
Potato	*0.05		
Poultry, edible offal of	*0.05		
Poultry meat	*0.01		
Pulses [except field pea (dry); lupin (dry)]	0.1		
Raspberries, red, black	2		
Sentul	0.2		
Spices [except peppers, chili, dried; spices, seeds]	0.1		
Spices, seeds	2		
Strawberry	0.5		
Table olives	T0.5		

#### **Agvet chemical: Acetochlor**

*Permitted residue: Sum of compounds hydrolysable with base to 2-ethyl-6-methylaniline (EMA) and 2-(1-hydroxyethyl)-6-methylaniline (HEMA), expressed in terms of Acetochlor*

Edible offal (mammalian)	0.05
Peanut	0.2
Soya bean (dry)	1.5

#### **Agvet chemical: Acibenzolar-S-methyl**

*Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl*

Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Kiwifruit	T0.03
Marjoram (oregano)	0.3
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Tomato	1

#### **Agvet chemical: Acifluorfen**

*Permitted residue: Acifluorfen*

All other foods except animal food commodities	0.01
Edible offal (mammalian)	0.1
Eggs	*0.01
Legume vegetables	0.1

#### **Agvet chemical: Aclonifen**

*Permitted residue: Aclonifen*

Barley	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Marjoram (oregano)	0.8
Meat (mammalian) [in the fat]	*0.01
Milks [in the fat]	*0.01
Poultry, edible offal of	*0.01
Poultry meat [in the fat]	*0.01
Triticale	*0.01
Wheat	*0.01

#### **Agvet chemical: Afidopyropen**

*Permitted residue: commodities of plant origin: Afidopyropen*

*Permitted residue: commodities of animal origin: Afidopyropen and the carnitine conjugate of cyclopropanecarboxylic acid (M440/060), expressed as afidopyropen*

All other foods except animal food commodities	0.02
Apples, dried (peeled)	0.02
Artichoke, globe	0.1
Banana	0.1
Barley	*0.01
Brassica vegetables (except Brassica leafy vegetables), [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Bulb vegetables	*0.01
Cane berries	0.3
Carrot	*0.01
Chinese cabbage (Pe-tsai)	5
Citrus fruits [except kumquats]	0.15
Cotton seed	0.1
Edible offal (mammalian)	0.3
Eggs	*0.1
Fruiting vegetables, cucurbits	0.7
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Ginger, root	*0.01
Grapes	*0.01
Herbs	T5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Litchi	0.1
Mammalian fats [except milk fats]	*0.01

Meat (mammalian)	*0.1
Milks	*0.01
Mushrooms	0.2
Mustard seeds	T*0.01
Orange oil, edible	0.7
Passionfruit	0.1
Peppers, chili, dried	1
Persimmon, Japanese	*0.01
Pome fruits [except persimmon, Japanese]	0.03
Potato	*0.01
Poultry, edible offal of	*0.1
Poultry fats	0.015
Poultry meat	*0.1
Rape seed [canola]	*0.01
Sorghum, grain	0.2
Stalk and Stem Vegetables - Stems and Petioles	3
Strawberry	0.2
Stone fruits [except jujube, Chinese]	0.03
Sweet corn (corn-on-the-cob)	*0.01
Sweet Potato	*0.01
Tomato, dried	0.7
Wheat	*0.01

**Agvet chemical: Albendazole**

*Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

**Agvet chemical: Albendazole sulphoxide**

*see Albendazole*

**Agvet chemical: Aldicarb**

*Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb*

Peanut	0.05
--------	------

**Agvet chemical: Aliphatic alcohol ethoxylates**

*Permitted residue: Aliphatic alcohol ethoxylates*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

**Agvet chemical: Alpha-cypermethrin**

*see Cypermethrin*

**Agvet chemical: Altrenogest**

*Permitted residue: Altrenogest*

Pig, edible offal of	0.005
Pig meat	*0.005

**Agvet chemical: Aluminium phosphide**

*see Phosphine*

**Agvet chemical: Ametoctradin**

*Permitted residue—commodities of plant origin: Ametoctradin*

*Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid*

All other foods except animal food commodities	0.2
Basil	T50
Beetroot	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	9
Broccoli, Chinese (Gai lan)	9
Bulb onions [except garlic; onion, bulb; Shallot]	0.7
Celery	20
Chinese cabbage (Pe-tsai)	50
Cucumber	2
Dried grapes (currants, raisins and sultanas)	20
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits [except cucumber]	3
Fruiting vegetables, other than cucurbits [except tomato]	1.5
Fungi, edible (except mushrooms)	1.5
Garlic	1.5
Grapes [except dried grapes]	6
Green onions [except leek; spring onion]	3
Hops, dry	100
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	50
Leek	5
Meat (mammalian)	*0.02
Milks	*0.02
Onion, bulb	1.5
Peppers, chili, dried	15
Poppy seed	0.7
Potato	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Shallot	1.5
Spring onion	20
Tomato	2

<b>Agvet chemical: Ametryn</b>		
<i>Permitted residue: Ametryn</i>		
All other foods except animal food commodities	0.05	
Edible offal (mammalian)	*0.05	
Meat (mammalian)	*0.05	
Milks	*0.05	
Pineapple	*0.05	
Sugar cane	0.05	
<hr/>		
<b>Agvet chemical: Amicarbazone</b>		
<i>Permitted residue— Sum of amicarbazone, N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide and N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-hydroxy-1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide, expressed as amicarbazone</i>		
Edible offal (Mammalian)	0.7	
Meat [mammalian]	0.01	
Milks	*0.01	
Sugarcane	0.1	
<hr/>		
<b>Agvet chemical: Aminocyclopyrachlor</b>		
<i>Permitted residue: Aminocyclopyrachlor</i>		
Edible offal (mammalian)	0.5	
Meat (mammalian) [in the fat]	0.05	
Milks	0.02	
<hr/>		
<b>Agvet chemical: Aminoethoxyvinylglycine</b>		
<i>Permitted residue: Aminoethoxyvinylglycine</i>		
Almonds	*0.05	
Apple	0.1	
Avocado	*0.05	
Cherries	*0.05	
Stone fruits [except cherries (subgroup)]	0.2	
Walnuts	*0.05	
<hr/>		
<b>Agvet chemical: Aminopyralid</b>		
<i>Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid</i>		
<i>Permitted residue—commodities of animal origin: Aminopyralid</i>		
All other foods except animal food commodities	0.02	
Cereal grains [except sweet corns]	0.1	
Edible offal (mammalian) [except kidney]	0.02	
Eggs	*0.01	
Kidney (mammalian)	0.3	
Meat (mammalian)	*0.01	
Milks	*0.01	
Mustard seeds	T*0.01	
<hr/>		
Poultry, edible offal of		*0.01
Poultry meat		*0.01
Rape seed (canola)		*0.01
Wheat bran, unprocessed		0.3
<hr/>		
<b>Agvet chemical: Amisulbrom</b>		
<i>Permitted residue: Amisulbrom</i>		
All other foods except animal food commodities	0.02	
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2	
Broccoli, Chinese (Gai lan)	2	
Dried grapes (currants, raisins and sultanas)	1	
Edible offal (mammalian)	*0.01	
Eggs	*0.01	
Grapes	0.5	
Meat (mammalian)	*0.01	
Milks	*0.01	
Potato	0.3	
Poultry, edible offal of	*0.01	
Poultry meat	*0.01	
<hr/>		
<b>Agvet chemical: Amitraz</b>		
<i>Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine</i>		
Cotton seed	*0.1	
Cotton seed oil, crude	1	
Edible offal (mammalian)	0.5	
Honey	0.2	
Meat (mammalian)	0.1	
Milks	0.1	
<hr/>		
<b>Agvet chemical: Amitrole</b>		
<i>Permitted residue: Amitrole</i>		
Avocado	*0.01	
Banana	*0.01	
Cereal grains [except sweet corns]	*0.01	
Citrus fruits	*0.01	
Edible offal (mammalian)	*0.01	
Grapes	*0.01	
Hops, dry	*0.01	
Meat (mammalian)	*0.01	
Milks	*0.01	
Oilseeds (subgroup)	*0.01	
Papaya (pawpaw)	*0.01	
Passionfruit	*0.01	
Pecan	*0.01	
Pineapple	*0.01	
Pome fruits	*0.01	
Potato	*0.05	
Pulses	*0.01	
Stone fruits	*0.02	

<b>Agvet chemical: Amoxycillin</b>	
<i>Permitted residue: Inhibitory substance, identified as amoxycillin</i>	
Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	0.05
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01
<b>Agvet chemical: Ampicillin</b>	
<i>Permitted residue: Inhibitory substance, identified as ampicillin</i>	
Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01
<b>Agvet chemical: Amprolium</b>	
<i>Permitted residue: Amprolium</i>	
Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5
<b>Agvet chemical: Apramycin</b>	
<i>Permitted residue: Apramycin</i>	
Edible offal (mammalian)	2
Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05
<b>Agvet chemical: Asulam</b>	
<i>Permitted residue: Asulam</i>	
Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4
Sugar cane	*0.1
<b>Agvet chemical: Atrazine</b>	
<i>Permitted residue: Atrazine</i>	
Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02
Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Mustard seeds	T*0.02
Potato	*0.01
Rape seed (canola)	*0.02
Sorghum, grain	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1
<b>Agvet chemical: Avermectin B1</b>	
<i>see Abamectin</i>	
<b>Agvet chemical: Avilamycin</b>	
<i>Permitted residue: Inhibitory substance, identified as avilamycin</i>	
Pig fat/skin	0.2
Pig kidney	0.2
Pig liver	0.3
Pig meat	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
<b>Agvet chemical: Azamethiphos</b>	
<i>Permitted residue: Azamethiphos</i>	
Cereal grains [except sweet corns]	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5
<b>Agvet chemical: Azaperone</b>	
<i>Permitted residue: Azaperone</i>	
Pig, edible offal of	0.2
Pig meat	0.2
<b>Agvet chemical: Azimsulfuron</b>	
<i>Permitted residue: Azimsulfuron</i>	
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02
<b>Agvet chemical: Azinphos-methyl</b>	
<i>Permitted residue: Azinphos-methyl</i>	
Blueberries	*0.01
Grapes	*0.01
Pome fruits [except apples]	2
Stone fruits	0.01
Strawberry	*0.01

<b>Agvet chemical: Azoxystrobin</b>	
<i>Permitted residue: Azoxystrobin</i>	
All other foods except animal food commodities	0.1
Almonds	*0.01
Anise myrtle leaves (dried)	T3
Avocado	3
Banana	2
Barley	0.2
Bayberries	T5
Bayberry, red	T5
Blackberries	5
Blueberries	5
Boysenberry	5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Bulb vegetables [except chives; onion, bulb]	5
Celery	5
Chinese cabbage (Pe-tsai)	15
Chives	70
Citrus fruits	10
Cloudberry	T5
Cotton seed	T0.05
Cranberry	0.5
Currants, black, red, white	5
Dewberries (including boysenberry and loganberry)	T5
Dried grapes	5
Edible offal (mammalian)	0.03
Egg plant	T2
Eggs	*0.01
Fennel, bulb	5
Fruiting vegetables, cucurbits	2
Grapes	2
Guava	0.2
Herbs	70
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	15
Legume vegetables	3
Lemon myrtle leaves (dried)	T3
Macadamia nuts	*0.01
Maize cereals	0.05
Mango	4
Meat (mammalian) (in the fat)	0.02
Milks	0.005
Mustard seeds	T0.01
Oats	0.1
Okra	T2
Olives	T2
Onion, bulb	0.2
Papaya	4
Passionfruit	0.5
Peanut	0.2
Peanut oil, crude	0.1
Peppers	3
Peppers, chili, dried	30
Poppy seed	*0.02
Potato	7
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	0.3
Rape seed (canola)	0.01
Raspberries, red, black	5
Rhubarb	0.6
Riberry	T1
Rice	T7
Root and tuber vegetables [except potato; sugar beet]	1
Rye	0.1
Spices [except peppers, chili, dried]	*0.1
Stone fruits [except jujube, Chinese]	1.5
Strawberry	10
Sugar beet	4
Sweet corns (subgroup)	0.05
Tomato	T1
Tree nuts [except almonds and macadamia nuts]	2
Triticale	0.1
Wheat	0.1
<b>Agvet chemical: Bacitracin</b>	
<i>Permitted residue: Inhibitory substance, identified as bacitracin</i>	
Chicken, edible offal of	*0.5
Chicken fat	*0.5
Chicken meat	*0.5
Eggs	*0.5
Milks	*0.5
<b>Agvet chemical: Benalaxyil</b>	
<i>Permitted residue: Benalaxyil</i>	
Grapes	T0.5
<b>Agvet chemical: Bendiocarb</b>	
<i>Permitted residue—commodities of plant origin: Unconjugated bendiocarb</i>	
<i>Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb</i>	
Cattle, edible offal of	0.2
Cattle meat	0.1
Eggs	0.05
Milks	0.1
Poultry, edible offal of	0.1
Poultry meat	0.05

<b>Agvet chemical: Benfluralin</b>		
<i>Permitted residue: Benfluralin</i>		
Lettuce, head	T*0.05	
Lettuce, leaf	T*0.05	
<b>Agvet chemical: Benomyl</b>		
<i>see Carbendazim</i>		
<b>Agvet chemical: Bensulfuron-methyl</b>		
<i>Permitted residue: Bensulfuron-methyl</i>		
Rice	*0.02	
Rice bran, processed	*0.05	
<b>Agvet chemical: Bentazone</b>		
<i>Permitted residue: Bentazone</i>		
All other foods except animal food commodities	0.1	
Beans [except soya bean]	0.5	
Dry beans	0.5	
Dry peas	0.5	
Dry underground pulses	*0.01	
Edible offal (mammalian)	*0.05	
Eggs	*0.05	
Fats (mammalian)	*0.01	
Herbs	0.1	
Meat (mammalian)	*0.05	
Milks	*0.05	
Onion, bulb	T0.1	
Peanut	*0.1	
Peas	3	
Potato	0.15	
Poultry, edible offal of	*0.05	
Poultry meat	*0.05	
Rice	0.05	
<b>Agvet chemical: Benzocaine</b>		
<i>Permitted residue: Benzocaine</i>		
Abalone	*0.05	
Finfish	*0.05	
<b>Agvet chemical: Benzofenap</b>		
<i>Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap</i>		
Rice	*0.01	
<b>Agvet chemical: Benzovindiflupyr</b>		
<i>Permitted residue: Benzovindiflupyr</i>		
All other foods except animal food commodities	0.02	
Barley	0.2	
Beans, dry [except soya bean (dry)]	0.15	
Blueberries	2	
Bulb onions	0.02	
Coffee beans	0.15	
Edible offal (mammalian)	*0.01	
Eggs	*0.01	
Ginseng	0.3	
Grapes	1	
Green onions	0.4	
Maize	0.02	
Meat (mammalian) [in the fat]	*0.01	
Milks	*0.01	
Oats	0.2	
Peanut	0.4	
Peas, dry	0.2	
Peppers, chili, dried	9	
Pome fruits [except Persimmon, Japanese]	0.2	
Popcorn	0.02	
Potato	0.02	
Poultry, edible offal of	*0.01	
Poultry meat [in the fat]	*0.01	
Soya bean (dry)	0.08	
Sugar beet	0.08	
Sugar cane	0.4	
Tomato	1.5	
Wheat (subgroup)	0.01	
<b>Agvet chemical: Benzyladenine</b>		
<i>Permitted residue: Benzyladenine</i>		
All other foods except animal food commodities	0.01	
Apple	0.2	
Pear	*0.005	
Walnut	T*0.005	
<b>Agvet chemical: Benzyl G penicillin</b>		
<i>Permitted residue: Inhibitory substance, identified as benzyl G penicillin</i>		
Edible offal (mammalian)	*0.06	
Meat (mammalian)	*0.06	
Milks	*0.0015	
<b>Agvet chemical: Betacyfluthrin</b>		
<i>see Cyfluthrin</i>		
<b>Agvet chemical: Bicyclopyrone</b>		
<i>Permitted residue: Bicyclopyrone and its structurally related metabolites determined as the common moieties SYN503780 and CSCD686480 and expressed as bicyclopyrone</i>		
All other foods except animal food commodities	0.02	
Barley	0.02	
Bulb onions (subgroup)	0.02	

Edible offal (mammalian)	2
Eggs	*0.02
Green onions	0.05
Hops, dry	0.04
Maize	0.02
Meat (mammalian)	*0.02
Milk	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sweet corn (corn on the cob)	0.03
Wheat	0.02
Wheat bran, unprocessed	0.05

**Agvet chemical: Bifenazate**

*Permitted residue: Sum of bifenazate and bifenazate diazene (diazene carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate*

All other foods except animal food commodities	0.2
Almonds	0.2
Apricot	0.5
Avocado	T2
Blackberries	T7
Cherries	2.5
Cloudberry	T7
Cos lettuce	T20
Cranberry	1.5
Dewberries (including boysenberry and loganberry)	T7
Dried grapes	T2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits [except peppers, chili]	1
Fungi, edible (except mushrooms)	1
Grapes [except wine grapes]	T1
Hops, dry	15
Lettuce, head	T20
Lettuce, leaf	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Nectarine	0.5
Papaya (pawpaw)	2
Peach	2
Peppers, chili	3
Plums (including prunes)	0.5
Podded pea (young pods) (snow and sugar snap)	T1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pome fruits [except Persimmon, Japanese]	2
Raspberries, red, black	T7
Strawberry	2
Yard-long bean (pods)	T1

**Agvet chemical: Bifenthrin**

*Permitted residue: Bifenthrin*

All other foods except animal food commodities	0.03
Almonds	T0.1
Apple	*0.05
Avocado	0.5
Banana	0.1
Blackberries	T3
Blueberries	T3
Brassica vegetables (except Brassica leafy vegetables), [except cabbages, head; Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Bulb vegetables [except chives; onion, bulb]	T5
Cabbages, head	T0.5
Celery	T*0.01
Cereal grains [except sweet corns]	*0.02
Cherries	T3
Chervil	T0.5
Chia	T0.2
Chinese cabbage (Pe-tsai)	*0.01
Chives	T0.5
Citrus fruits	*0.05
Cloudberry	T3
Common bean (dry) (navy bean)	0.2
Common bean (pods and/or immature seeds)	0.7
Cotton seed	0.5
Cranberry	3
Cucumber	0.5
Currants, black, red, white	T3
Dewberries (including boysenberry and loganberry)	T3
Edible offal (mammalian)	0.5
Eggs	*0.05
Fennel, bulb	T5
Fig	T1
Fruiting vegetables, cucurbits [except cucumber]	0.1
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Galangal, rhizomes	T10
Ginger, root	T*0.01
Gooseberry	T3
Grapes	0.2
Herbs	T0.5
Hops, dry	10
Kaffir lime leaves	T10
Leafy vegetables [except broccoli, Chinese (Gai lan); chervil; mizuna; rucola (rocket); witloof chicory]	*0.01
Lemon balm	T10
Lemon grass	T10

Lemon verbena	T10	Cotton seed	0.3
Meat (mammalian) (in the fat)	2	Cotton seed oil, crude	T0.5
Milks	0.5	Edible offal (mammalian)	0.7
Mizuna	T0.5	Eggs	*0.02
Mung bean (dry)	T0.2	Lupin (dry)	T0.1
Mushrooms	0.5	Meat (mammalian) (in the fat)	0.2
Mustard seeds	*0.02	Milk fats	0.5
Olives	T0.5	Milks	0.05
Pear	0.5	Oilseeds (subgroup) [except cotton seed; sunflower seed]	*0.01
Peanut	0.05	Peanut	*0.01
Peas (pods and succulent, immature seeds)	*0.01	Poultry, edible offal of	*0.02
Pecan	T*0.05	Poultry meat (in the fat)	*0.02
Peppers, chili, dried	4	Pulses [except lupin (dry); soya bean (dry)]	0.04
Pineapple	*0.01	Root and tuber vegetables	0.06
Poppy seed	*0.02	Sorghum grain	2
Poultry, edible offal of	*0.05	Soya bean (dry)	0.08
Poultry meat (in the fat)	*0.05	Soya bean oil, refined	0.15
Pulses [except common bean (dry) (navy bean); mung bean (dry)]	0.3	Sunflower seed	3
Rape seed (canola)	*0.02	Wheat	0.3
Raspberries, red, black	T3	Wheat bran, processed	0.8
Rucola (rocket)	T0.5		
Stone fruits [except cherries (subgroup)]	1		
Strawberry	1		
Sugar cane	T0.7		
Sweet corns	0.5		
Sweet potato	*0.05		
Taro	T*0.05		
Tea, green, black	5		
Truffle	T*0.01		
Turmeric, root	T10		

#### **Agvet chemical: Bitertanol**

##### *Permitted residue: Bitertanol*

Beans [except broad bean; soya bean]	0.5
Edible offal (mammalian)	3
Eggs	*0.01
Meat (mammalian) (in the fat)	0.3
Milks	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01

#### **Agvet chemical: Bixafen**

##### *Permitted residue—commodities of plant origin: Bixafen*

##### *Permitted residue—commodities of animal origin:*

*Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen*

All other foods	0.03
Barley	1.5
Cereal grains [except barley; sorghum grain; sweet corns (subgroup); wheat; wheat bran, processed]	*0.01

#### **Agvet chemical: Bixlozone**

##### *Permitted residue: Bixlozone*

All other foods except animal food commodities	0.01
Barley	*0.01
Broad bean (dry)	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Field pea (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seeds	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.01
Wheat	*0.01

#### **Agvet chemical: Boscalid**

##### *Permitted residue—commodities of plant origin: Boscalid*

##### *Permitted residue—commodities of animal origin:*

*Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents*

Adzuki bean	T3
All other foods	0.5
Almonds	0.7
Barley, grain	4
Blackberries	T10
Blueberries	10

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; onion, bulb]	5
Cassava	2
Celery	T15
Cherries	5
Citrus fruits [except kumquats]	2
Chick-pea (dry)	T3
Chinese cabbage (Pe-tsai)	40
Cloudberry	T10
Currants, black, red, white	15
Dewberries (including boysenberry and loganberry and youngberry)	T10
Dried grapes	15
Edible Fungi	1
Edible offal (mammalian)	0.3
Fennel, bulb	5
Fruiting vegetables, cucurbits	3
Fruiting vegetables, other than cucurbits	3
Grapes	5
Hops, dry	60
Kiwifruit	5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	40
Legume vegetables	3
Lentil (dry)	T3
Lupin (dry)	T0.1
Mango	2
Meat (mammalian) (in the fat)	0.3
Milk fats	0.7
Milks	0.1
Oilseeds (subgroup)	3.5
Onion, bulb	0.5
Palm nuts	1
Papaya	1.5
Peaches (subgroup)	4
Peanut	T0.1
Peanut oil, edible	T0.7
Peppers, chili, dried	10
Pistachio nut	T2
Plums (including fresh prunes)	3.5
Pome fruits [except Persimmon, Japanese]	2
Potato	2
Prunes, dried	5
Pulses [except chick-pea (dry); lentil (dry); lupin (dry); soya bean (dry)]	2.5
Raspberries, red, black	T10
Root and tuber vegetables [except cassava; potato]	1
Silvanberries	T10
Strawberry	10
Sweet corn (corn-on-the cob)	1
Tea, green, black	40

#### **Agvet chemical: Broflanilide**

Permitted residue—Commodities of plant origin:	
<i>Broflanilide</i>	
Permitted residue—Commodities of animal origin:	
<i>Sum of broflanilide plus 3-benzamido-N-[2-bromo-4-(perfluoropropen-2-yl)-6-(trifluoromethyl)phenyl]-2-fluorobenzamide (DM-8007), expressed as broflanilide.</i>	
All other foods except animal food commodities	0.002
Brassica vegetables (except Brassica leafy vegetables) [except cabbages, head]	0.5
Cabbages, head	2
Cereal grains [except rice]	*0.001
Coffee bean	0.01
Edible offal (mammalian)	0.03
Eggs	0.03
Fruiting vegetables, other than cucurbits	T0.1
Leafy vegetables	4
Maize flour	0.002
Mammalian fats (except milk fats)	0.15
Meat (mammalian) (in the fat)	0.15
Milk fats	0.4
Milks	0.015
Poultry, edible offal of	0.03
Poultry fats	0.15
Poultry meat	*0.02
Poultry meat (in the fat)	*0.02
Radish, Japanese	0.01
Tuberous and corm vegetables	0.04
Wheat germ	0.002

#### **Agvet chemical: Bromacil**

Permitted residue: Bromacil	
Asparagus	*0.04
Citrus fruits [except kumquats]	*0.04
Edible offal (mammalian)	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Pineapple	*0.04

#### **Agvet chemical: Bromoxynil**

Permitted residue: Bromoxynil	
All other foods except animal food commodities	0.1
Cereal grains [except sweet corns]	*0.2
Edible offal (mammalian)	T3
Eggs	*0.02
Garlic	T*0.05
Hempseed	T*0.02
Linseed	*0.02
Meat (mammalian) (in the fat)	T1
Milks	T0.1

Onion, bulb	*0.01	Milks	*0.01																																																																																																						
Poultry, edible offal of	*0.02	Mints	5																																																																																																						
Poultry meat	*0.02	Mushrooms	T2																																																																																																						
Walnuts	T*0.01	Nectarine	9																																																																																																						
<hr/>																																																																																																									
<b>Agvet chemical: Bupirimate</b>		Oilseeds (subgroup) [except cotton seed]	*0.01																																																																																																						
<i>Permitted residue: Bupirimate</i>																																																																																																									
All other foods except animal food commodities	0.02	Olive oil, virgin	20																																																																																																						
Apple	1	Passionfruit	2																																																																																																						
Currants, black, red, white	5	Peach	9																																																																																																						
Egg plant	1	Pear	0.2																																																																																																						
Fruiting vegetables, cucurbits	1	Peppers, chili	10																																																																																																						
Peppers	0.7	Persimmon, Japanese	1																																																																																																						
Strawberry	1.5	Poultry, edible offal of	*0.01																																																																																																						
Tomato	T0.3	Poultry fats	*0.01																																																																																																						
<hr/>																																																																																																									
<b>Agvet chemical: Bupivacaine</b>		Poultry meat	*0.01																																																																																																						
<i>Permitted residue: Bupivacaine</i>		Pulses	*0.01																																																																																																						
Sheep fat	0.07	Stone fruits [except apricot; jujube, Chinese; nectarine; peach]	1.9																																																																																																						
Sheep kidney	0.02	Sweet corns	T2																																																																																																						
Sheep liver	0.02	Table olives	5																																																																																																						
Sheep muscle	0.0005	Tomato	1																																																																																																						
<hr/>		Thyme	5																																																																																																						
<b>Agvet chemical: Buprofezin</b>		Tree tomato	T1																																																																																																						
<i>Permitted residue: Buprofezin</i>		Walnut	T0.05																																																																																																						
All other foods except animal food commodities	0.1	<hr/>																																																																																																							
Almonds	0.05	<b>Agvet chemical: Butafenacil</b>																																																																																																							
Apple	3	<i>Permitted residue: Butafenacil</i>																																																																																																							
Apricot	9	Cereal grains [except sweet corns]	*0.01	Cereal grains [except rice; sweet corns]	*0.02	Basil	5	Edible offal (mammalian)	*0.02	Celery	T5	Eggs	*0.01	Chives, Chinese	2	Meat (mammalian)	*0.01	Citrus fruits	2	Milks	*0.01	Citrus oil, edible	6	Mustard seeds	T*0.01	Cotton seed	0.3	Poultry, edible offal of	*0.02	Custard apple	0.1	Poultry meat	*0.01	Dried grapes (currants, raisins and sultanas)	1	Pulses	*0.01	Edible offal (mammalian)	*0.05	Rape seed (canola)	*0.01	Eggs	*0.01	<hr/>		Fruiting vegetables, cucurbits	T2	<b>Agvet chemical: Butroxydim</b>		Fruiting vegetables, other than cucurbits [except peppers, chili; tomato]	T2	<i>Permitted residue: Butroxydim</i>		Fungi, edible (except mushrooms)	T2	Edible offal (mammalian)	*0.01	Garlic chives	2	Eggs	*0.01	Grapes	2.5	Legume vegetables	*0.01	Lettuce, leaf	T10	Meat (mammalian)	*0.01	Litchi	T0.5	Milks	*0.01	Mango	0.2	Oilseeds (subgroup)	*0.01	Marjoram (oregano)	5	Poultry, edible offal of	*0.01	Meat (mammalian) (in the fat)	*0.05	Poultry meat	*0.01	<hr/>				<b>Agvet chemical: Cadusafos</b>		Pulses	*0.01	<i>Permitted residue: Cadusafos</i>				Banana	*0.01	<hr/>		Citrus fruits	*0.01		
Cereal grains [except sweet corns]	*0.01	Cereal grains [except rice; sweet corns]	*0.02																																																																																																						
Basil	5	Edible offal (mammalian)	*0.02																																																																																																						
Celery	T5	Eggs	*0.01																																																																																																						
Chives, Chinese	2	Meat (mammalian)	*0.01																																																																																																						
Citrus fruits	2	Milks	*0.01																																																																																																						
Citrus oil, edible	6	Mustard seeds	T*0.01																																																																																																						
Cotton seed	0.3	Poultry, edible offal of	*0.02																																																																																																						
Custard apple	0.1	Poultry meat	*0.01																																																																																																						
Dried grapes (currants, raisins and sultanas)	1	Pulses	*0.01																																																																																																						
Edible offal (mammalian)	*0.05	Rape seed (canola)	*0.01																																																																																																						
Eggs	*0.01	<hr/>																																																																																																							
Fruiting vegetables, cucurbits	T2	<b>Agvet chemical: Butroxydim</b>																																																																																																							
Fruiting vegetables, other than cucurbits [except peppers, chili; tomato]	T2	<i>Permitted residue: Butroxydim</i>																																																																																																							
Fungi, edible (except mushrooms)	T2	Edible offal (mammalian)	*0.01																																																																																																						
Garlic chives	2	Eggs	*0.01																																																																																																						
Grapes	2.5	Legume vegetables	*0.01																																																																																																						
Lettuce, leaf	T10	Meat (mammalian)	*0.01																																																																																																						
Litchi	T0.5	Milks	*0.01																																																																																																						
Mango	0.2	Oilseeds (subgroup)	*0.01																																																																																																						
Marjoram (oregano)	5	Poultry, edible offal of	*0.01																																																																																																						
Meat (mammalian) (in the fat)	*0.05	Poultry meat	*0.01																																																																																																						
<hr/>																																																																																																									
<b>Agvet chemical: Cadusafos</b>		Pulses	*0.01																																																																																																						
<i>Permitted residue: Cadusafos</i>																																																																																																									
Banana	*0.01	<hr/>																																																																																																							
Citrus fruits	*0.01																																																																																																								

Ginger, root	0.1	Jaboticaba	*0.01
Sugar cane	*0.01	Jackfruit	*0.01
Tomato	*0.01	Lemon	3

#### **Agvet chemical: Captan**

##### *Permitted residue: Captan*

All other foods except animal food commodities	0.1	Jacquemontia	0.01
Almonds	0.3	Jambolan plum	0.01
Berries and other small fruits [except blueberries; grapes; strawberry]	T30	Jambolan plum	0.01
Blueberries	20	Jambolan plum	0.01
Chick-pea (dry)	T0.1	Jambolan plum	0.01
Cucumber	T5	Jambolan plum	0.01
Dried grapes	15	Jambolan plum	0.01
Edible offal (mammalian)	*0.05	Jambolan plum	0.01
Eggs	*0.02	Jambolan plum	0.01
Grapes	10	Jambolan plum	0.01
Lentil (dry)	T0.1	Jambolan plum	0.01
Lettuce, leaf	T15	Jambolan plum	0.01
Mandarins	T3	Jambolan plum	0.01
Meat (mammalian)	*0.05	Jambolan plum	0.01
Milks	*0.01	Jambolan plum	0.01
Peppers, chili	T7	Jambolan plum	0.01
Peppers, sweet	T7	Jambolan plum	0.01
Pitaya (dragon fruit)	T20	Jambolan plum	0.01
Pome fruits [except Persimmon, Japanese]	10	Jambolan plum	0.01
Poultry, edible offal of	*0.02	Jambolan plum	0.01
Poultry meat	*0.02	Jambolan plum	0.01
Stone fruits	15	Jambolan plum	0.01
Strawberry	10	Jambolan plum	0.01
Tangelo, large-sized cultivars	T3	Jambolan plum	0.01
Tree nuts [except almonds]	3	Jambolan plum	0.01

#### **Agvet chemical: Carbaryl**

##### *Permitted residue: Carbaryl*

All other foods except animal food commodities	0.02	Apple	0.2
Avocado	2	Apricot	2
Barley	15	Blackberries	*0.1
Beetroot	0.5	Cherries	20
Cacao bean	0.02	Chives	*0.1
Cereal grains [except barley; rice; sorghum, grain; sweet corns (subgroup)]	5	Citron	0.7
Coconut	*0.01	Currants, black, red, white	0.1
Cotton seed	3	Edible offal (mammalian)	0.2
Cranberry	3	Eggs	*0.1
Edible offal (mammalian)	3	Garlic	T*0.01
Eggs	*0.02	Grapefruit	0.2
Feijoa	*0.01	Grapes	0.3
Fruiting vegetables, cucurbits	*0.01	Lemon	0.7
Grapes	*0.01	Lime	0.7
Guava	*0.01	Macadamia nuts	0.1
Hazelnuts	0.01	Mandarins	0.7
		Mango	2
		Meat (mammalian)	0.2
		Milks	*0.1
		Mineola	0.7
		Mushrooms	T1

Nectarine	0.2
Oranges	0.2
Peach	0.2
Pear	0.2
Peppers, chili	2
Peppers, chili, dried	20
Peppers [except peppers, chili]	*0.1
Podded pea (young pods) (snow and sugar snap)	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	0.5
Raspberries, red, black	0.1
Rhubarb	0.1
Rice, husked	2
Shaddock (pomelo)	0.2
Spices [except peppers, chili, dried; spices, seeds]	*0.1
Spices, seeds	5
Strawberry	1
Tangelo [except mineola]	0.2
Tangors	0.7
Tomato	0.5

**Agvet chemical: Carbosulfan**

see Carbofuran

**Agvet chemical: Carboxin**

Permitted residue: Carboxin

Cereal grains [except sweet corns]	0.1
Peanut	0.2

**Agvet chemical: Carfentrazone-ethyl**

Permitted residue: Carfentrazone-ethyl

All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – edible peel	*0.05
Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits [except blueberries; grapes]	*0.05
Blueberries	0.1
Cereal grains [except sweet corns]	*0.05
Citrus fruits	*0.05
Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	0.1
Meat (mammalian)	*0.05
Milks	*0.025
Peanut	0.1
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05

**Agvet chemical: Carbetamide**

Permitted residue: Carbetamide

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01

**Agvet chemical: Carbofuran**

Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran

Cotton seed	0.1
Sunflower seed	*0.1

**Agvet chemical: Carbon disulphide**

Permitted residue: Carbon disulfide

Cereal grains [except sweet corns]	10
Pulses	T10

**Agvet chemical: Carbonyl sulphide**

Permitted residue: Carbonyl sulphide

Cereal grains [except sweet corns]	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2

**Agvet chemical: Ceftiofur**

Permitted residue: Desfuroylceftiofur

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

**Agvet chemical: Cefuroxime**

Permitted residue: Inhibitory substance, identified as cefuroxime

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

<b>Agvet chemical: Cephalonium</b>	
<i>Permitted residue: Inhibitory substance, identified as cephalonium</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02
<b>Agvet chemical: Cephapirin</b>	
<i>Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin</i>	
Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01
<b>Agvet chemical: Chlorantraniliprole</b>	
<i>Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole</i>	
<i>Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole</i>	
All other foods	T0.1
Asparagus	13
Avocado	4
Berries and other small fruits [except blueberries]	2.5
Blueberries	T3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5
Cacao beans	T0.2
Celery	7
Cherries	2.5
Chinese cabbage (Pe-tsai)	15
Chives	T20
Citrus fruits	1.4
Coffee beans	0.4
Cotton seed	0.3
Coriander (leaves, roots, stems)	T20
Dried fruits	2
Dry beans [except mung beans (dry); soya bean (dry)]	0.3
Dry peas	0.3
Dry underground pulses	0.07
Edible Fungi	0.6
Edible offal (mammalian)	0.02
Eggs	0.03
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits [except peppers, chili]	0.6
Ginger, root	T0.1
Hempseed	T1
Herbs	T20
Hops, dry	40
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; rucola; witloof chicory]	15
Legume vegetables	2
Lettuce, head	3
Linseed	T0.5
Maize cereals	T*0.01
Meat (mammalian) (in the fat)	0.02
Mexican tarragon	T20
Milk fats	0.1
Milks	0.02
Mung bean (dry)	0.7
Mushrooms	0.6
Palm fruit (African oil palm)	0.8
Palm kernel oil, crude	2
Peanuts	0.06
Peppers, chili	1
Peppers, chili, dried	5
Persimmon, Japanese	0.3
Plums	1
Pome fruits [except Persimmon, Japanese]	1.2
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	2
Rhubarb	5
Rice	T3
Rice bran, unprocessed	T5
Root and tuber vegetables [except potato]	T0.5
Rucola (rocket)	T20
Safflower seed	T0.1
Sesame seed	T0.5
Sorghum grain and millet	T1
Soya bean (dry)	0.07
Stone fruits [except cherries (subgroup); plums (subgroup)]	4
Sugar cane	T0.5
Sunflower seed	2
Sweet corn (corn-on-the-cob)	*0.01
Tea, green, black	80
Tree nuts	0.1

Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fats (mammalian)	0.6
Garlic	*0.01
Lemon	0.8
Lime	0.8
Meat (mammalian)	0.6
Meat (mammalian) (in the fat)	0.05
Melons [except watermelon]	0.4
Milks	0.03
Onion, bulb	*0.01
Oranges, sweet, sour	1.5
Papaya	0.3
Peach	1
Peppers	0.3
Peppers, chili	0.01
Peppers, chili, dried	3
Persimmon, Japanese	1
Pome fruits [except Persimmon, Japanese]	0.5
Potato	*0.01
Poultry, edible offal of	0.01
Poultry fats	0.02
Poultry meat	0.02
Poultry meat (in the fat)	*0.01
Soya bean (dry)	0.08
Soya bean oil, crude	0.4
Spices [except peppers, chili, dried]	0.05
Tea, green, black	60
Tomato	0.4

#### **Agvet chemical: Chlорfenvinphos**

Permitted residue: Chlорfenvinphos, sum of E and Z isomers

Cattle, edible offal of	T*0.1
Cattle meat (in the fat)	T0.2
Cattle milk (in the fat)	T0.2
Deer meat (in the fat)	0.2
Goat, edible offal of	T*0.1
Goat meat (in the fat)	T0.2
Sheep, edible offal of	T*0.1
Sheep meat (in the fat)	T0.2

#### **Agvet chemical: Chlorhexidine**

Permitted residue: Chlorhexidine

Milks	0.05
Sheep, edible offal of	*0.5
Sheep fat	*0.5
Sheep meat	*0.5

#### **Agvet chemical: Chloridazon**

Permitted residue: Chloridazon

Beetroot	0.5
----------	-----

Beetroot leaves	1
Chard (silver beet)	1
Spinach	1

#### **Agvet chemical: Chlormequat**

Permitted residue: Chlormequat cation

All other foods except animal food commodities	0.02
Barley	2
Dried grapes	0.75
Edible offal (mammalian)	0.5
Eggs	0.2
Grapes	0.75
Mammalian fats (except milk fats)	0.1
Meat (mammalian)	0.2
Milks	0.5
Poultry, edible offal of	0.2
Poultry fats	*0.04
Poultry meat	*0.05
Wheat	5
Wheat bran, unprocessed	10
Wheat germ	20

#### **Agvet chemical: Chloropicrin**

Permitted residue: Chloropicrin

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

#### **Agvet chemical: Chlorothalonil**

Permitted residue—commodities of plant origin: Chlorothalonil

Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil

Almonds	T0.1
Apricot	7
Asparagus	T*0.1
Banana	3
Berries and other small fruits [except cranberry; currant, black; grapes]	T10
Brussels sprouts	7
Carrot	7
Celery	20
Cherries	10
Chinese cabbage (Pe-tsai)	T100
Coriander (leaves, roots, stems)	T20
Cranberry	15
Currant, black	10
Edible offal (mammalian)	7
Eggplant	T10
Fennel, bulb	5
Fennel, leaf	5
Fennel, seed	5
Fruiting vegetables, cucurbits	5
Galangal, Greater	T7

Galangal, Lesser	T7	Bean, dry seed	0.05
Garlic	10	Blackberries	0.5
Grapes	10	Blueberries	*0.01
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaves; witloof chicory]	T100	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.5
Leek	T10	Broccoli, Chinese (Gai lan)	T0.5
Lettuce, head	T10	Cacao beans	*0.01
Lettuce, leaf	T10	Cassava	T*0.02
Mango	T1	Celery	T5
Meat (mammalian) (in the fat)	2	Cereal grains [except rice; sorghum, grain; sweet corns]	T0.1
Milks	0.05	Cherries	1
Nectarine	7	Chives	*0.01
Onion, bulb	10	Citrus fruits	1
Onion, Welsh	T10	Coffee beans	T0.5
Papaya (pawpaw)	10	Cotton seed	0.05
Parsley	T20	Cotton seed oil, crude	0.2
Peach	30	Cranberry	1
Peanut	0.3	Dried fruits	T2
Peas (pods and succulent, immature seeds)	10	Edible offal (mammalian)	T0.1
Peppers, chili, dried	70	Eggs	T*0.01
Persimmon, American	T5	Ginger, root	*0.02
Persimmon, Japanese	T5	Grapes	T1
Pistachio nut	T0.1	Herbs [except parsley]	*0.01
Plums (including prunes)	10	Kiwifruit	2
Potato	0.1	Leek	T5
Poultry, edible offal of	*0.05	Mango	*0.05
Poultry meat	*0.05	Meat (mammalian) (in the fat)	T0.5
Pulses	3	Milks (in the fat)	T0.2
Rice	T*0.1	Oilseed [except cotton seed; peanut]	T*0.05
Shallot	T10	Olives	T*0.05
Spring onion	T10	Onion, bulb	*0.01
Sunflower seed	T*0.01	Parsley	0.05
Sweet corns	T7	Passionfruit	*0.05
Tomato	10	Peanut	0.2
Tree tomato	T10	Peppers, sweet	T1
Turmeric, root	T7	Persimmon, American	T1
Vegetables [except asparagus; Brussels sprouts; carrot; celery; eggplant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7	Persimmon, Japanese	T1
Wasabi	T7	Pineapple	T0.5
<hr/>			
<b>Agvet chemical: Chlorpropham</b>			
<i>Permitted residue: Chlorpropham</i>			
Potato	30	Raspberries, red, black	0.01
<hr/>			
<b>Agvet chemical: Chlorpyrifos</b>			
<i>Permitted residue: Chlorpyrifos</i>			
Asparagus	T0.5	Rice	0.5
Avocado	0.5	Sorghum, grain	T3
Banana	T0.5	Spices	*0.01
		Star apple	T*0.05
		Stone fruits [except cherries (subgroup)]	T1
		Strawberry	0.05
		Sugar cane	T0.1
		Swede	T0.3
		Sweet corns	T*0.01

Sweet potato	0.05
Taro	0.05
Tomato	0.5
Tree nuts	0.05
Vegetables [except asparagus; bean, dry, seed; brassica vegetables; cassava; celery; leek; peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01

**Agvet chemical: Chlorthal-dimethyl**

Permitted residue: Chlorthal-dimethyl

Cereal grains [except rice; sweet corns]	10
Chives	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.05
Herbs	*0.01
Lupin (dry)	10
Meat (mammalian) (in the fat)	*0.05
Milks (in the fat)	*0.05
Oilseed [except cotton seed]	0.15
Palm nuts	0.15
Peanut	0.15
Peppers	1
Peppers, chili, dried	10
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses [except lupin (dry)]	0.15
Strawberry	0.5
Tea, green, black	0.1
Wheat bran, unprocessed	20
Wheat germ	30

**Agvet chemical: Chlorsulfuron**

Permitted residue: Chlorsulfuron

Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

**Agvet chemical: Chlortetracycline**

Permitted residue: Inhibitory substance, identified as chlortetracycline

Cattle kidney	0.6
Cattle liver	0.3
Cattle meat	0.1
Eggs	0.2
Pig kidney	0.6
Pig liver	0.3
Pig meat	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

**Agvet chemical: Chlorthal-dimethyl**

Permitted residue: Chlorthal-dimethyl

Eggs	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Lettuce, head	2
Lettuce, leaf	2
Milks	*0.05
Parsley	T2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sweet corns	5
Vegetables [except as otherwise listed under this chemical]	5

**Agvet chemical: Cinmethylin**

Permitted residue: Cinmethylin

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.01

**Agvet chemical: Clavulanic acid**

Permitted residue: Clavulanic acid

Cattle, edible offal of	*0.01
Cattle meat	*0.01
Cattle milk	*0.01

**Agvet chemical: Clethodim**

see Sethoxydim

Residues arising from the use of clethodim are covered by MRLs for sethoxydim

**Agvet chemical: Clodinafop acid**

Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Wheat	*0.1

**Agvet chemical: Clodinafop-propargyl**

Permitted residue: Clodinafop-propargyl

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05

Milks	*0.05	Kidney of cattle, goats, pigs and sheep	5
Poultry, edible offal of	*0.05	Meat (mammalian)	0.1
Poultry meat	*0.05	Milks	0.05
Wheat	*0.05	Mustard seeds	T0.5

**Agvet chemical: Clofentezine**

Permitted residue: Clofentezine

All other foods except animal food commodities	0.02
Almonds	0.5
Banana	*0.01
Edible offal (mammalian)	T*0.05
Grapes	1
Hops, dry	7
Jujube, Chinese	0.1
Meat (mammalian)	T*0.05
Milks	T*0.05
Plums (including prunes)	0.1
Pome fruits	0.1
Stone fruits [except jujube, Chinese; plums (including prunes)]	1
Strawberry	2
Tea, green, black	*0.05
Tomato	0.5

**Agvet chemical: Clomazone**

Permitted residue: Clomazone

Beans [except broad bean; soya bean]	*0.05
Common bean (pod and/or immature seeds)	T*0.05
Edible offal (mammalian)	*0.03
Eggs	*0.03
Fruiting vegetables, cucurbits	*0.05
Meat (mammalian)	*0.03
Milks	0.03
Mustard seeds	T*0.01
Potato	*0.05
Poultry, edible offal of	0.03
Poultry meat	0.03
Rape seed (canola)	0.01
Rice	*0.01

**Agvet chemical: Clopyralid**

Permitted residue: Clopyralid

All other foods except animal food commodities	0.1
Blueberries	0.5
Cauliflower	T0.2
Cereal grains [except sweet corns]	2
Cherries	0.5
Cranberry	4
Currants, black, red, white	0.5
Edible offal (mammalian) [except kidney]	0.5
Hops, dry	5

Kidney of cattle, goats, pigs and sheep	5
Meat (mammalian)	0.1
Milks	0.05
Mustard seeds	T0.5
Poppy seed	T1
Rape seed (canola)	0.5
Raspberries, red, black	0.5
Strawberry	4

**Agvet chemical: Cloquintocet acid**

see Cloquintocet mexyl

Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl

**Agvet chemical: Cloquintocet-mexyl**

Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl

Cereal grains [except sweet corns]	*0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	T*0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1

**Agvet chemical: Clorsulon**

Permitted residue: Clorsulon

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1.5

**Agvet chemical: Closantel**

Permitted residue: Closantel

Sheep, edible offal of	5
Sheep meat	2

**Agvet chemical: Clothianidin**

Permitted residue: Clothianidin

see also Thiamethoxam

All other foods except animal food commodities	T0.1
Almonds	0.05
Banana	*0.02
Barley	0.07
Barley bran, processed	0.15
Blueberries	T*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5
Broccoli, Chinese (Gai lan)	0.5

Cereal grains [except as otherwise listed under this chemical]	*0.02	Wheat bran, processed	6
Cherimoya	T0.1	Wheat germ	6
Chinese cabbage (Pe-tsai)	0.7	Wine grapes	0.07
Citrus fruits	0.5		
Common bean (dry) (navy bean)	T0.1		
Cotton seed	*0.02		
Cranberry	0.07		
Custard apple	T0.1		
Dried grapes	10		
Edible offal (mammalian) [except liver of cattle, goats, pigs and sheep]	*0.02		
Eggs	*0.02		
Fruiting vegetables, cucurbits	T0.5		
Fruiting vegetables, other than cucurbits	T0.7		
Fungi, edible (except mushrooms)	T0.7		
Grapes [except wine grapes]	3		
Ilama	T0.1		
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.7		
Liver of cattle, goats, pigs and sheep	0.4		
Maize	*0.01		
Mango	T2		
Meat (mammalian)	*0.02		
Milks	0.05		
Mung bean (dry)	T0.1		
Mustard seeds	T*0.01		
Oats	0.07		
Olives	T0.3		
Persimmon, American	2		
Pome fruits	2		
Popcorn	*0.01		
Poultry, edible offal of	0.4		
Poultry fats	*0.01		
Poultry meat	*0.02		
Pulses [except common bean (navy bean) (dry); mung bean (dry); soya bean (dry)]	*0.02		
Rape seed (canola)	*0.01		
Rice	0.9		
Rice bran, unprocessed	1		
Rice, husked	0.5		
Rice, polished	0.5		
Sorghum, grain	0.15		
Sorghum, sweet (sorgo)	0.4		
Soursop	T0.1		
Soya bean (dry)	T0.02		
Spices	0.05		
Stone fruits	3		
Sugar apple	T0.1		
Sugar cane	0.1		
Sunflower seed	*0.01		
Sweet corns (subgroup)	0.02		
Tea, green, black	T0.7		
Triticale	0.15		
Wheat	0.15		

  

<b>Agvet chemical: Cloxacillin</b>			
<i>Permitted residue: Inhibitory substance, identified as Cloxacillin</i>			
Cattle milk			*0.01

  

<b>Agvet chemical: Coumaphos</b>			
<i>Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos</i>			
Cattle fat			*0.02
Cattle kidney			*0.02
Cattle liver			*0.02
Cattle milk			*0.01
Cattle milk fat			0.1
Cattle muscle			*0.02

  

<b>Agvet chemical: Coumatetralyl</b>			
<i>Permitted residue: Coumatetralyl</i>			
Pig, edible offal of [except liver]			T0.003
Pig fat			T*0.001
Pig liver			T0.004
Pig meat			T*0.001

  

<b>Agvet chemical: Cyanamide</b>			
<i>Permitted residue: Cyanamide</i>			
Almonds			*0.01
Apple			*0.02
Blueberries			*0.05
Cherries (subgroup)			T*0.02
Grapes			*0.05
Kiwi fruit			*0.1
Pear, Oriental (nashi)			*0.1
Plums (including prunes)			*0.02
Walnuts			*0.02

  

<b>Agvet chemical: Cyanazine</b>			
<i>Permitted residue: Cyanazine</i>			
Bulb vegetables [except chives]			*0.02
Cereal grains [except sweet corns]			*0.01
Fennel, bulb			*0.02
Leek			0.05
Peas			0.02
Podded pea (young pods) (snow and sugar snap)			0.05
Potato			0.02
Pulses			*0.01
Sweet corn (corn-on-the-cob)			*0.02

<b>Agvet chemical: Cyantraniliprole</b>	
<b>Permitted residue: Cyantraniliprole</b>	
All other foods	0.05
Apple	1.5
Apricot	0.5
Avocado	0.5
Beans (dry)	0.3
Blueberries	4
Bulb vegetables [except chives; onion, bulb]	7
Celery	15
Cherries	6
Citrus fruits	0.7
Common beans (pods and/or immature seeds)	T1
Cranberry	4
Currants, black, red	4
Edible offal (mammalian)	0.05
Eggs	*0.01
Fennel, bulb	7
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	2
Fungi, edible (except mushrooms)	2
Gooseberry	4
Macadamia nuts	*0.01
Maize	*0.01
Mango	0.7
Meat (mammalian) (in the fat)	*0.01
Milk fats	0.07
Milks	*0.01
Mushrooms	2
Nectarine	1.5
Oilseed	1.5
Onion, bulb	0.05
Peach	1.5
Pear	1.5
Peas with pods (subgroup)	2
Peppers, chili, dried	5
Plums (including prunes)	0.5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Raspberries, red, black	4
Sorghum	*0.01
Strawberry	1.5
Succulent seeds of Beans with pods	0.3
Succulent seeds of Peas with pods	0.3
Sweet corn (corn-on-the-cob)	*0.01
Sweet potato	T0.05
Wine grapes	1

<b>Agvet chemical: Cyazofamid</b>	
<b>Permitted residue: Cyazofamid</b>	
All other foods except animal food commodities	0.04
Basil	T30
Basil, dry	T90
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Brassica leafy vegetables	15
Broccoli, Chinese (Gai lan)	2
Chard (silver beet)	15
Edible offal (mammalian)	*0.01
Eggs	*0.01
Garlic	2
Ginger, root	T*0.01
Green onions	6
Hops, dry	10
Meat (mammalian)	*0.01
Milks	*0.01
Onions, bulb	2
Parsley	T10
Peppers, chili	0.8
Poppy seed	T*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Spinach	15

<b>Agvet chemical: Cyclanilide</b>	
<b>Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide</b>	
Cotton seed	0.2
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05
Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

<b>Agvet chemical: Cyclaniliprole</b>	
<b>Permitted residue: Cyclaniliprole</b>	
All other foods except animal food commodities	0.02
Avocado	0.2
Brassica leafy vegetables	10
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Bush berries	1.5
Cane berries	0.8
Citrus fruits	0.4
Citrus oil, edible	50

Edible offal (mammalian)	0.2	Beans (green pods and immature seeds) [except broad bean; soya bean]	15
Eggs	*0.01	Carrot	5
Elderberries	1.5	Grapes	0.3
Fruiting vegetables, Cucurbits – Cucumbers and Summer squashes	0.05	Leek	4
Fruiting vegetables, Cucurbits – Melons, Pumpkins and Winter squashes	0.1	Linseed	7
Fruiting vegetables other than curcubits	0.2	Maize	0.2
Fungi, edible (except mushrooms)	0.2	Onion, bulb	3
Grapes	0.8	Peas (dry)	30
Guelder rose	1.5	Peas, shelled (succulent seeds)	15
Leafy greens	7	Peppers, chili, dried	90
Leafy vegetables [except brassica leafy vegetables; leafy greens]	3	Potato	15
Low growing berries	0.4	Rape seed (canola)	3
Mammalian fats [except milk fats]	0.25	Rice	0.09
Meat (mammalian) (in the fat)	0.25	Soya bean (dry)	80
Milks	*0.01	Stone fruits [except jujube, Chinese]	0.09
Milk fats	0.2	Strawberry	3
Mushrooms	0.2	Sugar beet	0.2
Peppers, chili, dried	1.5	Sunflower seed	6
Pome fruit [except persimmon, Japanese]	0.3	Tomato	1.5
Poultry, edible offal of	*0.01		
Poultry fats	*0.01		
Poultry meat	*0.01		
Stone fruits [except jujube, Chinese]	1	Dried grapes (currants, raisins and sultanas)	0.5
Sweet corns	0.2	Edible offal (mammalian)	*0.01
Tea, green, black	50	Eggs	*0.01
Tomato, dried	0.35	Fruiting vegetables, cucurbits	0.1
Tree nuts	0.03	Grapes	0.15

#### **Agvet chemical: Cyclobutifluram**

Permitted residue — commodities of plant origin: Cyclobutifluram

Permitted residue — commodities of animal origin: sum of cyclobutifluram and 2-trifluoromethyl-nicotinamide (SYN510275), expressed as cyclobutifluram

All other foods except animal food commodities	0.05
Barley	*0.01
Edible offal (mammalian)	0.5
Eggs	*0.03
Meat (mammalian)	0.05
Milks	0.05
Poultry meat	*0.03
Poultry, edible offal of	*0.03
Wheat	*0.01

#### **Agvet chemical: Cycloxydim**

Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim

Beans (dry) 30

#### **Agvet chemical: Cyflufenamid**

Permitted residue: Cyflufenamid

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Hops, dry	5
Marjoram (oregano)	*0.02
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	0.3

#### **Agvet chemical: Cyflumetofen**

Permitted residue—commodities of plant origin: Cyflumetofen

Permitted residue—commodities of animal origin: Sum of cyflumetofen and 2-trifluoromethylbenzoic acid, expressed as cyflumetofen

All other foods except animal food commodities	0.02
Cherries (subgroup)	1.5
Citrus fruits	0.3
Cucumber	T0.5
Dried grapes (currants, raisins and sultanas)	3
Edible offal (mammalian)	*0.03
Fruiting vegetables, other than cucurbits	2
Grapes [except dried]	0.7
Hops, dry	30
Meat (mammalian)	*0.03

Milks	*0.003	Beetroot	*0.01
Peaches (subgroup)	0.4	Berries and other small fruits [except Strawberry]	0.2
Plums (subgroup)	0.3	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.1
Pome fruits [except persimmon, Japanese]	0.5	Broccoli, Chinese (Gai lan)	0.1
Strawberry	0.8	Cereal grains [except barley; maize cereals; sorghum, grain; sweet corns (subgroup); wheat]	*0.01
Tree nuts	0.01	Chard	T0.5

**Agvet chemical: Cyfluthrin**

Permitted residue: Cyfluthrin, sum of isomers

All other foods except animal food commodities	0.05	Citrus fruits [except lemon and limes (subgroup)]	*0.01
Avocado	0.1	Coffee beans	0.05
Chia	T*0.05	Coriander (leaves, roots, stems)	T1
Citrus fruits [except kumquats]	0.2	Cotton seed	*0.02
Custard apple	T0.1	Cucumber	T0.05
Edible offal (mammalian)	*0.01	Edible offal (mammalian)	*0.02
Eggs	*0.01	Eggs	*0.02
Grapes	1	Fruiting vegetables, other than cucurbits	0.3
Hops, dry	20	Fungi, edible (except mushrooms)	0.3
Litchi	T0.3	Garlic	*0.05
Macadamia nuts	0.05	Hazelnuts	T*0.01
Mango	T0.1	Hops, dry	10
Mammalian fats [except milk fats]	0.5	Legume vegetables	0.1
Meat (mammalian)	0.02	Lemons and limes (subgroup)	0.2
Milks	0.1	Maize cereals	0.05
Papaya (pawpaw)	T0.2	Marjoram (oregano)	0.7
Peppers, chili, dried	1	Meat (mammalian) (in the fat)	0.5
Persimmon, American	T0.1	Milks (in the fat)	0.5
Persimmon, Japanese	T0.1	Mustard seeds	T0.02
Pomegranate	T0.1	Onion, bulb	*0.05
Poultry, edible offal of	*0.01	Onion, Welsh	T0.05
Poultry meat (in the fat)	*0.01	Parsley	T1
Stone fruits [except jujube, Chinese]	0.3	Peanut	0.05
Tomato	0.2	Pecan	0.05

**Agvet chemical: Cyhalofop-butyl**

Permitted residue: Sum of cyhalofop-butyl and cyhalofop acid, expressed as cyhalofop-butyl

Edible offal (mammalian)	*0.05	Potato	*0.01
Eggs	*0.05	Poultry, edible offal of	*0.02
Marjoram (oregano)	*0.05	Poultry meat	*0.02
Meat (mammalian) (in the fat)	*0.05	Pulses [except soya bean (dry)]	0.2
Milks	*0.05	Radish	*0.01
Poultry, edible offal of	*0.05	Rape seed (canola)	0.02
Poultry meat	*0.05	Shallot	T0.05
Rice	*0.01	Sorghum, grain	0.5

**Agvet chemical: Cyhalothrin**

Permitted residue: Cyhalothrin, sum of isomers

Almonds	0.05	Spring onion	T0.05
Asparagus	0.02	Stone fruits [except jujube, Chinese]	0.5
Barley	0.2	Strawberry	0.5
Basil	0.7	Sunflower seed	*0.01
		Sweet corns (subgroup)	0.3
		Tea, green, black	1
		Tomato	0.1

Walnuts	0.05	Horse meat (in the fat)	*0.05
Wheat	*0.05	Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	T5
<b>Agvet chemical: Cyhexatin</b>			
<i>Permitted residue: Sum of azocyclotin and cyhexatin, expressed as cyhexatin</i>			
Peppers, chili, dried	5	Leek	T0.5
<b>Agvet chemical: Cypermethrin</b>			
<i>Permitted residue: Cypermethrin, sum of isomers</i>			
Adzuki bean (dry)	T0.05	Lentil (dry)	T0.05
All other foods	*0.01	Lettuce, head	2
Asparagus	0.5	Linola oil, edible	0.1
Avocado	T0.2	Linola seed	0.1
Beetroot	T0.1	Linseed	0.5
Berries and other small fruits [except blueberries; grapes; raspberries, red, black]	0.5	Longan	1
Blueberries	0.8	Lupin (dry)	*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1	Mango	0.7
Broad bean (dry) (fava bean)	0.05	Milks (in the fat)	1
Broccoli, Chinese (Gai lan)	1	Mung bean (dry)	0.05
Cattle, edible offal of	0.05	Mustard seeds	T0.2
Cattle meat (in the fat)	0.5	Mustard seeds oil, edible	T0.2
Celery	T1	Mushrooms	T1
Cereal grains [except rice; sweet corns; wheat]	1	Olives	T*0.05
Cherries	2	Onion, bulb	*0.01
Chick-pea (dry)	0.2	Onion, Welsh	T0.5
Chinese cabbage (Pe-tsai)	T5	Peanut	T*0.05
Chives	T8	Peas	1
Citrus fruits [except kumquats]	0.3	Peppers, chili	2
Common bean (dry) (navy bean)	0.05	Peppers, chili, dried	10
Coriander (leaves, roots, stems)	T8	Persimmon, American	T0.2
Cotton seed	0.2	Persimmon, Japanese	T0.2
Cotton seed oil, crude	*0.02	Pig, edible offal of	*0.05
Cumin seed	0.5	Pig meat (in the fat)	*0.05
Deer meat (in the fat)	T0.5	Pome fruits [except Persimmon, Japanese]	1
Durian	1	Poppy seed	T*0.05
Eggs	0.05	Potato	*0.01
Field pea (dry)	0.05	Poultry, edible offal of	*0.05
Fruiting vegetables, cucurbits	T0.3	Poultry meat (in the fat)	*0.05
Fruiting vegetables, other than cucurbits [except; tomato]	T1	Radish	T0.05
Fungi, edible (except mushrooms)	T1	Rape seed (canola)	0.2
Ginseng	*0.03	Rape seed oil, edible	0.2
Ginseng, dried	0.15	Raspberries, red, black	0.8
Ginseng, extract	*0.06	Rice	2
Goat, edible offal of	0.05	Shallot	T0.5
Goat meat (in the fat)	0.5	Sheep, edible offal of	0.05
Grapes	2	Sheep meat (in the fat)	0.5
Hempseed	T0.1	Soya bean (dry)	0.05
Herbs	T8	Soya bean oil, crude	0.1
Horse, edible offal of	*0.05	Spring onion	T0.5

<b>Agvet chemical: Cyproconazole</b>		
<i>Permitted residue: Cyproconazole, sum of isomers</i>		
All other foods except animal food commodities	0.01	
Barley	*0.02	
Coffee bean	0.07	
Coffee bean, roasted	0.1	
Edible offal (mammalian)	1	
Eggs	*0.01	
Maize	*0.01	
Meat (mammalian)	0.03	
Milks	*0.01	
Oats	0.05	
Peanut	0.02	
Potato	*0.02	
Poultry, edible offal of	*0.01	
Poultry meat	*0.01	
Pulses	0.05	
Rape seed (canola)	T0.02	
Rye	*0.02	
Soya bean oil, refined	0.1	
Sweet corn (corn-on-the-cob)	*0.01	
Triticale	*0.02	
Wheat	*0.02	
Ginseng (including red), dried	3	
Grapes	3	
Herbs [except basil]	T50	
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	10	
Litchi	T2	
Meat (mammalian)	*0.01	
Melons, except watermelon	T0.2	
Milks	*0.01	
Onion, bulb	0.2	
Peas with pods (subgroup)	2	
Peppers, chili [except dried]	T0.7	
Peppers, chili, dried	9	
Peppers, sweet	0.7	
Pistachio nut	T0.1	
Pome fruits [except Persimmon, Japanese]	2	
Pomegranate	10	
Poultry, edible offal of	T*0.01	
Poultry meat	T*0.01	
Raspberries, red, black	10	
Soya bean (dry)	0.3	
Stone fruits	2	
Strawberry	5	
Succulent peas without pods	0.5	
Tomato	T1	

<b>Agvet chemical: Cyprodinil</b>		
<i>Permitted residue: Cyprodinil</i>		
All other foods except animal food commodities	0.05	
Almonds	0.02	
Avocado	T2	
Basil	40	
Bayberries	T3	
Bayberry, red	T3	
Blackberries	10	
Blueberries	3	
Boysenberry	10	
Bulb vegetables [except onion, bulb]	3	
Celery	30	
Chinese cabbage (Pe-tsai)	10	
Cloudberry	T3	
Common bean (pods and/or immature seeds)	0.7	
Cucumber	0.5	
Currants, black, red, white	5	
Dewberries (including boysenberry and loganberry) [except boysenberry]	T3	
Dried herbs	T200	
Dried stone fruits	0.05	
Dry beans [except soya bean (dry)]	0.2	
Dry peas	0.2	
Edible offal (mammalian)	*0.01	
Egg plant	T0.2	
Eggs	T*0.01	
Ginseng	0.3	
<b>Agvet chemical: Cyromazine</b>		
<i>Permitted residue: Cyromazine</i>		
All other foods except animal food commodities	0.05	
Broccoli	T1	
Cattle, edible offal of	0.05	
Cattle meat	0.05	
Eggs	0.2	
Fruiting vegetables, cucurbits	T0.7	
Fruiting vegetables, other than cucurbits	T1	
Fungi, edible (except mushrooms)	T1	
Goat, edible offal of	0.2	
Goat meat	0.2	
Legume vegetables	T1	
Lettuce, head	T8	
Milks	*0.01	
Mushrooms	10	
Peppers, chili, dried	10	
Pig, edible offal of	0.05	
Pig meat	0.05	
Poultry, edible offal of	0.1	
Poultry meat	0.05	
Root and tuber vegetables	T1	
Sheep, edible offal of	0.2	
Sheep meat	0.2	
Stalk and stem vegetables [except fennel, bulb]	T7	
Witloof chicory	T7	

<b>Agvet chemical: 2,4-D</b>	Chicken fat/skin	1
<i>Permitted residue: 2,4-D</i>		
All other foods except animal food commodities	0.05	
Blueberries	0.2	
Cereal grains [except sweet corns]	0.2	
Cherries	0.05	
Citrus fruits	5	
Cranberry	0.5	
Edible offal (mammalian)	7	
Eggs	*0.05	
Grapes	T*0.05	
Hops, dry	0.2	
Legume vegetables	*0.05	
Meat (mammalian) (in the fat)	0.7	
Milks	0.1	
Oilseeds and oilfruits [except oilfruits]	*0.05	
Pear	*0.05	
Potato	0.1	
Poultry, edible offal of	*0.05	
Poultry meat	*0.05	
Pulses	*0.05	
Raspberries, red, black	0.2	
Sugar cane	5	
Walnuts	0.2	
<b>Agvet chemical: 2,4-DB</b>		
<i>Permitted residue: 2,4-DB</i>		
All other foods except animal food commodities	0.05	
Cereal grains [except sweet corns]	*0.02	
Edible offal (mammalian)	0.2	
Eggs	*0.05	
Meat (mammalian)	0.2	
Milks	*0.05	
Peanut	0.2	
Poultry, edible offal of	*0.05	
Poultry meat	*0.05	
<b>Agvet Chemical: 1,4-dimethylnaphthalene</b>		
<i>Permitted residue—commodities of plant origin: 1,4-dimethylnaphthalene</i>		
<i>Permitted maximum residue—commodities of animal origin, except milk: sum of 1,4-dimethylnaphthalene and metabolite 4-methyl-1-naphthoic acid (M23), expressed as 1,4-dimethylnaphthalene</i>		
Potato	20	
<b>Agvet chemical: Decoquinate</b>		
<i>Permitted residue: Decoquinate</i>		
Chicken kidney	0.8	
Chicken liver	1	
Chicken meat	0.5	
<b>Agvet chemical: Deltamethrin</b>		
<i>Permitted residue: Deltamethrin</i>		
All other foods except animal food commodities	0.05	
Brassica vegetables (except Brassica leafy vegetables [except Chinese cabbage (Pe-tsai)])	*0.05	
Broccoli, Chinese (Gai lan)	*0.05	
Cattle, edible offal of	0.1	
Cattle meat (in the fat)	0.5	
Cereal grains [except sweet corns]	2	
Cherries	0.1	
Currants, black, red, white	0.6	
Eggs	*0.01	
Fruiting vegetables, other than cucurbits	0.1	
Fungi, edible (except mushrooms)	0.1	
Goat, edible offal of	0.1	
Goat meat (in the fat)	0.2	
Legume vegetables	0.1	
Milks	0.05	
Mushrooms	0.1	
Oilseeds (subgroup)	0.1	
Pig, edible offal of	*0.01	
Pig meat (in the fat)	0.1	
Poultry, edible offal of	*0.01	
Poultry meat (in the fat)	*0.01	
Pulses	0.1	
Raspberries, red, black	0.5	
Sheep, edible offal of	0.1	
Sheep meat (in the fat)	0.2	
Strawberry	0.2	
Sweet corn (kernels)	0.1	
Tea, green, black	5	
Wheat bran, unprocessed	5	
Wheat germ	3	
<b>Agvet chemical: Derquantel</b>		
<i>Permitted residue: Derquantel</i>		
Sheep fat	0.0002	
Sheep kidney	0.0002	
Sheep liver	0.0002	
Sheep muscle	0.0002	
<b>Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate</b>		
<i>Permitted residue: Dexamethasone</i>		
Cattle, edible offal of	0.1	
Cattle meat	0.1	
Cattle milk	*0.05	
Horse, edible offal of	0.1	
Horse meat	0.1	
Pig, edible offal of	0.1	

Pig meat	0.1
<b>Agvet chemical: <i>Diafenthiuron</i></b>	
<i>Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)- 4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]- N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron</i>	
All other foods except animal food commodities	0.01
Cereal grains	T*0.01
Cotton seed	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Mushrooms	0.5
Mustard seeds	T*0.01
Peanut	T0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Pulses	T*0.01
Rape seed (canola)	*0.01
<b>Agvet chemical: <i>Diazinon</i></b>	
<i>Permitted residue: Diazinon</i>	
Cereal grains [except sweet corns]	0.1
Citrus fruits	0.7
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5
Spring onion	T0.5
Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, crude]	0.1
Vegetables	0.7

<b>Agvet chemical: <i>Dicamba</i></b>	
<i>Permitted residue: Dicamba</i>	
All other foods except animal food commodities	0.05
Cereal grains [except maize; sweet corns]	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.05
Maize	0.1
Meat (mammalian)	0.05
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	0.1
Sugar cane molasses	2
<b>Agvet chemical: <i>Dicamba</i></b>	
<i>Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba</i>	
Cotton seed	3
Soya bean	10
<b>Agvet chemical: <i>Dichlobenil</i></b>	
<i>Permitted residue: Dichlobenil</i>	
All other foods except animal food commodities	0.05
Blueberries	T1
Celery	0.07
Cereal grains [except maize and sweet corns]	*0.05
Citrus fruits	0.1
Cranberry	0.1
Currants, black, red, white	T1
Gooseberry	T1
Grapes	0.1
Maize	0.1
Peppers, chili, dried	*0.01
Pome fruits	0.1
Raspberries, red, black	T1
Stone fruits	0.1
Tomato	0.1
<b>Agvet chemical: <i>Dichlofluanid</i></b>	
<i>Permitted residue: Dichlofluanid</i>	
Berries and other small fruits [except grapes; strawberry]	T50
Grapes	0.5
Peanut	*0.02
Strawberry	10
Tomato	1

<b>Agvet chemical: 1,3-dichloropropene</b>	
<i>Permitted residue: 1,3-dichloropropene</i>	
Grapes	0.018
<b>Agvet chemical: Dichlorprop-P</b>	
<i>Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid</i>	
Citrus fruits [except kumquats]	0.2
Edible offal (mammalian)	*0.05
Eggs	*0.02
Marjoram (oregano)	*0.05
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.02
<b>Agvet chemical: Dichlorvos</b>	
<i>Permitted residue: Dichlorvos</i>	
All other foods except animal food commodities	0.01
Almonds	2
Cereal grains [except rice; sweet corns]	*0.01
Coffee beans	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseeds and oilfruits [except oilfruits]	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01
Rice	7
<b>Agvet chemical: Diclofop-methyl</b>	
<i>Permitted residue: Diclofop-methyl</i>	
Cereal grains [except sweet corns]	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseeds (subgroup)	0.1
Peas	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
<b>Agvet chemical: Dicofol</b>	
<i>Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol</i>	
Almonds	5
Cotton seed	0.1
Cucumber	2
Fruit [except strawberry]	5
Gherkin	2
Hops, dry	5
Strawberry	1
Sweet corns	5
Tea, green, black	5
Tomato	1
Vegetables [except as otherwise listed under this chemical]	5
<b>Agvet chemical: Dicyclanil</b>	
<i>Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil</i>	
Sheep fat	0.3
Sheep kidney	0.3
Sheep liver	0.3
Sheep meat	0.3
<b>Agvet chemical: Didecyldimethylammonium chloride</b>	
<i>Permitted residue: Didecyldimethylammonium chloride</i>	
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	20
Sentul	20
<b>Agvet chemical: Dieldrin</b>	
<i>see Aldrin and Dieldrin</i>	
<b>Agvet chemical: Difenoconazole</b>	
<i>Permitted residue: Difenoconazole</i>	
All other foods except animal food commodities	0.02
Almonds	0.03
Asparagus	*0.05
Avocado	T2
Banana	*0.02
Blueberries	4
Brassica leafy vegetables	T5
Celeriac	T1
Celery	10
Cereal grains [except rice; sweet corns]	*0.01
Chard (silver beet)	T5
Chestnuts	T0.05
Chicory leaves (green and red cultivars)	T5
Chives	T10
Coffee beans	T*0.01
Cotton seed	0.4
Cranberry	0.6
Currants, black, red, white	0.2
Dried grapes	6
Edible offal (mammalian)	*0.05

Eggs	*0.05	Tea, green, black	0.1
Endive	T5		
Fruiting vegetables, cucurbits	0.3		
Fruiting vegetables, other than cucurbits [except goji berry]	1		
Ginger root	0.2	All other foods except animal food commodities	0.01
Ginger root, dried	1.5	Barley	0.05
Goji berry	5	Edible offal (mammalian)	0.1
Goji berry, dried	15	Eggs	*0.02
Grapefruit	0.6	Grapes	*0.002
Grapes	4	Meat (mammalian) (in the fat)	0.05
Guava	0.15	Milks	0.01
Herbs	T40	Oats	0.05
Lemon	0.6	Peas	0.05
Macadamia nuts	*0.01	Poultry, edible offal of	*0.02
Meat (mammalian)	*0.05	Poultry meat	*0.02
Milks	*0.01	Pulses	0.05
Onion, bulb	T0.1	Rye	0.05
Orange	0.6	Safflower seed	T*0.05
Papaya (pawpaw)	1	Tea, green, black	*0.05
Peanut	*0.01	Triticale	0.05
Pecan	0.03	Wheat	0.02
Peppers, chili	0.9	Walnuts	T*0.01
Peppers, chili, dried	5		
Pome fruits [except Persimmon, Japanese]	0.3		
Poppy seed	T*0.01		
Potato	4		
Poultry, edible offal of	*0.05		
Poultry meat	*0.05		
Riberry	T1		
Rice	8		
Root and tuber vegetables [except celeriac; potato]	0.5		
Spinach	T5		
Stone fruits [except jujube, Chinese]	2.5		
Strawberry	2		
Tea, green, black	20		
<hr/>			
<b>Agvet chemical: Diflubenzuron</b>			
<i>Permitted residue: Diflubenzuron</i>			
Almonds	0.2		
Cattle, edible offal of	*0.02		
Cattle milk	0.05		
Citrus fruits [except kumquats]	3		
Fish muscle	T*0.002		
Mushrooms	0.1		
Peaches (subgroup)	0.5		
Peanut	0.1		
Peppers, chili, dried	20		
Plums (subgroup)	0.5		
Rice	*0.01		
Sheep kidney	0.05		
Sheep liver	0.05		
Sheep meat (in the fat)	0.05		
Sheep milk	0.05		
<hr/>			
<b>Agvet chemical: Dimethoate</b>			
<i>Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate</i>			
<i>see also Omethoate</i>			
Asparagus	0.02		
Avocado	0.7		
Bearberry	T5		
Beetroot	*0.1		

Bilberry	T5	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	6
Bilberry, bog	T5		
Bilberry, red	T5		
Blackberries	T5	Bulb onions [except garlic; onion, bulb; shallot]	0.5
Blueberries	T5		
Boysenberry	0.02	Celery	15
Brussels sprouts	0.1	Chinese cabbage (Pe-tsai)	30
Cereal grains [except sweet corns]	0.5	Chives	10
Cherries (subgroup)	*0.01	Corn salad (lamb's lettuce)	10
Citrus fruits [except kumquats]	5	Edible offal (mammalian)	*0.01
Cotton seed	*0.1	Fruiting vegetables, cucurbits	0.5
Cranberry	T5	Fruiting vegetables, other than cucurbits	1.5
Currants, black, red, white	*0.01	Fungi, edible (except mushrooms)	1.5
Edible offal (mammalian)	0.1	Garlic	0.6
Egg plant	T0.2	Grapes	3
Eggs	*0.05	Green onions [except chives; spring onion]	2
Elderberries	0.02	Herbs [except parsley]	10
Legume vegetables	2	Hops, dry	80
Litchi	5	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30
Mammalian fats (except milk fats)	0.03	Lima bean (young pods and/or immature seeds)	0.6
Mango	0.5	Meat (mammalian)	*0.01
Meat (mammalian)	*0.05	Milks	*0.01
Melons [except watermelon]	5	Mizuna	T10
Milks	*0.05	Mushrooms	1.5
Oilseeds (subgroup) [except cotton seed]	0.2	Onion, bulb	0.6
Olive oil, refined	T0.3	Parsley	T20
Olives for oil production	T3	Peas	1
Onion, bulb	0.7	Peppers, chili, dried	5
Peanut	0.02	Poppy seed	*0.02
Peppers, sweet	0.7	Potato	0.05
Pineapple	0.07	Radish	T0.3
Potato	0.1	Shallot	0.6
Poultry, edible offal of	*0.05	Spices [except peppers, chili, dried]	0.05
Poultry fats	*0.001	Spring onion	15
Poultry meat	*0.05	Strawberry	0.7
Pulses	0.7	Sweet corns	1.5
Raspberries, red, black	T5		
Rhubarb	0.7		
Squash, summer (including zucchini)	0.7		
Strawberry	*0.02		
Sweet potato	0.1		
Tomato	0.02		
Turnip, garden	*0.2		
Watermelon	5		
Wheat bran, processed	1		
Wheat germ	0.2		

#### Agvet chemical: Dimethomorph

Permitted residue: Sum of E and Z isomers of dimethomorph

All other foods except animal food commodities	0.2
Beetroot	0.3

#### Agvet chemical: Dimpropyridaz

Permitted residue—commodities of plant origin:  
*Dimpropyridaz*

Permitted residue—commodities of animal origin:  
sum of *dimpropyridaz* and 1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide, expressed as *dimpropyridaz*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Cotton seed	0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.3

Fruiting vegetables, other than cucurbits	1
Leafy vegetables	15
Meat (mammalian)	*0.02
Milks	*0.02
Poultry meat	*0.02
Poultry, edible offal of	*0.02

Fruits [except apple; pear]	0.5
Liver of cattle, goats, pigs and sheep	0.05
Meat (mammalian) (in the fat)	*0.01
Milks (in the fat)	*0.01
Pear	7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

#### **Agvet chemical: Dinitolmide**

*Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents*

Poultry, edible offal of	6
Poultry fats	2
Poultry meat	3

#### **Agvet chemical: Dinitro-o-toluamide**

see *Dinitolmide*

#### **Agvet chemical: Dinocap**

*Permitted residue: Sum of dinocap isomers and dinocap phenols, expressed as dinocap*

Peppers, chili, dried	2
-----------------------	---

#### **Agvet chemical: Dinotefuran**

*Permitted residue—commodities of plant origin: Dinotefuran*

*Permitted residue—commodities of animal origin: Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran*

All other foods except animal food commodities	0.02
Celery	0.6
Cotton seed	0.1
Cranberry	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes	0.9
Meat (mammalian)	*0.02
Milks	*0.02
Mung bean (dry)	0.3
Peppers, chili, dried	5
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	8

#### **Agvet chemical: Diphenylamine**

*Permitted residue: Diphenylamine*

All other foods except animal food commodities	0.05
Apple	10
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.05

#### **Agvet chemical: Diquat**

*Permitted residue: Diquat cation*

Barley	5
Beans [except broad bean; soya bean]	1
Broad bean (green pods and/or immature seeds)	1
Coffee bean	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.05
Hops, dry	T0.2
Linseed	*0.01
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Oats	5
Oilseed [except linseed; poppy seed]	5
Onion, bulb	0.1
Palm nuts	5
Peanut	5
Peas	0.1
Poppy seed	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Quinoa	T5
Rice	5
Rice, polished	1
Rye	2
Sorghum, grain	2
Sugar beet	0.1
Sugar cane	*0.05
Sweet corns	*0.05
Tea, green, black	0.1
Tree nuts	*0.05
Triticale	2
Vegetable oils, crude	1
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05
Wheat	2

#### **Agvet chemical: Dithianon**

*Permitted residue: Dithianon*

All other foods except animal food commodities	0.02
--	------

Blueberries	T7
Fruits [except blueberries]	2
Hops, dry	100

#### **Agvet chemical: Dithiocarbamates**

*Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food*

Almonds	3
Asparagus	T1
Avocado	7
Banana	T15
Basil	T5
Beetroot	1
Berries and other small fruits [except strawberry]	T15
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; garlic; onion, bulb]	T10

Carrot	1
Celery	5
Cereal grains [except sweet corns]	0.5
Chinese cabbage (Pe-tsai)	5
Citrus fruits	T7
Coriander, seed	0.1
Cotton seed	10
Custard apple	5
Edible offal (mammalian)	2
Eggs	*0.5
Fennel, bulb	T10
Fig	3
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits [except roselle; tomato]	3
Fungi, edible (except mushrooms)	3
Garlic	4
Ginger, root	T3
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Legume vegetables	2
Litchi	5
Mango	7
Meat (mammalian)	*0.5
Milks	*0.2
Mushrooms	3
Olives for oil production	T30
Onion, bulb	4
Papaya (pawpaw)	5
Parsley	5
Parsnip	T1
Passionfruit (including granadilla)	3
Peanut	0.2
Pepper, black, white	0.1

Peppers, chili, dried	20
Pistachio nut	T3
Pome fruits	3
Pomegranate	T5
Poppy seed	*0.2
Potato	1
Poultry, edible offal of	*0.5
Poultry meat	*0.5
Pulses	0.5
Radish	T1
Rhubarb	2
Roselle (rosella)	5
Stone fruits [except jujube, Chinese]	3
Strawberry	10
Sunflower seed	T*0.05
Swede	T1
Sweet corns	3
Table olives	T30
Tomato	T5
Tree tomato	T5
Turnip, garden	T1
Walnuts	T*0.2

#### **Agvet chemical: Diuron**

*Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron*

All other foods except animal food commodities	0.05
Asparagus	2
Banana	0.5
Blueberries	0.1
Cereal grains [except sweet corns]	0.1
Cotton seed oil, crude	0.5
Date	T0.5
Edible offal (mammalian)	3
Lime	1
Meat (mammalian)	0.1
Milks	0.1
Oilseeds (subgroup)	0.5
Pineapple	0.5
Pulses	*0.05
Sugar cane	0.2

#### **Agvet chemical: Dodine**

*Permitted residue: Dodine*

All other foods except animal food commodities	0.1
Almonds	0.3
Cherries	3
Peanut	0.013
Pome fruits [except Persimmon, Japanese]	5
Stone fruits [except cherries; jujube, Chinese]	*0.05
Walnuts	T0.3

<b>Agvet chemical: Doramectin</b>	
<i>Permitted residue: Doramectin</i>	
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.01
Cattle milk	0.05
Pig kidney	0.03
Pig liver	0.05
Pig meat (in the fat)	0.1
Sheep, edible offal of	0.05
Sheep fat	0.1
Sheep meat	0.02
 <b>Agvet chemical: 2,2-DPA</b>	
<i>Permitted residue: 2,2-dichloropropionic acid</i>	
Avocado	*0.1
Banana	*0.1
Cereal grains [except sweet corns]	*0.1
Citrus fruits	*0.1
Cotton seed	*0.1
Currants, black, red, white	15
Edible offal (mammalian)	0.2
Grapes	3
Meat (mammalian)	0.2
Milks	*0.1
Papaya (pawpaw)	*0.1
Pecan	*0.1
Pineapple	*0.1
Pome fruits	*0.1
Stone fruits [except jujube, Chinese]	1
Sugar cane	*0.1
Sunflower seed	*0.1
Vegetables	*0.1
 <b>Agvet chemical: EDC</b>	
<i>see Ethylene dichloride</i>	
 <b>Agvet chemical: Emamectin</b>	
<i>Permitted residue: Sum of emamectin B1a and emamectin B1b</i>	
All other foods except animal food commodities	0.005
Almonds	0.02
Basil leaves	0.06
Basil leaves, dried	0.4
Blueberries	T0.07
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.02
Broccoli, Chinese (Gai lan)	0.02
Celery	T0.2
Cherries (subgroup)	0.09
Chia	T0.05
Chinese cabbage (Pe-tsai)	T0.5
 <b>Agvet chemical: Chives, dried</b>	
<b>Agvet chemical: Cotton seed</b>	
<b>Agvet chemical: Edible offal (mammalian)</b>	
<b>Agvet chemical: Fruiting vegetables, cucurbits</b>	
<b>Agvet chemical: Fruiting vegetables, other than cucurbits</b>	
<b>Agvet chemical: Fungi, edible (except mushrooms)</b>	
<b>Agvet chemical: Ginger root</b>	
<b>Agvet chemical: Grapes</b>	
<b>Agvet chemical: Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head and lettuce, leaf; witloof chicory]</b>	
<b>Agvet chemical: Legume vegetables</b>	
<b>Agvet chemical: Lettuce, head</b>	
<b>Agvet chemical: Lettuce, leaf</b>	
<b>Agvet chemical: Maize cereals</b>	
<b>Agvet chemical: Mammalian fats (except milk fats)</b>	
<b>Agvet chemical: Meat (mammalian)</b>	
<b>Agvet chemical: Meat (mammalian) (in the fat)</b>	
<b>Agvet chemical: Milks</b>	
<b>Agvet chemical: Milk fats</b>	
<b>Agvet chemical: Mustard seeds</b>	
<b>Agvet chemical: Pecan</b>	
<b>Agvet chemical: Peppers, chili, dried</b>	
<b>Agvet chemical: Pistachio nut</b>	
<b>Agvet chemical: Pulses</b>	
<b>Agvet chemical: Rape seed (canola)</b>	
<b>Agvet chemical: Root and tuber vegetables [except potato]</b>	
<b>Agvet chemical: Sorghum, grain</b>	
<b>Agvet chemical: Strawberry</b>	
<b>Agvet chemical: Sweet corn (corn-on-the-cob)</b>	
<b>Agvet chemical: Tea, green, black</b>	
<b>Agvet chemical: Walnuts</b>	
<b>Agvet chemical: Wheat, similar grains, and pseudocereals without husks</b>	
 <b>Agvet chemical: Endosulfan</b>	
<i>Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate</i>	
<b>Agvet chemical: Cacao beans</b>	
<b>Agvet chemical: Tea, green, black</b>	
 <b>Agvet chemical: Endothal</b>	
<i>Permitted residue: Endothal</i>	
<b>Agvet chemical: Edible offal (mammalian)</b>	
<b>Agvet chemical: Eggs</b>	
<b>Agvet chemical: Hops, dry</b>	
<b>Agvet chemical: Meat (mammalian)</b>	
<b>Agvet chemical: Milks</b>	
<b>Agvet chemical: Poultry, edible offal of</b>	
<b>Agvet chemical: Poultry meat</b>	

---

**Agvet chemical: Enilconazole**

see *Imazalil*

---

---

**Agvet chemical: Epoxiconazole**

Permitted residue: Epoxiconazole

---

Avocado	0.5
Banana	1
Cereal grains [except sweet corns]	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat bran, unprocessed	0.3
Wheat germ	0.2

---

---

**Agvet chemical: Eprinomectin**

Permitted residue: Eprinomectin B1a

---

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.03
Deer, edible offal of	2
Deer meat	0.1

---

---

**Agvet chemical: EPTC**

Permitted residue: EPTC

---

All other foods except animal food commodities	0.04
Cereal grains	*0.04
Edible offal (mammalian)	*0.1
Eggs	*0.01
Meat (mammalian)	*0.1
Milks	*0.1
Oilseeds (subgroup)	0.1
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables [except potato]	*0.04

---

---

**Agvet chemical: Erythromycin**

Permitted residue: Inhibitory substance, identified as erythromycin

---

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.04
Poultry, edible offal of	*0.3
Poultry meat	*0.3

---

---

**Agvet chemical: Esfenvalerate**

see *Fenvalerate*

---

---

**Agvet chemical: Ethephon**

Permitted residue: Ethephon

---

All other foods except animal food commodities	0.1
Apple	1
Banana	T*0.05
Barley	1
Blueberries	T10
Cherries	15
Cotton seed	2
Cotton seed oil, crude	*0.1
Currant, black	1
Edible offal (mammalian)	0.2
Eggs	*0.2
Grapes	6
Kiwifruit	0.1
Lychee	T*0.05
Macadamia nuts	*0.1
Mandarins	2
Mango	T*0.02
Meat (mammalian)	0.1
Milks	0.1
Nectarine	0.01
Olives	T20
Oranges, sweet, sour	2
Papaya	T1
Peach	0.5
Pineapple	2
Poultry, edible offal of	*0.2
Poultry meat	*0.1
Sugar cane	0.5
Sugar cane molasses	7
Tomato	2
Walnuts	T5

---

---

**Agvet chemical: Ethion**

Permitted residue: Ethion

---

Cattle, edible offal of	2.5
Cattle meat (in the fat)	2.5
Citrus fruits [except kumquats]	1
Cotton seed	0.1
Cotton seed oil, crude	0.05
Grapes	2
Milks (in the fat)	0.5
Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	1
Tea, green, black	5

---

---

**Agvet chemical: Ethiprole**

Permitted residue—commodities of plant origin:  
*Ethiprole*

Permitted residue—commodities of animal origin:

Sum of ethiprole and 5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-ethylsulfonylpyrazole-3-carbonitrile (ethiprole-sulfone), expressed as parent equivalents.

---

Coffee beans	0.07
Coffee beans, roasted	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Fats (mammalian)	0.15
Meat (mammalian)	0.15
Milk fats	0.5
Milks	0.01
Poultry, Edible offal of	0.05
Poultry fats	0.05
Poultry meat	0.05
Rice	3
Rice, husked	1.5
Rice, polished	0.4
Soya bean (dry)	0.05

---

**Agvet chemical: Ethofumesate**

Permitted residue: *Ethofumesate*

---

Beetroot	0.1
Bulb vegetables [except chives]	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Fennel, bulb	*0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Strawberry	*0.03
Sugar beet	0.1

---

**Agvet chemical: Ethopabate**

Permitted residue: *Ethopabate*

---

Poultry, edible offal of	15
Poultry meat	5

---

**Agvet chemical: Ethoprophos**

Permitted residue: *Ethoprophos*

---

Banana	*0.02
Hops, dry	0.02
Peppers, chili, dried	0.2
Tomato	*0.01

---

---

**Agvet chemical: Ethoxyquin**

Permitted residue: *Ethoxyquin*

---

Crustaceans	1
Diadromous fish	1
Edible offal (mammalian)	1
Eggs	0.1
Freshwater fish	1
Marine fish	1
Meat (mammalian)	0.5
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.5

---

---

**Agvet chemical: Ethoxysulfuron**

Permitted residue—commodities of plant origin:  
*Ethoxysulfuron*

Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxypyrimidine, expressed as *ethoxysulfuron*

---

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

---

---

**Agvet chemical: Ethyl formate**

Permitted residue: *Ethyl formate*

---

Dried fruits	1
--------------	---

---

---

**Agvet chemical: Ethylene dichloride (EDC)**

Permitted residue: 1,2-dichloroethane

---

Cereal grains [except sweet corns]	*0.1
------------------------------------	------

---

---

**Agvet chemical: Etofenprox**

Permitted residue: *Etofenprox*

---

All other foods except animal food commodities	0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Hops, dry	5
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rice	*0.01
Stone fruits [except cherries (subgroup)]	5

---

---

**Agvet chemical: Etoxazole**

Permitted residue: *Etoxazole*

---

All other foods except animal food commodities	0.05
--	------

---

Almonds	*0.01
Avocado	T0. 1
Banana	0.2

Cane berries	T0.5	Peppers, chili	5
Cherries	1	Peppers, chili, dried	50
Chervil	T1	Peppers, sweet	5
Chives	T1	Potato	*0.02
Citrus fruits	0.5	Poultry, edible offal of	*0.01
Coriander (leaves, roots, stems)	T1	Poultry meat (in the fat)	*0.01
Cotton seed	0.2	Tomato	2
Custard apple	T0.1		
Dried grapes	1.5		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Fruiting vegetables, other than cucurbits	0.05		
Fruiting vegetables, cucurbits	T0.1		
Fungi, edible (except mushrooms)	0.05		
Grapes	0.5		
Herbs	T1		
Hops, dry	7		
Ivy gourd	T0.1		
Maize	T*0.01		
Mango	T0.1		
Meat (mammalian) (in the fat)	*0.02		
Milks	*0.01		
Mizuna	T1		
Mushrooms	0.05		
Papaya	T0.1		
Passionfruit	T0.1		
Peaches (subgroup)	1		
Podded pea (young pods) (snow and sugar snap)	T*0.02		
Pointed gourd	T0.1		
Pome fruits	0.2		
Popcorn	T*0.01		
Poultry, edible offal of	*0.01		
Poultry meat (in the fat)	*0.02		
Rucola (Rocket)	T1		
Strawberry	0.2		
Stone fruits [except cherries (subgroup); peaches (subgroup)]	0.3		
Sweet corn (kernels)	T*0.01		
Tea, green, black	15		
<b>Agvet chemical: Famoxadone</b>			
<b>Permitted residue: Famoxadone</b>			
Bulb onions (subgroup)	0.4		
Cane berries	10		
Dried grapes (currants, raisins and sultanas)	5		
Edible offal (mammalian)	*0.05		
Eggs	*0.01		
Fruiting vegetables, cucurbits - cucumbers and summer squashes	0.6		
Hops, dry	80		
Leafy vegetables	40		
Meat (mammalian) (in the fat)	*0.01		
Milks	*0.01		
<b>Agvet chemical: Fenamidone</b>			
<b>Permitted residue: Fenamidone</b>			
Celery	40		
Peppers, chili, dried	30		
<b>Agvet chemical: Fenamiphos</b>			
<b>Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos</b>			
Aloe vera	*0.05		
Banana	*0.05		
Strawberry	*0.05		
<b>Agvet chemical: Fenazaquin</b>			
<b>Permitted residue: Fenazaquin</b>			
Apple	0.3		
Avocado	0.15		
Bush berries	0.8		
Cane berries	0.7		
Citrus fruits [except kumquats]	0.4		
Citrus oil, edible	40		
Dried grapes	1.5		
Edible offal (mammalian)	*0.02		
Eggplants (subgroup)	0.3		
Fruiting vegetables, cucurbits	0.3		
Grapes [except dried]	0.7		
Hops, dry	30		
Low growing berries	2		
Mammalian fats (except milk fats)	*0.02		
Marjoram (oregano)	*0.02		
Meat (mammalian)	*0.02		
Meat (mammalian) (in the fat)	*0.02		
Milks	*0.02		
Milks (in the fat)	*0.02		
Peppers (subgroup)	0.3		
Peppers, chili, dried	3		
Podded pea (young pods) (snow and sugar snap)	0.4		
Prunes, dried	3		
Small fruit vine climbing	0.7		
Stone fruits [except jujube, Chinese]	2		
Tomatoes (subgroup)	0.3		
Tree nuts	0.02		

<b>Agvet chemical: Fenbendazole</b>	
<i>Permitted residue: Fenbendazole</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	0.5
Goat meat	0.5
Milks	0.1
Sheep, edible offal of	0.5
Sheep meat	0.5
 <b>Agvet chemical: Fenbuconazole</b>	
<i>Permitted residue: Fenbuconazole</i>	
All other foods except animal food commodities	0.02
Almonds	0.05
Banana	0.5
Blueberries	0.3
Cherries (subgroup)	1
Cranberry	0.5
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Nectarine	0.5
Peanut	0.1
Peppers, chili, dried	2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Tea, green, black	30
Wheat	*0.01
 <b>Agvet chemical: Fenbutatin oxide</b>	
<i>Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide</i>	
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	5
Berries and other small fruits [except table grapes]	1
Cherries	6
Citrus fruits	5
Citrus peel	30
Dried grapes	T10
Grapes [except wine grapes]	5
Hops, dry	20
Nectarine	3
Peach	3
Pome fruits [except Persimmon, Japanese]	3
Tomato	T2
Sentul	5
 <b>Agvet chemical: Fenhexamid</b>	
<i>Permitted residue: Fenhexamid</i>	
All other foods except animal food commodities	0.1
Blueberries	5
Bulb onions (subgroup)	3
Cane berries	20
Cloudberry	20
Cucumber	10
Currant, black, red, white	20
Dried grapes	20
Edible offal (mammalian)	2
Grapes	10
Kiwifruit	15
Lettuce, head	50
Lettuce, leaf	50
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Pear	6
Peas with pods (subgroup)	5
Peppers (subgroup)	30
Plums (including prunes)	1.5
Stone fruits [except jujube, Chinese; plums]	10
Strawberry	10
Tomato	T2
 <b>Agvet chemical: Fenitrothion</b>	
<i>Permitted residue: Fenitrothion</i>	
Apple	1
Cabbages, head	0.5
Cacao beans	0.1
Cereal grains [except sweet corns]	10
Cherries	1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	1
Lettuce, head	0.5
Lettuce, leaf	0.5
Meat (mammalian)	T*0.05
Milks (in the fat)	T*0.05
Oilseed	0.1
Palm nuts	0.1
Peanut	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.1
Rice, polished	0.1
Soya bean (dry)	0.3
Sugar cane	0.02
Tea, green, black	0.5
Tomato	0.5
Tree nuts	0.1
Wheat bran, unprocessed	20
Wheat germ	20

<b>Agvet chemical: Fenoxaprop-ethyl</b>		
Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolyl)oxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl		
Barley	*0.01	
Chick-pea (dry)	*0.01	
Edible offal (mammalian)	0.2	
Eggs	*0.02	
Meat (mammalian)	0.05	
Milks	0.02	
Peanut	0.05	
Poultry, edible offal of	*0.1	
Poultry meat	*0.01	
Rice	T*0.02	
Rye	*0.01	
Triticale	*0.01	
Wheat	*0.01	
<hr/>		
<b>Agvet chemical: Fenoxy carb</b>		
Permitted residue: Fenoxy carb		
All other foods except animal food commodities	0.1	
Olive oil, virgin	7	
Olives for oil production	2	
Pome fruits [except Persimmon, Japanese]	2	
Table Olives	2	
<hr/>		
<b>Agvet chemical: Fenpicoxamid</b>		
Permitted residue—commodities of plant origin: Fenpicoxamid		
Banana	0.15	
Edible offal (mammalian)	0.02	
Mammalian fats (except milk fats)	*0.015	
Marjoram (oregano)	*0.02	
Meat (mammalian)	*0.015	
Milks	*0.015	
Rye	0.15	
Triticale	0.15	
Wheat	0.15	
<hr/>		
<b>Agvet chemical: Fenpropothrin</b>		
Permitted residue: Fenpropothrin		
Blueberries	3	
Cherries	5	
Citrus fruits [except kumquats]	2	
Cranberry	2	
Grapes	5	
Peanut	0.01	
Peppers, chili, dried	10	
<hr/>		
<b>Agvet chemical: Fenpropidin</b>		
Permitted residue—Commodities of plant origin: Fenpropidin		
Permitted residue—Commodities of animal origin: Sum of fenpropidin and 2-methyl-2-[4-(2-methyl-3-piperidin-1-ylpropyl)-phenyl]-propanoic acid (CGA 289267), expressed as fenpropidin		
Edible offal (mammalian)	*0.02	
Eggs	*0.02	
Meat (mammalian)	*0.02	
Milks	*0.01	
Poultry, edible offal of	*0.02	
Poultry meat	*0.02	
Wine grapes	0.03	
<hr/>		
<b>Agvet chemical: Fenpropimorph</b>		
Permitted residue: Fenpropimorph		
Banana	2	
Barley	0.5	
Oats	0.5	
Wheat	0.5	
<hr/>		
<b>Agvet chemical: Fenpyrazamine</b>		
Permitted residue: Fenpyrazamine		
All other foods except animal food commodities	0.02	
Blueberries	5	
Dried grapes (currants, raisins and sultanas)	10	
Edible offal (mammalian)	*0.01	
Eggs	*0.01	
Meat (mammalian)	*0.01	
Milks	*0.005	
Poultry, edible offal of	*0.01	
Poultry meat	*0.01	
Raspberries, red, black	5	
Strawberry	3	
Table grapes	3	
Wine grapes	0.05	
<hr/>		
<b>Agvet chemical: Fenpyroximate</b>		
Permitted residue: Fenpyroximate		
All other foods except animal food commodities	0.1	
Almonds	0.1	
Apple	0.3	
Cherries	2	
Cranberry	1	
Currants, black, red, white	1	
Edible offal (mammalian)	0.8	

Fats (mammalian)	0.1
Grapes	1
Hops, dry	10
Lemons and limes (subgroup)	1
Meat (mammalian) (in the fat)	0.2
Milks	*0.01
Pear	0.3
Pomelo	0.5
Raspberries, red, black	3
Stone fruits [except cherries]	0.4
Strawberry	1
Tangelo	0.5
Tea, green, black	0.1
Tomatoes (includes goji berry)	0.3

#### **Agvet chemical: Fipronil**

*Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)*

#### **Agvet chemical: Fenvalerate**

*Permitted residue: Fenvalerate, sum of isomers*

All other foods except animal food commodities	0.05
Almonds	0.2
Berries and other small fruits	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Brassica leafy vegetables	1
Cereal grains [except sweet corns]	2
Celery	2
Cherries	3
Dried grapes	0.5
Edible offal (mammalian)	0.05
Eggs	0.02
Grapes	0.1
Legume vegetables	0.5
Meat (mammalian) (in the fat)	1
Milks	0.2
Oilseeds and oilfruits [except oilfruits; peanut]	0.5
Olives for oil production	T1
Olive oil, crude	T5
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	0.05
Pulses	0.5
Sweet corn (corn-on-the-cob)	0.05
Table olives	T1
Tea, green, black	0.05
Tomato	0.2
Wheat bran, unprocessed	5

Asparagus	0.2
Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple; tamarillo (tree tomato)]	T*0.01
Banana	0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.05
Broccoli, Chinese (Gai lan)	T0.05
Carob	T*0.01
Carrot	T*0.01
Celery	T0.3
Citrus fruit	T*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Edible offal (mammalian)	0.02
Eggs	0.02
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Honey	0.01
Lettuce, head	T0.1
Lettuce, leaf	T0.1
Maize cereals	T*0.01
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mushrooms	0.02
Oilseeds (subgroup)	*0.01
Peppers, chili	*0.005
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rice	0.01
Sentul	T*0.01
Sorghum, grain	0.01
Soya bean (dry)	T*0.01
Stone fruits	0.01
Sugar cane	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

#### **Agvet chemical: Flamprop-methyl**

*Permitted residue: Flamprop-methyl*

Chick-pea (dry)	*0.01
Edible offal (mammalian)	*0.01

Eggs	*0.01	Fungi, edible (except mushrooms)	T0.5
Meat (mammalian)	*0.01	Hops, dry	20
Milks	*0.01	Lemons and Limes	1.5
Poultry, edible offal of	*0.01	Meat (mammalian)	*0.02
Poultry meat	*0.01	Milks	*0.02
Triticale	0.05	Mushrooms	T0.5
Wheat	0.05	Mustard seeds	T0.5

**Agvet chemical: Flamprop-M-methyl**

see Flamprop-methyl

**Agvet chemical: Flavophospholipol**

Permitted residue: Flavophospholipol

Cattle fat	*0.01		
Cattle kidney	*0.01		
Cattle liver	*0.01		
Cattle meat	*0.01		
Cattle milk	T*0.01		
Eggs	*0.02		

**Agvet chemical: Flazasulfuron**

Permitted residue: Flazasulfuron

Almonds	0.01		
Citrus fruits	*0.01		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Grapes	*0.01		
Marjoram (oregano)	*0.02		
Meat (mammalian)	*0.01		
Milks	*0.01		
Olives for oil production	*0.01		
Poultry meat	*0.01		
Poultry, edible offal of	*0.01		
Table olives	*0.01		

**Agvet chemical: Flonicamid**

Permitted residue: Flonicamid [N -(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N -(4-trifluoromethylnicotinoyl)glycine]

All other foods except animal food commodities	0.2		
Blackberries	T2		
Bulb vegetables [except chives]	T0.2		
Celery	1.5		
Cotton seed	1		
Cranberry	1.5		
Edible offal (mammalian)	*0.02		
Eggs	*0.02		
Fennel, bulb	T0.2		
Fruiting vegetables, cucurbits	0.7		
Fruiting vegetables, other than cucurbits	0.5		

Fungi, edible (except mushrooms)		
Hops, dry	20	
Lemons and Limes	1.5	
Meat (mammalian)	*0.02	
Milks	*0.02	
Mushrooms	T0.5	
Mustard seeds	T0.5	
Oranges, Sweet, Sour	0.4	
Pome fruits [except Persimmon, Japanese]	0.7	
Potato	0.3	
Poultry, edible offal of	*0.02	
Poultry meat	*0.02	
Pummelos	0.3	
Rape seed (canola)	0.5	
Raspberries, red, black	T2	
Stone fruits	0.6	
Strawberry	2	
Sweet corns	T0.5	

**Agvet chemical: Florasulam**

Permitted residue: Florasulam

Cereal grains [except sweet corns]	*0.01	
Edible offal (mammalian)	*0.01	
Eggs	*0.01	
Marjoram (oregano)	*0.02	
Meat (mammalian)	*0.01	
Milks	*0.01	
Poultry, edible offal of	*0.01	
Poultry meat	*0.01	

**Agvet chemical: Florfenicol**

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

Cattle kidney	0.5	
Cattle liver	3	
Cattle meat	0.3	
Pig fat/skin	1	
Pig kidney	1	
Pig liver	3	
Pig meat	0.5	
Salmon, Atlantic	T1	

**Agvet chemical: Florylpicoxamid**

Permitted residue: commodities of plant origin: Sum of florylpicoxamid and (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

Permitted residue: commodities of animal origin: (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid

<b>Agvet chemical: Florylpicoxamid</b>	
All other foods except animal food commodities	0.01
Banana	0.5
Dried grapes (currants, raisins and sultanas)	15
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes	3
Leafy greens	20
Meat (mammalian) (in the fat)	0.07
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	1
Wheat	0.02
Wheat bran, unprocessed	0.07
<b>Agvet chemical: Fluazaindolizine</b>	
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Galangal, rhizomes	0.3
Legume vegetables	0.8
Mammalian fats (except milk fats)	*0.01
Meat (mammalian)	*0.01
Milk fats	*0.01
Milks	*0.01
Mushrooms	0.2
Peppers, chili, dried	0.3
Poultry, edible offal of	0.02
Poultry meat	*0.01
Poultry fats	*0.01
Root and tuber vegetables	0.3
Sweet corns	0.2
Tomato, dried	0.5
<b>Agvet chemical: Florpyrauxifen-benzyl</b>	
<i>Permitted residue: Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl</i>	
Edible offal (mammalian)	T*0.02
Eggs	T*0.02
Meat (mammalian) [in the fat]	T*0.02
Milks	T*0.02
Poultry, edible offal of	T*0.02
Poultry meat (in the fat)	T*0.02
Rice	T*0.02
Sorghum, grain	*0.02
<b>Agvet chemical: Fluoxapiprolin</b>	
<i>Permitted residue: Fluoxapiprolin</i>	
Dried grapes (= currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	0.15
Meat (mammalian) [in the fat]	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat [in the fat]	*0.01
<b>Agvet chemical: Fluazaindolizine</b>	
<i>Permitted residue: Fluazaindolizine</i>	
All other foods except animal food commodities	0.1
Carrot	0.4
Edible offal (mammalian)	0.01
Eggs	*0.01

Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	2	Wine grapes	*0.05
<b>Agvet chemical: Fluazuron</b>			
Leek	T1	Permitted residue: Fluazuron	
Legume vegetables	0.1	Cattle, edible offal of	0.5
Lettuce, head	0.05	Cattle meat (in the fat)	7
Lotus root	T3		
Lupin (dry)	0.1		
Meat (mammalian)	*0.05		
Milks	0.1		
Oilseeds (subgroup)	0.5		
Olives for oil production	0.05		
Onion, bulb	0.05		
Onion, Chinese	0.05		
Onion, Welsh	0.05		
Parsley	2	Permitted residue—eggs: Flubendazole	
Peanut	1.5	Chicken fat/skin	0.03
Pecan	0.05	Chicken liver	0.2
Peppers, sweet	*0.02	Chicken kidney	0.1
Pome fruits	*0.01	Chicken muscle	*0.02
Potato	0.05	Eggs	0.6
Poultry, edible offal of	*0.05	Pig fat/skin	*0.02
Poultry meat	*0.05	Pig liver	0.4
Pulses [lupin (dry); soya bean (dry)]	0.5	Pig kidney	0.3
Root and tuber vegetables [except lotus root; potato; sweet potato; taro; water chestnut; yam bean; yams]	1	Pig muscle	*0.02
Sentul	0.05		
Shallot	0.05		
Soya bean (dry)	15		
Spring Onion	0.05		
Stone fruits	0.05		
Strawberry	3		
Sugar cane	T*0.1		
Sweet potato	T0.3		
Table olives	0.05		
Taro	T3		
Tea, green, black	T50		
Tomato	0.1		
Turmeric, root	0.05		
Water chestnut	T3		
Yam bean	T3		
Yams	T0.3		
<b>Agvet chemical: Flubendiamide</b>			
Permitted residue—commodities of plant origin: Flubendiamide			
Permitted residue—commodities of animal origin: sum of flubendiamide and flubendiamide-iodophthalimide, expressed as flubendiamide			
All other foods except animal food commodities	0.05		
Almonds	0.06		
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	5		
Broccoli, Chinese (Gai lan)	5		
Chia	1		
Chinese cabbage (Pe-tsai)	10		
Chives	20		
Common bean (pods and/or immature seeds)	T2		
Cotton seed	0.5		
Edible offal (mammalian)	0.03		
Eggs	*0.01		
Fruiting vegetables, cucurbits	0.2		
Fruiting vegetables, other than cucurbits	2		
Fungi, edible (except mushrooms)	2		
Grapes	1.4		
Herbs	20		
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof, chicory]	10		
Lettuce, head	5		
Meat (mammalian) (in the fat)	0.05		

**Agvet chemical: Fluazinam**

*Permitted residue: Fluazinam*

All other foods except animal food commodities	0.01		
Blueberries	7		
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.01		
Broccoli, Chinese (Gai lan)	*0.01		
Peanut	0.02		
Pome fruits	*0.01		
Potato	*0.01		
Strawberry	T*0.05		

Milk fats	0.05	Guava	0.5
Milks	*0.01	Herbs	T20
Mushrooms	2	Kiwifruit	15
Peppers, chili, dried	7	Leafy vegetables [except witloof chicory (sprouts)]	15
Potato	*0.02	Litchi	T2
Poultry, edible offal of	*0.01	Maize	*0.02
Poultry meat (in the fat)	*0.01	Mammalian fats (except milk fats)	0.02
Root and tuber vegetables [except potato]	0.2	Mango	7
Spices [except peppers, chili, dried]	0.02	Meat (mammalian)	0.05
Stalk and stem vegetables [except fennel, bulb]	5	Melons, except watermelon	T0.2
Stone fruits [except jujube, Chinese]	1.6	Milks	0.05
Strawberry	0.3	Mustard seeds	*0.01
Sweet corn (corn-on-the-cob)	T*0.05	Papaya	5
Tea, green, black	0.02	Peach	10
Witloof, chicory	5	Peanut	T*0.01

#### **Agvet chemical: Fludioxonil**

*Permitted residue—commodities of animal origin:*

*Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil*

*Permitted residue—commodities of plant origin:*

*Fludioxonil*

All other foods except animal food commodities	0.02		
Almond oil	0.3	Poultry, edible offal of	0.1
Apricot	10	Poultry fats	*0.01
Avocado	2	Poultry meat	*0.01
Banana	2	Rape seed (canola)	*0.01
Bayberry, red	T2	Sorghum, grain	*0.01
Beans with pods [except soya beans]	0.8	Stone fruits [except apricot; peach]	5
Beetroot	*0.01	Sugar beet	4
Berries and other small fruits [except grapes]	5	Sunflower seed	T*0.02
Broccoli	T*0.01	Sweet corn (corn-on-the-cob)	*0.02
Bulb onions (subgroup)	0.5	Tomato	T1
Bulb vegetables [except chives; bulb onions (subgroup)]	3	Tree nuts [except canarium nut; chestnuts; Chilean hazelnut; pistachio nut]	0.3

#### **Agvet chemical: Fluensulfone**

*Permitted residue—commodities of plant origin: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone*

*Permitted residue—commodities of animal origin:*

*Fluensulfone*

All other foods	1		
Barley, similar grains, and pseudocereals with husks	0.08		
Celery	2		
Citrus oil, edible	1.5		
Dried grapes (equals currants; raisins; sultanas)	2		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Fruiting vegetables, cucurbits	0.5		
Fruiting vegetables, other than cucurbits	1		

Fungi, edible (except mushrooms)	1
Maize Cereals	0.15
Meat (mammalian)	*0.01
Milks	*0.01
Mushrooms	1
Oilseeds (subgroup)	0.05
Peppers, chili, dried	7
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	0.05
Rice Cereals	0.05
Root and tuber vegetables	2
Sorghum Grain and Millet	0.05
Sugar cane	0.06
Sweet corns	1
Wheat, similar grains, and pseudocereals without husks	0.08

#### **Agvet Chemical: Flufenoxuron**

##### *Permitted residue: Flufenoxuron*

Oranges (subgroup)	0.4
Tea, green, black	20

#### **Agvet Chemical: Fluindapyr**

*Permitted residue — commodities of plant origin: sum of fluindapyr and 3-(difluoromethyl)-N-[7-fluoro-1-(hydroxymethyl)-1,3-dimethyl-2,3-dihydro-1H-inden-4-yl]-1-methyl-1H-pyrazole-4-carboxamide (1-OH-Met-fluindapyr) and its conjugates, expressed as fluindapyr*  
*Permitted residue — commodities of animal origin: sum of fluindapyr, 4-(3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamido)-7-fluoro-1,3-dimethyl-2,3-dihydro-1H-indene-1-carboxylic acid (1-COOH-fluindapyr), 3-(difluoromethyl)-N-[7-fluoro-1-(hydroxymethyl)-1,3-dimethyl-2,3-dihydro-1H-inden-4-yl]-1-methyl-1H-pyrazole-4-carboxamide (1-OH-Met-fluindapyr), 3-(difluoromethyl)-N-[7-fluoro-1-(hydroxymethyl)-1,3-dimethyl-2,3-dihydro-1H-inden-4-yl]-1H-pyrazole-4-carboxamide (1-OH-Met-DesMet-fluindapyr) and their conjugates, and 3-(difluoromethyl)-N-(7-fluoro-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl)-1H-pyrazole-4-carboxamide (N-DesMet-fluindapyr), expressed as fluindapyr*

Maize cereals (subgroup)	*0.01
Sorghum (subgroup)	1
Sweet corn (corn-on-the-cob; kernels)	*0.01
Tree nuts	0.04
Wheat (subgroup)	0.4

#### **Agvet chemical: Flumethrin**

##### *Permitted residue: Flumethrin, sum of isomers*

Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	*0.003
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05

#### **Agvet chemical: Flumetsulam**

##### *Permitted residue: Flumetsulam*

Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05
Triticale	*0.05
Wheat	*0.05

#### **Agvet chemical: Flumiclorac penty**

##### *Permitted residue: Flumiclorac penty*

Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

#### **Agvet chemical: Flumioxazin**

##### *Permitted residue: Flumioxazin*

All other foods except animal food commodities	0.02
Avocado	*0.02
Banana	T*0.02
Blueberries	0.02
Carrot	T*0.05
Cereal grains [except sweet corns]	*0.05
Citrus fruits	*0.05
Cranberry	0.07
Edible offal (mammalian)	*0.01
Eggs	*0.01
Garlic	T*0.02
Grapes	*0.01
Hops, dry	T*0.05
Lavender	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Mints	T*0.02
Oilseeds and oilfruits [except oilfruits]	*0.1
Peanut	*0.02
Pome fruits	*0.02
Pomegranate	*0.02
Poultry, edible offal of	*0.01

Poultry meat	*0.01
Pulses	*0.1
Stone fruits [except jujube, Chinese]	*0.02
Sugar cane	*0.01
Table olives	*0.02
Tree nuts	*0.02

---

**Agvet chemical: Fluopyram**

Permitted residue—commodities of plant origin:  
*Fluopyram*

Permitted residue—commodities of animal origin:  
Sum of fluopyram and 2-(trifluoromethyl)-benzamide,  
expressed as fluopyram

---

**Agvet chemical: Flunixin**

Permitted residue: Flunixin

Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02

---

**Agvet chemical: Fluometuron**

Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron

Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	0.5
Cotton seed	*0.1
Pineapple	*0.1

---

**Agvet chemical: Fluopicolide**

Permitted residue: Fluopicolide

All other foods	0.01
Basil	T30
Brassica vegetables (except Brassica leaf vegetables)	5
Bulb vegetables [except chives; onion, bulb]	3
Cane berries	T1.5
Celery	20
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, bulb	3
Fruiting vegetables, cucurbits	0.5
Grapes	2
Hops, dry	15
Leafy vegetables	30
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Onion, bulb	0.1
Peppers, chili, dried	7
Poppy seed	0.5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

All other foods except animal food commodities	0.2
Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2
Banana	0.1
Beans [except broad bean; snap bean (immature seeds); soya bean]	1
Blueberries	7
Brussels sprouts	0.3
Bulb onions	0.07
Cane berries [except raspberries, red, black]	3
Cereal grains [except rice; sweet corns]	0.03
Cherries	3
Chicory witloof	0.3
Citrus fruits	1
Cranberry	2
Currants, black, red, white	7
Dried grapes (= currants, raisins and sultanas)	3
Edible offal (mammalian)	0.7
Eggs	*0.02
Fruiting vegetables, cucurbits	0.5
Garden pea, shelled	0.2
Grapes	2
Green onions	2
Hops, dry	100
Lentil (dry)	0.4
Lettuce, head	15
Lettuce, leaf	15
Macadamia nuts	0.2
Meat (mammalian)	0.1
Milks	0.1
Oilseeds (subgroup)	0.03
Olives for oil production	3
Olive oil, crude	5
Peanut	0.2
Peas (dry)	0.7
Peppers, chili, dried	30
Peppers, sweet	0.3
Persimmon, Japanese	1.5
Pistachio nut	0.2
Podded pea (young pods) (snow and sugar snap)	1
Pome fruits [except Persimmon, Japanese]	1
Potato	0.1
Poultry, Edible offal of	*0.02
Poultry meat	*0.02

Pulses [except lentil (dry); peas (dry); soya bean (dry)]	0.09	Grapes	3
Raspberries, red, black	5	Hops, dry	10
Rice	4	Mango	0.7
Rice, husked	1.5	Meat (mammalian)	0.1
Rice, polished	0.5	Milks	0.07
Root and tuber vegetables [except sweet potato]	0.2	Olives for oil production	1
Sentul	2	Papaya (pawpaw)	0.5
Snap bean (immature seeds)	0.2	Peppers, chili, dried	9
Soya bean (dry)	0.04	Pineapple	0.3
Stone fruits [except cherries (subgroup)]	2	Poultry, edible offal of	*0.01
Strawberry	2	Poultry meat	*0.01
Sugar beet	0.04	Peanut	0.04
Sweet Potato	0.02	Potato	0.07
Table olives	3	Sesame seed	3
Tomatoes (subgroup)	T1.5	Soya bean (dry)	1.5
Tree nuts [except macadamia nuts; pistachio nut; walnuts]	0.05	Stone fruits [except jujube, Chinese]	1.5
Walnuts	T0.07	Strawberry	1.5
		Sunflower seeds (subgroup)	0.8
		Sweet potato	0.07
		Table olives	1
		Tree nuts	0.02

#### **Agvet chemical: Fluoxastrobin**

*Permitted residue: Sum of fluoxastrobin and its Z isomer*

Cranberry	1.9
Peanut	0.02

#### **Agvet chemical: Flupropanate**

*Permitted residue: Flupropanate*

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

#### **Agvet chemical: Flupyradifurone**

*Permitted residue: Flupyradifurone*

All other foods except animal food commodities	0.2
Apple	0.7
Assorted tropical and sub-tropical fruits – inedible peel [except banana; mango; papaya; pineapple]	1.5
Blueberries	4
Cacao beans	*0.01
Cane berries	6
Citrus fruits [except kumquats]	3
Coffee beans	0.9
Common bean (pods and/or immature seeds)	2
Dried grapes (currants, raisins and sultanas)	5
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1.5
Fungi, edible (except mushrooms)	1.5

#### **Agvet chemical: Fluquinconazole**

*Permitted residue: Fluquinconazole*

All other foods except animal food commodities	0.02
Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Mustard seeds	T*0.01
Pome fruits [except Persimmon, Japanese]	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02

#### **Agvet chemical: Fluralaner**

*Permitted residue: Fluralaner*

Cattle, edible offal of [except kidney, liver]	0.25
Cattle fat	0.7
Cattle kidney	0.25
Cattle liver	0.6
Cattle muscle	0.07
Chicken eggs	1.3
Chicken fat/skin	0.6
Chicken kidney	0.4
Chicken liver	0.6
Chicken muscle	0.06
Sheep fat	0.35
Sheep kidney	0.15
Sheep liver	0.4

Sheep muscle	0.1	Barley	1.5
<b>Agvet chemical: Fluroxypyrr</b>			
<i>Permitted residue: Fluroxypyrr</i>			
All other foods except animal food commodities	0.02	Edible offal (mammalian)	1
Cereal grains	0.2	Eggs	*0.05
Edible offal (mammalian) [except kidney]	0.1	Garden pea (young pods)	*0.01
Eggs	*0.01	Hops, dry	20
Kidney (mammalian)	1	Grapes	1.5
Meat (mammalian) (in the fat)	0.1	Mammalian fats (except milk fats)	0.02
Milks	0.1	Meat (mammalian)	*0.05
Onion, bulb	0.2	Meat (mammalian) (in the fat)	0.02
Poultry, edible offal of	*0.05	Milks	*0.05
Poultry meat	*0.05	Mustard seeds	T0.07
Rice bran, unprocessed	T0.3	Oilseeds and oilfruits [except mustard seeds; oilfruits; peanut; rape seed (canola)]	0.05
Sugar cane (in the juice)	0.2	Peanut	0.09
<b>Agvet chemical: Flusilazole</b>			
<i>Permitted residue: Flusilazole</i>			
Apple	0.3	Peppers, chili, dried	10
<b>Agvet chemical: Flutianil</b>			
<i>Permitted residue: Flutianil</i>			
Apple	0.15	Pome fruits [except Persimmon, Japanese]	0.4
Cherries (subgroup)	0.4	Poultry, edible offal of	*0.05
Marjoram (oregano)	*0.02	Poultry fats	0.03
Small fruit vine climbing	0.7	Poultry meat	*0.05
<b>Agvet chemical: Flutolanil</b>			
<i>Permitted residue—commodities of plant origin: Flutolanil</i>			
<i>Permitted residue—commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil</i>			
Edible offal (mammalian)	*0.05	All other foods except animal food commodities	0.02
Eggs	*0.05	Apple	0.1
Marjoram (oregano)	*0.02	Asparagus	0.2
Meat (mammalian) (in the fat)	*0.05	Carrot	T*0.01
Milks	*0.05	Cauliflower	0.5
Peanut	0.5	Cotton seed	0.1
Potato	0.2	Honey	T*0.01
Poultry, edible offal of	*0.05	Macadamia nuts	*0.01
Poultry meat (in the fat)	*0.05	Stone fruits [except jujube, Chinese]	0.05
<b>Agvet chemical: Fluxapyroxad</b>			
<i>Permitted residue: Fluxapyroxad</i>			
All other foods	0.1	Table grapes	0.05
Banana	3	Tomato	0.5
Barley	3		
Barley bran, processed	4		
Barley bran, unprocessed	0.5		
Beans, shelled	0.5		
Berries and other small fruit [except grapes]	7		

Brassica leafy vegetables	4	Root and tuber vegetables [except parsnip; sugar beet]	0.9
Broccoli	4	Rye	3
Bulb vegetables [except chives]	1.5	Sorghum, grain	3
Cauliflower	4	Soya bean (dry)	0.3
Celery	10	Soya bean (immature seeds)	0.5
Chicory	30	Soya bean (young pod)	1.5
Citrus oil, edible	90	Stem brassicas	2
Coffee beans	0.2	Stone fruits [except jujube, Chinese; prunes]	3
Cotton seed	0.5	Sugar beet	0.15
Dried grapes (currants, raisins and sultanas)	15	Sugar cane	3
Edible offal (mammalian)	0.03	Sweet corn (corn-on-the-cob)	0.15
Eggs	0.005	Tangelo, large-sized cultivars	1.5
Fennel, bulb	1.5	Tangelo, small and medium sized cultivars	1.5
Flowerhead Brassicas	4	Tea, green, black	T7
Fruiting vegetables, cucurbits	0.5	Tree nuts	0.07
Fruiting vegetables, other than cucurbits	0.6	Tumeric root	0.3
Fungi, edible (except mushrooms)	0.6	Valerian root	2
Grapes [except dried grapes]	3	Wheat	0.3
Head Brassicas	4	Wheat bran, unprocessed	1
Jujube, Chinese	T7		
Legume vegetables [except beans, shelled; peas, shelled (succulent seeds)]	2		
Lemons and Limes	1	<b>Agvet chemical: Folpet</b>	
Lettuce, head	30	<i>Permitted residue: Folpet</i>	
Lettuce, leaf	30	Currants, black, red, white	0.03
Mandarins	1	Hops, dry	120
Mango	0.8	Marjoram (oregano)	*0.06
Meat (mammalian) (in the fat)	0.05	Peppers, chili	*0.03
Milk fats	0.1	Peppers, sweet	*0.03
Milks	0.005	Strawberry	T5
Millet	3		
Oats	2	<b>Agvet chemical: Fomesafen</b>	
Oilseeds and oilfruits [except oilseeds (subgroup); peanut]	0.8	<i>Permitted residue: Fomesafen</i>	
Oilseeds (subgroup) [except cotton seed]	0.9	Edible offal (mammalian)	*0.02
Oranges, Sweet, Sour	1.5	Eggs	*0.02
Papaya (pawpaw)	1	Meat (mammalian)	*0.02
Parsnip	1	Milks	*0.02
Peas, shelled (succulent seeds)	0.5	Potato	0.025
Pecan	0.06	Poultry, Edible offal of	*0.02
Peppers, chili, dried	6	Poultry meat	*0.02
Pome fruits	0.9	Pulses	*0.01
Pomegranate	T0.3	Tomato	0.025
Poultry, edible offal of	*0.01		
Poultry meat (in the fat)	*0.01	<b>Agvet chemical: Forchlorfenuron</b>	
Prunes	5	<i>Permitted residue: Forchlorfenuron</i>	
Pulses [except soya bean (dry)]	0.4	Apple	*0.01
Pummelos and grapefruit	0.6	Blueberries	*0.01
Rice [except rice bran, unprocessed; rice hulls]	5	Cherries	*0.01
Rice bran, unprocessed	8.5	Grapes	0.03
Rice hulls	15	Kiwifruit	*0.01

<b>Agvet chemical: Fosetyl</b>	
<i>Permitted residue: Fosetyl</i>	
Apple	1
Avocado	5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.1
Broccoli, Chinese (Gai lan)	T0.1
Chinese cabbage (Pe-tsai)	T0.2
Durian	T5
Fruiting vegetables, other than cucurbits	T0.02
Fungi, edible (except mushrooms)	T0.02
Leafy vegetables [except broccoli, Chinese (Gai lan); rucola (rocket); spinach; witloof chicory]	T0.2
Mushrooms	T0.02
Peach	1
Pineapple	5
Rucola (rocket)	T0.7
Spinach	T0.7
Stone fruits [except cherries; jujube, Chinese; peach]	T1
Sweet corns	T0.02

  

<b>Agvet chemical: Fosetyl-aluminium</b>	
<i>Permitted residue: Fosetyl-aluminium</i>	
Banana	2
Blackberries	70
Blueberries	40
Citrus fruits [except kumquats]	5
Coffee beans	30
Cranberry	0.5
Eggs	*0.05
Flowerhead brassicas	*0.2
Head brassicas	*0.2
Hops, dry	45
Kale	*0.2
Kiwifruit	150
Mammalian fats [except milk fats]	0.3
Marjoram (oregano)	400
Pineapple	15
Pome fruits	50
Pulses	2
Poultry, edible offal of	*0.05
Poultry fats	*0.05
Poultry meat	*0.05
Quinoa	2
Raspberries, red, black	100
Strawberry	75

  

<b>Agvet chemical: Furathiocarb</b>	
<i>see Carbofuran</i>	
<i>Residues arising from the use of furathiocarb are covered by MRLs for carbofuran</i>	
<b>Agvet chemical: Glufosinate and Glufosinate-ammonium</b>	
<i>Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)</i>	
All other foods except animal food commodities	0.1
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.2
Berries and other small fruits [except strawberry]	0.1
Cereal grains [except rice; sweet corns]	*0.1
Cherries	*0.05
Citrus fruits	0.1
Coffee beans	T*0.05
Common bean (pods and immature seeds)	T*0.05
Cotton seed	3
Date	*0.05
Edible offal (mammalian)	5
Eggs	*0.05
Hops, dry	T1
Maize	0.2
Meat (mammalian)	0.1
Milks	*0.05
Mustard seeds	T0.5
Native foods	*0.05
Oilseed (subgroup) [except cotton seed; mustard seeds; rape seed (canola)]	T*0.1
Peaches (including nectarines and apricots)	0.3
Peppers, sweet	*0.05
Plums	0.3
Podded pea (young pods) (snow and sugar snap)	T*0.05
Pome fruits	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.1
Rape seed (canola)	0.5
Rice	0.9
Saffron	T*0.05
Sentul	0.2
Soya bean (dry)	2
Strawberry	0.3
Sugar cane	*0.2
Table olives	*0.1
Tomato	*0.05
Tea, green, black	*0.05

Tree nuts	0.1	Papaya (pawpaw)	*0.05		
Truffle	T*0.2	Passionfruit	3		
<b>Agvet chemical: Glyphosate</b>					
<i>Permitted residue: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate</i>					
All other foods except animal food commodities	0.2	Peanut	*0.1		
Almonds	1	Persimmon, American	*0.05		
Avocado	*0.05	Pome fruits	*0.05		
Babaco	*0.05	Popcorn	T2		
Banana	0.2	Potato	0.2		
Barley	20	Poultry, edible offal of	1		
Berries and other small fruits [except cranberry; raspberries, red, black]	*0.05	Poultry meat	*0.1		
Bulb vegetables [except chives]	*0.1	Raspberries, red, black	0.2		
Cereal grains [except barley; maize; popcorn, sorghum, grain; sweet corns; wheat]	T*0.1	Rollinia	*0.05		
Chinese cabbage (Pe-tsai)	*0.1	Root and tuber vegetables [except potato]	*0.1		
Citrus fruits	0.5	Safflower seed	7		
Coffee beans	T0.2	Saffron	T*0.05		
Cotton seed	15	Small seed oilseeds (subgroup) [except linseed]	20		
Cotton seed oil, crude	*0.1	Sorghum, grain	15		
Cranberry	0.2	Soya bean (dry)	20		
Custard apple	*0.05	Stalk and stem vegetables [except fennel, bulb]	*0.01		
Date	T2	Stone fruits	0.2		
Dry beans [except soya bean (dry)]	15	Sugar cane	T0.3		
Dry peas	10	Sugar cane molasses	T5		
Dry underground pulses	5	Sunflower seed	20		
Edible offal (mammalian)	2	Sweet corns	*0.1		
Eggs	*0.05	Table olives	*0.1		
Fennel, bulb	*0.1	Tea, green, black	T20		
Fig	*0.05	Tree nuts [except almonds]	0.2		
Fruiting vegetables, cucurbits	*0.1	Truffle	T*0.05		
Fruiting vegetables, other than cucurbits	*0.1	Wheat	5		
Fungi, edible (except mushrooms)	*0.1	Wheat bran, unprocessed	20		
Guava	*0.05	Witloof, chicory	*0.01		
Hempseed	T*0.1				
Honey	0.2	<b>Agvet chemical: Guazatine</b>			
Hops, dry	7	<i>Permitted residue: Guazatine</i>			
Kiwifruit	*0.05	Citrus fruits [except kumquats]	5		
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	*0.1	Melons, except watermelon	10		
Legume vegetables	*0.1	Tomato	5		
Linseed	15	<b>Agvet chemical: Halauxifen-methyl</b>			
Litchi	0.2	<i>Permitted residue—commodities of plant origin: Halauxifen-methyl</i>			
Maize	5	<i>Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl</i>			
Mango	*0.05	All other foods except animal food commodities	0.01		
Meat (mammalian)	*0.1	Cereal grains [except sweet corns]	*0.01		
Millet	T15	Edible offal (mammalian)	0.03		
Milks	*0.1	Eggs	*0.01		
Monstero	*0.05	Meat (mammalian)	*0.01		
Mushrooms	*0.1	Milks	*0.01		
Native foods	T2	Mustard seeds	T*0.01		
		Poultry, edible offal of	*0.01		

Poultry meat	*0.01	Poppy seed	T0.5
Rape seed	*0.01	Poultry, edible offal of	0.05
<b>Agvet chemical: Halofuginone</b>			
<i>Permitted residue: Halofuginone</i>			
Cattle fat	0.025	Poultry meat (in the fat)	*0.01
Cattle kidney	0.03	Pulses	0.1
Cattle liver	0.03	Rape seed (canola)	0.1
Cattle muscle	0.01	Sentul	*0.05
<b>Agvet chemical: Halosulfuron-methyl</b>			
<i>Permitted residue: Halosulfuron-methyl</i>			
Almonds	0.05	Sesame seed	T0.1
Blueberries	0.05	Stone fruits	*0.05
Cotton seed	*0.05	Sunflower seed	*0.05
Edible offal (mammalian)	0.2	Tree nuts	*0.05
Eggs	*0.01		
Maize	*0.05		
Meat (mammalian)	*0.01		
Milks	*0.01		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		
Raspberries, red, black	0.05		
Rice	T*0.05		
Sorghum, grain	*0.05		
Soya bean (dry)	T*0.01		
Sugar cane	*0.05		
<b>Agvet chemical: Haloxyfop</b>			
<i>Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop</i>			
Assorted tropical and sub-tropical fruits	*0.05	Blueberries	0.6
– inedible peel [except tamarillo (tree tomato)]		Edible offal (mammalian)	*0.1
Berries and other small fruits	*0.05	Eggs	*0.05
Chia	T3	Meat (mammalian)	*0.1
Chinese cabbage (Pe-tsai)	T0.5	Milks	*0.05
Citrus fruits	*0.05	Pineapple	0.6
Cotton seed	0.1	Poultry, edible offal of	*0.05
Cotton seed oil, crude	0.2	Poultry meat	*0.05
Edible offal (mammalian)	0.5	Sugar cane	*0.1
Eggs	*0.01		
Hempseed	T0.1		
Leafy vegetables [except broccoli, Chinese (Gai lan); mizuna; witloof chicory]	T0.5		
Linola seed	0.1		
Linseed	0.1		
Meat (mammalian) (in the fat)	0.02		
Milks	0.02		
Mizuna	T0.5		
Mustard seeds	0.1		
Onion, bulb	T0.2		
Peanut	0.05		
Pome fruits	*0.05		
<b>Agvet chemical: Hexythiazox</b>			
<i>Permitted residue: Hexythiazox</i>			
All other foods except animal food commodities	0.05		
Almonds	0.3		
Berries and other small fruits [except raspberries, red, black; strawberry]	1		
Dates, dried	3		
Edible offal (mammalian)	*0.01		
Fruiting vegetables, cucurbits	T0.05		
Fruiting vegetables, other than cucurbits	T1		
Fungi, edible (except mushrooms)	T1		
Hops, dry	20		
Meat (mammalian) (in the fat)	*0.01		
Milks	*0.01		
Peas	T*0.05		
Pome fruits [except Persimmon, Japanese]	1		
Potato	T*0.02		
Raspberries, red, black	3		
Stone fruits [except jujube, Chinese]	1		
Strawberry	6		
Tea, green, black	4		

<b>Agvet chemical: Hydrogen phosphide</b>	
see <i>Phosphine</i>	
<b>Agvet chemical: Imazalil</b>	
<i>Permitted residue: Imazalil</i>	
All other foods except animal food commodities	0.05
Banana	3
Chicken, edible offal of	*0.01
Chicken meat	*0.01
Citrus fruits [except mandarins (subgroup); pummelos and grapefruit]	15
Citrus oil, edible	500
Edible offal (mammalian)	0.3
Eggs	*0.01
Fats (mammalian)	0.02
Mandarins (subgroup)	10
Meat (mammalian)	*0.02
Melons, except watermelon	10
Milks	*0.02
Mushrooms	1
Onion, bulb	0.05
Pome fruits [except Persimmon, Japanese]	5
Potato	5
Poultry, edible offal of [except chicken edible offal]	*0.02
Poultry fats	*0.02
Poultry meat [except chicken meat]	*0.02
Pummelos and grapefruit	10
Tomato	0.5
<b>Agvet chemical: Imazamox</b>	
<i>Permitted residue: Imazamox</i>	
All other foods except animal food commodities	0.05
Barley	*0.05
Beans, shelled	0.05
Dry beans [except soya bean (dry)]	0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Field pea (dry)	0.2
Lentil (dry)	0.25
Maize cereals (subgroup)	T*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Mung bean (dry)	T*0.05
Mustard seeds	T*0.05
Peanut	*0.05
Peas (dry)	0.05
Peas, shelled	0.05
Poppy seed	T*0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.05
Rice	2.5
Sorghum, grain	*0.02
Soya bean (dry)	0.3
Sunflower seed	0.3
Wheat	0.3
<b>Agvet chemical: Imazapic</b>	
<i>Permitted residue: Sum of imazapic and its hydroxymethyl derivative</i>	
Barley	0.02
Edible offal (mammalian)	*0.05
Eggs	*0.01
Maize	0.1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mustard seeds	T*0.05
Oats	0.05
Peanut	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.05
Rice	0.05
Soya bean (dry)	0.5
Sugar cane	0.1
Wheat	*0.05
<b>Agvet chemical: Imazapyr</b>	
<i>Permitted residue: Imazapyr</i>	
All other foods except animal food commodities	0.05
Barley	0.7
Broad bean (dry)	0.07
Edible offal (mammalian)	*0.05
Eggs	*0.01
Field pea (dry)	0.2
Lentil (dry)	0.2
Meat (mammalian) (in the fat)	*0.05
Maize	0.1
Milks	*0.01
Mustard seeds	T*0.05
Oats	0.1
Poppy seed	T*0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	*0.05
Rice	0.05
Sorghum, grain	0.02
Soya bean (dry)	5
Sugar cane	0.05
Sunflower seed	0.05
Wheat	*0.05

<b>Agvet chemical: Imazethapyr</b>		Galangal, Greater	T0.05
<b>Permitted residue: Imazethapyr</b>		Galangal, Lesser	T0.05
Edible offal (mammalian)		Garlic	T0.5
Eggs		Ginger, Japanese	T0.05
Legume vegetables		Ginger, root	T0.3
Maize		Grapes	1
Meat (mammalian)		Hazelnuts	T0.05
Milks		Hops, dry	T10
Peanut		Kaffir lime leaves	T5
Poultry, edible offal of		Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	20
Poultry meat		Lentil (dry)	0.2
Pulses		Lettuce, head	5
Rape seed (canola)		Lupin (dry)	0.2
Rice		Maize	0.05
<b>Agvet chemical: Imidacloprid</b>		Mango	0.2
<b>Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid</b>		Meat (mammalian)	0.05
All other foods except animal food commodities	0.05	Milks	0.05
Apple	0.3	Mushrooms	0.5
Avocado	0.2	Mustard seeds	T*0.05
Banana	0.5	Papaya (pawpaw)	0.2
Beetroot	T0.05	Peanut	0.45
Beetroot leaves	T1	Peppers	1
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5	Peppers, chili, dried	10
Blueberries	3.5	Persimmon, Japanese	T1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Podded Pea (young pods) (snow and sugar snap)	T0.2
Broad bean (dry)	*0.05	Popcorn	0.05
Broccoli, Chinese (Gai lan)	0.5	Poppy seed	T*0.05
Burdock, greater	T0.05	Potato	0.4
Carrot	T0.05	Poultry, edible offal of	*0.02
Celery	6	Poultry meat	*0.02
Cereal grains [except maize; popcorn; sorghum, grain; sweet corns]	*0.05	Radish, Japanese	T0.05
Cherries	3	Rape seed (canola)	*0.05
Chinese cabbage (Pe-tsai)	20	Rhubarb	T0.2
Citrus fruits	2	Sorghum, grain	*0.02
Common bean (dry) (navy bean)	T1	Spices [except galangal; ginger root; peppers, chili, dried]	0.05
Common bean (pods and/or immature seeds)	2	Stone fruits [except cherries (subgroup)]	0.5
Cotton seed	*0.02	Strawberry	0.5
Cranberry	0.05	Sugar cane	*0.05
Edible offal (mammalian)	0.2	Sunflower seed	*0.02
Eggs	*0.02	Sweet corn (corn-on-the-cob)	*0.05
Field pea (dry)	*0.05	Sweet potato	0.3
Fruiting vegetables, cucurbits	0.2	Taro	T0.05
Fruiting vegetables, other than cucurbits [except peppers]	0.5	Tea, green, black	50
Fungi, edible (except mushrooms)	0.5	Tree tomato	T2
		Yam bean	T0.05
		Yams	T0.05
<b>Agvet chemical: Imidocarb (dipropionate salt)</b>			
<b>Permitted residue: Imidocarb</b>			
Cattle, edible offal of			5
Cattle meat			1

Cattle milk	0.2
<b>Agvet chemical: Indaziflam</b>	
Permitted residue—commodities of plant origin: <i>Sum of indaziflam and 6-[(1R)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine, expressed as indaziflam</i>	
Permitted residue—commodities of animal origin: <i>Indaziflam</i>	
Almonds	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	0.1
Grapes	*0.01
Hops, dry	0.06
Meat (mammalian) (in the fat)	0.03
Milks	*0.005

**Agvet chemical: Indoxacarb**

Permitted residue: *Sum of indoxacarb and its R-isomer*

All other foods except animal food commodities	0.05
Asparagus	*0.01
Bayberry, red	T1
Beans with pods	0.9
Beetroot	0.5
Berries and other small fruits	2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Celery	3
Cherries	1
Chinese cabbage (Pe-tsai)	5
Chia	T0.5
Cotton seed	1
Cucumber	0.5
Dried grapes (currants, raisins, and sultanas)	5
Edible offal (mammalian) [except kidney]	0.05
Egg plant	0.5
Eggs	*0.01
Fennel, leaf	5
Fruiting vegetables, cucurbits	0.2
Hempseed	T*0.05
Kidney (mammalian)	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5
Lettuce, head	3
Linseed	T0.5
Macadamia nuts	0.03
Maize cereals	T*0.01
Mammalian fats (except milk fats)	2
Meat (mammalian) (in the fat)	3
Milk fats	6

Milks	0.2
Olives	T0.2
Peanut	T0.02
Peppers	0.5
Pome fruits [except Persimmon, Japanese]	2
Poultry (edible offal of)	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.2
Pumpkin	0.5
Rape seed (canola)	T*0.05
Safflower seed	T0.5
Stone fruits [except cherries (subgroup)]	2
Sunflower seed	T1
Sweet corn (corn-on-the-cob)	0.02
Tea, green, black	5
Tomato	0.2
Tree nuts	0.07

**Agvet chemical: Inorganic bromide**

Permitted residue: *Bromide ion*

All other foods except animal food commodities	15
Almonds	200
Avocado	75
Cereal grains [except sweet corns]	50
Citrus fruits [except kumquats]	30
Dates, dried	100
Dried fruits [except as otherwise listed under this chemical]	30
Dried grapes	100
Dried herbs	400
Dried peach	50
Figs, dried	250
Fruit [except as otherwise listed under this chemical]	20
Peppers, sweet	50
Prunes	20
Spices	400
Strawberry	30
Sweet corns	20
Vegetables [except as otherwise listed under this chemical]	20

**Agvet chemical: Inpyrfluxam**

Permitted residue—commodities of plant origin: *Inpyrfluxam*

Permitted residue—commodities of animal origin: *Sum of inpyrfluxam and 1'-CH<sub>2</sub>OH-S-2840 (free or conjugated), expressed as inpyrfluxam.*

All other foods except animal food commodities	0.02
Apple	4
Banana	0.7
Edible offal (mammalian)	*0.02

Eggs	*0.02
Maize	*0.01
Mammalian fats (except milk fats)	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Peanut	0.01
Popcorn	*0.01
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Potato	0.05
Rice, husked	*0.01
Soya bean (dry)	*0.01
Sugar beet	*0.01
Sweet corn (corn-on-the-cob; kernels)	*0.01

<b>Agvet chemical: <i>Ipflufenquin</i></b>	
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	0.3
Wine grapes	0.05

**Agvet chemical: *Iodosulfuron methyl***

*Permitted residue: Iodosulfuron methyl*

Barley	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat	*0.01

**Agvet chemical: *Iprodione***

*Permitted residue: Iprodione*

All other foods except animal food commodities	0.1
Almonds	0.3
Beans [except broad bean; soya bean]	T2
Beetroot	T0.1
Beetroot leaves	T20
Berries and other small fruits [except blackberries; blueberries; grapes]	12
Blackberries	25
Blueberries	15
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Carrot	T0.5
Celeriac	T0.7
Celery	2
Chard (silver beet)	T15
Chestnuts	T10
Chicory leaves	T20
Cucumber	T0.5
Edible offal (mammalian)	*0.1
Egg plant	T1
Endive	T20
Garlic	T0.3
Grapes	60
Kiwifruit	10
Lettuce, head	5
Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1
Mustard seeds	T0.5
Onion, bulb	T0.7
Parsley	T20
Passionfruit	10
Peanut	0.5
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T0.2
Podded pea (young pods) (snow and sugar snap)	T2

**Agvet chemical: *Ioxynil***

*Permitted residue: Ioxynil*

Garlic	*0.02
Leek	2
Onion, bulb	*0.02
Onion, Welsh	10
Shallot	10
Spring onion	10
Sugar cane	*0.02

**Agvet chemical: *Ipconazole***

*Permitted residue: Ipconazole*

Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

**Agvet chemical: *Ipflufenquin***

*Permitted residue: Ipflufenquin*

Edible offal (mammalian)	*0.01
Eggs	*0.01

Pome fruits [except Persimmon, Japanese]	3	Freshwater fish (whole commodity)	100
Potato	*0.05	Marine fish (whole commodity)	100
Rape seed (canola)	0.5		
Soya bean (dry)	0.05		
Spinach	T5		
Stone fruits [except jujube, Chinese]	10		
Tangelo, large-sized cultivars	T5		
Tomato	2		

#### **Agvet chemical: Isocycloseram**

<i>Permitted residue: Isocycloseram</i>			
All other foods except animal food commodities	0.02	All other foods except animal food commodities	0.02
Almonds	*0.01	Almonds	0.01
Assorted tropical and sub-tropical fruits – inedible peel, Small	0.2	Beans with pods	0.6
Assorted tropical and sub-tropical fruits – inedible smooth peel – Large [except Banana; Papaya]	*0.01	Berries and other small fruits [except grapes]	5
Baby leaves	T8	Cherries	4
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7	Dry beans [except soya bean (dry)]	0.09
Brassica leafy vegetables (except Kale)	4	Dry peas	0.09
Bulb onions	*0.01	Edible offal (mammalian)	*0.02
Bush berries	T*0.01	Grapes	3
Cane berries	T*0.01	Lettuce, head	30
Celery	T4	Lettuce, leaf	30
Citrus fruits	0.2	Meat (mammalian) (in the fat)	*0.02
Coriander (leaves, stems)	T8	Milks	*0.02
Coriander, roots	T8	Milk fats	*0.02
Coriander, seed	T8	Peaches (including nectarines and apricots)	3
Edible offal (mammalian)	*0.01	Plums (including fresh prunes)	0.8
Eggs	*0.01	Podded peas (young pods) (snow and sugar snap)	0.6
Fruiting vegetables, cucurbits	0.2	Pome fruits [except Persimmon, Japanese]	0.6
Fruiting vegetables, other than cucurbits	0.2	Poultry, edible offal of	*0.02
Green onions	0.6	Poultry eggs	*0.02
Kale	T8	Poultry meat (in the fat)	*0.02
Leafy greens	T8	Prunes, dried	3
Low growing berries	T*0.01		
Macadamia nuts	*0.01		
Meat (mammalian)(in the fat)	*0.01		
Milks	*0.01		
Papaya	0.3		
Parsley	T8		
Poultry meat (in the fat)	*0.01		
Poultry, edible offal of	*0.01		
Rape seed (canola)	*0.01		

#### **Agvet chemical: Isoeugenol**

<i>Permitted residue: Isoeugenol, sum of cis- and trans- isomers</i>	
Diadromous fish (whole commodity)	100

#### **Agvet chemical: Isofetamid**

<i>Permitted residue: commodities of plant origin: Isofetamid</i>	
<i>Permitted residue: commodities of animal origin: Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2- carboxamido) propanoyl]phenoxy]propanoic acid (PPA), expressed as isofetamid</i>	

All other foods except animal food commodities	0.02
Almonds	0.01
Beans with pods	0.6
Berries and other small fruits [except grapes]	5
Cherries	4
Dry beans [except soya bean (dry)]	0.09
Dry peas	0.09
Edible offal (mammalian)	*0.02
Grapes	3
Lettuce, head	30
Lettuce, leaf	30
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Milk fats	*0.02
Peaches (including nectarines and apricots)	3
Plums (including fresh prunes)	0.8
Podded peas (young pods) (snow and sugar snap)	0.6
Pome fruits [except Persimmon, Japanese]	0.6
Poultry, edible offal of	*0.02
Poultry eggs	*0.02
Poultry meat (in the fat)	*0.02
Prunes, dried	3

#### **Agvet chemical: Isoprothiolane**

*Permitted residue — commodities of plant origin: isoprothiolane*

*Permitted residue — commodities of animal origin: sum of isoprothiolane and 2-(1,3-dithiolan-2-ylidene)-3-oxo-3-(propan-2-yloxy)propanoic acid (M-2), expressed as isoprothiolane*

Banana	1
--------	---

#### **Agvet chemical: Isopyrazam**

<i>Permitted residue: Isopyrazam</i>	
All other foods except animal food commodities	0.01
Almonds	*0.01
Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian) (in the fat)	*0.005

Milks	*0.005
Plums	0.7
Pome fruit	0.7
Poultry, edible offal of	*0.005
Poultry meat (in the fat)	*0.005
Prunes	T3

#### **Agvet chemical: Isotianil**

*Permitted residue:* Commodities of plant origin:  
Isotianil

*Permitted residue:* Commodities of animal origin:  
sum of isotianil and 3,4-dichloroisothiazole-5-carboxylic acid, expressed as isotianil

Banana	0.03
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

#### **Agvet chemical: Isoxaben**

*Permitted residue:* Isoxaben

Assorted tropical and sub-tropical fruits – edible peel	*0.01
Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Barley	*0.01
Blueberries	0.05
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01
Stone fruits	*0.01
Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

#### **Agvet chemical: Isoxaflutole**

*Permitted residue:* Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1

Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.02
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Soya bean (dry)	0.05
Sugar cane	*0.01

#### **Agvet chemical: Ivermectin**

*Permitted residue:*  $H_2B_{1a}$

Cattle kidney	0.06
Cattle liver	0.5
Cattle meat (in the fat)	0.2
Cattle milk	0.05
Deer kidney	*0.01
Deer liver	*0.01
Deer meat (in the fat)	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01
Pig kidney	*0.01
Pig liver	*0.01
Pig meat (in the fat)	0.02
Sheep kidney	*0.01
Sheep liver	0.015
Sheep meat (in the fat)	0.02

#### **Agvet chemical: Ketoprofen**

*Permitted residue:* Ketoprofen

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.05

#### **Agvet chemical: Kitasamycin**

*Permitted residue:* Inhibitory substance, identified as kitasamycin

Eggs	*0.2
Pig, edible offal of	*0.2
Pig meat	*0.2

#### **Agvet chemical: Kresoxim-methyl**

*Permitted residue—commodities of plant origin:* Kresoxim-methyl

*Permitted residue—commodities of animal origin:* Sum of *a*-(*p*-hydroxy-*o*-tolyloxy)-*o*-tolyl (*methoxyimino*) acetic acid and (*E*)-*methoxyimino*[*a*-(*o*-tolyloxy)-*o*-tolyl]acetic acid, expressed as kresoxim-methyl

All other foods except animal food commodities	0.02
Asparagus	0.05

Barley, similar grains, and pseudocereals with husks (barley; buckwheat; oats)	0.15
Beetroot	0.05
Berries and other small fruits	1.5
Chard (beet leaves)	0.05
Coffee beans	0.05
Cotton seed	0.05
Dried grapes (= currants, raisins and sultanas)	3
Edible offal (mammalian)	0.05
Eggs	*0.02
Egg plant	0.6
Fruiting vegetables, cucurbits	0.5
Garlic	0.3
Ginseng (dried)	1
Grape leaves	15
Grapefruit	0.5
Leek	10
Mammalian fats [except milk fats]	0.05
Mango	0.1
Meat (mammalian)	0.05
Milks	0.05
Oats	0.1
Olive oil, virgin	1
Olives	0.2
Onion, bulb	0.3
Oranges, sweet, sour	0.5
Peach	1.5
Pear	5
Pecan	0.15
Peppers, sweet	1
Persimmon, Japanese	5
Pome fruits [except pear; persimmon, Japanese]	0.2
Potato	0.1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	0.05
Rice	0.02
Rye	0.1
Shallot	0.3
Soya bean (dry)	0.05
Sugar beet	0.05
Sunflower seed	0.1
Tea, green, black	15
Tomato	0.6
Turnip, garden	0.05
Wheat	0.1

#### **Agvet chemical: Lambda-cyhalothrin**

see *Cyhalothrin*

#### **Agvet chemical: Lasalocid**

Permitted residue: *Lasalocid*

Cattle milk	*0.01
Edible offal (mammalian)	0.7
Eggs	*0.05
Meat (mammalian)	*0.05
Poultry fat/skin	0.6
Poultry kidney	0.7
Poultry liver	1.2
Poultry muscle	0.4

#### **Agvet chemical: Levamisole**

Permitted residue: *Levamisole*

Edible offal (mammalian)	1
Eggs	1
Meat (mammalian)	0.1
Milks [except goat milk]	0.3
Poultry, edible offal of	0.1
Poultry meat	0.1

#### **Agvet chemical: Lignocaine**

Permitted residue: *Lignocaine*

Sheep fat	0.2
Sheep kidney	0.2
Sheep liver	0.1
Sheep muscle	0.15

#### **Agvet chemical: Lincomycin**

Permitted residue: *Inhibitory substance, identified as lincomycin*

Cattle milk	*0.02
Edible offal (mammalian) [except sheep, edible offal of]	0.2
Eggs	0.2
Goat milk	*0.1
Meat (mammalian) [except sheep meat]	0.2
Poultry, edible offal of	0.1
Poultry meat	0.1

#### **Agvet chemical: Lindane**

Permitted residue: *Lindane*

Pineapple	0.5
-----------	-----

#### **Agvet chemical: Linuron**

Permitted residue: *Sum of linuron plus 3,4-dichloroaniline, expressed as linuron*

All other foods except animal food commodities	0.05
Carrot	T0.1
Celeriac	3
Celery	*0.05
Cereal grains	*0.05

Chia	T*0.05
Coriander (leaves, roots, stems)	T2
Coriander, seed	0.2
Edible offal (mammalian)	1
Eggs	*0.05
Leek	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Parsley	T1
Parsnip	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Turmeric, root	T*0.05
Vegetables [except carrot; celeriac; celery; leek; parsnip]	*0.05

**Agvet chemical: Maldison**

**Permitted residue: Maldison**

All other foods except animal food commodities	0.05
Berries and other small fruits [except grapes; strawberry]	10
Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; kohlrabi]	2
Brassica leafy vegetables [except kale]	2
Carrot	0.5
Cauliflower	0.5
Celery	2
Cereal grains [except sweet corns]	8
Cherries	8
Citrus fruits	4
Cucumber	3
Dried fruits	8
Dry beans (subgroup)	8
Edible offal (mammalian)	1
Eggs	1
Fruiting vegetables, cucurbits [except cucumber]	2
Fruiting vegetables, other the cucurbits [except peppers, sweet]	3
Fruits [except berries and other small fruits; citrus fruits; dried fruits; stone fruits	2
[except jujube, Chinese]	
Garden pea	0.5
Grapes	8
Hops, dry	1
Kale	3
Kohlrabi	0.5
Leek	2
Legume vegetable [except garden pea]	2
Lettuce, head	2
Lettuce, leaf	2
Lentil (dry)	8
Linseed	10
Meat (mammalian) (in the fat)	1
Milks (in the fat)	1
Mustard seeds	T10
Onion, bulb	2
Onion, Welsh	T0.1
Peanut	8
Peppers, sweet	T5
Poultry, edible offal of	1
Poultry meat (in the fat)	1
Pulses [except dry beans; lentils (dry)]	2
Rape seed	10
Safflower seed	10
Shallot	T0.1
Spring onion	T0.1
Stone fruits	5
Strawberry	1
Sunflower seed	10

**Agvet chemical: Lufenuron**

**Permitted residue: Lufenuron**

All other foods except animal food commodities	0.02
Coffee beans	0.07
Cotton seed	T0.2
Cotton seed oil, crude	T0.5
Edible offal (mammalian)	0.15
Eggs	T0.05
Fats (mammalian)	2
Lime	0.4
Maize	*0.01
Meat (mammalian)	2
Meat (mammalian) (in the fat)	T1
Milks	T0.2
Milk fats	5
Orange oil, edible	8
Oranges, sweet, sour	0.3
Pome fruits [except Persimmon, Japanese]	1
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T1

All other foods except animal food commodities	0.02
Berries and other small fruits [except grapes; strawberry]	10
Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; kohlrabi]	2
Brassica leafy vegetables [except kale]	2
Carrot	0.5
Cauliflower	0.5
Celery	2
Cereal grains [except sweet corns]	8
Cherries	8
Citrus fruits	4
Cucumber	3
Dried fruits	8
Dry beans (subgroup)	8
Edible offal (mammalian)	1
Eggs	1
Fruiting vegetables, cucurbits [except cucumber]	2
Fruiting vegetables, other the cucurbits [except peppers, sweet]	3
Fruits [except berries and other small fruits; citrus fruits; dried fruits; stone fruits	2
[except jujube, Chinese]	
Garden pea	0.5
Grapes	8
Hops, dry	1
Kale	3
Kohlrabi	0.5
Leek	2
Legume vegetable [except garden pea]	2
Lettuce, head	2
Lettuce, leaf	2
Lentil (dry)	8
Linseed	10
Meat (mammalian) (in the fat)	1
Milks (in the fat)	1
Mustard seeds	T10
Onion, bulb	2
Onion, Welsh	T0.1
Peanut	8
Peppers, sweet	T5
Poultry, edible offal of	1
Poultry meat (in the fat)	1
Pulses [except dry beans; lentils (dry)]	2
Rape seed	10
Safflower seed	10
Shallot	T0.1
Spring onion	T0.1
Stone fruits	5
Strawberry	1
Sunflower seed	10

**Agvet chemical: Maduramicin**

**Permitted residue: Maduramicin**

Poultry, edible offal of	1
Poultry meat	0.1

**Agvet chemical: Magnesium phosphide**

see *Phosphine*

**Agvet chemical: Malathion**

see *Maldison*

Sweet corns	3
Tree nuts	8
Wheat bran, unprocessed	20

**Agvet chemical: Maleic hydrazide**

*Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide*

Carrot	T40
Garlic	15
Onion, bulb	15
Potato	50

**Agvet chemical: Mancozeb**

*see Dithiocarbamates*

**Agvet chemical: Mandestrobin**

*Permitted residue: Mandestrobin*

All other foods except animal food commodities	0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Beans (except broad bean and soya bean)	0.7
Dried grapes (equals currants; raisins; sultanas)	10
Edible offal (Mammalian)	0.02
Eggs	*0.01
Fruiting vegetables, curcubits	0.6
Grapes	5
Leafy vegetables [except lettuce, head]	20
Lettuce, Head	5
Mammalian fats [except milk fats]	*0.01
Meat (mammalian) (in the fat)	0.02
Milk	*0.02
Onion, bulb	*0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Rape seed (canola)	0.5
Stone fruits	3
Strawberry	3

**Agvet chemical: Mandipropamid**

*Permitted residue: Mandipropamid*

All other foods except animal food commodities	0.5
Basil leaves	30
Basil leaves, dried	200
Beans with pods	1
Celery	20
Chinese cabbage (Pe-tsai)	30
Citrus oil, edible	30
Dried grapes (currants, raisins and sultanas)	10

Edible offal (mammalian)	*0.01
Eggplants (subgroup)	0.7
Eggs	*0.01
Ginseng, dried including red ginseng	4
Grapes	2
Hops, dry	50
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	30
Mammalian fats (except milk fats)	0.02
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Mizuna	30
Peppers (subgroup)	0.7
Peppers, chili, dried	7
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Tomatoes (subgroup)	1

**Agvet chemical: MCPA**

*Permitted residue: MCPA*

Cereal grains [except sweet corns]	*0.02
Cherry	0.05
Chives	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Field pea (dry)	*0.05
Herbs	*0.05
Hops, dry	*0.1
Meat (mammalian)	*0.05
Milks	*0.05
Peas without pods (succulent)	T*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rhubarb	*0.02
Sugar cane	T*0.01

**Agvet chemical: MCPB**

*Permitted residue: MCPB*

Cereal grains [except sweet corns]	*0.02
Chives	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Herbs	*0.05
Legume vegetables	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.02

**Agvet chemical: Mebendazole**

*Permitted residue: Mebendazole*

Edible offal (mammalian)	*0.02
--------------------------	-------

Meat (mammalian)	*0.02
Milks	0.02

**Agvet chemical: Mefenpyr-diethyl**

*Permitted residue—commodities of plant origin:*  
*Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl*

*Permitted residue—commodities of animal origin:*  
*Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl*

Cereal grains [except sweet corns]	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

**Agvet chemical: Mefentrifluconazole**

*Permitted residue: Mefentrifluconazole*

All other foods except animal food commodities	0.02
Avocado	1
Baby leaves	30
Banana	1.5
Barley, similar grains, and pseudocereals with husks	4
Barley bran, unprocessed	15
Barley, flour	15
Brassica leafy vegetables	30
Bulb onions	0.2
Bush berries	5
Cane berries	3
Cherries (subgroup)	5
Citrus oil, edible	70
Coffee bean	0.4
Cottonseed	0.2
Dry beans (subgroup) [except soya bean (dry)]	0.07
Dried grapes [except raisins]	3
Dry peas (subgroup) [except lentil (dry)]	0.15
Edible offal (mammalian)	2
Eggplants (subgroup)	1.5
Eggs	0.04
Elderberries	5
Fruiting vegetables, cucurbits [except melons (excluding watermelon); watermelon]	0.3
Green onions	4
Guelder rose	5
Leafy greens [except lettuce, head]	30
Leaves of root and tuber vegetables	20

Legume vegetables [except lentils; soya bean]

0.15

Lemons and Limes (subgroup)

1.5

Lentil (dry)

2

Lettuce, head

5

Low growing berries

2

Maize Cereals

0.01

Mammalian fats (except milk fats)

1.5

Mandarins (subgroup)

1.5

Mango

0.6

Meat (mammalian) (in the fat)

0.2

Melons, except watermelon

0.5

Milks

0.1

Oranges (subgroup)

1.5

Papaya

0.5

Peaches (subgroup)

2

Peanut

0.01

Peppers (subgroup)

1.5

Peppers, chili, dried

15

Plums

2

Pome fruits [except Persimmon, Japanese]

1.5

Potato

0.05

Poultry, edible offal of

0.7

Poultry fats

0.2

Poultry meat (in the fat)

0.03

Prunes, dried

7

Pummelos and Grapefruits (subgroup)

0.6

Raisins

4

Rice

5

Rice cereals [except rice; rice, husked]

4

Rice, husked

1.5

Root vegetables [except sugar beet]

0.7

Small seed oilseeds

1

Sorghum Grain and Millet

4

Soya bean (dry)

0.4

Sugar beet

0.6

Sugar cane

1.5

Sunflower seeds

0.15

Sweet corn (corn-on-the-cob; kernels)

0.04

Table grapes

1.5

Tomato, dried

7

Tomatoes (subgroup)

1

Tree nuts

0.06

Watermelon

0.5

Wheat bran, unprocessed

1.5

Wheat germ

0.5

Wheat (subgroup)

0.4

Wine grapes

2

**Agvet chemical: Meloxicam**

*Permitted residue: Meloxicam*

Cattle kidney	0.2
Cattle liver	0.1
Cattle meat	*0.01
Cattle milk	0.005
Pig fat/skin	0.1
Pig kidney	*0.01
Pig liver	*0.01
Pig meat	0.02
Sheep fat	0.01
Sheep kidney	0.01
Sheep liver	0.01

Sheep meat	0.01	Poultry, edible offal of	*0.01
<b>Agvet chemical: Mepanipyrim</b>			
Permitted residue: Mepanipyrim		Poultry meat	*0.01
Strawberry	3	Soya bean (dry)	0.03
Raspberries, red, black	4	Sweet corn (corn-on-the-cob)	T*0.01
<b>Agvet chemical: Mepiquat</b>			
Permitted residue: Mepiquat		Triticale	*0.01
Cotton seed	1	Wheat	*0.01
Cotton seed oil, crude	0.2		
Edible offal (mammalian)	0.1		
Eggs	0.05		
Meat (mammalian)	0.1		
Milks	0.05		
Poultry, edible offal of	0.1		
Poultry meat	0.1		
<b>Agvet chemical: Mesosulfuron-methyl</b>			
Permitted residue: Mesosulfuron-methyl			
Edible offal (mammalian)	*0.01	Apple	0.9
Eggs	*0.01	Cherries	0.04
Marjoram (oregano)	*0.02	Citrus fruits [except kumquats; oranges, sweet, sour]	2
Meat (mammalian)	*0.01	Coffee beans	0.15
Milks	*0.01	Dried grapes (equals currants; raisins; sultanas)	13
Poultry, edible offal of	*0.01	Edible offal (mammalian)	*0.02
Poultry meat	*0.01	Eggs	0.02
Wheat	*0.02	Grapes	5
<b>Agvet chemical: Mesotrione</b>			
Permitted residue: Mesotrione		Maize	0.04
All other foods except animal food commodities	0.01	Mammalian fats [except milk fats]	0.6
Almonds	0.01	Marjoram (oregano)	*0.04
Asparagus	0.01	Meat (mammalian) (in the fat)	*0.02
Barley	*0.01	Melons [except watermelons]	1
Blueberries	0.01	Milk fats	0.7
Cherries	0.01	Milks	0.02
Cranberry	0.02	Orange oil, edible	100
Edible offal (mammalian)	*0.01	Oranges, Sweet, Sour	3
Eggs	*0.01	Peppers, chili, dried	6
Grapefruit	0.01	Potato	0.02
Lemon	0.01	Poultry, edible offal of	*0.02
Linseed	T*0.01	Poultry fats	0.08
Maize cereals	T*0.01	Poultry meat (fat)	*0.02
Meat (mammalian)	*0.01	Soya bean (including soya bean (dry))	0.2
Milks	*0.01	Sugar cane	0.02
Oats	*0.01	Tomato	0.6
Oranges, sweet, sour	0.01	Tree nuts	0.04
Peach	0.01		
Pecan	0.01		
Plums (including prunes)	0.01		
Poppy seed	T*0.01		
<b>Agvet chemical: Metalaxyl</b>			
Permitted residue: Metalaxyl			
All other foods except animal food commodities	0.05		
Asparagus	0.05		
Avocado	0.5		
Basil	T5		
Basil, dry	T30		
Beetroot	T*0.01		
Beetroot leaves	T0.1		
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	T0.5		
Blueberries	2		
Brussels sprouts	0.15		

Bulb vegetables [except chives]	0.1	Fruit	1
Cacao beans	0.2	Herbs	1
Cereal grains [except sweet corns]	*0.01	Oilseeds (subgroup)	1
Chinese cabbage (Pe-tsai)	0.3	Pulses	1
Chives	3	Spices	1
Cranberry	4	Teas (tea and herb teas)	1
Edible offal (mammalian)	*0.05	Vegetables	1
Eggs	*0.05		
Fennel, bulb	0.1		
Flowerhead brassicas	0.2		
Fruiting vegetables, cucurbits	0.2		
Ginger, root	0.5		
Ginseng, dried including red ginseng	*0.06		
Grapefruit	1		
Grapes	1.5		
Herbs [except basil; basil, dry; parsley]	3		
Hops, dry	20		
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	0.3		
Lemon	1		
Meat (mammalian)	*0.05		
Milks	*0.01		
Oranges, sweet, sour	1		
Papaya (pawpaw)	*0.01		
Parsley	T0.3		
Peach	0.6		
Peanut	0.2		
Pepper, black, white	2		
Peppers	T0.1		
Peppers, chili, dried	10		
Pineapple	0.1		
Podded pea (young pods) (snow and sugar snap)	T0.1		
Pome fruits [except Persimmon, Japanese]	0.2		
Poppy seed	*0.02		
Poultry, edible offal of	*0.05		
Poultry meat	*0.05		
Spices [except ginger root; pepper, black, white; peppers, chili, dried]	*0.05		
Stone fruits [except jujube, Chinese; peach]	0.2		
Strawberry	0.6		
Sweet corns	T0.1		
Tomatoes (subgroup)	T0.5		
Tree nuts [except pecan]	2		
Vegetables [except as otherwise listed under this chemical]	T0.1		

**Agvet chemical: MetalaxyI-M**

see MetalaxyI

**Agvet chemical: Metaldehyde**

Permitted residue: Metaldehyde

Cereal grains	1
Chives	1

**Agvet chemical: Metamitron**

Permitted residue: Metamitron

Edible offal (Mammalian)	*0.05
Marjoram (oregano)	0.15
Meat [mammalian]	*0.05
Milks	*0.05
Pome fruits [except Persimmon, Japanese]	0.01

**Agvet chemical: Metazachlor**

Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor

Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor

All other foods	1
Cereal grains [except sweet corns]	*0.03
Eggs	*0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Oilseeds (subgroup)	*0.03
Poultry, edible offal	*0.05
Poultry meat	*0.05
Pulses	*0.03

**Agvet chemical: Metcamifen**

Permitted residue—commodities of plant origin: metcamifen

Permitted residue—commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzensulfonamide, expressed as metcamifen

Edible offal (mammalian)	*0.03
Eggs	*0.03
Meat (mammalian)	*0.03
Milks	*0.03
Poultry, edible offal of	*0.03
Poultry meat	*0.03
Sorghum, grain	*0.01

---

**Agvet chemical: Metconazole****Permitted residue: Metconazole**

Banana	*0.1
Beans with pods	*0.05
Blueberries	0.5
Cherries	0.3
Cotton seed	0.3
Dry beans [except soya bean (dry)]	*0.04
Dry peas	0.15
Edible offal (mammalian)	*0.04
Eggs	*0.04
Garlic	*0.05
Maize	0.015
Mammalian fats [except milk fats]	*0.04
Marjoram (oregano)	*0.05
Meat (mammalian)	*0.04
Milks	*0.04
Onion, bulb	*0.05
Peaches (subgroup)	0.2
Peanut	0.04
Peanut oil, edible	0.06
Plums	0.1
Poultry, edible offal of	*0.04
Poultry fats	*0.04
Poultry meat	*0.04
Prunes, dried	0.5
Rape seed	0.15
Rape seed oil, edible	0.5
Soya bean (dry)	0.04
Sugar beet	0.07
Sugar cane	0.06
Sunflower seeds	1.5
Sweet corn (corn-on-the-cob)	0.015
Tree nuts	*0.04
Triticale	0.15
Tuberous and corm vegetables	*0.04
Wheat	0.15
Wheat bran, unprocessed	0.3

---

**Agvet chemical: Methabenzthiazuron****Permitted residue: Methabenzthiazuron**

Garlic	T*0.01
Leek	T*0.05
Onion, bulb	*0.05
Onion, Welsh	T0.5
Shallot	T0.5
Spring onion	T0.5

---

**Agvet chemical: Metham****see Dithiocarbamates**

---

**Agvet chemical: Metham-sodium****see Metham**

---

**Agvet chemical: Methamidophos****Permitted residue: Methamidophos****see also Acephate**

Banana	0.2
Bean, seed (dry)	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Edible offal (mammalian)	*0.01
Lime	0.01
Mango	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, chili, dried	0.1
Peppers, sweet	2
Potato	0.25
Raspberry, black, red	*0.01
Tomato	2

---

**Agvet chemical: Methiocarb****Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb**

Citrus fruits	0.1
Fruit [except as otherwise listed under this chemical]	T0.1
Grapes	0.5
Sweet corns	0.1
Truffle	T0.05
Vegetables	0.1
Wine	0.1

---

**Agvet chemical: Methomyl****Permitted residue: Methomyl**

All other foods except animal food commodities	0.05
Apple	1
Avocado	*0.1
Blueberries	2
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Brassica leafy vegetables	T0.7
Broccoli, Chinese (Gai lan)	2
Celery	3
Cereal grains [except sweet corn (corn-on-the-cob)]	*0.1
Chard	2
Cherries	2
Chia	T1

Citrus fruits	1
Coriander (leaves, roots, stems)	T10
Cotton seed	*0.1
Cumin seed	0.07
Dried grapes	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.02
Fennel, bulb	T0.2
Fennel, leaf	T3
Fruiting vegetables, cucurbits	0.1
Fruiting vegetables, other than cucurbits [except peppers]	1
Fungi, edible (except mushrooms)	1
Ginger, Japanese	T2
Ginger, root	*0.1
Grapes	2
Hops, dry	0.5
Leek	T0.5
Legume vegetables	1
Lettuce, head	2
Lettuce, leaf	2
Linseed	*0.1
Macadamia nuts	T1
Mango	T*0.01
Meat (mammalian)	0.05
Milks	0.05
Mints	0.5
Mushrooms	1
Mustard seeds	T0.5
Onion, bulb	T0.1
Onion, Chinese	T1
Onion, Welsh	T2
Parsley	T10
Peanut	0.1
Pear	3
Peppers	T2
Peppers, chili, dried	10
Persimmon, Japanese	T0.05
Pitaya (dragon fruit)	T0.2
Poppy seed	*0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	1
Rape seed (canola)	0.5
Root and tuber vegetables	1
Sesame seed	*0.1
Shallot	T2
Spinach	T0.7
Spring onion	T2
Stone fruits [except cherries; jujube, Chinese]	1
Strawberry	3
Sunflower seed	*0.1
Sweet corn (corn-on-the-cob)	0.1

#### **Agvet chemical: Methoprene**

*Permitted residue: Methoprene, sum of cis- and trans-isomers*

All other foods except animal food commodities	0.05
Cattle milk	0.1
Cereal grains [except sweet corns]	2
Edible offal (mammalian)	*0.01
Meat (mammalian) (in the fat)	0.3
Peanut	5
Soya bean (dry)	3
Wheat bran, unprocessed	5
Wheat germ	10

#### **Agvet chemical: Methoxyfenozide**

*Permitted residue: Methoxyfenozide*

All other foods except animal food commodities	0.03
Almonds	0.2
Avocado	0.5
Basil, dry	400
Basil, leaves	80
Blueberries	2
Carob	5
Celery	15
Chick-pea (dry)	2
Citrus fruits	3
Coffee beans	0.2
Cotton seed	2
Cranberry	0.5
Cucumber	T2
Custard apple	0.3
Dried grapes	6
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, other than cucurbits	3
Fungi, edible (except mushrooms)	3
Grapes	2
Kiwifruit	2
Lettuce, head	T30
Lettuce, leaf	T30
Litchi	2
Longan	2
Macadamia nuts	0.05
Maize	*0.02
Mango	T0.5
Meat (mammalian) (in the fat)	0.1
Milks	*0.01
Mung bean (dry)	0.5
Mushrooms	3
Peppers, chili, dried	20
Persimmon, American	1
Persimmon, Japanese	1
Plums (including prunes)	0.3

Podded pea (young pods) (snow and sugar snap)	T3
Pome fruits [except Persimmon, Japanese]	0.5
Popcorn	T*0.02
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Raspberries, red, black	6
Soya bean (dry)	0.9
Stone fruits [except jujube, Chinese; plums (including prunes)]	3
Sugar cane, molasses	0.1
Sweet corn (corn-on-the-cob)	T0.05
Tea, green, black	80

#### **Agvet chemical: Metobromuron**

**Permitted residue:** Commodities of plant origin: Sum of metobromuron and 4-bromophenylurea (CGA18237), expressed as metobromuron

**Permitted residue:** Commodities of animal origin: Sum of 4-bromo-2-hydroxyphenylurea (CGA 72905) and 4-bromophenyl urea (CGA18237), expressed as metobromuron

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Potato	*0.02

#### **Agvet chemical: Methyl benzoate**

**Permitted residue:** Methyl benzoate

Poultry, edible offal of	0.1
Poultry meat	0.1

#### **Agvet chemical: Methyl bromide**

**Permitted residue:** Methyl bromide

Cereal grains [except sweet corns]	50
Chives	*0.05
Cucumber	*0.05
Dried fruits	*0.05
Fruit [except jackfruit; litchi; mango; papaya]	T*0.05
Herbs	*0.05
Jackfruit	*0.05
Litchi	*0.05
Mango	*0.05
Papaya (pawpaw)	*0.05
Peppers, sweet	*0.05
Spices	*0.05
Sweet corns	T*0.05
Vegetables [except cucumber; peppers, sweet]	T*0.05

#### **Agvet chemical: Methyl isothiocyanate**

**Permitted residue:** Methyl isothiocyanate

Barley	T0.1
Rape seed (canola)	T0.1
Wheat	T0.1

#### **Agvet chemical: Metiram**

see *Dithiocarbamates*

#### **Agvet chemical: Metolachlor**

**Permitted residue:** Metolachlor

Adzuki bean (dry)	*0.05
All other foods except animal food commodities	0.02
Beetroot	T0.7
Beetroot leaves	T15
Bergamot	T*0.05
Blueberries	0.15
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.02
Brassica leafy vegetables	*0.01
Broccoli, Chinese (Gai lan)	*0.02
Bulb onions (subgroup)	0.1
Celeriac	T*0.2
Celery	T0.05
Cereal grains [except maize; sorghum, grain; sweet corns]	*0.02
Chard (silver beet)	*0.01
Chervil	*0.05
Coriander (leaves, stems)	*0.05
Coriander, roots	0.5
Coriander, seed	*0.05
Cotton seed	*0.01
Dill, seed	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fennel, seed	*0.05
Fruiting vegetables, cucurbits	*0.05
Galangal, Greater	0.5
Ginger, root	T0.5
Green onions	2
Herbs	*0.05
Lemon verbena (dry leaves)	*0.05
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	*0.05
Mung bean (dry)	T*0.05

Mustard seeds	*0.02	Oats	0.6
Peanut	0.2	Peach	0.7
Potato	0.2	Peppers, chili	2
Poultry, edible offal of	*0.01	Peppers, chili, dried	20
Poultry meat	*0.01	Peppers, sweet (including pimento and pimiento)	2
Pulses [except soya beans (dry); adzuki beans (dry)]	*0.01	Poultry, edible offal of	*0.05
Rape seed (canola)	*0.02	Poultry meat (in the fat)	*0.05
Rhubarb	*0.05	Strawberry	0.6
Rose and dianthus (edible flowers)	*0.05	Tomato	0.9
Rucola (rocket)	*0.05	Wheat	0.06
Safflower seed	*0.05	Wheat bran, processed	T0.3
Sesame seed	T*0.02		
Sorghum, grain	*0.05		
Soya bean (dry)	*0.05		
Spinach	*0.01		
Spring onion	*0.01		
Sugar cane	*0.05		
Sunflower seed	*0.05		
Sweet corn (kernels)	0.1		
Sweet potato	*0.2		
Tomato	0.1		
Turmeric, root	0.5		

#### **Agvet chemical: Metosulam**

##### *Permitted residue: Metosulam*

Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

#### **Agvet chemical: Metrafenone**

##### *Permitted residue: Metrafenone*

All other foods except animal food commodities	0.05
Apple	1.5
Apricot	0.7
Barley	0.5
Cherries	2
Dried grapes (currants, raisins and sultanas)	17
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2
Grapes	7
Hops, dry	70
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mushrooms	T0.5
Nectarine	0.7

#### **Agvet chemical: Metribuzin**

##### *Permitted residue: Metribuzin*

All other foods except animal food commodities	0.05
Asparagus	0.2
Carrot	T0.05
Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Ginger root	T*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Mustard seeds	T*0.02
Peas [except peas, shelled]	T*0.05
Peas, shelled	*0.05
Pineapple	*0.01
Potato	0.6
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.01
Rape seed (canola)	*0.02
Soya bean (dry)	*0.05
Sugar cane	*0.02
Sugar cane molasses	0.1
Tomato	0.1

#### **Agvet chemical: Metsulfuron-methyl**

##### *Permitted residue: Metsulfuron-methyl*

Cereal grains [except sweet corns]	*0.02
Chick-pea (dry)	T*0.05
Edible offal (mammalian)	*0.1
Linseed	*0.02
Meat (mammalian)	*0.1
Milks	*0.1
Mung bean (dry)	0.2
Poppy seed	*0.01
Safflower seed	*0.02

<b>Agvet chemical: Mevinphos</b>	
<i>Permitted residue: Mevinphos</i>	
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.05
Broccoli, Chinese (Gai lan)	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
<b>Agvet chemical: Milbemectin</b>	
<i>Permitted residue: Sum of milbemycin MA<sub>3</sub> and milbemycin MA<sub>4</sub> and their photoisomers, milbemycin (Z) 8,9-MA<sub>3</sub> and (Z) 8,9Z-MA<sub>4</sub></i>	
Edible offal (mammalian)	*0.002
Fruiting vegetables, other than cucurbits	0.02
Fungi, edible (except mushrooms)	0.02
Hops, dry	*0.2
Marjoram (oregano)	*0.05
Meat (mammalian) (in the fat)	*0.002
Milk fats	*0.0005
Milks	*0.0005
Mushrooms	0.02
Pome fruits	0.03
Stone fruits	0.1
Strawberry	0.2
Sweet corns	0.02
<b>Agvet chemical: Molinate</b>	
<i>Permitted residue: Molinate</i>	
Rice	*0.05
<b>Agvet chemical: Monensin</b>	
<i>Permitted residue: Monensin</i>	
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Goat, edible offal of	*0.05
Goat meat	*0.05
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sheep fat	0.07
Sheep kidney	0.015
Sheep liver	0.2
Sheep muscle	0.005
<b>Agvet chemical: Monepantel</b>	
<i>Permitted residue: Monepantel</i>	
Cattle fat	7
Cattle kidney	1
Cattle liver	2
Cattle meat	0.3
Milks	*0.05
Sheep fat	7
Sheep kidney	2
Sheep muscle	0.7
Sheep liver	5
<b>Agvet chemical: Morantel</b>	
<i>Permitted residue: Morantel</i>	
Cattle, edible offal of	2
Goat, edible offal of	2
Meat (mammalian)	0.3
Milks	*0.1
Pig, edible offal of	5
Sheep, edible offal of	2
<b>Agvet chemical: Moxidectin</b>	
<i>Permitted residue: Moxidectin</i>	
Cattle, edible offal of	0.5
Cattle meat (in the fat)	1
Cattle milk (in the fat)	2
Deer meat (in the fat)	1
Deer, edible offal of	0.2
Goat meat (in the fat)	T0.5
Goat, edible offal of	T0.05
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5
<b>Agvet chemical: MSMA</b>	
<i>Permitted residue: Total arsenic, expressed as MSMA</i>	
Sugar cane	0.3
<b>Agvet chemical: Myclobutanil</b>	
<i>Permitted residue: Myclobutanil</i>	
All other foods except animal food commodities	0.05
Asparagus	T0.02
Cane berries	2
Cherries	5
Edible offal (mammalian)	*0.01
Grapes	1
Hops, dry	10
Meat (mammalian)	*0.01
Milks	*0.01
Peppers	3
Peppers, chili, dried	20
Pome fruits [except Persimmon, Japanese]	0.5
Stone fruits [except cherries; jujube, Chinese]	2
Strawberry	2

<b>Agvet chemical: Naled</b>	
<i>Permitted residue: Sum of naled and dichlorvos, expressed as naled</i>	
Hops, dry	0.5
<b>Agvet chemical: Naphthalene acetic acid</b>	
<i>Permitted residue: 1-Naphthelene acetic acid</i>	
Apple	1
Pear	1
Pineapple	1
Rambutan	T*0.05
<b>Agvet chemical: Naphthalophos</b>	
<i>Permitted residue: Naphthalophos</i>	
Sheep, edible offal of	*0.01
Sheep meat	*0.01
<b>Agvet chemical: Napropamide</b>	
<i>Permitted residue: Napropamide</i>	
All other foods except animal food commodities	0.02
Almonds	*0.1
Basil	T*0.1
Berries and other small fruits	*0.1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T*0.1
Broccoli, Chinese (Gai lan)	T*0.1
Edible offal (mammalian)	*0.08
Eggs	*0.08
Meat (mammalian)	*0.08
Milks	*0.08
Mustard seeds	T*0.01
Poultry, edible offal of	*0.08
Poultry meat	*0.08
Rape seed (canola)	*0.01
Stone fruits	*0.1
Tomato	*0.1
<b>Agvet chemical: Narasin</b>	
<i>Permitted residue: Narasin</i>	
Cattle, edible offal of	0.05
Cattle meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1
<b>Agvet chemical: Neomycin</b>	
<i>Permitted residue: Inhibitory substance, identified as neomycin</i>	
Eggs	T0.5
Fats (mammalian) [except milk fats]	T0.5
Kidney of cattle, goats, pigs and sheep	T10
Liver of cattle, goats, pigs and sheep	T0.5
Meat (mammalian)	T0.5
Milks	T1.5
Poultry kidney	T10
Poultry liver	T0.5
Poultry meat	T0.5
<b>Agvet chemical: Netobimbin</b>	
<i>see Albendazole</i>	
<b>Agvet chemical: Nicarbazin</b>	
<i>Permitted residue: 4,4'-dinitrocarbanilide (DNC)</i>	
Chicken fat/skin	10
Chicken kidney	20
Chicken liver	35
Chicken muscle	5
Eggs	0.3
<b>Agvet chemical: Niclosamide</b>	
<i>Permitted residue: Niclosamide</i>	
Edible offal (mammalian)	T*0.01
Eggs	T*0.01
Meat (mammalian)	T*0.01
Milks	T*0.01
Poultry, edible offal of	T*0.01
Poultry meat	T*0.01
Rice	T*0.01
<b>Agvet chemical: Nitrothal-isopropyl</b>	
<i>Permitted residue: Nitrothal-isopropyl</i>	
Apple	1
<b>Agvet chemical: Nitroxynil</b>	
<i>Permitted residue: Nitroxynil</i>	
Cattle, edible offal of	1
Cattle meat	1
Cattle milk	T0.5
Goat, edible offal of	1
Goat meat	1
Sheep, edible offal of	1
Sheep meat	1
<b>Agvet chemical: Norflurazon</b>	
<i>Permitted residue: Norflurazon</i>	
All other foods except animal food commodities	0.05
Asparagus	0.05
Blueberries	0.2
Citrus fruits [except kumquats]	0.2
Cotton seed	0.1
Cranberry	0.1
Edible offal (mammalian)	0.3

Eggs	*0.02	Cattle meat	*0.1
Fats (mammalian)	*0.02	Cattle milk	*0.1
Meat (mammalian)	*0.02		
Milks	*0.02		
Grapes	0.1		
Hops, dry	3		
Pome fruits	*0.2		
Poultry, edible offal of	*0.02		
Poultry fats	*0.02		
Poultry meat	*0.02		
Stone fruits	*0.2		
Tree nuts	*0.2		

**Agvet chemical: Norgestomet**

*Permitted residue: Norgestomet*

Edible offal (mammalian)	*0.0001
Meat (mammalian)	*0.0001

**Agvet chemical: Novaluron**

*Permitted residue: Novaluron*

All other foods except animal food commodities	0.1
Apple	0.3
Blueberries	7
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.3
Broccoli, Chinese (Gai lan)	0.3
Cherries	8
Chinese cabbage (Pe-tsai)	5
Cotton seed	T1
Cotton seed oil, crude	T2
Cranberry	0.45
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5
Meat (mammalian) (in the fat)	0.1
Milk fats	0.2
Milks	*0.01
Mushrooms	0.2
Pear	0.3
Peppers, chili, sweet	0.7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except cherries]	0.5
Strawberry	0.5
Sweet corns	0.2

**Agvet chemical: Novobiocin**

*Permitted residue: Novobiocin*

Cattle, edible offal of	*0.1
-------------------------	------

**Agvet chemical: ODB**

*Permitted residue: 1,2-dichlorobenzene*

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

**Agvet chemical: Olaquindox**

*Permitted residue: Sum of olaquindox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxaline , expressed as olaquindox*

Pig, edible offal of	0.3
Pig meat	0.3

**Agvet chemical: Oleandomycin**

*Permitted residue: Oleandomycin*

Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

**Agvet chemical: Omethoate**

*Permitted residue: Omethoate*

*see also Dimethoate*

Asparagus	*0.002
Avocado	0.1
Beetroot	*0.05
Blackberries	T3
Brussels sprouts	0.03
Cereal grains	*0.05
Cherries (subgroup)	*0.01
Citrus fruits	0.5
Cottonseed	*0.05
Edible offal (mammalian)	0.1
Eggs	*0.05
Eggplant	T0.07
Legume vegetables	1
Litchi	2
Mango	0.1
Mammalian fats (except milk fats)	0.003
Meat (mammalian)	*0.05
Melons [except watermelon]	0.2
Milks	*0.05
Oilseeds and oilfruits [except cotton seed; oilfruits; peanut]	0.05
Olives for oil production	T2
Olive oil, refined	T0.01
Onion, bulb	0.5
Peanut	*0.01
Peppers, sweet	0.3
Pineapple	0.03
Potato	0.05
Poultry, edible offal of	*0.05

Poultry fats	*0.001
Poultry meat	*0.05
Pulses	0.1
Raspberries, red, black	T3
Rhubarb	0.3
Squash, summer (zucchini)	0.2
Strawberry	*0.01
Sweet potato	0.05
Tomato	0.02
Turnip, garden	*0.1
Vaccinium berries (including bearberry) [except cranberry]	T2
Watermelon	0.2
Wheat bran, processed	0.05
Wheat germ	0.06

#### **Agvet chemical: OPP**

see 2-phenylphenol

#### **Agvet chemical: Oryzalin**

Permitted residue: Oryzalin

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	*0.01
Coffee beans	T0.1
Fruit	0.1
Ginger root	*0.05
Mustard seeds	*0.05
Rape seed (canola)	*0.05
Tree nuts	0.1

#### **Agvet chemical: Oxabetrinil**

Permitted residue: Oxabetrinil

Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1

#### **Agvet chemical: Oxadixyl**

Permitted residue: Oxadixyl

All other foods except animal food commodities	0.1
Chinese cabbage (Pe-tsai)	T5
Fruiting vegetables, cucurbits	0.5
Grapes	2
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T5
Onion, bulb	0.5

#### **Agvet chemical: Oxamyl**

Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl

All other foods except animal food commodities	0.05
Banana	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Peanut	0.05
Peppers, sweet	1
Peppers, chilli	*0.01
Potato	0.1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Sweet potato	0.2
Tomato	*0.05

#### **Agvet chemical: Oxathiapiprolin**

Permitted residue: Oxathiapiprolin

All other foods except animal food commodities	0.02
Avocado	0.1
Basil	10
Basil, dry	T90
Blueberries	0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2
Broccoli, Chinese (Gai lan)	2
Bulb vegetables [except chives; onion, bulb]	2
Cane berries	0.5
Cardoon	15
Citrus fruits [except kumquats]	0.06
Citrus oil, edible	3
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, bulb	2
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.5
Fungi, edible (except mushrooms)	0.5
Ginseng, dried including red ginseng	0.15
Grapes	0.9
Hops, dry	5
Leafy vegetables (including brassica leafy vegetables) [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	15
Lettuce, head	2
Meat (mammalian) (in the fat)	*0.01

Milks	*0.01	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Mushrooms	0.5	Broccoli, Chinese (Gai lan)	*0.05
Onion, bulb	0.04	Bulb vegetables [except chives]	*0.05
Peas (pods and succulent, immature seeds)	1	Cereal grains [except sweet corns]	*0.05
Peas, shelled (succulent seeds)	0.05	Coffee beans	T0.05
Peppers, chili, dried	4	Cotton seed	*0.05
Pomegranate	0.1	Edible offal (mammalian)	*0.01
Poppy seed	*0.01	Eggs	0.05
Potato	0.04	Fennel, bulb	*0.05
Poultry, edible offal of	*0.01	Grapes	0.05
Poultry fats	*0.01	Meat (mammalian) (in the fat)	*0.01
Poultry meat	*0.01	Milks	*0.01
Poultry meat (in the fat)	*0.01	Olives	1
Root and tuber vegetables [except beetroot; carrot; celeriac; chicory, roots; horseradish; parsnip; radish, japanese; salsify; scorzonera; sugar beet; swede; turnip, garden	0.04	Pome fruits	0.05
Strawberry	0.4	Poultry, edible offal of	*0.01
Sweet corns (subgroup)	0.5	Poultry meat (in the fat)	0.2
Tree nuts	0.01	Stone fruits	0.05
Young shoots	2	Tree nuts	0.05

#### **Agvet chemical: Oxfendazole**

##### *Permitted residue: Oxfendazole*

Edible offal (mammalian)	3
Meat (mammalian)	*0.1
Milks	0.1

#### **Agvet chemical: Oxycarboxin**

##### *Permitted residue: Oxycarboxin*

Beans [except broad bean; soya bean]	5
Blueberries	T10
Broad bean (green pods and immature seeds)	5

#### **Agvet chemical: Oxyclozanide**

##### *Permitted residue: Oxyclozanide*

Cattle, edible offal of	2
Cattle meat	0.5
Goat, edible offal of	2
Goat meat	0.5
Milks	0.05
Sheep, edible offal of	2
Sheep meat	0.5

#### **Agvet chemical: Oxyfluorfen**

##### *Permitted residue: Oxyfluorfen*

All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.01

#### **Agvet chemical: Oxytetracycline**

*Permitted residue: Inhibitory substance, identified as oxytetracycline*

Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

#### **Agvet chemical: Paclobutrazol**

##### *Permitted residue: Paclobutrazol*

All other foods except animal food commodities	0.01
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango; tamarillo (tree tomato)]	*0.01
Avocado	0.1
Fruiting vegetables, cucurbits	T*0.01
Fruiting vegetables, other than cucurbits	T*0.01
Mango	T1
Pome fruits [except Persimmon, Japanese]	1
Potato	T*0.01
Stone fruits	*0.01

#### **Agvet chemical: Paracetamol**

##### *Permitted residue: Paracetamol*

Pig fat/skin	*0.1
Pig kidney	*0.1

Pig liver	*0.1	Asparagus	0.15
Pig muscle	*0.1	Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	*0.05
<b>Agvet chemical: Paraquat</b>			
<i>Permitted residue: Paraquat cation</i>			
Cacao bean	0.05	Barley	*0.05
Cereal grains [except as otherwise listed under this chemical]	*0.05	Berries and other small fruits [except blueberries]	*0.05
Cotton seed	0.2	Blueberries	0.1
Cotton seed oil, edible	0.05	Brassica leafy vegetables (except Broccoli, Chinese (Gai lan)	0.2
Edible offal (mammalian)	0.5	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	*0.05
Eggs	*0.01	Broccoli, Chinese (Gai lan)	*0.05
Fruit [except olives]	*0.05	Bulb vegetables [except chives; leek]	*0.05
Hops, dry	0.5	Carrot	T0.3
Maize	0.1	Celery	0.09
Meat (mammalian)	*0.05	Cherries (subgroup)	0.1
Milks	*0.01	Chinese cabbage (Pe-tsai)	*0.05
Oilseed [except cotton seed]	*0.05	Citrus fruits	*0.05
Olives	1	Date	T*0.05
Palm nuts	*0.05	Edible offal (mammalian)	*0.01
Peanut	*0.05	Eggs	*0.01
Potato	0.2	Fennel, bulb	*0.05
Poultry, edible offal of	*0.05	Fruiting vegetables, other than cucurbits	*0.05
Poultry meat	*0.05	Hops, dry	*0.1
Pulses	1	Leafy vegetables [except brassica leafy vegetables; lettuce, leaf; witloof chicory]	*0.05
Rice	10	Leek	0.3
Rice, polished	0.5	Legume vegetables	T0.2
Sugar cane	*0.05	Lettuce, leaf	4
Tree nuts	*0.05	Maize	*0.05
Vegetables [except potato; pulses]	*0.05	Meat (mammalian)	*0.01
<b>Agvet chemical: Penconazole</b>			
<i>Permitted residue: Penconazole</i>			
All other foods except animal food commodities	0.02	Melons, including watermelon	0.1
Brussels sprouts	0.05	Mints	0.2
Chives	0.05	Milk	*0.01
Grapes	0.1	Oats	T*0.05
Herbs	0.05	Oilseeds and oilfruits [except peanut]	*0.05
Pome fruits	0.1	Parsley	T*0.05
Raspberries, red, black	0.1	Parsley, leaves	1.5
Spices	0.1	Peanut	0.1
Strawberries	0.5	Peppermint oil, edible	6
Tea, green, black	0.1	Peppers, sweet	*0.05
<b>Agvet chemical: Pencycuron</b>			
<i>Permitted residue: Pencycuron</i>			
Potato	0.05	Pome fruits	*0.05
<b>Agvet chemical: Pendimethalin</b>			
<i>Permitted residue: Pendimethalin</i>			
All other foods except animal food commodities	0.02	Poultry, edible offal of	*0.01
Artichoke, globe	0.05	Poultry meat	*0.01
		Pulses	*0.05
		Rice	*0.05
		Root and tuber vegetables [except carrot]	*0.05
		Sorghum, grain	0.1
		Stone fruits [except cherries (subgroup)]	*0.05
		Sugar cane	*0.05
		Sweet corn (corn-on-the-cob)	*0.05
		Table olives	*0.05
		Tomato	*0.05

Tree nuts	*0.05	Meat (mammalian)	*0.01
Wheat	*0.05	Milks	*0.01
<b>Agvet chemical: Penflufen</b>			
<b>Permitted residue: Penflufen</b>			
Cereal grains [except sweet corns]	*0.01	Mushrooms	5
Chick-pea (dry)	T*0.01	Onion, bulb	1
Cotton seed	*0.01	Onion, Welsh	5
Edible offal (mammalian)	*0.01	Peppers, chili, dried	14
Eggs	*0.01	Pome fruits	0.5
Lentil (dry)	T*0.01	Potato	0.1
Lupin (dry)	T*0.01	Poultry, edible offal of	*0.01
Meat (mammalian) (in the fat)	*0.01	Poultry meat	*0.01
Milks	*0.01	Root and tuber vegetables [except potato]	2
Milk fats	*0.01	Shallot	5
Mustard seeds	T*0.01	Spring onion	5
Potato	*0.01	Stone fruits	5
Poultry, edible offal of	*0.01	Strawberry	5
Poultry meat (in the fat)	*0.01	Sweet corns	5
Rape seed (canola)	*0.01	Tree nuts	0.1
Soya bean (dry)	T*0.01		
<b>Agvet chemical: Penthopyrad</b>			
<i>Permitted residue—commodities of plant origin: Penthopyrad</i>			
<i>Permitted residue—commodities of animal origin: Sum of penthopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthopyrad</i>			
All other foods except animal food commodities	0.05	All other foods except animal food commodities	0.05
Bayberries	T5	Almonds	0.05
Bayberry, red	T5	Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	1
Brassica leafy vegetables (except broccoli, Chinese (Gai lan)	70	Broccoli, Chinese (Gai lan)	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	7	Brussels sprouts	2
Broccoli, Chinese (Gai lan)	7	Celery	5
Bush berries	7	Cereal grains [except sweet corn (corn-on-the-cob)]	2
Cane berries	10	Cherries	4
Celery	15	Chervil	T30
Chinese cabbage (Pe-tsai)	50	Chives	T30
Cranberry	3	Common bean (dry) (navy bean)	0.1
Edible offal (mammalian)	*0.01	Common bean (pods and/or immature seeds)	0.5
Eggs	*0.01	Coriander (leaves, roots, stems)	T30
Elderberries	7	Edible offal (mammalian)	0.5
Fruiting vegetables, cucurbits	1	Eggs	0.1
Fruiting vegetables, other than cucurbits	5	Herbs	T30
Fungi, edible (except mushrooms)	5	Lettuce, head	5
Guelder rose	7	Lettuce, leaf	5
Leafy vegetables [except brassica leafy vegetables; lettuce, head; witloof chicory]	50	Linseed	0.1
Lettuce, head	10	Meat (mammalian) (in the fat)	1
		Milks	0.05
		Mushrooms	2
		Mustard seeds	T0.2
		Nectarine	2
		Peach	1
		Peas	1
		Peppers, chili, dried	10
		Poppy seed	T0.2
		Potato	0.05
		Poultry meat (in the fat)	0.1

Rape seed (canola)	0.2	Meat (mammalian)	*0.05
Rhubarb	1	Milks	*0.05
Sugar cane	*0.1	Onion, bulb	0.5
Sweet corn (corn-on-the-cob)	*0.05	Onion, Welsh	0.5
Tea, green, black	0.1	Parsley	T*0.01
Tomato	0.4	Peanut	0.1
Wheat bran, unprocessed	5	Peppers	0.5
Wheat germ	2	Potato	0.5

#### **Agvet chemical: Phenmedipham**

*Permitted residue—commodities of plant origin:  
Phenmedipham*

*Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate*

All other foods except animal food commodities	0.02
Beetroot	0.5
Chard (silver beet)	2
Chinese cabbage (Pe-tsai)	T1
Edible offal (mammalian)	*0.1
Leafy vegetables [except broccoli, Chinese (Gai lan); chard (silver beet); witloof chicory]	T1
Meat (mammalian)	*0.1
Milks	*0.1
Radicchio	T1
Strawberry	0.3

#### **Agvet chemical: 2-Phenylphenol**

*Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol*

All other foods except animal food commodities	0.1
Citrus fruits	10

#### **Agvet chemical: Phorate**

*Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate*

Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; broccoli; cauliflower; Chinese cabbage (Pe-tsai); head cabbages]	T*0.01
Broccoli	0.5
Cabbages, head	0.5
Carrot	0.5
Cauliflower	0.5
Celery	T*0.01
Coriander (leaves, roots, stems)	T*0.01
Coriander, seed	0.1
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggplant	0.5
Eggs	*0.05
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T*0.01

Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	0.5
Onion, Welsh	0.5
Parsley	T*0.01
Peanut	0.1
Peppers	0.5
Potato	0.5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	0.5
Spring onion	0.5
Sweet potato	0.5
Tomato	0.5

#### **Agvet chemical: Phosmet**

*Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet*

All other foods except animal food commodities	0.05
Blueberries	10
Cattle, edible offal of	1
Cattle meat (in the fat)	1
Cereal grains [except sweet corns]	*0.05
Cranberry	10
Currants, black, red, white	2
Goat, edible offal of	*0.05
Goat meat	*0.05
Grapes	10
Lemon	5
Mandarins	5
Milks (in the fat)	0.2
Oranges	3
Pig, edible offal of	0.1
Pig meat	0.1
Sheep, edible offal of	*0.05
Sheep meat	*0.05
Stone fruits [except cherries; jujube, Chinese]	5

#### **Agvet chemical: Phosphine**

*Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)*

All other foods except animal food commodities	*0.01
Cereal grains [except sweet corns]	*0.1
Citrus fruits [except kumquats]	*0.01
Dried foods [except as otherwise listed under this chemical]	*0.01
Dried fruits	*0.01
Dried vegetables	*0.01
Garlic	T*0.01
Honey	*0.01
Oilseeds (subgroup)	*0.01
Peanut	0.1
Pulses	*0.01

Seed for beverages	T*0.01	Meat (mammalian)	*0.05
Spices	*0.01	Milks	*0.05
Sugar cane	*0.01	Sugar cane	*0.01
Tree nuts	*0.01		

#### **Agvet chemical: Phosphorous acid**

*Permitted residue: Phosphorous acid*

Avocado	500
Basil	T300
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai); flowerhead brassicas]	T1
Broccoli, Chinese (Gai lan)	T1
Bulb vegetables [except chives]	T10
Chinese cabbage (Pe-tsai)	T150
Citrus fruits	100
Coriander (leaves, roots, stems)	T300
Custard apple	500
Edible offal (mammalian)	5
Fennel, bulb	T10
Fennel, leaf	T300
Flowerhead brassicas	50
Fruiting vegetables, cucurbits	T100
Fruiting vegetables, other than cucurbits	T100
Fungi, edible (except mushrooms)	T100
Galangal, rhizomes	T100
Ginger, root	T100
Grapes	200
Hops, dry	2000
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	T150
Meat (mammalian)	1
Mushrooms	T100
Papaya [pawpaw]	T100
Parsley	T300
Passionfruit	T500
Peach	100
Peas, shelled	T100
Pineapple	T20
Poppy seed	1
Potato	T700
Rhubarb	T100
Root and tuber vegetables [except potato]	T100
Stone fruits [except cherries; jujube, Chinese; peach]	T100
Strawberry	T500
Sweet corns	T100
Tree nuts	3000

#### **Agvet chemical: Picolinafen**

*Permitted residue: Picolinafen*

#### **Agvet chemical: Picolinafen**

*Permitted residue—commodities of plant origin:  
Picolinafen*

Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid	
Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.01
Field pea (dry)	*0.02
Lupin (dry)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

#### **Agvet chemical: Picoxystrobin**

*Permitted residue: Picoxystrobin*

Coffee beans	0.04
Cottonseed	2
Edible offal (mammalian)	0.02
Mammalian fats [except milk fats]	0.02
Meat mammalian (in the fat)	0.02
Milks	*0.01
Peanut	0.05
Rice	0.05
Sorghum, grain	0.02
Soya bean (dry)	0.06
Tea, green, black	15
Wheat	0.04

#### **Agvet chemical: Pinoxaden**

*Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden*

All other foods except animal food commodities	0.06
Barley	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Marjoram (oregano)	*0.06
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wheat	0.7
Wheat bran, unprocessed	0.5

#### **Agvet chemical: Picloram**

*Permitted residue: Picloram*

Cereal grains [except sweet corns]	0.2
Edible offal (mammalian)	5

<b>Agvet chemical: Piperonyl butoxide</b>	
<i>Permitted residue: Piperonyl butoxide</i>	
All other foods except animal food commodities	0.5
Cattle milk	0.05
Cereal bran, unprocessed	40
Cereal grains [except sweet corns]	20
Chives	8
Dried fruits	8
Dried vegetables	8
Edible offal (mammalian)	0.1
Eggs	*0.1
Fruit	8
Herbs	8
Meat (mammalian)	0.1
Oilseeds (subgroup)	8
Peanut	1
Peppers, chili, dried	20
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sweet corns	8
Tree nuts	8
Vegetables	8
Wheat germ	50
<b>Agvet chemical: Pirimicarb</b>	
<i>Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb</i>	
All other foods except animal food commodities	0.05
Almonds	0.05
Blackberries	2
Celeriac	0.1
Celery	15
Cereal grains [except sweet corns]	*0.02
Cherries	5
Chinese cabbage (Pe-tsai)	7
Cotton seed	0.05
Cotton seed oil, crude	T0.1
Currants, black, red, white	1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Fruit [except listed under this chemical]	0.5
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	7
Meat (mammalian)	*0.1
Milks	*0.1
Mustard seeds	T0.2
Onion, Welsh	7
Peppers, chili, dried	20
Peppers, chilli, other cultivars	1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.02
Rape seed (canola)	0.2
Raspberries, red, black	4
Sesame seed	T0.05
Shallot	7
Spices	*0.05
Spring onion	7
Strawberry	3
Sweet corn (corn-on-the-cob)	0.1
Tree nuts [except almonds]	T*0.05
Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion;]	1
<b>Agvet chemical: Pirimiphos-methyl</b>	
<i>Permitted residue: Pirimiphos-methyl</i>	
All other foods except animal food commodities	0.02
Barley	7
Cacao beans	*0.05
Cereal bran, unprocessed	20
Edible offal (mammalian)	*0.05
Eggs	*0.05
Maize	7
Meat (mammalian)	*0.05
Milks	*0.05
Millet	10
Oats	7
Peanut	5
Peanut oil, edible	15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	10
Rice, husked	2
Rice, polished	1
Rye	10
Sorghum, grain	10
Triticale	10
Wheat	10
Wheat germ	30
<b>Agvet chemical: Praziquantel</b>	
<i>Permitted residue: Praziquantel</i>	
Fish muscle	T*0.02
Sheep, edible offal of	*0.05
Sheep meat	*0.05
<b>Agvet chemical: Procaine penicillin</b>	
<i>Permitted residue: Inhibitory substance, identified as procaine penicillin</i>	
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1
Milks	*0.0025

---

**Agvet chemical: Prochloraz**

Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz

All other foods except animal food commodities	0.1
Avocado	5
Banana	5
Cherimoya	T1
Cherries	*0.05
Custard apple	T1
Lettuce, head	2
Lettuce, leaf	T3
Litchi	T1
LLama	T1
Mandarins	T10
Mango	5
Mushrooms	3
Papaya (pawpaw)	5
Pepper, black, white	10
Pineapple	2
Pistachio nut	T0.5
Soursop	T1
Sugar apple	T1
Sugar cane	*0.05

---

**Agvet chemical: Procymidone**

Permitted residue: Procymidone

All other foods except animal food commodities	0.05
Cherries	7
Chick-pea (dry)	T0.5
Chives	T3
Common bean (dry) (navy bean)	T10
Durian (in the pulp)	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Garlic	5
Lentil (dry)	0.5
Lupin (dry)	*0.01
Meat (mammalian) (in the fat)	0.2
Milks	0.02
Mustard seeds	T0.5
Mustard seed oil, crude	T2
Onion, bulb	0.2
Peppers	T2
Potato	0.2
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	0.5
Rape seed (canola) oil, crude	2
Strawberry	*0.02
Stone fruits [except cherries]	2
Wine grapes	5

---

---

**Agvet chemical: Profenofos**

Permitted residue: Profenofos

All other foods except animal food commodities	0.02
Cattle milk	*0.01
Coffee beans	0.04
Coriander, seed	0.1
Cotton seed	1
Cotton seed oil, edible	0.3
Edible offal (mammalian)	*0.05
Eggs	*0.02
Mangosteen	5
Meat (mammalian)	*0.05
Peppers, chili	3
Peppers, chili, dried	20
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Tea, green, black	*0.05

---

**Agvet chemical: Profoxydim**

Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim

Edible offal (mammalian)	0.5
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05

---

**Agvet chemical: Prohexadione-calcium**

Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione

Apple	*0.02
Cherries	0.4
Edible offal (mammalian)	*0.05
Marjoram (oregano)	*0.02
Meat (mammalian)	*0.05
Milks	*0.01
Peanut	1

---

**Agvet chemical: Prometryn**

Permitted residue: Prometryn

Cattle milk	*0.05
Cereal grains	*0.1
Coriander (leaves, roots, stems)	T1
Coriander, seed	T1
Cotton seed	*0.1
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Peanut	*0.1

Sunflower seed	*0.1
Vegetables	*0.1

#### **Agvet chemical: Propachlor**

*Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor*

All other foods except animal food commodities	0.05
Beetroot	*0.05
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.6
Broccoli, Chinese (Gai lan)	0.6
Cereal grains [except sorghum, grain; sweet corns]	0.05
Chinese cabbage (Pe-tsai)	T1
Cos lettuce	T0.2
Edible offal (mammalian)	0.1
Eggs	*0.02
Garlic	2.5
Leafy vegetables [except broccoli, Chinese (Gai lan); cos lettuce; lettuce, head; lettuce, leaf; witloof chicory]	T1
Leek	*0.02
Lettuce, head	T0.2
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Onion, bulb	0.7
Onion, Welsh	T1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Radish	*0.02
Shallot	T1
Sorghum, grain	0.2
Spring onion	T1
Swede	*0.02
Sweet corn (corn-on-the-cob)	0.05
Turnip, garden	*0.02

#### **Agvet chemical: Propamocarb**

*Permitted residue: Propamocarb (base)*

All other foods except animal food commodities	0.1
Basil	T150
Brassica vegetables (except Brassica leafy vegetables)	30
Bulb vegetables [except chives; onion, bulb]	30
Cane berries	T15
Chives	30
Edible offal (mammalian)	1.5
Eggs	*0.01
Fats (mammalian)	0.03
Fennel, bulb	30
Fruiting vegetables, cucurbits	5

Fruiting vegetables, other than cucurbits	T0.3
Fungi, edible (except mushrooms)	T0.3
Ginger	T50
Herbs [except basil]	30
Leafy vegetables	70
Meat (mammalian)	0.03
Milks	*0.01
Mushrooms	T0.3
Onion, bulb	0.5
Peppers, chili, dried	10
Poppy seed	5
Potato	0.3
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sweet corns	T0.3

#### **Agvet chemical: Propanil**

*Permitted residue: Propanil*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.1
Milks	*0.01
Poultry, edible offal of	3
Poultry meat	*0.1
Rice	2
Sheep, edible offal of	*0.1
Sheep meat	*0.1

#### **Agvet chemical: Propaquizafop**

*Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop*

Currants, black, red, white	*0.05
Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Oilseeds (subgroup)	*0.05
Peas	*0.05
Pulses	*0.05
Raspberries, red, black	*0.05
Strawberry	*0.05

#### **Agvet chemical: Propargite**

*Permitted residue: Propargite*

Apple	3
Banana	3
Cotton seed	0.2
Edible offal (mammalian)	*0.1
Eggs	*0.1
Hops, dry	3
Meat (mammalian) (in the fat)	*0.1
Milks	*0.1
Passionfruit	3

Pear	3
Poultry, edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Stone fruits	3
Strawberry	7
Sweet corns	3
Vegetables	3

**Agvet chemical: Propazine**

Permitted residue: Propazine

Carrot	*0.1
--------	------

**Agvet chemical: Propetamphos**

Permitted residue: Propetamphos

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

**Agvet chemical: Propiconazole**

Permitted residue: Propiconazole

All other foods except animal food commodities	0.05
Almonds	0.2
Avocado	*0.02
Banana	0.2
Beetroot	*0.02
Blackberries	1
Blueberries	2
Boysenberry	1
Broccoli, Chinese	T1
Celery	T5
Cereal grains [except sweet corns]	*0.05
Chard (silver beet)	T0.5
Chicory leaves	T1
Citrus fruits	10
Cranberry	0.3
Edible offal (mammalian)	1
Eggs	*0.05
Endive	T1
Grapes	T1
Meat (mammalian)	0.1
Milks	*0.01
Mint oil	*0.02
Mushrooms	*0.05
Orange oil, edible	1850
Parsley	T30
Peanut	*0.05
Pineapple	2
Plums (including prunes)	2
Poppy seed	*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1
Pulses	T0.3
Radicchio	T1
Radish	T0.2

Raspberries, red, black	1
Spices	*0.1
Spinach	T0.7
Stone fruits [except plum (including prunes)]	4
Sugar cane	*0.02
Sunflower seed	T0.5
Sweet corn (corn-on-the-cob)	*0.02
Tree nuts [except almonds]	T0.2

**Agvet chemical: Propineb**

see Dithiocarbamates

**Agvet chemical: Propoxur**

Permitted residue: Propoxur

**Agvet chemical: Propylene oxide**

Permitted residue: Propylene oxide

Almonds	100
<b>Agvet chemical: Propyzamide</b>	
Permitted residue: Propyzamide	
All other foods except animal food commodities	0.02
Cherries	0.1
Chicory leaves	*0.2
Currants, black, red, white	0.01
Edible offal (mammalian)	*0.2
Eggs	*0.05
Endive	*0.2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	*0.05
Milks	*0.01
Mustard seeds	0.02
Poppy seed	0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01
Quinoa	T02
Rape seed (canola)	0.02
Safflower Seed	T0.02

**Agvet chemical: Proquinazid**

Permitted residue—commodities of plant origin:  
Proquinazid

Permitted residue—commodities of animal origin:  
Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinolin-2-yloxy)propionic acid, expressed as proquinazid

All other foods except animal food commodities	0.1
--	-----

Dried grapes (currants, raisins and sultanas)	2	Eggs	*0.01
Edible offal (mammalian)	0.05	Linseed	0.03
Eggs	*0.01	Meat (mammalian) (in the fat)	0.02
Fruiting vegetables, cucurbits	0.2	Milks	*0.004
Fruiting vegetables, other than cucurbits [except peppers, sweet]	0.3	Mustard seeds	*0.02
Grapes	0.5	Peanut	*0.02
Meat (mammalian)	*0.01	Poultry, edible offal of	*0.05
Milks	*0.01	Poultry meat (in the fat)	*0.05
Peppers, sweet	0.2	Pulses [except soya bean (dry)]	T0.7
Pome fruits	0.3	Rape seed	0.2
Poultry, edible offal of	*0.01	Rape seed oil, edible	0.15
Poultry meat	*0.01	Soya bean (dry)	0.2
Wheat	T*0.02	Sunflower seed oil, crude	0.5
		Sunflower seeds (subgroup)	0.5
		Watermelon	T0.2
		Wheat germ	0.5

#### **Agvet chemical: Prosulfocarb**

##### *Permitted residue: Prosulfocarb*

Barley	*0.01
Carrot	T*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Marjoram (oregano)	20
Meat (mammalian)	*0.02
Milks	*0.02
Oats	*0.01
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.01
Triticale	*0.01
Wheat	*0.01

#### **Agvet chemical: Prothioconazole**

*Permitted residue—commodities of plant origin:*  
*Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole*

*Permitted residue—commodities of animal origin:*  
*Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole*

All other foods except animal food commodities	0.02
Blueberries	2
Cereal bran, unprocessed	0.5
Cereal grains [except sweet corns]	0.3
Cotton seed	T0.2
Cranberry	0.2
Edible offal (mammalian)	0.2

#### **Agvet chemical: Prothiofos**

##### *Permitted residue: Prothiofos*

Banana	*0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broccoli, Chinese (Gai lan)	0.2
Pear	0.05

#### **Agvet chemical: Pydiflumetofen**

##### *Permitted residue: Pydiflumetofen*

All other foods except animal food commodities	0.05
Beans with pods	0.7
Berries and other small fruits [except blueberries; grapes; strawberry]]	3
Broccoli, Chinese (Gai lan)	0.5
Bulb onions (subgroup)	0.3
Bush berries	5
Cherries (subgroup)	2
Chinese cabbage (Pe-tsai)	T30
Citrus fruits	1
Citrus oil, edible	40
Cotton seed	0.02
Dried grapes (currants, raisins and sultanas)	5
Edible offal (mammalian)	0.1
Eggs	0.02
Elderberries	5
Flowerhead brassicas	3
Fruiting vegetables, cucurbits	0.4
Fruiting vegetables, other than cucurbits	0.5
Grapes	2
Green onions	2
Head brassicas [except Chinese cabbage (Pe-tsai)]	2
Leafy vegetables	15
Maize	0.04

Maize flour	0.07	Lupin (dry)	T0.02
Maize oil, edible	0.08	Meat (mammalian)	*0.01
Mammalian fats [except milk fats]	0.1	Milks	*0.01
Meat (mammalian) (in the fat)	0.1	Pistachio nut	*0.01
Milks	*0.01	Podded pea (young pods) (snow and sugar snap)	0.3
Mustard seeds	T0.05	Potato	*0.02
Peaches (subgroup)	1	Poultry, edible offal of	*0.01
Peanut	0.05	Poultry meat	*0.01
Peanut oil, edible	0.15	Stone fruits	*0.05
Peas with pods (subgroup)	1.5	Strawberry	T0.3
Peppers, chili, dried	5	Sweet corn (corn-on-the-cob)	*0.01
Plums (including fresh prunes)	0.6		
Pome fruits [except persimmon, Japanese]	0.2		
Potato	*0.01	<b>Agvet chemical: Pyraclofos</b>	
Potato, dried	0.5	<i>Permitted residue: Pyraclofos</i>	
Poultry, edible offal of	*0.01	Sheep fat	0.5
Poultry fats	*0.01	Sheep kidney	*0.01
Poultry meat	*0.01	Sheep liver	*0.01
Prunes, dried	1.5	Sheep muscle	*0.01
Pulses	0.4		
Rape seed (canola)	0.05	<b>Agvet chemical: Pyraclostrobin</b>	
Root and tuber vegetables [except potato]	0.3	<i>Permitted residue—commodities of plant origin: Pyraclostrobin</i>	
Small seed oilseeds	0.9	<i>Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin</i>	
Stalk and stem vegetables - stems and petioles	15		
Stem brassicas	0.5	All other foods except animal food commodities	0.05
Strawberry	2	Artichoke, globe	2
Sunflower seeds (subgroup)	0.5	Avocado	0.2
Sweet corn (corn-on-the-cob)	0.03	Banana	*0.02
Tomato	T0.7		
Tomato, dried	7		

### ***Aqvet chemical: Pymetrozine***

Permitted residue: *Pymetrozine*

All other foods except animal food commodities	0.02	blackberries; blueberries; boysenberry; grapes]	
Almonds	*0.01	Blackberries	4
Beetroot	*0.02	Blueberries	4
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Boysenberry	4
Broad bean (dry)	T0.02	Brassica leafy vegetables	T3
Broccoli, Chinese (Gai lan)	0.5	Brussels sprouts	0.3
Celery	0.2	Cabbages, head	0.2
Chinese cabbage (Pe-tsai)	5	Cereal grains [except barley; oats; rice; rye; sweet corns; triticale; wheat]	*0.01
Cotton seed	*0.02	Celery	T8
Cotton seed oil, edible	*0.02	Cherries	3
Edible offal (mammalian)	*0.01	Chestnuts	T1
Eggs	*0.01	Chick-pea (dry)	T0.5
Fruiting vegetables, cucurbits	1	Chives	2
Fruiting vegetables, other than cucurbits	0.5	Coffee beans	0.3
Fungi, edible (except mushrooms)	0.5	Common bean (pods and/or immature seeds)	0.6
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5	Common beans (succulent seeds)	0.3
		Corn salad (lamb's lettuce)	10
		Cress, garden	10

Custard apple	T3	Rye	0.2
Endive	0.4	Shallot	0.3
Dried grapes	5	Silvanberries	T3
Dry beans	0.3	Sorghum, grain	0.5
Edible offal (mammalian)	0.1	Spices	0.1
Eggs	*0.05	Spinach	0.6
Fats (mammalian)	0.5	Spring onion	1.5
Flowerhead brassicas	0.1	Stone fruits [except jujube, Chinese]	2.5
Fruiting vegetables, cucurbits	0.5	Sugar cane	0.08
Fruiting vegetables, other than cucurbits	0.5	Sweet corns	0.3
Fungi, edible (except mushrooms)	0.3	Table olives	T0.3
Garlic	0.3	Tangelo, large-sized cultivars	1
Grapes	2	Tangelo, small and medium sized cultivars	1
Herbs	2	Tea, green, black	T7
Hops, dry	23	Tree nuts [except chestnuts; pistachio nut; walnuts]	0.07
Jujube, Chinese	T7	Triticale	0.2
Leek	0.7	Walnut	T0.01
Lemon	0.7	Wheat	0.2
Lentil (dry)	0.5	Witloof chicory (sprouts)	0.09
Lettuce, head	2		
Lettuce, leaf	2		
Litchi	T2		
Mango	0.6		
Meat (mammalian) (in the fat)	0.5		
Milks	0.03		
Mung bean (dry)	T0.2		
Mushrooms	0.3		
Oats	1		
Oilseeds and oilfruits [except oilfruits; peanut; poppy seed]	0.4		
Olives for oil production	T0.3		
Olive oil, crude	T1		
Olive oil, virgin	0.07		
Onion, bulb	1.5		
Onion, Welsh	1.5		
Oranges	2		
Papaya (pawpaw)	T0.5		
Passionfruit	T1		
Peanut	0.05		
Peas (dry)	0.3		
Peas with pods	0.3		
Peas without pods (succulent)	0.08		
Pineapple	0.3		
Pistachio nut	T1		
Pome fruits [except Persimmon, Japanese]	1		
Pomegranate	T0.3		
Poppy seed	*0.05		
Poultry, edible offal of	*0.05		
Poultry meat (in the fat)	*0.05		
Raspberries, red, black	4		
Rice	1.5		
Rice, husked	0.09		
Rice, polished	0.03		
Root and tuber vegetables	0.5		
Rucola	10		

#### **Agvet chemical: Pyraflufen-ethyl**

*Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)*

Almonds	0.01
Cereal grains [except sweet corns]	*0.02
Cherries	0.01
Cotton seed	*0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Hops, dry	*0.1
Meat (mammalian)	*0.02
Milks	*0.02
Potato	0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.02

#### **Agvet chemical: Pyrasulfotole**

*Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole*

Barley	0.03
Cereal bran, unprocessed	0.03
Cereal grains [except barley; oats; sorghum, grain; sweet corns (subgroup)]	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.02
Mammalian fats (except milk fats)	*0.02
Meat (mammalian)	*0.02
Milks	*0.01

Oats	0.15
Poultry, edible offal of	0.05
Poultry fats	*0.02
Poultry meat	*0.02
Sorghum, grain	0.5

Stone fruits	0.5
Strawberry	1
Tree nuts	T*0.05

#### **Agvet chemical: Pyraziflumid**

*Permitted residue — commodities of plant origin: pyraziflumid*

*Permitted residue — commodities of animal origin: pyraziflumid and its pyraziflumid-4'-OH metabolite (free), expressed as pyraziflumid*

Dried grapes (currants; raisins; sultanas)	6
Grapes	3
Pome fruits	1.5

#### **Agvet chemical: Pyridate**

*Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate*

Chick-pea (dry)	*0.05
Edible offal (mammalian)	*0.2
Eggs	*0.2
Marjoram (oregano)	*0.05
Meat (mammalian)	*0.2
Milks	*0.2
Poultry, edible offal of	*0.2
Poultry meat	*0.2

#### **Agvet chemical: Pyrethrins**

*Permitted residue: Sum of pyrethrins i and ii, Cinerinski i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard*

All other foods except animal food commodities	0.2
Cereal grains [except sweet corns]	3
Chives	1
Cucumber	T2
Dried fruits	1
Dried vegetables	1
Edible offal (Mammalian)	*0.05
Eggs	*0.05
Fennel, leaf	1
Fruit	1
Fruiting vegetables, cucurbits [except cucumber]	0.2
Herbs	1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Oilseeds (subgroup)	1
Olive oil, crude	T3
Peanut	0.5
Peppers, chili, dried	0.5
Poultry, Edible offal of	*0.05
Poultry, Meat (in the fat)	*0.05
Tree nuts	1
Vegetables	1

#### **Agvet chemical: Pyrimethanil**

*Permitted residue: Pyrimethanil*

All other foods except animal food commodities	0.1
Almonds	0.2
Banana	2
Berries and other small fruits [except blueberries; grapes; strawberry]	15
Blueberries	8
Carrot	1
Chives	3
Citrus fruits [except lemon]	10
Common bean	3
Coriander (leaves)	3
Cucumber	5
Edible offal (mammalian)	*0.05
Field pea (dry)	0.5
Grapes	5
Herbs	3
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; lettuce, leaf; witloof chicory]	T5
Lemon	11
Lettuce, head	20
Lettuce, leaf	20
Meat (mammalian)	*0.05
Milks	*0.01
Onion, bulb	0.2
Peppers, sweet	1
Podded pea (young pods) (snow and sugar snap)	T10
Pome fruits [except Persimmon, Japanese]	15
Potato	0.05
Spices	0.1
Stone fruits [except jujube, Chinese]	10
Strawberry	5
Sweet potato	0.05
Tomato	1

#### **Agvet chemical: Pyridaben**

*Permitted residue: Pyridaben*

Banana	0.5
Cranberry	0.5
Citrus fruits [except kumquats]	0.5
Grapes	5
Hops, dry	10
Pome fruits [except Persimmon, Japanese]	0.5

<b>Agvet chemical: Pyriofenone</b>	
<i>Permitted residue: Pyriofenone</i>	
All other foods	0.05
Berries and other small fruit [except Cane berries; cloudberry; cranberry; strawberry]	1.5
Cane berries	0.9
Cloudberry	0.5
Cranberry	0.5
Dried grapes (currants, raisins and sultanas)	2.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.7
Mammalian fats [except milk fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Strawberry	0.5
<b>Agvet chemical: Pyriproxyfen</b>	
<i>Permitted residue: Pyriproxyfen</i>	
All other foods except animal food commodities	0.1
Almonds	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3
Beans with pods	T0.3
Blueberries	1
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	T0.7
Broccoli, Chinese (Gai lan)	T0.7
Cane berries	1
Chervil	T5
Chives	T5
Citrus fruits	0.5
Coriander (leaves, roots, stems)	T5
Cotton seed	*0.01
Cotton seed oil, crude	*0.02
Cranberry	1
Edible offal (mammalian)	*0.02
Eggs	0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Galangal, Greater	T*0.05
Galangal, Lesser	T*0.05
Grapes	2.5
Herbs	T5
Lettuce, leaf	5
<b>Agvet chemical: Pyrithiobac sodium</b>	
<i>Permitted residue: Pyrithiobac sodium</i>	
Cotton seed	*0.02
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
<b>Agvet chemical: Pyroxasulfone</b>	
<i>Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone</i>	
<i>Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone</i>	
All other foods except animal food commodities	0.01
Cereal grains [except maize; popcorn and sweet corns]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Maize	0.02
Meat (mammalian)	*0.02
Milks	*0.002
Peanut	0.3
Popcorn	0.015
Potato	0.08
Poultry, edible offal of	*0.02

Poultry meat	*0.02
Pulses [except soya bean (dry)]	*0.01
Safflower seed	T*0.01
Soya bean (dry)	0.06
Soya bean oil	0.06
Sunflower oil	0.3
Sunflower seed	0.3
Sweet corn (corn-on-the-cob and kernels)	0.015

**Agvet chemical: Pyroxsulam**

Permitted residue: Pyroxsulam

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Triticale	*0.01
Wheat	*0.01

**Agvet chemical: Quinclorac**

Permitted residue: Quinclorac

Barley	2
Blueberries	0.08
Cranberry	1.5
Rape seed (canola)	1.5
Rice	10
Rice, husked	10
Rice, polished	8
Wheat	0.5

**Agvet chemical: Quinoxifen**

Permitted residue: Quinoxifen

All other foods except animal food commodities	0.02
Barley	*0.01
Chard (silver beet)	3
Cherries	0.7
Dried grapes	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	2
Hops, dry	3
Meat (mammalian) (in the fat)	0.1
Milk fats	0.2
Milks	0.01
Peppers, chili, dried	10
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Stone fruits [except jujube, Chinese]	0.7
Strawberry	T0.3
Tea, green, black	*0.05

Wheat	T*0.01
-------	--------

**Agvet chemical: Quintozene**

Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene

Beans, except broad bean and soya bean	0.01
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.2
Broad bean (green pods and immature seeds)	0.01
Broccoli, Chinese (Gai lan)	0.2
Common bean (dry) (navy bean)	0.2
Cotton seed	0.03
Edible offal (mammalian)	*0.1
Eggs	*0.03
Lettuce, head	0.3
Lettuce, leaf	0.3
Meat (mammalian)(in the fat)	*0.2
Milks	*0.02
Peanut	0.3
Peppers, chili, dried	0.1
Potato	0.2
Poultry, Edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Tomato	0.1

**Agvet chemical: Quizalofop-ethyl**

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

All other foods except animal food commodities	0.01
Barley	*0.02
Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and immature seeds)	*0.02
Cucumber	*0.02
Currants, black, red, white	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Hempseed	T*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Mustard seeds	T*0.02
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05

Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

**Agvet chemical: Quizalofop-p-tefuryl**

*Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl*

All other foods except animal food commodities	0.01
Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and/or immature seeds)	*0.02
Cucumber	*0.02
Currents, black, red, white	*0.05
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Mustard seeds	T*0.02
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

**Agvet chemical: Ractopamine**

*Permitted residue: Ractopamine*

Cattle fat	0.01
Cattle kidney	0.09
Cattle liver	0.04
Cattle muscle	0.01
Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05
Turkey kidney	0.3
Turkey liver	0.3

Turkey meat	0.02
Turkey fat/skin	0.05

**Agvet chemical: Rimsulfuron**

*Permitted residue: Rimsulfuron*

Almonds	0.01
Blueberries	0.02
Cherries	0.01
Cranberry	0.02
Potato	0.1
Tomato	*0.05

**Agvet chemical: Robenidine**

*Permitted residue: Robenidine*

Poultry, edible offal of	*0.1
Poultry meat	*0.1

**Agvet chemical: Saflufenacil**

*Permitted residue—commodities of plant origin: Sum of saflufenacil, N'-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-((isopropylamino)sulfonyl)amino]carbonylphenyl]urea, expressed as saflufenacil equivalents*

*Permitted residue—commodities of animal origin: Saflufenacil*

All other foods except animal food commodities	0.03
Barley (desiccant use)	1
Cereal grains [except rice and sweet corns]	0.2
Cereal bran, unprocessed	0.5
Citrus fruits	*0.03
Cotton seed	0.2
Edible offal (mammalian)	7
Eggs	*0.01
Legume vegetables	*0.03
Linseed	T0.5
Meat (mammalian)	*0.01
Milks	*0.01
Mustard seed	0.6
Oilseeds (subgroup) [except cotton seed; linseed; mustard seed; rape seed (canola); sunflower seed]	*0.03
Peanut	*0.01
Pome fruits	*0.03
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	0.2
Rape seed (canola)	0.6
Rice	*0.01
Sunflower seed	0.7
Sugar cane molasses	1
Tree nuts	*0.03

Wheat (desiccant use)	0.6	Broccoli, Chinese (Gai lan)	0.5
<b>Agvet chemical: Salinomycin</b>			
<i>Permitted residue: Salinomycin</i>			
Cattle, edible offal of	0.5	Celery	0.1
Cattle meat	*0.05	Chia	T0.7
Eggs	*0.02	Chinese cabbage (Pe-tsai)	T0.5
Pig, edible offal of	*0.1	Chives, Chinese	T1
Pig meat	*0.1	Citrus fruits [except kumquats]	0.5
Poultry, edible offal of	0.5	Cotton seed	0.2
Poultry meat	0.1	Cranberry	2.5
<b>Agvet chemical: Sedaxane</b>			
<i>Permitted residue: Sedaxane, sum of isomers</i>			
All other foods except animal food commodities	0.01	Dried herbs [except hops, dry]]	T5
Beetroot	*0.01	Dry beans (subgroup) [except lupin (dry); soya bean (dry)]	25
Beetroot leaves	*0.01	Edible offal (mammalian)	*0.05
Cereal grains [except sweet corns]	*0.01	Egg plant	T0.1
Cotton seed	*0.01	Eggs	*0.05
Edible offal (mammalian)	*0.01	Fennel, bulb	T1
Eggs	*0.01	Fruiting vegetables, cucurbits	*0.1
Meat (mammalian)	*0.01	Garlic	0.3
Milks	*0.01	Garlic chives	T1
Poppy seed	T*0.01	Hazelnut	T*0.03
Potato	0.1	Hempseed	T0.5
Poultry, edible offal of	*0.01	Herbs	T1
Poultry meat	*0.01	Hops, dry	0.5
<b>Agvet chemical: Semduramicin</b>			
<i>Permitted residue: Semduramicin</i>			
Chicken fat/skin	0.5	Leaf vegetables [except lettuce, head; lettuce, leaf]	T1
Chicken kidney	0.2	Leek	0.7
Chicken liver	0.5	Lettuce, head	0.2
Chicken meat	*0.05	Lettuce, leaf	0.2
<b>Agvet chemical: Sethoxydim</b>			
<i>Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim</i>			
All other foods except animal food commodities	0.1	Linseed	0.5
Almonds	0.2	Lupin (dry)	0.2
Asparagus	1	Meat (mammalian)	*0.05
Barley	*0.1	Milks	*0.05
Beans [except broad bean; soya bean]	T0.5	Mustard seeds	T0.5
Blueberries	4	Onion, bulb	0.3
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Onion, Welsh	0.7
Broad bean (green pods and immature seeds)	*0.1	Peanut	25

Wheat	*0.1	
<b>Agvet chemical: Simazine</b>		
<i>Permitted residue: Simazine</i>		
Asparagus	*0.1	Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]
Basil	T1	Broccoli, Chinese (Gai lan)
Basil, dry	T5	Bulb vegetables (alliums) [except chives]
Blueberries	0.2	Cacao beans
Broad bean (dry)	*0.01	Carob
Broad bean (green pods and immature seeds)	*0.01	Celery
Chick-pea (dry)	*0.05	Cherries
Chick-pea (green pods)	*0.05	Chinese cabbage (Pe-tsai)
Citrus fruits [except kumquats]	0.25	Chives
Cranberry	0.25	Citrus fruits
Edible offal (mammalian)	*0.05	Coffee beans
Eggs	*0.01	Coriander (leaves, roots, stems)
Fruit [except blueberries; citrus fruits [except kumquats]; cranberry]	*0.1	Coriander, seed
Ginger root	*0.05	Cotton seed
Hazelnut	T*0.03	Dill, seed
Kumquats	*0.1	Dried grapes (currants, raisins and sultanas)
Leek	*0.01	Edible offal (mammalian)
Lupin (dry)	*0.05	Eggs
Meat (mammalian)	*0.05	Fennel, bulb
Milks	*0.02	Fennel, seed
Mustard seeds	T*0.02	Fig
Poultry, edible offal of	*0.01	Fruiting vegetables, cucurbits
Poultry meat	*0.01	Fruiting vegetables, other than cucurbits
Rape seed (canola)	*0.02	Fungi, edible (except mushrooms)
Tree nuts	*0.1	Ginger, root
<b>Agvet chemical: Spectinomycin</b>		
<i>Permitted residue: Inhibitory substance, identified as spectinomycin</i>		
Edible offal (mammalian) [except sheep, edible offal of]	*1	Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]
Eggs	2	Legume vegetables
Meat (mammalian) [except sheep meat]	*1	Lemon grass
Poultry, edible offal of	*1	Lemon verbena (dry leaves)
Poultry meat	*1	Maize cereals
<b>Agvet chemical: Spinetoram</b>		
<i>Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L</i>		
All other foods except animal food commodities	0.01	Meat (mammalian) (in the fat)
Almonds	0.1	Milk fats
Assorted tropical and sub-tropical fruits – inedible peel [except pitaya (dragon fruit); tamarillo (tree tomato)]	0.3	Milks
Bayberry, red	T0.5	Mizuna
Berries and other small fruits [except raspberries, red, black]	0.5	Mushrooms
		Mustard seeds
		Olives for oil production
		Peaches (including nectarines and apricots)
		Peanut
		Peppers, chili, dried
		Pitaya (dragon fruit)
		Plums
		Pome fruits
		Poultry, edible offal of
		Poultry meat (in the fat)
		Pulses

Rape seed (canola)	*0.01	Milks	0.1
Raspberries, red, black	0.8	Mushrooms	0.2
Root and tuber vegetables	0.02	Peanut	0.02
Sorghum grains and millet	T*0.01	Peas (pods and succulent, immature seeds)	0.5
Stalk and stem vegetables [except fennel, bulb; celery]	2	Peppers, chili, dried	3
Sweet corn (corn-on-the-cob)	*0.01	Pome fruits	0.5
Table olives	T0.07	Potato	0.1
Tea, green, black	70	Poultry, edible offal of	0.05
Tree nuts [except almonds]	0.02	Poultry meat (in the fat)	0.5
Turmeric, root	0.02	Pulses	0.01
Witloof, chicory	2	Raspberries, red, black	1.5

#### **Agvet chemical: Spinosad**

*Permitted residue: Sum of spinosyn A and spinosyn D*

All other foods except animal food commodities	0.01	Root and tuber vegetables [except potato]	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	0.3	Stone fruits	1
Beans [except broad bean; soya bean]	0.5	Sweet corn (corn-on-the-cob)	0.02
Berries and other small fruits [except currents, black, red, white; grapes; raspberries, red, black]	0.7	Tree nuts	T*0.01
Bergamot	5	Turmeric, root	0.02
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	0.5	Wheat bran, unprocessed	2
Broccoli, Chinese (Gai lan)	0.5		
Celery	2		
Cereal grains [except sweet corns]	1		
Chervil	5		
Chinese cabbage (Pe-tsai)	5		
Chives	5		
Citrus fruits	0.3		
Coffee beans	*0.01		
Coriander, seed	5		
Cotton seed	*0.01		
Currents, black, red, white	1.5		
Dill, seed	5		
Edible offal (mammalian)	0.5		
Eggs	0.05		
Fennel, seed	5		
Fruiting vegetables, cucurbits	0.2		
Fruiting vegetables, other than cucurbits	0.2		
Fungi, edible (except mushrooms)	0.2		
Galangal, Greater	0.02		
Grapes	0.5		
Herbs	5		
Hops, dry	22		
Leafy vegetables [except broccoli, Chinese (Gai lan); witloof chicory]	5		
Lemon verbena (dry leaves)	5		
Meat (mammalian) (in the fat)	2		
Milk fats	0.7		

#### **Agvet chemical: Spirodiclofen**

*Permitted residue: Spirodiclofen*

Almonds	0.1
Citrus fruits [except kumquats]	0.5
Currents, black, red, white	1
Grapes	2
Hops, dry	30
Stone fruits [except jujube, Chinese]	1

#### **Agvet chemical: Spiromesifen**

*Permitted residue: sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one (spiromesifen- enol), expressed as spiromesifen*

Beans with pods	0.5
Cranberry	2
Dry beans (subgroup)	*0.03
Edible offal (mammalian)	0.3
Eggs	0.02
Mammalian fats (except milk fats)	0.15
Mango	0.5
Meat (mammalian)	0.15
Milks	0.015
Orange oil, edible	30
Oranges (subgroup)	0.15
Papaya	0.7
Peppers, chili, dried	5
Pome fruits	0.5
Potato	0.02
Poultry, edible offal of	0.05
Poultry fats	0.02
Poultry meat	0.02
Soya bean oil, crude	*0.03
Stone fruits	0.6

Strawberry	1
Succulent beans without pods	*0.15
Tea, green, black	50

#### **Agvet chemical: Spiropidion**

*Permitted residue — commodities of plant origin:  
sum of spiropidion and spiropidion-enol  
(SYN547305) expressed as spiropidion*

*Permitted residue — commodities of animal origin:  
spiropidionenol (SYN547305) expressed as  
spiropidion*

Cucumber	0.8
Edible offal (mammalian)	0.2
Eggs	*0.012
Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes	0.9
Mammalian fats (except milk fats)	0.025
Meat (mammalian)	*0.012
Milks	*0.012
Peppers (subgroup)	1
Peppers, chili, dried	7
Potato	1.5
Potato, flakes/granules	5
Poultry, edible offal of	*0.012
Poultry fats	*0.012
Poultry meat	*0.012
Soya bean (dry)	3
Soya flour	5
Tomato	0.8
Tomato, dried	7
Tomato, puree	1.5

#### **Agvet chemical: Spirotetramat**

*Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat*

All other foods except animal food commodities	0.1
Almonds	0.25
Banana	0.3
Blueberries	3
Brassica vegetables (except Brassica leafy vegetables) [except Brussels sprouts; Chinese cabbage (Pe-tsai)]	7
Brassica leafy vegetables [except broccoli, Chinese (Gai lan)]	10
Broccoli, Chinese (Gai lan)	7
Brussels sprouts	1
Bulb vegetables [except chives]	0.5
Carrot	0.04
Celery	5
Chinese cabbage (Pe-tsai)	5
Chives	15
Citrus fruits	1
Cotton seed	0.7

Cranberry	0.3
-----------	-----

Currants, black, red, white	1.5
-----------------------------	-----

Dried grapes	4
--------------	---

Edible offal (mammalian)	0.5
--------------------------	-----

Eggs	*0.02
------	-------

Fennel, bulb	0.5
--------------	-----

Fig	T1
-----	----

Fruiting vegetables, cucurbits [except melons]	2
--	---

Fruiting vegetables, other than cucurbits	7
---	---

Fungi, edible (except mushrooms)	7
----------------------------------	---

Grapes	2
--------	---

Herbs	15
-------	----

Hops, dry	15
-----------	----

Leafy vegetables [except brassica leafy vegetables; lettuce, head; lettuce, leaf; witloof chicory]	5
--	---

Legume vegetables	2
-------------------	---

Lentil (dry)	T1
--------------	----

Lettuce, head	7
---------------	---

Lettuce, leaf	15
---------------	----

Maize	T*0.02
-------	--------

Mango	0.3
-------	-----

Meat (mammalian)	0.02
------------------	------

Melons, except watermelon	0.5
---------------------------	-----

Milks	*0.005
-------	--------

Mushrooms	7
-----------	---

Passionfruit	0.5
--------------	-----

Peanut	*0.02
--------	-------

Peppers, chili, dried	15
-----------------------	----

Pineapple	0.3
-----------	-----

Pome fruits	0.5
-------------	-----

Potato	5
--------	---

Poultry, edible offal of	*0.02
--------------------------	-------

Poultry meat	*0.02
--------------	-------

Rhubarb	5
---------	---

Sorghum, grain	T*0.02
----------------	--------

Soya bean (dry)	T5
-----------------	----

Stone fruits	4.5
--------------	-----

Strawberry	0.3
------------	-----

Sugar beet	0.06
------------	------

Sugar beet, molasses	0.3
----------------------	-----

Sweet corn (corn-on-the-cob)	1
------------------------------	---

Sweet potato	5
--------------	---

Tree nuts [except almonds]	0.5
----------------------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Watermelon	0.5
------------	-----

Banana	T5	Celery	1.5
Barley	0.03	Cherries	3
Dried grapes	3	Chinese cabbage (Pe-tsai)	5
Edible offal (mammalian)	0.5	Citrus fruits	0.7
Eggs	*0.02	Coffee bean	0.3
Grapes	2	Cotton seed	0.3
Hops, dry	50	Cranberry	0.7
Mammalian fats [except milk fats]	0.05	Dry beans	0.7
Meat (mammalian)	0.05	Edible offal (mammalian)	2
Milks	0.05	Eggs	*0.01
Podded pea (young pods) (snow and sugar snap)	T0.6	Elderberries	2
Poultry, edible offal of	*0.05	Fats (mammalian)	0.2
Poultry meat	*0.05	Fruiting vegetables, cucurbits	0.5

**Agvet chemical: Streptomycin and Dihydrostreptomycin**

*Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin*

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.2

**Agvet chemical: Sulfosulfuron**

*Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron*

Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian)	*0.005
Milks	*0.005
Poultry, edible offal of	*0.005
Poultry meat	*0.005
Triticale	*0.01
Wheat	*0.01

**Agvet chemical: Sulfoxaflor**

*Permitted residue: Sulfoxaflor*

All other foods except animal food commodities	0.01
Artichoke, globe	0.9
Asparagus	0.015
Assorted tropical and sub-tropical fruits – inedible peel [except banana and pineapple]	0.5
Barley, similar grains, and pseudocereals with husks [except oats]	0.2
Brassica vegetables (except Brassica leafy vegetables) [except cauliflower; Chinese cabbage (Pe-tsai)]	3
Broccoli, Chinese (Gai lan)	3
Bush berries	2
Cane berries	1.5
Carob	5
Cauliflower	0.1

Celery	1.5
Cherries	3
Chinese cabbage (Pe-tsai)	5
Citrus fruits	0.7
Coffee bean	0.3
Cotton seed	0.3
Cranberry	0.7
Dry beans	0.7
Edible offal (mammalian)	2
Eggs	*0.01
Elderberries	2
Fats (mammalian)	0.2
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Herbs	20
Leafy vegetables [except broccoli, Chinese (Gai lan); lettuce, head; witloof chicory]	5
Lettuce, head	1
Meat (mammalian)	0.7
Milks	0.3
Mushrooms	1
Mustard seeds	T0.15
Oats	*0.01
Peppers, chili, dried	15
Pineapple	0.2
Pome fruits	0.5
Potato	0.01
Poultry, edible offal of	0.02
Poultry meat	0.7
Rape seed (canola)	0.15
Rice	7
Rice, husked	1.5
Rice, polished	1
Root and tuber vegetables [except potato]	0.05
Sorghum, grain	0.2
Sorghum grain and millet	0.15
Soya bean (dry)	0.3
Stone fruits [except cherries (subgroup)]	1
Strawberry	0.7
Sunflower seeds (subgroup)	0.4
Table grapes	2
Tree nuts	0.03
Wheat, similar grains, and pseudocereals without husks	0.05
Wine grapes	2

**Agvet chemical: Sulfuryl fluoride**

*Permitted residue: Sulfuryl fluoride*

All other foods except animal food commodities	0.02
Cereal grains [except sweet corns]	0.05
Dried fruits	0.07

Peanut	15	Avocado	0.2
Tree nuts	7	Banana	0.2
<hr/>			
<b>Agvet chemical: Sulphadiazine</b>			
<i>Permitted residue: Sulphadiazine</i>			
Cattle milk	0.1	Beetroot	T0.3
Edible offal (mammalian)	0.1	Beetroot leaves	T2
Eggs	T*0.02	Bulb onions [except garlic]	0.07
Meat (mammalian)	0.1	Cane berries	1
Poultry, edible offal of	0.1	Carrot	T0.5
Poultry meat	0.1	Cereal grains [except barley, oats; rice; sweet corns]	0.2
<hr/>			
<b>Agvet chemical: Sulphadimidine</b>			
<i>Permitted residue: Sulphadimidine</i>			
Meat (mammalian)	0.1	Chard (silver beet)	T2
Edible offal (mammalian)	0.1	Cherries	5
Eggs	*0.005	Chicory leaves	T2
Poultry, edible offal of [except turkey]	0.1	Citrus fruits [except mandarins (subgroup); oranges, sweet, sour]	0.2
Poultry meat	0.1	Coffee bean	0.4
Turkey, edible offal of	0.2	Cotton seed	2
<hr/>			
<b>Agvet chemical: Sulphadoxine</b>			
<i>Permitted residue: Sulphadoxine</i>			
Cattle milk	*0.1	Fennel, bulb	*0.01
Edible offal (mammalian)	*0.1	Fruiting vegetables, cucurbits	0.5
Meat (mammalian)	*0.1	Garlic	T0.2
<hr/>			
<b>Agvet chemical: Sulphaquinoxaline</b>			
<i>Permitted residue: Sulphaquinoxaline</i>			
Eggs	T*0.01	Grapes	6
Poultry, edible offal of	0.1	Green onions	2
Poultry meat	0.1	Hops, dry	40
<hr/>			
<b>Agvet chemical: Sulphatoxazole</b>			
<i>Permitted residue: Sulphatoxazole</i>			
Cattle milk	0.1	Legume vegetables	0.5
Edible offal (mammalian)	0.1	Lemon myrtle leaves (dried)	T5
Meat (mammalian)	0.1	Lettuce, head	0.1
<hr/>			
<b>Agvet chemical: Sulphur dioxide</b>			
<i>Permitted residue: Sulphur dioxide</i>			
Blueberries	10	Milks	0.05
Longan, edible aril	10	Mustard seeds	0.3
Strawberry	T30	Oats	1
Table grapes	10	Olives for oil production	2
<hr/>			
<b>Agvet chemical: Tebuconazole</b>			
<i>Permitted residue: Tebuconazole</i>			
All other foods except animal food commodities	0.05	Pomegranate	T*0.01
Anise myrtle leaves (dried)	T5	Poultry, edible offal of	0.5
		Poultry meat	0.1
		Prunes	T2
		Pulses [except soya bean (dry)]	1
		Radish	T0.3

Radish leaves	T2
Rape seed (canola)	0.3
Rice	1.5
Soya bean (dry)	0.1
Spices [except peppers, chili, dried]	1
Spinach	T2
Stone fruits [except cherries (subgroup)]	1
Strawberry	2
Sugar cane	0.1
Sunflower seed	0.1
Sunflower seed oil, edible	0.2
Sweet corn (corn-on-the-cob)	T0.7
Table olives	2
Tomato	0.5
Tree nuts	0.05

#### **Agvet chemical: Tebufenozide**

*Permitted residue: Tebufenozide*

All other foods except animal food commodities	0.05
Avocado	0.5
Blueberries	3
Citrus fruits	1
Cranberry	0.5
Custard apple	0.3
Dried grapes	4
Edible offal (mammalian)	*0.02
Grapes	2
Kiwifruit	2
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Peppers, chili, dried	10
Pome fruits [except Persimmon, Japanese]	1
Raspberries, red, black	3

#### **Agvet chemical: Tebufenpyrad**

*Permitted residue: Tebufenpyrad*

All other foods except animal food commodities	0.02
Cucumber	*0.02
Peach	1
Pome fruits [except Persimmon, Japanese]	1
Strawberry	1
Tea, green, black	0.1

#### **Agvet chemical: Tebuthiuron**

*Permitted residue: Sum of tebuthiuron, and hydroxydimethyllethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron*

Edible offal (mammalian)	2
Meat (mammalian)	0.5
Milks	0.2

#### **Agvet chemical: Teflubenzuron**

*Permitted residue: Teflubenzuron*

Citrus fruits [except kumquats]	0.5
Coffee beans	0.3
Grapes	0.7
Maize	0.1
Papaya	0.4
Soya bean (dry)	0.05
Sugar cane	0.01

#### **Agvet chemical: Temephos**

*Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos*

Cattle, edible offal of	T2
Cattle meat (in the fat)	T5
Sheep, edible offal of	0.5
Sheep meat (in the fat)	3

#### **Agvet chemical: Terbacil**

*Permitted residue: Terbacil*

Apple	*0.04
Blueberries	0.2
Peach	*0.04
Peppermint oil	*0.1

#### **Agvet chemical: Terbufos**

*Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos*

Banana	0.05
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Cereal grains [except sweet corns]	*0.01
Eggs	*0.01
Peanut	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sunflower seed	*0.05
Sweet corn (corn-on-the-cob)	*0.05

#### **Agvet chemical: Terbutylazine**

*Permitted residue: Terbutylazine*

Cereal grains [except sweet corns]	*0.01
------------------------------------	-------

Cotton seed	0.01	Dried grapes	2
Edible offal (mammalian)	*0.01	Edible offal (mammalian)	1
Eggs	*0.01	Eggs	*0.01
Meat (mammalian)	*0.01	Fig	T0.5
Milks	*0.01	Flowerhead brassicas	0.5
Mustard seeds	T*0.02	Fruiting vegetables, other than cucurbits	0.4
Poultry, edible offal of	*0.01	Lemons and Limes (subgroup)	1.5
Poultry meat	*0.01	Litchi	T0.5
Pulses	*0.02	Maize cereals	0.02
Rape seed (canola)	*0.02	Mammalian fats (except milk fats)	0.15
Sugar cane	*0.01	Mandarins (subgroup)	1
Sweet corn (corn-on-the-cob)	*0.01	Mango	0.1

**Agvet chemical: *Terbutryn***

*Permitted residue: Terbutryn*

Cereal grains [except sweet corns]	*0.1		
Edible offal (mammalian)	3		
Eggs	*0.05		
Meat (mammalian)	0.1		
Milks	0.1		
Peas	*0.1		
Poultry, edible offal of	*0.05		
Poultry meat	0.1		
Sugar cane	*0.05		

**Agvet chemical: *Tetraconazole***

*Permitted residue: Tetraconazole*

All other foods except animal food commodities	0.02		
Berries and other small fruits [except grapes]	0.2		
Edible offal (mammalian)	0.2		
Grapes	0.5		
Meat (mammalian) (in the fat)	*0.01		
Milks	*0.01		
Peanut	0.03		

**Agvet chemical: *Tetracycline***

*Permitted residue: Inhibitory substance, identified as tetracycline*

Milks	*0.1		
-------	------	--	--

**Agvet chemical: *Tetraniliprole***

*Permitted residue: Tetraniliprole*

All other foods except animal food commodities	0.02		
Almonds	0.05		
Apricots, dried	3		
Avocado	T0.2		
Banana	*0.01		
Brassica leafy vegetables	15		
Cabbages, head	2		
Cane berries	T0.5		
Cherries (subgroup)	1.5		

Dried grapes	2
Edible offal (mammalian)	1
Eggs	*0.01
Fig	T0.5
Flowerhead brassicas	0.5
Fruiting vegetables, other than cucurbits	0.4
Lemons and Limes (subgroup)	1.5
Litchi	T0.5
Maize cereals	0.02
Mammalian fats (except milk fats)	0.15
Mandarins (subgroup)	1
Mango	0.1
Meat (mammalian) [in the fat]	0.1
Milks	0.15
Milk fats	0.2
Orange oil, edible	5
Oranges (subgroup)	0.5
Peppers, chili, dried	4
Pineapple	T*0.01
Pome fruits	0.5
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Prunes	3
Pummelos and Grapefruits (subgroup)	0.9
Small fruit vine climbing	1.5
Sorghum grain and millet	*0.01
Soya bean (dry)	0.2
Stone fruits [except cherries]	0.7
Sweet corns	*0.01
Tomato, puree (tomato paste)	1.5
Tree nuts [except almonds; walnuts]	0.03
Tuberous and corm vegetables	*0.01
Walnuts	T0.05

**Agvet chemical: *Thiabendazole***

*Permitted residue—commodities of plant origin: Thiabendazole*

*Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxylthiabendazole, expressed as thiabendazole*

All other foods except animal food commodities	0.03
Apple	10
Banana	3
Citrus fruits	10
Edible offal (mammalian)	0.2
Mango	7
Meat (mammalian)	0.2
Milks	0.05
Mushrooms	0.5
Onion, bulb	0.05
Pear	10
Potato	5
Sweet potato	9
Taro	T50

<b>Agvet chemical: Thiacloprid</b>		
<i>Permitted residue: Thiacloprid</i>		
All other foods except animal food commodities	0.1	
Chives	5	
Coriander (leaves)	5	
Cotton seed	0.1	
Currants, black, red, white	1	
Edible offal (mammalian)	*0.02	
Eggs	*0.02	
Herbs	5	
Meat (mammalian)	*0.02	
Milks	*0.01	
Mustard seed	0.5	
Peppers, chili	1	
Peppers, sweet	1	
Pome fruits	1	
Poultry, edible offal of	*0.02	
Poultry meat	*0.02	
Raspberries, red, black	6	
Spices	0.1	
Stone fruits	2	
Strawberry	1	
Tea, green, black	10	
<hr/>		
<b>Agvet chemical: Thiamethoxam</b>		
<i>See also Clothianidin</i>		
<i>Permitted residue—commodities of plant origin: Thiamethoxam</i>		
<i>Commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as Thiamethoxam</i>		
<i>(Note: the metabolite clothianidin has separate MRLs)</i>		
All other foods except animal food commodities	T0.5	
Barley	0.5	
Barley bran, processed	1.5	
Beans [except broad bean; soya bean]	T0.2	
Berries and other small fruits [except grapes]	0.5	
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	3	
Broccoli, Chinese (Gai lan)	3	
Celery	1	
Cereal grains [except barley; maize; oats; rice; sorghum, grain; sweet corn (corn-on-the-cob); triticale; wheat]	*0.01	
Chinese cabbage (Pe-tsai)	2	
Citrus fruits	1	
Cotton seed	*0.02	
Edible offal (mammalian)	0.05	
Eggs	*0.02	
Fruiting vegetables, cucurbits	T1	
<hr/>		
<b>Agvet chemical: Thidiazuron</b>		
<i>Permitted residue: Thidiazuron</i>		
Cotton seed	*0.5	
Edible offal (mammalian)	*0.05	
Meat (mammalian)	*0.05	
Milks	*0.01	
<hr/>		
<b>Agvet chemical: Thiobencarb</b>		
<i>Permitted residue: Thiobencarb</i>		
Rice	*0.05	
<hr/>		
<b>Agvet chemical: Thiodicarb</b>		
<i>Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb</i>		
All other foods except animal food commodities	0.1	

Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	2	Milks	*0.02
Broccoli, Chinese (Gai lan)	2	Mustard seeds	*0.01
Chia	T1	Poultry, edible offal of	*0.02
Cotton seed	*0.1	Poultry meat	*0.02
Cotton seed oil, crude	*0.1	Pulses	*0.01
Edible offal (mammalian)	*0.05	Rape seed (canola)	*0.01
Maize	*0.1		
Meat (mammalian)	*0.05		
Milks	*0.05		
Potato	0.1		
Pulses	*0.1		
Sweet corn (corn-on-the-cob)	*0.1		
Tomato	2		

**Agvet chemical: Thiophanate**

see Carbendazim

**Agvet chemical: Thiophanate-methyl**

Permitted residue: *Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl*

All other foods except animal food commodities	0.1
Almonds	0.1
Apricot	15
Cherries	20
Currants, black, red, white	*0.1
Grapes	5
Mango	2
Nectarine	3
Peach	3
Peanut	0.1
Plums	0.5
Raspberries, red, black	*0.1
Rhubarb	*0.1
Strawberry	*0.1

**Agvet chemical: Thiram**

see Dithiocarbamates

**Agvet chemical: Tiafenacil**

Permitted residue—commodities of plant origin:  
Tiafenacil

Permitted residue—*Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil*

Cereal grains [except sweet corns]	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02

Milks	*0.02
Mustard seeds	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.01
Rape seed (canola)	*0.01

**Agvet chemical: Tiamulin**

Permitted residue: *Tiamulin*

Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1

**Agvet chemical: Tilmicosin**

Permitted residue: *Tilmicosin*

Cattle, edible offal of	1
Cattle meat	*0.05
Pig, edible offal of	1
Pig meat	0.05

**Agvet chemical: Tioxazafen**

Permitted residue: *Sum of tioxazafen and benzamidine (benzenecarboximidamide), expressed as tioxazafen*

Cotton seed	*0.01
Edible offal (mammalian)	0.03
Eggs	*0.02
Fats (mammalian)	0.03
Maize	*0.01
Meat (mammalian)	0.02
Milks	0.02
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Soya bean (dry)	0.04

**Agvet chemical: Tolclofos-methyl**

Permitted residue: *Tolclofos-methyl*

All other foods except animal food commodities	0.02
Beetroot	*0.01
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Leafy greens [except chard; purslane; spinach]	0.7
Mammalian fats [except meat fats]	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Potato	0.3
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01

<b>Agvet chemical: Tolfenamic acid</b>	
<b>Permitted residue: Tolfenamic acid</b>	
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	0.05
Cattle milk	0.05
Pig kidney	*0.01
Pig liver	0.1
Pig meat	*0.01

<b>Agvet chemical: Tolfenpyrad</b>	
<b>Permitted residue—commodities of plant origin: Tolfenpyrad</b>	
Permitted residue—commodities of animal origin: Sum of tolfenpyrad, and free and conjugated PT-CA (4-[4-[(4-chloro-3-ethyl-1-methylpyrazol-5-yl) carbonylaminomethyl] phenoxy] benzoic acid and OH-PT-CA (4-[4-[(4-chloro-3(1-hydroxyethyl)-1-methylpyrazol-5-yl) carbonylaminomethyl] phenoxy] benzoic acid) (released with alkaline hydrolysis), expressed as tolfenpyrad	
Bulb onions	0.09
Citrus oil, edible	80
Edible offal (mammalian)	0.4
Eggs	*0.01
Lemons and Limes	0.9
Mammalian fats [except milk fats]	*0.01
Mandarins	0.9
Meat (mammalian)	*0.01
Milks	*0.01
Oranges, Sweet, Sour	0.6
Peppers [except martynia; okra; roselle]	0.5
Peppers, chili, dried	5
Potato	0.01
Poultry, edible offal of	*0.01
Poultry fats	*0.01
Poultry meat	*0.01
Pummelos	0.6

<b>Agvet chemical: Toltrazuril</b>	
<b>Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril</b>	
Cattle fat	1
Cattle kidney	1
Cattle liver	2
Cattle muscle	0.25
Chicken, edible offal of	5
Chicken meat	2
Eggs	*0.03
Pig, edible offal of	2
Pig meat (in the fat)	1

<b>Agvet chemical: Topramezone</b>	
<b>Permitted residue: Topramezone</b>	
Barley	*0.01
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.001
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.01

<b>Agvet chemical: Tralkoxydim</b>	
<b>Permitted residue: Tralkoxydim</b>	
Cereal grains [except sweet corns]	*0.02

<b>Agvet chemical: Trenbolone acetate</b>	
<b>Permitted residue: Sum of trenbolone acetate and 17 Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone</b>	
Cattle, edible offal of	0.01
Cattle meat	0.002

<b>Agvet chemical: Triadimefon</b>	
<b>Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon</b>	
see also <i>Triadimenol</i>	
All other foods except animal food commodities	0.05
Apple	T1
Cereal grains [except sweet corns]	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.1
Field pea (dry)	0.1
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Fungi, edible (except mushrooms)	0.2
Garden pea, shelled (succulent seeds)	0.1
Garden pea (young pods, succulent seeds)	0.1
Grapes	1
Fats (mammalian)	*0.25
Meat (mammalian)	*0.05
Milks	*0.1
Mushrooms	0.2
Peppers, chili, dried	5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Strawberry	0.5
Sugar cane	*0.05
Sweet corns	0.2
Tea, green, black	0.2

<b>Agvet chemical: <i>Triadimenol</i></b>	
<i>Permitted residue: Triadimenol</i>	
see also <i>Triadimefon</i>	
All other foods except animal food commodities	0.05
Anise myrtle leaves (dried)	0.05
Berries and other small fruits [except grapes; riberry; strawberry]	T0.5
Brassica vegetables (except Brassica leafy vegetables) [except Chinese cabbage (Pe-tsai)]	1
Broccoli, Chinese (Gai lan)	1
Cereal grains [except sorghum, grain; sweet corns]	*0.01
Cherries	0.1
Chives	T3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Fungi, edible (except mushrooms)	1
Grapes	0.5
Leek	T3
Lemon myrtle leaves (dried)	0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mushrooms	1
Onion, bulb	0.05
Onion, Chinese	T3
Onion, Welsh	T3
Papaya (pawpaw)	0.2
Parsnip	0.2
Peppers, chili, dried	5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	0.2
Riberry	0.3
Shallot	T3
Sorghum, grain	0.5
Spring onion	T3
Strawberry	0.5
Sugar cane	*0.05
Swede	0.2
Sweet corns	1
Tea, green, black	0.2
Turnip, garden	0.2
<b>Agvet chemical: <i>Triasulfuron</i></b>	
<i>Permitted residue: Triasulfuron</i>	
Cereal grains [except sweet corns]	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
<b>Agvet chemical: <i>Triazophos</i></b>	
<i>Permitted residue: Triazophos</i>	
Coriander, seed	0.1
<b>Agvet chemical: <i>Tribenuron-methyl</i></b>	
<i>Permitted residue: Tribenuron-methyl</i>	
Barley	*0.01
Chick-pea (dry)	*0.01
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mung bean (dry)	*0.01
Oats	*0.01
Rape seed (canola)	*0.01
Sorghum, grain	*0.01
Soya bean (dry)	*0.01
Sunflower seed	*0.01
Wheat	*0.01
<b>Agvet chemical: <i>Trichlorfon</i></b>	
<i>Permitted residue: Trichlorfon</i>	
Achachairu	T3
All other foods except animal food commodities	0.05
Assorted tropical and sub-tropical fruits – edible peel	T3
Assorted tropical and sub-tropical fruits – inedible peel [except tamarillo (tree tomato)]	T3
Babaco	T3
Beetroot	0.2
Berries and other small fruits	T2
Brussels sprouts	0.2

Cape gooseberry (ground cherry)	T0.5
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.1
Cauliflower	0.2
Celery	0.2
Cereal grains [except sweet corn (corn-on-the-cob)]	0.1
Dried fruits	2
Egg plant	T0.5
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	T0.1
Goat, edible offal of	0.1
Goat meat	0.1
Kumquats	T3
Leafy vegetables	15
Loquat	T3
Macadamia nuts	0.1
Medlar	T3
Milks	*0.05
Miracle fruit	T3
Oilseeds (subgroup)	0.1
Pepino	T5
Peppers	0.2
Persimmon, Japanese	T3
Pig, edible offal of	0.1
Pig fat	0.1
Pig meat	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.2
Quince	T3
Rollinia	T3
Shaddock (pomelo)	T3
Soya bean (dry)	0.1
Stone fruits	T3
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	0.2
Tamarillo (tree tomato)	T3
Thai egg plant	T0.5
Vegetables [except as otherwise listed under this chemical]	0.1

#### **Agvet chemical: Triclabendazole**

**Permitted residue:** Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents

Fats (mammalian)	1
Kidney (mammalian)	1
Liver (mammalian)	2
Meat (mammalian)	0.5
Milks	0.01

#### **Agvet chemical: Triclopyr**

**Permitted residue:** Triclopyr

Cattle, edible offal of	5
Cattle meat (in the fat)	0.2
Citrus fruits [except kumquats]	0.2
Goat, edible offal of	5
Goat meat (in the fat)	0.2
Litchi	0.1
Milks (in the fat)	0.1
Poppy seed	*0.01
Sheep, edible offal of	5
Sheep meat (in the fat)	0.2

#### **Agvet chemical: Tridemorph**

**Permitted residue:** Tridemorph

Tea, green, black	0.05
-------------------	------

#### **Agvet chemical: Trifloxystrobin**

**Permitted residue:** Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxyethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents

All other foods except animal food commodities	0.05
Almonds	0.05
Assorted tropical and sub-tropical fruits – inedible peel [except banana; pineapple; tamarillo (tree tomato)]	2
Banana	0.5
Barley	0.5
Beans (except broad bean and soya bean)	0.06
Beans with pods [except beans (except broad bean and soya bean); common bean (pods and/or immature seeds)]	0.5
Beetroot	T0.5
Beetroot leaves	T10
Broccoli	2
Bush berries	3
Cane berries	3
Carrot	0.1
Cauliflower	2
Celery	T5
Chard (silver beet)	T10
Chicory leaves	T10
Common bean (pods and/or immature seeds)	0.4
Cotton seed	*0.04
Corn salad	15
Cucumber	0.5
Dried grapes	2
Edible offal (mammalian)	0.09
Eggs	*0.04
Endive	T10
Grapefruit	0.6

Grapes	3	Chick-pea (dry)	*0.01
Hazelnuts	T0.1	Edible offal (mammalian)	*0.01
Hops, dry	11	Eggs	*0.01
Lemon	0.6	Field pea (dry)	*0.01
Lettuce, head	15	Meat (mammalian)	*0.01
Lettuce, leaf	15	Milks	*0.001
Linseed	0.4	Oats	*0.01
Maize	0.05	Poultry, edible offal of	*0.01
Mammalian fats (except milk fats)	0.07	Poultry meat	*0.01
Meat (mammalian) (in the fat)	0.07	Triticale	*0.01
Melons, except watermelon	0.5	Wheat	*0.01
Milks	*0.02		
Mustard seeds	T*0.02		
Oranges	0.6		
Peanut	0.05	<b>Agvet chemical: Triflumezopyrim</b>	
Peanut oil, crude	0.05	<i>Permitted residue—commodities of plant origin:</i>	
Peas with pods (subgroup)	1.5	<i>Triflumezopyrim</i>	
Peppers, sweet, chili	0.5	<i>Permitted residue—commodities of animal origin:</i>	
Persimmon, Japanese	1.5	<i>Triflumezopyrim</i>	
Pistachio nut	0.04		
Podded pea (young pods) (snow and sugar snap)	0.06	Rice	0.2
Pome fruits [except Persimmon, Japanese]	0.7		
Popcorn	0.05	<b>Agvet chemical: Triflumizole</b>	
Poultry, edible offal of	*0.04	<i>Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro- N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole</i>	
Poultry meat (in the fat)	*0.04		
Rape seed (canola)	*0.02	Cherries	1.5
Rice	5	Grapes	2.5
Spinach	T10	Hops, dry	50
Stone fruits	5		
Strawberry	2	<b>Agvet chemical: Triflumuron</b>	
Sugar beet	0.1	<i>Permitted residue: Triflumuron</i>	
Sweet corn (corn-on-the-cob)	0.04	Cereal grains [except sweet corns]	*0.05
Tomato	0.7	Edible offal (mammalian) [except sheep, edible offal of]	*0.05
Walnuts	0.04	Eggs	0.01
Wheat	0.2	Mammalian fats (except milk fats)	*0.1

#### **Agvet chemical: Trifloxysulfuron sodium**

##### *Permitted residue: Trifloxysulfuron*

Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	*0.01

#### **Agvet chemical: Trifludimoxazin**

##### *Permitted residue: Trifludimoxazin*

Barley	*0.01
Broad bean (dry)	*0.01

#### **Agvet chemical: Triflumezopyrim**

*Permitted residue—commodities of plant origin:*

*Triflumezopyrim*

*Permitted residue—commodities of animal origin:*

*Triflumezopyrim*

Rice	0.2
Cherries	1.5
Grapes	2.5
Hops, dry	50

#### **Agvet chemical: Triflumuron**

##### *Permitted residue: Triflumuron*

Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian) [except sheep, edible offal of]	*0.05
Eggs	0.01
Mammalian fats (except milk fats)	*0.1
Meat (mammalian) (in the fat) [except sheep meat (in the fat)]	*0.1
Milks	*0.05
Mushrooms	0.1
Palm nuts	*0.05
Peanut	*0.05
Poultry, edible offal of	0.01
Poultry meat (in the fat)	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	2
Soya bean (dry)	0.1

#### **Agvet chemical: Trifluralin**

##### *Permitted residue: Trifluralin*

Adzuki bean (dry)	*0.05
All other foods except animal food commodities	0.01
Almonds	0.05

Bergamot	T*0.05
Broad bean (dry)	*0.05
Carrot	0.5
Cereal grains [except sweet corns]	*0.05
Chick-pea (dry)	*0.05
Chives	T*0.05
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Cowpea (dry)	*0.05
Dill, seed	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fennel, bulb	T0.5
Fennel, seed	*0.05
Fruit	*0.05
Galangal, Greater	0.5
Herbs	*0.05
Hyacinth bean (dry)	*0.05
Lemon verbena (fresh weight)	*0.05
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	*0.05
Mung bean (dry)	*0.05
Oilseeds (subgroup)	*0.05
Parsnip	0.5
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rose and dianthus (edible flowers)	*0.05
Shrimps and Prawns	T0.001
Sugar cane	*0.05
Sweet corns	0.05
Tea, green, black	*0.05
Turmeric, root (fresh)	0.5
Vegetables [except as otherwise listed under this chemical]	0.05

#### **Agvet chemical: Triforine**

##### **Permitted residue: Triforine**

Pome fruits [except Persimmon, Japanese]	1
Stone fruits [except jujube, Chinese]	10

#### **Agvet chemical: Trimethoprim**

##### **Permitted residue: Trimethoprim**

Cattle milk	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	0.05
Poultry, edible offal of	0.05
Poultry meat	0.05

#### **Agvet chemical: Trinexapac-ethyl**

##### **Permitted residue: Trinexapac acid**

All other foods except animal food commodities	0.02
Barley bran, processed	4
Bran, unprocessed of cereal grains [except rice bran, unprocessed; wheat bran, unprocessed]	0.5
Cereal grains [except rice; rye; sweet corns (subgroup)]	0.2
Edible offal (mammalian)	0.05
Eggs	*0.01
Marjoram (oregano)	*0.02
Meat (mammalian)	*0.02
Milks	*0.005
Poppy seed	20
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rice	0.5
Rice bran, unprocessed	3
Rice, polished	0.7
Rye	3
Sugar cane	0.1
Wheat bran, unprocessed	5

#### **Agvet chemical: Triticonazole**

##### **Permitted residue: Triticonazole**

Cereal grains [except sweet corns]	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

#### **Agvet chemical: Tulathromycin**

**Permitted residue:** *Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)- $\beta$ -D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents*

Cattle fat	0.1
Cattle kidney	1
Cattle liver	3
Cattle muscle	0.1
Pig fat/skin	0.3
Pig kidney	3
Pig liver	2
Pig muscle	0.5
Sheep fat	*0.05
Sheep kidney	0.3
Sheep liver	1
Sheep muscle	0.15

<b>Agvet chemical: Tylosin</b>		
<i>Permitted residue: Tylosin A</i>		
Cattle, edible offal of	*0.1	
Cattle meat	*0.1	
Eggs	*0.2	
Milks	*0.05	
Pig, edible offal of	*0.2	
Pig fat	*0.1	
Pig meat	*0.2	
Poultry, edible offal of	*0.2	
Poultry fats	*0.1	
Poultry meat	*0.2	
<b>Agvet chemical: Uniconazole-p</b>		
<i>Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p</i>		
Avocado	0.5	
Carrot	T*0.01	
Custard apple	T*0.01	
Poppy seed	*0.01	
Walnuts	T*0.01	
<b>Agvet chemical: Valifenalate</b>		
<i>Permitted residue: Valifenalate</i>		
Edible offal (mammalian)	*0.01	
Eggplant	0.4	
Eggs	*0.01	
Table grapes	0.3	
Mammalian fats [except milk fats]	*0.01	
Marjoram (oregano)	*0.02	
Meat (mammalian)	*0.01	
Milks	*0.01	
Onion, bulb	0.5	
Poultry, edible offal of	*0.01	
Poultry fats	*0.01	
Poultry meat	*0.01	
Shallot	0.5	
Tomato	0.4	
<b>Agvet chemical: Virginiamycin</b>		
<i>Permitted residue: Inhibitory substance, identified as virginiamycin</i>		
Cattle, edible offal of	0.2	
Cattle fat	0.2	
Cattle milk	0.1	
<b>Cattle meat</b>		*0.1
<b>Poultry, edible offal of</b>		0.2
<b>Poultry fats</b>		0.2
<b>Poultry meat</b>		0.1
<b>Sheep, edible offal of</b>		0.2
<b>Sheep meat</b>		0.1
<b>Agvet chemical: Warfarin</b>		
<i>Permitted residue: Warfarin</i>		
Pig, edible offal [except liver]	T0.007	
Pig fat	T0.007	
Pig liver	T0.04	
Pig meat	T0.007	
<b>Agvet chemical: Zeranol</b>		
<i>Permitted residue: Zeranol</i>		
Cattle, edible offal of	0.02	
Cattle meat	0.005	
<b>Agvet chemical: Zeta-cypermethrin</b>		
<i>see Cypermethrin</i>		
<b>Agvet chemical: Zetacypermethrin</b>		
<i>see Cypermethrin</i>		
<b>Agvet chemical: Zinc phosphide</b>		
<i>See Phosphine</i>		
<b>Agvet chemical: Zineb</b>		
<i>See Dithiocarbamates</i>		
<b>Agvet chemical: Ziram</b>		
<i>See Dithiocarbamates</i>		
<b>Agvet chemical: Zoxamide</b>		
<i>Permitted residue: Zoxamide</i>		
Grapes	5	
Marjoram (oregano)	30	
Potato	0.06	

## Amendment History

The Amendment History provides information about each amendment to the Schedule. The information includes commencement or cessation information for relevant amendments.

These amendments are made under section 92 of the *Food Standards Australia New Zealand Act 1991* unless otherwise indicated. Amendments do not have a specific date for cessation unless indicated as such.

### About this compilation

This is compilation No. 86 of Schedule 20 as in force on **9 December 2025** (up to Amendment No. APVMA 6 2025). It includes any commenced amendment affecting the compilation to that date.

Prepared by Food Standards Australia New Zealand.

### Uncommenced amendments or provisions ceasing to have effect.

To assist stakeholders, the effect of any uncommenced amendments or provisions which will cease to have effect, may be reflected in the Schedule as shaded boxed text with the relevant commencement or cessation date. These amendments will be reflected in a compilation registered on the Federal Register of Legislation including or omitting those amendments and provided in the Amendment History once the date is passed.

The following abbreviations may be used in the table below:

ad = added or inserted	am = amended
C[x] = Compilation No. x	ed = editorial change
exp = expired or ceased to have effect	(md not Incorp) = misdescribed amendment cannot be given effect.
rep = repealed	rs = repealed and substituted

**Schedule 20** was published in the Food Standards Gazette No. FSC96 on 10 April 2015 as part of Amendment 154 (F2015L00468 — 1 April 2015) and has since been amended as follows:

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Std heading	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	am	Remove number from Note.
2(b), (c)	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am, ad	Insert new paragraph (c) with consequential formatting amendment to paragraph (b).
Table to S20—3	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	rs	Table.
Table to S20—3	APVMA 1, 2016	F2016L00141 24 Feb 2016 APVMA Special 1 March 2016	1 March 2016	am	Abamectin, Azoxystrobin, Chlorothalonil, Clothianidin, Cyazofamid, Dithiocarbamates, Flumioxazin, Imidacloprid, Methabenzthiazuron, Propachlor, Pymetrozine, Spinetoram, Tebuconazole and Trichlorfon.
Table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	ad	Oxathiapiprolin.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	am	Aminoethoxyvinyl-glycine, Chlorantraniliprole, Difenoconazole, Etoxazole, Flumioxazin, Glyphosate, Prochloraz, Propiconazole, Sethoxydim, Spirotetramat and Triclabendazole.
Table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Permitted residue for Abamectin.
Table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Abamectin and Sethoxydim.
Table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	ad	Decoquinate.
Table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	am	Azoxystrobin, Bifenthrin, Cyproconazole, Difenoconazole, Etephenon, Etoxazole, Maldison and Spinetoram.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Permitted residue for Clethodim.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	ad	Cycloxydim, Famoxadone, Flupyradifurone, Folpet, Fosetyl-aluminium and Mesotrione.
Table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Acetamiprid, Boscalid, Buprofezin, Carbaryl, Carbendazim, Clopyralid, Clothianidin, Cyantraniliprole, Cyprodinil, Dichlobenil, Difenoconazole, Dimethenamid-P, Dodine, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fludioxonil, Fluopyram, Flutriafol, Fluxapyroxad, Fosetyl, Glyphosate, Imazamox, Imazapic, Imazapyr, Imazethapyr, Indoxacarb, Maldison, Metaflumizone, Metalaxyl, Metrafenone, Norflurazon, Penconazole, Pyraclostrobin, Spinetoram, Spinosad, Tebuconazole, Thiamethoxam, Thiophanate-methyl and Triadimefon.
Table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Residue definition for Glyphosate.
Table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Acetamiprid, Acibenzolar-S-methyl, Boscalid, Clothianidin, Flonicamid, Metalaxyl, Metsulfuron-methyl, Pymetrozine and Sulfoxaflor.
Table to S20—3	APVMA 6, 2016	F2016L01088 28 June 2016 APVMA 13 28 June 2016	28 June 2016	am	Bixafen, Difenoconazole, Fenvalerate, Imazapic, Imazapyr, Milbemectin and Quinoxyfen.
Table to S20—3	APVMA 7, 2016	F2016L01238 26 July 2016 APVMA 15 26 July 2016	26 July 2016	am	Azoxystrobin, Chloridazon, Flamprop-methyl, Fluensulfone, Mandipropamid, Meloxicam.
Table to S20—3	APVMA 8, 2016	F2016L01316 23 Aug 2016 APVMA 17 23 Aug 2016	23 Aug 2016	am	Azoxystrobin, Buprofezin, Cyproconazole, Prothioconazole and Spirotetramat.
Table to S20—3	APVMA 9, 2016	F2016L01579 4 Oct 2016 APVMA 20 4 Oct 2016	4 Oct 2016	am	Bromoxynil, Carbendazim, Clothianidin, Etephenon, Iprodione, Linuron, Methabenzthiazuron and Pirimicarb.
Table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	ad	Amisulbrom and Mandestrobin.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	am	Abamectin, Acibenzolar-S-methyl, Boscalid, Buprofezin, Chlorantraniliprole, Chlorothalonil, Difenoconazole, Dithiocarbamates, Etoxazole, Flubendiamide, Iprodione and Saflufenacil.
Table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	ad	Pyriofenone.
Table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	am	Azoxystrobin, Boscalid and Propachlor.
Table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA1 10 Jan 2017	10 Jan 2017	ad	Niclosamide.
Table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA 1 10 Jan 2017	10 Jan 2017	am	Azoxystrobin, Captan, Cyproconazole, Cypermethrin, Dimethomorph, Emamectin, Metribuzin, Prothioconazole and Tebuconazole.
Table to S20—3	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am	Ametoctradin, Azoxystrobin, Bifenthrin, Captan, Cyfluthrin, Deltamethrin, Fenhexamid, Fludioxonil, Glyphosate, Iprodione, Methomyl, Penthopyrad, 2-Phenylphenol, Pyrimethanil, Spinosad, Thiabendazole, Thiodicarb, Triadimefon and Triadimenol.
Table to S20—3	APVMA 2, 2017	F2017L00096 6 Feb 2017 APVMA 3 7 Feb 2017	7 Feb 2017	am	Azoxystrobin, Clothianidin, Fluopicolide, Propamocarb, Propiconazole, Sulfoxaflor and Tebuconazole.
Table to S20—3	APVMA 3, 2017	F2017L00264 20 March 2017 APVMA 6 21 March 2017	21 March 2017	am	Abamectin, Acetamiprid, Boscalid, Chlorantraniliprole, Cypermethrin, Cyprodinil, Dithianon, Dithiocarbamates, Fludioxonil, Novaluron, Spirotetramat, Sulfoxaflor and Trifloxystrobin.
Table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	ad	Metazachlor.
Table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	am	Boscalid, Flonicamid, Fluopyram, Imazamox, Propiconazole and Pyrimethanil.
Table to S20—3	APVMA 5, 2017	F2017L00522 12 May 2017 APVMA 10 16 May 2017	16 May 2017	am	Flonicamid, Imazamox, Monepantel, Pirimicarb, Propiconazole, Pyriproxyfen and Spirotetramat.
Table to S20—3	170	F2017L00591 23 May 2017 FSC112 25 May 2017	25 May 2017	am	Avilamycin.
Table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 13 June 2017	13 June 2017	ad	Cloquintocet acid.
Table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 8 June 2017	13 June 2017	am	Fluopicolide, Metolachlor, Propamocarb and Propyzamide.
Table to S20—3	APVMA 7, 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	ad	Bicyclopyrone.
Table to S20—3	APVMA 7, 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	am	Iprodione, Metalaxyl and Propyzamide.

Section affected	Amendment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 8, 2017	F2017L00995 8 August 2017 APVMA 16 8 August 2017	8 August 2017	am	Bixafen, Buprofezin, Clopyralid, Clothianidin, Flumioxazin, Imazamox and Imazapyr.
Table to S20—3	APVMA 9, 2017	F2017L01129 5 Sept 2017 APVMA 18 5 Sept 2017	5 September 2017	am	Fluazinam, Pyraflufen-ethyl and Spirotetramat
Table to S20—3	APVMA 10, 2017	F2017L01317 3 October 2017 APVMA 20 3 October 2017	3 October 2017	am	Abamectin, Azoxystrobin, Cyproconazole, Fludioxonil, Fluxapyroxad, Penflufen, Sulfoxaflor, Trifloxystrobin,
Table to S20—3	APVMA 11, 2017	F2017L01404 31 Oct 2017 APVMA 22 31 Oct 2017	31 October 2017	am	Cloquintocet-mexyl, Diquat, Fludioxonil, Tebuconazole
Table to S20—3	APVMA 12, 2017	F2017L01522 28 Nov 2017 APVMA 24 28 November 2017	28 Nov 2017	ad	Clothianidin, Cyclaniliprole, Chlorantraniliprole, Clomazone, Cyanamide, Cyantraniliprole, Cyprodinil, Dimethomorph, Fludioxonil, Haloxyfop, Mandipropamid, Methomyl, Methoxyfenozide, Napropamide, Phosphorous acid
Table to S20—3	175	F2017L01594 7 December 2017 FSC116 7 December 2017	7 December 2017	ad	Acequinocyl, Acephate, Acetamiprid, Aminocyclopyrachlor, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Brodifacoum, Buprofezin, Carbaryl, Carbendazim, Chlorantraniliprole, Chlорfenvinphos, Clopyralid, Chlorpyrifos-methyl, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, Deltamethrin, Dichlorvos, Dicloran, Difenconazole, Disulfoton, Endothal, Ethoprophos, Etofenprox, Fenamiphos, Fenarimol, Fenpropothrin, Fenpropimorph, Fenthion, Fenpyroximate, Fenvalerate, Flonicamid, Flubendiamide, Fludioxonil, Flumioxazin, Fluopyram, Flusilazole, Flutriafol, Fosetyl-aluminium, Glyphosate, Hexythiazox, Imazamox, Inorganic bromide, Iprodione, Imidacloprid, Metalaxyl, Methamidophos, Myclobutanil, Maldison, Mesotriione, Metaflumizone, Metalaxyl, Metconazole, Methomyl, Myclobutanil, Naled, Nicarbazin, Norflurazon, Novaluron, Oxathiapiprolin, Paraquat, Phenothrin, 2-Phenylphenol, Phosphine, Propyzamide, Prothioconazole, Pyraflufen-ethyl, Pyridaben, Pyrimethanil, Phosphine, Quintozene, Rimsulfuron, Saflufenacil, Sedaxane, Sethoxydim, Spinetoram, Spirotetramat, Tebuconazole, Tetradifon, Thiacloprid, Thiamethoxam, Thifensulfuron, Thifensulfuron-methyl, Triadimenol, Trifloxystrobin, Virginiamycin
Table to S20—3	APVMA 1, 2018	F2018L00038 9 Jan 2018 APVMA 1, 16 January 2018	16 Jan 2018	am	Azoxystrobin, Butafenacil, Chlorantraniliprole, Dicamba, Etoxazole, Fludioxonil, Paraquat, Penflufen, Pyraclostrobin, Saflufenacil, Sulfoxaflor, Tebuconazole, Trifloxystrobin
Table to S20—3	APVMA 2, 2018	F2018L00240 7 March 2018 APVMA 2, 13 March 2018	13 March 2018	ad	Florpyrauxifen-benzyl,
Table to S20—3	APVMA 2, 2018	F2018L00240 7 March 2018 APVMA 2, 13 March 2018	13 March 2018	am	Flutriafol, Pirimicarb, Sedaxane

Section affected	Amendment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 3, 2018	F2018L00512 18 April 2018 APVMA 8, 24 April 2018	24 April 2018	ad	Afidopyropen, Isopyrazam, Pydiflumetofen
Table to S20—3	APVMA 3, 2018	F2018L00512 18 April 2018 APVMA 8, 24 April 2018	24 April 2018	am	Abamectin, Azoxystrobin, Bifenthrin, Buprofezin, Cyantraniliprole, Cyazofamid, Cyhalothrin, Dithiocarbamates, Endothal, Florpinoxifen-benzyl, Fludioxonil, Fluopicolide, Fluroxypyr, Imazalil, Metribuzin, Myclobutanil, Oxathiapiprolin, Propamocarb, Prosulfocarb
Table to S20—3	APVMA 4, 2018	F2018L00990 28 June 2018 APVMA 13, 3 July 2018	3 July 2018	ad	Acetamiprid, Emamectin, Metalaxyl, Novaluron, Pendimethalin, Penflufen, Prochloraz
Table to S20—3	APVMA 4, 2018	F2018L00990 28 June 2018 APVMA 13, 3 July 2018	3 July 2018	am	Pendimethalin, Prochloraz,
Table to S20—3	APVMA 5, 2018	F2018L01103 9 August APVMA 16 14 August 2018	14 August 2018	ad	Amicarbazone
Table to S20—3	APVMA 5, 2018	F2018L01103 9 August APVMA 16 14 August 2018	14 August 2018	am	Abamectin, Bixafen, Clothianidin, Cypermethrin, Cyromazine, Endothal, Halosulfuron-methyl, Sulfoxaflor
Table to S20—3	180	F2018L01151 22 August 2018 FSC121 23 August 2018	23 August 2018	ad	Acetochlor, Isofetamid, Teflubenzuron
Table to S20—3	180	F2018L01151 22 August 2018 FSC121 23 August 2018	23 August 2018	am	2,4-DB, Acetamiprid, Aldicarb, Ametoctradin, Amitraz, Amitrole, Azoxystrobin, Benzovindiflupyr, Bitertanol, Buprofezin, Carbendazim, Carbofuran, Chlorpyrifos, Clofentezine, Chlorfluazuron, Clothianidin, Cyhalothrin, Cyprodinil, Dicamba, Difenoconazole, Diflubenzuron, Diflufenican, Dithiocarbamates, Dimethenamid-P, Dithiocarbamates, Dodine, Emamectin, Etoxazole, Endothal, Fenarimol, Fenbuconazole, Fenbuconazole oxide, Fenitrothion, Fenpropothrin, Fenpyrazamine, Fenpyroximate, Fipronil, Flufenicol, Fluazinam, Flumioxazin, Fluopyram, Fluxapyroxad, Fosetyl-aluminium, Imazamox, Ipconazole, Iprodione, Ivermectin, Levamisole, Maldison, MCPA, Mesotrione, Metalaxyl, Metconazole, Methidathion, Methomyl, Metrafenone, Mevinphos, Naled, Oxadixyl, Oxathiapiprolin, Pebulate, Penconazole, Permethrin, Phorate, Phosmet, Phosphorous acid, Piperonyl butoxide, Pyriofenone, Profenofos, Propachlor, Propamocarb, Prothioconazole, Prothifos, Prothifos, Pyraflufen-ethyl, Pyriproxyfen, Pyroxasulfone, Quinoxyfen, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Tetraconazole, Thiodicarb, Thiophanate-methyl, Trichlorfon, Tridemorph, Trifloxystrobin, Trifluralin, Tylosin
Table to S20—3	APVMA 6, 2018	F2018L01205 22 August 2018 APVMZ 17 28 August 2018	28 August 2018	am	Aminoethoxyvinylglycine, Pendimethalin, Pyridate

Section affected	Amendment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 7, 2018	F2018L01346 20 September 2018 APVMA 19 25 September 2018	25 September 2018	ad	Metamitron
Table to S20—3	APVMA 7, 2018	F2018L01346 20 September 2018 APVMA 19 25 September 2018	25 September 2018	am	Acetamiprid, Emamectin, Etoxazole, Flumioxazin, Propiconazole (md not incorp), Sedaxane (md not incorp)
Table to S20—3	APVMA 8, 2018	F2018L01446 16 October 2018 APVMA 22 6 November 2018	6 November 2018	ad	Cypermethrin, Flamprop-methyl, Maldison, Methomyl (md not incorp), Pymetrozine, Quintozene
Table to S20—3	APVMA 8, 2018	F2018L01446 16 October 2018 APVMA 22 6 November 2018	6 November 2018	am	Chlorantraniliprole, Maldison, Propiconazole, Sedaxane
Table to S20—3	APVMA 9, 2018	F2018L01641 28 Nov 2018 APVMA 24 4 Dec 2018	4 Dec 2018	am	Fluopicolide, Fluvalinate, Methomyl, Propamocarb, Terbutylazine,
Table to S20—3	APVMA 1, 2019	F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019	29 January 2019	ad	Abamectin, 2,4-D, Fipronil, Fluensulfone, Fluvalinate, Hexythiazox, Indoxacarb, Linuron, Paclobutrazol, Pyraclostrobin, Spiroxamine, Sulfoxaflor, Tebuconazole
Table to S20—3	APVMA 1, 2019	F2019L00083 23 Jan 2019 APVMA 2 29 Jan 2019	29 January 2019	am	Linuron, Fluensulfone, Paclobutrazol, Spiroxamine
Table to S20—3	APVMA 2, 2019	F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019	26 February 2019	ad	Amisulbrom, Azoxystrobin, Bixafen, Cyprodinil, Diafenthiuron, Dinotefuran, Ethephon, Fludioxonil, Indoxacarb, Phosphine, Phosphorous acid, Praziquantel, Spinetoram, Tebuconazole
Table to S20—3	APVMA 2, 2019	F2019L00191 21 Feb 2019 APVMA 4 26 Feb 2019	26 February 2019	am	Azoxystrobin, Bifenthrin, Bixafen, Clothianidin, Fluensulfone, Fluopyram, Imidacloprid, Phosphorous acid, Sulfoxaflor, Tebuconazole
Table to S20—3	APVMA 3, 2019	F2019L00670 1 May 2019 APVMA 9 7 May 2019	7 May 2019	ad	Azoxystrobin, Cyproconazole, Fenoxycarb, Fenvalerate, Fipronil, Florpyrauxifen-benzyl, Thiabendazole,
Table to S20—3	APVMA 3, 2019	F2019L00670 1 May 2019 APVMA 9 7 May 2019	7 May 2019	am	Azoxystrobin, Bifenthrin, Fenoxycarb, Phosphorous acid
Table to S20—3	APVMA 4, 2019	F2019L00974 8 July 2019 APVMA 14 16 July 2019	16 July 2019	ad	Bromoxynil, Chlorantraniliprole, Diflubenzuron, Fluopyram, Glyphosate (md not Incorp) Haloxyfop, Indoxacarb, Mandestrobin (md not Incorp) Praziquantel, Pyrethrins, Sethoxydim, Trichlorfon
Table to S20—3	APVMA 4, 2019	F2019L00974 8 July 2019 APVMA 14 16 July 2019	16 July 2019	am	Glyphosate (md not Incorp), Praziquantel, Fluopyram

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	186	F2019L00994 17 July 2019 FSC127 25 July 2019	25 July 2019	am	Aldoxycarb, Azaconazole, Boscalid, Carbaryl, Chinomethionat, Chlorpropham, Chlorantraniliprole, Clodinafop acid, Clodinafop-propargyl, Clofentezine, Clothianidin, Cyhalothrin, Cypermethrin, Deltamethrin, Difenthiuron, Diuron, Dimethipin, Dimethirimol, Fenvalerate, Flampermethyl, Flucythrinate, Flusilazole, Fluxapyroxad, Metaflumizone, Olaquindox, Oxydemeton-methyl, Oxythioquinox, Permethrin, Phosmet, Pyrimethanil, Sethoxydim, Sulfoxaflor, Sulprofos, Tebufenozone, Tetrachlorvinphos, Tetradifon, Thiamethoxam, Thiometon, Tolyfluanid, Trichloroethylene, Triflumizole,
Table to S20—3	186	F2019L00994 17 July 2019 FSC127 25 July 2019	25 July 2019	ad	2,4D, Abamectin, Acetamiprid, Benzovindiflupyr, Boscalid, Bupirimate, Fenazaquin, Carbaryl, Chlorpyrifos-methyl, Clofentezine, Clothianidin, Cyflufenamid, Cyhalothrin, Cyprodinil, Cypermethrin, Difenoconazole, Diflubenzuron, Diflufenican, Diuron, Emamectin, Famoxadone, Fenbuconazole, Fenpyrazamine, Fluazifop-p-butyl, Fluazinam, Fluopyram, Flupyradifurone, Fluxapyroxad, Folpet, Halosulfuron-methyl, Mandestrobin, Mesotrione, Metaflumizone, Metalaxyl, Methamidophos, Methidathion, Penthopyrad, Phenmedipham, Phosmet, Phosphine, Pirimicarb, Prochloraz, Profenofos, Propaquizafop, Pyraclostrobin, Quinoxifen, Quizalofop-ethyl, Quizalofop-p-tefuryl, Rimsulfuron, Saflufenacil, Sethoxydim, Sulfoxaflor, Tebufenozone, Tebufenpyrad, Teflubenzuron, Terbacil, Thiophanate-methyl, Trifluralin
Table to S20—3	APVMA 5, 2019	F2019I01059 7 August 2019 APVMA 16 13 August 2019	13 August 2019	ad	Acetamiprid, Aminopyralid, Bromoxynil, Cyprodinil, Fludioxonil, Fluralaner, Fluxapyroxad, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazapyr, Mandestrobin, Mefentrifluconazole, Metolachlor, Penthopyrad, Phosphorous acid, Pirimicarb, Pyriproxyfen (md not Incorp, Topramezone
Table to S20—3	APVMA 5, 2019	F2019I01059 7 August 2019 APVMA 16 13 August 2019	13 August 2019	am	Clofentezine, Cyfluthrin, Cyprodinil, Fludioxonil, Glyphosate, Haloxyfop, Phosphorous acid, Pyraclostrobin
Table to S20—3	APVMA 6, 2019	F2019L01150 4 Sep 2019 APVMA 18 10 Sep 2019	10 September 2019	am	Chlorantraniliprole, Clothianidin, Thiamethoxam
Table to S20—3	APVMA 7, 2019	F2019L01515 28 November 2019 APVMA 24 3 December 2019	3 December 2019	ad	Afidopyropen, Aminopyralid, Azoxystrobin, Benzovindiflupyr, Cypermethrin, Flumioxazin, Halauxifen-methyl, Imazapyr, Metalaxyl, Napropamide, Pyraclostrobin, Pyrethrins, Pyriproxyfen, Quizalofop-ethyl, Sethoxydim, Sulfoxaflor, Terbutylazine,
Table to S20—3	APVMA 7, 2019	F2019L01515 28 Nov 2019 APVMA 24 3 Dec 2019	3 December 2019	am	Abamectin, Azoxystrobin, Cyflufenamid, Difenoconazole, Fludioxonil, Imidacloprid, Pyraclostrobin,
Table to S20—3	APVMA 1, 2020	F2020L00022 9 Jan 2020 APVMA 1 14 Jan 2020	14 January 2020	ad	Afidopyropen, Bixafen, Cinmethylin, Dithiocarbamates, Etofenprox, Etoxazole, Indoxacarb, Iprodione, Prothioconazole

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 1, 2020	F2020L000229 Jan 2020 APVMA 14 Jan 2020	14 January 2020	am	Amoxycillin, Bixafen, Dithiocarbamates, Emamectin, Imidacloprid, Indoxacarb
Table to S20—3	191	F2020L0015220 Feb 2020 FSC 13126 Feb 2020	26 February 2020	am	Imazapyr
Table to S20—3	APVMA 2, 2020	F2020L002192 March 2020 APVMA 510 March 2020	10 March 2020	ad	2,4-D, Bifenthrin, Glufosinate and Glufosinate ammonium, Glyphosate, Mesotrione, Methiocarb
Table to S20—3	APVMA 3, 2020	F2020L0038031 March 2020 APVMA 77 April 2020	7 April 2020	ad	Bixlozone, Carbetamide, , Diafenthiuron, Difenconazole, Etoxazole, Flubendazole, Fluopyram, Fluralaner, Halosulfuron-methyl, Imazamox, Napropamide, Prosulfocarb, Tebuconazole, Trifloxystrobin
Table to S20—3	APVMA 3, 2020	F2020L0038031 March 2020 APVMA 77 April 2020	7 April 2020	am	Bifenthrin, Glufosinate and Glufosinate-ammonium, Lasalocid, Oxamyl, Trinexapac-ethyl
Table to S20—3	APVMA 4, 2020	F2020L0061927 May 2020 APVMA 112 June 2020	2 June 2020	ad	Bupirimate, Cyanamide, Cyazofamid, Diafenthiuron, Fludioxonil, Fluopicolide, Indoxacarb, Metolachlor, Paracetamol Propamocarb
Table to S20—3	APVMA 4 2020	F2020L0061927 May 2020 APVMA 112 June 2020	2 June 2020	am	Cyanamide, Fluopicolide, Linuron, Metolachlor, Propamocarb
Table to S20—3	APVMA 5, 2020	F2020L0090310 July 2020 APVMA 1414 July 2020	14 July 2020	ad	Chlorantraniliprole, Tetraniliprole, Trifludimoxazin, Methomyl, Spinetoram
Table to S20—3	APVMA 5, 2020	F2020L0090310 July 2020 APVMA 1414 July 2020	14 July 2020	am	Chlorantraniliprole, Fluopyram, Trifloxystrobin
Table to S20—3	193	F2020L0093923 July 2020 FSC 13428 July 2020	28 July 2020	ad	Acephate, Benzovindiflupyr, Boscalid, Carbendazim, Clofentezine, Cypermethrin, Deltamethrin, Dimethomorph, Dithiocarbamates, Endosulfan, Fenazaquin, Flazasulfuron, Fluazifop-p-butyl, Fluopicolide, Fluopyram, Folpet, Halosulfuron-methyl, Imidacloprid, Metalaxyl, Oxathiapiprolin, Pendimethalin, Phosmet, Phosphorous acid, Propiconazole, Sethoxydim, Tetraconazole, Triadimenol
Table to S20—3	193	F2020L0093923 July 2020 FSC 13428 July 2020	28 July 2020	am	Abamectin, Acequinocyl, Boscalid, Buprofezin, Chlorothalonil, Clofentezine, Clothianidin, Cypermethrin, Cyproconazole, Difenconazole, Dithiocarbamates, Emamectin, Etridiazole, Fentin, Fenazaquin, Fenhexamid, Fenoxycarb, Flonicamid, Fluazifop-p-butyl, Fluopyram, Hexythiazox, Imidacloprid, Indoxacarb, Metalaxyl, Iprodione, Metalaxyl, Methoxyfenozide, Myclobutanil, Pendimethalin, Phosphorous acid, Propiconazole, Quinoxyfen, Tebuconazole, Tebuthiuron, Tetraconazole, Thiamethoxam, Trifloxystrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 6, 2020	F2020L00989 5 August 2020 APVMA 16 11 August 2020	11 August 2020	ad	Azoxystrobin, Chlorantraniliprole, Cyproconazole, Emamectin, Etoxazole Flonicamid, Fludioxonil, Glufosinate and Glufosinate-ammonium, Glyphosate, Indoxacarb (md not Incorp), Linuron, Napropamide, Novaluron, Permethrin, Prothioconazole, Pyridate.
Table to S20—3	APVMA 6, 2020	F2020L00989 5 August 2020 APVMA 16 11 August 2020	11 August 2020	am	Aclonifen, Metcamifen
Table to S20--3	AMPVA 7, 2020	F2020L01316 16 Oct 2020 AMPVA 17 20 Oct 2020	20 October 2020	ad	Ametoctradin, Buprofezin, Cyazofamid, Glyphosate, Propyzamide, Proquinazid, Spinosad, Uniconazole-p
Table to S20--3	APVMA 7, 2020	F2020L01316 16 Oct 2020 AMPVA 17 20 Oct 2020	20 October 2020	am	Amisulbrom, Azoxystrobin, Buprofezin, Chlorantraniliprole, Cyazofamid, Glyphosate, Indoxacarb, Methomyl, Spinosad
Table to S20—3	APVMA 8, 2020	F2020L01424 12 Nov 2020 APVMA 23 17 Nov 2020	17 November 2020	ad	Bifenazate, Bifenthin, Isofetamid, Metalaxyl
Table to S20—3	APVMA 8, 2020	F2020L01424 12 Nov 2020 APVMA 23 17 Nov 2020	17 November 2020	am	Abamectin, Bifenthin, Bupirimate, Carfentrazone-ethyl, Clofentezine, Cyprodinil, Fludioxonil, Isofetamid Metsulfuron-methyl, Phosphorous acid Tolclofos-methyl, Triadimenol
Table to S20—3	APVMA 9, 2020	F2020L01503 27 Nov 2020 APVMA 24 1 Dec 2020	1 December 2020	ad	Imidacloprid, Pyraflufen-ethyl, Saflufenacil
Table to S20—3	APVMA 9, 2020	F2020L01503 27 Nov 2020 APVMA 24 1 Dec 2020	1 December 2020	am	Metribuzin, Pyraflufen-ethyl (md not incorp), Saflufenacil, Clothianidin, Fluralaner, Metribuzin
Table to S20—3	APVMA 1, 2021	F2021L00067 22 Jan 2021 APVMA 2 27 Jan 2021	27 January 2021	ad	2,4-D, Acetamiprid, Carbaryl, Uniconazole-p
Table to S20—3	APVMA 1, 2021	F2021L00067 22 Jan 2021 APVMA 2 27 Jan 2021	27 January 2021	am	2,4-D, Pyraclostrobin
Table to S20—3	APVMA 2, 2021	F2021L00125 18 Feb 2021 APVMA 4 23 Feb 2021	23 February 2021	ad	Acequinocyl, Acetamiprid, Cyproconazole, Fludioxonil, Pyriproxyfen, Acequinocyl, Acetamiprid, Afidopyropen Azoxystrobin, Cyproconazole Fludioxonil, Flumioxazin Forchlorfenuron, Propachlor Pydiflumetofen, Pyriproxyfen Ractopamine, Tiafenacil Tetraniliprole
Table to S20—3	APVMA 2, 2021	F2021L00125 18 Feb 2021 APVMA 4 23 Feb 2021	23 February 2021	am	Afidopyropen, Azoxystrobin, Captan, Cyproconazole, Fludioxonil, Pydiflumetofen
Table to S20—3	APVMA 3, 2021	F2021L00491 27 April 2021 APVMA 9 4 May 2021	4 May 2021	ad	Fomesafen, Azoxystrobin, Bromoxynil, Diflufenican, Fluopyram, Trifloxystrobin
Table to S20—3	APVMA 3, 2021	F2021L00491 27 April 2021 APVMA 9 4 May 2021	4 May 2021	am	Fluopyram, Pyraflufen-ethyl, Spinetoram, Metalaxyl, Methomyl
Table to S20—3	200	F2021L00684 2 June 2021 FSC141 3 June 2021	3 June 2021	am	Aminocyclopyrachlor, <i>Clodinafop-propargyl</i> , <i>Clodinafop acid</i> , Difenoconazole, Flumioxazin, Kresoxim-methyl, Phosphine, Pirimicarb

Section affected	Amendment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	APVMA 4, 2021	F2021L00976 9 July 2021 APVMA 13 13 July 2021	13 July 2021	am	Afidopyropen, Ametoctradin, Chlorantraniliprole, Cyantraniliprole, Cypermethrin, Cyprodinil, Dimethoate (md not incorp), Dimethomorph, Fipronil, Fludioxonil, Flumioxazin, Fluopyram, Propiconazole, Sulfoxaflor, Haloxyfop, Metalaxyl, Metrafenone, Omethoate (md not incorp), Propiconazole.
Table to S20—3	202	F2021L01174 23 August 2021 FSC143 26 August 2021	26 August 2021	am	Ethiprole, Fenpicoxamid, Flusilazole, Picoxystrobin, Tioxazafen, Triflumezopyrim, Zinc phosphide, Zineb, Ziram, Zoxamide, Abamectin, Acetamiprid Acibenzolar-S-methyl, Ametoctradin, Azoxystrobin, Bentazone, Carbendazim, Carfentrazone-ethyl, Chlorantraniliprole, Chlorpyrifos, Cyclaniliprole, Cypermethrin, Fluazifop-p-butyl, Fludioxonil, Flutriafol, Imazalil, Imidacloprid, Kresoxim-methyl, Mefentrifluconazole, Metalaxyl, Oxathiapiprolin, Paraquat, Permethrin, Phosphine, Pyraclostrobin, Pyriofenone, Pyriproxyfen, Sethoxydim, Sulfoxaflor, Tebuconazole, 2,4-D, Acephate, Acifluorfen, Afidopyropen, Benzovindiflupyr, Bifenthrin, Boscalid, Carboxin, Chlorfenapyr, Chlorpyrifos-methyl, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cyhalothrin, Deltamethrin, Difeniconazole, Dithianon, Diuron, Fenbuconazole, Fenoxaprop-ethyl, Fenpyroximate, Flubendiamide, Fluopyram, Fluoxastrobin, Flupyradifurone, Flutolanil, Fluxapyroxad, Folpet, Glyphosate, Halosulfuron-methyl, Hexythiazox, Isofetamid, Lufenuron, Maldison, Mandipropamid, MCPA, MCPB, Metconazole, Methamidophos, Milbemectin, Myclobutanil, Norflurazon, Oxamyl, Pendimethalin, Phorate, Pirimiphos-methyl, Profenofos, Prohexadione-calcium, Propamocarb, Propiconazole, Pyraflufen-ethyl, Pyrethrins, Pyroxasulfone, Sethoxydim, Simazine, Spinosad, Sulfuryl fluoride, Tebufenozone, Thiacloprid, Thiamethoxam, Thiophanate-methyl, Iprodione, Methomyl, Metolachlor,
Table to S20—3	APVMA 5, 2021	F2021L01235 3 Sept 2021 APVMA 18 7 Sept 2021	7 September 2021	am	Flonicamid, Fluxapyroxad, Isopyrazam, Isoxaflutole, Mefentrifluconazole (md not incorp), Mesotriione Pyriproxyfen, Saflufenacil, Cyantraniliprole, Dimethoate, Methomyl, Metribuzin, Omethoate, Azoxystrobin, Bromoxynil, Carbendazim, Dimethoate, Imazapir, Spiroxamine
Table to S20—3	APVMA 6, 2021	F2021L01426 13 Oct 2021 APVMA 21 19 Oct 2021	19 October 2021	am	Fluazaindolizine, Benzyladenine, Metamitron, Pydiflumetofen, Pyroxasulfone.
Table to S20—3	APVMA 1, 2022	F2022L00142 17 Feb 2022 APVMA 4 22 Feb 2022	22 Feb 2022	am	Abamectin, Aclonifen, Afidopyropen, Bifenazate, Bixlozone, Chlorantraniliprole, Cyantraniliprole, Cyflumetofen, Cyprodinil, Dicamba, Dithiocarbamates, Etoxazole, Florylpicoxamid, Fludioxonil, Fluopyram, Flupyradifurone, Glyphosate, Imazapic, Imazapir, Imidacloprid, Mefentrifluconazole, Moxidectin, Pendimethalin, Propiconazole,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Proquinazid, Spirotetramat, Trifloxystrobin,
Table to S20—3	APVMA 2, 2022	F2022L00696 12 May 2022 APVMA 10 17 May 2022	17 May 2022	am	Acequinocyl , Acetamiprid, Difenconazole, Mesotrione, Methoxyfenozide, Pydiflumetofen, Pyriproxyfen, Sulfoxaflor, Tulathromycin
Table to S20—3	APVMA 3, 2022	F2022L00970 12 July 2022 APVMA 14 12 July 2022	12 July 2022	ad	Fluoxapiprolin, Isotianil, Metobromuron
Table to S20—3	APVMA 3, 2022	F2022L00970 12 July 2022 APVMA 14 12 July 2022	12 July 2022	am	Florpyrauxifen-benzyl, Fluroxypyrr Glyphosate (safflower seed md not incorp), Haloxyfop Imidacloprid, Isofetamid, Maldison, Mandestrobin, Permethrin, Sethoxydim
Table to S20—3	APVMA 4, 2022	F2022L01102 22 Aug 2022 APVMA 17 23 Aug 2022	23 August 2022	am	Bifenthrin, Diflufenican, Fluopyram, Fluroxypyrr, Indoxacarb, Prothioconazole, Tebuconazole, Tetraniliprole Thiabendazole, Trifludimoxazin
Table to S20—3	211	F2022L01118 26 Aug 2022 FSC151 1 Sept 2022	1 September 2022	am	Abamectin, Acephate, Acequinocyl, Acetamiprid, Afidopyropen, Ametoctradin, Ametryn, Aminoethoxyvinylglycine, Aminopyralid, Amisulbrom, Amitrole, Atrazine, Azamethiphos, Azoxystrobin, Benzovindiflupyr, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromacil, Bromoxynil, Buprofezin, Butafenacil, Butoxydim, Cadusafos, Captan, Carbaryl, Carbendazim, Carbon disulphide, Carbonyl sulphide, Carboxin, Carfentrazone-ethyl, Chlorantraniliprole, Chlорfenapyr, Chlорopicrin, Chlorthalonil, Chlорpyrifos, Chlорpyrifos-methyl, Chlorsulfuron, Chlorthal-dimethyl, Clofentezine, Clopyralid, Cloquintocet-mexyl, Clothianidin, Cyanazine, Cyantraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, 2,4-D, 2,4-DB, Deltamethrin, Diafenthiuron, Diazinon, Dicamba, Dichlobenil, Dichlorprop-P, Dichlorvos, Diclofop-methyl, Dicofol, Didecyldimethylammonium chloride, Difenconazole, Diflubenzuron, Dimethoate, Dimethomorph, Diquat, Dithiocarbamates, Diuron, Dodine, 2,2-DPA, Emamectin, Epoxiconazole, EPTC, Ethion, Ethofumesate, Ethoprophos, Ethylene dichloride (EDC), Etofenprox, Etoxazole, Fenazaquin, Fenbutatin oxide, Fenhexamid, Fenitrothion, Fenoxycarb, Fenpropathrin, Fenpyroximate, Fenvalerate, Fipronil, Flonicamid, Florasulam, Florpyrauxifen-benzyl, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Flubendiamide, Fludioxonil, Fluensulfone, Flumioxazin, Fluometuron, Fluopicolide, Fluopyram, Flupyradifurone, Fluquinconazole, Fluroxypyrr (md), Flutriafol, Fluvalinate, Fluxapyroxad, Fosetyl, Fosetyl-aluminium, Glufosinate and Glufosinate-ammonium, Glyphosate, Guazatine, Halauxifen-methyl, Halosulfuron-methyl, Haloxfop, Hexythiazox, Imazalil, Imazamox, Imazapyr, Imidacloprid, Indoxacarb,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Inorganic bromide, Ipconazole, Iprodione, Isofetamid, Isoxaflutole, Lufenuron, Maldison, Mandestrobin, Mandipropamid, MCPA, MCPB, Mefenpyr-diethyl, Mefentrifluconazole, Metaflumizone, Metalaxyl, Metaldehyde, Metamitron, Metazachlor, Metcamifen, Methamidophos, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Methyl bromide, Metolachlor, Metosulam, Metrafenone, Metribuzin, Metsulfuron-methyl, Mevinphos, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Omethoate, Oryzalin, Oxadixyl, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Penflufen, Penthipyrad, Permethrin, Phenmedipham, 2-Phenylphenol, Phorate, Phosmet, Phosphine, Phosphorous acid, Picloram, Picolinafen, Piperonyl butoxide, Pirimicarb, Pirimiphos-methyl, Procymidone, Profenofos, Propachlor, Propamocarb, Propaquizafop, Propargite, Propazine, Propiconazole, Prothioconazole, Prothifos, Pydiflumetofen, Pymetrozine, Pyraclostrobin, Pyraflufen-ethylvv, Pyrasulfotole, Pyrethrins, Pyridaben, Pyrimethanil, Pyriofenone, Pyriproxyfen, Pyroxasulfone, Quinoxifen, Saflufenacil, Sedaxane, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirodiclofen, Spirotetramat, Sulfoxaflor, Sulfuryl fluoride, Tebuconazole, Tebufenozone, Tebufenpyrad, Teflubenzuron, Terbufos, Terbutylazine, Terbutryn, Tetraniliprole, Thiabendazole, Thiaclorpid, Thiamethoxam, Thiodicarb, Tiafenacil, Tralkoxydim, Triadimefon, Triadimenol, Triallate, Triasulfuron, Tribenuron-methyl, Trichlorfon, Triclopyr, Trifloxystrobin, Triflumuron, Trifluralin, Triforine, Trinexapac-ethyl, Triticonazole
Table to S20—3	212	F2022L01172 6 Sept 2022 FSC152 8 Sept 2022	7 September 2022	am	1,4-Dimethyl naphthalene, Abamectin, Acephate, Acequinocyl, Acetamiprid, Acetochlor, Acifluorfen, Afidopyropen, Ametryn, Amitrole, Azinphos-methyl, Azoxystrobin, Bentazone, Benzovindiflupyr, Bifenazate, Boscalid, Bupirimate, Buprofezin, Carbaryl, Carbendazim, Carbofuran, Chlorantraniliprole, Chlorothalonil, Chlorothalonil, Chlorpyrifos, Clofentezine, Clothianidin, Cyanotraniliprole, Cyazofamid, Cyclaniliprole, Cycloxydim, Cyfluthrin (beta-cyfluthrin), Cyhalothrin, Cyhexatin, Cypermethrin, Cyprodinil, Cyromazine, Dichlobenil, Dichlorvos, Difenconazole, Diflubenzuron, Dimethoate, Dimethomorph, Dinocap, Dinotefuran, Diphenylamine, Diquat, Diuron, Emamectin (Emamectin benzoate), EPTC, Ethiprole, Ethofumesate, Ethoprophos, Ethylene, Etofenprox, Fenamidone, Fenarimol, Fenazaquin, Fenbuconazole, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fenpyroximate, Fenvalerate (esfenvalerate), Fipronil, Flonicamid, Fluazifop-p-butyl, Fludioxonil, Fluensulfone, Fluopicolide, Fluopyram,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Flupyradifurone, Flutianil, Flutolanil, Flutriafol, Fluxapyroxad, Forchlorfenuron, Fosetyl-aluminium, Glufosinate (see Glufosinate-ammonium), Glufosinate-ammonium, Glyphosate, Hexazinone, Imazapic, Imazapyr, Imazethapyr, Imidacloprid, Ipyrfluxam, Iprodione, Isofetamid, Isoxaflutole, Kasugamycin, Kresoxim-Methyl, Mancozeb (Dithiocarbamates), Mandestrobin, Mandipropamid, Maneb (Dithiocarbamates), Mefentrifluconazole, Mepanipyrim, Metaflumizone, Metalaxyl (Metalaxyl-M), Metconazole, Methamidophos , Methidathion, Methomyl, Methoprene, Methoxyfenozide, Metribuzin, Novaluron, Omethoate, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paraquat, Pendimethalin, Penthopyrad, Phorate, Picoxystrobin, Piperonyl Butoxide, Pirimicarb, Prochloraz, Procymidone, Profenofos, Propamocarb, Propiconazole, Propoxur, Prothiofos, Pydiflumetofen, Pyraclostrobin, Pyrethrins, Pyrimethanil, Pyriofenone, Pyriproxyfen, Quinclorac, Quinoxifen, Quintozene, Quizalofop-ethyl, Rimsulfuron, Saflufenacil, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozide, Tepraloxydim, Terbacil, Thiabendazole, Thiacloprid, Thiamethoxam, Thifensulfuron-methyl, Tolclofos-Methyl, Tolfenpyrad, Triadimefon, Triadimenol, Triazophos, Trifloxystrobin, Valifenalate
Table to S20—3	APVMA 5, 2022	F2022L01442 10 November 2022 APVMA 23 15 November 2022	15 November 2022	am	Aminocyclopyrachlor, Amitraz, Bupirimate, Buprofezin, Captan, Emamectin, Fluopyram , Flupyradifurone, Fluxapyroxad, Glyphosate, Imazapic, Imazapyr, Myclobutanil, Tebuconazole, Tetraniiprole, Pyraclostrobin, Quizalofop-ethyl
Table to S20—3	APVMA 1, 2023	F2023L00107 15 February 2023 APVMA 4 21 February 2023	21 February 2023	am	Afidopyropen, Aminopyralid, Atrazine, Azoxystrobin Bifenthrin, Bixlozone, Butafenacil, Clomazone, Clopyralid, Clothianidin, Cyhalothrin, Cypermethrin , Diafenthiuron, Dimpropopyridaz, Emamectin , Flonicamid, Fluquinconazole, Florylpicoxamid, Fludioxonil, Flutriafol, Glufosinate and Glufosinate-ammonium, Glyphosate, Halauxifen-methyl, Haloxyfop, Imazamox, Imazapic, Imazapyr, Imidacloprid, Iprodione, Isocycloseram, Maldison, Methomyl, Metribuzin Metolachlor, Napropamide, Oryzalin , Penflufen, Permethrin, Pirimicarb, Procymidone, Prothioconazole Propyzamide, Pydiflumetofen, Quizalofop-ethyl, Quizalofop-p-tefuryl, Sedaxane, Sethoxydim, Simazine, Spinetoram, Sulfoxaflor, Tebuconazole, Terbutylazine , Tetraniiprole,
Table to S20—3	APVMA 2, 2023	F2023L00445 17 April 2023 APVMA 8 18 April 2023	18 April 2023	am	Acetamiprid, Bifenthrin, Cyfluthrin, Dithiocarbamates, Flazasulfuron, Fluopyram, Methoxyfenozide, Procymidone, Spinetoram, Sulfoxaflor, Trifloxystrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	220	F2023L01004 11 July 2023 FSC160 19 July 2023	19 July 2023	am	Amisulbrom, Bifenazate, Buprofezin, Cyflumetofen, Cyproconazole, Cyprodinil, Diafenthiuron, Didecyldimethylammonium chloride, Dinotefuran, Ethephon, Fenazaquin, Fludioxonil, Fluxapiprolin, Fluxapyroxad, Imazamox, Kresoxim-methyl, Maldison, Metalaxyl, Niclosamide, Phosphorous acid, Propyzamide, Prosulfocarb, Prothioconazole, Pydiflumetofen, Pyraflufen-ethyl, Pyroxasulfone, Sethoxydim, Tetraniliprole, Trichlorfon, Triticonazole
Table to S20—3	APVMA 3, 2023	F2023L01013 18 July 2023 APVMA 15 25 July 2023	25 July 2023	am	Dodine, Fipronil, Fluopicolide, Fluralaner, Indaziflam, Inpyrfluxam, Ipflufenquin, Mandestrobin, Mesotriione, Metrafenone, Propamocarb, Proquinazid, Prosulfocarb, Pyraclostrobin, Sethoxydim, Tetraniliprole
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	rep	Bensulide, Bioresmethrin, Fenarimol, Pebulate
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	ad	Flutianil, Isoprothiolane, Pyraziflumid, Spiropidion
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	am ed C76	Abamectin, Acequinocyl, Acetamiprid, Aclonifen, Altrenogest, Aminoethoxyvinylglycine, Amitrole, Azinphos-methyl, Azoxystrobin, Benalaxy, Bendiocarb, Bentazone, Benzovindiflupyr, Bicyclopyrone, Bifenazate, Bifenthrin, Bixafen, Boscalid, Bromoxynil, Buprofezin, Butafenacil, Cadusafos, Captan, Carbaryl, Chlorantraniliprole, Chlorothalonil, Chlormpyrifos, Clofentezine, Clothianidin, Cyantraniliprole, Cyclaniliprole, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyproconazole, Cyprodinil, Cyromazine, 2,4-D, Diazinon, Dichlobenil, Dichlorvos, Difenoconazole, Dimethomorph, Diphenylamine, Diquat, Dithiocarbamates, 2,2-DPA, Ethephon (md not incorp), Ethiprole, Ethoprophos, Etofenprox, Etoxazole, Fenbuconazole, Fenbutatin oxide, Fenhexamid, Fenpicoxamid, Fenpyroximate, Fipronil (Sch items 230, 232 md not incorp), Florypicoxamid, Fluazaindolizine, Fluazifop-p-butyl, Fluazinam, Fludioxonil, Flumioxazin, Fluopyram, Flupyradifurone, Fluroxypyr, Fluxapyroxad, Fomesafen, Forchlorfenuron, Glufosinate and Glufosinate-ammonium, Glyphosate, Haloxlyfop, Hexazinone, Hexythiazox, Imazalil, Imazamox, Imidacloprid, Indoxacarb, Ioxynil, Iprodione, Isofetamid, Isoxaben, Linuron, Maldison, Mandestrobin (Sch item 232 md not incorp), Mandipropamid, Metalaxyl, Metconazole, Methidathion, Methiocarb, Methomyl, Methoprene, Methoxyfenozide, Metolachlor, Milbemectin, Myclobutanil, Napropamide, Norflurazon, Novaluron, Oryzalin, Oxamyl, Oxathiapiprolin, Oxyfluorfen, Paclobutrazol, Paraquat, Penconazole, Pendimethalin, Pentiopyrad, Permethrin, 2-Phenylphenol,

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
					Phosphorous acid, Pinoxaden, Pirimicarb, Prometryn, Propachlor, Propaquizafop, Propargite, Propazine, Propiconazole, Propyzamide, Proquinazid (md not incorp), Prothiconazole, Pydiflumetofen, Pymetrozine, Pyrasulfotole, Pyridaben, Pyridate, Pyrimethanil, Pyriproxyfen, Pyroxasulfone, Pyroxslam, Quinclorac, Quinoxifen, Saflufenacil, Sethoxydim, Simazine, Spinetoram, Spinosad, Spirotetramat, Sulfoxaflor, Tebuconazole, Tebufenozone, Thiabendazole, Thiacloprid, Thiamethoxam, Tiafenacil, Tolfenpyrad, Triadimefon, Triadimenol, Trichlorfon, Trifloxystrobin, Trifluralin, Trinexapac-ethyl
Table to S20—3	226	F2024L00184 20 Feb 2024 FSC166 23 Feb 2024	23 February 2024	ed C76	Maldison, Metolachlor, Propiconazole, Trichlorfon, Trifluralin
Table to S20—3	APVMA 1, 2024	F2024L00452 12 April 2024 APVMA 8 16 April 2024	16 April 2024	ad	Broflanilide, Fenpropidin
Table to S20—3	APVMA 1, 2024	F2024L00452 12 April 2024 APVMA 8 16 April 2024	16 April 2024	am	Abamectin, Acequinocyl, Acibenzolar-S-methyl, Afidopyropen, Benzovindiflupyr, Chlorantraniliprole, Clothianidin, Cyanamide, Cyantraniliprole, Cyclaniliprole, Cyprodinil, Difenoconazole, Dimethoate, Florylpinoxamid, Fludioxonil, Flumioxazin, Fluxapyroxad, Glufosinate and Glufosinate-ammonium, Halauxifen-methyl, Isocycloseram, Isopyrazam, Mandipropamid, MCPA, Omethoate, Oxathiapiprolin, Pyraclostrobin, Spirotetramat, Tebuconazole, Tetraniliprole, Thiamethoxam, Trifloxystrobin, Trifludimoxazin, Trifluralin
Table to S20—3	APVMA 2, 2024	F2024L00861 8 July 2024 APVMA 14 9 July 2024	9 July 2024	ad	Bupivacaine, Lignocaine,
Table to S20—3	APVMA 2, 2024	F2024L00861 8 July 2024 APVMA 14 9 July 2024	9 July 2024	am	Ametocradin, Cypermethrin, Ethephon, Fluxapyroxad, Ipfufenquin, Mefentrifluconazole, Metalaxyl, Pyraclostrobin
Table to S20—3	APVMA 3, 2024	F2024L00946 1 August 2024 APVMA 16 6 August 2024	6 August 2024	am	2,4-D
Table to S20-3	APVMA 4, 2024	F2024L01358 29 Oct 2024 APVMA 22 29 Oct 2024	29 October 2024	ad	Cyazofamid, Isocycloseram, Mesotrione, Methoxyfenozide, Metolachlor, Quinoxifen
Table to S20-3	APVMA 4, 2024	F2024L01358 29 Oct 2024 APVMA 22 29 Oct 2024	29 October 2024	am	Cyazofamid, Emamectin, Flonicamid, Fluopyram, Fluxapyroxad, Mefentrifluconazole, Metribuzin
Table to S20-3	APVMA 5, 2024	F2024L01580 11 Dec 2024 APVMA 25 10 Dec 2024	11 Dec 2024	rs	Chloridazon, Fluralaner, Isocycloseram.
Table to S20-3	APVMA 5, 2024	F2024L01580 11 Dec 2024 APVMA 25 10 Dec 2024	11 Dec 2024	ad	Fipronil, Florylpinoxamid, Fluralaner, Isocycloseram.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20-3	APVMA 1, 2025	F2025L00126 17 Feb 2025 APVMA 4 18 Feb 2025	18 Feb 2025	rs	updating the permitted chemical residues for Flubendiamide and Spiromesifen
Table to S20-3	APVMA 1, 2025	F2025L00126 17 Feb 2025 APVMA 4 18 Feb 2025	18 Feb 2025	ad	Cyclaniliprole, Cyflumetofen, Diafenthiuron, and Spiromesifen
Table to S20-3	APVMA 1, 2025	F2025L00126 17 Feb 2025 APVMA 4 18 Feb 2025	18 Feb 2025	rep	Diafenthiuron, Ethephon, Prosulfocarb
Table to S20-3	APVMA 1, 2025	F2025L00126 17 Feb 2025 APVMA 4 18 Feb 2025	18 Feb 2025	rs	Flumethrin
Table to S20-3	237	F2025L00529 29 April 2025 FSC 177 01 May 2025	01 May 2025	rep	Methidathion
Table to S20-3	237	F2025L00529 29 April 2025 FSC 177 01 May 2025	01 May 2025	ad	1,4-dimethylnaphthalene, Flufenoxuron, Fluindapyr
Table to S20-3	237	F2025L00529 29 April 2025 FSC 177 01 May 2025	01 May 2025	am	Acibenzolar-S-methyl, Aclonifen, Afidopyropen, Amitrole, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Bixafen, Boscalid, Broflanilide, Buprofezin, Butoxydim, Carbaryl, Carbendazim, Carbofuran, Chlorantraniliprole, Chlufenapyr, Chlormequat, Cyantraniliprole, Cyflufenamid, Cyflumetofen, Cyhalofop-butyl, Cyhalothrin, 2,4-D, Deltamethrin, Dichlorprop-P, Dichlorvos, Diclofop-methyl, Difenoconazole, Diflubenzuron, Dimethoate, Diuron, Dodine, Emamectin, EPTC, Etoxazole, Famoxadone, Fenazaquin, Fenpicoxamid, Fenvalerate, Fipronil, Flazasulfuron, Florasulam, Fluazaindolizine, Fluazifop-p-butyl, Fludioxonil, Fluensulfone, Flumioxazin, Fluopyram, Flupyradifurone, Flutianil, Flutolanil, Flutriafol, Fluxapyroxad, Folpet, Fosetyl-aluminium, Glufosinate and Glufosinate-ammonium, Glyphosate, Indaziflam, Indoacarb, Inpyrfluxam, Isoprothiolane, Mandipropamid, Mefentrifluconazole, Mesosulfuron-methyl, Metaflumizone, Metalaxylyl, Metaldehyde, Metamitron, Metazachlor, Metconazole, Milbemectin, Norflurazon, Omethoate, Oxathiapiprolin, Pendimethalin, Phosphine, Pinoxaden, Piperonyl butoxide, Prohexadione-calcium, Propaquizafop, Prosulfocarb, Pydiflumetofen, Pyraclostrobin, Pyraflufen-ethyl, Pyraziflumid, Pyrethrins, Pyridate, Pyrimethanil, Rimsulfuron, Saflufenacil, Simazine, Spiromesifen, Spiropidion, Sulfoxaflor, Teflubenzuron, Tetraniliprole, Triallate, Trichlorfon, Triflumuron, Trifluralin, Trinexapac-ethyl, Valifenalate, Zoxamide
Table to S20-3	APVMA 2, 2025	F2025L01004 29 August 2025 APVMA 2 2 Sept 2025	2 September 2025	am	Aminoethoxyvinylglycine, Boscalid, Famoxadone, MCPA, Methoxyfenozide, Pyraclostrobin

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20-3	APVMA 3, 2025	F2025L01005 29 August 2025 APVMA 3 2 Sept 2025	2 September 2025	am	Aclonifen, Dithiocarbamates, Fluvalinate, Imazamox, Pyroxasulfone, Spinetoram
Table to S20-3	APVMA 4, 2025	F2025L01009 29 August 2025 APVMA 4 2 Sept 2025	2 September 2025	ad	Cyclobutifluram
Table to S20-3	APVMA 4, 2025	F2025L01009 29 August 2025 APVMA 4 2 Sept 2025	2 September 2025	am	Bifenthrin, Chlorantraniliprole, Cyantraniliprole, Isoxaben, Metalaxy, Propamocarb, Trichlorfon
Table to S20-3	APVMA 5, 2025	F2025L01451 28 Nov 2025 APVMA 5 28 Nov 2025	28 Nov 2025	am	Florfenicol
Table to S20-3	APVMA 6, 2025	F2025L01528 9 Dec 2025 APVMA 6 9 Dec 2025	9 Dec 2025	am	Afidopyropen, Broflanilide, Difenoconazole, Dithiocarbamates, Emamectin, Imazamox, Imazapyr, Linuron, Propachlor, Pyraclostrobin, Tetraniliprole