

Food Standards (Proposal P1025 – Code Revision) Variation

The Board of Food Standards Australia New Zealand gives notice of the making of this standard under section 92 of the *Food Standards Australia New Zealand Act 1991*. The Standard commences on 1 March 2016.

Dated 25 March 2015



Standards Management Officer
Delegate of the Board of Food Standards Australia New Zealand

Note:

This Standard will be published in the Commonwealth of Australia Gazette No. FSC 96 on 10 April 2015.

Schedule 20

Maximum residue limits

Note 1 This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Maximum residue limits are regulated by subsection 1.1.1—10(5) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2—4.

S20—1

Name

This Standard is *Australia New Zealand Food Standards Code – Schedule 20 – Maximum residue limits*.

Note Commencement:

This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

Note 2 This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

S20—2

Interpretation

In this Schedule:

- (a) an asterisk (*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol 'T' indicates that the maximum residue limit is a temporary maximum residue limit.

S20—3

Maximum residue limits

For section 1.4.2—4, the *agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

Maximum residue limits

Agvet chemical: Abamectin			
<i>Permitted residue: Sum of avermectin B1a, avermectin B1b and (Z)-8,9 avermectin B1a, and (Z)-8,9 avermectin B1b</i>		Goat muscle	0.01
		Grapes	0.02
		Herbs	T0.5
		Hops, dry	0.1
		Kaffir lime leaves	T0.5
		Lemon grass	T0.5
		Lettuce, head	0.05
		Lettuce, leaf	T1
		Maize	T*0.01
		Melons, except watermelon	T0.02
		Mung bean (dry)	T*0.002
		Mushrooms	T0.05
		Onion, Welsh	T0.05
		Papaya (pawpaw)	T0.1
		Peanut	T*0.002
		Pear	0.01
		Peas	T0.5
		Peppers	T0.1
		Pig kidney	0.01
		Pig liver	0.02
		Pig meat (in the fat)	0.02
		Popcorn	T*0.01
		Raspberries, red, black	T0.1
		Rhubarb	T0.05
		Shallot	T0.05
Adzuki bean (dry)	T*0.002		
Almonds	T*0.01		
Apple	0.01		
Blackberries	T0.1		
Blueberries	T*0.02		
Cattle, edible offal of	0.1		
Cattle fat	0.1		
Cattle meat	0.005		
Cattle milk	0.02		
Chervil	T0.5		
Citrus fruits	0.02		
Common bean (dry) (navy bean)	T*0.002		
Coriander (leaves, stem, roots)	T0.5		
Cotton seed	*0.01		
Cucumber	0.02		
Currant, black	0.02		
Egg plant	0.02		
Goat fat	0.1		
Goat kidney	0.01		
Goat liver	0.05		
Goat milk	0.005		

Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Spring onion	T0.05
Squash, Summer	0.02
Strawberry	0.1
Sweet corn (corn-on-the-cob)	T0.05
Tomato	0.05
Watercress	T0.5
Watermelon	T0.02

Agvet chemical: Acephate

Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)

Banana	1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
Citrus fruits	5
Cotton seed	2
Edible offal (mammalian)	0.2
Eggs	0.2
Lettuce, head	10
Lettuce, leaf	10
Macadamia nuts	*0.1
Meat (mammalian) [except sheep meat]	0.2
Peppers, Sweet	5
Potato	0.5
Sheep meat	*0.01
Soya bean (dry)	1
Sugar beet	0.1
Tomato	5
Tree tomato (tamarillo)	0.5

Agvet chemical: Acequinocyl

Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl

Citrus fruits	0.2
Grapes	1.6

Agvet chemical: Acetamiprid

Permitted residue—commodities of plant origin: Acetamiprid

Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹ -[(6-chloro-3-pyridyl)methyl]-N²-cyanoacetamidine), expressed as acetamiprid

Citrus fruits	0.5
Cotton seed	*0.05
Cranberry	0.6
Cucumber	T0.2
Date	T5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Grapes	0.35

Meat (mammalian)	*0.01
Milks	*0.01
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.01
Stone fruits [except plums]	1
Tomato	T0.1

Agvet chemical: Acibenzolar-S-methyl

Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl

Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Acifluorfen

Permitted residue: Acifluorfen

Edible offal (mammalian)	0.1
Eggs	*0.01
Legume vegetables	0.1
Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.05
Poultry, edible offal of	0.1
Poultry meat	*0.01
Pulses	0.1

Agvet chemical: Albendazole

Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

Agvet chemical: Albendazole sulfoxide

see Albendazole

Agvet chemical: Aldicarb

Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

Citrus fruits	0.05
Cotton seed	*0.05

Edible offal (mammalian)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Sugar cane	*0.02

Agvet chemical: Aldoxycarb

Permitted residue: Sum of aldoxycarb and its sulfone, expressed as aldoxycarb

Cattle, edible offal of	0.2
Cattle meat	*0.02
Eggs	0.1
Milks	*0.02
Poultry, edible offal of	0.2
Poultry meat	*0.02
Wheat	*0.02

Agvet chemical: Aliphatic alcohol ethoxylates

Permitted residue: Aliphatic alcohol ethoxylates

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

Agvet chemical: Altrenogest

Permitted residue: Altrenogest

Pig meat	*0.005
Pig, edible offal of	0.005

Agvet chemical: Aluminium phosphide

see Phosphine

Agvet chemical: Ametoctradin

Permitted residue—commodities of plant origin: Ametoctradin

Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes	3
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Ametryn

Permitted residue: Ametryn

Cotton seed	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.05
Pome fruits	0.1

Sugar cane	0.05
------------	------

Agvet chemical: Aminoethoxyvinyl-glycine

Permitted residue: Aminoethoxyvinylglycine

Apple	0.1
Stone fruits [except cherries]	0.2
Walnuts	*0.05

Agvet chemical: Aminopyralid

Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid

Permitted residue—commodities of animal origin: Aminopyralid

Cereal grains	0.1
Edible offal (mammalian) [except kidney]	0.02
Eggs	*0.01
Kidney (mammalian)	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat bran, unprocessed	0.3

Agvet chemical: Amitraz

Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine

Apple	0.5
Cotton seed	*0.1
Cotton seed oil, crude	1
Edible offal (mammalian)	0.5
Meat (mammalian)	0.1
Milks	0.1
Stone fruits [except cherries]	0.5

Agvet chemical: Amitrole

Permitted residue: Amitrole

Avocado	*0.01
Banana	*0.01
Blueberries	T*0.01
Cereal grains	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Grapes	*0.01
Hops, dry	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Papaya (pawpaw)	*0.01
Passionfruit	*0.01
Pecan	*0.01
Pineapple	*0.01

Pome fruits	*0.01
Potato	*0.05
Pulses	*0.01
Stone fruits	*0.02
Sugar cane	*0.01

Agvet chemical: Amoxycillin

Permitted residue: Inhibitory substance, identified as amoxycillin

Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	T*0.01
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01

Agvet chemical: Ampicillin

Permitted residue: Inhibitory substance, identified as ampicillin

Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01

Agvet chemical: Amprolium

Permitted residue: Amprolium

Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5

Agvet chemical: Apramycin

Permitted residue: Apramycin

Edible offal (mammalian)	2
Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05

Agvet chemical: Asulam

Permitted residue: Asulam

Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4
Sugar cane	*0.1

Agvet chemical: Atrazine

Permitted residue: Atrazine

Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02

Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Potato	*0.01
Rape seed (canola)	*0.02
Sorghum	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Avermectin B1

see *Abamectin*

Agvet chemical: Avilamycin

Permitted residue: Inhibitory substance, identified as avilamycin

Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Azaconazole

Permitted residue: Azaconazole

Mushrooms	0.1
-----------	-----

Agvet chemical: Azamethiphos

Permitted residue: Azamethiphos

Cereal grains	0.1
Eggs	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5

Agvet chemical: Azaperone

Permitted residue: Azaperone

Pig, edible offal of	0.2
Pig meat	0.2

Agvet chemical: Azimsulfuron

Permitted residue: Azimsulfuron

Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02

Agvet chemical: Azinphos-methyl

Permitted residue: Azinphos-methyl

Blueberries	1
Citrus fruits	2
Edible offal (mammalian)	*0.05
Grapes	2

Kiwifruit	2	Lemon verbena (dry leaves)	T50
Litchi	2	Lentil (dry)	T0.5
Macadamia nuts	*0.01	Lettuce, head	15
Meat (mammalian)	*0.05	Lettuce, leaf	15
Milks	*0.05	Maize	T*0.01
Oilseed	*0.05	Mango	0.5
Pome fruits	2	Meat (mammalian)	*0.01
Raspberries, red, black	1	Mexican tarragon	T50
Stone fruits	2	Milks	0.005
Strawberry	1	Mizuna	T50
<hr/>		Olives	T2
Agvet chemical: Azoxystrobin		Passionfruit	0.5
<i>Permitted residue: Azoxystrobin</i>		Peanut	0.05
<hr/>		Peanut oil, crude	0.1
Almonds	*0.01	Peppers	3
Anise myrtle leaves	T100	Poppy seed	*0.02
Avocado	1	Potato	0.05
Banana	T0.5	Poultry, edible offal of	*0.01
Barley	*0.02	Poultry meat	*0.01
Beans [except broad and soya bean]	2	Radish	0.5
Bergamot	T50	Raspberries, red, black	5
Blackberries	5	Riberries	T10
Blueberries	5	Rice	T7
Boysenberry	5	Rose and dianthus (edible flowers)	T50
Brassica leafy vegetables [except mizuna]	2	Spices	*0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.7	Stone fruits	1.5
Bulb vegetables [except fennel, bulb; onion, bulb]	2	Strawberry	10
Burnet, Salad	T50	Tea, green, black	T20
Carrot	0.2	Tomato	T1
Chervil	T50	Tree nuts [except almonds]	2
Chick-pea (dry)	T0.5	Turmeric, root	T0.1
Citrus fruits	10	Wheat	*0.02
Cloudberry	T5	<hr/>	
Coriander (leaves, stem, roots)	T50	Agvet chemical: Bacitracin	
Coriander, seed	T50	<i>Permitted residue: Inhibitory substance, identified as bacitracin</i>	
Cotton seed	*0.01	<hr/>	
Cranberry	0.5	Chicken, edible offal of	*0.5
Dewberries (including loganberry)	T3	Chicken fat	*0.5
Dill, seed	T50	Chicken meat	*0.5
Dried grapes	5	Eggs	*0.5
Edible offal (mammalian)	*0.01	Milks	*0.5
Eggs	*0.01	<hr/>	
Fennel, seed	T50	Agvet chemical:	Benalaxyl
Fennel, bulb	T0.1	Permitted residue:	Benalaxyl
Fruiting vegetables, cucurbits	1	Fruiting vegetables, cucurbits	0.2
Galangal, Greater	T0.1	Garlic	0.1
Gooseberry	T3	Grapes	0.5
Grapes	2	Lettuce, head	*0.01
Herbs [except as otherwise listed under this chemical]	T50	Lettuce, leaf	*0.01
Horseradish	0.5	Onion, bulb	0.1
Kaffir lime leaves	T50	Shallot	T0.5
Lemon grass	T50	Spring onion	T0.1
Lemon myrtle leaves	T100	<hr/>	

Agvet chemical: Bendiocarb		Agvet chemical: Benzocaine	
<i>Permitted residue—commodities of plant origin:</i>		<i>Permitted residue: Benzocaine</i>	
<i>Unconjugated bendiocarb</i>		Abalone	*0.05
<i>Permitted residue—commodities of animal origin:</i>		Finfish	*0.05
<i>Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb</i>		Agvet chemical: Benzofenap	
<i>Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap</i>		<i>Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap</i>	
Banana	*0.02	Rice	*0.01
Cattle, edible offal of	0.2	Agvet chemical: Benzyladenine	
Cattle meat	0.1	<i>Permitted residue: Benzyladenine</i>	
Eggs	0.05	Apple	0.2
Milks	0.1	Pear	T0.2
Poultry, edible offal of	0.1	Pistachio nut	T*0.05
Poultry meat	0.05	Agvet chemical: Benzyl G penicillin	
Agvet chemical: Benfluralin		<i>Permitted residue: Inhibitory substance, identified as benzyl G penicillin</i>	
Permitted residue: Benfluralin		Edible offal (mammalian)	*0.06
Lettuce, head	T*0.05	Meat (mammalian)	*0.06
Lettuce, leaf	T*0.05	Milks	*0.0015
Agvet chemical: Benomyl		Agvet chemical: Betacyfluthrin	
see Carbendazim		see Cyfluthrin	
Agvet chemical: Bensulfuron-methyl		Agvet chemical: Bifenazate	
<i>Permitted residue: Bensulfuron-methyl</i>		<i>Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate</i>	
Rice	*0.02	Almonds	0.1
Rice bran, processed	*0.05	Apricot	0.5
Agvet chemical: Bensulide		Bitter melon	T0.5
<i>Permitted residue: Bensulide</i>		Blackberries	T7
Fruiting vegetables, cucurbits	*0.1	Cherries	2.5
Agvet chemical: Bentazone		Cloudberry	T7
<i>Permitted residue: Bentazone</i>		Cranberry	1.5
Beans [except broad bean and soya bean]	*0.1	Cucumber	T0.5
Broad bean (green pods and immature seeds)	*0.1	Dewberries (including boysenberry and loganberry)	T7
Edible offal (mammalian)	*0.05	Dried grapes	T2
Eggs	*0.05	Edible offal (mammalian)	*0.01
Garden pea (shelled)	T*0.05	Egg plant	T0.1
Meat (mammalian)	*0.05	Grapes [except wine grapes]	T1
Milks	*0.05	Hops, dry	T3
Onion, bulb	T0.1	Lettuce, head	T20
Peanut	*0.1	Lettuce, leaf	T20
Podded pea (young pods) (snow and sugar snap)	T0.05	Meat (mammalian) (in the fat)	*0.01
Poultry, edible offal of	*0.05	Milks	*0.01
Poultry meat	*0.05	Nectarine	0.5
Pulses	*0.01	Papaya (pawpaw)	T0.5
Rice	*0.03		
Sweet corn (corn-on-the-cob)	*0.1		

Peach	2	Pear	0.5
Peas	T0.5	Peas (pods and succulent, immature seeds)	*0.01
Peppers	T0.5	Pineapple	T*0.01
Plums (including prunes)	0.5	Poppy seed	*0.02
Pome fruits	2	Poultry, edible offal of	*0.05
Raspberries, red, black	T7	Poultry meat (in the fat)	*0.05
Sinkwa or Sinkwa towel gourd	T0.5	Pulses [except field pea (dry) and lupin (dry)]	*0.02
Squash, Summer	T0.5	Rape seed (canola)	*0.02
Strawberry	T2	Raspberries, red, black	T3
Tomato	T1	Rucola (rocket)	T10
Yard-long bean (pods)	T1	Stone fruits [except cherries]	1
<hr/>		Strawberry	1
Agvet chemical: Bifenthrin		Sugar cane	*0.01
<i>Permitted residue: Bifenthrin</i>		Sweet potato	*0.05
Apple	*0.05	Taro	T*0.05
Avocado	T0.1	Tea, green, black	5
Banana	0.1	Turmeric, root	T10
Blackberries	T3	<hr/>	
Blueberries	T3	Agvet chemical: Bioresmethrin	
Brassica (cole or cabbage) vegetables, Head cabbages, Flower head brassicas [except Cabbages, Head]	T1	<i>Permitted residue: Bioresmethrin</i>	
Cabbages, Head	T7	Mango	T0.5
Cereal grains	*0.02	<hr/>	
Cherries	T1	Agvet chemical: Bitertanol	
Chervil	T10	<i>Permitted residue: Bitertanol</i>	
Citrus fruits	*0.05	Beans [except broad bean and soya bean]	0.5
Cloudberry	T3	Edible offal (mammalian)	3
Common bean (pods and/or immature seeds)	T1	Eggs	*0.01
Cotton seed	0.1	Meat (mammalian) (in the fat)	0.3
Cucumber	T0.5	Milks	0.2
Dewberries (including boysenberry and loganberry)	T3	Poultry, edible offal of	*0.01
Edible offal (mammalian)	0.5	Poultry meat	*0.01
Eggs	*0.05	Strawberry	*0.05
Field pea (dry)	T*0.01	<hr/>	
Fruiting vegetables, cucurbits [except cucumber]	0.1	Agvet chemical: Boscalid	
Fruiting vegetables, other than cucurbits	0.5	<i>Permitted residue—commodities of plant origin: Boscalid</i>	
Galangal, rhizomes	T10	<i>Permitted residue—commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents</i>	
Ginger, root	T*0.01	All other foods	0.5
Gooseberry	T3	Blackberries	T10
Grapes	*0.01	Blueberries	T15
Herbs	T10	Boysenberry	T10
Kaffir lime leaves	T10	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Leafy vegetables [except chervil; mizuna; rucola (rocket)]	T2	Bulb vegetables [except onion, bulb]	T3
Lemon balm	T10	Cherries	T3
Lemon grass	T10	Cloudberry	T10
Lemon verbena	T10	<hr/>	
Lupin (dry)	T*0.02		
Meat (mammalian) (in the fat)	2		
Milks	0.5		
Mizuna	T10		
Olives	T0.5		

Dewberries (including loganberry and youngberry) [except boysenberry]	T10
Dried grapes	15
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Edible offal (mammalian)	0.3
Grapes	4
Leafy vegetables	30
Legume vegetables	3
Meat (mammalian) (in the fat)	0.3
Milk fats	0.7
Milks	0.1
Onion, bulb	T1
Pistachio nut	T2
Pome fruits	2
Raspberries, red, black	T10
Root and tuber vegetables	1
Silvanberries	T10
Stone fruits [except cherries]	1.7
Strawberry	10

Agvet chemical: Brodifacoum

Permitted residue: Brodifacoum

Cereal grains	T*0.00002
Edible offal (mammalian)	T*0.00005
Meat (mammalian)	T*0.00005
Pulses	T*0.00002
Sugar cane	*0.0005

Agvet chemical: Bromacil

Permitted residue: Bromacil

Asparagus	*0.04
Citrus fruits	*0.04
Edible offal (mammalian)	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Pineapple	*0.04

Agvet chemical: Bromoxynil

Permitted residue: Bromoxynil

Cereal grains	*0.2
Edible offal (mammalian)	T3
Eggs	*0.02
Garlic	T0.1
Grapes	*0.01
Linseed	*0.02
Meat (mammalian) (in the fat)	T1
Milks	T0.1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sugar cane	*0.02

Agvet chemical: Bupirimate

Permitted residue: Bupirimate

Apple	1
Egg plant	T1
Fruiting vegetables, cucurbits	1
Peppers	0.7
Strawberry	1

Agvet chemical: Buprofezin

Permitted residue: Buprofezin

Celery	T5
Chervil	T50
Citrus fruits	2
Coriander (leaves, stem, roots)	T50
Cotton seed	T1
Cotton seed oil, crude	T0.3
Custard apple	0.1
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.05
Fruiting vegetables, cucurbits	T2
Fruiting vegetables, other than cucurbits	T2
Grapes	0.3
Herbs	T50
Lettuce, leaf	T10
Mango	0.2
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T50
Olives	T0.5
Olive oil, crude	T2
Passionfruit	2
Pear	0.2
Persimmon, Japanese	1
Rucola (rocket)	T50
Stone fruits [except apricot; peach]	1.9
Tree tomato	T1

Agvet chemical: Butafenacil

Permitted residue: Butafenacil

Cereal grains [except rice]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.01
Grapes	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	T*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.01
Stone fruits	T*0.02

Agvet chemical: Butroxydim			
<i>Permitted residue: Butroxydim</i>			
Edible offal (mammalian)	*0.01	Blackberries	10
Eggs	*0.01	Blueberries	7
Legume vegetables	*0.01	Brazilian cherry (grumichama)	5
Meat (mammalian)	*0.01	Carambola	5
Milks	*0.01	Cassava	T1
Oilseed	*0.01	Cereal grains [except barley; sorghum]	5
Poultry, edible offal of	*0.01	Cherries	5
Poultry meat	*0.01	Citrus fruits	7
Pulses	*0.01	Cotton seed	3
		Cranberry	3
		Custard apple	5
		Dewberries (including boysenberry and loganberry)	10
Agvet chemical: Cadusafos		Edible offal (mammalian)	T0.2
<i>Permitted residue: Cadusafos</i>		Eggs	T0.2
Banana	*0.01	Elephant apple	5
Citrus fruits	*0.01	Feijoa	5
Ginger, root	0.1	Fruiting vegetables, cucurbits	3
Sugar cane	*0.01	Galangal, rhizomes (fresh)	T5
Tomato	*0.01	Granadilla	5
		Grapes	5
		Guava	5
		Jaboticaba	5
		Jackfruit	5
		Jambu	5
		Kiwifruit	10
		Leafy vegetables	10
		Litchi	5
		Longan	5
		Mango	5
		Meat (mammalian)	T0.2
		Milks	T*0.05
		Nectarine	10
		Okra	10
		Olives	10
		Olives, processed	1
		Papaya (pawpaw)	5
		Passionfruit	5
		Peach	10
		Plums (including prunes)	5
		Pome fruits	5
		Potato	0.2
		Poultry, edible offal of	T5
		Poultry meat	T0.5
		Rambutan	5
		Raspberries, red, black	10
		Sapodilla	5
		Sapote, black	5
		Sapote, green	5
		Sapote, mammey	5
		Sapote, white	5
		Sorghum	10
		Strawberry	7
		Sugar cane	T*0.05
		Sunflower seed	1
		Sweet corn (corn-on-the-cob)	1
Agvet chemical: Captan			
<i>Permitted residue: Captan</i>			
Almonds	0.3		
Berries and other small fruits [except blueberries; grapes; strawberry]	T30		
Blueberries	20		
Chick-pea (dry)	T0.1		
Cucumber	T5		
Dried grapes	15		
Edible offal (mammalian)	*0.05		
Eggs	*0.02		
Grapes	10		
Lentil (dry)	T0.1		
Lettuce, leaf	T7		
Meat (mammalian)	*0.05		
Milks	*0.01		
Peppers, Chili	T7		
Peppers, Sweet	T7		
Pitaya (dragon fruit)	T20		
Pome fruits	10		
Poultry, edible offal of	*0.02		
Poultry meat	*0.02		
Stone fruits	15		
Strawberry	10		
Tree nuts [except almonds]	3		
Agvet chemical: Carbaryl			
<i>Permitted residue: Carbaryl</i>			
Apricot	10		
Asparagus	10		
Avocado	10		
Banana (in the pulp)	5		
Barley	15		

Tree nuts	1	Eggs	*0.05
Tree nuts (whole in shell)	10	Garlic	T0.1
Turmeric, root (fresh)	T5	Meat (mammalian)	*0.05
Vegetables [except as otherwise listed under this chemical]	5	Milks	*0.05
Wheat bran, unprocessed	T20	Poultry, edible offal of	*0.05
		Poultry meat	*0.05
		Rice	0.2
		Sugar cane	*0.1
		Sunflower seed	0.1
		Wheat	0.2
Agvet chemical: Carbendazim		Agvet chemical: Carbon disulphide	
<i>Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim</i>		<i>Permitted residue: Carbon disulfide</i>	
Apple	0.2	Cereal grains	10
Apricot	2	Pulses	T10
Banana	T1		
Berries and other small fruits [except grapes]	T5	Agvet chemical: Carbonyl sulphide	
Cherries	20	<i>Permitted residue: Carbonyl sulphide</i>	
Chives	*0.1	Cereal grains	T0.2
Citron	0.7	Pulses	T0.2
Edible offal (mammalian)	0.2	Rape seed (canola)	T0.2
Eggs	*0.1		
Garlic	T0.2	Agvet chemical: Carbosulfan	
Ginger, root	T10	see Carbofuran	
Grapefruit	0.2		
Grapes	0.3	Agvet chemical: Carboxin	
Lemon	0.7	<i>Permitted residue: Carboxin</i>	
Lime	0.7	Cereal grains	0.1
Macadamia nuts	0.1		
Mandarins	0.7	Agvet chemical: Carfentrazone-ethyl	
Meat (mammalian)	0.2	<i>Permitted residue: Carfentrazone-ethyl</i>	
Milks	*0.1	Assorted tropical and sub-tropical fruits – edible peel	*0.05
Mineola	0.7	Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Mushrooms	T5	Berries and other small fruits [except grapes]	T*0.05
Nectarine	0.2	Cereal grains	*0.05
Onion, bulb	T*0.2	Citrus fruits	*0.05
Oranges	0.2	Cotton seed	T*0.05
Peach	0.2	Edible offal (mammalian)	*0.05
Pear	0.2	Eggs	*0.05
Peppers	*0.1	Grapes	*0.05
Peppers, Chili (dry)	20	Hops, dry	*0.05
Poultry, edible offal of	*0.1	Meat (mammalian)	*0.05
Poultry meat	*0.1	Milks	*0.025
Pulses	0.5	Pome fruits	*0.05
Shaddock (pomelo)	0.2	Potato	*0.05
Spices	*0.1	Poultry, edible offal of	*0.05
Sugar cane	T0.1	Poultry meat	*0.05
Tangelo [except mineola]	0.2	Stone fruits	*0.05
Tangors	0.7	Tree nuts	*0.05
Tomato	0.5		
Agvet chemical: Carbofuran			
<i>Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran</i>			
Barley	0.2		
Cotton seed	0.1		
Edible offal (mammalian)	*0.05		

Agvet chemical: Ceftiofur		Eggs	0.03
<i>Permitted residue: Desfuroylceftiofur</i>		Fruiting vegetables, cucurbits	0.2
Cattle, edible offal of	2	Fruiting vegetables, other than cucurbits [except peppers, chili and sweet corn (corn-on-the-cob)]	0.3
Cattle fat	0.5	Grapes [except table grapes]	0.3
Cattle meat	0.1	Herbs	T20
Cattle milk	0.1	Leafy vegetables [except lettuce, head; rucola]	15
Agvet chemical: Cefuroxime		Legume vegetables	1
<i>Permitted residue: Inhibitory substance, identified as cefuroxime</i>		Lettuce, head	3
Cattle, edible offal of	*0.1	Liver (mammalian)	0.02
Cattle meat	*0.1	Meat (mammalian) (in the fat)	0.02
Cattle milk	*0.1	Mexican tarragon	T20
Agvet chemical: Cephalonium		Milk fats	0.1
<i>Permitted residue: Inhibitory substance, identified as cephalonium</i>		Milks	*0.01
Cattle, edible offal of	*0.1	Mung bean (dry)	T0.5
Cattle meat	*0.1	Peppers, Chili	1
Cattle milk	*0.02	Pistachio nut	T0.05
Agvet chemical: Cephapirin		Pome fruits	0.3
<i>Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin</i>		Potato	*0.01
Cattle, edible offal of	*0.02	Poultry, edible offal of	*0.01
Cattle meat	*0.02	Poultry meat (in the fat)	*0.01
Cattle milk	*0.01	Radish	T0.05
Agvet chemical: Chinomethionat		Rhubarb	5
see Oxythioquinox		Rucola (rocket)	T20
Agvet chemical: Chlorantraniliprole		Soya bean (dry)	T0.05
<i>Permitted residue: Plant commodities and animal commodities other than milk: Chlorantraniliprole</i>		Stone fruits	1
<i>Milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole</i>		Strawberry	T0.5
Adzuki bean (dry)	T0.5	Swede	T0.05
All other foods	*0.01	Sweet corn (corn-on-the-cob)	*0.01
Almonds	T0.05	Table grapes	1.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5	Turnip, Garden	T0.05
Celery	5	Agvet chemical: Chlorfenapyr	
Cotton seed	0.3	<i>Permitted residue: Chlorfenapyr</i>	
Coriander (leaves, stem, roots)	T20	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Cranberry	1	Brassica leafy vegetables [except chinese cabbage]	T3
Dried fruits	2	Chinese cabbage	3
Edible offal (mammalian) [except liver]	*0.01	Cotton seed	0.5
		Edible offal (mammalian)	*0.05
		Eggs	*0.01
		Meat (mammalian) (in the fat)	0.05
		Milks	*0.01
		Mizuna	T3
		Onion, Welsh	T1
		Peach	1
		Pome fruits	0.5
		Poultry, edible of	*0.01
		Poultry meat (in the fat)	*0.01
		Rucola (rocket)	T5
		Shallot	T1
		Spring onion	T1

Agvet chemical: Chlorfenvinphos	
<i>Permitted residue: Chlorfenvinphos, sum of E and Z isomers</i>	
Broccoli	T0.05
Brussels sprouts	T0.05
Cabbages, head	T0.05
Carrot	T0.4
Cattle, edible offal of	T*0.1
Cattle meat (in the fat)	T0.2
Cattle milk (in the fat)	T0.2
Cauliflower	T0.1
Celery	T0.4
Cotton seed	T0.05
Deer meat (in the fat)	0.2
Egg plant	T0.05
Goat, edible offal of	T*0.1
Goat meat (in the fat)	T0.2
Horseradish	T0.1
Leek	T0.05
Maize	T0.05
Mushrooms	T0.05
Onion, bulb	T0.05
Peanut	T0.05
Potato	T0.05
Radish	T0.1
Rice	T0.05
Sheep, edible offal of	T*0.1
Sheep meat (in the fat)	T0.2
Swede	T0.05
Sweet potato	T0.05
Tomato	T0.1
Turnip, garden	T0.05
Wheat	T0.05
Agvet chemical: Chlorfluazuron	
<i>Permitted residue: Chlorfluazuron</i>	
Cattle, edible offal of	0.1
Cattle meat (in the fat)	1
Cattle milk	0.1
Cotton seed	0.1
Cotton seed oil, crude	0.1
Cotton seed oil, edible	*0.05
Eggs	0.2
Poultry, edible offal of	0.1
Poultry meat (in the fat)	1
Agvet chemical: Chlorhexidine	
<i>Permitted residue: Chlorhexidine</i>	
Milks	0.05
Sheep, edible offal of	*0.5
Sheep fat	*0.5
Sheep meat	*0.5

Agvet chemical: Chloridazon	
<i>Permitted residue: Chloridazon</i>	
Beetroot	*0.05
Agvet chemical: Chlormequat	
<i>Permitted residue: Chlormequat cation</i>	
Barley	T2
Dried grapes	0.75
Edible offal (mammalian)	0.5
Eggs	0.1
Grapes	0.75
Meat (mammalian)	0.2
Milks	0.5
Poultry, edible offal of	0.1
Poultry meat	*0.05
Wheat	5
Agvet chemical: Chloropicrin	
<i>Permitted residue: Chloropicrin</i>	
Cereal grains	*0.1
Agvet chemical: Chlorothalonil	
<i>Permitted residue—commodities of plant origin: Chlorothalonil</i>	
<i>Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil</i>	
Almonds	T0.1
Apricot	7
Asparagus	T*0.1
Banana	3
Berries and other small fruits [except blackcurrant and grapes]	T10
Brussels sprouts	7
Carrot	7
Celery	10
Cherries	10
Coriander (leaves, stem, roots)	T20
Currant, black	10
Edible offal (mammalian)	7
Egg plant	T10
Fennel, bulb	5
Fennel, leaf	5
Fennel, seed	5
Fruiting vegetables, cucurbits	5
Galangal, Greater	T7
Galangal, Lesser	T7
Garlic	10
Grapes	10
Herbs [except fennel, leaf]	T20
Leafy vegetables [except lettuce]	T100
Leek	T10
Meat (mammalian) (in the fat)	2

Milks	0.05	Ginger, root	*0.02
Nectarine	7	Grapes	T1
Onion, bulb	10	Kiwifruit	2
Papaya (pawpaw)	10	Leek	T5
Peach	30	Mango	*0.05
Peanut	0.2	Meat (mammalian) (in the fat)	T0.5
Peas (pods and succulent, immature seeds)	10	Milks (in the fat)	T0.2
Persimmon, Japanese	T5	Oilseed [except cotton seed and peanut]	T*0.05
Plums (including prunes)	10	Olives	T*0.05
Potato	0.1	Parsley	0.05
Poultry, edible offal of	*0.05	Passionfruit	*0.05
Poultry meat	*0.05	Peanut	0.05
Pulses	3	Peppers, Chili (dry)	20
Rice	T*0.1	Peppers, Sweet	T1
Spring onion	T10	Persimmon, Japanese	0.5
Sunflower seed	T*0.01	Pineapple	T0.5
Tomato	10	Pitaya (dragon fruit)	T*0.05
Tree tomato	T10	Pome fruits	T0.5
Turmeric root	T7	Potato	0.05
Vegetables [except asparagus; Brussels sprouts; carrot; celery; egg plant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7	Poultry, edible offal of	T0.1
Wasabi	T7	Poultry meat (in the fat)	T0.1
Agvet chemical: Chlorpropham		Sorghum	T3
<i>Permitted residue: Chlorpropham</i>		Spices	5
Garlic	*0.05	Star apple	T*0.05
Onion, bulb	*0.05	Stone fruits [except cherries]	T1
Potato	30	Strawberry	0.3
Agvet chemical: Chlorpyrifos		Sugar cane	T0.1
<i>Permitted residue: Chlorpyrifos</i>		Swede	T0.3
Asparagus	T0.5	Sweet potato	T0.05
Avocado	0.5	Taro	0.05
Banana	T0.5	Tea, green, black	2
Blackberries	0.5	Tomato	T0.5
Blueberries	*0.01	Tree nuts	T0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.5	Vegetables [except asparagus; brassica vegetables; cassava; celery; leek; peppers, chili (dry); Peppers, Sweet; potato; swede; sweet potato; taro and tomato]	T*0.01
Cassava	T*0.02	Agvet chemical: Chlorpyrifos-methyl	
Celery	T5	<i>Permitted residue: Chlorpyrifos-methyl</i>	
Cereal grains [except sorghum]	T0.1	Cereal grains [except rice]	10
Cherries	1	Cotton seed	*0.01
Citrus fruits	T0.5	Edible offal (mammalian)	*0.05
Coffee beans	T0.5	Eggs	*0.05
Cotton seed	0.05	Lupin (dry)	10
Cotton seed oil, crude	0.2	Meat (mammalian) (in the fat)	*0.05
Cranberry	1	Milks (in the fat)	*0.05
Dried fruits	T2	Poultry, edible offal of	*0.05
Edible offal (mammalian)	T0.1	Poultry meat (in the fat)	*0.05
Eggs	T*0.01	Rice	0.1
		Wheat bran, unprocessed	20
		Wheat germ	30

Agvet chemical: Cloquintocet-mexyl		Wine grapes	*0.02
<i>Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl</i>		Agvet chemical: Cloxacillin	
<i>Permitted residue: Inhibitory substance, identified as Cloxacillin</i>		<i>Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos</i>	
Barley	*0.1	Cattle milk	*0.01
Edible offal (mammalian)	*0.1	Agvet chemical: Coumaphos	
Eggs	*0.1	<i>Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos</i>	
Meat (mammalian)	*0.1	Cattle fat	*0.02
Milks	*0.1	Cattle kidney	*0.02
Poppy seed	T*0.02	Cattle liver	*0.02
Poultry, edible offal of	*0.1	Cattle milk	*0.01
Poultry meat	*0.1	Cattle milk fat	0.1
Rye	*0.1	Cattle muscle	*0.02
Triticale	*0.1	Agvet chemical: Cyanamide	
Wheat	*0.1	<i>Permitted residue: Cyanamide</i>	
Agvet chemical: Clorsulon		Apple	*0.02
<i>Permitted residue: Clorsulon</i>		Blueberries	*0.05
Cattle, edible offal of	*0.1	Grapes	*0.05
Cattle meat	*0.1	Kiwifruit	*0.1
Cattle milk	1.5	Pear, Oriental (nashi)	*0.1
Agvet chemical: Closantel		Stone fruits	T*0.05
<i>Permitted residue: Closantel</i>		Agvet chemical: Cyanazine	
Sheep, edible offal of	5	<i>Permitted residue: Cyanazine</i>	
Sheep meat	2	Bulb vegetables	*0.02
Agvet chemical: Clothianidin		Cereal grains	*0.01
<i>Permitted residue: Clothianidin</i>		Leek	0.05
Apricot	T2	Peas	0.02
Banana	*0.02	Podded pea (young pods) (snow and sugar snap)	0.05
Cherries	T5	Potato	0.02
Cotton seed	*0.02	Pulses	*0.01
Cranberry	0.01	Sweet corn (corn-on-the-cob)	*0.02
Dried grapes	10		
Edible offal (mammalian)	*0.02		
Eggs	*0.02		
Grapes [except wine grapes]	3		
Maize	T*0.01		
Meat (mammalian)	*0.02		
Milks	*0.01		
Persimmon, American	T2		
Persimmon, Japanese	T2		
Pome fruits	T2		
Poultry, edible offal of	*0.02		
Poultry meat	*0.02		
Rape seed (canola)	T*0.01		
Sorghum	T*0.01		
Soya bean (dry)	T0.02		
Stone fruits [except cherries]	T3		
Sugar cane	0.1		
Sunflower seed	T*0.01		
Sweet corn (corn-on-the-cob)	T0.02		

Agvet chemical: Cyantraniliprole

Permitted residue—commodities of plant origin:
Cyantraniliprole

Permitted residue—commodities of animal origin for
enforcement: Cyantraniliprole

Permitted residue—commodities of animal origin for
dietary exposure assessment: Sum of
cyantraniliprole and 2-[3-bromo-1-(3-chloropyridin-2-
yl)-1H-pyrazol-5-yl]-3,8-dimethyl-4-oxo-3,4-
dihydroquinazoline-6-carbonitrile (IN-J9Z38), 2-[3-
bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-8-
methyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile
(IN-MLA84), 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-
cyano-2-[(hydroxymethyl)carbamoyl]-6-
methylphenyl]-1H-pyrazole-5-carboxamide (IN-
MYX98) and 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-
cyano-2-(hydroxymethyl)-6-
(methylcarbamoyl)phenyl]-1H-pyrazole-5-
carboxamide (IN-N7B69), expressed as
cyantraniliprole

All other foods	0.05
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milk fats	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyclanilide

Permitted residue: Sum of cyclanilide and its methyl
ester, expressed as cyclanilide

Cotton seed	0.2
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05
Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Cyflufenamid

Permitted residue: Cyflufenamid

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyfluthrin

Permitted residue: Cyfluthrin, sum of isomers

Avocado	0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Carambola	T0.1
Cereal grains	2
Chia	T0.5
Citrus fruits	0.2
Cotton seed	0.01
Cotton seed oil, crude	0.02
Custard apple	T0.1
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Eggs	*0.01
Grapes	1
Legume vegetables	0.5
Lemon aspen	T1
Litchi	T0.1
Macadamia nuts	0.05
Mango	T0.1
Mammalian fats [except milk fats]	0.5
Meat (mammalian)	0.02
Milks	0.1
Okra	T0.2
Papaya (pawpaw)	T0.2
Pecan	T0.05
Peppers, Sweet	T0.2
Persimmon, American	T0.1
Persimmon, Japanese	T0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.5
Rape seed (canola)	*0.05
Stone fruits	0.3
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Cyhalofop-butyl

Permitted residue: Sum of cyhalofop-butyl,
cyhalofop and metabolites expressed as cyhalofop-
butyl

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	*0.01

Agvet chemical: Cyhalothrin

Permitted residue: Cyhalothrin, sum of isomers

Barley	0.2
Beetroot	*0.01

Berries and other small fruits	0.2	Cotton seed oil, crude	*0.02
Brassica (cole or cabbage) vegetables,	0.1	Cucumber	T0.3
Head cabbages, Flowerhead brassicas		Deer meat (in the fat)	T0.5
Cereal grains [except barley; sorghum; wheat]	*0.01	Durian	1
Chard	T0.5	Eggs	0.05
Citrus fruits	*0.01	Field pea (dry)	0.05
Coriander (leaves, stem, roots)	T1	Goat, edible offal of	0.05
Cotton seed	*0.02	Goat meat (in the fat)	0.5
Cucumber	T0.05	Grapes	T0.05
Edible offal (mammalian)	*0.02	Herbs	T5
Eggs	*0.02	Horse, edible offal of	*0.05
Garlic	*0.05	Horse meat (in the fat)	*0.05
Legume vegetables	0.1	Leafy vegetables [except lettuce head]	T5
Meat (mammalian) (in the fat)	0.5	Leek	T0.5
Milks (in the fat)	0.5	Lemon balm	T5
Onion, bulb	*0.05	Lettuce, head	2
Onion, Welsh	T0.05	Linola oil, edible	0.1
Parsley	T1	Linola seed	0.1
Potato	*0.01	Linseed	0.5
Poultry, edible offal of	*0.02	Longan	1
Poultry meat	*0.02	Lupin (dry)	*0.01
Pulses [except soya bean (dry)]	0.2	Milks (in the fat)	1
Radish	*0.01	Mung bean (dry)	0.05
Rape seed (canola)	0.02	Olives	T*0.05
Shallot	T0.05	Onion, bulb	*0.01
Sorghum	0.5	Onion, Welsh	T0.5
Soya bean (dry)	*0.02	Peas	1
Spring onion	T0.05	Peppers, Chili	1
Stone fruits	0.5	Pig, edible offal of	*0.05
Sunflower seed	*0.01	Pig meat (in the fat)	*0.05
Tea, green, black	1	Pome fruits	1
Tomato	0.02	Poppy seed	T*0.01
Wheat	*0.05	Potato	*0.01
Agvet chemical: Cypermethrin		Poultry, edible offal of	*0.05
<i>Permitted residue: Cypermethrin, sum of isomers</i>		Poultry meat (in the fat)	*0.05
Adzuki bean (dry)	T0.05	Radish	T0.05
All other foods	*0.01	Rape seed (canola)	0.2
Asparagus	0.5	Rape seed oil, edible	0.2
Avocado	T0.2	Shallot	T0.5
Beetroot	T0.1	Sheep, edible offal of	0.05
Berries and other small fruits [except grapes]	0.5	Sheep meat (in the fat)	0.5
Brassica (cole or cabbage) vegetables,	1	Soya bean (dry)	0.05
Head cabbages, Flowerhead brassicas		Soya bean oil, crude	0.1
Broad bean (dry) (fava bean)	0.05	Spring onion	T0.5
Cattle, edible offal of	0.05	Stone fruits	1
Cattle meat (in the fat)	0.5	Sunflower seed	0.1
Celery	T1	Sunflower seed oil, crude	0.1
Cereal grains [except wheat]	1	Sweet corn (corn-on-the-cob)	0.05
Chick-pea (dry)	0.2	Tea, green, black	0.5
Common bean (dry) (navy bean)	0.05	Tomato	0.5
Coriander (leaves, stem, roots)	T5	Wheat	0.2
Coriander, seed	T1	Agvet chemical: Cyproconazole	
Cotton seed	0.2	<i>Permitted residue: Cyproconazole, sum of isomers</i>	
		Barley	*0.02

Chick-pea (dry)	T*0.01	Poultry meat	0.05
Edible offal (mammalian)	1	Sheep, edible offal of	0.2
Eggs	*0.01	Sheep meat	0.2
Lentil (dry)	T*0.01	Agvet chemical:	2,4-D
Meat (mammalian)	0.03	Permitted residue:	2,4-D
Milks	*0.01	Cereal grains	0.2
Peanut	0.02	Citrus fruits	5
Potato	*0.02	Edible offal (mammalian)	2
Poultry, edible offal of	*0.01	Eggs	*0.05
Poultry meat	*0.01	Grapes	T*0.05
Wheat	*0.02	Legume vegetables	*0.05
Agvet chemical: Cyprodinil		Lupin (dry)	*0.05
<i>Permitted residue: Cyprodinil</i>		Meat (mammalian)	0.2
Blackberries	10	Milks	*0.05
Blueberries	3	Oilseed	*0.05
Boysenberry	10	Pear	*0.05
Cloudberry	T5	Potato	0.1
Common bean (pods and/or immature seeds)	0.7	Poultry, edible offal of	*0.05
Cucumber	0.5	Poultry meat	*0.05
Dewberries (including boysenberry and loganberry)	T5	Pulses	*0.05
Dried grapes (currants, raisins and sultanas)	5	Sugar cane	5
Dried stone fruits	0.05	Agvet chemical: Daminozide	
Edible offal (mammalian)	*0.01	<i>Permitted residue: Daminozide</i>	
Egg plant	T0.2	Edible offal (mammalian)	0.2
Grapes	2	Eggs	0.2
Leafy vegetables	10	Meat (mammalian)	0.2
Meat (mammalian)	*0.01	Milks	*0.05
Melons, except watermelon	T0.2	Peach	30
Milks	*0.01	Peanut	20
Onion, bulb	0.2	Pome fruits	30
Peas (pods and succulent, immature seeds)	0.5	Poultry, edible offal of	0.2
Peppers, Sweet	0.7	Poultry meat	0.2
Pistachio nut	T0.1	Agvet chemical:	2,4-DB
Pome fruits	0.05	Permitted residue:	2,4-DB
Raspberries, red, black	10	Cereal grains	*0.02
Stone fruits	2	Edible offal (mammalian)	0.2
Strawberry	5	Eggs	*0.05
Tomato	T1	Meat (mammalian)	0.2
Agvet chemical: Cyromazine		Milks	*0.05
<i>Permitted residue: Cyromazine</i>		Poultry, edible offal of	*0.05
Cattle, edible offal of	0.05	Poultry meat	*0.05
Cattle meat	0.05	Agvet chemical: Deltamethrin	
Eggs	0.2	<i>Permitted residue: Deltamethrin</i>	
Goat, edible offal of	0.2	Brassica (cole or cabbage) vegetables,	*0.05
Goat meat	0.2	Head cabbages, Flowerhead brassicas	
Milks	*0.01	Cattle, edible offal of	0.1
Pig, edible offal of	0.05	Cattle meat (in the fat)	0.5
Pig meat	0.05	Cereal grains	2
Poultry, edible offal of	0.1	Eggs	*0.01
		Fruiting vegetables, other than cucurbits	0.1
		Goat, edible offal of	0.1
		Goat meat (in the fat)	0.2

Legume vegetables	0.1	Parsley	*0.05
Milks	0.05	Peach	0.7
Oilseed	0.1	Poultry, edible offal of	*0.05
Pig, edible offal of	*0.01	Poultry meat	*0.05
Pig meat (in the fat)	0.1	Shallot	T0.5
Poultry, edible offal of	*0.01	Spring onion	T0.5
Poultry meat (in the fat)	*0.01	Sugar cane	0.5
Pulses	0.1	Sweet corn (corn-on-the-cob)	0.7
Sheep, edible offal of	0.1	Tree nuts	0.1
Sheep meat (in the fat)	0.2	Vegetable oils, crude [except olive oil, virgin]	0.1
Sweet corn (kernels)	0.1	Vegetables	0.7
Tea, green, black	5		
Wheat bran, unprocessed	5		
Wheat germ	3		
Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate		Agvet chemical: Dicamba	
<i>Permitted residue: Dexamethasone</i>		<i>Permitted residue: Dicamba</i>	
Cattle, edible offal of	0.1	Cereal grains	*0.05
Cattle meat	0.1	Edible offal (mammalian)	0.05
Cattle milk	*0.05	Eggs	*0.05
Horse, edible offal of	0.1	Meat (mammalian)	0.05
Horse meat	0.1	Milks	0.1
Pig, edible offal of	0.1	Poultry, edible offal of	*0.05
Pig meat	0.1	Poultry meat	*0.05
		Sugar cane	0.1
		Sugar cane molasses	2
Agvet chemical: Diafenthiuron		Agvet chemical: Dicamba	
<i>Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron</i>		<i>Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba</i>	
Cotton seed	0.2	Soya bean	10
Edible offal (mammalian)	*0.02		
Eggs	*0.02	Agvet chemical: Dichlobenil	
Meat (mammalian) (in the fat)	*0.02	<i>Permitted residue: Dichlobenil</i>	
Milks	*0.02	Blueberries	T1
Peanut	T0.1	Citrus fruits	0.1
Poultry, edible offal of	*0.02	Currants, black, red, white	T1
Poultry meat (in the fat)	*0.02	Gooseberry	T1
		Grapes	0.1
		Pome fruits	0.1
		Raspberries, red, black	T1
		Stone fruits	0.1
		Tomato	0.1
Agvet chemical: Diazinon		Agvet chemical: Dichlofluanid	
<i>Permitted residue: Diazinon</i>		<i>Permitted residue: Dichlofluanid</i>	
Cereal grains	0.1	Berries and other small fruits [except grapes and strawberry]	T50
Citrus fruits	0.7	Grapes	0.5
Coriander (leaves, stem, roots)	*0.05	Peanut	*0.02
Coriander, seed	*0.05	Strawberry	10
Edible offal (mammalian)	0.7	Tomato	1
Eggs	*0.05		
Fruit [except as otherwise listed under this chemical]	0.5		
Kiwifruit	0.5		
Meat (mammalian) (in the fat)	0.7		
Milks (in the fat)	0.5		
Olive oil, crude	2		

Agvet chemical: 1,3-dichloropropene		Poultry, edible offal of	*0.05
<i>Permitted residue: 1,3-dichloropropene</i>		Poultry meat	*0.05
Grapes	0.018		
Agvet chemical: Dichlorprop-P		Agvet chemical: Dicloran	
<i>Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid</i>		<i>Permitted residue: Dicloran</i>	
Citrus fruits	0.2	Beans [except broad bean and soya bean]	20
Edible offal (mammalian)	*0.05	Berries and other small fruits [except grapes]	20
Eggs	*0.02	Broad bean (green pods and immature seeds)	20
Meat (mammalian)	*0.02	Carrot	15
Milks	*0.01	Grapes	10
Poultry, edible offal of	*0.05	Lettuce, head	20
Poultry meat	*0.02	Lettuce, leaf	20
		Onion, bulb	20
		Stone fruits	15
		Sweet potato	20
		Tomato	20
Agvet chemical: Dichlorvos		Agvet chemical: Dicofol	
<i>Permitted residue: Dichlorvos</i>		<i>Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol</i>	
Cacao beans	5	Almonds	5
Cereal grains	5	Cotton seed	0.1
Coffee beans	2	Cucumber	2
Edible offal (mammalian)	0.05	Fruit [except strawberry]	5
Eggs	0.05	Gherkin	2
Fruit	0.1	Hops, dry	5
Lentil (dry)	2	Strawberry	1
Lettuce, head	1	Tea, green, black	5
Lettuce, leaf	1	Tomato	1
Meat (mammalian)	0.05	Vegetables [except as otherwise listed under this chemical]	5
Milks	0.02		
Mushrooms	0.5		
Peanut	2		
Poultry, edible offal of	0.05		
Poultry meat	0.05		
Rape seed (canola)	T0.1		
Rice bran, unprocessed	10		
Soya bean (dry)	2		
Tomato	0.5		
Tree nuts	2		
Vegetables [except as otherwise listed under this chemical]	0.5		
Wheat bran, unprocessed	10		
Wheat germ	10		
Agvet chemical: Diclofop-methyl		Agvet chemical: Dicyclanil	
<i>Permitted residue: Diclofop-methyl</i>		<i>Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil</i>	
Cereal grains	0.1	Sheep fat	0.3
Edible offal (mammalian)	*0.05	Sheep kidney	0.3
Eggs	*0.05	Sheep liver	0.3
Lupin (dry)	0.1	Sheep meat	0.3
Meat (mammalian)	*0.05		
Milks	*0.05		
Oilseed	0.1		
Peas	0.1		
Poppy seed	0.1		
		Agvet chemical: Dieldrin	
		<i>see Aldrin and Dieldrin</i>	
		Agvet chemical: Difenoconazole	
		<i>Permitted residue: Difenoconazole</i>	
		Asparagus	*0.05
		Avocado	0.5
		Banana	*0.02
		Beetroot	T0.5
		Carrot	0.2

Cereal grains	*0.01
Celeriac	T0.5
Celery	T5
Chives	2
Dried grapes	6
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	4
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	1
Parsley	T15
Pome fruits	0.3
Potato	*0.02
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Tomato	0.5

Agvet chemical: Diflubenzuron

Permitted residue: Diflubenzuron

Cattle, edible offal of	*0.02
Cattle milk	0.05
Cereal grains	T2
Mushrooms	0.1
Sheep kidney	0.05
Sheep liver	0.05
Sheep meat (in the fat)	0.05
Sheep milk	0.05
Wheat bran, unprocessed	T5

Agvet chemical: Dimethirimol

Agvet chemical: Diflufenican

Permitted residue: Diflufenican

Barley	0.05
Edible offal (mammalian)	0.1
Eggs	*0.02
Grapes	*0.002
Meat (mammalian)	0.01
Milks	0.01
Oats	0.05
Peas	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	0.05
Rye	0.05
Triticale	0.05
Wheat	0.02

Aqvet chemical: Dimethenamid-P

Permitted residue: Sum of dimethenamid-P and its (R)-isomer

Common bean (pods and/or immature seeds)	*0.02
Edible offal (mammalian)	*0.01

Celery	T0.5	Poppy seed	*0.02
Cereal grains	T0.05	Potato	*0.02
Cherries	T0.2	Shallot	T0.5
Citrus fruits	5	Spring onion	2
Cranberry	T5		
Edible offal (mammalian)	0.1	Agvet chemical: Dinitolmide	
Egg plant	T0.02	<i>Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents</i>	
Eggs	*0.05		
Elderberries	0.02	Poultry, edible offal of	6
Grapes	T*0.1	Poultry fats	2
Legume vegetables	T2	Poultry meat	3
Mango	1		
Meat (mammalian)	*0.05	Agvet chemical: Dinitro-o-toluamide	
Melons, except watermelon	T5	<i>see Dinitolmide</i>	
Milks	*0.05		
Oilseed [except peanut]	T0.1	Agvet chemical: Dinotefuran	
Olive oil, refined	T0.1	<i>Permitted residue: Sum of dinotefuran and its metabolites DN, 1-methyl-3-(tetrahydro-3-furylmethyl)guanidine and UF, 1-methyl-3-(tetrahydro-3-furylmethyl)urea expressed as dinotefuran</i>	
Onion, bulb	0.7		
Parsnip	T0.3	Grapes	0.9
Peanut	T*0.05		
Peppers, Chili	T5	Agvet chemical: Diphenylamine	
Peppers, Sweet	0.7	<i>Permitted residue: Diphenylamine</i>	
Potato	0.1		
Poultry, edible offal of	*0.05	Apple	10
Poultry meat	*0.05	Edible offal (mammalian) [except liver]	*0.01
Pulses	T0.5	Eggs	0.05
Radish	T3	Liver of cattle, goats, pigs and sheep	0.05
Raspberries, red, black	T5	Meat (mammalian) (in the fat)	*0.01
Rhubarb	0.7	Milks (in the fat)	*0.01
Rollinia	5	Pear	7
Santols	5	Poultry, edible offal of	*0.01
Squash, summer (including zucchini)	0.7	Poultry meat (in the fat)	*0.01
Stone fruits [except cherries]	T*0.02		
Strawberry	0.02	Agvet chemical: Diquat	
Sweet corn (corn-on-the-cob)	T0.3	<i>Permitted residue: Diquat cation</i>	
Sweet potato	0.1		
Tomato	0.02	Anise myrtle leaves	T0.5
Turnip, garden	*0.2	Barley	5
Watermelon	T5	Beans [except broad bean and soya bean]	1
Wheat bran, processed	T1	Broad bean (green pods and immature seeds)	1
		Edible offal (mammalian)	*0.05
Agvet chemical: Dimethomorph		Eggs	*0.01
<i>Permitted residue: Sum of E and Z isomers of dimethomorph</i>		Fruit	*0.05
Brassica leafy vegetables	T2	Hops, dry	T0.2
Edible offal (mammalian)	*0.01	Lemon myrtle leaves	T0.5
Fruiting vegetables, cucurbits	0.5	Linseed	*0.01
Grapes	2	Maize	0.1
Leafy vegetables [except lettuce head]	T2	Meat (mammalian)	*0.05
Leek	0.5	Milks	*0.01
Lettuce, head	0.3		
Meat (mammalian)	*0.01		
Milks	*0.01		
Onion, bulb	0.05		
Onion, Welsh	2		
Peas	1		

Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5	Beans [except broad bean and soya bean]	2
Oats	5	Beetroot	1
Oilseed [except linseed and poppy seed]	5	Berries and other small fruits [except strawberry]	T10
Onion, bulb	0.1	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Peas	0.1	Broad bean (green pods and immature seeds)	2
Poppy seed	0.5	Bulb vegetables [except garlic and onion, bulb]	T10
Potato	0.2	Carrot	1
Poultry, edible offal of	*0.05	Celery	5
Poultry meat	*0.05	Cereal grains	0.5
Pulses	1	Citrus fruits	0.2
Rice	5	Coconut	5
Rice, polished	1	Coffee beans	5
Rye	2	Common bean (pods and/or immature seeds)	2
Sorghum	2	Cotton seed	10
Sugar beet	0.1	Custard apple	5
Sugar cane	*0.05	Edible offal (mammalian)	2
Tea, green, black	T0.5	Eggs	*0.5
Tree nuts	*0.05	Fig	3
Triticale	2	Fruiting vegetables, cucurbits	2
Vegetable oils, crude	1	Fruiting vegetables, other than cucurbits [except roselle]	3
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05	Garlic	4
Wheat	2	Herbs [except parsley]	T5
Agvet chemical: Disulfoton		Hops	T10
<i>Permitted residue: Sum of disulfoton and demeton-S and their sulfoxides and sulfones, expressed as disulfoton</i>		Leafy vegetables	5
Cotton seed	0.5	Litchi	5
Edible offal (mammalian)	0.02	Macadamia nuts	*0.2
Eggs	*0.02	Mango	7
Hops, dry	0.5	Meat (mammalian)	*0.5
Meat (mammalian)	0.02	Milks	*0.2
Milks	0.01	Onion, bulb	4
Potato	0.5	Papaya (pawpaw)	5
Poultry, edible offal of	*0.02	Parsley	5
Poultry meat	*0.02	Parsnip	T1
Vegetables	0.5	Passionfruit (including Granadilla)	3
Agvet chemical: Dithianon		Peanut	0.2
<i>Permitted residue: Dithianon</i>		Peas (pods and succulent, immature seeds)	2
Fruit	2	Persimmon, Japanese	3
Agvet chemical: Dithiocarbamates		Pistachio nut	T3
<i>Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food</i>		Pome fruits	3
Almonds	3	Pomegranate	3
Asparagus	T1	Poppy seed	*0.2
Avocado	7	Potato	1
Banana	2	Poultry meat	*0.5
		Poultry, edible offal of	*0.5
		Pulses	0.5
		Radish	T1
		Rhubarb	2
		Roselle (rosella)	5
		Stone fruits	3

Strawberry	3
Sunflower seed	T*0.05
Swede	T1
Tree tomato	T5
Turnip, garden	T1
Walnuts	T*0.2
Wasabi	T2

Agvet chemical: Diuron

Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron

Asparagus	2
Cereal grains	0.1
Cotton seed oil, crude	0.5
Edible offal (mammalian)	3
Fruit	0.5
Meat (mammalian)	0.1
Milks	0.1
Oilseed	0.5
Pulses	*0.05
Sugar cane	0.2

Agvet chemical: Dodine

Permitted residue: Dodine

Pome fruits	5
Stone fruits	*0.05

Agvet chemical: Doramectin

Permitted residue: Doramectin

Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.01
Cattle milk	0.05
Pig kidney	0.03
Pig liver	0.05
Pig meat (in the fat)	0.1
Sheep, edible offal of	0.05
Sheep fat	0.1
Sheep meat	0.02

Agvet chemical: 2,2-DPA

Permitted residue: 2,2-dichloropropionic acid

Avocado	*0.1
Banana	*0.1
Cereal grains	*0.1
Citrus fruits	*0.1
Cotton seed	*0.1
Currants, black, red, white	15
Edible offal (mammalian)	0.2
Grapes	3
Meat (mammalian)	0.2
Milks	*0.1
Papaya (pawpaw)	*0.1

Pecan	*0.1
Pineapple	*0.1
Pome fruits	*0.1
Stone fruits	1
Sugar cane	*0.1
Sunflower seed	*0.1
Vegetables	*0.1

Agvet chemical: EDC

see Ethylene dichloride

Agvet chemical: Emamectin

Permitted residue: Sum of emamectin B1a and emamectin B1b

Bergamot	T0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
Brassica leafy vegetables	T0.3
Burnet, salad	T0.05
Celery	T0.2
Chervil	T0.05
Coriander (leaves, stem, roots)	T0.05
Coriander, seed	T0.05
Cotton seed	0.005
Dill, seed	T0.05
Edible offal (mammalian)	0.02
Egg plant	T0.1
Fennel, seed	T0.05
Grapes	*0.002
Herbs	T0.05
Kaffir lime leaves	T0.05
Lemon grass	T0.05
Lemon verbena (fresh weight)	T0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian) (in the fat)	0.01
Milks	*0.001
Milk fats	0.01
Mizuna	T0.05
Peppers, Sweet	0.01
Pulses	*0.01
Rape seed (canola)	*0.01
Rucola (rocket)	T0.05
Strawberry	T0.1
Sweet corn (corn-on-the-cob)	*0.002
Tomato	0.01

Agvet chemical: Endosulfan

Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate

Assorted tropical and sub-tropical fruits – inedible peel	2
Broccoli	1
Cabbages, head	1
Cauliflower	1

Cereal grains	0.1	Meat (mammalian)	*0.1
Citrus fruits	0.3	Milks	*0.1
Edible offal (mammalian)	0.2	Oilseed	0.1
Eggs	0.02	Poultry, edible offal of	*0.05
Fruiting vegetables, cucurbits	1	Poultry meat	*0.05
Fruiting vegetables, other than cucurbits	1	Vegetables	*0.04
Meat (mammalian) (in the fat)	0.2	Agvet chemical: Erythromycin	
Milks	0.02	<i>Permitted residue: Inhibitory substance, identified as erythromycin</i>	
Oilseed	1	Edible offal (mammalian)	*0.3
Pome fruits	1	Meat (mammalian)	*0.3
Poultry, edible offal of	*0.01	Milks	*0.04
Poultry meat (in the fat)	0.05	Poultry, edible offal of	*0.3
Pulses	*0.1	Poultry meat	*0.3
Root and tuber vegetables	0.5	Agvet chemical: Esfenvalerate	
Stalk and stem vegetables	1	<i>see Fenvalerate</i>	
Strawberry	T0.5	Agvet chemical: Ethephon	
Tea, green, black	T30	<i>Permitted residue: Ethephon</i>	
Tree nuts	0.05	Apple	1
Agvet chemical: Endothal		Barley	1
Permitted residue: Endothal		Cherries	15
Cotton seed	0.1	Cotton seed	2
Potato	0.1	Cotton seed oil, crude	*0.1
Agvet chemical: Enilconazole		Currant, black	1
<i>see Imazalil</i>		Edible offal (mammalian)	0.2
Agvet chemical: Epoxiconazole		Eggs	*0.2
<i>Permitted residue: Epoxiconazole</i>		Grapes	10
Avocado	0.5	Kiwifruit	0.1
Banana	1	Macadamia nuts	*0.1
Cereal grains	0.05	Mandarins	2
Edible offal (mammalian)	0.05	Mango	T*0.02
Eggs	*0.01	Meat (mammalian)	0.1
Meat (mammalian)	*0.01	Milks	0.1
Milks	*0.005	Nectarine	0.01
Poultry, edible offal of	*0.01	Oranges, sweet, sour	2
Poultry meat (in the fat)	*0.01	Peach	0.5
Wheat bran, unprocessed	0.3	Pineapple	2
Wheat germ	0.2	Poultry, edible offal of	*0.2
Agvet chemical: Eprinomectin		Poultry meat	*0.1
<i>Permitted residue: Eprinomectin B1a</i>		Sugar cane	0.5
Cattle, edible offal of	2	Sugar cane molasses	7
Cattle fat	0.5	Tomato	2
Cattle milk	0.03	Walnuts	T5
Cattle meat	0.1	Wheat	T1
Deer, edible offal of	2	Agvet chemical: Ethion	
Deer meat	0.1	<i>Permitted residue: Ethion</i>	
Agvet chemical:	EPTC	Cattle, edible offal of	2.5
Permitted residue:	EPTC	Cattle meat (in the fat)	2.5
Cereal grains	*0.04	Citrus fruits	1
Edible offal (mammalian)	*0.1		
Eggs	*0.01		

Cotton seed	0.1
Cotton seed oil, crude	0.05
Grapes	2
Milks (in the fat)	0.5
Pome fruits	1
Stone fruits	1
Tea, green, black	5

Agvet chemical: Ethofumesate

Permitted residue: Ethofumesate

Beetroot	0.1
Bulb vegetables	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Sugar beet	0.1

Agvet chemical: Ethopabate

Permitted residue: Ethopabate

Poultry, edible offal of	15
Poultry meat	5

Agvet chemical: Ethoprophos

Permitted residue: Ethoprophos

Banana	*0.05
Cereal grains	*0.005
Custard apple	*0.02
Litchi	*0.02
Potato	*0.02
Sugar cane	*0.1
Sweet potato	*0.02
Tomato	*0.01

Agvet chemical: Ethoxyquin

Permitted residue: Ethoxyquin

Apple	3
Pear	3

Agvet chemical: Ethoxysulfuron

Permitted residue—commodities of plant origin:
Ethoxysulfuron

Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

Agvet chemical: Ethyl formate

Permitted residue: Ethyl formate

Dried fruits	1
--------------	---

Agvet chemical: Ethylene dichloride (EDC)

Permitted residue: 1,2-dichloroethane

Cereal grains	*0.1
---------------	------

Agvet chemical: Etoxazole

Permitted residue: Etoxazole

Banana	0.2
Cherries	1
Chervil	T1
Citrus fruits	0.2
Coriander (leaves, stem, roots)	T1
Cotton seed	0.2
Custard apple	T0.1
Dried grapes	1.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.05
Fruiting vegetables, cucurbits	T0.1
Grapes	0.5
Herbs	T1
Ivy gourd	T0.1
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Mizuna	T1
Papaya	T0.1
Podded pea (young pods) (snow and sugar snap)	T*0.02
Pointed gourd	T0.1
Pome fruits	0.2
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.02
Rucola (Rocket)	T1
Stone fruits [except cherries]	0.3

Agvet chemical: Etridiazole

Permitted residue: Etridiazole

Beetroot	*0.02
Cotton seed	*0.02
Peanut	*0.02
Vegetables [except as otherwise listed under this chemical]	0.2

Agvet chemical: Fenamiphos

Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos

Aloe vera	1
Banana	*0.05

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05	Stone fruits [except nectarine]	1
Celery	*0.05	Wheat	*0.01
Citrus fruits	*0.05	Agvet chemical: Fenbutatin oxide	
Edible offal (mammalian)	*0.05	<i>Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide</i>	
Eggs	*0.05	Assorted tropical and sub-tropical fruits – inedible peel	5
Fruiting vegetables, cucurbits	*0.05	Berries and other small fruits [except table grapes]	1
Ginger, root	*0.05	Cherries	6
Grapes	*0.05	Citrus fruits	5
Leafy vegetables [except lettuce, head; lettuce, leaf]	*0.05	Citrus peel	30
Lettuce, head	0.2	Dried grapes	T10
Lettuce, leaf	0.2	Fig	T10
Meat (mammalian)	*0.05	Grapes [except wine grapes]	T3
Milks	*0.005	Hops, dry	20
Mushrooms	0.1	Nectarine	3
Onion, bulb	*0.05	Peach	3
Peanut	*0.05	Pome fruits	3
Pineapple	*0.05	Tomato	T2
Poultry, edible offal of	*0.05	Agvet chemical: Fenhexamid	
Poultry meat	*0.05	<i>Permitted residue: Fenhexamid</i>	
Root and tuber vegetables	0.2	Blackberries	T20
Strawberry	0.2	Blueberries	5
Sugar cane	*0.05	Chervil	T15
Tomato	0.5	Cloudberry	T20
Agvet chemical: Fenarimol		Coriander (leaves, stem, roots)	T15
Permitted residue: Fenarimol		Cucumber	T10
Berries and other small fruits [except grapes]	T0.1	Dewberries (including boysenberry, loganberry and youngberry)	T20
Cherries	1	Dried grapes	20
Fruiting vegetables, cucurbits	0.2	Edible offal (mammalian)	2
Grapes	0.1	Grapes	10
Pome fruits	0.2	Herbs	T15
Agvet chemical: Fenbendazole		Kiwifruit	15
<i>Permitted residue: Fenbendazole</i>		Lettuce, head	T50
Cattle, edible offal of	*0.1	Lettuce, leaf	T50
Cattle meat	*0.1	Meat (mammalian) (in the fat)	*0.05
Goat, edible offal of	0.5	Milks	*0.01
Goat meat	0.5	Mizuna	T15
Milks	0.1	Peas (pods and succulent, immature seeds)	T5
Sheep, edible offal of	0.5	Peppers	T30
Sheep meat	0.5	Raspberries, red, black	T20
Agvet chemical: Fenbuconazole		Rucola (rocket)	T15
<i>Permitted residue: Fenbuconazole</i>		Stone fruits [except plums]	10
Banana	0.5	Strawberry	10
Blueberries	0.3	Tomato	T2
Edible offal (mammalian)	0.05	Agvet chemical: Fenitrothion	
Eggs	*0.01	<i>Permitted residue: Fenitrothion</i>	
Meat (mammalian)	*0.01	Apple	0.5
Milks	*0.01	Cabbages, head	0.5
Nectarine	0.5		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		

Cacao beans	0.1
Cereal grains	10
Cherries	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.1
Grapes	0.5
Lettuce, head	0.5
Lettuce, leaf	0.5
Meat (mammalian)	T*0.05
Milks (in the fat)	T*0.05
Oilseeds	T0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	T0.1
Rice, polished	0.1
Soya bean (dry)	0.3
Sugar cane	0.02
Tea, green, black	0.5
Tomato	0.5
Tree nuts	0.1
Vegetables [except as otherwise listed under this chemical]	0.1
Wheat bran, unprocessed	20
Wheat germ	20

Agvet chemical: Fenoxaprop-ethyl

Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolyloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl

Barley	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian)	0.05
Milks	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.01
Rice	T*0.02
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Fenoxycarb

Permitted residue: Fenoxycarb

Currant, black	T2
Currant, red	T2
Gooseberry	T2
Olive oil, virgin	T3
Olives	T1
Pome fruits	2

Agvet chemical: Fenpropathrin

Permitted residue: Fenpropathrin

Cherries	5
Citrus fruits	2
Grapes	5
Tea, green, black	2

Agvet chemical: Fenpyroximate

Permitted residue: Fenpyroximate

Apple	0.3
Citrus fruits	0.6
Pear	0.3
Strawberry	1

Agvet chemical: Fenthion

Permitted residue: Sum of fenthion, its oxygen analogue, and their sulfoxides and sulfones, expressed as fenthion

Apricot	T0.2
Assorted tropical and sub-tropical fruits – inedible peel	5
Cattle, edible offal of	1
Cattle meat	1
Cherries	T0.4
Citrus fruits	T0.7
Eggs	*0.05
Grapes	T0.2
Melons, except watermelon	T3
Milks	T0.2
Nectarine	T0.25
Olive oil, crude	T0.5
Olives	T0.2
Peach	T0.2
Peppers, Chili	T7
Peppers, Sweet	T0.5
Persimmon, Japanese	T0.3
Pig, edible offal of	0.5
Pig meat	0.5
Plums	T0.25
Pome fruits	T0.25
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sheep, edible offal of	0.2
Sheep meat	0.2
Watermelon	T3

Agvet chemical: Fentin

Permitted residue: Fentin hydroxide, excluding inorganic tin and Di- and Mono-phenyltin

Cacao beans	*0.1
Carrot	0.2
Celeriac	0.1
Celery	1
Coffee beans	*0.1

Peanut	*0.05	Coriander, seed	T0.1
Pecan	*0.05	Cotton seed	*0.01
Potato	0.1	Cotton seed oil, crude	*0.01
Rice	*0.1	Custard apple	T0.05
Sugar beet	0.2	Dill, seed	T0.1
Agvet chemical: Fenvalerate		Edible offal (mammalian)	0.02
<i>Permitted residue: Fenvalerate, sum of isomers</i>		Eggs	0.02
Berries and other small fruits	1	Fennel, seed	T0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1	Ginger, root	*0.01
Brassica leafy vegetables	1	Grapes [except wine grapes]	T*0.01
Cereal grains	2	Herbs	T0.1
Celery	2	Honey	0.01
Dried grapes	0.5	Kaffir lime leaves	T0.1
Edible offal (mammalian)	0.05	Lemon grass	T0.1
Eggs	0.02	Lemon verbena (fresh weight)	T0.1
Grapes	0.1	Lettuce, head	T0.1
Legume vegetables	0.5	Lettuce, leaf	T0.1
Meat (mammalian) (in the fat)	1	Meat (mammalian) (in the fat)	0.1
Milks	0.2	Milks	0.01
Oilseed [except peanut]	0.5	Mizuna	T0.1
Peanut	T0.1	Mushrooms	0.02
Pome fruits	1	Peanut	T*0.01
Poultry, edible offal of	*0.02	Peanut oil, crude	T*0.01
Poultry meat (in the fat)	0.05	Pecan	T*0.01
Pulses	0.5	Peppers, Chili	*0.005
Stone fruits	1	Peppers, Sweet	T0.1
Sweet corn (corn-on-the-cob)	0.05	Pome fruits	T*0.01
Tea, green, black	0.05	Poppy seed	*0.01
Tomato	0.2	Potato	*0.01
Wheat bran, unprocessed	5	Poultry, edible offal of	*0.01
Agvet chemical: Fipronil		Poultry meat (in the fat)	0.02
<i>Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4- (trifluoromethyl)phenyl]-4-[(trifluoromethyl) sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4- (trifluoromethyl)phenyl]-4- [(trifluoromethyl)sulphonyl]-1H-pyrazole-3- carbonitrile), and the trifluoromethyl metabolite (5- amino-4-trifluoromethyl-1-[2,6-dichloro-4- (trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)</i>		Rape seed (canola)	*0.01
Asparagus	0.2	Rice	*0.005
Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple]	T*0.01	Rucola (rocket)	T0.1
Banana	0.01	Sorghum	0.01
Bergamot	T0.1	Stone fruits	0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.05	Sugar cane	*0.01
Burnet, salad	T0.1	Sunflower seed	*0.01
Celery	T0.3	Swede	0.1
Chervil	T0.1	Sweet potato	*0.01
Citrus fruits	T*0.01	Turnip, garden	0.1
Coriander (leaves, stem, roots)	T0.1	Wine grapes	*0.01
Agvet chemical: Flamprop-methyl		<i>Permitted residue: Flamprop-methyl</i>	
		Edible offal (mammalian)	*0.01
		Lupin (dry)	0.05
		Meat (mammalian)	*0.01
		Milks	*0.01
		Safflower seed	*0.05
		Triticale	0.05
		Wheat	0.05

Agvet chemical: Flamprop-M-methyl		Agvet chemical: Fluazifop-p-butyl	
see Flamprop-methyl		<i>Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop</i>	
Agvet chemical: Flavophospholipol		Assorted tropical and sub-tropical fruits – inedible peel [except avocado and banana]	
<i>Permitted residue: Flavophospholipol</i>		0.05	
Cattle fat	*0.01	Avocado	*0.02
Cattle kidney	*0.01	Banana	*0.02
Cattle liver	*0.01	Berries and other small fruits	0.2
Cattle meat	*0.01	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Cattle milk	T*0.01	Celery	*0.02
Eggs	*0.02	Chia	T2
Agvet chemical: Flonicamid		Citrus fruits	*0.02
<i>Permitted residue: Flonicamid [N -(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N -(4-trifluoromethylnicotinoyl)glycine]</i>		Coriander (leaves, stem, roots)	T2
Cotton seed	T1	Date	T0.2
Edible offal (mammalian)	T*0.02	Edible offal (mammalian)	*0.05
Eggs	T*0.02	Egg plant	T0.7
Meat (mammalian)	T*0.02	Eggs	*0.05
Milks	T*0.02	Fruiting vegetables, cucurbits	0.1
Poultry, edible offal of	T*0.02	Galangal, rhizomes	0.05
Poultry meat	T*0.02	Garlic	0.05
Stone fruits	0.6	Ginger, root	0.05
Agvet chemical: Florasulam		Herbs	T2
<i>Permitted residue: Florasulam</i>		Hops, dry	0.05
Cereal grains	*0.01	Leafy vegetables [except lettuce, head]	T2
Edible offal (mammalian)	*0.01	Leek	T1
Eggs	*0.01	Legume vegetables	0.1
Meat (mammalian)	*0.01	Lettuce, head	0.05
Milks	*0.01	Lotus root	T3
Poultry, edible offal of	*0.01	Lupin (dry)	0.1
Poultry meat	*0.01	Meat (mammalian)	*0.05
Agvet chemical: Florfenicol		Milks	0.1
<i>Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine</i>		Oilseed	0.5
Cattle kidney	0.5	Onion, bulb	0.05
Cattle liver	3	Onion, Chinese	0.05
Cattle meat	0.3	Onion, Welsh	0.05
Fish	T0.5	Peppers, Sweet	*0.02
Pig fat/skin	1	Pome fruits	*0.01
Pig kidney	1	Potato	0.05
Pig liver	3	Poultry, edible offal of	*0.05
Pig meat	0.5	Poultry meat	*0.05
		Pulses	0.5
		Root and tuber vegetables [except potato; sweet potato; taro; yam bean; yams]	T1
		Shallot	0.05
		Spring Onion	0.05
		Stone fruits	0.05
		Sugar cane	T*0.1
		Sweet potato	T0.3
		Taro	T3
		Tea, green, black	T50
		Tomato	0.1
		Turmeric, root	0.05
		Water chestnut	T3

Yam bean	T3
Yams	T0.3

Agvet chemical: Fluazinam

Permitted residue: Fluazinam

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.01
Pome fruits	*0.01
Potato	*0.01
Wine grapes	*0.05

Agvet chemical: Fluazuron

Permitted residue: Fluazuron

Cattle, edible offal of	0.5
Cattle meat (in the fat)	7

Agvet chemical: Flubendiamide

*Permitted residue—commodities of plant origin:
Flubendiamide*

*Permitted residue—commodities of animal origin:
Sum of flubendiamide and 3-iodo-N-(2-methyl-4-
[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed
as flubendiamide*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
Chia	1
Common bean (pods and/or immature seeds)	T2
Cotton seed	0.5
Edible offal (mammalian)	0.03
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on- the-cob)]	2
Grapes	1.4
Herbs	20
Leafy vegetables [except lettuce, head]	10
Lettuce, head	5
Meat (mammalian) (in the fat)	0.05
Milk fats	0.05
Milks	*0.01
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Root and tuber vegetables [except potato]	0.2
Stalk and stem vegetables	5
Stone fruits	1.6
Sweet corn (corn-on-the-cob)	T*0.05

Agvet chemical: Flucythrinate

Permitted residue: Flucythrinate

Cotton seed	*0.1
-------------	------

Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Fludioxonil

*Permitted residue—commodities of animal origin:
Sum of fludioxonil and oxidisable metabolites,
expressed as fludioxonil*

<i>Permitted residue—commodities of plant origin: Fludioxonil</i>	
Apricot	10
Blackberries	5
Blueberries	2
Boysenberry	5
Broccoli	T*0.01
Chestnuts	T1
Citrus fruits	10
Cloudberry	T5
Common bean (pods and/or immature seeds)	0.7
Cotton seed	*0.05
Cucumber	0.5
Dewberries (including boysenberry and loganberry)	T5
Edible offal (mammalian)	0.1
Egg plant	T0.2
Grapes	2
Kiwifruit	15
Leafy vegetables	10
Maize	*0.02
Mango	3
Meat (mammalian)	0.05
Melons, except watermelon	T0.2
Milks	0.05
Onion, bulb	0.2
Peach	10
Peanut	T*0.01
Peas (pods and succulent, immature seeds)	0.5
Peppers, Sweet	2
Pistachio nut	T0.2
Pome fruits	5
Pomegranate	5
Potato	0.02
Rape seed (canola)	*0.01
Raspberries, red, black	5
Sorghum	*0.01
Stone fruits [except apricot; peach]	5
Strawberry	5
Sunflower seed	T*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tomato	T1

Agvet chemical: Flumethrin	
<i>Permitted residue: Flumethrin, sum of isomers</i>	
Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	T*0.005
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05
Agvet chemical: Flumetsulam	
<i>Permitted residue: Flumetsulam</i>	
Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05
Triticale	*0.05
Wheat	*0.05
Agvet chemical: Flumiclorac pentyl	
<i>Permitted residue: Flumiclorac pentyl</i>	
Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Agvet chemical: Flumioxazin	
<i>Permitted residue: Flumioxazin</i>	
Cereal grains	*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.1

Agvet chemical: Flunixin	
<i>Permitted residue: Flunixin</i>	
Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02
Agvet chemical: Fluometuron	
<i>Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron</i>	
Cereal grains	*0.1
Citrus fruits	0.5
Cotton seed	*0.1
Pineapple	*0.1
Agvet chemical: Fluopicolide	
<i>Permitted residue: Fluopicolide</i>	
Grapes	2
Agvet chemical: Fluoxastrobin	
<i>Permitted residue: Sum of fluoxastrobin and its Z isomer</i>	
Cranberry	1.9
Agvet chemical: Flupropanate	
<i>Permitted residue: Flupropanate</i>	
Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1
Agvet chemical: Fluquinconazole	
<i>Permitted residue: Fluquinconazole</i>	
Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Pome fruits	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02
Agvet chemical: Fluroxypyr	
<i>Permitted residue: Fluroxypyr</i>	
Cereal grains	0.2
Edible offal (mammalian) [except kidney]	0.1
Eggs	*0.01
Kidney (mammalian)	1
Meat (mammalian) (in the fat)	0.1
Milks	0.1

Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane (in the juice)	0.2
Sweet corn (corn-on-the-cob)	0.2

Agvet chemical: Flusilazole

Permitted residue: Flusilazole

Grapes	0.5
Pome fruits	0.2
Sugar cane	*0.02

Agvet chemical: Flutolanil

Permitted residue—commodities of plant origin: Flutolanil

Commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Flutriafol

Permitted residue: Flutriafol

Barley	0.2
Cereal grains [except as otherwise listed under this chemical]	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.05
Garden pea (young pods)	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	*0.02
Sugar cane	*0.01

Agvet chemical: Fluvalinate

Permitted residue: Fluvalinate, sum of isomers

Apple	0.1
Asparagus	0.2
Cauliflower	0.5
Cotton seed	0.1
Honey	T*0.01
Stone fruits	0.05
Table grapes	0.05
Tomato	0.5

Agvet chemical: Fluxapyroxad

Permitted residue—commodities of plant origin: Fluxapyroxad

Permitted residue—commodities of animal origin for enforcement: Fluxapyroxad

All other foods	0.1
Barley	0.2
Barley bran, unprocessed	0.5
Edible offal (mammalian)	0.03
Eggs	0.005
Meat (mammalian) (in the fat)	0.05
Milk fats	0.02
Milks	0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Fluxapyroxad

Permitted residue: Fluxapyroxad

Plums (including prunes)	3
Pome fruits	0.8
Pulses [except soya bean (dry)]	0.4
Soya bean (dry)	0.3
Soya bean (immature seeds)	0.15
Stone fruits [except plums (including prunes)]	2

Agvet chemical: Forchlorfenuron

Permitted residue: Forchlorfenuron

Blueberries	T*0.01
Grapes	*0.01
Kiwifruit	T*0.01
Mango	T*0.01
Plums (including prunes)	T*0.01
Prunes	T*0.01

Agvet chemical: Fosetyl

Permitted residue: Fosetyl

Apple	1
Avocado	5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
Durian	T5
Fruiting vegetables, other than cucurbits	T0.02
Leafy vegetables [except rucola (rocket); spinach]	T0.2
Peach	1
Pineapple	5
Rucola (rocket)	T0.7
Spinach	T0.7
Stone fruits [except cherries; peach]	T1

Residues arising from the use of furathiocarb are covered by MRLs for carbofuran

Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)

Assorted tropical and sub-tropical fruits – inedible peel	0.2
Berries and other small fruits	0.1
Cereal grains	*0.1
Citrus fruits	0.1
Coffee beans	T*0.05
Cotton seed	3
Date	T0.1
Edible offal (mammalian)	5
Eggs	*0.05
Hops, dry	T1
Lemon myrtle	T20
Maize	0.2
Meat (mammalian)	0.1
Milks	*0.05
Native foods [except lemon myrtle]	T0.1
Oilseeds [except cotton seed; rape seed (canola)]	*0.1
Olives	*0.1
Pome fruits	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.1
Rape seed (canola)	5
Saffron	T*0.05
Soya bean (dry)	2
Stone fruits	*0.05
Tomato	*0.05
Tea, green, black	T20
Tree nuts	0.1

Permitted residue: Sum of glyphosate and Aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate

Adzuki bean (dry)	10
Avocado	*0.05
Babaco	*0.05
Banana	0.2
Barley	10
Berries and other small fruits	*0.05
Bulb vegetables	*0.1
Cereal grains [except barley; maize; sorghum; wheat]	T*0.1

Citrus fruits	0.5
Coffee beans	T0.2
Cotton seed	15
Cotton seed oil, crude	*0.1
Cowpea (dry)	10
Custard apple	*0.05
Date	T2
Edible offal (mammalian)	2
Eggs	*0.05
Fig	*0.05
Fruiting vegetables, cucurbits	*0.1
Fruiting vegetables, other than cucurbits	*0.1
Guar bean (dry)	10
Guava	*0.05
Hops, dry	*0.1
Kiwifruit	*0.05
Leafy vegetables	*0.1
Legume vegetables	*0.1
Lemon myrtle	T20
Linseed	T5
Litchi	0.2
Maize	5
Mango	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Monstero	*0.05
Mung bean (dry)	10
Native foods [except lemon myrtle]	T2
Oilseed [except cotton seed; peanut; poppy seed; linseed; rape seed (canola); sunflower seed]	T*0.1
Olives	*0.1
Papaya (pawpaw)	*0.05
Passionfruit	3
Peanut	*0.1
Persimmon, American	*0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poppy seed	T20
Poultry, edible offal of	1
Poultry meat	*0.1
Pulses [except adzuki bean (dry); cowpea (dry); guar bean (dry); mung bean (dry); soya bean (dry)]	5
Rape seed (canola)	20
Rollinia	*0.05
Root and tuber vegetables	*0.1
Saffron	T*0.05
Sorghum	15
Soya bean (dry)	10
Stalk and stem vegetables	*0.01
Stone fruits	0.2
Sugar cane	T0.3
Sugar cane molasses	T5
Sunflower seed	T20
Tea, green, black	2

Tree nuts	0.2
Wheat	5
Wheat bran, unprocessed	20
Agvet chemical: Guazatine	
Permitted residue: Guazatine	
Citrus fruits	5
Melons, except watermelon	10
Tomato	5

Agvet chemical: Halauxifen-methyl

Permitted residue—Commodities of plant origin:
Halauxifen-methyl

Permitted residue—Commodities of animal origin:
4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid,
expressed as halauxifen-methyl

Cereal grains	T*0.01
Edible offal (mammalian)	T0.01
Eggs	T*0.01
Meat (mammalian)	T*0.01
Milks	T*0.01
Poultry, edible offal	T*0.01
Poultry meat	T*0.01

Agvet chemical: Halofuginone

Permitted residue: Halofuginone

Cattle fat	0.025
Cattle kidney	0.03
Cattle liver	0.03
Cattle muscle	0.01

Agvet chemical: Halosulfuron-methyl

Permitted residue: Halosulfuron-methyl

Cotton seed	*0.05
Edible offal (mammalian)	0.2
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sorghum	*0.05
Sugar cane	*0.05

Agvet chemical: Haloxyfop

Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop

Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits	*0.05
Chia	T3
Citrus fruits	*0.05
Cotton seed	0.1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.5

Eggs	*0.01
Garlic	T0.05
Guar bean (dry)	T2
Linola seed	0.1
Linseed	0.1
Meat (mammalian) (in the fat)	0.02
Milks	0.02
Onion, bulb	T*0.05
Peanut	0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poultry, edible offal of	0.05
Poultry meat (in the fat)	*0.01
Pulses	0.1
Rape seed (canola)	0.1
Stone fruits	*0.05
Sugar cane	T0.03
Sunflower seed	*0.05
Tree nuts	*0.05

Agvet chemical: Hexaconazole

Permitted residue: Hexaconazole

Apple	0.1
Grapes	0.05
Pear	0.1

Agvet chemical: Hexazinone

Permitted residue: Hexazinone

Blueberries	0.6
Edible offal (mammalian)	*0.1
Eggs	*0.05
Meat (mammalian)	*0.1
Milks	*0.05
Pineapple	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.1
Agvet chemical: Hexythiazox	
Permitted residue: Hexythiazox	
Berries and other small fruits	1
Pome fruits	1
Stone fruits	1

Agvet chemical: Hydrogen phosphide

see Phosphine

Agvet chemical: Imazalil

Permitted residue: Imazalil

Chicken, edible offal of	*0.01
Chicken meat	*0.01
Citrus fruits	10
Eggs	*0.01
Melons, except watermelon	10

Mushrooms	T1	Poultry, edible offal of	*0.1
Pome fruits	5	Poultry meat	*0.1
Potato	5	Pulses	*0.1

Agvet chemical: Imazamox		Agvet chemical: Imidacloprid	
<i>Permitted residue: Imazamox</i>		<i>Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid</i>	
Adzuki bean (dry)	T*0.05	Apple	0.3
Barley	*0.05	Assorted tropical and sub-tropical fruits – inedible peel [except banana]	T1
Broad bean (dry) (fava beans)	T*0.05	Banana	0.5
Edible offal (mammalian)	*0.05	Beetroot	T0.05
Field pea (dry)	*0.05	Bergamot	T5
Meat (mammalian)	*0.05	Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5
Milks	*0.05	Blueberries	T0.1
Peanut	*0.05	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Poppy seed	T*0.05	Broad bean (dry)	*0.05
Rape seed (canola)	*0.05	Burdock, greater	T0.05
Soya bean (dry)	*0.05	Burnet, Salad	T5
Wheat	*0.05	Celery	0.3

Agvet chemical: Imazapic			
<i>Permitted residue: Sum of imazapic and its hydroxymethyl derivative</i>			
Edible offal (mammalian)	*0.05	Cereal grains [except maize and sorghum]	*0.05
Eggs	*0.01	Citrus fruits	2
Meat (mammalian) (in the fat)	*0.05	Common bean (dry) (navy bean)	T1
Milks	*0.01	Common bean (pods and/or immature seeds)	T1
Peanut	*0.1	Coriander (leaves, stem, roots)	T5
Poultry, edible offal of	*0.01	Coriander, seed	T5
Poultry meat	*0.01	Cotton seed	*0.02
Rape seed (canola)	*0.05	Date	T1
Sugar cane	*0.05	Dill, seed	T5
Wheat	*0.05	Edible offal (mammalian)	0.2

Agvet chemical: Imazapyr			
<i>Permitted residue: Imazapyr</i>			
Barley	*0.05	Eggs	*0.02
Edible offal (mammalian)	*0.05	Fennel, bulb	T0.1
Meat (mammalian) (in the fat)	*0.05	Fennel, seed	T5
Maize	*0.05	Field pea (dry)	*0.05
Milks	*0.01	Fruiting vegetables, cucurbits	0.2
Poppy seed	T*0.05	Fruiting vegetables, other than cucurbits [except sweet corn, (corn-on-the-cob)]	0.5
Rape seed (canola)	*0.05	Galangal, Greater	T0.05
Wheat	*0.05	Garlic	T0.5

Agvet chemical: Imazethapyr			
<i>Permitted residue: Imazethapyr</i>			
Edible offal (mammalian)	*0.1	Ginger, Japanese	T5
Eggs	*0.1	Ginger, root	T0.3
Legume vegetables	*0.1	Grapes	T0.1
Maize	*0.05	Hazelnuts	T*0.01
Meat (mammalian)	*0.1	Herbs	T5
Milks	*0.1	Hops, dry	T10
Peanut	*0.1	Kaffir lime leaves	T5
		Leafy vegetables [except lettuce, head]	20
		Lemon balm	T5
		Lemon grass	T5

Lemon verbena (fresh weight)	T5	Herbs	T20
Lentil (dry)	0.2	Kidney (mammalian)	0.2
Lettuce, head	5	Leafy vegetables [except chervil; lettuce, head; mizuna; rucola]	5
Lupin (dry)	0.2	Lemon balm	T10
Maize	0.05	Lettuce, head	3
Meat (mammalian)	0.05	Linseed	T0.5
Milks	0.05	Meat (mammalian) (in the fat)	1
Peanut	T0.5	Mexican tarragon	T20
Persimmon, Japanese	T1	Milk fats	1
Potato	0.3	Milks	0.01
Poultry, edible offal of	*0.02	Mizuna	T10
Poultry meat	*0.02	Olives	T0.2
Radish, Japanese	T0.05	Peanut	T0.02
Rape seed (canola)	*0.05	Peppers, Sweet	0.5
Rhubarb	T0.2	Pome fruits	2
Rose and dianthus (edible flowers)	T5	Poultry (edible offal of)	*0.01
Sorghum	*0.02	Poultry meat (in the fat)	*0.01
Stone fruits	0.5	Pulses	0.2
Strawberry	0.5	Rape seed (canola)	T*0.05
Sugar cane	*0.05	Rucola (rocket)	T20
Sunflower seed	*0.02	Safflower seed	T0.5
Sweet corn (corn-on-the-cob)	*0.05	Stone fruits	2
Sweet potato	0.3	Sunflower seed	T1
Taro	T0.05	Tomato	T0.5
Teas (tea and herb teas)	T10		
Tree tomato	T2		
Turmeric, root (fresh)	T0.05		
Yam bean	T0.05		
Yams	T0.05		
Agvet chemical: Imidocarb (dipropionate salt)		Agvet chemical: Inorganic bromide	
<i>Permitted residue: Imidocarb</i>		<i>Permitted residue: Bromide ion</i>	
Cattle, edible offal of	5	Avocado	75
Cattle meat	1	Cereal grains	50
Cattle milk	0.2	Citrus fruits	30
		Dates, dried	100
		Dried fruits [except as otherwise listed under this chemical]	30
		Dried grapes	100
		Dried herbs	400
		Dried peach	50
		Figs, dried	250
		Fruit [except as otherwise listed under this chemical]	20
		Peppers, Sweet	50
		Prunes	20
		Spices	400
		Strawberry	30
		Vegetables [except as otherwise listed under this chemical]	20
Agvet chemical: Indoxacarb		Agvet chemical: Iodosulfuron methyl	
<i>Permitted residue: Sum of indoxacarb and its R-isomer</i>		<i>Permitted residue: Iodosulfuron methyl</i>	
Asparagus	T1	Barley	*0.01
Berries and other small fruits [except grapes]	T1	Edible offal (mammalian)	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages and Flowerhead brassicas	2	Eggs	*0.01
Celery	T5	Meat (mammalian) (in the fat)	*0.01
Chervil	T10	Milks	*0.01
Coriander (leaves, stem, roots)	T20	Poultry, edible offal of	*0.01
Cotton seed	1		
Dried grapes	2		
Edible offal (mammalian) [except kidney]	*0.01		
Egg plant	0.5		
Eggs	*0.01		
Grapes	0.5		

Poultry meat (in the fat)	*0.01
Wheat	*0.01

Agvet chemical: Ioxynil

Permitted residue: Ioxynil

Garlic	*0.02
Leek	T2
Onion, bulb	*0.02
Onion, Welsh	T10
Shallot	T10
Spring onion	T10
Sugar cane	*0.02

Agvet chemical: Ipconazole

Permitted residue: Ipconazole

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Iprodione

Permitted residue: Iprodione

Almonds	*0.02
Beans [except broad bean and soya bean]	T1
Beetroot	T0.1
Berries and other small fruits [except grapes]	12
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Cabbages, head	T*0.05
Carrot	T0.5
Cauliflower	T*0.05
Celeriac	T0.7
Celery	2
Chard (silver beet)	T5
Edible offal (mammalian)	*0.1
Egg plant	T1
Garlic	T10
Grapes	20
Kiwifruit	10
Lettuce, head	5
Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1

Onion, bulb	T0.7
Passionfruit	10
Peanut	0.05
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T*0.05
Pome fruits	3
Potato	*0.05
Rape seed (canola)	0.5
Soya bean (dry)	0.05
Spinach	T5
Stone fruits	10
Tangelo, large-sized cultivars	T5
Tomato	2

Agvet chemical: Isoeugenol

Permitted residue: Isoeugenol, sum of cis- and trans- isomers

Diadromous fish (whole commodity)	100
Freshwater fish (whole commodity)	100
Marine fish (whole commodity)	100

Agvet chemical: Isoxaben

Permitted residue: Isoxaben

Assorted tropical and sub-tropical fruits – edible peel	*0.01
Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Barley	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.01
Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Isoxaflutole

Permitted residue: The sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole

Cereal grains	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.01

Agvet chemical: Ivermectin

Permitted residue: H₂B_{1a}

Cattle kidney	*0.01
Cattle liver	0.1
Cattle meat (in the fat)	0.04
Cattle milk	0.05
Deer kidney	*0.01
Deer liver	*0.01
Deer meat (in the fat)	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01
Pig kidney	*0.01
Pig liver	*0.01
Pig meat (in the fat)	0.02
Sheep kidney	*0.01
Sheep liver	0.015
Sheep meat (in the fat)	0.02

Agvet chemical: Ketoprofen

Permitted residue: Ketoprofen

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.05

Agvet chemical: Kitasamycin

Permitted residue: Inhibitory substance, identified as kitasamycin

Eggs	*0.2
Pig, edible offal of	*0.2
Pig meat	*0.2

Agvet chemical: Kresoxim-methyl

Permitted residue—commodities of plant origin: Kresoxim-methyl

Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl

Edible offal (mammalian)	*0.01
Fruiting vegetables, cucurbits	0.05
Grapes	1
Meat (mammalian)	*0.01
Milks	*0.001
Pome fruits	0.1

Agvet chemical: Lambda-cyhalothrin

see Cyhalothrin

Agvet chemical:	Lasalocid
Permitted residue:	Lasalocid
Cattle milk	*0.01
Edible offal (mammalian)	0.7
Eggs	*0.05
Meat (mammalian)	*0.05
Poultry, edible offal of	0.4
Poultry meat	*0.1
Poultry skin/fat	1
Agvet chemical: Levamisole	
Permitted residue: Levamisole	
Edible offal (mammalian)	1
Eggs	1
Goat milk	0.1
Meat (mammalian)	0.1
Milks [except goat milk]	0.3
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lincomycin

Permitted residue: Inhibitory substance, identified as lincomycin

Cattle milk	*0.02
Edible offal (mammalian) [except sheep, edible offal of]	0.2
Eggs	0.2
Goat milk	*0.1
Meat (mammalian) [except sheep meat]	0.2
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lindane

Permitted residue: Lindane

Pineapple	0.5
-----------	-----

Agvet chemical: Linuron

Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron

Celeriac	T0.5
Celery	*0.05
Cereal grains	*0.05
Chervil	T1
Coriander (leaves, stem, roots)	T1
Coriander, seed	0.2
Edible offal (mammalian)	1
Eggs	*0.05
Herbs	T1
Leek	*0.02
Lemon grass	T1
Lemon verbena (dry leaves)	T1
Meat (mammalian)	*0.05
Milks	*0.05

Mizuna	T1	Peanut	8
Parsnip	T0.05	Pear	0.5
Poultry, edible offal of	*0.05	Peppers, Sweet	0.5
Poultry meat	*0.05	Poultry, edible offal of	1
Rucola (rocket)	T1	Poultry meat (in the fat)	1
Turmeric root	T*0.05	Root and tuber vegetables	0.5
Vegetables [except celeriac; celery; leek; parsnip]	*0.05	Shallot	T0.1
		Spring onion	T0.1
		Strawberry	1
		Tomato	3
		Tree nuts	8
		Turnip, garden	0.5
		Vegetables [except beans (dry); cauliflower; chard (silver beet); egg plant; garden pea; kale; kohlrabi; lentil (dry); onion, Welsh; Peppers, Sweet; root and tuber vegetables; shallot; spring onion; tomato; turnip, garden]	2
		Wheat bran, unprocessed	20
Agvet chemical: Lufenuron		Agvet chemical: Maleic hydrazide	
<i>Permitted residue: Lufenuron</i>		<i>Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide</i>	
Cotton seed	T0.2	Carrot	T40
Cotton seed oil, crude	T0.5	Garlic	15
Edible offal (mammalian)	T*0.01	Onion, bulb	15
Eggs	T0.05	Potato	50
Meat (mammalian) (in the fat)	T1		
Milks	T0.2	Agvet chemical: Mancozeb	
Poultry, edible offal of	T*0.01	<i>see Dithiocarbamates</i>	
Poultry meat (in the fat)	T1	Agvet chemical: Mandipropamid	
		<i>Permitted residue: Mandipropamid</i>	
Agvet chemical: Maduramicin		Dried grapes (currants, raisins and sultanas)	2
<i>Permitted residue: Maduramicin</i>		Edible offal (mammalian)	*0.01
Poultry, edible offal of	1	Eggs	*0.01
Poultry meat	0.1	Grapes	2
		Meat (mammalian) (in the fat)	*0.01
Agvet chemical: Magnesium phosphide		Milks	*0.01
<i>see Phosphine</i>		Poppy seed	*0.01
		Poultry, edible offal of	*0.01
		Poultry meat (in the fat)	*0.01
Agvet chemical: Malathion		Agvet chemical: MCPA	
<i>see Maldison</i>		<i>Permitted residue: MCPA</i>	
Agvet chemical: Maldison		Cereal grains	*0.02
Permitted residue: Maldison		Edible offal (mammalian)	*0.05
Beans (dry)	8	Eggs	*0.05
Cauliflower	0.5	Field pea (dry)	*0.05
Cereal grains	8	Meat (mammalian)	*0.05
Chard (silver beet)	0.5	Milks	*0.05
Citrus fruits	4	Poultry, edible offal of	*0.05
Currant, black	T2	Poultry meat	*0.05
Dried fruits	8		
Edible offal (mammalian)	1		
Egg plant	0.5		
Eggs	1		
Fruit [except citrus fruits; currant, black; dried fruits; grapes; pear; strawberry]	2		
Garden pea	0.5		
Grapes	8		
Kale	3		
Kohlrabi	0.5		
Lentil (dry)	8		
Meat (mammalian) (in the fat)	1		
Milks (in the fat)	1		
Oilseed except peanut	T10		
Onion, Welsh	T0.1		

Rhubarb	*0.02
Agvet chemical: MCPB	
<i>Permitted residue: MCPB</i>	
Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Legume vegetables	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.02
Agvet chemical: Mebendazole	
<i>Permitted residue: Mebendazole</i>	
Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	0.02
Agvet chemical: Mefenpyr-diethyl	
<i>Permitted residue—commodities of plant origin: Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl</i>	
<i>Permitted residue—commodities of animal origin: Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl</i>	
Cereal grains	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Agvet chemical: Meloxicam	
<i>Permitted residue: Meloxicam</i>	
Cattle kidney	0.2
Cattle liver	0.1
Cattle meat	*0.01
Cattle milk	0.005
Pig fat/skin	0.1
Pig kidney	*0.01
Pig liver	*0.01
Pig meat	0.02
Agvet chemical: Mepanipyrim	
<i>Permitted residue: Mepanipyrim</i>	
Strawberry	2

Agvet chemical: Mepiquat	
Permitted residue: Mepiquat	
Cotton seed	1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Meat (mammalian)	0.1
Milks	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Mesosulfuron-methyl	
<i>Permitted residue: Mesosulfuron-methyl</i>	
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Metaflumizone	
<i>Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzonitrile expressed as metaflumizone</i>	
Grapes	0.04

Agvet chemical: Metalaxyl	
<i>Permitted residue: Metalaxyl</i>	
Avocado	0.5
Berries and other small fruits [except grapes]	T0.5
Bulb vegetables	0.1
Cereal grains	*0.1
Chives	2
Coriander (leaves, stem, roots)	2
Durian	T0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2
Ginger, root	0.5
Grapes	1
Herbs [except chives, thyme]	T0.3
Kaffir lime leaves	T0.3
Leafy vegetables	0.3
Lemon grass	T0.3
Lemon verbena (dry leaves)	T0.3
Macadamia nuts	1
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	*0.01
Peppers	T0.1
Pineapple	0.1

Podded pea (young pods) (snow and sugar snap)	T0.1	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Pome fruits	0.2	Celery	2
Poppy seed	*0.02	Citrus fruits	0.5
Poultry, edible offal of	*0.05	Cotton seed	0.1
Poultry meat	*0.05	Cucumber	0.5
Rose and dianthus (edible flowers)	T0.3	Edible offal (mammalian)	*0.01
Spices	*0.1	Egg plant	1
Stone fruits	0.2	Hops, dry	5
Thyme	T0.5	Leafy vegetables [except lettuce head and lettuce leaf]	T1
Turmeric, root	T0.1	Lettuce, head	1
Vegetables [except bulb vegetables; fruiting vegetables, cucurbits; leafy vegetables; peppers; podded pea (young pods) (snow and sugar snap)]	T0.1	Lettuce, leaf	1
Agvet chemical: Metalaxyl-M		Lupin (dry)	0.5
see <i>Metalaxyl</i>		Meat (mammalian)	*0.01
Agvet chemical: Metaldehyde		Milks	*0.01
Permitted residue: Metaldehyde		Peach	1
Cereal grains	1	Peanut	*0.02
Fruit	1	Peppers, Sweet	2
Herbs	1	Potato	0.25
Oilseed	1	Rape seed (canola)	0.1
Pulses	1	Soya bean (dry)	0.1
Spices	1	Sugar beet	0.05
Teas (tea and herb teas)	1	Tomato	2
Vegetables	1	Tree tomato (tamarillo)	*0.01
Agvet chemical: Metconazole		Agvet chemical: Methidathion	
Permitted residue: Metconazole		Permitted residue: Methidathion	
Stone fruits	0.2	Apple	0.2
Agvet chemical: Methabenzthiazuron		Avocado	0.5
Permitted residue: Methabenzthiazuron		Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1
Garlic	T*0.05	Cereal grains	*0.01
Leek	T*0.05	Citrus fruits [except mandarins]	2
Onion, bulb	*0.05	Coffee beans	T1
Onion, Welsh	T0.2	Custard apple	0.2
Shallot	T0.2	Date	T*0.01
Spring onion	T0.2	Dates, dried or dried and candied	T*0.01
Agvet chemical: Metham		Eggs	*0.05
see <i>Dithiocarbamates</i>		Fruiting vegetables, other than cucurbits	0.1
Agvet chemical: Metham-sodium		Garlic	*0.01
see <i>Metham</i>		Grapes	0.5
Agvet chemical: Methamidophos		Legume vegetables	0.1
Permitted residue: Methamidophos		Lettuce, head	1
see also <i>Acephate</i>		Lettuce, leaf	1
Banana	0.2	Litchi	T0.1
		Longan	0.1
		Macadamia nuts	*0.01
		Mandarins	5
		Mango	2
		Meat (mammalian) (in the fat)	0.5
		Milks (in the fat)	0.5
		Oilseed	1
		Olive oil, crude	T2
		Olives	T1

Onion, bulb	*0.01	Hops, dry	0.5
Passionfruit	0.2	Leafy vegetables [except chard; lettuce, head and lettuce, leaf]	1
Pear	0.2	Legume vegetables	1
Persimmon, Japanese	0.5	Lettuce, head	2
Poultry, edible offal of	*0.05	Lettuce, leaf	2
Poultry meat	*0.05	Linseed	*0.1
Pulses	0.1	Macadamia nuts	T1
Root and tuber vegetables	*0.01	Meat (mammalian)	0.05
Stone fruits	*0.01	Milks	0.05
Strawberry	*0.01	Mints	0.5
Tomato	0.1	Nectarine	1
Vegetable oils, edible	0.1	Onion, Welsh	1
Vegetables [except garlic; lettuce, head; lettuce, leaf; onion, bulb; root and tuber vegetables]	0.1	Peach	1
Agvet chemical: Methiocarb		Peanut	*0.05
<i>Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb</i>		Pear	3
Citrus fruits	0.1	Plantago ovata seed	0.05
Fruit [except as otherwise listed under this chemical]	T0.1	Poppy seed	*0.05
Grapes	0.5	Potato	1
Vegetables	0.1	Poultry, edible offal of	*0.02
Wine	0.1	Poultry meat	*0.02
Agvet chemical: Methomyl		Pulses	1
<i>Permitted residue: Methomyl</i>		Radish	T1
Apple	1	Rape seed (canola)	0.5
Avocado	*0.1	Sesame seed	*0.1
Beetroot	1	Shallot	1
Blackberries	2	Spring onion	1
Blueberries	2	Strawberry	3
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2	Sunflower seed	*0.1
Cassava	T1	Swede	T1
Celery	3	Sweet corn (corn-on-the-cob)	0.1
Cereal grains	*0.1	Sweet potato	T1
Chard	T2	Taro	T1
Cherries	2	Tree tomato (tamarillo)	T1
Chia	T1	Turnip, garden	T1
Citrus fruits	1	Agvet chemical: Methoprene	
Coffee beans	T1	<i>Permitted residue: Methoprene, sum of cis- and trans-isomers</i>	
Coriander (leaves, stem, roots)	T10	Cattle milk	0.1
Cotton seed	*0.1	Cereal grains	2
Dried grapes	*0.05	Edible offal (mammalian)	*0.01
Edible offal (mammalian)	0.05	Meat (mammalian) (in the fat)	0.3
Eggs	*0.02	Wheat bran, unprocessed	5
Fig	T0.7	Wheat germ	10
Fruiting vegetables, cucurbits	0.1	Agvet chemical: Methoxyfenozide	
Fruiting vegetables, other than cucurbits	1	<i>Permitted residue: Methoxyfenozide</i>	
Ginger, root	*0.1	Almonds	T0.2
Grapes	2	Avocado	0.5
Guava	3	Blueberries	2
Herbs	T10	Citrus fruits	1
		Coffee beans	0.2
		Coriander (leaves, stem, roots)	T20
		Cotton seed	3

Cranberry	0.5
Cucumber	T2
Custard apple	0.3
Dried grapes	6
Edible offal (mammalian)	*0.01
Fruiting vegetables, other than cucurbits	3
Grapes	2
Herbs	T20
Kiwifruit	2
Lettuce, head	T30
Lettuce, leaf	T30
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.01
Mexican tarragon	T20
Milks	*0.01
Persimmon, American	1
Persimmon, Japanese	1
Pome fruits	0.5
Rucola (rocket)	T20
Stone fruits [except plums (including prunes)]	3

Agvet chemical: Methyl benzoate

Permitted residue: Methyl benzoate

Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Methyl bromide

Permitted residue: Methyl bromide

Cereal grains	50
Cucumber	*0.05
Dried fruits	*0.05
Fruit [except jackfruit, litchi; mango; papaya]	T*0.05
Herbs	*0.05
Jackfruit	*0.05
Litchi	*0.05
Mango	*0.05
Papaya (pawpaw)	*0.05
Peppers, Sweet	*0.05
Spices	*0.05
Vegetables [except cucumber and Peppers, Sweet]	T*0.05

Agvet chemical: Methyl isothiocyanate

Permitted residue: Methyl isothiocyanate

Barley	T0.1
Rape seed (canola)	T0.1
Wheat	T0.1

Agvet chemical: Metiram

see Dithiocarbamates

Agvet chemical: Metolachlor

Permitted residue: Metolachlor

Beans [except broad bean and soya bean]	*0.02
Bergamot	T*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.02
Brassica leafy vegetables	*0.01
Burnet, salad	T*0.05
Celeriac	T*0.2
Celery	T0.05
Cereal grains [except maize and sorghum]	*0.02
Chard (silver beet)	T*0.01
Chervil	T*0.05
Coriander (leaves, stem)	T*0.05
Coriander, roots	T0.5
Coriander, seed	T*0.05
Cotton seed	*0.01
Dill, seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fennel, seed	T*0.05
Fruiting vegetables, cucurbits	*0.05
Galangal, Greater	T0.5
Herbs	T*0.05
Kaffir lime leaves	T*0.05
Lemon grass	T*0.05
Lemon verbena (dry leaves)	T*0.05
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T*0.05
Onion, Welsh	*0.01
Peanut	*0.05
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses [except soya bean (dry)]	T*0.05
Rape seed (canola)	*0.02
Rhubarb	*0.05
Rose and dianthus (edible flowers)	T*0.05
Rucola (rocket)	T*0.05
Safflower seed	*0.05
Shallot	*0.01
Sorghum	*0.05
Soya bean (dry)	*0.05
Spinach	T*0.01
Spring onion	*0.01
Sugar cane	*0.05
Sunflower seed	*0.05
Sweet corn (kernels)	0.1

Sweet potato	*0.2
Tomato	T*0.01
Turmeric, root	T0.5

Agvet chemical: Metosulam

Permitted residue: Metosulam

Cereal grains	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Metrafenone

Permitted residue: Metrafenone

Dried grapes (currants, raisins and sultanas)	3
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2
Grapes	4.5
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Metribuzin

Permitted residue: Metribuzin

Asparagus	0.2
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Peas [except peas, shelled]	T*0.05
Peas, shelled	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.01
Rape seed (canola)	*0.02
Root and tuber vegetables [except potato]	T*0.05
Soya bean (dry)	*0.05
Sugar cane	*0.02
Sugar cane molasses	0.1
Tomato	0.1

Agvet chemical: Metsulfuron-methyl

Permitted residue: Metsulfuron-methyl

Cereal grains	*0.02
Chick-pea (dry)	T*0.05
Edible offal (mammalian)	*0.1
Linseed	*0.02
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.01
Safflower seed	*0.02

Agvet chemical: Mevinphos

Permitted residue: Mevinphos

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.3
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Milbemectin

Permitted residue: Sum of milbemycin MA₃ and milbemycin MA₄ and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄

Edible offal (mammalian)	*0.002
Meat (mammalian) (in the fat)	*0.002
Milk fats	*0.0005
Milks	*0.0005
Peppers, Sweet	0.02
Pome fruits	0.02
Stone fruits	0.1
Strawberry	0.2

Agvet chemical: Molinate

Permitted residue: Molinate

Rice	*0.05
------	-------

Agvet chemical: Monensin

Permitted residue: Monensin

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Goat, edible offal of	*0.05
Goat meat	*0.05
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sheep fat	0.07
Sheep kidney	0.015
Sheep liver	0.2
Sheep muscle	0.005

Agvet chemical: Monepantel		Meat (mammalian)	T*0.05
<i>Permitted residue: Monepantel</i>		Milks	T*0.05
Sheep fat	7	Agvet chemical: Naphthalene acetic acid	
Sheep, kidney	2	<i>Permitted residue: 1-Naphthelene acetic acid</i>	
Sheep muscle	0.7	Apple	1
Sheep, liver	5	Pear	1
Agvet chemical: Morantel		Pineapple	1
<i>Permitted residue: Morantel</i>		Rambutan	T*0.05
Cattle, edible offal of	2	Agvet chemical: Naphthalophos	
Goat, edible offal of	2	<i>Permitted residue: Naphthalophos</i>	
Meat (mammalian)	0.3	Sheep, edible offal of	*0.01
Milks	*0.1	Sheep meat	*0.01
Pig, edible offal of	5	Agvet chemical: Napropamide	
Sheep, edible offal of	2	<i>Permitted residue: Napropamide</i>	
Agvet chemical: Moxidectin		Almonds	*0.1
<i>Permitted residue: Moxidectin</i>		Berries and other small fruits	*0.1
Cattle, edible offal of	0.5	Stone fruits	*0.1
Cattle meat (in the fat)	1	Tomato	*0.1
Cattle milk (in the fat)	2	Agvet chemical: Narasin	
Deer meat (in the fat)	1	Permitted residue: Narasin	
Deer, edible offal of	0.2	Cattle, edible offal of	0.05
Sheep, edible offal of	0.05	Cattle meat	0.05
Sheep meat (in the fat)	0.5	Poultry, edible offal of	0.1
Agvet chemical: MSMA		Poultry meat	0.1
<i>Permitted residue: Total arsenic, expressed as MSMA</i>		Agvet chemical: Neomycin	
Sugar cane	0.3	<i>Permitted residue: Inhibitory substance, identified as neomycin</i>	
Agvet chemical: Myclobutanil		Eggs	T0.5
<i>Permitted residue: Myclobutanil</i>		Fats (mammalian) [except milk fats]	T0.5
Asparagus	T0.02	Kidney of cattle, goats, pigs and sheep	T10
Blackberries	2	Liver of cattle, goats, pigs and sheep	T0.5
Boysenberry	2	Meat (mammalian)	T0.5
Cherries	5	Milks	T1.5
Chervil	T2	Poultry kidney	T10
Coriander (leaves, stem, roots)	T2	Poultry liver	T0.5
Grapes	1	Poultry meat	T0.5
Herbs	T2	Agvet chemical: Netobimin	
Mizuna	T2	<i>see Albendazole</i>	
Pome fruits	0.5	Agvet chemical: Nicarbazin	
Raspberries, red, black	2	<i>Permitted residue: 4,4'-dinitrocarbanilide (DNC)</i>	
Rucola (rocket)	T2	Chicken fat/skin	10
Strawberry	2	Chicken kidney	20
Agvet chemical: Naled		Chicken liver	35
<i>Permitted residue: Sum of naled and dichlorvos, expressed as Naled</i>		Chicken muscle	5
Cotton seed	T*0.02		
Edible offal (mammalian)	T*0.05		

Agvet chemical: Nitrothal-isopropyl	
<i>Permitted residue: Nitrothal-isopropyl</i>	
Apple	1
Agvet chemical: Nitroxynil	
<i>Permitted residue: Nitroxynil</i>	
Cattle, edible offal of	1
Cattle meat	1
Cattle milk	T0.5
Goat, edible offal of	1
Goat meat	1
Sheep, edible offal of	1
Sheep meat	1
Agvet chemical: Norflurazon	
<i>Permitted residue: Norflurazon</i>	
Asparagus	0.05
Citrus fruits	0.2
Cotton seed	0.1
Grapes	0.1
Pome fruits	*0.2
Stone fruits	*0.2
Tree nuts	*0.2
Agvet chemical: Norgestomet	
<i>Permitted residue: Norgestomet</i>	
Edible offal (mammalian)	*0.0001
Meat (mammalian)	*0.0001
Agvet chemical: Novaluron	
<i>Permitted residue: Novaluron</i>	
Cranberry	0.45
Cotton seed	T1
Cotton seed oil, crude	T2
Pome fruits	T1
Agvet chemical: Novobiocin	
<i>Permitted residue: Novobiocin</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1
Agvet chemical: ODB	
<i>Permitted residue: 1,2-dichlorobenzene</i>	
Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Olaquinox	
<i>Permitted residue: Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxalone, expressed as olaquinox</i>	
Pig, edible offal of	0.3
Pig meat	0.3
Poultry, edible offal of	0.3
Poultry meat	0.3
Agvet chemical: Oleandomycin	
<i>Permitted residue: Oleandomycin</i>	
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1
Agvet chemical: Omethoate	
<i>Permitted residue: Omethoate</i>	
see also <i>Dimethoate</i>	
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	2
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Peppers, Sweet	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Tomato	1
Vegetables [except as otherwise listed under this chemical]	2
Agvet chemical: OPP	
see <i>2-phenylphenol</i>	
Agvet chemical: Oryzalin	
<i>Permitted residue: Oryzalin</i>	
Cereal grains	*0.01
Coffee beans	T0.1
Fruit	0.1
Garlic	T*0.05
Ginger, root	T*0.05
Rape seed (canola)	*0.05
Tree nuts	0.1
Agvet chemical: Oxabetrinil	
<i>Permitted residue: Oxabetrinil</i>	
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.05

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Oxadixyl

Permitted residue: Oxadixyl

Fruiting vegetables, cucurbits	0.5
Grapes	2
Lettuce, head	1
Lettuce, leaf	1
Onion, bulb	0.5

Agvet chemical: Oxamyl

Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl

Banana	0.2
Cereal grains	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Peppers, Sweet	1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Sweet potato	T0.5
Tomato	*0.05

Agvet chemical: Oxfendazole

Permitted residue: Oxfendazole

Edible offal (mammalian)	3
Meat (mammalian)	*0.1
Milks	0.1

Agvet chemical: Oxycarboxin

Permitted residue: Oxycarboxin

Beans [except broad bean and soya bean]	5
Blueberries	T10
Broad bean (green pods and immature seeds)	5

Agvet chemical: Oxyclozanide

Permitted residue: Oxyclozanide

Cattle, edible offal of	2
Cattle meat	0.5
Goat, edible offal of	2
Goat meat	0.5
Milks	0.05
Sheep, edible offal of	2
Sheep meat	0.5

Agvet chemical: Oxydemeton-methyl

Permitted residue: Sum of oxydemeton-methyl and demeton-S-methyl sulphone, expressed as oxydemeton-methyl

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Oxyfluorfen

Permitted residue: Oxyfluorfen

Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Cereal grains	*0.05
Coffee beans	T0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Eggs	0.05
Grapes	0.05
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Olives	1
Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.2
Stone fruits	0.05
Tree nuts	0.05

Agvet chemical: Oxytetracycline

Permitted residue: Inhibitory substance, identified as oxytetracycline

Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1
Prawns	0.2

Agvet chemical: Oxythioquinox

Permitted residue: Oxythioquinox

Fruiting vegetables, cucurbits	0.5
--------------------------------	-----

Pome fruits	0.5
Stone fruits	0.5

Agvet chemical: Paclobutrazol

Permitted residue: Paclobutrazol

Assorted tropical and sub-tropical fruits – inedible peel [except avocado and mango]	*0.01
Avocado	0.1
Barley	T0.1
Broccoli	T*0.01
Mango	T1
Pome fruits	1
Stone fruits	*0.01
Tomato	T*0.01
Wheat	T0.1

Agvet chemical: Paraquat

Permitted residue: Paraquat cation

Anise myrtle leaves	T0.5
Cassava	T*0.05
Cereal grains [except as otherwise listed under this chemical]	*0.05
Cotton seed	0.2
Cotton seed oil, edible	0.05
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruit [except olives]	*0.05
Hops, dry	0.2
Lemon myrtle leaves	T0.5
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5
Olives	1
Peanut	*0.01
Peanut, whole	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Rice	10
Rice, polished	0.5
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Vegetables [except as otherwise listed under this chemical]	*0.05

Agvet chemical: Parathion-methyl

Permitted residue: Parathion-methyl

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
Carrot	T0.5

Celery	T3
Citrus fruits	T1
Cotton seed	1
Edible offal (mammalian)	*0.05
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	T0.2
Grapes	T0.5
Leafy vegetables	T1
Legume vegetables	T0.5
Meat (mammalian)	T*0.05
Milks	T*0.05
Pome fruits	T0.5
Potato	*0.05
Pulses	T0.2
Stone fruits	T0.2
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Pebulate

Permitted residue: Pebulate

Fruiting vegetables, other than cucurbits	*0.1
---	------

Agvet chemical: Penconazole

Permitted residue: Penconazole

Brussels sprouts	0.05
Grapes	0.1
Pome fruits	0.1

Agvet chemical: Pencycuron

Permitted residue: Pencycuron

Potato	0.05
--------	------

Agvet chemical: Pendimethalin

Permitted residue: Pendimethalin

Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Barley	*0.05
Berries and other small fruits	*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Citrus fruits	*0.05
Coffee beans	T*0.01
Date	T*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Herbs	*0.05
Hops, dry	*0.1
Leafy vegetables	*0.05
Legume vegetables	*0.05
Maize	*0.05
Meat (mammalian)	*0.01

Milk	*0.01	Root and tuber vegetables [except potato]	2
Oilseed	*0.05	Shallot	5
Olives	*0.05	Spring onion	5
Pome fruits	*0.05	Stone fruits	5
Poultry, edible offal of	*0.01	Strawberry	5
Poultry meat	*0.01	Tree nuts	0.1
Pulses	*0.05		
Rice	*0.05		
Root and tuber vegetables	*0.05		
Stone fruits	*0.05		
Sugar cane	*0.05		
Sweet corn (corn-on-the-cob)	*0.05		
Tomato	*0.05		
Tree nuts	*0.05		
Wheat	*0.05		
Agvet chemical: Penflufen		Agvet chemical: Permethrin	
<i>Permitted residue: Penflufen</i>		<i>Permitted residue: Permethrin, sum of isomers</i>	
Cereal grains	*0.01	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except Brussels sprouts]	1
Edible offal (mammalian)	*0.01	Brussels sprouts	2
Eggs	*0.01	Celery	5
Meat (mammalian) (in the fat)	*0.01	Cereal grains	2
Milks	*0.01	Cherries	4
Milk fats	*0.01	Common bean (dry) (navy bean)	0.1
Potato	T*0.01	Common bean (pods and/or immature seeds)	0.5
Poultry, edible offal of	*0.01	Coriander (leaves, stem, roots)	30
Poultry meat (in the fat)	*0.01	Cotton seed	0.2
Rape seed (canola)	*0.01	Edible offal (mammalian)	0.5
		Eggs	0.1
		Fruiting vegetables, cucurbits	0.2
		Galangal, rhizomes	T5
		Herbs	30
		Kaffir lime leaves	30
		Kiwifruit	2
		Leafy vegetables [except lettuce head and lettuce leaf]	T5
		Lemon balm	30
		Lemon grass	30
		Lemon verbena	T5
		Lettuce, head	5
		Lettuce, leaf	5
		Linseed	0.1
		Lupin (dry)	0.1
		Meat (mammalian) (in the fat)	1
		Milks	0.05
		Mung bean (dry)	0.1
		Mushrooms	2
		Peas	1
		Peppers, Chili (dry)	10
		Potato	0.05
		Poultry meat (in the fat)	0.1
		Rape seed (canola)	0.2
		Rhubarb	1
		Soya bean (dry)	0.1
		Sugar cane	*0.1
		Sunflower seed	0.2
		Sweet corn (corn-on-the-cob)	*0.05
		Tomato	0.4
		Turmeric root	T5
		Wheat bran, unprocessed	5
		Wheat germ	2
Agvet chemical: Penthioopyrad			
<i>Permitted residue—commodities of plant origin: Penthioopyrad</i>			
<i>Permitted residue—commodities of animal origin: Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad</i>			
Brassica leafy vegetables	70		
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	7		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Fruiting vegetables, cucurbits	1		
Fruiting vegetables, other than cucurbits	5		
Leafy vegetables [except brassica leafy vegetables; lettuce, head]	50		
Lettuce, head	10		
Meat (mammalian)	*0.01		
Milks	*0.01		
Onion, bulb	1		
Onion, Welsh	5		
Pome fruit	0.5		
Potato	0.1		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		

Agvet chemical: Phenmedipham		Vegetables	0.5
<i>Permitted residue—commodities of plant origin: Phenmedipham</i>		Agvet chemical: Phosmet	
<i>Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate</i>		<i>Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet</i>	
Beetroot	0.5	Blueberries	10
Chard (silver beet)	2	Cattle, edible offal of	1
Edible offal (mammalian)	*0.1	Cattle meat (in the fat)	1
Leafy vegetables [except chard (silver beet)]	T1	Cereal grains	*0.05
Meat (mammalian)	*0.1	Cranberry	10
Milks	*0.1	Goat, edible offal of	*0.05
Radicchio	T1	Goat meat	*0.05
Agvet chemical: Phenothrin		Kiwifruit	15
<i>Permitted residue: Sum of phenothrin (+)cis- and (+)trans-isomers</i>		Lemon	5
Edible offal (mammalian)	*0.5	Mandarins	5
Eggs	*0.5	Milks (in the fat)	0.2
Meat (mammalian)	*0.5	Pig, edible offal of	0.1
Milks	*0.05	Pig meat	0.1
Wheat	2	Pome fruits	1
Wheat bran, unprocessed	5	Sheep, edible offal of	*0.05
Wheat germ	5	Sheep meat	*0.05
Agvet chemical: 2-Phenylphenol		Stone fruits	1
<i>Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol</i>		Agvet chemical: Phosphine	
Carrot	20	<i>Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)</i>	
Cherries	3	Assorted tropical and sub-tropical fruits – edible peel	T*0.01
Citrus fruits	10	Cereal grains	*0.1
Cucumber	10	Dried foods [except as otherwise listed under this chemical]	*0.01
Melons, except watermelon	10	Dried fruits	*0.01
Nectarine	3	Dried vegetables	*0.01
Peach	20	Honey	*0.01
Pear	25	Melons, except watermelon	T*0.01
Peppers, Sweet	10	Oilseed	*0.01
Pineapple	10	Peanut	*0.01
Plums (including prunes)	15	Pome fruits	T*0.01
Sweet potato	15	Pulses	*0.01
Tomato	10	Seed for beverages	T*0.01
Agvet chemical: Phorate		Spices	*0.01
<i>Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate</i>		Stone fruits	T*0.01
Cotton seed	0.5	Sugar cane	*0.01
Edible offal (mammalian)	*0.05	Tree nuts	*0.01
Eggs	*0.05	Agvet chemical: Phosphorous acid	
Meat (mammalian)	*0.05	<i>Permitted residue: Phosphorous acid</i>	
Milks	*0.05	Anise myrtle leaves	T1000
Poultry, edible offal of	*0.05	Assorted tropical and sub-tropical fruits – inedible peel [except avocado]	T100
Poultry meat	*0.05	Avocado	T500
		Berries and other small fruits [except ribberries]	T50

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except flowerhead brassicas]	T1
Bulb vegetables	T10
Citrus fruits	100
Coriander (leaves, stem, roots)	T150
Edible offal (mammalian)	5
Flowerhead brassicas	50
Fruiting vegetables, cucurbits	T100
Fruiting vegetables, other than cucurbits	T100
Galangal, rhizomes	T100
Ginger, root	T100
Herbs	T150
Kaffir lime leaves	T150
Leafy vegetables	T150
Lemon balm	T150
Lemon grass	T150
Lemon myrtle leaves	T1000
Lemon verbena	T150
Meat (mammalian)	1
Peach	100
Peas, shelled	T100
Poppy seed	1
Rhubarb	T100
Ribberries	T1000
Root and tuber vegetables	T100
Rose and dianthus (edible flowers)	T150
Stone fruits [except cherries; peach]	T100
Tree nuts	T1000
Turmeric, root	T100

Agvet chemical: Picloram

Permitted residue: Picloram

Cereal grains	0.2
Edible offal (mammalian)	5
Meat (mammalian)	*0.05
Milks	*0.05
Sugar cane	*0.01

Agvet chemical: Picolinafen

*Permitted residue—commodities of plant origin:
Picolinafen*

*Permitted residue—commodities of animal origin:
Sum of picolinafen and 6-[3-trifluoromethyl
phenoxy]-2-pyridine carboxylic acid*

Cereal grains	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.01
Field pea (dry)	*0.02
Lupin (dry)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Pinoxaden

*Permitted residue: Sum of free and conjugated M4
metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-
tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-
dione, expressed as Pinoxaden*

Barley	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wheat	0.1
Wheat bran, unprocessed	0.5

Agvet chemical: Piperonyl butoxide

Permitted residue: Piperonyl butoxide

Cattle milk	0.05
Cereal bran, unprocessed	40
Cereal grains	20
Dried fruits	8
Dried vegetables	8
Edible offal (mammalian)	0.1
Eggs	*0.1
Fruit	8
Meat (mammalian)	0.1
Oilseed	8
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Tree nuts	8
Vegetables	8
Wheat germ	50

Agvet chemical: Pirimicarb

*Permitted residue: Sum of pirimicarb, demethyl-
pirimicarb and the N-formyl-(methylamino) analogue
(demethylformamido-pirimicarb), expressed as
pirimicarb*

Adzuki bean (dry)	T0.5
Celeriac	0.1
Cereal grains	*0.02
Chervil	T20
Coriander (leaves, stem, roots)	T20
Cotton seed	0.05
Cotton seed oil, crude	T0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Fruit [except strawberry]	0.5
Herbs	T20
Hops, dry	0.5
Leafy vegetables [except chervil; mizuna; rucola (rocket)]	T7
Lemon balm	T20
Lupin (dry)	*0.02

Meat (mammalian)	*0.1
Milks	*0.1
Mizuna	T20
Mung bean (dry)	T0.5
Onion, Welsh	T3
Peppers	1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Rape seed (canola)	0.2
Rucola (rocket)	T20
Shallot	T3
Soya bean (dry)	T0.5
Spices	*0.05
Spring onion	T3
Strawberry	3
Sweet corn (corn-on-the-cob)	T0.1
Tree nuts	T*0.05
Vegetables [except adzuki bean (dry); celeriac; leafy vegetables; lupin (dry); mung bean (dry); onion, Welsh; shallot; soya bean (dry); spring onion; sweet corn (corn-on-the-cob)]	1

Agvet chemical: Pirimiphos-methyl

Permitted residue: Pirimiphos-methyl

Barley	7
Cereal bran, unprocessed	20
Edible offal (mammalian)	*0.05
Eggs	*0.05
Maize	7
Meat (mammalian)	*0.05
Milks	*0.05
Millet	10
Oats	7
Peanut	5
Peanut oil, edible	15
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	10
Rice, husked	2
Rice, polished	1
Rye	10
Sorghum	10
Triticale	10
Wheat	10
Wheat germ	30

Agvet chemical: Praziquantel

Permitted residue: Praziquantel

Fish muscle/skin	T*0.01
Sheep, edible offal of	*0.05
Sheep meat	*0.05

Agvet chemical: Procaine penicillin

*Permitted residue: Inhibitory substance, identified
as procaine penicillin*

Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1
Milks	*0.0025

Agvet chemical: Prochloraz

*Permitted residue: Sum of prochloraz and its
metabolites containing the 2,4,6-trichlorophenol
moiety, expressed as prochloraz*

Avocado	5
Banana	5
Custard apple	T2
Lettuce, head	2
Litchi	T2
Mandarins	T10
Mango	5
Mushrooms	3
Papaya (pawpaw)	5
Pineapple	2
Pistachio nut	T0.5
Sugar cane	*0.05

Agvet chemical: Procymidone

Permitted residue: Procymidone

Adzuki bean (dry)	T0.2
Bergamot	T3
Broad bean (dry)	T10
Broad bean (green pods and immature seeds)	T10
Burnet, Salad	T3
Chervil	T2
Chick-pea (dry)	T0.5
Common bean (dry) (navy bean)	T10
Common bean (pods and/or immature seeds)	T3
Coriander (leaves, stem, roots)	T3
Coriander, seed	T3
Dill, seed	T3
Edible offal (mammalian)	T0.05
Eggs	T*0.01
Fennel, bulb	T1
Fennel, seed	T3
Galangal, Greater	T0.5
Garlic	T5
Herbs	T3
Kaffir lime leaves	T3
Lemon grass	T3
Lemon verbena (fresh weight)	T3
Lentil (dry)	0.5
Lupin (dry)	T*0.01
Meat (mammalian) (in the fat)	T0.2
Milks	T0.02
Mizuna	T2

Onion, bulb	T0.2
Peppers	T2
Pome fruits	T1
Potato	T0.1
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T0.1
Rape seed (canola)	T1
Rape seed oil, crude	T2
Root and tuber vegetables [except potato]	T1
Rose and dianthus (edible flowers)	T3
Rucola (rocket)	T2
Snow peas	T5
Spinach	T2
Strawberry	*0.02
Stone fruits	T10
Turmeric, root (fresh)	T0.5
Wine grapes	T2
Agvet chemical: Profenofos	
<i>Permitted residue: Profenofos</i>	
Cattle milk	*0.01
Cotton seed	1
Cotton seed oil, edible	0.3
Edible offal (mammalian)	*0.05
Eggs	*0.02
Mangosteen	5
Meat (mammalian)	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Profoxydim

Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim

Edible offal (mammalian)	0.5
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05

Agvet chemical: Prohexadione-calcium

Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione

Apple	*0.02
Cherries	*0.01
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Prometryn

Permitted residue: Prometryn

Adzuki bean (dry)	T*0.1
Cattle milk	*0.05
Cereal grains	*0.1
Coriander (leaves, stem, roots)	T1
Coriander, seed	T1
Cotton seed	*0.1
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Peanut	*0.1
Sunflower seed	*0.1
Turmeric, root	T*0.01
Vegetables	*0.1

Agvet chemical: Propachlor

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

Beetroot	*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.6
Brassica leafy vegetables	T*0.05
Cereal grains [except sorghum]	0.05
Chard	T*0.02
Edible offal (mammalian)	0.1
Eggs	*0.02
Garlic	2.5
Leek	*0.02
Lettuce, head	*0.02
Lettuce, leaf	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Onion, bulb	2.5
Onion, Welsh	T1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Radish	*0.02
Rucola (rocket)	T*0.05
Shallot	T1
Spring onion	T1
Swede	*0.02
Sorghum	0.2
Spinach	T*0.02
Sweet corn (corn-on-the-cob)	0.05
Turnip, garden	*0.02

Agvet chemical: Propamocarb

Permitted residue: Propamocarb (base)

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
Fruiting vegetables, other than cucurbits	T0.3
Leafy vegetables	T20

Agvet chemical: Propanil*Permitted residue: Propanil*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.1
Milks	*0.01
Poultry, edible offal of	3
Poultry meat	*0.1
Rice	2
Sheep, edible offal of	*0.1
Sheep meat	*0.1

Agvet chemical: Propaquizafop*Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop*

Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Oilseed	*0.05
Onion, bulb	*0.05
Peas	*0.05
Pulses	*0.05

Agvet chemical: Propargite*Permitted residue: Propargite*

Apple	3
Banana	3
Cotton seed	0.2
Currant, black	T3
Edible offal (mammalian)	*0.1
Eggs	*0.1
Hops, dry	3
Mangosteen	T3
Meat (mammalian) (in the fat)	*0.1
Milks	*0.1
Passionfruit	3
Pear	3
Poultry, edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Rambutan	T3
Stone fruits	3
Strawberry	7
Vegetables	3

Agvet chemical: Propazine*Permitted residue: Propazine*

Vegetables	*0.1
------------	------

Agvet chemical: Propetamphos*Permitted residue: Propetamphos*

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Propiconazole*Permitted residue: Propiconazole*

Almonds	0.2
Anise myrtle leaves	T10
Asparagus	T*0.1
Avocado	*0.02
Banana	0.2
Beetroot	*0.02
Blackberries	1
Boysenberry	1
Brassica leafy vegetables	T0.7
Blueberries	2
Celery	T5
Cereal grains	*0.05
Chard (silver beet)	T0.5
Chervil	T10
Chicory leaves	T0.7
Coriander (leaves, stem, roots)	T10
Cranberry	0.3
Edible offal (mammalian)	1
Eggs	*0.05
Endive	T0.7
Grapes	1
Herbs	T10
Lemon balm	T10
Lemon myrtle leaves	T10
Meat (mammalian)	0.1
Milks	*0.01
Mint oil	*0.02
Mizuna	T10
Mushrooms	*0.05
Peanut	*0.05
Persimmon, American	T0.2
Pineapple	0.05
Poppy seed	*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1
Radicchio	T0.7
Radish	T0.2
Raspberries, red, black	1
Riberries	T5
Rucola (rocket)	T10
Spices	*0.1
Spinach	T0.7
Stone fruits	2
Sugar cane	*0.02
Sunflower seed	T2
Sweet corn (corn-on-the-cob)	*0.02
Tree nuts [except almonds]	T0.2

Agvet chemical: Propineb*see Dithiocarbamates*

Agvet chemical: Propoxur	
<i>Permitted residue: Propoxur</i>	
Potato	10

Agvet chemical: Propylene oxide	
<i>Permitted residue: Propylene oxide</i>	
Almonds	100

Agvet chemical: Propyzamide	
<i>Permitted residue: Propyzamide</i>	
Artichoke, globe	T*0.02
Chicory leaves	*0.2
Edible oil (mammalian)	*0.2
Eggs	*0.05
Endive	*0.2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	*0.05
Milks	*0.01
Poppy seed	0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	0.02

Agvet chemical: Proquinazid	
<i>Permitted residue—commodities of plant origin: Proquinazid</i>	
<i>Permitted residue—commodities of animal origin: Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yl)oxy)propionic acid, expressed as proquinazid</i>	
Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Prosulfocarb	
<i>Permitted residue: Prosulfocarb</i>	
Barley	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	T*0.01

Wheat	*0.01
-------	-------

Agvet chemical: Prothioconazole	
<i>Permitted residue—commodities of plant origin: Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole</i>	
<i>Permitted residue—commodities of animal origin: Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole</i>	
Cereal bran, unprocessed	0.5
Cereal grains	0.3
Chick-pea (dry)	T0.7
Edible offal (mammalian)	0.2
Eggs	*0.01
Lentil (dry)	T0.7
Meat (mammalian) (in the fat)	0.02
Milks	*0.004
Peanut	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Rape seed (canola)	*0.02
Wheat germ	0.5

Agvet chemical: Prothiofos	
<i>Permitted residue: Prothiofos</i>	
Banana	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2
Grapes	2
Pome fruits	0.05

Agvet chemical: Pymetrozine	
<i>Permitted residue: Pymetrozine</i>	
Almonds	T*0.01
Beetroot	*0.02
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead Brassicas	*0.02
Celery	T*0.1
Cotton seed	*0.02
Cotton seed oil, edible	*0.02
Edible offal (mammalian)	*0.01
Egg plant	T0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	T0.3
Leafy herbs	T10
Leafy vegetables	T5
Meat (mammalian)	*0.01

Milks	*0.01
Peppers, Sweet	T0.03
Pistachio nut	T*0.02
Podded pea (young pods) (snow and sugar snap)	0.3
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.05
Sweet corn (corn-on-the-cob)	T*0.01
Tomato	T0.2

Agvet chemical: Pyraclofos

Permitted residue: Pyraclofos

Sheep fat	0.5
Sheep kidney	*0.01
Sheep liver	*0.01
Sheep muscle	*0.01

Agvet chemical: Pyraclostrobin

Permitted residue—commodities of plant origin: Pyraclostrobin

Permitted residue—commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin

Banana	*0.02
Blackberries	4
Blueberries	T5
Boysenberry	4
Brassica leafy vegetables	T3
Broccoli, Chinese	T1
Cereal grains	*0.01
Cherries	2.5
Cloudberry	T3
Custard apple	T3
Dewberries (including loganberry and youngberry) [except boysenberry]	T3
Dried grapes	5
Edible offal (mammalian)	0.1
Eggs	*0.05
Fruiting vegetables, other than cucurbits	0.3
Grapes	2
Litchi	T2
Mango	0.1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mung bean (dry)	T0.2
Papaya (pawpaw)	T0.5
Passionfruit	T1
Pistachio nut	T1
Pome fruits	1
Poppy seed	*0.05
Potato	*0.02

Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Raspberries, red, black	4
Silvanberries	T3
Strawberry	1
Sunflower seed	T0.3
Tree nuts [except pistachio nut]	*0.01

Agvet chemical: Pyraflufen-ethyl

Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)

Cereal grains	*0.02
Cotton seed	*0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyrasulfotole

Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-methyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole

Cereal bran, unprocessed	0.03
Cereal grains	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Pyrethrins

Permitted residue: Sum of pyrethrins i and ii, Cinerins i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard

Cereal grains	3
Cucumber	T2
Dried fruits	1
Dried vegetables	1
Fruit	1
Fruiting vegetables, cucurbits [except cucumber]	0.2
Oilseed	1
Tree nuts	1
Vegetables	1

Agvet chemical: Pyridaben

Permitted residue: Pyridaben

Banana	0.5
--------	-----

Citrus fruits	0.5
Grapes	5
Pome fruits	0.5
Stone fruits	0.5
Strawberry	1
Tree nuts	T*0.05

Agvet chemical: Pyridate

Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate

Chick-pea (dry)	*0.1
Edible offal (mammalian)	*0.2
Eggs	*0.2
Meat (mammalian)	*0.2
Milks	*0.2
Peanut	*0.1
Poultry, edible offal of	*0.2
Poultry meat	*0.2

Agvet chemical: Pyrimethanil

Permitted residue: Pyrimethanil

Banana	2
Berries and other small fruits [except grapes and strawberry]	T5
Citrus fruits [except lemon]	10
Cucumber	5
Edible offal (mammalian)	*0.05
Grapes	5
Leafy vegetables [except lettuce, head; lettuce, leaf]	T5
Lemon	11
Lettuce, head	20
Lettuce, leaf	20
Meat (mammalian)	*0.05
Milks	*0.01
Peppers, Sweet	1
Podded pea (young pods) (snow and sugar snap)	T10
Pome fruits	7
Potato	*0.01
Stone fruits	10
Strawberry	5
Tomato	T5

Agvet chemical: Pyriproxyfen

Permitted residue: Pyriproxyfen

Beans [except broad bean and soya bean]	T0.2
Citrus fruits	0.3
Coffee beans	0.1
Cotton seed	*0.01
Cotton seed oil, crude	*0.02
Edible offal (mammalian)	*0.02
Eggs	0.05

Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	1
Grapes	2.5
Herbs	T5
Lettuce, leaf	5
Mango	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Olive oil, crude	3
Olives	1
Passionfruit	0.1
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.1
Stone fruits	1
Strawberry	T0.5
Sweet potato	*0.05

Agvet chemical: Pyrithiobac sodium

Permitted residue: Pyrithiobac sodium

Cotton seed	*0.02
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyroxasulfone

Permitted residue—commodities of plant origin: Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone

Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone

Cereal grains	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.002
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	T*0.01

Agvet chemical: Pyroxsulam

Permitted residue: Pyroxsulam

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01

Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Quinclorac

Permitted residue: Quinclorac

Cranberry	1.5
-----------	-----

Agvet chemical: Quinoxifen

Permitted residue: Quinoxifen

Chard (silver beet)	T3
Cherries	0.7
Chervil	T5
Coriander (leaves, stem, roots)	T5
Dried grapes	2
Edible offal (mammalian)	*0.01
Grapes	0.6
Herbs	T5
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mizuna	T5
Rucola (rocket)	T5
Strawberry	T*0.01

Agvet chemical: Quintozene

Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene

Banana	1
Beans [except broad bean and soya bean]	0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
Broad bean (green pods and immature seeds)	0.01
Celery	0.3
Common bean (dry) (navy bean)	0.2
Cotton seed	0.03
Lettuce, head	0.3
Lettuce, leaf	0.3
Mushrooms	10
Onion, bulb	0.2
Peanut	0.3
Peppers, Sweet	0.01
Potato	0.2
Tomato	0.1

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and immature seeds)	*0.02
Cucumber	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Quizalofop-p-tefuryl

Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl

Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and/or immature seeds)	*0.02
Cucumber	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02

Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Ractopamine

Permitted residue: Ractopamine

Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05

Agvet chemical: Rimosulfuron

Permitted residue: Rimosulfuron

Tomato	*0.05
--------	-------

Agvet chemical: Robenidine

Permitted residue: Robenidine

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Saflufenacil

*Permitted residue—commodities of plant origin:
Sum of saflufenacil, N'-[2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-[[[(isopropylamino)sulfonyl]amino]carbonyl]phenyl]urea, expressed as saflufenacil equivalents*

*Permitted residue—commodities of animal origin:
Saflufenacil*

Cereal grains	*0.03
Citrus fruits	*0.03
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.03
Legume vegetables	*0.03
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.03
Pome fruits	*0.03
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.03
Stone fruits	*0.03
Tree nuts	*0.03

Agvet chemical: Salinomycin

Permitted residue: Salinomycin

Cattle, edible offal of	0.5
Cattle meat	*0.05
Eggs	*0.02
Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	0.5

Poultry meat	0.1
--------------	-----

Agvet chemical: Sedaxane

Permitted residue: Sedaxane, sum of isomers

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Semduramicin

Permitted residue: Semduramicin

Chicken fat/skin	0.5
Chicken kidney	0.2
Chicken liver	0.5
Chicken meat	*0.05

Agvet chemical: Sethoxydim

Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim

Asparagus	1
Barley	*0.1
Beans [except broad bean and soya bean]	T0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Brassica leafy vegetables	T2
Broad bean (green pods and immature seeds)	*0.1
Celery	0.1
Chard (silver beet)	T*0.1
Chicory leaves	T2
Coriander (leaves, stem, roots)	*0.1
Coriander, seed	*0.1
Cotton seed	0.2
Edible offal (mammalian)	*0.05
Egg plant	T*0.1
Eggs	*0.05
Endive	T2
Fruiting vegetables, cucurbits	*0.1
Garlic	0.3
Leek	0.7
Lettuce, head	0.2
Lettuce, leaf	0.2
Linseed	0.5
Lupin (dry)	0.2
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	0.3

Onion, Welsh	0.7
Peanut	3
Peas (pods and succulent, immature seeds)	T2
Peppers	T0.7
Poppy seed	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except lupin (dry)]	*0.1
Radicchio	T2
Rape seed (canola)	0.5
Rhubarb	0.1
Root and tuber vegetables	1
Rucola (rocket)	T2
Shallot	0.7
Spinach	*0.1
Spring onion	0.7
Sunflower seed	*0.1
Tomato	0.1
Turmeric, root	1
Wheat	*0.1

Agvet chemical: Simazine

Permitted residue: Simazine

Asparagus	*0.1
Broad bean (dry)	*0.01
Broad bean (green pods and immature seeds)	*0.01
Chick-pea (dry)	*0.05
Chick-pea (green pods)	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.1
Ginger, root	T*0.05
Leek	*0.01
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.02
Tree nuts	*0.1

Agvet chemical: Spectinomycin

Permitted residue: Inhibitory substance, identified as spectinomycin

Edible offal (mammalian) [except sheep, edible offal of]	*1
Eggs	2
Meat (mammalian) [except sheep meat]	*1
Poultry, edible offal of	*1
Poultry meat	*1

Agvet chemical: Spinetoram

Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L

Assorted tropical and sub-tropical fruits – inedible peel	0.3
Berries and other small fruits	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2
Citrus fruits	3
Coffee beans	*0.01
Coriander (leaves, stem, roots)	5
Coriander, seed	5
Dill, seed	5
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	0.2
Eggs	*0.01
Fennel, seed	5
Fruiting vegetables, cucurbits	0.05
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.1
Ginger, root	T0.02
Ginger, Japanese	T1
Herbs	1
Kaffir lime leaves	5
Leafy vegetables	0.7
Leek	T0.2
Legume vegetables	0.2
Lemon grass	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.03
Milks	*0.01
Mizuna	0.7
Onion, Welsh	T0.3
Pistachio nut	T0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pome fruits	0.1
Rape seed (canola)	*0.01
Root and tuber vegetables	0.02
Shallot	T0.3
Spring onion	T0.3
Stalk and stem vegetables	2
Stone fruits	0.2
Sweet corn (corn-on-the-cob)	*0.01
Turmeric, root	0.02

Agvet chemical: Spinosad

Permitted residue: Sum of spinosyn A and spinosyn D

Assorted tropical and sub-tropical fruits – inedible peel	0.3
Beans [except broad bean and soya bean]	0.5

Berries and other small fruits [except grapes]	0.7		
Bergamot	5		
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5		
Burnet, Salad	5		
Celery	2		
Cereal grains	1		
Chervil	5		
Citrus fruits	0.3		
Coffee beans	*0.01		
Coriander (leaves, stem, roots)	5		
Coriander, seed	5		
Cotton seed	*0.01		
Dill, seed	5		
Edible offal (mammalian)	0.5		
Eggs	0.05		
Fennel, seed	5		
Fruiting vegetables, cucurbits	0.2		
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.2		
Galangal, Greater	0.02		
Grapes	0.5		
Herbs	5		
Kaffir lime leaves	5		
Japanese greens	5		
Leafy vegetables	5		
Lemon grass	5		
Lemon verbena (dry leaves)	5		
Meat (mammalian) (in the fat)	2		
Milk fats	0.7		
Milks	0.1		
Onion, Welsh	0.3		
Peas (pods and succulent, immature seeds)	0.5		
Pome fruits	0.5		
Poultry, edible offal of	0.05		
Poultry meat (in the fat)	0.5		
Pulses	0.01		
Root and tuber vegetables	0.02		
Rucola (rocket)	5		
Safflower seed	T*0.01		
Shallot	0.3		
Spring onion	0.3		
Stone fruits	1		
Sweet corn (corn-on-the-cob)	0.02		
Tree nuts	T*0.01		
Turmeric, root	0.02		
Wheat bran, unprocessed	2		
Agvet chemical: Spiromesifen			
<i>Permitted residue: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen</i>			
Cranberry			2
Agvet chemical: Spirotetramat			
<i>Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat</i>			
Banana			T0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except Brussels sprouts]			7
Brassica leafy vegetables			10
Brussels sprouts			1
Celery			5
Citrus fruits			1
Cotton seed			0.7
Dried grapes			4
Edible offal (mammalian)			0.5
Fruiting vegetables, cucurbits [except melons]			2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]			7
Garlic			T0.5
Grapes			2
Kiwifruit			T0.1
Leafy vegetables [except brassica leafy vegetables; lettuce, head]			5
Legume vegetables			2
Lettuce, head			3
Mango			0.3
Meat (mammalian)			0.02
Melons, except watermelon			0.5
Milks			*0.005
Onion, bulb			0.5
Passionfruit			0.5
Pome fruits			T0.5
Potato			5
Soya bean (dry)			T5
Stone fruits			4.5
Sweet corn (corn-on-the-cob)			1
Sweet potato			5
Watermelon			0.5
Agvet chemical: Spirodiclofen			
<i>Permitted residue: Spirodiclofen</i>			
Citrus fruits			0.5
Grapes			2
Stone fruits			1

Agvet chemical: Spiroxamine	
<i>Permitted residue—commodities of plant origin:</i> <i>Spiroxamine</i>	
<i>Permitted residue—commodities of animal origin:</i> <i>Spiroxamine carboxylic acid, expressed as</i> <i>spiroxamine</i>	
Banana	T5
Barley	T*0.05
Dried grapes	3
Edible offal (mammalian)	0.5
Grapes	2
Mammalian fats [except milk fats]	0.05
Meat (mammalian)	0.05
Milks	0.05
Agvet chemical: Streptomycin and Dihydrostreptomycin	
<i>Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin</i>	
Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.2
Agvet chemical: Sulfosulfuron	
<i>Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron</i>	
Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian)	*0.005
Milks	*0.005
Poultry, edible offal of	*0.005
Poultry meat	*0.005
Triticale	*0.01
Wheat	*0.01
Agvet chemical: Sulfoxaflor	
<i>Permitted residue: Sulfoxaflor</i>	
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except cauliflower]	3
Cauliflower	0.1
Cereal grains	*0.01
Cherries	3
Citrus fruits	0.7
Cotton seed	0.3
Dried grapes (currants, raisins and sultanas)	10
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes [except wine grapes]	3

Agvet chemical: Sulfuryl fluoride

Permitted residue: Sulfuryl fluoride

Agvet chemical: Sulphadiazine

Permitted residue: Sulphadiazine

Agvet chemical: Sulphadimidine

Permitted residue: Sulphadimidine

Agvet chemical: Sulphadoxine

Permitted residue: Sulphadoxine

Agvet chemical: Sulphaquinoxaline

Permitted residue: Sulphaquinoxaline

Agvet chemical: Sulphatroxazole	
<i>Permitted residue: Sulphatroxazole</i>	
Cattle milk	0.1
Edible offal (mammalian)	0.1
Meat (mammalian)	0.1

Agvet chemical: Sulphur dioxide	
<i>Permitted residue: Sulphur dioxide</i>	
Blueberries	10
Longan, edible aril	10
Strawberry	T30
Table grapes	10

Agvet chemical: Sulprofos	
<i>Permitted residue: Sulprofos</i>	
Cotton seed	0.2
Peppers, Sweet	0.2
Tomato	1

Agvet chemical: Tebuconazole	
<i>Permitted residue: Tebuconazole</i>	
Asparagus	T*0.02
Avocado	0.2
Banana	0.2
Beetroot	T0.3
Beetroot leaves	T2
Blackberries	1
Broad bean (dry)	T0.5
Bulb vegetables [except garlic]	*0.01
Carrot	T0.5
Cereal grains	0.2
Chard (silver beet)	T2
Cherries	5
Chervil	T0.5
Chick-pea (dry)	T0.2
Chicory leaves	T2
Coriander (leaves, stem, roots)	T0.5
Cotton seed	T1
Dried grapes (currants, raisins and sultanas)	7
Edible offal (mammalian)	0.5
Eggs	0.1
Endive	T2
Garlic	T0.2
Grapes	5
Herbs	T0.5
Legume vegetables	0.5
Lemon balm	T0.5
Lentil (dry)	T0.2
Lettuce, head	0.1
Lettuce, leaf	0.1
Meat (mammalian)	0.1
Milks	0.05

Mizuna	T0.5
Mung bean (dry)	T0.2
Papaya (pawpaw)	0.2
Peanut	0.1
Pome fruits	*0.01
Poultry, edible offal of	0.5
Poultry meat	0.1
Radish	T0.3
Radish leaves	T2
Rape seed (canola)	0.3
Rucola (rocket)	T0.5
Soya bean (dry)	T0.1
Spinach	T2
Stone fruits	*0.01
Sugar cane	0.1

Agvet chemical: Tebufenozide	
<i>Permitted residue: Tebufenozide</i>	
Avocado	0.5
Blueberries	T2
Citrus fruits	1
Coffee beans	T0.05
Cranberry	0.5
Custard apple	0.3
Dried grapes	4
Edible offal (mammalian)	*0.02
Grapes	2
Kiwifruit	2
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Nectarine	T1
Peach	T1
Persimmon, Japanese	0.1
Pistachio nut	T0.05
Pome fruits	1
Rambutan	T3

Agvet chemical: Tebufenpyrad	
<i>Permitted residue: Tebufenpyrad</i>	
Cucumber	*0.02
Peach	1
Pome fruits	1

Agvet chemical: Tebuthiuron	
<i>Permitted residue: Sum of Tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron</i>	
Edible offal (mammalian)	2
Meat (mammalian)	0.5
Milks	0.2
Sugar cane	T0.2

Agvet chemical: Temephos		Meat (mammalian)	*0.01
<i>Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos</i>		Milks	*0.01
Cattle, edible offal of	T2	Poultry, edible offal of	*0.01
Cattle meat (in the fat)	T5	Poultry meat	*0.01
Sheep, edible offal of	0.5	Pulses	*0.02
Sheep meat (in the fat)	3	Rape seed (canola)	*0.02
		Sweet corn (corn-on-the-cob)	T*0.02
Agvet chemical: Tepraloxym		Agvet chemical: Terbutryn	
<i>Permitted residue: Sum of tepraloxym and metabolites converted to 3-(tetrahydro-pyran-4-yl) glutaric and 3-hydroxy-3-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxym</i>		<i>Permitted residue: Terbutryn</i>	
Edible offal (mammalian)	*0.1	Cereal grains	*0.1
Eggs	*0.1	Edible offal (mammalian)	3
Meat (mammalian)	*0.1	Eggs	*0.05
Milks	*0.02	Meat (mammalian)	0.1
Poultry, edible offal of	*0.1	Milks	0.1
Poultry meat	*0.1	Peas	*0.1
Pulses	*0.1	Poultry, edible offal of	*0.05
Rape seed (canola)	*0.1	Poultry meat	0.1
		Sugar cane	*0.05
Agvet chemical: Terbacil		Agvet chemical: Tetrachlorvinphos	
<i>Permitted residue: Terbacil</i>		<i>Permitted residue: Tetrachlorvinphos</i>	
Almonds	0.5	Edible offal (mammalian)	0.05
Peppermint oil	*0.1	Meat (mammalian)	0.05
Pome fruits	*0.04	Milks (in the fat)	0.05
Stone fruits	*0.04		
Agvet chemical: Terbufos		Agvet chemical: Tetraconazole	
<i>Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos</i>		<i>Permitted residue: Tetraconazole</i>	
Banana	0.05	Edible offal (mammalian)	0.2
Cattle, edible offal of	*0.05	Grapes	0.5
Cattle meat	*0.05	Meat (mammalian) (in the fat)	*0.01
Cattle milk	*0.01	Milks	*0.01
Cereal grains	*0.01		
Eggs	*0.01	Agvet chemical: Tetracycline	
Peanut	*0.05	<i>Permitted residue: Inhibitory substance, identified as tetracycline</i>	
Poultry, edible offal of	*0.05	Milks	*0.1
Poultry meat	*0.05		
Sunflower seed	*0.05	Agvet chemical: Tetradifon	
Sweet corn (corn-on-the-cob)	*0.05	<i>Permitted residue: Tetradifon</i>	
		Cotton seed	5
Agvet chemical: Terbutylazine		Fruit	5
<i>Permitted residue: Terbutylazine</i>		Hops, dry	5
Cereal grains [except maize]	*0.01	Vegetables	5
Cotton seed	T0.01		
Edible offal (mammalian)	*0.01	Agvet chemical: Thiabendazole	
Eggs	*0.01	<i>Permitted residue—commodities of plant origin: Thiabendazole</i>	
Maize	T*0.02	<i>Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxylthiabendazole</i>	
		Apple	10
		Banana	3

Citrus fruits	10
Edible offal (mammalian)	0.2
Meat (mammalian)	0.2
Milks	0.05
Mushrooms	0.5
Peanut	T*0.01
Pear	10
Potato	5
Sweet potato	0.05

Agvet chemical: Thiacloprid

Permitted residue: Thiacloprid

Cotton seed	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Pome fruits	1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	2
Strawberry	1

Agvet chemical: Thiamethoxam

*Permitted residue—commodities of plant origin:
Thiamethoxam*

*Permitted residue—commodities of animal origin:
Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as thiamethoxam*

Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	3
Cereal grains [except maize; sorghum]	*0.01
Citrus fruits	1
Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, other than cucurbits	0.05
Grapes	0.2
Leafy vegetables	2
Maize	*0.02
Mango	T0.2
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	*0.01
Sorghum	*0.02
Stone fruits	0.5
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Thidiazuron

Permitted residue: Thidiazuron

Cotton seed	*0.5
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Thifensulfuron

Permitted residue: Thifensulfuron

Cereal grains [except maize, rice]	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Thiobencarb

Permitted residue: Thiobencarb

Rice	*0.05
------	-------

Agvet chemical: Thiodicarb

Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Chia	T0.5
Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Maize	*0.1
Meat (mammalian)	*0.05
Milks	*0.05
Peppers, Sweet	T5
Potato	0.1
Pulses	*0.1
Sorghum	T0.5
Sweet corn (corn-on-the-cob)	*0.1
Tomato	2

Agvet chemical: Thiometon

Permitted residue: Sum of thiometon, its sulfoxide and sulfone, expressed as thiometon

Cereal grains	1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	1
Lupin (dry)	0.5
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Vegetables	1		
Agvet chemical: Thiophanate			
see Carbendazim			
Agvet chemical: Thiophanate-methyl			
Permitted residue: Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl			
Cherries	20		
Nectarine	3		
Peach	3		
Agvet chemical: Thiram			
see Dithiocarbamates			
Agvet chemical: Tiamulin			
Permitted residue: Tiamulin			
Pig, edible offal of	*0.1		
Pig meat	*0.1		
Poultry, edible offal of	*0.1		
Poultry meat	*0.1		
Agvet chemical: Tilmicosin			
Permitted residue: Tilmicosin			
Cattle, edible offal of	1		
Cattle meat	*0.05		
Cattle milk	T*0.025		
Pig, edible offal of	1		
Pig meat	0.05		
Agvet chemical: Tolclofos-methyl			
Permitted residue: Tolclofos-methyl			
Beetroot	*0.01		
Cotton seed	*0.01		
Lettuce, head	T*0.01		
Lettuce, leaf	T*0.01		
Potato	0.1		
Agvet chemical: Tolfenamic acid			
Permitted residue: Tolfenamic acid			
Cattle kidney	*0.01		
Cattle liver	*0.01		
Cattle meat	0.05		
Cattle milk	0.05		
Pig kidney	*0.01		
Pig liver	0.1		
Pig meat	*0.01		
Agvet chemical: Toltrazuril			
Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril			
Cattle fat	1		
Cattle kidney	1		
Cattle liver	2		
Cattle muscle	0.25		
Chicken, edible offal of	5		
Chicken meat	2		
Eggs	*0.03		
Pig, edible offal of	2		
Pig meat (in the fat)	1		
Agvet chemical: Tolyfluanid			
Permitted residue: Tolyfluanid			
Berries and other small fruits [except grapes and strawberry]	T15		
Cucumber	T2		
Dried grapes	T0.2		
Grapes	T*0.05		
Strawberry	3		
Agvet chemical: Tralkoxydim			
Permitted residue: Tralkoxydim			
Cereal grains	*0.02		
Agvet chemical: Trenbolone acetate			
Permitted residue: Sum of trenbolone acetate and 17 Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone			
Cattle, edible offal of	0.01		
Cattle meat	0.002		
Agvet chemical: Triadimefon			
Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon			
see also Triadimenol			
Apple	1		
Cereal grains	0.5		
Edible offal (mammalian)	*0.05		
Eggs	*0.1		
Field pea (dry)	0.1		
Fruiting vegetables, cucurbits	0.2		
Fruiting vegetables, other than cucurbits	0.2		
Garden pea (shelled succulent seeds)	0.1		
Garden pea (young pods, succulent seeds)	0.1		
Grapes	1		
Fats (mammalian)	*0.25		
Meat (mammalian)	*0.05		
Milks	*0.1		
Poultry, edible offal of	*0.05		

Poultry meat	*0.05
Sugar cane	*0.05

Agvet chemical: Triadimenol

Permitted residue: Triadimenol

see also *Triadimefon*

Berries and other small fruits [except grapes; ribberries; strawberry]	T0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Cereal grains [except sorghum]	*0.01
Cotton seed	T0.01
Cotton seed oil, crude	T0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes	0.5
Lemon grass	T*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.05
Papaya (pawpaw)	0.2
Parsnip	T0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	T0.2
Ribberries	T5
Sorghum	0.5
Sugar cane	*0.05
Swede	T0.2
Turnip, garden	T0.2

Agvet chemical: Triallate

Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate

Cereal grains	*0.05
Edible offal (mammalian) [except kidney]	*0.1
Eggs	*0.01
Fats (mammalian)	0.2
Kidney of cattle, goats, pigs and sheep	0.2
Legume vegetables	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	*0.1
Pulses	0.1

Agvet chemical: Triasulfuron

Permitted residue: Triasulfuron

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Tribenuron-methyl

Permitted residue: Tribenuron-methyl

Barley	*0.01
Chick-pea (dry)	*0.01
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mung bean (dry)	*0.01
Oats	*0.01
Rape seed (canola)	*0.01
Sorghum	*0.01
Soya bean (dry)	*0.01
Sunflower seed	*0.01
Wheat	*0.01

Agvet chemical: Trichlorfon

Permitted residue: Trichlorfon

Achachairu	T3
Assorted tropical and sub-tropical fruits – edible peel	T3
Assorted tropical and sub-tropical fruits – inedible peel	T3
Babaco	T3
Beetroot	0.2
Berries and other small fruits	T2
Brussels sprouts	0.2
Cape gooseberry	T0.5
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.1
Cauliflower	0.2
Celery	0.2
Cereal grains	0.1
Dried fruits	2
Egg plant	T0.5
Eggs	*0.05
Fish muscle	T*0.01
Fruit [except achachairu; assorted tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; shaddock (pomelo); stone fruits]	T0.1
Goat, edible offal of	0.1

Goat meat	0.1
Kale	0.2
Loquat	T3
Medlar	T3
Milks	*0.05
Miracle fruit	T3
Oilseed [except peanut]	0.1
Peanut	0.1
Pepino	T0.5
Peppers	0.2
Pig, edible offal of	0.1
Pig fat	0.1
Pig meat	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.2
Quince	T3
Rollinia	T3
Shaddock (pomelo)	T3
Soya bean (dry)	0.1
Stone fruits	T3
Sugar beet	0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	0.2
Tree nuts	0.1
Vegetables [except beetroot; Brussels sprouts; cape gooseberry; cauliflower; celery; egg plant; kale; pepino; peppers; pulses; sugar beet; sweet corn (corn-on-the-cob)]	0.1

Agvet chemical: Trichloroethylene

Permitted residue: Trichloroethylene

Cereal grains	*0.1
---------------	------

Agvet chemical: Triclabendazole

Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents

Fat (mammalian)	1
Kidney (mammalian)	1
Liver (mammalian)	2
Meat (mammalian)	0.5
Agvet chemical:	Triclopyr
Permitted residue:	Triclopyr
Cattle, edible offal of	5
Cattle meat (in the fat)	0.2
Citrus fruits	0.2
Goat, edible offal of	5
Goat meat (in the fat)	0.2
Litchi	0.1
Milks (in the fat)	0.1
Poppy seed	*0.01
Sheep, edible offal of	5
Sheep meat (in the fat)	0.2

Agvet chemical: Tridemorph

Permitted residue: Tridemorph

Banana	T*0.05
Barley	0.1
Fruiting vegetables, cucurbits	0.1

Agvet chemical: Trifloxystrobin

Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxyethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents

Banana	0.5
Beetroot	T0.2
Celery	T5
Chard (silver beet)	T1
Chicory leaves	T1
Cucumber	T*0.1
Dried grapes	2
Edible offal (mammalian)	*0.05
Endive	T1
Grapes	0.5
Macadamia nuts	T*0.05
Meat (mammalian)	*0.05
Milks	*0.02
Peppers, Sweet	T0.5
Pome fruits	0.3
Rape seed (canola)	*0.02
Spinach	T1
Stone fruits	2
Strawberry	2
Tomato	0.7

Agvet chemical: Trifloxysulfuron sodium

Permitted residue: Trifloxysulfuron

Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	*0.01

Agvet chemical: Triflumizole

Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro- N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole

Cherries	1.5
Grapes	0.5
Pome fruits	0.5

Agvet chemical: Triflumuron		Agvet chemical: Triforine	
<i>Permitted residue: Triflumuron</i>		<i>Permitted residue: Triforine</i>	
Cereal grains	*0.05	Pome fruits	1
Edible offal (mammalian) [except sheep, edible offal of]	*0.05	Stone fruits	10
Eggs	0.01		
Meat (mammalian) [except sheep meat (in the fat)]	*0.05	Agvet chemical: Trimethoprim	
Milks	*0.05	<i>Permitted residue: Trimethoprim</i>	
Mushrooms	0.1	Cattle milk	0.05
Poultry, edible offal of	0.01	Edible offal (mammalian)	0.05
Poultry meat (in the fat)	0.1	Eggs	T*0.02
Sheep, edible offal of	0.1	Meat (mammalian)	0.05
Sheep meat (in the fat)	2	Poultry, edible offal of	0.05
		Poultry meat	0.05
Agvet chemical: Trifluralin		Agvet chemical: Trinexapac-ethyl	
<i>Permitted residue: Trifluralin</i>		<i>Permitted residue: 4-(cyclopropyl-α-hydroxy-methylene)-3,5-dioxo-cyclohexanecarboxylic acid</i>	
Adzuki bean (dry)	*0.05	Barley	T0.3
Bergamot	T*0.05	Edible offal (mammalian)	0.05
Broad bean (dry)	*0.05	Meat (mammalian)	*0.02
Burnet, salad	T*0.05	Milks	*0.005
Carrot	0.5	Oats	T0.3
Cereal grains	*0.05	Poppy seed	7
Chia	T*0.01	Sugar cane	T0.2
Chick-pea (dry)	*0.05	Wheat	T0.3
Coriander (leaves, stem, roots)	T*0.05		
Coriander, seed	T*0.05	Agvet chemical: Triticonazole	
Cowpea (dry)	*0.05	<i>Permitted residue: Triticonazole</i>	
Dill, seed	T*0.05	Cereal grains	*0.05
Edible offal (mammalian)	*0.05	Edible offal (mammalian)	*0.05
Eggs	*0.05	Eggs	*0.05
Fennel, bulb	T0.5	Meat (mammalian)	*0.05
Fennel, seed	T*0.05	Milks	*0.01
Fruit	*0.05	Poultry, edible offal of	*0.05
Galangal, Greater	T0.5	Poultry meat	*0.05
Herbs	T*0.05		
Hyacinth bean (dry)	*0.05	Agvet chemical: Tulathromycin	
Kaffir lime leaves	T*0.05	<i>Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents</i>	
Lemon grass	T*0.05	Cattle fat	0.1
Lemon verbena (fresh weight)	T*0.05	Cattle kidney	1
Lupin (dry)	*0.05	Cattle liver	3
Meat (mammalian)	*0.05	Cattle muscle	0.1
Milks	*0.05	Pig kidney	3
Mizuna	T*0.05	Pig liver	2
Mung bean (dry)	*0.05	Pig muscle	0.5
Oilseed	*0.05	Pig skin/fat	0.3
Parsnips	T0.5		
Poultry meat	*0.05		
Poultry, edible offal of	*0.05		
Rose and dianthus (edible flowers)	T*0.05		
Sugar cane	*0.05		
Turmeric, root (fresh)	T0.5		
Vegetables [except as otherwise listed under this chemical]	0.05		

Agvet chemical: Tylosin		Poultry, edible offal of	0.2
<i>Permitted residue: Tylosin A</i>		Poultry fats	0.2
		Poultry meat	0.1
		Sheep, edible offal of	0.2
		Sheep meat	0.1
Agvet chemical: Zeranol			
<i>Permitted residue: Zeranol</i>			
		Cattle, edible offal of	0.02
		Cattle meat	0.005
Agvet chemical: Zetacypermethrin			
		see Cypermethrin	
Agvet chemical: Uniconazole-p			
<i>Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p</i>			
		Avocado	0.5
		Custard apple	T*0.01
		Poppy seed	*0.01
Agvet chemical: Virginiamycin			
<i>Permitted residue: Inhibitory substance, identified as virginiamycin</i>			
		Cattle, edible offal of	0.2
		Cattle fat	0.2
		Cattle milk	0.1
		Cattle meat	*0.1
		Eggs	*0.1
		Pig, edible offal of	0.2
		Pig fat	0.2
		Pig meat	*0.1
Agvet chemical: Zinc Phosphide			
		see Phosphine	
Agvet chemical: Zineb			
		see Dithiocarbamates	
		<i>Permitted residue:</i>	
Agvet chemical: Ziram			
		see Dithiocarbamates	
		<i>Permitted residue:</i>	
Agvet chemical: Zoxamide			
		<i>Permitted residue: Zoxamide</i>	
		Grapes	3