



Statement of Principles concerning cardiomyopathy No. (86 of 2015)

made under subsection 196B(3) of the

Veterans' Entitlements Act 1986

Compilation No. 1

Compilation date:	18 September 2017
Includes amendments up to:	Veterans' Entitlements (Statements of Principles—Cumulative Equivalent Dose) Amendment Determination 2017 (No. 58 of 2017) (F2017L01067)

The day of commencement of this Amendment Determination is 18 September 2017.

Prepared by the Repatriation Medical Authority Secretariat, Brisbane

About this compilation

This compilation

This is a compilation of the *Statement of Principles concerning cardiomyopathy No. (86 of 2015)* that shows the text of the law as amended and in force on 18 September 2017.

The notes at the end of this compilation (the *endnotes*) include information about amending laws and the amendment history of provisions of the compiled law.

Uncommenced amendments

The effect of uncommenced amendments is not shown in the text of the compiled law. Any uncommenced amendments affecting the law are accessible on the Legislation Register (www.legislation.gov.au). The details of amendments made up to, but not commenced at, the compilation date are underlined in the endnotes. For more information on any uncommenced amendments, see the series page on the Legislation Register for the compiled law.

Application, saving and transitional provisions for provisions and amendments

If the operation of a provision or amendment of the compiled law is affected by an application, saving or transitional provision that is not included in this compilation, details are included in the endnotes.

Modifications

If the compiled law is modified by another law, the compiled law operates as modified but the modification does not amend the text of the law. Accordingly, this compilation does not show the text of the compiled law as modified. For more information on any modifications, see the series page on the Legislation Register for the compiled law.

Self-repealing provisions

If a provision of the compiled law has been repealed in accordance with a provision of the law, details are included in the endnotes.



Australian Government
Repatriation Medical Authority

Statement of Principles concerning CARDIOMYOPATHY (No. 86 of 2015)

The Repatriation Medical Authority determines the following Statement of Principles.

Dated 19 June 2015

*Statement of Principles concerning Cardiomyopathy
(No. 86 of 2015)
Veterans' Entitlements Act 1986*

1

Contents

1	Name.....	3
2	Commencement	3
3	Authority	3
4	Revocation	3
5	Application.....	3
6	Definitions.....	3
7	Kind of injury, disease or death to which this Statement of Principles relates	3
8	Basis for determining the factors	4
9	Factors that must exist.....	4
10	Relationship to service	10
11	Factors referring to an injury or disease covered by another Statement of Principles.....	11
Schedule 1 - Dictionary		12
1	Definitions.....	12

1 Name

This is the Statement of Principles concerning cardiomyopathy (No. 86 of 2015).

2 Commencement

This instrument commences on **20 July 2015**.

3 Authority

This instrument is made under subsection 196B(3) of the *Veterans' Entitlements Act 1986*.

4 Revocation

The Statement of Principles concerning cardiomyopathy No. 24 of 2007, and the Statement of Principles concerning familial hypertrophic cardiomyopathy No. 36 of 2007, made under subsection 196B(3) of the VEA are revoked.

5 Application

This instrument applies to a claim to which section 120B of the VEA or section 339 of the *Military Rehabilitation and Compensation Act 2004* applies.

6 Definitions

The terms defined in the Schedule 1 - Dictionary have the meaning given when used in this instrument.

7 Kind of injury, disease or death to which this Statement of Principles relates

- (1) This Statement of Principles is about cardiomyopathy and death from cardiomyopathy.

*Meaning of **cardiomyopathy***

- (2) For the purposes of this Statement of Principles, cardiomyopathy:
- (a) means a disease of the heart muscle (myocardium) associated with mechanical or electrical cardiac dysfunction, in the absence of coronary artery disease, hypertension and valvular disease sufficient to cause the observed myocardial abnormality; and
 - (b) includes familial hypertrophic cardiomyopathy and other forms of primary genetic cardiomyopathy, primary-mixed forms of dilated and restrictive cardiomyopathy, and takotsubo (stress)

cardiomyopathy, but excludes pericardial disease or rejection of a heart transplant.

Note: *familial hypertrophic cardiomyopathy* and *takotsubo cardiomyopathy* are defined in the Schedule 1 - Dictionary.

- (3) While cardiomyopathy attracts ICD-10-AM code 099.4, 090.3, I42 or I43, in applying this Statement of Principles the meaning of cardiomyopathy is that given in subsection (2).
- (4) For subsection (3), a reference to an ICD-10-AM code is a reference to the code assigned to a particular kind of injury or disease in *The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification* (ICD-10-AM), Ninth Edition, effective date of 1 July 2015, copyrighted by the Independent Hospital Pricing Authority, ISBN 978-1-76007-020-5.

Death from cardiomyopathy

- (5) For the purposes of this Statement of Principles, cardiomyopathy, in relation to a person, includes death from a terminal event or condition that was contributed to by the person's cardiomyopathy.

Note: *terminal event* is defined in the Schedule 1 – Dictionary.

8 Basis for determining the factors

On the sound medical-scientific evidence available, the Repatriation Medical Authority is of the view that it is more probable than not that cardiomyopathy and death from cardiomyopathy can be related to relevant service rendered by veterans or members of the Forces under the VEA, or members under the MRCA.

Note: *relevant service* is defined in the Schedule 1 – Dictionary.

9 Factors that must exist

At least one of the following factors must exist before it can be said that, on the balance of probabilities, cardiomyopathy or death from cardiomyopathy is connected with the circumstances of a person's relevant service:

- (1) for males only, drinking at least 250 kilograms of alcohol within a continuous five year period before the clinical onset of cardiomyopathy;

Note: *alcohol* is defined in the Schedule 1 - Dictionary.

-
- (2) for females only, drinking at least 150 kilograms of alcohol within a continuous five year period before the clinical onset of cardiomyopathy;

Note: **alcohol** is defined in the Schedule 1 - Dictionary.

- (3) having haematological or biochemical evidence of poisoning with cobalt at the time of the clinical onset of cardiomyopathy;
- (4) having a hypersensitivity reaction of the myocardium to a drug at the time of the clinical onset of cardiomyopathy;

Note: **hypersensitivity reaction of the myocardium to a drug** is defined in the Schedule 1 - Dictionary.

- (5) being treated with an anthracycline within the 25 years before the clinical onset of cardiomyopathy;

Note: **anthracycline** is defined in the Schedule 1 - Dictionary.

- (6) being treated for cancer with a chemotherapeutic agent from the specified list of chemotherapeutic agents, within the three months before the clinical onset of cardiomyopathy;

Note: **specified list of chemotherapeutic agents** is defined in the Schedule 1 - Dictionary.

- (7) receiving tacrolimus for organ transplantation within the three months before the clinical onset of cardiomyopathy;
- (8) being treated daily with chloroquine or hydroxychloroquine for at least the two years before the clinical onset of cardiomyopathy;
- (9) being treated with a drug or a drug from a class of drugs from Specified List of Drugs No. 1, within the 30 days before the clinical onset of cardiomyopathy;

Note: **Specified List of Drugs No. 1** is defined in the Schedule 1 - Dictionary.

- (10) using a drug from Specified List of Drugs No. 2 at the time of the clinical onset of cardiomyopathy;

Note: **Specified List of Drugs No. 2** is defined in the Schedule 1 - Dictionary.

- (11) having carbon monoxide poisoning within the 24 hours before the clinical onset of cardiomyopathy;
- (12) being infected with human immunodeficiency virus before the clinical onset of cardiomyopathy;
- (13) having infection-related myocarditis before the clinical onset of cardiomyopathy;
-

-
- (14) having Whipple's disease at the time of the clinical onset of cardiomyopathy;
- Note: *Whipple's disease* is defined in the Schedule 1 - Dictionary.
- (15) having a disorder from the specified list of endocrine disorders at the time of the clinical onset of cardiomyopathy;
- Note: *specified list of endocrine disorders* is defined in the Schedule 1 - Dictionary.
- (16) having a catecholamine-secreting tumour at the time of the clinical onset of cardiomyopathy;
- (17) having giant cell myocarditis, or a disease from the specified list of inflammatory connective tissue diseases, involving the heart, at the time of the clinical onset of cardiomyopathy;
- Note: *specified list of inflammatory connective tissue diseases* is defined in the Schedule 1 - Dictionary.
- (18) having a vasculitis from the specified list of systemic vasculitides, involving the heart, at the time of the clinical onset of cardiomyopathy;
- Note: *specified list of systemic vasculitides* is defined in the Schedule 1 - Dictionary.
- (19) having an infiltrative disease affecting the myocardium at the time of the clinical onset of cardiomyopathy;
- Note: *infiltrative disease* is defined in the Schedule 1 - Dictionary.
- (20) undergoing a course of therapeutic radiation for cancer, where the heart was in the field of radiation, before the clinical onset of cardiomyopathy;
- (21) having received a cumulative equivalent dose of at least 1.0 sievert of ionising radiation to the heart before the clinical onset of cardiomyopathy;
- Note: *cumulative equivalent dose* is defined in the Schedule 1 - Dictionary.
- (22) having clinically apparent nutritional deficiency from the specified list of nutritional deficiencies at the time of the clinical onset of cardiomyopathy;
- Note: *specified list of nutritional deficiencies* is defined in the Schedule 1 - Dictionary.
- (23) being peripartum at the time of the clinical onset of cardiomyopathy;
- Note: *being peripartum* is defined in the Schedule 1 - Dictionary.
- (24) having chronic renal failure at the time of the clinical onset of cardiomyopathy;
-

Note: **chronic renal failure** is defined in the Schedule 1 - Dictionary.

- (25) having cirrhosis of the liver before the clinical onset of cardiomyopathy;
- (26) being envenomated by a scorpion, a funnel web spider, a spider belonging to the genus *Latrodectus*, or a specified jellyfish, within the 24 hours before the clinical onset of cardiomyopathy;

Note: **specified jellyfish** is defined in the Schedule 1 - Dictionary.

- (27) for familial hypertrophic cardiomyopathy only, where the clinical onset is first manifest as heart failure, cardiac arrhythmia or sudden cardiac death, undertaking physical activity of greater than five METs at the time of the clinical onset of cardiomyopathy;

Note: **familial hypertrophic cardiomyopathy** and **MET** are defined in the Schedule 1 - Dictionary.

- (28) for takotsubo cardiomyopathy only:
 - (a) experiencing a category 1A stressor within the 14 days before the clinical onset of cardiomyopathy;
 - (b) experiencing a category 1B stressor within the 14 days before the clinical onset of cardiomyopathy;
 - (c) having:
 - i) an injury or illness requiring admission to an intensive care unit or artificial ventilation;
 - ii) major trauma; or
 - iii) septicaemia;within the 14 days before the clinical onset of cardiomyopathy; or
 - (d) having a cerebrovascular accident or subarachnoid haemorrhage within the 14 days before the clinical onset of cardiomyopathy;

Note: **category 1A stressor**, **a category 1B stressor**, **artificial ventilation** and **takotsubo cardiomyopathy** are defined in the Schedule 1 - Dictionary.

- (29) for males only, drinking at least 125 kilograms of alcohol within a continuous five year period before the clinical worsening of cardiomyopathy;

Note: **alcohol** is defined in the Schedule 1 - Dictionary.

- (30) for females only, drinking at least 150 kilograms of alcohol within a continuous five year period before the clinical worsening of cardiomyopathy;

Note: **alcohol** is defined in the Schedule 1 - Dictionary.

-
- (31) having haematological or biochemical evidence of poisoning with cobalt at the time of the clinical worsening of cardiomyopathy;
- (32) having a hypersensitivity reaction of the myocardium to a drug at the time of the clinical worsening of cardiomyopathy;
- Note: *hypersensitivity reaction of the myocardium to a drug* is defined in the Schedule 1 - Dictionary.
- (33) being treated with an anthracycline within the 25 years before the clinical worsening of cardiomyopathy;
- Note: *anthracycline* is defined in the Schedule 1 - Dictionary.
- (34) being treated for cancer with a chemotherapeutic agent from the specified list of chemotherapeutic agents, within the three months before the clinical worsening of cardiomyopathy;
- Note: *specified list of chemotherapeutic agents* is defined in the Schedule 1 - Dictionary.
- (35) receiving tacrolimus for organ transplantation within the three months before the clinical worsening of cardiomyopathy;
- (36) being treated daily with chloroquine or hydroxychloroquine for at least the two years before the clinical worsening of cardiomyopathy;
- (37) being treated with a drug or a drug from a class of drugs from Specified List of Drugs No. 1, within the 30 days before the clinical worsening of cardiomyopathy;
- Note: *Specified List of Drugs No. 1* is defined in the Schedule 1 - Dictionary.
- (38) using a drug from Specified List of Drugs No. 2 at the time of the clinical worsening of cardiomyopathy;
- Note: *Specified List of Drugs No. 2* is defined in the Schedule 1 - Dictionary.
- (39) having carbon monoxide poisoning within the 24 hours before the clinical worsening of cardiomyopathy;
- (40) being infected with human immunodeficiency virus before the clinical worsening of cardiomyopathy;
- (41) having infection-related myocarditis before the clinical worsening of cardiomyopathy;
- (42) having Whipple's disease at the time of the clinical worsening of cardiomyopathy;
- Note: *Whipple's disease* is defined in the Schedule 1 - Dictionary.
-

-
- (43) having a disorder from the specified list of endocrine disorders at the time of the clinical worsening of cardiomyopathy;

Note: *specified list of endocrine disorders* is defined in the Schedule 1 - Dictionary.

- (44) having a catecholamine-secreting tumour at the time of the clinical worsening of cardiomyopathy;

- (45) having giant cell myocarditis, or a disease from the specified list of inflammatory connective tissue diseases, involving the heart, at the time of the clinical worsening of cardiomyopathy;

Note: *specified list of inflammatory connective tissue diseases* is defined in the Schedule 1 - Dictionary.

- (46) having a vasculitis from the specified list of systemic vasculitides, involving the heart, at the time of the clinical worsening of cardiomyopathy;

Note: *specified list of systemic vasculitides* is defined in the Schedule 1 - Dictionary.

- (47) having an infiltrative disease affecting the myocardium at the time of the clinical worsening of cardiomyopathy;

Note: *infiltrative disease* is defined in the Schedule 1 - Dictionary.

- (48) undergoing a course of therapeutic radiation for cancer, where the heart was in the field of radiation, before the clinical worsening of cardiomyopathy;

- (49) having received a cumulative equivalent dose of at least 1.0 sievert of ionising radiation to the heart before the clinical worsening of cardiomyopathy;

Note: *cumulative equivalent dose* is defined in the Schedule 1 - Dictionary.

- (50) having clinically apparent nutritional deficiency from the specified list of nutritional deficiencies at the time of the clinical worsening of cardiomyopathy;

Note: *specified list of nutritional deficiencies* is defined in the Schedule 1 - Dictionary.

- (51) being peripartum at the time of the clinical worsening of cardiomyopathy;

Note: *being peripartum* is defined in the Schedule 1 - Dictionary.

- (52) having chronic renal failure at the time of the clinical worsening of cardiomyopathy;

Note: *chronic renal failure* is defined in the Schedule 1 - Dictionary.

-
- (53) having cirrhosis of the liver before the clinical worsening of cardiomyopathy;
 - (54) being envenomated by a scorpion, a funnel web spider, a spider belonging to the genus *Latrodectus*, or a specified jellyfish, within the 24 hours before the clinical worsening of cardiomyopathy;

Note: *specified jellyfish* is defined in the Schedule 1 - Dictionary.

- (55) undertaking physical activity of greater than five METs at the time of the clinical worsening of cardiomyopathy;

Note: *MET* is defined in the Schedule 1 - Dictionary.

- (56) for takotsubo cardiomyopathy only:
 - (a) experiencing a category 1A stressor within the 14 days before the clinical worsening of cardiomyopathy;
 - (b) experiencing a category 1B stressor within the 14 days before the clinical worsening of cardiomyopathy;
 - (c) having:
 - i) an injury or illness requiring admission to an intensive care unit or artificial ventilation;
 - ii) major trauma; or
 - iii) septicaemia;within the 14 days before the clinical worsening of cardiomyopathy; or
 - (d) having a cerebrovascular accident or subarachnoid haemorrhage within the 14 days before the clinical worsening of cardiomyopathy;

Note: *category 1A stressor*, *a category 1B stressor*, *artificial ventilation* and *takotsubo cardiomyopathy* are defined in the Schedule 1 - Dictionary.

- (57) inability to obtain appropriate clinical management for cardiomyopathy.

10 Relationship to service

- (1) The existence in a person of any factor referred to in section 9 must be related to the relevant service rendered by the person.
- (2) The factors set out in subsections 9(29) to 9(57) apply only to material contribution to, or aggravation of, cardiomyopathy where the person's cardiomyopathy was suffered or contracted before or during (but did not arise out of) the person's relevant service.

11 Factors referring to an injury or disease covered by another Statement of Principles

In this Statement of Principles:

- (1) if a factor referred to in section 9 applies in relation to a person; and
- (2) that factor refers to an injury or disease in respect of which a Statement of Principles has been determined under subsection 196B(3) of the VEA;

then the factors in that Statement of Principles apply in accordance with the terms of that Statement of Principles as in force from time to time.

Schedule 1 - Dictionary

Note: See Section 6

1 Definitions

In this instrument:

alcohol is measured by the alcohol consumption calculations utilising the Australian Standard of ten grams of alcohol per standard alcoholic drink.

anthracycline means a class of cell-cycle non-specific drugs used in cancer chemotherapy derived from *Streptomyces peucetius* var. *caesius*, and includes daunorubicin (daunomycin), doxorubicin (adriamycin), epirubicin, idarubicin, valrubicin and mitoxantrone.

artificial ventilation means a method to assist or replace spontaneous breathing, which may involve a mechanically-controlled ventilator, manually-assisted bag ventilation of an intubated patient, or expired air resuscitation.

being peripartum means being in the last trimester of pregnancy or being within the six months immediately postpartum.

cardiomyopathy—see subsection 7(2).

category 1A stressor means one of the following severe traumatic events:

- (a) experiencing a life-threatening event;
- (b) being subject to a serious physical attack or assault including rape and sexual molestation; or
- (c) being threatened with a weapon, being held captive, being kidnapped, or being tortured.

category 1B stressor means one of the following severe traumatic events:

- (a) being an eyewitness to a person being killed or critically injured;
- (b) viewing corpses or critically injured casualties as an eyewitness;
- (c) being an eyewitness to atrocities inflicted on another person or persons;
- (d) killing or maiming a person; or
- (e) being an eyewitness to or participating in, the clearance of critically injured casualties.

Note: **eyewitness** is also defined in the Schedule 1 - Dictionary.

chronic renal failure means having a glomerular filtration rate of less than 60 mL/min/1.73 m² for a period of at least three months, or the presence of irreversible kidney damage.

cumulative equivalent dose means the total dose of ionising radiation received by the particular organ or tissue from external exposure, internal exposure or both, apart from normal background radiation exposure in Australia, calculated in accordance with the methodology set out in *Guide to*

calculation of 'cumulative equivalent dose' for the purpose of applying ionising radiation factors contained in Statements of Principles determined under Part XIA of the Veterans' Entitlements Act 1986 (Cth), Australian Radiation Protection and Nuclear Safety Agency, as in force on 2 August 2017.

Note 1: Examples of circumstances that might lead to exposure to ionising radiation include being present during or subsequent to the testing or use of nuclear weapons, undergoing diagnostic or therapeutic medical procedures involving ionising radiation, and being a member of an aircrew, leading to increased levels of exposure to cosmic radiation.

Note 2: For the purpose of dose reconstruction, dose is calculated as an average over the mass of a specific tissue or organ. If a tissue is exposed to multiple sources of ionising radiation, the various dose estimates for each type of radiation must be combined.

eyewitness means a person who observes an incident first hand and can give direct evidence of it. This excludes a person exposed only to media coverage of the incident.

familial hypertrophic cardiomyopathy means a genetic disease of cardiac muscle caused by a variety of mutations in genes encoding sarcomeric proteins. It is characterised by left ventricular hypertrophy and diastolic dysfunction, and may cause obstruction to left ventricular outflow and symptoms and signs of heart failure.

hypersensitivity reaction of the myocardium to a drug means eosinophilic myocarditis due to an allergic reaction, as indicated by:

- (a) skin rash, fever, peripheral eosinophilia, ECG changes, tachycardia and elevated cardiac enzymes; or
- (b) endomyocardial biopsy showing infiltration into the myocardium by eosinophils, multinucleated giant cells and leukocytes, occurring during drug therapy.

infiltrative disease means:

- (a) a primary or metastatic neoplasm;
- (b) amyloidosis;
- (c) iron overload; or
- (d) sarcoidosis.

Note: **iron overload** is also defined in the Schedule 1 - Dictionary.

iron overload means an accumulation of excess iron in tissues and organs which has been confirmed by elevated ferritin or transferrin saturation levels. Causes include haemochromatosis and blood transfusions.

MET means a unit of measurement of the level of physical exertion. 1 MET = 3.5 ml of oxygen/kg of body weight per minute, or 1.0 kcal/kg of body weight per hour, or resting metabolic rate.

MRCA means the *Military Rehabilitation and Compensation Act 2004*.

relevant service means:

- (a) eligible war service (other than operational service) under the VEA;
- (b) defence service (other than hazardous service and British nuclear test defence service) under the VEA; or
- (c) peacetime service under the MRCA.

specified jellyfish means a carybdeid ('box') jellyfish or *Pelagia noctiluca*.

specified list of chemotherapeutic agents means:

- (a) 5-fluorouracil (non-topical);
- (b) alemtuzumab;
- (c) bevacizumab;
- (d) cisplatin;
- (e) cladribine;
- (f) cyclophosphamide;
- (g) dasatinib;
- (h) denileukin difitox;
- (i) gemcitabine;
- (j) ifosfamide;
- (k) imantinib;
- (l) interferon alpha;
- (m) interleukin-2;
- (n) lapatinib;
- (o) lenalidomide;
- (p) mitomycin C;
- (q) paclitaxel;
- (r) pentostatin;
- (s) sorafenib;
- (t) sunitinib; or
- (u) trastuzumab.

Specified List of Drugs No. 1 means:

- (a) amphotericin B;
- (b) anagrelide;
- (c) clozapine;
- (d) denileukin difitox;
- (e) exogenous catecholamine;
- (f) itraconazole; or
- (g) olanzapine.

Specified List of Drugs No. 2 means:

- (a) androgenic-anabolic steroids; or
- (b) cocaine.

specified list of endocrine disorders means:

- (a) acromegaly;
- (b) adrenal insufficiency;
- (c) Cushing's syndrome;

- (d) diabetes mellitus;
- (e) Graves' disease;
- (f) hyperthyroidism or thyrotoxicosis; or
- (g) hypoparathyroidism.

specified list of inflammatory connective tissue diseases means:

- (a) ankylosing spondylitis;
- (b) dermatomyositis;
- (c) inclusion body myositis;
- (d) polymyositis;
- (e) rheumatoid arthritis;
- (f) scleroderma (progressive systemic sclerosis);
- (g) Sjogren's syndrome; or
- (h) systemic lupus erythematosus.

specified list of nutritional deficiencies means:

- (a) beriberi (thiamine deficiency);
- (b) carnitine deficiency;
- (c) Keshan disease (selenium deficiency);
- (d) pellagra (niacin deficiency); or
- (e) scurvy (Vitamin C deficiency).

specified list of systemic vasculitides means:

- (a) Behcet's disease;
- (b) eosinophilic granulomatosis with polyangiitis (Churg Straus syndrome);
- (c) giant cell (temporal) arteritis;
- (d) granulomatosis with polyangiitis (Wegener's granulomatosis);
- (e) mucocutaneous lymph node syndrome (Kawasaki disease);
- (f) microscopic polyangiitis;
- (g) polyarteritis nodosa; or
- (h) Takayasu's arteritis.

takotsubo cardiomyopathy, also known as stress cardiomyopathy, means a type of acute non-ischaemic cardiomyopathy in which there is a sudden temporary weakening of the myocardium, with ballooning of the left ventricular apex and a hypercontractile left ventricular base.

terminal event means the proximate or ultimate cause of death and includes:

- (a) pneumonia;
- (b) respiratory failure;
- (c) cardiac arrest;
- (d) circulatory failure; or
- (e) cessation of brain function.

VEA means the *Veterans' Entitlements Act 1986*.

Whipple's disease means a systemic infectious disease caused by the bacterium *Tropheryma whipplei*, which primarily causes malabsorption, but may also affect any part of the body.

Endnotes

Endnote 1—About the endnotes

The endnotes provide information about this compilation and the compiled law.

The following endnotes are included in every compilation:

Endnote 1—About the endnotes

Endnote 2—Abbreviation key

Endnote 3—Legislation history

Endnote 4—Amendment history

Abbreviation key—Endnote 2

The abbreviation key sets out abbreviations that may be used in the endnotes.

Legislation history and amendment history—Endnotes 3 and 4

Amending laws are annotated in the legislation history and amendment history.

The legislation history in endnote 3 provides information about each law that has amended (or will amend) the compiled law. The information includes commencement details for amending laws and details of any application, saving or transitional provisions that are not included in this compilation.

The amendment history in endnote 4 provides information about amendments at the provision (generally section or equivalent) level. It also includes information about any provision of the compiled law that has been repealed in accordance with a provision of the law.

Misdescribed amendments

A misdescribed amendment is an amendment that does not accurately describe the amendment to be made. If, despite the misdescription, the amendment can be given effect as intended, the amendment is incorporated into the compiled law and the abbreviation “(md)” added to the details of the amendment included in the amendment history.

If a misdescribed amendment cannot be given effect as intended, the abbreviation “(md not incorp)” is added to the details of the amendment included in the amendment history.

Endnote 2—Abbreviation key

ad = added or inserted	o = order(s)
am = amended	Ord = Ordinance
amdt = amendment	orig = original
c = clause(s)	par = paragraph(s)/subparagraph(s) /sub-subparagraph(s)
C[x] = Compilation No. x	pres = present
Ch = Chapter(s)	prev = previous
def = definition(s)	(prev...) = previously
Dict = Dictionary	Pt = Part(s)
disallowed = disallowed by Parliament	r = regulation(s)/rule(s)
Div = Division(s)	
exp = expires/expired or ceases/ceased to have effect	reloc = relocated
F = Federal Register of Legislation	renum = renumbered
gaz = gazette	rep = repealed
LA = <i>Legislation Act 2003</i>	rs = repealed and substituted
LIA = <i>Legislative Instruments Act 2003</i>	s = section(s)/subsection(s)
(md) = misdescribed amendment can be given effect	Sch = Schedule(s)
(md not incorp) = misdescribed amendment cannot be given effect	Sdiv = Subdivision(s)
mod = modified/modification	SLI = Select Legislative Instrument
No. = Number(s)	SR = Statutory Rules
	Sub-Ch = Sub-Chapter(s)
	SubPt = Subpart(s)
	<u>underlining</u> = whole or part not commenced or to be commenced

Endnote 3—Legislation history

Endnote 3—Legislation history

Name	Registration	Commencement	Application, saving and transitional provisions
<i>Statement of Principles concerning cardiomyopathy No. (86 of 2015)</i>	24 June 2015 F2015L00918	20 July 2015	
<i>Veterans' Entitlements (Statements of Principles—Cumulative Equivalent Dose) Amendment Determination 2017 (No. 58 of 2017)</i>	22 August 2017 F2017L01067	18 September 2017	

Endnote 4—Amendment history

Endnote 4—Amendment history

Provision affected	How affected
Schedule 1 – Dictionary – ' "cumulative equivalent dose".....'	rs. No. 58 of 2017