EXPLANATORY STATEMENT

Migration Regulations 1994

REQUIRED MEDICAL ASSESSMENT

(Clauses 4005, 4006A and 4007)

- 1. Instrument IMMI 15/144 is made under clauses 4005, 4006A and 4007 of Schedule 4 to the *Migration Regulations 1994* (the Regulations).
- 2. The Instrument revokes IMMI 15/119 (F2015L01747), signed on 27 October 2015 under subsection 33(3) of the *Acts Interpretation Act 1901*, which states where an Act confers a power to make, grant or issue any instrument of a legislative or administrative character, the power shall be construed as including a power exercisable in the like manner and subject to the like conditions (if any) to repeal, rescind, revoke, amend, or vary any such instrument.
- 3. The purpose of the Instrument is to update the medical assessment matrix by using a two tier approach to the categorisation of risk level and also update required medical assessments and to amend an inconsistency between schedules 1 and 2. This included minor changes to table headings.
- 4. The Instrument operates to specify a class of persons who must undertake the medical assessments specified in the Instrument; and a class of persons who must be assessed by a person specified in the Instrument.
- 5. External consultation to the Instrument was undertaken with the National Tuberculosis Advisory Committee and the Chief Medical Officer of the Department of Health.
- 6. The Office of Best Practice Regulation (OBPR) has advised that a Regulatory Impact Statement is not required (OBPR Reference: 19363).

- 7. Under section 44 of the *Legislative Instruments Act 2003*, the Instrument is exempt from disallowance and therefore a Statement of Compatibility with Human Rights is not required.
- 8. The Deputy Chief Medical Officer was delegated the powers contained in clauses 4005, 4006A and 4007 of Schedule 4 of the Regulations in Instrument of Delegation DEL 15/165, signed on 27 October 2015.
- 9. This Instrument IMMI 15/144 commences on the day it is registered on the Federal Register of Legislative Instruments.