



Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023

made under section 7A of the *Agricultural and Veterinary Chemicals
(Administration) Act 1992*.

Compilation No. 3

Compilation date: 1 March 2024

Includes amendments: F2024L00250

Prepared by the Australian Pesticides and Veterinary Medicines Authority

About this compilation

This compilation

This is a compilation of the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023* that shows the text of the law as amended and in force on 1 March 2024 (the *compilation date*).

The notes at the end of this compilation (the *endnotes*) include information about amending laws and the amendment history of provisions of the compiled law.

Uncommenced amendments

The effect of uncommenced amendments is not shown in the text of the compiled law. Any uncommenced amendments affecting the law are accessible on the Register (www.legislation.gov.au). The details of amendments made up to, but not commenced at, the compilation date are underlined in the endnotes. For more information on any uncommenced amendments, see the Register for the compiled law.

Application, saving and transitional provisions for provisions and amendments

If the operation of a provision or amendment of the compiled law is affected by an application, saving or transitional provision that is not included in this compilation, details are included in the endnotes.

Modifications

If the compiled law is modified by another law, the compiled law operates as modified but the modification does not amend the text of the law. Accordingly, this compilation does not show the text of the compiled law as modified. For more information on any modifications, see the Register for the compiled law.

Self-repealing provisions

If a provision of the compiled law has been repealed in accordance with a provision of the law, details are included in the endnotes.

Contents

[Preamble to schedule](#)

Preamble to Schedule	2
I Name	2
II Authority	2
III Background	2
IV Definitions	2
Schedule 1—The <i>MRL Standard</i>	4
Part 1—Preliminary	4
1 Explanation	4
2 Meat and milk [in the fat]	5
Part 2—The tables	5
1 Table 1—MRLs in food commodities	5
2 Table 2—Commodity portions	6
3 Table 3—Residue definitions	6
4 Table 4—Animal Feed Commodities	6
5 Table 5—MRLs not necessary	7
Table 1—MRLs in food commodities	7
Table 2—Portion of the commodity to which the MRL applies (and which is analysed)	206
Table 3—Residue definitions	212
Table 4—MRLs for pesticides in animal feed commodities	254
Table 5—Uses of substances where MRLs are not necessary	307

Preamble to Schedule

I Name

This instrument is the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*.

II Authority

This instrument is made under section 7A of the *Agricultural and Veterinary Chemicals (Administration) Act 1992*.

III Background

- (1) The *MRL Standard* set out in the Schedule lists MRLs of substances which may arise from the approved use of those substances or other substances, and provides the relevant residue definitions to which these MRLs apply.
- (2) The APVMA sets MRLs for agricultural and veterinary chemicals in agricultural produce, particularly produce entering the food chain. These MRLs are set at levels which are not likely to be exceeded if the agricultural or veterinary chemicals are used in accordance with their approved label instructions. At the time the MRLs are set the APVMA undertakes a dietary exposure evaluation to ensure the levels do not pose an undue hazard to human health.
- (3) In addition to the MRLs set by the APVMA (and its predecessor, the National Registration Authority for Agricultural and Veterinary Chemicals (NRA)), the *MRL Standard* includes recommendations made by the former Pesticides and Agricultural Chemicals Standing Committee (PACSC) of the National Health and Medical Research Council.
- (4) The *MRL Standard* also includes recommendations by the former Chemicals Safety Unit (CSU) of the Commonwealth Department of Human Services and Health. The CSU was responsible for recommending MRLs for agricultural chemicals in food and animal feedstuffs, and for maintaining the *MRL Standard*, from the disbandment of the PACSC until 30 June 1994, when this function was formally transferred to the then NRA on 1 July 1994. From 15 March 1994, the then NRA has set MRLs for agricultural chemicals in food and animal feedstuffs and has maintained the *MRL Standard*. On 30 July 2004 the name of the NRA was changed to the APVMA. Prior to the making of this Instrument, the APVMA published the *MRL Standard* on its website.

IV Definitions

- (1) An expression used in the Agvet Code and in this Instrument has the same meaning in this Instrument as in the Agvet Code.
- (2) In this instrument:

Agvet Code means the Agricultural and Veterinary Chemicals Code which is a Schedule to the Agvet Code Act;

Agvet Code Act means the *Agricultural and Veterinary Chemicals Code Act 1994*;

extraneous residue limit (ERL) refers to a pesticide residue arising from environmental sources (including former agricultural uses) other than the use of the chemical directly or indirectly on the food, agricultural commodity or animal feed. ERL means the maximum concentration of the pesticide residue that is recommended to be legally permitted or recognised as acceptable in or on a food, agricultural commodity or animal feed;

feed additive means any substance or agent added to the basic feed mix for continuous long-term administration to livestock for specific purposes, for example, enhancing production or maintenance or health above the levels obtained from the basic feed, improvement of storage qualities or the palatability of the basic feed mix;

good agricultural practice means the nationally recommended, authorised or registered use-pattern of chemicals, that is necessary for effective and reliable pest control under actual conditions at any stage of production, storage, transport, distribution and processing of food commodities and animal feed;

maximum residue limit (MRL) means the maximum concentration of a residue resulting from the registered use of an agricultural or veterinary chemical which is legally permitted or recognised as acceptable to be present in or on a food, agricultural commodity or animal feed;

the MRL Standard means the *MRL Standard - Maximum Residue Limits in Food and Animal Feedstuff* as set out in the Schedule;

primary feed commodity means a pasture, grain, forage or fodder in, or nearly in, its natural state intended for use by:

- (a) farmers as stockfeed for use without further processing for livestock animals, or after silaging or similar farm processes; or
- (b) stockfood manufacturers as a raw material for preparing compound feeds.

residue definition means the residue to which the MRL or ERL applies for each chemical as set out in Table 3 of the Schedule.

Schedule 1—The *MRL Standard*

Part 1—Preliminary

1 Explanation

- (1) An asterisk ‘*’ in the Tables to the Schedule denotes that the MRL or the ERL is set at or about the limit of analytical quantitation.
- (2) A ‘T’ in the Tables to the Schedule denotes that the MRL or ERL, residue definition or use is temporary to enable further experimental work to be carried out in Australia or overseas, and will be reconsidered at some future date. This symbol is also used in cases where an MRL or ERL is being phased out.
- (3) An ‘E’ in the Tables to the Schedule denotes an ERL.
- (4) The food commodity designations and their codes used in the Tables have been adopted from the Codex Classification of Foods and Animal Feeds (Part 4 of the Guide to Codex Recommendations Concerning Pesticide Residues, second edition, 1989) with minor modifications. The code is included in the MRL Standard entry to assist in associating Australian MRLs with Codex MRLs. Where a commodity does not have a Codex classification, it is entered in the MRL Standard without a code. Modification of a Codex classification is denoted by { }.
- (5) MRLs set for ‘groups’ of commodities are applicable to all members of the group as designated in the Codex classification.
- (6) Methods of analysis for measuring residues in food commodities must be appropriate to the residues defined in Table 3. Such methods are in most cases available in published manuals or in the chemical literature. Appropriate sources of methods for many compounds are available in the Guide to Codex Recommendations Concerning Residues. While the analyses are not confined to any particular method, they are subject to the necessary quality control procedures, including adequate recovery, minimal blank, a sufficiently low limit of analytical quantitation and absence of significant interferences. The analyst may choose any method appropriate to the compound, the commodity and the equipment, facilities and expertise available in the laboratory.
- (7) An MRL shall be regarded as being exceeded if the result of an analysis (by an experienced residue analyst on a sample taken according to official protocols), when rounded according to the Australian Standards SAA 2706-2003 to the number of significant figures in the MRL, exceeds the level set in the MRL Standard, taking into account the accuracy of the analysis.
- (8) For a food which is not specified but consists of, or contains, or is manufactured from one or more of the foods specified (e.g. fruit juice), the presence of residues at a level not greater than the respective MRLs is considered acceptable where

there is no evidence of concentration. Where there is evidence of concentration, separate MRLs may be set for the appropriate commodities (e.g. wine, wheat germ).

- (9) The concentration of MRLs and ERLs are expressed in milligrams per kilogram of the food, agricultural commodity or animal feed or milligrams per litre for liquids.
- (10) MRLs on food commodities (Table 1) are expressed on a "fresh-weight" or "as received" basis. MRLs on animal feeds (Table 4) are normally expressed on a "dry-weight" basis. Expression on a "dry weight" basis means that where the sample is analysed on a "fresh weight" basis, a moisture level is determined on a separate subsample and the residue is calculated as if it were all in the dried portion. However, it should be noted MRLs which apply to primary human food commodities also apply when these commodities are used as animal feed commodities.
- (11) As a matter of policy, MRLs are not set for residues in tobacco or in agricultural commodities used primarily for fibre production, such as flax, cotton balls, hemp, wool or mohair, or hides of leather as these are not food commodities.
- (12) In normal practice MRLs are not set for residues in agricultural commodities used primarily for human or veterinary drug or medicine production, since it is assumed that processing under good manufacturing practices will remove any residues which might constitute a toxicological hazard to human health.

2 Meat and milk [in the fat]

- (1) Where a MRL is determined for meat or milk and the chemical concerned is fat soluble, the commodity is designated with the qualification '[in the fat]'.
- (2) 'Meat' MRLs are expressed on a fat basis rather than on a whole product basis.
- (3) The approach followed in the MRL Standard is that a portion of adhering fat is analysed and the MRLs apply to the clean, dry fat.
- (4) When a MRL for cattle milk or milks is qualified by '[in the fat]', the MRL applies to the fat portion of the milk. Thus, MRLs are expressed on a fat basis. In a derived or manufactured milk product with a fat content of 2% or more, the MRL also applies to the fat portion. For a milk product with a fat content of less than 2%, the MRL applied should be 1/50 of that for 'milk [in the fat]' and should apply to the whole product.

Part 2—The tables

1 Table 1—MRLs in food commodities

- (1) Table 1 lists residues of substances which may occur in food commodities and for which a MRL or an ERL applies. The particular food commodity is set out in

column 2 of Table 1 and the MRL (or the ERL) for that food commodity is in column 3.

- (2) Residues of a substance may arise from approved uses of that or another substance, or from extraneous contamination.

2 Table 2—Commodity portions

- (1) Table 2 lists the portion of the commodity to which the maximum residue limit applies (and which is analysed).
- (2) Table 2 is derived from the Codex Classification of Foods and Animal Feeds, second edition, 1989.
- (3) MRLs are in most cases stated in terms of a specific whole raw agricultural commodity as it moves in trade. In some instances a qualification is included that describes the part of the raw agricultural commodity to which the MRL applies. In other instances such qualifications are not provided. Therefore, unless otherwise specified, the portion of the raw agricultural commodity to which the MRL applies and which is to be prepared as the analytical sample for the determination of residues is as described in Table 2.

3 Table 3—Residue definitions

- (1) MRLs for a commodity are set for residues measured by a valid method of analysis. This method may measure the chemical or a derivative of the chemical and may include metabolites originating from the parent compound or other chemicals. In some cases, the nominal concentration of the parent compound is calculated from the measured concentration of a metabolite, but in other cases a derivative or metabolite is used as a measure of the residue.
- (1A) Unless otherwise stated, the residue definitions are established both for compliance with MRLs and for estimation of dietary intake for dietary risk assessment. Where separate definitions for compliance and for dietary risk are established, they are identified and the compliance definition must be used for comparison with MRLs established in Table 1.
- (2) Table 3 sets out the residue to which the MRL applies for each chemical compound. Residue definitions for compounds which no longer have entries in Tables 1, 4 or 5 have been retained in Table 3 for reference as analyses may still be required for compounds whose use is no longer permitted.

4 Table 4—Animal Feed Commodities

- (1) Table 4 lists MRLs and ERLs for residues of substances that may occur in animal feed commodities. Residues of a substance may arise from approved uses of that or another substance, or from extraneous contamination. Entries in Table 4 are normally expressed on a dry weight basis.

- (2) Feed commodities that are also primary human food commodities have not been included in Table 4 and the MRLs for these commodities will also apply as MRLs when they are used as animal feed commodities. Examples of such commodities are the cereal grains, pulses, oil seeds and any other food commodity that is used as a substantial animal feed commodity. The entries in Table 4 should therefore be read in conjunction with the relevant entries in Table 1 when considering the MRLs (or ERLs) that apply to animal feed commodities.

5 Table 5—MRLs not necessary

- (1) Table 5 lists uses of substances where MRLs are not necessary.
- (2) MRLs are not necessary in situations where residues do not or should not occur in foods or animal feeds; or where the residues are identical to or indistinguishable from natural food components; or otherwise are of no toxicological significance.

Table 1—MRLs in food commodities

COMPOUND	FOOD	MRL (mg/kg)
Abamectin		
VD 0560	Adzuki bean (dry)	*0.002
TN 0660	Almonds	*0.01
FI 0326	Avocado	0.05
	Beetroot leaves	0.5
FB 0264	Blackberries	0.1
FB 0020	Blueberries	T0.1
VA 0035	Bulb vegetables [alliums]	0.05
VB 0041	Cabbages, head	T0.05
MF 0812	Cattle fat	0.1
MM 0812	Cattle meat	0.005
ML 0812	Cattle milk	0.02
MO 0812	Cattle, edible offal of	0.1
VS 0624	Celery	T0.05
FC 0001	Citrus fruits	0.01
SB 0715	Cocoa beans	T0.07
VD 0526	Common bean (dry) [navy bean (dry)]	*0.002
SO 0691	Cotton seed	*0.01

COMPOUND	FOOD	MRL (mg/kg)
VC 0424	Cucumber	0.05
FB 0278	Currant, black	0.02
FI 0332	Custard apple	*0.01
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.03
VC 0045	Fruiting vegetables, cucurbits {except Cucumber; Squash, summer [zucchini]}	0.02
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	0.1
MF 0814	Goat fat	0.1
ML 0814	Goat milk	0.005
	Goat muscle	0.01
	Goat, kidney	0.01
	Goat, liver	0.05
FB 0269	Grapes	0.01
DH 1100	Hops, dry	0.1
VL 0053	Leafy vegetables {except Lettuce, leaf}	T0.5
VP 0060	Legume vegetables {except Peas (pods and succulent = immature seeds)}	T0.1
VL 0483	Lettuce, leaf	T1
FI 0343	Litchi	0.05
TN 0669	Macadamia nuts	T*0.01
GC 0645	Maize	T*0.01
VD 0536	Mung bean (dry)	*0.002
VO 0450	Mushrooms	0.05
FI 0350	Papaya [pawpaw]	0.1
FI 0351	Passion fruit	0.2
SO 0697	Peanut	T*0.01
VP 0063	Peas (pods and succulent = immature seeds)	0.5
	Peppers, chili, other cultivars	T0.1
MM 0818	Pig meat [in the fat]	0.02
MO 1284	Pig, kidney	0.01

COMPOUND	FOOD	MRL (mg/kg)
MO 1285	Pig, liver	0.02
FI 0353	Pineapple	T*0.002
FP 0009	Pome fruits	0.01
GC 0656	Popcorn	T*0.01
FB 0272	Raspberries, red, black	0.1
VS 0627	Rhubarb	T0.05
VR 0075	Root and tuber vegetables	*0.01
MM 0822	Sheep meat [in the fat]	0.05
MO 0822	Sheep, edible offal of	0.05
VD 0541	Soya bean (dry)	*0.002
VC 0431	Squash, summer [zucchini]	0.05
FS 0012	Stone fruits {except Cherries}	T0.03
FB 0275	Strawberry	0.1
VO 0447	Sweet corn (corn-on-the-cob)	0.05
Acephate see also Methamidophos		
FI 0327	Banana	1
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	0.2
TN 0669	Macadamia nuts	*0.1
MM 0095	Meat (mammalian) {except Sheep meat}	0.2
VO 0445	Peppers, sweet [capsicum]	5
VR 0589	Potato	0.5
MM 0822	Sheep meat	*0.01
VO 0448	Tomato	5
Acequinocyl		
DF 0240	Apricot, dried	1
MO 0105	Edible offal (mammalian)	*0.02
DH 1100	Hops, dry	T10
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
DF 0247	Peach, dried	1

COMPOUND	FOOD	MRL (mg/kg)
VO 0445	Peppers, sweet [capsicum]	1
FP 0009	Pome fruits	0.7
DF 0014	Prunes	1
FS 0012	Stone fruits	0.7
VO 0448	Tomato	2
Acetamiprid		
FP 0226	Apple	0.2
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.2
FB 2005	Cane berries	1
FS 0013	Cherries	2
FC 0001	Citrus fruits	1
SO 0691	Cotton seed	0.2
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.2
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.05
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0305	Olives for oil production	T0.5
FP 0230	Pear	0.3
FP 0307	Persimmon, Japanese	T0.3
VR 0589	Potato	*0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Field pea (dry); Lupin (dry)}	0.1
FS 0012	Stone fruits {except Cherries}	0.5
FT 0305	Table olives	T0.5
Acibenzolar-S-methyl		
SO 0691	Cotton seed	*0.02
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02

COMPOUND	FOOD	MRL (mg/kg)
FI 0341	Kiwifruit	T0.03
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.005
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VO 0448	Tomato	1
Acifluorfen		
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.01
VP 0060	Legume vegetables	0.1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0697	Peanut	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	0.1
VD 0070	Pulses	0.1
Aclonifen		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks [in the fat]	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0653	Triticale	T*0.01
GC 0654	Wheat	*0.01
Afidopyropen		
VS 0620	Artichoke, globe	0.1
FI 0327	Banana	0.1
GC 0640	Barley	*0.01
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VB 0040		
VA 0035	Bulb vegetables [alliums]	*0.01
FB 2005	Cane berries	0.3

COMPOUND	FOOD	MRL (mg/kg)
VR 0577	Carrot	*0.01
VS 0624	Celery	3
SO 0691	Cotton seed	0.1
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
VC 0045	Fruiting vegetables, cucurbits	0.7
VO 0050	Fruiting vegetables, other than cucurbits	0.2
HS 0784	Ginger, root	*0.01
FB 0269	Grapes	*0.01
HH 0092	Herbs	T5
VL 0053	Leafy vegetables	5
FI 0343	Litchi	0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.01
FI 0351	Passion fruit	0.1
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
SO 0495	Rape seed [canola]	*0.01
VS 0627	Rhubarb	0.1
FB 0275	Strawberry	0.2
GC 2090	Sweet corns	*0.01
VR 0508	Sweet potato	*0.01
GC 0654	Wheat	*0.01
Albendazole		
MM 0812	Cattle meat	*0.1
MO 0812	Cattle, edible offal of	*0.1
MM 0814	Goat meat	*0.1
MO 0814	Goat, edible offal of	*0.1
MM 0822	Sheep meat	0.2
MO 0822	Sheep, edible offal of	3
Aldrin and Dieldrin		
VS 0621	Asparagus	E0.1

COMPOUND	FOOD	MRL (mg/kg)
FI 0327	Banana	E0.05
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	E0.1
GC 0080	Cereal grains	E0.02
FC 0001	Citrus fruits	E0.05
WC 0143	Crustaceans	E0.1
WD 0120	Diadromous fish	E0.1
MO 0105	Edible offal (mammalian)	E0.2
VO 0440	Egg plant [aubergine]	E0.1
PE 0112	Eggs	E0.1
WF 0115	Freshwater fish	E0.1
VC 0045	Fruiting vegetables, cucurbits	E0.1
	Fruits	E0.05
VL 0482	Lettuce, head	E0.1
VL 0483	Lettuce, leaf	E0.1
WS 0125	Marine fish	E0.1
MM 0095	Meat (mammalian) [in the fat]	E0.2
ML 0106	Milks [in the fat]	E0.15
IM 0150	Molluscs, including cephalopods	E0.1
VA 0385	Onion, bulb	E0.1
SO 0697	Peanut	E0.05
VO 0445	Peppers, sweet [capsicum]	E0.1
HS 0792	Pimento fruit	E0.1
PM 0110	Poultry meat [in the fat]	E0.2
PO 0111	Poultry, edible offal of	E0.2
VL 0494	Radish leaves (including radish tops)	E0.1
VR 0075	Root and tuber vegetables	E0.1
GS 0659	Sugar cane	E*0.01
Aliphatic alcohol ethoxylates		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	1
MO 0812	Cattle, edible offal of	*0.1
Altrenogest		

COMPOUND	FOOD	MRL (mg/kg)
MM 0818	Pig meat	*0.005
MO 0818	Pig, edible offal of	0.005
Ametoctradin		
HH 0722	Basil	T50
VR 0574	Beetroot	0.3
VA 2031	Bulb onions	0.7
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	2
FB 0269	Grapes	3
VA 2032	Green onions	3
VL 0053	Leafy vegetables	50
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
SO 0698	Poppy seed	0.7
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
Ametryn		
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
FI 0353	Pineapple	*0.05
GS 0659	Sugar cane	0.05
Amicarbazone		
MO 0105	Edible offal (mammalian)	0.7
MM 0095	Meat (mammalian)	0.01
ML 0106	Milks	*0.01
GS 0659	Sugar cane	0.1
Aminocyclopyrachlor		
MO 0105	Edible offal (mammalian)	0.5
MM 0095	Meat (mammalian) [in the fat]	0.05
ML 0106	Milks	0.02
Aminoethoxyvinylglycine		
TN 0660	Almonds	*0.05

COMPOUND	FOOD	MRL (mg/kg)
FP 0226	Apple	0.1
FS 0013	Cherries	*0.05
FS 0012	Stone fruits {except Cherries}	0.2
TN 0678	Walnuts	*0.05
Aminopyralid		
GC 0080	Cereal grains	0.1
MO 0105	Edible offal (mammalian) {except Kidney}	0.02
PE 0112	Eggs	*0.01
	Kidney (mammalian)	0.3
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.01
CM 0654	Wheat bran, unprocessed	0.3
Amisulbrom		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
DF 0269	Dried grapes (= currants, raisins and sultanas)	1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VR 0589	Potato	0.3
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Amitraz		
SO 0691	Cotton seed	*0.1
OC 0691	Cotton seed oil, crude	1
MO 0105	Edible offal (mammalian)	0.5
	Honey	0.2

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
Amitrole		
FI 0326	Avocado	*0.01
FI 0327	Banana	*0.01
GC 0080	Cereal grains	*0.01
FC 0001	Citrus fruits	*0.01
MO 0105	Edible offal (mammalian)	*0.01
FB 0269	Grapes	*0.01
DH 1100	Hops, dry	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.01
FI 0350	Papaya [pawpaw]	*0.01
FI 0351	Passion fruit	*0.01
TN 0672	Pecan	*0.01
FP 0009	Pome fruits	*0.01
VR 0589	Potato	*0.05
VD 0070	Pulses	*0.01
FS 0012	Stone fruits	*0.02
Amoxycillin		
ML 0812	Cattle milk	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	0.05
MM 0095	Meat (mammalian)	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
ML 0822	Sheep milk	*0.01
Ampicillin		
ML 0812	Cattle milk	*0.01
MM 0816	Horse meat	*0.01
MO 0816	Horse, edible offal of	*0.01
Amprolium		
PE 0112	Eggs	4

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	0.5
PO 0111	Poultry, edible offal of	1
Apramycin		
MO 0105	Edible offal (mammalian)	2
MM 0095	Meat (mammalian)	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	1
Asulam		
FP 0226	Apple	*0.1
MO 0105	Edible offal (mammalian)	*0.1
DH 1100	Hops, dry	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0698	Poppy seed	*0.1
VR 0589	Potato	0.4
GS 0659	Sugar cane	*0.1
Atrazine		
MO 0105	Edible offal (mammalian)	T*0.1
VD 0545	Lupin (dry)	*0.02
GC 0645	Maize	*0.1
MM 0095	Meat (mammalian)	T*0.01
ML 0106	Milks	T*0.01
SO 0090	Mustard seeds	T*0.02
VR 0589	Potato	*0.01
SO 0495	Rape seed [canola]	*0.02
GC 0651	Sorghum	*0.1
GS 0659	Sugar cane	*0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.1
Avilamycin		
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Azamethiphos		
GC 0080	Cereal grains	0.1
MO 0105	Edible offal (mammalian)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
CM 0654	Wheat bran, unprocessed	0.5
Azaperone		
MM 0818	Pig meat	0.2
MO 0818	Pig, edible offal of	0.2
Azimsulfuron		
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
GC 0649	Rice	*0.02
Azoxystrobin		
TN 0660	Almonds	*0.01
	Anise myrtle leaves (dried)	T3
FI 0326	Avocado	3
GC 0640	Barley	0.2
HH 0722	Basil	T50
FB 2250	Bayberries	T5
FT 2303	Bayberry, red	T5
VR 0574	Beetroot	T*0.005
FB 0264	Blackberries	T5
FB 0020	Blueberries	T5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	5
VR 0577	Carrot	0.2
FC 0001	Citrus fruits	3

COMPOUND	FOOD	MRL (mg/kg)
FB 0277	Cloudberry	T5
SO 0691	Cotton seed	T0.05
FB 0266	Dewberries (including boysenberry and loganberry)	T5
DF 0269	Dried grapes (= currants, raisins and sultanas)	5
MO 0105	Edible offal (mammalian)	0.03
VO 0440	Egg plant [aubergine]	T2
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	2
FB 0269	Grapes	2
VR 0583	Horseradish	0.5
VL 0053	Leafy vegetables	15
VP 0060	Legume vegetables	3
	Lemon myrtle leaves (dried)	T3
TN 0669	Macadamia nuts	*0.01
GC 0645	Maize	*0.01
FI 0345	Mango	0.5
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	0.005
SO 0090	Mustard seeds	T0.01
GC 0647	Oats	0.1
VO 0442	Okra	T2
FT 0305	Olives	T2
VA 0385	Onion, bulb	0.2
FI 0351	Passion fruit	0.5
SO 0697	Peanut	0.05
OC 0697	Peanut oil, crude	0.1
VO 0051	Peppers	T2
	Peppers, chili, other cultivars	T2
FS 0014	Plums (including prunes)	T0.8
SO 0698	Poppy seed	*0.02
VR 0589	Potato	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01

COMPOUND	FOOD	MRL (mg/kg)
VD 0070	Pulses	0.3
VR 0494	Radish	0.5
SO 0495	Rape seed [canola]	0.01
FB 0272	Raspberries, red, black	T5
	Riberries	T1
GC 0649	Rice	T7
GC 0650	Rye	0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
VO 0448	Tomato	T1
TN 0085	Tree nuts {except Almonds; Macadamia nuts}	2
GC 0653	Triticale	0.1
GC 0654	Wheat	0.1
Bacitracin		
PF 0840	Chicken fat	*0.5
PM 0840	Chicken meat	*0.5
PO 0840	Chicken, edible offal of	*0.5
PE 0112	Eggs	*0.5
ML 0106	Milks	*0.5
Bendiocarb		
MM 0812	Cattle meat	0.1
MO 0812	Cattle, edible offal of	0.2
PE 0112	Eggs	0.05
ML 0106	Milks	0.1
PM 0110	Poultry meat	0.05
PO 0111	Poultry, edible offal of	0.1
Benfluralin		
VL 0482	Lettuce, head	T*0.05
VL 0483	Lettuce, leaf	T*0.05
Bensulfuron-methyl		
GC 0649	Rice	*0.02
CF 0649	Rice bran, processed	*0.05
Bentazone		
VP 0061	Beans, except broad bean and soya bean	*0.1

COMPOUND	FOOD	MRL (mg/kg)
VP 0522	Broad bean (green pods and immature seeds)	*0.1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VP 0529	Garden pea, shelled	T*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VA 0385	Onion, bulb	T0.1
SO 0697	Peanut	*0.1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.01
GC 0649	Rice	*0.03
Benzocaine		
	Abalone	*0.05
	Finfish	*0.05
Benzofenap		
GC 0649	Rice	*0.01
Benzovindiflupyr		
GC 0640	Barley	0.2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
GC 0647	Oats	0.2
SO 0697	Peanut	*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
GC 0650	Rye	0.01
GC 0653	Triticale	0.01
GC 0654	Wheat	0.01
Benzyl G penicillin		
MO 0105	Edible offal (mammalian)	*0.06

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	*0.06
ML 0106	Milks	*0.0015
Benzyladenine		
FP 0226	Apple	0.2
FP 0230	Pear	*0.005
TN 0678	Walnut	T*0.005
BHC (other than the g isomer, Lindane)		
GC 0080	Cereal grains	E0.1
WC 0143	Crustaceans	E0.01
WD 0120	Diadromous fish	E0.01
MO 0105	Edible offal (mammalian)	E0.3
PE 0112	Eggs	E0.1
WF 0115	Freshwater fish	E0.01
WS 0125	Marine fish	E0.01
MM 0095	Meat (mammalian) [in the fat]	E0.3
ML 0106	Milks [in the fat]	E0.1
IM 0150	Molluscs, including cephalopods	E0.01
SO 0697	Peanut	E0.1
PM 0110	Poultry meat [in the fat]	E0.3
PO 0111	Poultry, edible offal of	E0.3
GS 0659	Sugar cane	E*0.005
Bicyclopyrone		
GC 0640	Barley	0.02
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milk	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
GC 0654	Wheat	0.02
CM 0654	Wheat bran, unprocessed	0.05
Bifenazate		
TN 0660	Almonds	0.1
FS 0240	Apricot	0.5

COMPOUND	FOOD	MRL (mg/kg)
FI 0326	Avocado	T2
FB 0264	Blackberries	T7
FB 0277	Cloudberry	T7
VL 0510	Cos lettuce	T20
FB 0266	Dewberries (including boysenberry and loganberry)	T7
DF 0269	Dried grapes (= currants, raisins and sultanas)	T2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	1
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms and Sweet corn (corn-on-the-cob)}	1
FB 0269	Grapes {except Wine-grapes}	T1
DH 1100	Hops, dry	T3
VL 0482	Lettuce, head	T20
VL 0483	Lettuce, leaf	T20
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
FS 0245	Nectarine	0.5
FI 0350	Papaya [pawpaw]	2
FS 0247	Peach	2
FS 0014	Plums (including prunes)	0.5
VP 0538	Podded pea (young pods) [snow and sugar snap]	T1
FP 0009	Pome fruits	2
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0272	Raspberries, red, black	T7
FB 0275	Strawberry	2
VP 0544	Yard-long bean (pods)	T1
Bifenthrin		
TN 0660	Almonds	T0.1
FP 0226	Apple	*0.05
FI 0326	Avocado	T0.1

COMPOUND	FOOD	MRL (mg/kg)
FI 0327	Banana	0.1
FB 0264	Blackberries	T3
FB 0020	Blueberries	T3
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Cabbages, head}	0.5
VB 0041	Cabbages, head	T0.5
VS 0624	Celery	T*0.01
GC 0080	Cereal grains {except Chia}	*0.02
FS 0013	Cherries	T3
VL 0465	Chervil	T0.5
GC 3084	Chia	T0.2
FC 0001	Citrus fruits	*0.05
FB 0277	Cloudberry	T3
VD 0526	Common bean (dry)	0.2
VP 0526	Common bean (pods and/or immature seeds)	0.7
SO 0691	Cotton seed	0.1
VC 0424	Cucumber	0.5
FB 0021	Currants, black, red, white	T3
FB 0266	Dewberries (including boysenberry and loganberry)	T3
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.05
FT 0297	Fig	T1
VC 0045	Fruiting vegetables, cucurbits {except Cucumber}	0.1
VO 0050	Fruiting vegetables, other than cucurbits	0.5
HS 0784	Ginger, root	T*0.01
FB 0268	Gooseberry	T3
FB 0269	Grapes	*0.01
HH 0092	Herbs	T0.5
VL 0053	Leafy vegetables {except Chervil; Mizuna; Rucola [rocket]}	*0.01
MM 0095	Meat (mammalian) [in the fat]	2

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	0.5
	Mizuna	T0.5
VD 0536	Mung bean (dry)	T0.2
SO 0090	Mustard seeds	*0.02
FT 0305	Olives	T0.5
FP 0230	Pear	0.5
VP 0063	Peas	*0.01
	Peppers, chili, other cultivars	0.5
FI 0353	Pineapple	*0.01
SO 0698	Poppy seed	*0.02
PO 0111	Poultry, edible offal of	*0.05
PM 0110	Poultry meat [in the fat]	*0.05
VD 0070	Pulses {except Common bean (dry); Mung bean (dry)}	*0.02
SO 0495	Rape seed [canola]	*0.02
FB 0272	Raspberries, red, black	T3
VL 0496	Rucola [rocket]	T0.5
FS 0012	Stone fruits {except Cherries}	1
GS 0659	Sugar cane	T0.7
VR 0508	Sweet potato	*0.05
VF 0371	Truffle	T*0.01
Bitertanol		
VP 0061	Beans, except broad bean and soya bean	0.5
MO 0105	Edible offal (mammalian)	3
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	0.3
ML 0106	Milks	0.2
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Bixafen		
	All other foods	0.03
GC 0080	Cereal grains	*0.01
SO 0691	Cotton seed	T0.3
OC 0691	Cotton seed oil, crude	T0.5

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.02
VD 0545	Lupin (dry)	T0.1
MM 0095	Meat (mammalian) [in the fat]	0.2
FM 0183	Milk fats	0.5
ML 0106	Milks	0.05
SO 0088	Oilseed {except Cotton seed}	*0.01
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses {except Lupin (dry)}	*0.01
Bixlozone		
GC 0640	Barley	*0.01
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VD 0561	Field pea (dry)	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.01
PO 0111	Poultry, Edible offal of	*0.01
PM 0110	Poultry meat	*0.01
SO 0495	Rape seed [canola]	*0.01
GC 0654	Wheat	*0.01
Boscalid		
VD 0560	Adzuki bean (dry)	T3
	All other foods	0.5
FB 0264	Blackberries	T10
FB 0020	Blueberries	T15
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
VB 0040		
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	T5
VS 0624	Celery	T15
FS 0013	Cherries	T3

COMPOUND	FOOD	MRL (mg/kg)
VD 0524	Chick-pea (dry)	T3
FB 0277	Cloudberry	T10
FB 0266	Dewberries (including boysenberry and loganberry)	T10
DF 0269	Dried grapes (= currants, raisins and sultanas)	15
MO 0105	Edible offal (mammalian)	0.3
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1
FB 0269	Grapes	4
VL 0053	Leafy vegetables	30
VP 0060	Legume vegetables	3
VD 0533	Lentil (dry)	T3
VD 0545	Lupin (dry)	T3
MM 0095	Meat (mammalian) [in the fat]	0.3
FM 0183	Milk fats	0.7
ML 0106	Milks	0.1
VA 0385	Onion, bulb	0.5
SO 0697	Peanut	T0.1
OR 0697	Peanut oil, edible	T0.7
TN 0675	Pistachio nut	T2
FP 0009	Pome fruits	2
FB 0272	Raspberries, red, black	T10
VR 0075	Root and tuber vegetables	1
	Silvanberries	T10
FB 4094	Youngberry	T10
Broflanilide		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VL 0053	Leafy vegetables	4
MM 0095	Meat (mammalian) [in the fat]	*0.02
FM 0183	Milk fats	*0.02

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.002
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
Bromacil		
VS 0621	Asparagus	*0.04
FC 0001	Citrus fruits	*0.04
MO 0105	Edible offal (mammalian)	*0.04
MM 0095	Meat (mammalian)	*0.04
ML 0106	Milks	*0.04
FI 0353	Pineapple	*0.04
Bromoxynil		
GC 0080	Cereal grains	*0.2
MO 0105	Edible offal (mammalian)	T3
PE 0112	Eggs	*0.02
VA 0381	Garlic	T*0.05
SO 3154	Hempseed	T*0.02
SO 0693	Linseed	*0.02
MM 0095	Meat (mammalian) [in the fat]	T1
ML 0106	Milks	T0.1
VA 0385	Onion, bulb	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
TN 0678	Walnuts	T*0.01
Bupirimate		
FP 0226	Apple	1
VO 0440	Egg plant [aubergine]	1
VC 0045	Fruiting vegetables, cucurbits	1
VO 0051	Peppers	0.7
FB 0275	Strawberry	*0.01
VO 0448	Tomato	T0.3
Bupivacaine		
MF 0822	Sheep fat	0.07
MO 1288	Sheep kidney	0.02
MO 1289	Sheep liver	0.02

COMPOUND	FOOD	MRL (mg/kg)
MM 0822	Sheep muscle	0.0005
Buprofezin		
	All other foods	0.1
HH 0722	Basil	5
VS 0624	Celery	T5
GC 0080	Cereal grains	*0.01
VA 2606	Chives, Chinese	2
FC 0001	Citrus fruits	2
SO 0691	Cotton seed	0.3
FI 0332	Custard apple	0.1
	Dried grapes (= currants, raisins and sultanas)	1
DF 0269		
MO 0105	Edible offal (mammalian)	*0.05
VC 0045	Fruiting vegetables, cucurbits	T2
	Fruiting vegetables, other than cucurbits {except Tomato}	T2
VO 0050		
VA 2609	Garlic chives	2
FB 0269	Grapes	0.3
VL 0483	Lettuce, leaf	T10
FI 0343	Litchi	T0.5
FI 0345	Mango	0.2
HH 0736	Marjoram (oregano)	5
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
HH 0738	Mints	5
SO 0088	Oilseed {except Cotton seed}	*0.01
FI 0351	Passion fruit	2
FP 0230	Pear	0.2
	Peppers, chili, other cultivars	T2
FP 0307	Persimmon, Japanese	1
VD 0070	Pulses	*0.01
HH 0750	Thyme	5
VO 0448	Tomato	1
FT 0312	Tree tomato	T1
TN 0678	Walnut	T0.05

COMPOUND	FOOD	MRL (mg/kg)
Butafenacil		
GC 0080	Cereal grains {except Rice}	*0.02
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.01
SO 0495	Rape seed [canola]	*0.01
Butroxydim		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VP 0060	Legume vegetables	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.01
Cadusafos		
FI 0327	Banana	*0.01
FC 0001	Citrus fruits	*0.01
HS 0784	Ginger, root	0.1
GS 0659	Sugar cane	*0.01
VO 0448	Tomato	*0.01
Captan		
TN 0660	Almonds	0.3
FB 0018	Berries and other small fruits {except Blueberries; Grapes; Strawberries}	T30
FB 0020	Blueberries	20
VD 0524	Chick-pea (dry)	T0.1
VC 0424	Cucumber	T5

COMPOUND	FOOD	MRL (mg/kg)
DF 0269	Dried grapes (= currants, raisins and sultanas)	15
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.02
FB 0269	Grapes	10
VD 0533	Lentil (dry)	T0.1
VL 0483	Lettuce, leaf	T15
FC 0003	Mandarins	T3
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
VO 0444	Peppers, chili	T7
	Peppers, chili, other cultivars	T7
VO 0445	Peppers, sweet [capsicum]	T7
FP 0009	Pome fruits	10
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
FS 0012	Stone fruits	15
FB 0275	Strawberry	10
FC 4029	Tangelo, large-sized cultivars	T3
TN 0085	Tree nuts {except Almonds}	3
Carbaryl		
FI 0326	Avocado	2
GC 0640	Barley	15
VR 0574	Beetroot	0.5
SB 0715	Cacao beans	0.02
GC 0080	Cereal grains {except Barley; Rice; Sorghum}	5
TN 0665	Coconut	*0.01
SO 0691	Cotton seed	3
MO 0105	Edible offal (mammalian)	3
PE 0112	Eggs	*0.02
FI 0335	Feijoa	*0.01
VC 0045	Fruiting vegetables, cucurbits	*0.01
FB 0269	Grapes	*0.01
FT 0336	Guava	*0.01

COMPOUND	FOOD	MRL (mg/kg)
TN 0666	Hazelnuts	0.01
FT 0300	Jaboticaba	*0.01
FI 0338	Jackfruit	*0.01
FC 0204	Lemon	3
FI 0343	Litchi	*0.01
FI 0342	Longan	*0.01
TN 0669	Macadamia nuts	2
FI 0345	Mango	2
MM 0095	Meat (mammalian)	0.07
ML 0106	Milks	0.1
SO 0088	Oilseed {except Cotton seed}	0.1
FC 0004	Oranges, sweet, sour	3
TN 0672	Pecan	2
FP 0009	Pome fruits	0.2
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	0.2
VD 0070	Pulses	0.1
FI 0358	Rambutan	*0.01
FB 0272	Raspberries, red, black	15
GC 0649	Rice	7
GC 0651	Sorghum	10
FS 0012	Stone fruits {except Cherries}	0.5
FB 0275	Strawberry	*0.01
VR 0497	Swede	2
VR 0508	Sweet potato	0.1
VR 0506	Turnip, garden	2
CM 0654	Wheat bran, unprocessed	10
Carbendazim		
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.1
VA 0381	Garlic	T*0.01
TN 0669	Macadamia nuts	0.1
MM 0095	Meat (mammalian)	0.2

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.1
VF 0450	Mushrooms	T1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	0.5
Carbetamide		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PO 0111	Poultry, edible offal of	*0.05
PM 0110	Poultry meat	*0.05
VD 0070	Pulses	*0.01
Carbon disulfide		
GC 0080	Cereal grains	10
VD 0070	Pulses	T10
Carbonyl sulphide		
GC 0080	Cereal grains	T0.2
VD 0070	Pulses	T0.2
SO 0495	Rape seed [canola]	T0.2
Carboxin		
GC 0080	Cereal grains	0.1
Carfentrazone-ethyl		
FT 0026	Assorted tropical and sub-tropical fruits - edible peel	*0.05
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.05
FB 0018	Berries and other small fruits {except Grapes}	*0.05
GC 0080	Cereal grains	*0.05
FC 0001	Citrus fruits	*0.05
SO 0691	Cotton seed	T*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
FB 0269	Grapes	*0.05

COMPOUND	FOOD	MRL (mg/kg)
DH 1100	Hops, dry	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.025
FP 0009	Pome fruits	*0.05
VR 0589	Potato	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
FS 0012	Stone fruits	*0.05
TN 0085	Tree nuts	*0.05
Ceftiofur		
MF 0812	Cattle fat	0.5
MM 0812	Cattle meat	0.1
ML 0812	Cattle milk	0.1
MO 0812	Cattle, edible offal of	2
Cefuroxime		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	*0.1
MO 0812	Cattle, edible offal of	*0.1
Cephalonium		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	*0.02
MO 0812	Cattle, edible offal of	*0.1
Cephapirin		
MM 0812	Cattle meat	*0.02
ML 0812	Cattle milk	*0.01
MO 0812	Cattle, edible offal of	*0.02
Chlorantraniliprole		
	All other foods	T0.1
FI 0326	Avocado	T2
FB 0020	Blueberries	T3
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VB 0040		
FB 2005	Cane berries	T1
VS 0624	Celery	5

COMPOUND	FOOD	MRL (mg/kg)
FC 0001	Citrus fruits	T0.7
SB 0715	Cocoa beans	T0.2
	Coriander (leaves, stems and roots)	T20
SO 0691	Cotton seed	0.3
DF 0167	Dried fruits	2
MO 0105	Edible offal (mammalian)	0.02
PE 0112	Eggs	0.03
VC 0045	Fruiting vegetables, cucurbits	0.2
	Fruiting vegetables, other than cucurbits {except Peppers, Chili; Sweet corn (corn-on-the-cob)}	0.3
VO 0050		
HS 0784	Ginger, root	T0.1
FB 0269	Grapes	0.3
SO 3154	Hempseed	T1
HH 0092	Herbs	T20
	Leafy vegetables {except Lettuce, head; Rucola [rocket]}	15
VL 0053		
VP 0060	Legume vegetables	1
VL 0482	Lettuce, head	3
SO 0693	Linseed	T0.5
GC 2091	Maize cereals	T*0.01
MM 0095	Meat (mammalian) [in the fat]	0.02
	Mexican tarragon	T20
FM 0183	Milk fats	0.1
ML 0106	Milks	0.02
VD 0536	Mung bean (dry)	0.7
SO 0697	Peanut	T0.02
VO 0444	Peppers, chili	1
FP 0009	Pome fruits	0.3
VR 0589	Potato	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses {except Mung bean (dry)}	0.07
GC 0649	Rice	T0.3
VS 0627	Rhubarb	5

COMPOUND	FOOD	MRL (mg/kg)
VR 0075	Root and tuber vegetables {except Potato}	T0.5
VL 0496	Rucola [rocket]	T20
SO 0700	Sesame seed	T0.5
GC 2089	Sorghum grain and millet	T1
FS 0012	Stone fruits	1
FB 0275	Strawberry	T2
GS 0659	Sugar cane	T0.5
SO 2091	Sunflower seeds	T0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
TN 0085	Tree nuts	0.1
Chlordane		
GC 0080	Cereal grains	E0.02
FC 0001	Citrus fruits	E0.02
OC 0691	Cotton seed oil, crude	E0.05
OR 0691	Cotton seed oil, edible	E0.02
WC 0143	Crustaceans	E0.05
WD 0120	Diadromous fish	E0.05
MO 0105	Edible offal (mammalian)	E0.02
PE 0112	Eggs	E0.02
WF 0115	Freshwater fish	E0.05
VC 0045	Fruiting vegetables, cucurbits	E0.05
OC 0693	Linseed oil, crude	E0.05
WS 0125	Marine fish	E0.05
MM 0095	Meat (mammalian) [in the fat]	E0.2
ML 0106	Milks [in the fat]	E0.05
IM 0150	Molluscs, including cephalopods	E0.05
FI 0353	Pineapple	E0.02
FP 0009	Pome fruits	E0.02
OC 0541	Soya bean oil, crude	E0.05
OR 0541	Soya bean oil, refined	E0.02
FS 0012	Stone fruits	E0.02
VR 0596	Sugar beet	E0.1
	Vegetables {except Fruiting vegetables, cucurbits; Sugar beet}	E0.02

COMPOUND	FOOD	MRL (mg/kg)
Chlorfenapyr		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VL 0467	Chinese cabbage	3
SO 0691	Cotton seed	0.5
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	0.05
ML 0106	Milks	*0.01
FS 0247	Peach	1
FP 0009	Pome fruits	0.5
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
Chlorfenvinphos		
MM 0812	Cattle meat [in the fat]	T0.2
ML 0812	Cattle milk [in the fat]	T0.2
MO 0812	Cattle, edible offal of	T*0.1
MM 0813	Deer meat [in the fat]	T0.2
MM 0814	Goat meat [in the fat]	T0.2
MO 0814	Goat, edible offal of	T*0.1
MM 0822	Sheep meat [in the fat]	T0.2
MO 0822	Sheep, edible offal of	T*0.1
Chlorhexidine		
ML 0106	Milks	0.05
MF 0822	Sheep fat	*0.5
MM 0822	Sheep meat	*0.5
MO 0822	Sheep, edible offal of	*0.5
Chloridazon		
VR 0574	Beetroot	*0.05
	Beetroot leaves	1
VL 0464	Chard [silver beet]	1
VL 0502	Spinach	1
Chlormequat		

COMPOUND	FOOD	MRL (mg/kg)
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.75
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	0.1
FB 0269	Grapes	0.75
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	0.5
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	0.1
GC 0654	Wheat	5
Chloropicrin		
GC 0080	Cereal grains	*0.1
Chlorothalonil		
TN 0660	Almonds	T0.1
FS 0240	Apricot	7
VS 0621	Asparagus	T*0.1
FI 0327	Banana	3
FB 0018	Berries and other small fruits {except Currants, black; Grapes}	T10
VB 0402	Brussels sprouts	7
VR 0577	Carrot	7
VS 0624	Celery	10
FS 0013	Cherries	10
	Coriander (leaves, stems and roots)	T20
FB 0278	Currant, black	10
MO 0105	Edible offal (mammalian)	7
VO 0440	Egg plant [aubergine]	T10
PE 0112	Eggs	*0.05
VS 0380	Fennel, bulb	5
HH 0731	Fennel, leaf	5
HS 0731	Fennel, seed	5
VC 0045	Fruiting vegetables, cucurbits	5
VR 0581	Galangal, greater	T7
VR 0582	Galangal, lesser	T7
VA 0381	Garlic	10

COMPOUND	FOOD	MRL (mg/kg)
FB 0269	Grapes	10
VL 0053	Leafy vegetables {except Lettuce}	T100
VA 0384	Leek	T10
VL 0482	Lettuce, head	T10
VL 0483	Lettuce, leaf	T10
FI 0345	Mango	T1
MM 0095	Meat (mammalian) [in the fat]	2
ML 0106	Milks	0.05
FS 0245	Nectarine	7
VA 0385	Onion, bulb	10
VA 0387	Onion, Welsh	T10
FI 0350	Papaya [pawpaw]	10
HH 0740	Parsley	T20
FS 0247	Peach	30
SO 0697	Peanut	0.2
VP 0063	Peas	10
FI 0352	Persimmon, American	T5
FP 0307	Persimmon, Japanese	T5
TN 0675	Pistachio nut	T0.1
FS 0014	Plums (including prunes)	10
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	3
GC 0649	Rice	T*0.1
VA 0388	Shallot	T10
VA 0389	Spring onion	T10
SO 0702	Sunflower seed	T*0.01
VO 0448	Tomato	10
FT 0312	Tree tomato	T10
HS 0794	Turmeric, root	T7
	Vegetables {except Asparagus; Brussels sprouts; Carrot; Celery; Fennel, bulb; Fruiting vegetables, cucurbits; Galangal, greater; Galangal, lesser; Garlic; Peas;	T7

COMPOUND	FOOD	MRL (mg/kg)
	Leafy vegetables; Leek; Onion, bulb; Potato; Pulses; Spring onion; Tomato}	
	Wasabi	T7
Chlorpropham		
VR 0589	Potato	30
Chlorpyrifos		
VS 0621	Asparagus	T0.5
FI 0326	Avocado	0.5
FI 0327	Banana	T0.5
FB 0020	Blueberries	*0.01
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	
VB 0040		T0.5
FB 2005	Cane berries	T*0.01
VR 0463	Cassava	T*0.02
VS 0624	Celery	T5
GC 0080	Cereal grains {except Sorghum}	T0.1
FC 0001	Citrus fruits	T0.5
SB 0716	Coffee beans	T0.5
SO 0691	Cotton seed	0.05
OC 0691	Cotton seed oil, crude	0.2
DF 0167	Dried fruits	T2
MO 0105	Edible offal (mammalian)	T0.1
PE 0112	Eggs	T*0.01
HS 0784	Ginger, root	*0.02
FB 0269	Grapes	T1
FI 0341	Kiwifruit	2
VA 0384	Leek	T5
FI 0345	Mango	*0.05
MM 0095	Meat (mammalian) [in the fat]	T0.5
ML 0106	Milks [in the fat]	T0.2
SO 0088	Oilseed {except Peanut}	T0.01
FT 0305	Olives	T*0.05
HH 0740	Parsley	0.05
FI 0351	Passion fruit	*0.05

COMPOUND	FOOD	MRL (mg/kg)
SO 0697	Peanut	T*0.01
VO 0445	Peppers, sweet [capsicum]	T1
FI 0352	Persimmon, American	T1
FP 0307	Persimmon, Japanese	T1
FI 0353	Pineapple	T0.5
FP 0009	Pome fruits {except Persimmon, Japanese}	T0.5
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	T0.1
PO 0111	Poultry, edible offal of	T0.1
GC 0651	Sorghum	T3
FI 0367	Star apple	T*0.05
FS 0012	Stone fruits	T1
FB 0275	Strawberry	0.05
GS 0659	Sugar cane	T0.1
VR 0497	Swede	T0.3
VR 0508	Sweet Potato	T0.05
VR 0505	Taro	0.05
VO 0448	Tomato	T0.5
TN 0085	Tree nuts	T0.05
	Vegetables {except Asparagus; Brassica vegetables; Cassava; Celery; Leek; Peppers, sweet [capsicum]; Potato; Swede; Sweet potato; Taro; Tomato}	T*0.01
Chlorpyrifos-methyl		
GC 0080	Cereal grains {except Rice}	10
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VD 0545	Lupin (dry)	10
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks [in the fat]	*0.05
SO 0088	Oilseed {except Cotton seed}	0.15
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VD 0070	Pulses {except Lupin (dry)}	0.15
CM 0654	Wheat bran, unprocessed	20
CF 1210	Wheat germ	30
Chlorsulfuron		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
Chlortetracycline		
MM 0812	Cattle meat	0.1
MO 1280	Cattle, kidney	0.6
MO 1281	Cattle, liver	0.3
PE 0112	Eggs	0.2
MM 0818	Pig meat	0.1
MO 1284	Pig, kidney	0.6
MO 1285	Pig, liver	0.3
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.6
Chlorthal-dimethyl		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VL 0482	Lettuce, head	2
VL 0483	Lettuce, leaf	2
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
HH 0740	Parsley	T2
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
	Vegetables {except Lettuce}	5
Cinmethylin		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat	*0.01
GC 0654	Wheat	*0.01
Clavulanic acid		
MM 0812	Cattle meat	*0.01
ML 0812	Cattle milk	*0.01
MO 0812	Cattle, edible offal of	*0.01
Clodinafop acid		
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
GC 0654	Wheat	*0.1
Clodinafop-propargyl		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GC 0654	Wheat	*0.05
Clofentezine		
TN 0660	Almonds	0.5
FI 0327	Banana	*0.01
MO 0105	Edible offal (mammalian)	T*0.05
DH 1100	Hops, dry	*0.2
MM 0095	Meat (mammalian)	T*0.05
ML 0106	Milks	T*0.05
FP 0009	Pome fruits	0.1
FS 0012	Stone fruits	0.1
VO 0448	Tomato	0.5
Clomazone		

COMPOUND	FOOD	MRL (mg/kg)
VP 0061	Beans, except broad bean and soya bean	*0.05
VP 0526	Common bean (pods and/or immature seeds)	T*0.05
MO 0105	Edible offal (mammalian)	*0.03
PE 0112	Eggs	*0.03
VC 0045	Fruiting vegetables, cucurbits	*0.05
MM 0095	Meat (mammalian)	*0.03
ML 0106	Milks	*0.03
SO 0090	Mustard seeds	T*0.01
SO 0698	Poppy seed	*0.05
VR 0589	Potato	*0.05
PM 0110	Poultry meat	*0.03
PO 0111	Poultry, edible offal of	*0.03
SO 0495	Rape seed [canola]	*0.01
GC 0649	Rice	*0.01
Clopyralid		
VB 0404	Cauliflower	T0.2
GC 0080	Cereal grains	2
MO 0105	Edible offal (mammalian) {except Kidney}	0.5
DH 1100	Hops, dry	2
MO 0098	Kidney of cattle, goats, pigs and sheep	5
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.05
SO 0090	Mustard seeds	T0.5
SO 0698	Poppy seed	T1
SO 0495	Rape seed [canola]	0.5
Cloquintocet-mexyl		
GC 0080	Cereal grains	*0.1
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0698	Poppy seed	T*0.02

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
Clorsulon		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle Milk	1.5
MO 0812	Cattle, edible offal of	*0.1
Closantel		
MM 0822	Sheep meat	2
MO 0822	Sheep, edible offal of	5
Clothianidin		
	All other foods	T0.1
TN 0660	Almonds	0.05
FI 0327	Banana	*0.02
FB 0020	Blueberries	T*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
GC 0080	Cereal grains {except Maize; Popcorn; Sorghum}	*0.02
FI 0331	Cherimoya	T0.1
FC 0001	Citrus fruits	0.5
VD 0526	Common bean (dry) [navy bean (dry)]	T0.1
SO 0691	Cotton seed	*0.02
FI 0332	Custard apple	T0.1
DF 0269	Dried grapes (= currants, raisins and sultanas)	10
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	T0.5
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn on the cob); Mushrooms}	T0.7
FB 0269	Grapes {except Wine-grapes}	3
FI 0337	llama	T0.1
VL 0053	Leafy vegetables	0.7
GC 0645	Maize	*0.01

COMPOUND	FOOD	MRL (mg/kg)
FI 0345	Mango	T2
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
VD 0536	Mung bean (dry)	T0.1
SO 0090	Mustard seeds	T*0.01
SO 0305	Olives for oil production	T0.3
FI 0352	Persimmon, American	2
FP 0009	Pome fruits	2
GC 0656	Popcorn	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses {except Common bean (dry) [navy bean (dry)]; Soya bean (dry); Mung bean (dry)}	*0.02
SO 0495	Rape seed [canola]	*0.01
GC 0651	Sorghum	*0.01
FI 0365	Soursop	T0.1
VD 0541	Soya bean (dry)	T0.02
FS 0012	Stone fruits	3
FI 0368	Sugar apple	T0.1
GS 0659	Sugar cane	0.1
SO 0702	Sunflower seed	*0.01
VO 0447	Sweet corn (corn-on-the-cob)	0.02
FT 0305	Table olives	T0.3
FB 1236	Wine-grapes	0.07
Cloxacillin		
ML 0812	Cattle milk	*0.01
Coumaphos		
MF 0812	Cattle fat	*0.02
ML 0812	Cattle milk	*0.01
FM 0812	Cattle milk fat	0.1
	Cattle muscle	*0.02
MO 1280	Cattle, kidney	*0.02
MO 1281	Cattle, liver	*0.02
Coumatetralyl		

COMPOUND	FOOD	MRL (mg/kg)
MF 0818	Pig fat	T*0.001
MM 0818	Pig meat	T*0.001
MO 0818	Pig, edible offal of {except Liver}	T0.003
MO 1285	Pig, liver	T0.004
Cyanamide		
TN 0660	Almonds	*0.01
FP 0226	Apple	*0.02
FB 0020	Blueberries	*0.05
FS 0013	Cherries	T*0.02
FB 0269	Grapes	*0.05
FI 0341	Kiwifruit	*0.1
FP 0230	Pear	*0.1
FS 0014	Plums (including prunes)	*0.02
TN 0678	Walnuts	*0.02
Cyanazine		
VA 0035	Bulb vegetables [alliums]	*0.02
GC 0080	Cereal grains	*0.01
VA 0384	Leek	0.05
VP 0063	Peas	0.02
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.05
VR 0589	Potato	0.02
VD 0070	Pulses	*0.01
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
Cyantraniliprole		
	All other foods	0.05
FI 0326	Avocado	T1
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	7
VS 0624	Celery	T7
FC 0001	Citrus fruits	0.7
VP 0526	Common bean (pods and/or immature seeds)	T1
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	0.05

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	2
TN 0669	Macadamia nuts	T*0.01
GC 0645	Maize	*0.01
FI 0345	Mango	T0.7
MM 0095	Meat (mammalian) [in the fat]	*0.01
FM 0183	Milk fats	0.07
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.05
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	0.03
GC 0651	Sorghum	*0.01
FB 0275	Strawberry	0.7
GC 0447	Sweet corn (corn-on-the-cob)	*0.01
VR 0508	Sweet potato	T0.05
Cyazofamid		
HH 0722	Basil	T30
DH 0722	Basil, dry	T90
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead cabbages	2
VL 0054	Brassica Leafy Vegetables	15
VL 0464	Chard [silver beet]	T10
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
HH 0740	Parsley	T10
SO 0698	Poppy seed	T*0.01
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.01
VL 0502	Spinach	T10
Cyclanilide		
SO 0691	Cotton seed	0.2
OC 0691	Cotton seed oil, crude	*0.01
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Cyclaniliprole		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.3
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
VO 0050	Fruiting vegetables, other than cucurbits	0.2
VL 0053	Leafy vegetables	3
MM 0095	Meat (mammalian) [in the fat]	0.05
ML 0106	Milks	*0.01
FP 0009	Pome fruits	0.3
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
TN 0085	Tree nuts	*0.01
Cyflufenamid		
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.5
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.1
FB 0269	Grapes	0.1
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat [in the fat]	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.01
FB 0275	Strawberry	0.3
Cyflumetofen		
TN 0660	Almonds	0.01
FC 0001	Citrus fruits	0.3
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	*0.03
VO 0050	Fruiting vegetables, other than cucurbits	2
FB 0269	Grapes	0.7
MM 0095	Meat (mammalian)	*0.03
ML 0106	Milks	*0.003
FP 0009	Pome fruits	0.5
FB 0275	Strawberry	0.8
Cyfluthrin		
FI 0326	Avocado	0.1
GC 3084	Chia	T*0.05
FI 0332	Custard apple	T0.1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FI 0343	Litchi	T0.3
TN 0669	Macadamia nuts	0.05
MF 0100	Mammalian fats {except Milk fat}	0.5
FI 0345	Mango	T0.1
MM 0095	Meat (mammalian)	0.02
ML 0106	Milks	0.1
FI 0350	Papaya [pawpaw]	T0.2
FI 0352	Persimmon, American	T0.1
FP 0307	Persimmon, Japanese	T0.1
FI 0355	Pomegranate	T0.1
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
Cyhalofop-butyl		
MO 0105	Edible offal (mammalian)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GC 0649	Rice	*0.01
Cyhalothrin		
GC 0640	Barley	0.2
VR 0574	Beetroot	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.1
GC 0080	Cereal grains {except Barley; Sorghum; Wheat}	*0.01
VL 0464	Chard [silver beet]	T0.5
FC 0001	Citrus fruits	*0.01
	Coriander (leaves, stems and roots)	T1
SO 0691	Cotton seed	*0.02
VC 0424	Cucumber	T0.05
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VA 0381	Garlic	*0.05
TN 0666	Hazelnuts	T*0.01
VP 0060	Legume vegetables	0.1
MM 0095	Meat (mammalian) [in the fat]	0.5
ML 0106	Milks [in the fat]	0.5
SO 0090	Mustard seeds	T0.02
VA 0385	Onion, bulb	*0.05
VA 0387	Onion, Welsh	T0.05
HH 0740	Parsley	T1
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses {except Soya bean (dry)}	0.2
VR 0494	Radish	*0.01

COMPOUND	FOOD	MRL (mg/kg)
SO 0495	Rape seed [canola]	0.02
VA 0388	Shallot	T0.05
GC 0651	Sorghum	0.5
VD 0541	Soya bean (dry)	*0.02
VA 0389	Spring onion	T0.05
SO 0702	Sunflower seed	*0.01
VO 0448	Tomato	0.02
GC 0654	Wheat	*0.05
Cypermethrin		
VD 0560	Adzuki bean (dry)	T0.05
	All other foods	*0.01
VS 0621	Asparagus	0.5
FI 0326	Avocado	T0.2
VR 0574	Beetroot	T0.1
FB 0020	Blueberries	T0.5
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
VB 0040		
VD 0523	Broad bean (dry) [faba bean (dry)]	0.05
MM 0812	Cattle meat [in the fat]	0.5
MO 0812	Cattle, edible offal of	0.05
VS 0624	Celery	T1
GC 0080	Cereal grains {except Wheat}	1
VD 0524	Chick-pea (dry)	0.2
VA 2605	Chives	T8
VA 2606	Chives, Chinese	T8
	Common bean (dry) [navy bean (dry)]	0.05
VD 0526	Coriander (leaves, stems and roots)	T8
SO 0691	Cotton seed	0.2
OC 0691	Cotton seed oil, crude	*0.02
MM 0813	Deer meat [in the fat]	T0.5
PE 0112	Eggs	0.05
VD 0561	Field pea (dry)	0.05
VC 0045	Fruiting vegetables, cucurbits	T0.3

COMPOUND	FOOD	MRL (mg/kg)
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn on the cob); Tomato}	T1
VA 2609	Garlic chives	T8
MM 0814	Goat meat [in the fat]	0.5
MO 0814	Goat, edible offal of	0.05
FB 0269	Grapes	T0.05
SO 3154	Hempseed	T0.1
HH 0092	Herbs	T8
MM 0816	Horse meat [in the fat]	*0.05
MO 0816	Horse, edible offal of	*0.05
VL 0053	Leafy vegetables {except Lettuce, head}	T5
VA 0384	Leek	T0.5
VD 0533	Lentil (dry)	T0.05
VL 0482	Lettuce, head	2
	Linola oil, edible	0.1
	Linola seed	0.1
SO 0693	Linseed	0.5
VD 0545	Lupin (dry)	*0.01
ML 0106	Milks [in the fat]	1
VD 0536	Mung bean (dry)	0.05
SO 0090	Mustard seeds	T0.2
	Mustard seeds oil, edible	T0.2
FT 0305	Olives	T*0.05
VA 0385	Onion, bulb	*0.01
VA 0387	Onion, Welsh	T0.5
SO 0697	Peanut	T*0.05
VP 0063	Peas	1
	Peppers, chili, other cultivars	T1
FI 0352	Persimmon, American	T0.2
FP 0307	Persimmon, Japanese	T0.2
MM 0818	Pig meat [in the fat]	*0.05
MO 0818	Pig, Edible offal of	*0.05
FP 0009	Pome fruits {except Persimmon, Japanese}	1

COMPOUND	FOOD	MRL (mg/kg)
SO 0698	Poppy seed	T*0.05
VR 0589	Potato	*0.01
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
VR 0494	Radish	T0.05
SO 0495	Rape seed [canola]	0.2
OR 0495	Rape seed oil, edible	0.2
VA 0388	Shallot	T0.5
MM 0822	Sheep meat [in the fat]	0.5
MO 0822	Sheep, edible offal of	0.05
VD 0541	Soya bean (dry)	0.05
OC 0541	Soya bean oil, crude	0.1
VA 0389	Spring onion	T0.5
FS 0012	Stone fruits {except Cherries}	1
SO 0702	Sunflower seed	0.1
OC 0702	Sunflower seed oil, crude	0.1
VO 0447	Sweet corn (corn-on-the-cob)	0.05
VO 0448	Tomato	0.5
GC 0654	Wheat	0.2
Cyproconazole		
GC 0640	Barley	*0.02
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	*0.01
GC 0645	Maize	*0.01
MM 0095	Meat (mammalian)	0.03
ML 0106	Milks	*0.01
GC 0647	Oats	0.05
SO 0697	Peanut	0.02
VR 0589	Potato	*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.05
SO 0495	Rape seed [canola]	T0.02
GC 0650	Rye	*0.02

COMPOUND	FOOD	MRL (mg/kg)
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
GC 0653	Triticale	*0.02
GC 0654	Wheat	*0.02
Cyprodinil		
TN 0660	Almonds	*0.01
FP 0226	Apple	1
FI 0326	Avocado	T2
HH 0722	Basil	T5
FB 2250	Bayberries	T3
FT 2303	Bayberry, red	T3
FB 0020	Blueberries	T3
VD 0523	Broad bean (dry) [faba bean (dry)]	T0.2
VA 0035	Bulb vegetables {except Onion, bulb}	3
FB 2005	Cane berries	T3
VS 0624	Celery	T30
VD 0524	Chick-pea (dry)	T0.2
FB 0277	Cloudberry	T3
VP 0526	Common bean (pods and/or immature seeds)	0.7
VC 0424	Cucumber	0.5
DH 0170	Dried herbs	T200
MO 0105	Edible offal (mammalian)	*0.01
VO 0440	Egg plant [aubergine]	T0.2
PE 0112	Eggs	T*0.01
FB 0269	Grapes	2
HH 0092	Herbs {except Basil}	T50
VL 0053	Leafy vegetables	10
FI 0343	Litchi	T2
MM 0095	Meat (mammalian)	*0.01
VC 0046	Melons, except watermelon	T0.2
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.2
VP 0063	Peas (pods and succulent = immature seeds)	0.5

COMPOUND	FOOD	MRL (mg/kg)
VO 0444	Peppers, chili	T0.7
	Peppers, chili, other cultivars	T0.7
VO 0445	Peppers, sweet [capsicum]	0.7
TN 0675	Pistachio nut	T0.1
FP 0009	Pome fruits {except Apple}	0.05
PM 0110	Poultry meat	T*0.01
PO 0111	Poultry, edible offal of	T*0.01
FS 0012	Stone fruits	*0.01
	Stone fruits (dried)	0.05
FB 0275	Strawberry	5
VO 0448	Tomato	T1
Cyromazine		
VB 0400	Broccoli	T1
MM 0812	Cattle meat	0.05
MO 0812	Cattle, edible offal of	0.05
PE 0112	Eggs	0.2
VC 0045	Fruiting vegetables, cucurbits	T0.7
	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	
VO 0050		T1
MM 0814	Goat meat	0.2
MO 0814	Goat, edible offal of	0.2
VP 0060	Legume vegetables	T1
VL 0482	Lettuce, head	T8
ML 0106	Milks	*0.01
VO 0450	Mushrooms	10
MM 0818	Pig meat	0.05
MO 0818	Pig, edible offal of	0.05
PM 0110	Poultry meat	0.05
PO 0111	Poultry, edible offal of	0.1
VR 0075	Root and tuber vegetables	T1
MM 0822	Sheep meat	0.2
MO 0822	Sheep, edible offal of	0.2
VS 0078	Stalk and stem vegetables	T7
2,4-D		

COMPOUND	FOOD	MRL (mg/kg)
GC 0080	Cereal grains	0.2
FS 0013	Cherries	*0.05
FC 0001	Citrus fruits	5
MO 0105	Edible offal (mammalian)	7
PE 0112	Eggs	*0.05
FB 0269	Grapes	T*0.05
VP 0060	Legume vegetables	*0.05
MM 0095	Meat (mammalian) [in the fat]	0.7
ML 0106	Milks	0.1
SO 0088	Oilseed	*0.05
FP 0230	Pear	*0.05
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.05
GS 0659	Sugar cane	5
TN 0678	Walnuts	*0.05
2,4-DB		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
DDT		
GC 0080	Cereal grains	E0.1
WC 0143	Crustaceans	E1
WD 0120	Diadromous fish	E1
MO 0105	Edible offal (mammalian)	E5
PE 0112	Eggs	E0.5
WF 0115	Freshwater fish	E1
	Fruits	E1
WS 0125	Marine fish	E1

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian) [in the fat]	E5
ML 0106	Milks [in the fat]	E1.25
IM 0150	Molluscs, including cephalopods	E1
SO 0697	Peanut	E0.02
PM 0110	Poultry meat [in the fat]	E5
PO 0111	Poultry, edible offal of	E5
OR 0172	Vegetable oils, edible	E1
	Vegetables	E1
Decoquate		
	Chicken fat/skin	1
PM 0840	Chicken meat	0.5
	Chicken, kidney	0.8
	Chicken, liver	1
Deltamethrin		
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
VB 0040		
MM 0812	Cattle meat [in the fat]	0.5
MO 0812	Cattle, edible offal of	0.1
GC 0080	Cereal grains	2
PE 0112	Eggs	*0.01
	Fruiting vegetables, other than cucurbits	0.1
VO 0050		
MM 0814	Goat meat [in the fat]	0.2
MO 0814	Goat, edible offal of	0.1
VP 0060	Legume vegetables	0.1
ML 0106	Milks	0.05
SO 0088	Oilseed	0.1
MM 0818	Pig meat [in the fat]	0.1
MO 0818	Pig, edible offal of	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.1
MM 0822	Sheep meat [in the fat]	0.2
MO 0822	Sheep, edible offal of	0.1

COMPOUND	FOOD	MRL (mg/kg)
VO 1275	Sweet corn (kernels)	0.1
CM 0654	Wheat bran, unprocessed	5
CF 1210	Wheat germ	3
Derquantel		
MF 0822	Sheep fat	0.0002
	Sheep muscle	0.0002
MO 1288	Sheep, kidney	0.0002
MO 1289	Sheep, liver	0.0002
Dexamethasone		
MM 0812	Cattle meat	0.1
ML 0812	Cattle milk	*0.05
MO 0812	Cattle, edible offal of	0.1
MM 0816	Horse meat	0.1
MO 0816	Horse, edible offal of	0.1
MM 0818	Pig meat	0.1
MO 0818	Pig, edible offal of	0.1
Diafenthiuron		
SO 0691	Cotton seed	0.2
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	0.5
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
SO 0090	Mustard seeds	T*0.01
SO 0697	Peanut	T0.3
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
SO 0495	Rape seed [canola]	*0.01
VD 0541	Soya bean (dry)	T0.3
Diazinon		
GC 0080	Cereal grains	0.1
FC 0001	Citrus fruits	0.7
	Coriander (leaves, stems and roots)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
HS 0779	Coriander, seed	*0.05
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.05
	Fruits {except Citrus fruits; Grapes; Olives; Peach}	0.5
FB 0269	Grapes	T2
FI 0341	Kiwifruit	0.5
MM 0095	Meat (mammalian) [in the fat]	0.7
ML 0106	Milks [in the fat]	0.5
OC 0305	Olive oil, crude	2
HH 0740	Parsley	*0.05
FS 0247	Peach	0.7
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VA 0388	Shallot	T0.5
VA 0389	Spring onion	T0.5
GS 0659	Sugar cane	0.5
VO 0447	Sweet corn (corn-on-the-cob)	0.7
TN 0085	Tree nuts	0.1
	Vegetable oils, crude {except Olive oil, crude}	0.1
OC 0172	Vegetables	0.7
Dicamba		
GC 0080	Cereal grains	*0.05
SO 0691	Cotton seed	3
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	0.1
DM 0659	Sugar cane molasses	2
Dichlobenil		
FB 0020	Blueberries	T1

COMPOUND	FOOD	MRL (mg/kg)
FC 0001	Citrus fruits	0.1
FB 0021	Currants, black, red, white	T1
FB 0268	Gooseberry	T1
FB 0269	Grapes	0.1
FP 0009	Pome fruits	0.1
FB 0272	Raspberries, red, black	T1
FS 0012	Stone fruits	0.1
VO 0448	Tomato	0.1
Dichlofluanid		
FB 0018	Berries and other small fruits {except Grapes; Strawberries}	T50
FB 0269	Grapes	0.5
SO 0697	Peanut	*0.02
FB 0275	Strawberry	10
VO 0448	Tomato	1
Dichlorprop-P		
FC 0001	Citrus fruits	0.2
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.05
Dichlorvos		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.01
Diclofop-methyl		
GC 0080	Cereal grains	0.1

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VD 0545	Lupin (dry)	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
SO 0088	Oilseed	0.1
VP 0063	Peas	0.1
SO 0698	Poppy seed	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Dicofol		
TN 0660	Almonds	5
SO 0691	Cotton seed	0.1
VC 0424	Cucumber	2
	Fruits {except Strawberry}	5
VC 0425	Gherkin	2
DH 1100	Hops, dry	5
FB 0275	Strawberry	1
DT 1114	Tea, green, black (black, fermented and dried)	5
VO 0448	Tomato	1
	Vegetables {except Cucumber; Gherkin; Tomato}	5
Dicyclanil		
MF 0822	Sheep fat	0.3
MM 0822	Sheep meat	0.3
MO 1288	Sheep, kidney	0.3
MO 1289	Sheep, liver	0.3
Didcyldimethylammonium chloride		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	20
Difenoconazole		
VS 0621	Asparagus	*0.05
FI 0326	Avocado	T2
FI 0327	Banana	*0.02

COMPOUND	FOOD	MRL (mg/kg)
VL 0054	Brassica leafy vegetables	T5
VR 0578	Celeriac	T1
VS 0624	Celery	10
GC 0080	Cereal grains {except Rice}	*0.01
VL 0464	Chard [silver beet]	T5
VL 0469	Chicory leaves (green and red cultivars)	T5
VA 2606	Chives, Chinese	T10
SB 0716	Coffee beans	T*0.01
SO 0691	Cotton seed	T0.05
DF 0269	Dried grapes (= currants, raisins and sultanas)	6
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VL 0476	Endive	T5
VC 0045	Fruiting vegetables, cucurbits	0.3
VO 0050	Fruiting vegetables, other than cucurbits	1
VA 2609	Garlic chives	T10
FB 0269	Grapes	2
HH 0092	Herbs	T40
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
	Mizuna	T5
VA 0385	Onion, bulb	T0.1
FI 0350	Papaya [pawpaw]	1
SO 0697	Peanut	*0.01
FS 0014	Plums (including prunes)	T0.5
FP 0009	Pome fruits	0.3
SO 0698	Poppy seed	T*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
	Riberries	T1
GC 0649	Rice	T7

COMPOUND	FOOD	MRL (mg/kg)
VR 0075	Root and tuber vegetables {except Celeriac}	0.5
VL 0502	Spinach	T5
Difflubenzuron		
MM 0812	Cattle meat [in the fat]	*0.02
ML 0812	Cattle milk	0.05
MO 0812	Cattle, edible offal of	*0.02
	Fish muscle	T*0.002
VO 0450	Mushrooms	0.1
MM 0822	Sheep meat [in the fat]	0.05
ML 0822	Sheep milk	0.05
MO 1288	Sheep, kidney	0.05
MO 1289	Sheep, liver	0.05
Diffufenican		
GC 0640	Barley	0.05
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.02
FB 0269	Grapes	*0.002
MM 0095	Meat (mammalian) [in the fat]	0.05
ML 0106	Milks	0.01
GC 0647	Oats	0.05
VP 0063	Peas	0.05
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	0.05
GC 0650	Rye	0.05
SO 0699	Safflower seed	T*0.05
GC 0653	Triticale	0.05
TN 0678	Walnuts	T*0.01
GC 0654	Wheat	0.02
Dimethenamid-P		
VP 0526	Common bean (pods and/or immature seeds)	*0.02
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GC 0645	Maize	*0.02
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	T*0.01
VP 0063	Peas	*0.02
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.02
VC 0429	Pumpkins	*0.02
SO 0495	Rape seed [canola]	T*0.01
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
Dimethoate see also Omethoate		
VS 0621	Asparagus	0.02
FI 0326	Avocado	0.7
VR 0574	Beetroot	*0.1
FB 0264	Blackberries	T5
GC 0080	Cereal grains	0.5
FC 0001	Citrus fruits	5
SO 0691	Cotton seed	*0.1
MO 0105	Edible offal (mammalian)	0.1
VO 0440	Egg plant [aubergine]	T0.2
PE 0112	Eggs	*0.05
VP 0060	Legume vegetables	2
FI 0343	Litchi	5
FI 0345	Mango	0.5
MM 0095	Meat (mammalian)	*0.05
VC 0046	Melons, except watermelon	5
ML 0106	Milks	*0.05
SO 0088	Oilseed {except Cotton seed; Peanut}	0.2
OR 0305	Olive oil, refined	T0.3
SO 0305	Olives for oil production	T3
VA 0385	Onion, bulb	0.7
SO 0697	Peanut	0.02

COMPOUND	FOOD	MRL (mg/kg)
VO 0445	Peppers, sweet [capsicum]	0.7
FI 0353	Pineapple	0.07
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.7
FB 0272	Raspberries, red, black	T5
VS 0627	Rhubarb	0.7
VC 0431	Squash, summer [zucchini]	0.7
FB 0275	Strawberry	*0.02
VR 0508	Sweet potato	0.1
VO 0448	Tomato	0.02
VR 0506	Turnip, garden	*0.2
FB 0019	Vaccinium berries, including bearberry	T5
VC 0432	Watermelon	5
CF 0654	Wheat bran, processed	1
Dimethomorph		
HH 0722	Basil	T9
VR 0574	Beetroot	0.3
VA 2031	Bulb onions	0.5
MO 0105	Edible offal (mammalian)	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
FB 0269	Grapes	2
VA 2032	Green onions	2
VL 0053	Leafy vegetables	15
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
	Mizuna	T10
HH 0740	Parsley	T20
VP 0063	Peas	1
SO 0698	Poppy seed	*0.02
VR 0589	Potato	*0.02
VR 0494	Radish	T0.3
Dimpropyridaz		

COMPOUND	FOOD	MRL (mg/kg)
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
SO 0691	Cotton seed	0.02
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	0.3
VO 0050	Fruiting vegetables, other than cucurbits	1
VL 0053	Leafy vegetables	15
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
Dinitolmide		
PF 0111	Poultry fats	2
PM 0110	Poultry meat	3
PO 0111	Poultry, edible offal of	6
Dinotefuran		
SO 0691	Cotton seed	0.1
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
VD 0536	Mung bean (dry)	0.3
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
Diphenylamine		
FP 0226	Apple	10
MO 0105	Edible offal (mammalian) {except Liver}	*0.01
PE 0112	Eggs	0.05
	Fruits {except Apple; Pear}	0.5
MO 0099	Liver of cattle, goats, pigs and sheep	0.05
MM 0095	Meat (mammalian) [in the fat]	*0.01

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks [in the fat]	*0.01
FP 0230	Pear	7
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
Diquat		
GC 0640	Barley	5
VP 0061	Beans, except broad bean and soya bean	1
VP 0522	Broad bean (green pods and immature seeds)	1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
	Fruits	*0.05
DH 1100	Hops, dry	0.2
SO 0693	Linseed	*0.01
GC 0645	Maize	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
GC 0647	Oats	5
SO 0088	Oilseed {except Linseed; Poppy seed}	5
VA 0385	Onion, bulb	0.1
VP 0063	Peas	0.1
SO 0698	Poppy seed	*0.01
VR 0589	Potato	0.2
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	1
GC 0649	Rice	5
CM 1205	Rice, polished	1
GC 0650	Rye	2
GC 0651	Sorghum	2
VR 0596	Sugar beet	0.1
GS 0659	Sugar cane	*0.05
TN 0085	Tree nuts	*0.05

COMPOUND	FOOD	MRL (mg/kg)
GC 0653	Triticale	2
OC 0172	Vegetable oils, crude	1
	Vegetables {except Beans; Broad bean; Lupin (dry); Onion, bulb; Peas; Potato; Soya bean (dry); Sugar beet}	*0.05
GC 0654	Wheat	2
Dithianon		
FB 0020	Blueberries	T7
	Fruits {except Blueberries}	2
Dithiocarbamates (mancozeb, metham, metiram, thiram, zineb and ziram)		
TN 0660	Almonds	3
VS 0621	Asparagus	T1
FI 0326	Avocado	7
FI 0327	Banana	T15
HH 0722	Basil	T5
VP 0061	Beans, except broad bean and soya bean	2
VR 0574	Beetroot	1
FB 0018	Berries and other small fruits {except Strawberries}	T15
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
VP 0522	Broad bean (green pods and immature seeds)	2
VA 0035	Bulb vegetables [alliums] {except Garlic; Onions, bulb}	T10
VR 0577	Carrot	1
VS 0624	Celery	5
GC 0080	Cereal grains	0.5
FC 0001	Citrus fruits	0.2
VP 0526	Common bean (pods and/or immature seeds)	2
SO 0691	Cotton seed	10
FI 0332	Custard Apple	5

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.5
FT 0297	Fig	3
VC 0045	Fruiting vegetables, cucurbits	2
VO 0050	Fruiting vegetables, other than cucurbits {except Roselle [rosella], Tomato}	3
VA 0381	Garlic	4
HS 0784	Ginger, root	T3
VL 0053	Leafy vegetables	5
FI 0343	Litchi	5
FI 0345	Mango	7
MM 0095	Meat (mammalian)	*0.5
ML 0106	Milks	*0.2
SO 0305	Olives for oil production	T30
VA 0385	Onion, bulb	4
FI 0350	Papaya [pawpaw]	5
HH 0740	Parsley	5
VR 0588	Parsnip	T1
FI 0351	Passion fruit (including granadilla)	3
SO 0697	Peanut	0.2
VP 0063	Peas (pods and succulent = immature seeds)	2
	Peppers, chili, other cultivars	T3
TN 0675	Pistachio nut	T3
FP 0009	Pome fruits	3
FI 0355	Pomegranate	T5
SO 0698	Poppy seed	*0.2
VR 0589	Potato	1
PM 0110	Poultry meat	*0.5
PO 0111	Poultry, edible offal of	*0.5
VD 0070	Pulses	0.5
VR 0494	Radish	T1
VS 0627	Rhubarb	2
VO 0446	Roselle [rosella]	5

COMPOUND	FOOD	MRL (mg/kg)
FS 0012	Stone fruits	3
FB 0275	Strawberry	5
SO 0702	Sunflower seed	T*0.05
FT 0305	Table olives	T30
VO 0448	Tomato	T5
FT 0312	Tree tomato	T5
TN 0678	Walnuts	T*0.2
Diuron		
VS 0621	Asparagus	2
FI 0327	Banana	0.5
GC 0080	Cereal grains	0.1
OC 0691	Cotton seed oil, crude	0.5
FT 0295	Date	T0.5
MO 0105	Edible offal (mammalian)	3
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
SO 0088	Oilseed	0.5
FI 0353	Pineapple	0.5
VD 0070	Pulses	*0.05
GS 0659	Sugar cane	0.2
Dodine		
FP 0009	Pome fruits	5
FS 0012	Stone fruits	*0.05
TN 0678	Walnuts	T0.3
Doramectin		
MF 0812	Cattle fat	0.1
MM 0812	Cattle meat	0.01
ML 0812	Cattle milk	0.05
MO 0812	Cattle, edible offal of	0.1
MM 0818	Pig meat [in the fat]	0.1
MO 1284	Pig, kidney	0.03
MO 1285	Pig, liver	0.05
MF 0822	Sheep fat	0.1
MM 0822	Sheep meat	0.02

COMPOUND	FOOD	MRL (mg/kg)
MO 0822	Sheep, edible offal of	0.05
2,2-DPA		
FI 0326	Avocado	*0.1
FI 0327	Banana	*0.1
GC 0080	Cereal grains	*0.1
FC 0001	Citrus fruits	*0.1
SO 0691	Cotton seed	*0.1
FB 0021	Currants, black, red, white	15
MO 0105	Edible offal (mammalian)	0.2
FB 0269	Grapes	3
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	*0.1
FI 0350	Papaya [pawpaw]	*0.1
TN 0672	Pecan	*0.1
FP 0009	Pome fruits	*0.1
FS 0012	Stone fruits	1
GS 0659	Sugar cane	*0.1
SO 0702	Sunflower seed	*0.1
	Vegetables	*0.1
Enamectin		
	Beetroot leaves	T0.5
FB 0020	Blueberries	T0.07
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.02
VB 0040		
VS 0624	Celery	T0.2
GC 3084	Chia	T0.05
SO 0691	Cotton seed	0.005
MO 0105	Edible offal (mammalian)	0.02
VC 0045	Fruiting vegetables, cucurbits	0.01
	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	0.1
VO 0050		
FB 0269	Grapes	*0.002
	Leafy vegetables {except Lettuce, head; Lettuce, leaf}	T0.5
VL 0053		

COMPOUND	FOOD	MRL (mg/kg)
VP 0060	Legume vegetables	0.1
VL 0482	Lettuce, head	0.2
VL 0483	Lettuce, leaf	0.2
GC 2091	Maize cereals	T*0.01
MM 0095	Meat (mammalian) [in the fat]	0.01
FM 0183	Milk fats	0.01
ML 0106	Milks	*0.001
SO 0090	Mustard seeds	T*0.01
VD 0070	Pulses	*0.01
SO 0495	Rape seed [canola]	*0.01
VR 0075	Root and tuber vegetables {except Potato}	*0.01
GC 0651	Sorghum	*0.002
FB 0275	Strawberry	0.05
VO 0447	Sweet corn (corn-on-the-cob)	*0.002
GC 2086	Wheat, similar grains, and pseudocereals without husks	T*0.01
Endothal		
SO 0691	Cotton seed	T2
MO 0105	Edible offal (mammalian)	T*0.05
PE 0112	Eggs	T*0.05
MM 0095	Meat (mammalian)	T*0.05
ML 0106	Milks	T*0.01
PM 0110	Poultry meat	T*0.05
PO 0111	Poultry, edible offal of	T*0.05
Epoxiconazole		
FI 0326	Avocado	0.5
FI 0327	Banana	1
GC 0080	Cereal grains	0.05
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.005
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GC 0654	Wheat	0.05
CM 0654	Wheat bran, unprocessed	0.3
CF 1210	Wheat germ	0.2
Eprinomectin		
MF 0812	Cattle fat	0.5
MM 0812	Cattle meat	0.1
ML 0812	Cattle milk	0.03
MO 0812	Cattle, edible offal of	2
MM 0813	Deer meat	0.1
	Deer, edible offal of	2
EPTC		
GC 0080	Cereal grains	*0.04
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0088	Oilseed	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
	Vegetables	*0.04
Erythromycin		
MO 0105	Edible offal (mammalian)	*0.3
MM 0095	Meat (mammalian)	*0.3
ML 0106	Milks	*0.04
PM 0110	Poultry meat	*0.3
PO 0111	Poultry, edible offal of	*0.3
Ethephon		
FP 0226	Apple	1
FI 0327	Banana	T*0.05
GC 0640	Barley	1
FB 0020	Blueberries	T10
FS 0013	Cherries	15
SO 0691	Cotton seed	2
OC 0691	Cotton seed oil, crude	*0.1

COMPOUND	FOOD	MRL (mg/kg)
FB 0278	Currant, black	1
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.2
FB 0269	Grapes	6
FI 0341	Kiwifruit	0.1
FI 0343	Lychee	T*0.05
TN 0669	Macadamia nuts	*0.1
FC 0003	Mandarins	2
FI 0345	Mango	T*0.02
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
FS 0245	Nectarine	0.01
FT 0305	Olives	T20
FC 0004	Oranges, sweet, sour	2
FI 0350	Papaya [pawpaw]	T1
FS 0247	Peach	0.5
FI 0353	Pineapple	2
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.2
GS 0659	Sugar cane	0.5
DM 0659	Sugar cane molasses	7
VO 0448	Tomato	2
TN 0678	Walnuts	T5
GC 0654	Wheat	T1
Ethion		
MM 0812	Cattle meat [in the fat]	2.5
MO 0812	Cattle, edible offal of	2.5
FC 0001	Citrus fruits	1
SO 0691	Cotton seed	0.1
OC 0691	Cotton seed oil, crude	0.05
FB 0269	Grapes	2
ML 0106	Milks [in the fat]	0.5
FP 0009	Pome fruits	1
FS 0012	Stone fruits	1

COMPOUND	FOOD	MRL (mg/kg)
DT 1114	Tea, green, black (black, fermented and dried)	5
Ethofumesate		
VR 0574	Beetroot	0.1
VA 0035	Bulb vegetables [alliums]	*0.1
VL 0464	Chard [silver beet]	1
MO 0105	Edible offal (mammalian)	0.5
MM 0095	Meat (mammalian) [in the fat]	0.5
ML 0106	Milks [in the fat]	0.2
SO 0698	Poppy seed	*0.02
VL 0502	Spinach	T1
VR 0596	Sugar beet	0.1
Ethopabate		
PM 0110	Poultry meat	5
PO 0111	Poultry, edible offal of	15
Ethoxyquin		
WC 0143	Crustaceans	1
WD 0120	Diadromous fish	1
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	0.1
WF 0115	Freshwater fish	1
WS 0125	Marine fish	1
MM 0095	Meat (mammalian)	0.5
PM 0110	Poultry meat [in the fat]	0.5
PO 0111	Poultry, edible offal of	0.1
Ethoxysulfuron		
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
GS 0659	Sugar cane	*0.01
Ethyl formate		
DF 0167	Dried fruits	1
Ethylene dichloride		
GC 0080	Cereal grains	*0.1
Etofenprox		

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
FS 0012	Stone fruits {except Cherries}	5
Etoxazole		
TN 0660	Almonds	*0.01
FI 0326	Avocado	T0.1
FI 0327	Banana	0.2
FB 2005	Cane berries	T0.5
VL 0465	Chervil	T1
FC 0001	Citrus fruits	0.5
	Coriander (leaves, stems and roots)	T1
SO 0691	Cotton seed	0.2
FI 0332	Custard apple	T0.1
	Dried grapes (= currants, raisins and sultanas)	0.7
DF 0269	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	T0.1
VO 0050	Fruiting vegetables, other than cucurbits	0.05
FB 0269	Grapes	0.2
HH 0092	Herbs	T1
DH 1100	Hops, dry	T3
	Ivy gourd	T0.1
GC 0645	Maize	T*0.01
FI 0345	Mango	T0.1
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.01
	Mizuna	T1
FI 0350	Papaya [pawpaw]	T0.1
FI 0351	Passion fruit	T0.1

COMPOUND	FOOD	MRL (mg/kg)
VP 0538	Podded pea (young pods) [snow and sugar snap]	T*0.02
	Pointed gourd	T0.1
FP 0009	Pome fruits	0.2
GC 0656	Popcorn	T*0.01
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.01
VL 0496	Rucola [rocket]	T1
FS 0012	Stone fruits {except Cherries}	0.3
VO 1275	Sweet corn (kernels)	T*0.01
Fenamiphos		
	Aloe vera	*0.05
FI 0327	Banana	*0.05
FB 0275	Strawberry	*0.05
Fenbendazole		
MM 0812	Cattle meat	*0.1
MO 0812	Cattle, edible offal of	*0.1
MM 0814	Goat meat	0.5
MO 0814	Goat, edible offal of	0.5
ML 0106	Milks	0.1
MM 0822	Sheep meat	0.5
MO 0822	Sheep, edible offal of	0.5
Fenbuconazole		
FI 0327	Banana	0.5
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
FS 0245	Nectarine	0.5
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	*0.01
Fenbutatin oxide		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	5

COMPOUND	FOOD	MRL (mg/kg)
FB 0018	Berries and other small fruits {except Grapes (excluding Wine- grapes)}	1
FC 0001	Citrus fruits	5
	Citrus peel	30
DF 0269	Dried grapes (= currants, raisins and sultanas)	T10
FB 0269	Grapes {except Wine-grapes}	T3
DH 1100	Hops, dry	20
FS 0245	Nectarine	3
FS 0247	Peach	3
FP 0009	Pome fruits	3
VO 0448	Tomato	T2
Fenhexamid		
FB 0020	Blueberries	T5
FB 2005	Cane berries	20
FS 0013	Cherries	T7
FB 0277	Cloudberry	20
VC 0424	Cucumber	10
DF 0269	Dried grapes (= currants, raisins and sultanas)	20
MO 0105	Edible offal (mammalian)	2
FB 0269	Grapes	10
VL 0482	Lettuce, head	50
VL 0483	Lettuce, leaf	50
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
VP 0063	Peas (pods and succulent = immature seeds)	5
VO 0051	Peppers	30
	Peppers, chili, other cultivars	30
FB 0272	Raspberries, red, black	T20
FB 0275	Strawberry	10
VO 0448	Tomato	T2
Fenitrothion		
FP 0226	Apple	1

COMPOUND	FOOD	MRL (mg/kg)
VB 0041	Cabbages, head	0.5
GC 0080	Cereal grains	10
FS 0013	Cherries	1
MO 0105	Edible offal (mammalian)	T*0.05
PE 0112	Eggs	*0.05
FB 0269	Grapes	1
VL 0482	Lettuce, head	0.5
VL 0483	Lettuce, leaf	0.5
MM 0095	Meat (mammalian) [in the fat]	T*0.05
ML 0106	Milks [in the fat]	T*0.05
SO 0088	Oilseed	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.1
CM 1206	Rice bran, unprocessed	T20
VO 0448	Tomato	0.5
CM 0654	Wheat bran, unprocessed	20
CF 1210	Wheat germ	20
Fenoxaprop-ethyl		
GC 0640	Barley	*0.01
VD 0524	Chick-pea (dry)	*0.01
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.1
GC 0649	Rice	T*0.02
GC 0650	Rye	*0.01
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Fenoxycarb		
OC 0305	Olive oil, virgin	7
SO 0305	Olives for oil production	2

COMPOUND	FOOD	MRL (mg/kg)
FP 0009	Pome fruits	2
FT 0305	Table olives	2
Fenpropidin		
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
FB 1236	Wine-grapes	0.03
Fenpyrazamine		
DF 0269	Dried grapes (= currants, raisins and sultanas)	10
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.005
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 1235	Table-grapes	2
FB 1236	Wine-grapes	0.05
Fenpyroximate		
FP 0226	Apple	0.3
FP 0230	Pear	0.3
Fenvalerate		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
VL 0054	Brassica leafy vegetables	1
VS 0624	Celery	2
GC 0080	Cereal grains	2
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.5
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	0.02
FB 0269	Grapes	0.1

COMPOUND	FOOD	MRL (mg/kg)
VP 0060	Legume vegetables	0.5
MM 0095	Meat (mammalian) [in the fat]	1
ML 0106	Milks	0.2
SO 0088	Oilseed {except Peanut}	0.5
OC 0305	Olive oil, crude	T5
SO 0305	Olives for oil production	T1
PM 0110	Poultry meat [in the fat]	0.05
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	0.5
VO 0447	Sweet corn (corn-on-the-cob)	0.05
FT 0305	Table olives	T1
VO 0448	Tomato	0.2
CM 0654	Wheat bran, unprocessed	5
Fipronil		
VS 0621	Asparagus	0.2
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel {except Banana; Custard apple}	T*0.01
FI 0327	Banana	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.05
FT 0291	Carob	T*0.01
VR 0577	Carrot	T*0.01
VS 0624	Celery	T0.3
FC 0001	Citrus fruits	T*0.01
SO 0691	Cotton seed	*0.01
OC 0691	Cotton seed oil, crude	*0.01
FI 0332	Custard apple	T0.05
MO 0105	Edible offal (mammalian)	0.02
PE 0112	Eggs	0.02
HS 0784	Ginger, root	*0.01
FB 0269	Grapes {except Wine-grapes}	T*0.01
	Honey	0.01
VL 0482	Lettuce, head	T0.1
VL 0483	Lettuce, leaf	T0.1

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian) [in the fat]	0.1
ML 0106	Milks	0.01
VO 0450	Mushrooms	0.02
VR 0589	Potato	*0.01
PM 0110	Poultry meat [in the fat]	0.02
PO 0111	Poultry, edible offal of	*0.01
SO 2090	Rape seeds	*0.01
GC 0649	Rice	*0.005
GC 0651	Sorghum	0.01
VD 0541	Soya bean (dry)	T*0.01
FS 0012	Stone fruits	0.01
GS 0659	Sugar cane	*0.01
SO 0702	Sunflower seed	*0.01
VR 0497	Swede	0.1
VR 0508	Sweet potato	*0.01
VR 0506	Turnip, garden	0.1
FB 1236	Wine-grapes	*0.01
Flamprop-methyl		
VD 0524	Chick-pea (dry)	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0653	Triticale	0.05
GC 0654	Wheat	0.05
Flavophospholipol		
MF 0812	Cattle fat	*0.01
MM 0812	Cattle meat	*0.01
ML 0812	Cattle milk	T*0.01
MO 1280	Cattle, kidney	*0.01
MO 1281	Cattle, liver	*0.01
PE 0112	Eggs	*0.02

COMPOUND	FOOD	MRL (mg/kg)
Flazasulfuron		
FC 0001	Citrus fruits	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0305	Olives for oil production	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
FT 0305	Table olives	*0.01
Flonicamid		
FB 0264	Blackberries	T2
VA 0035	Bulb vegetables [alliums]	T0.2
SO 0691	Cotton seed	1
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	0.7
VO 0050	Fruiting vegetables, other than cucurbits	T0.5
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
SO 0090	Mustard seeds	T0.5
FP 0009	Pome fruits	0.7
VR 0589	Potato	0.2
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
SO 0495	Rape seed [canola]	0.5
FB 0272	Raspberries, red, black	T2
FB 0275	Strawberry	T2
Florasulam		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Florfenicol		
MM 0812	Cattle meat	0.3
MO 1280	Cattle, kidney	0.5
MO 1281	Cattle, liver	3
	Pig fat/skin	1
MM 0818	Pig meat	0.5
MO 1284	Pig, kidney	1
MO 1285	Pig, liver	3
Florpyrauxifen-benzyl		
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
GC 0649	Rice	*0.02
GC 0651	Sorghum	*0.02
Florylpicoxamid		
DF 0269	Dried grapes (= currants, raisins and sultanas)	15
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1
FB 0269	Grapes	3
VL 2050	Leafy greens	20
MM 0095	Meat (mammalian) [in the fat]	0.07
ML 0106	Milks	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0275	Strawberry	1

COMPOUND	FOOD	MRL (mg/kg)
GC 0654	Wheat	0.02
CM 0654	Wheat bran, unprocessed	0.07
Fluazaindolizine		
	All other foods	0.1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits	0.2
HS 0783	Galangal, rhizomes	0.3
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat	*0.01
VR 0075	Root and tuber vegetables	0.3
Fluazifop-p-butyl		
	Assorted tropical and sub-tropical fruits - inedible peel {except Avocado; Banana}	0.05
FI 0030		
FI 0326	Avocado	*0.02
FI 0327	Banana	*0.02
FB 0018	Berries and other small fruits	0.2
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
VB 0040		
VS 0624	Celery	*0.02
GC 3084	Chia	T2
FC 0001	Citrus fruits	*0.02
	Coriander (leaves, stems and roots)	2
FT 0295	Date	T0.2
MO 0105	Edible offal (mammalian)	*0.05
VO 0440	Egg plant [aubergine]	T0.7
PE 0112	Eggs	*0.05
VC 0045	Fruiting vegetables, cucurbits	0.1
HS 0783	Galangal, rhizomes	0.05
VA 0381	Garlic	0.05

COMPOUND	FOOD	MRL (mg/kg)
HS 0784	Ginger, root	0.05
DH 1100	Hops, dry	0.05
VL 0053	Leafy vegetables {except Lettuce, head}	2
VA 0384	Leek	T1
VP 0060	Legume vegetables	0.1
VL 0482	Lettuce, head	0.05
	Lotus root	T3
VD 0545	Lupin (dry)	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	0.1
SO 0088	Oilseed	0.5
SO 0305	Olives for oil production	0.05
VA 0385	Onion, bulb	0.05
VA 0386	Onion, Chinese	0.05
VA 0387	Onion, Welsh	0.05
HH 0740	Parsley	2
VO 0445	Peppers, sweet [capsicum]	*0.02
FP 0009	Pome fruits	*0.01
VR 0589	Potato	0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.5
	Root and tuber vegetables {except Potato; Sweet potato; Taro; Yam bean; Yams}	1
VR 0075		
VA 0388	Shallot	0.05
VA 0389	Spring onion	0.05
FS 0012	Stone fruits	0.05
GS 0659	Sugar cane	T*0.1
VR 0508	Sweet potato	T0.3
FT 0305	Table olives	0.05
VR 0505	Taro	T3
	Tea, green, black (black, fermented and dried)	T50
DT 1114		
VO 0448	Tomato	0.1

COMPOUND	FOOD	MRL (mg/kg)
HS 0794	Turmeric, root	0.05
	Water chestnut	T3
VR 0601	Yam bean	T3
VR 0600	Yams	T0.3
Fluazinam		
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	
VB 0040		*0.01
FP 0009	Pome fruits	*0.01
VR 0589	Potato	*0.01
FB 0275	Strawberry	T*0.05
FB 1236	Wine-grapes	*0.05
Fluazuron		
MM 0812	Cattle meat [in the fat]	7
MO 0812	Cattle, edible offal of	0.5
Flubendazole		
	Chicken fat/skin	0.03
	Chicken, liver	0.2
	Chicken, kidney	0.1
	Chicken muscle	*0.02
PE 0112	Eggs	0.6
	Pig fat/skin	*0.02
MO 1285	Pig, liver	0.4
MO 1284	Pig, kidney	0.3
	Pig muscle	*0.02
Flubendiamide		
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	
VB 0040		5
GC 3084	Chia	1
	Common bean (pods and/or immature seeds)	
VP 0526		T2
SO 0691	Cotton seed	0.5
MO 0105	Edible offal (mammalian)	0.03
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2

COMPOUND	FOOD	MRL (mg/kg)
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	2
HH 0092	Herbs	20
VL 0053	Leafy vegetables {except Lettuce, head}	10
VL 0482	Lettuce, head	5
MM 0095	Meat (mammalian) [in the fat]	0.05
FM 0183	Milk fats	0.05
ML 0106	Milks	*0.01
VR 0589	Potato	*0.02
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VR 0075	Root and tuber vegetables {except Potato}	0.2
VS 0078	Stalk and stem vegetables	5
FB 0275	Strawberry	0.3
VO 0447	Sweet corn (corn-on-the-cob)	T*0.05
Fludioxonil		
FS 0240	Apricot	10
FI 0326	Avocado	2
FT 2303	Bayberry, red	T2
VR 0574	Beetroot	*0.01
	Beetroot leaves	*0.01
FB 0018	Berries and other small fruits {except grapes}	5
VB 0400	Broccoli	T*0.01
VA 0035	Bulb vegetables {except Chives; Onion, bulb}	3
VS 0624	Celery	T15
TN 0664	Chestnuts	1
VA 2605	Chives	T10
VA 2606	Chives, Chinese	T10
FC 0001	Citrus fruits	10
VP 0526	Common bean (pods and/or immature seeds)	0.7
SO 0691	Cotton seed	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VC 0424	Cucumber	0.5
DF 0269	Dried grapes (= currants, raisins and sultanas)	5
DH 0170	Dried herbs	T70
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.01
VO 0440	Egg plant [aubergine]	T0.2
VA 2609	Garlic chives	T10
FB 0269	Grapes	2
HH 0092	Herbs	T20
FI 0341	Kiwifruit	15
VL 0053	Leafy vegetables	15
FI 0343	Litchi	T2
GC 0645	Maize	*0.02
FI 0345	Mango	3
MM 0095	Meat (mammalian)	0.05
VC 0046	Melons, except watermelon	T0.2
ML 0106	Milks	0.05
SO 0090	Mustard seeds	*0.01
VA 0385	Onion, bulb	0.2
FI 0350	Papaya [pawpaw]	T5
FS 0247	Peach	10
SO 0697	Peanut	T*0.01
VP 0063	Peas (pods and succulent = immature seeds)	0.5
VO 0444	Peppers, chili	T2
	Peppers, chili, other cultivars	T2
VO 0445	Peppers, sweet [capsicum]	2
FI 0353	Pineapple	5
TN 0675	Pistachio nut	T0.2
FP 0009	Pome fruits	5
FI 0355	Pomegranate	5
VR 0589	Potato	0.03
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01

COMPOUND	FOOD	MRL (mg/kg)
VD 0070	Pulses	0.1
SO 0495	Rape seed [canola]	*0.01
GC 0651	Sorghum	*0.01
FS 0012	Stone fruits {except Apricot; Peach}	5
SO 0702	Sunflower seed	T*0.02
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
VO 0448	Tomato	T1
Fluensulfone		
	All other foods	1
GC 0080	Cereal grains	0.05
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.05
VR 0075	Root and tuber vegetables	2
GS 0659	Sugar cane	*0.03
Flumethrin		
MM 0812	Cattle meat [in the fat]	0.2
MO 0812	Cattle, edible offal of	0.05
	Honey	T*0.005
MM 0816	Horse meat	0.1
MO 0816	Horse, edible offal of	0.1
ML 0106	Milks	0.05
Flumetsulam		
GC 0640	Barley	*0.05
MO 0105	Edible offal (mammalian)	0.3
PE 0112	Eggs	*0.1
VP 0528	Garden pea (young pods)	*0.1

COMPOUND	FOOD	MRL (mg/kg)
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
GC 0647	Oats	*0.05
SO 0697	Peanut	*0.05
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	*0.05
GC 0650	Rye	*0.05
GC 0653	Triticale	*0.05
GC 0654	Wheat	*0.05
Flumiclorac-pentyl		
SO 0691	Cotton seed	0.1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Flumioxazin		
FI 0326	Avocado	*0.02
FI 0327	Banana	T*0.02
FB 0020	Blueberries	*0.02
VR 0577	Carrot	T*0.05
GC 0080	Cereal grains	*0.05
FC 0001	Citrus fruits	*0.05
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VA 0381	Garlic	T*0.02
FB 0269	Grapes	*0.01
DH 1100	Hops, dry	T*0.05
HH 0734	Lavender	T*0.02
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01

COMPOUND	FOOD	MRL (mg/kg)
HH 0738	Mints	T*0.02
SO 0088	Oilseed	*0.1
FT 0305	Olives	*0.02
FP 0009	Pome fruits	*0.02
FI 0355	Pomegranate	*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.1
FS 0012	Stone fruits	*0.02
GS 0659	Sugar cane	*0.01
TN 0085	Tree nuts	*0.02
Flunixin		
MM 0812	Cattle meat [in the fat]	0.02
MO 1280	Cattle, kidney	0.02
MO 1281	Cattle, liver	0.02
Fluometuron		
GC 0080	Cereal grains	*0.1
FC 0001	Citrus fruits	0.5
SO 0691	Cotton seed	*0.1
FI 0353	Pineapple	*0.1
Fluopicolide		
	All other foods	0.01
HH 0722	Basil	T30
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
VB 0040		
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	3
FB 2005	Cane berries	T1.5
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VL 0053	Leafy vegetables	30
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01

COMPOUND	FOOD	MRL (mg/kg)
VA 0385	Onion, bulb	0.1
SO 0698	Poppy seed	0.5
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
Fluopyram		
	All other foods	0.2
TN 0660	Almonds	0.05
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel {except Banana; Pineapple}	2
FI 0327	Banana	0.1
VA 2031	Bulb onions	0.07
FB 2005	Cane berries	3
GC 0080	Cereal grains	0.03
FS 0013	Cherries	3
FC 0001	Citrus fruits	0.2
VP 0526	Common bean (pods and/or immature seeds)	0.3
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	0.5
FB 0269	Grapes	0.3
VA 2032	Green onions	2
VL 0482	Lettuce, head	15
VL 0483	Lettuce, leaf	15
TN 0669	Macadamia nuts	0.2
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
SO 0088	Oilseed	0.03
OC 0305	Olive oil, crude	5
SO 0305	Olives for oil production	3
VO 0445	Peppers, sweet [capsicum]	0.3
FP 0307	Persimmon, Japanese	1.5

COMPOUND	FOOD	MRL (mg/kg)
TN 0675	Pistachio nut	0.2
FP 0009	Pome fruits {except Persimmon, Japanese}	1
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	0.03
VR 0075	Root and tuber vegetables	T0.2
FS 0012	Stone fruits {except Cherries}	2
FB 0275	Strawberry	2
FT 0305	Table olives	3
VO 2045	Tomatoes	T1.5
TN 0678	Walnuts	T0.07
Flupropanate		
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat (mammalian) [in the fat]	*0.1
ML 0106	Milks	0.1
Flupyradifurone		
	All other foods	0.2
	Assorted tropical and sub-tropical fruits - inedible peel {except Banana; Mango; Papaya; Pineapple}	1.5
FI 0030	Common bean (pods and/or immature seeds)	2
VP 0526	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1
TN 0669	Macadamia nuts	*0.01
FI 0345	Mango	0.7
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.07
SO 0305	Olives for oil production	1
FI 0350	Papaya [pawpaw]	0.5
VR 0589	Potato	0.07

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VR 0508	Sweet potato	0.07
FT 0305	Table olives	1
Fluquinconazole		
GC 0640	Barley	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian) [in the fat]	0.5
ML 0106	Milks	*0.02
SO 0090	Mustard seeds	T*0.01
FP 0009	Pome fruits	0.3
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
SO 0495	Rape seed [canola]	*0.01
GC 0654	Wheat	*0.02
Fluralaner		
MF 0812	Cattle fat	T0.7
	Cattle muscle	T0.07
MO 1280	Cattle, kidney	T0.25
MO 1281	Cattle, liver	T0.6
PE 0840	Chicken eggs	1.3
	Chicken fat/skin	0.6
	Chicken, kidney	0.4
	Chicken, liver	0.6
	Chicken muscle	0.06
MF 0822	Sheep fat	0.35
MM 0822	Sheep muscle	0.1
MO 1288	Sheep, kidney	0.15
MO 1289	Sheep, liver	0.4
Fluroxypyr		
GC 0080	Cereal grains	0.2
MO 0105	Edible offal (mammalian) {except Kidney}	0.1
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
	Kidney (mammalian)	1
MM 0095	Meat (mammalian) [in the fat]	0.1
ML 0106	Milks	0.1
VA 0385	Onion, bulb	T0.03
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
CM 1206	Rice bran, unprocessed	T0.3
GS 0659	Sugar cane (in the juice)	0.2
VO 0447	Sweet corn (corn-on-the-cob)	0.2
Flutolanil		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.05
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
Flutriafol		
	All other foods	0.5
GC 0640	Barley	0.2
GC 0080	Cereal grains {except Barley}	0.1
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.05
VP 0528	Garden pea (young pods)	*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
SO 0090	Mustard seeds	T0.07
SO 0088	Oilseed {except Mustard seeds; Rape seed [canola]}	0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.05
SO 0495	Rape seed [canola]	0.07
GS 0659	Sugar cane	*0.01
Fluvalinate		

COMPOUND	FOOD	MRL (mg/kg)
FP 0226	Apple	0.1
VS 0621	Asparagus	0.2
VR 0577	Carrot	T*0.01
VB 0404	Cauliflower	0.5
SO 0691	Cotton seed	0.1
	Honey	T*0.01
FS 0012	Stone fruits	0.05
FB 1235	Table-grapes	0.05
VO 0448	Tomato	0.5
Fluoxapiprolin		
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.5
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.15
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
Fluxapyroxad		
	All other foods	0.1
FI 0327	Banana	0.7
GC 0640	Barley	0.2
CM 0640	Barley bran, unprocessed	0.5
FS 0013	Cherries	3
MO 0105	Edible offal (mammalian)	0.03
PE 0112	Eggs	0.005
VO 0050	Fruiting vegetables, other than cucurbits	0.5
VC 0045	Fruiting vegetables, cucurbits	0.2
FS 0302	Jujube, Chinese	T7
FC 0204	Lemon	1
FI 0345	Mango	0.8
MM 0095	Meat (mammalian) [in the fat]	0.05
FM 0183	Milk fats	0.1

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	0.005
GC 0647	Oats	T0.2
FP 0009	Pome fruits	0.7
FI 0355	Pomegranate	T0.3
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	T0.2
FC 4029	Tangelo, large-sized cultivars	1.5
FC 4031	Tangelo, small and medium sized cultivars	1.5
DT 1114	Tea, green, black (black, fermented and dried)	T7
TN 0085	Tree nuts	0.07
GC 0654	Wheat	0.1
CM 0654	Wheat bran, unprocessed	0.2
Fomesafen		
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PO 0111	Poultry, Edible offal of	*0.02
PM 0110	Poultry meat	*0.02
VD 0070	Pulses	*0.01
Forchlorfenuron		
FP 0226	Apple	*0.01
FS 0013	Cherries	*0.01
FB 0269	Grapes	*0.01
Fosetyl		
FP 0226	Apple	1
FI 0326	Avocado	5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.1
FI 0334	Durian	T5
VO 0050	Fruiting vegetables, other than cucurbits	T0.02

COMPOUND	FOOD	MRL (mg/kg)
VL 0053	Leafy vegetables {except Rucola [rocket]; Spinach}	T0.2
FS 0247	Peach	1
FI 0353	Pineapple	5
VL 0496	Rucola [rocket]	T0.7
VL 0502	Spinach	T0.7
FS 0012	Stone fruits {except Cherries; Peach}	T1
Glufosinate and Glufosinate ammonium		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.2
FB 0018	Berries and other small fruits	0.1
GC 0080	Cereal grains	*0.1
FC 0001	Citrus fruits	0.1
SB 0716	Coffee beans	T*0.05
VP 0526	Common bean (pods and/or immature seeds)	T*0.05
SO 0691	Cotton seed	3
FT 0295	Date	*0.05
MO 0105	Edible offal (mammalian)	5
PE 0112	Eggs	*0.05
DH 1100	Hops, dry	T1
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	*0.05
SO 0090	Mustard seeds	T0.5
	Native foods	*0.05
SO 0088	Oilseed {except Cotton seed; Mustard seeds; Rape seed [canola]}	T*0.1
FT 0305	Olives	*0.1
VO 0445	Peppers, sweet [capsicum]	*0.05
VP 0538	Podded pea (young pods) [snow and sugar snap]	T*0.05
FP 0009	Pome fruits	*0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	*0.1

COMPOUND	FOOD	MRL (mg/kg)
SO 0495	Rape seed [canola]	0.5
	Saffron	T*0.05
FS 0012	Stone fruits	*0.05
GS 0659	Sugar cane	*0.2
DT 1114	Tea, green, black (black, fermented and dried)	*0.05
VO 0448	Tomato	*0.05
TN 0085	Tree nuts	0.1
VF 0371	Truffle	T*0.2
Glyphosate		
VD 0560	Adzuki bean (dry)	10
FI 0326	Avocado	*0.05
FI 0327	Banana	0.2
GC 0640	Barley	20
FB 0018	Berries and other small fruits	*0.05
VA 0035	Bulb vegetables [alliums]	*0.1
GC 0080	Cereal grains {except Barley; Maize; Millet; Popcorn; Sorghum; Wheat}	T*0.1
FC 0001	Citrus fruits	0.5
SB 0716	Coffee beans	T0.2
SO 0691	Cotton seed	15
OC 0691	Cotton seed oil, crude	*0.1
VD 0527	Cowpea (dry)	10
FI 0332	Custard apple	*0.05
FT 0295	Date	T2
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.05
FT 0297	Fig	*0.05
VC 0045	Fruiting vegetables, cucurbits	*0.1
VO 0050	Fruiting vegetables, other than cucurbits	*0.1
FT 0336	Guava	*0.05
	Honey	0.2
DH 1100	Hops, dry	*0.1
FI 0341	Kiwifruit	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VL 0053	Leafy vegetables	*0.1
VP 0060	Legume vegetables	*0.1
SO 0693	Linseed	15
FI 0343	Litchi	0.2
GC 0645	Maize	T2
FI 0345	Mango	*0.05
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
GC 0646	Millet	T15
	Monstero	*0.05
VD 0536	Mung bean (dry)	10
SO 0090	Mustard seeds	20
	Native foods	T2
	Oilseed {except Cotton seed, Linseed; Mustard seeds; Peanut; Poppy seed; Rape seed [canola]; Sesame seed; Sunflower seed}	T*0.1
SO 0088		
FT 0305	Olives	*0.1
FI 0350	Papaya [pawpaw]	*0.05
FI 0351	Passion fruit	3
SO 0697	Peanut	*0.1
FI 0352	Persimmon, American	*0.05
FP 0009	Pome fruits	*0.05
GC 0656	Popcorn	T2
SO 0698	Poppy seed	20
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	1
	Pulses {except Cowpeas (dry); Adzuki beans (dry); Mungbeans (dry); Soya bean (dry)}	5
VD 0070		
SO 0495	Rape seed [canola]	20
VR 0075	Root and tuber vegetables	*0.1
SO 0699	Safflower seed	7
	Saffron	T*0.05
SO 0700	Sesame seed	20
GC 0651	Sorghum	15

COMPOUND	FOOD	MRL (mg/kg)
VD 0541	Soya bean (dry)	10
VS 0078	Stalk and stem vegetables	*0.01
FS 0012	Stone fruits	0.2
GS 0659	Sugar cane	T0.3
DM 0659	Sugar cane molasses	T5
SO 0702	Sunflower seed	20
DT 1114	Tea, green, black (black, fermented and dried)	T20
TN 0085	Tree nuts	0.2
VF 0371	Truffle	T*0.05
GC 0654	Wheat	5
CM 0654	Wheat bran, unprocessed	20
Guazatine		
FC 0001	Citrus fruits	5
VC 0046	Melons, except watermelon	10
VO 0448	Tomato	5
Halauxifen-methyl		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	0.03
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.01
Halofuginone		
MF 0812	Cattle fat	0.025
	Cattle muscle	0.01
MO 1280	Cattle, kidney	0.03
MO 1281	Cattle, liver	0.03
Halosulfuron-methyl		
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0649	Rice	T*0.05
GC 0651	Sorghum	*0.05
VD 0541	Soya bean (dry)	T*0.01
GS 0659	Sugar cane	*0.05
Haloxypop		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.05
FB 0018	Berries and other small fruits	*0.05
FC 0001	Citrus fruits	*0.05
SO 0691	Cotton seed	0.1
OC 0691	Cotton seed oil, crude	0.2
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01
SO 3154	Hempseed	T0.1
VL 0053	Leafy vegetables	T0.5
	Linola seed	0.1
SO 0693	Linseed	0.1
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	0.02
	Mizuna	T0.5
SO 0090	Mustard seeds	0.1
VA 0385	Onion, bulb	T0.2
SO 0697	Peanut	0.05
FP 0009	Pome fruits	*0.05
SO 0698	Poppy seed	T0.5
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	0.05
VD 0070	Pulses	0.1
SO 0495	Rape seed [canola]	0.1
SO 0700	Sesame seed	0.1

COMPOUND	FOOD	MRL (mg/kg)
FS 0012	Stone fruits	*0.05
SO 0702	Sunflower seed	*0.05
TN 0085	Tree nuts	*0.05
HCB		
GC 0080	Cereal grains	E0.05
WC 0143	Crustaceans	E0.1
WD 0120	Diadromous fish	E0.1
MO 0105	Edible offal (mammalian)	E1
PE 0112	Eggs	E1
WF 0115	Freshwater fish	E0.1
WS 0125	Marine fish	E0.1
MM 0095	Meat (mammalian) [in the fat]	E1
ML 0106	Milks [in the fat]	E0.5
IM 0150	Molluscs, including cephalopods	E0.1
SO 0697	Peanut	E0.01
PM 0110	Poultry meat [in the fat]	E1
PO 0111	Poultry, edible offal of	E1
Heptachlor		
VR 0577	Carrot	E0.2
GC 0080	Cereal grains	E0.02
FC 0001	Citrus fruits	E0.01
SO 0691	Cotton seed	E0.02
WC 0143	Crustaceans	E0.05
WD 0120	Diadromous fish	E0.05
MO 0105	Edible offal (mammalian)	E0.2
PE 0112	Eggs	E0.05
WF 0115	Freshwater fish	E0.05
WS 0125	Marine fish	E0.05
MM 0095	Meat (mammalian) [in the fat]	E0.2
ML 0106	Milks [in the fat]	E0.15
IM 0150	Molluscs, including cephalopods	E0.05
SO 0697	Peanut	E0.01
FI 0353	Pineapple	E0.01
VD 0541	Soya bean (dry)	E0.02

COMPOUND	FOOD	MRL (mg/kg)
OC 0541	Soya bean oil, crude	E0.5
OR 0541	Soya bean oil, refined	E0.02
GS 0659	Sugar cane	E0.02
VO 0448	Tomato	E0.02
	Vegetables {except Carrot; Soya bean (dry); Tomato}	E0.05
Hexaconazole		
FP 0226	Apple	0.1
FB 0269	Grapes	0.05
FP 0230	Pear	0.1
Hexazinone		
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	*0.1
Hexythiazox		
FB 0018	Berries and other small fruits {except Grapes}	1
MO 0105	Edible offal (mammalian)	*0.01
VC 0045	Fruiting vegetables, cucurbits	T0.05
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	T1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VP 0063	Peas	T*0.05
FP 0009	Pome fruits	1
VR 0589	Potato	T*0.02
FS 0012	Stone fruits	1
Imazalil		
PM 0840	Chicken meat	*0.01
PO 0840	Chicken, edible offal of	*0.01
FC 0001	Citrus fruits	10

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.01
VC 0046	Melons, except watermelon	10
VO 0450	Mushrooms	1
FP 0009	Pome fruits	5
VR 0589	Potato	5
VO 0448	Tomato	0.5
Imazamox		
VD 0560	Adzuki bean (dry)	T*0.05
GC 0640	Barley	*0.05
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.01
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
VD 0561	Field pea (dry)	*0.05
VD 0533	Lentil (dry)	0.2
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VD 0536	Mung bean (dry)	T*0.05
SO 0090	Mustard seeds	T*0.05
SO 0697	Peanut	*0.05
SO 0698	Poppy seed	T*0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.05
GC 0651	Sorghum	*0.02
VD 0541	Soya bean (dry)	*0.05
SO 0702	Sunflower seed	0.05
GC 0654	Wheat	*0.05
Imazapic (formerly known as Imazameth)		
GC 0640	Barley	0.02
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.05

COMPOUND	FOOD	MRL (mg/kg)
GC 0647	Oats	0.05
SO 0697	Peanut	*0.1
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.05
GS 0659	Sugar cane	*0.05
GC 0654	Wheat	*0.05
Imazapyr		
GC 0640	Barley	0.7
VD 0523	Broad bean (dry) [faba bean (dry)]	0.07
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
VD 0533	Lentil (dry)	0.2
GC 0645	Maize	0.05
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.05
GC 0647	Oats	0.1
SO 0698	Poppy seed	T*0.05
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.05
GC 0651	Sorghum	0.02
SO 0702	Sunflower seed	*0.02
GC 0654	Wheat	*0.05
Imazethapyr		
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
VP 0060	Legume vegetables	*0.1
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0697	Peanut	*0.1
PM 0110	Poultry meat	*0.1

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	*0.1
Imidacloprid		
FP 0226	Apple	0.3
FI 0326	Avocado	0.2
FI 0327	Banana	0.5
VR 0574	Beetroot	T0.05
	Beetroot leaves	T1
FB 0020	Blueberries	T0.1
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VB 0040		
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.05
VR 0575	Burdock, greater	T0.05
VR 0577	Carrot	T0.05
VS 0624	Celery	T0.3
	Cereal grains {except Maize; Popcorn; Sorghum}	*0.05
GC 0080		
FC 0001	Citrus fruits	2
	Common bean (dry) [navy bean (dry)]	T1
	Common bean (pods and/or immature seeds)	2
VP 0526		
SO 0691	Cotton seed	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
VD 0561	Field pea (dry)	*0.05
VC 0045	Fruiting vegetables, cucurbits	0.2
	Fruiting vegetables, other than cucurbits {except Sweet corn (corn- on-the-cob)}	0.5
VO 0050		
VR 0581	Galangal, greater	T0.05
VR 0582	Galangal, lesser	T0.05
	Ginger, Japanese	T0.05
HS 0784	Ginger, root	T0.3
TN 0666	Hazelnuts	T0.05
DH 1100	Hops, dry	T10

COMPOUND	FOOD	MRL (mg/kg)
VL 0053	Leafy vegetables {except Lettuce, head}	20
VD 0533	Lentil (dry)	0.2
VL 0482	Lettuce, head	5
VD 0545	Lupin (dry)	0.2
GC 0645	Maize	0.05
FI 0345	Mango	0.2
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.05
SO 0090	Mustard seeds	T*0.05
FI 0350	Papaya [pawpaw]	0.2
SO 0697	Peanut	*0.05
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.2
GC 0656	Popcorn	0.05
SO 0698	Poppy seed	T*0.05
VR 0589	Potato	0.3
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VR 0591	Radish, Japanese	T0.05
SO 0495	Rape seed [canola]	*0.05
VS 0627	Rhubarb	T0.2
GC 0651	Sorghum	*0.02
FS 0012	Stone fruits	0.5
GS 0659	Sugar cane	*0.05
SO 0702	Sunflower seed	*0.02
VO 0447	Sweet corn (corn-on-the-cob)	*0.05
VR 0508	Sweet potato	0.3
VR 0505	Taro	T0.05
VR 0601	Yam bean	T0.05
VR 0600	Yams	T0.05
Imidocarb (dipropionate salt)		
MM 0812	Cattle meat	1
ML 0812	Cattle milk	0.2
MO 0812	Cattle, edible offal of	5

COMPOUND	FOOD	MRL (mg/kg)
Indaziflam		
TN 0660	Almonds	*0.01
FC 0001	Citrus fruits	*0.01
MO 0105	Edible offal (mammalian)	0.1
FB 0269	Grapes	*0.01
MM 0095	Meat (mammalian) [in the fat]	0.03
ML 0106	Milks	*0.005
Indoxacarb		
VS 0621	Asparagus	*0.01
FT 2303	Bayberry, red	T1
FB 0018	Berries and other small fruits {except Grapes}	1
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
VB 0040	Celery	3
VS 0624	Cherries	1
FS 0013	Cotton seed	1
SO 0691	Dried grapes (= currants, raisins and sultanas)	2
DF 0269	Edible offal (mammalian) {except Kidney}	0.02
MO 0105	Egg plant [aubergine]	0.5
VO 0440	Eggs	*0.01
PE 0112	Fennel, leaf	5
HH 0731	Fruiting vegetables, cucurbits	0.2
VC 0045	Grapes	0.5
FB 0269	Hempseed	T*0.05
SO 3154	Kidney (mammalian)	0.5
VL 0053	Leafy vegetables {except Lettuce, Head}	5
	Lettuce, head	3
VL 0482	Linseed	T0.5
SO 0693	Macadamia nuts	0.03
TN 0669	Maize cereals	T*0.01
GC 2091	Meat (mammalian) [in the fat]	3
MM 0095		

COMPOUND	FOOD	MRL (mg/kg)
FM 0183	Milk fats	2
ML 0106	Milks	0.1
SO 0697	Peanut	T0.02
VO 0051	Peppers	0.5
FP 0009	Pome fruits	2
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.2
FS 0012	Stone fruits {except Cherries}	2
SO 0702	Sunflower seed	T1
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
VO 0448	Tomato	0.2
TN 0678	Walnuts	T0.02
Inorganic bromide		
FI 0326	Avocado	75
GC 0080	Cereal grains	50
FC 0001	Citrus fruits	30
DF 0295	Dates, dried	100
DF 0167	Dried fruits {except Dried dates; Figs; Grapes; Peach; Prunes}	30
DF 0269	Dried grapes (= currants, raisins and sultanas)	100
DH 0170	Dried herbs	400
	Dried peach	50
DF 0297	Figs, dried	250
	Fruits {except Avocado; Citrus fruits; Dried fruits; Strawberry}	20
VO 0445	Peppers, sweet [capsicum]	50
DF 0014	Prunes	20
HS 0093	Spices	400
FB 0275	Strawberry	30
	Vegetables {except Peppers, sweet [capsicum]}	20
Inpyrfluxam		
FI 0327	Banana	0.7
MO 0105	Edible offal (mammalian)	*0.02

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PO 0111	Poultry, Edible offal of	*0.02
PM 0110	Poultry meat	*0.02
VR 0589	Potato	0.05
Iodosulfuron methyl		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	*0.01
loxynil		
VA 0381	Garlic	*0.02
VA 0384	Leek	2
VA 0385	Onion, bulb	*0.02
VA 0387	Onion, Welsh	10
VA 0388	Shallot	10
VA 0389	Spring onion	10
Ipconazole		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Ipflufenquin		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.01
FP 0009	Pome fruits	0.05
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0275	Strawberry	0.3
FB 1236	Wine-grapes	0.04
Iprodione		
TN 0660	Almonds	*0.02
VP 0061	Beans, except broad bean and soya bean	T2
VR 0574	Beetroot	T0.1
FB 0018	Berries and other small fruits {except Grapes}	12
	Beetroot leaves	T20
VL 0054	Brassica leafy vegetables	15
VB 0400	Broccoli	T*0.05
VB 0402	Brussels sprouts	0.5
VR 0577	Carrot	T0.5
VR 0578	Celeriac	T0.7
VS 0624	Celery	2
VL 0464	Chard [silver beet]	T15
TN 0664	Chestnuts	T10
VL 0469	Chicory leaves (green and red cultivars)	T20
VC 0424	Cucumber	T0.5
MO 0105	Edible offal (mammalian)	*0.1
VO 0440	Egg plant [aubergine]	T1
VL 0476	Endive	T20
VA 0381	Garlic	T0.3
FB 0269	Grapes	20
FI 0341	Kiwifruit	10
VL 0482	Lettuce, head	5
VL 0483	Lettuce, leaf	5
VD 0545	Lupin (dry)	*0.1
TN 0669	Macadamia nuts	*0.01

COMPOUND	FOOD	MRL (mg/kg)
FC 0003	Mandarins	T5
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0090	Mustard seeds	T0.5
VA 0385	Onion, bulb	T0.7
HH 0740	Parsley	T20
FI 0351	Passion fruit	10
SO 0697	Peanut	0.05
OC 0697	Peanut oil, crude	0.05
VO 0051	Peppers	T3
	Peppers, chili, other cultivars	T3
TN 0675	Pistachio nut	T0.2
VP 0538	Podded pea (young pods) [snow and sugar snap]	T2
FP 0009	Pome fruits	3
VR 0589	Potato	*0.05
SO 0495	Rape seed [canola]	0.5
VD 0541	Soya bean (dry)	0.05
VL 0502	Spinach	T5
FS 0012	Stone fruits	10
FC 4029	Tangelo, large-sized cultivars	T5
VO 0448	Tomato	2
Isocycloseram		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
VL 0054	Brassica leafy vegetables	4
VA 2031	Bulb onions	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits	0.2
VA 2032	Green onions	0.6
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.01
Isoeugenol		
WF 0115	Freshwater Fish	100
WD 0120	Diadromous Fish	100
WS 0125	Marine Fish	100
Isofetamid		
FB 0018	Berries and other small fruits {except Grapes}	5
VL 0482	Lettuce, head	30
VL 0483	Lettuce, leaf	30
PE 0112	Poultry eggs	*0.02
MO 0105	Edible offal (mammalian)	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
FM 0183	Milk fats	*0.02
PO 0111	Poultry, edible offal of	*0.02
PM 0110	Poultry meat [in the fat]	*0.02
Isopyrazam		
TN 0660	Almonds	*0.01
MO 0105	Edible offal (mammalian)	*0.005
PE 0112	Eggs	*0.005
MM 0095	Meat (mammalian) [in the fat]	*0.005
ML 0106	Milks	*0.005
FS 0014	Plums	T0.7
FP 0009	Pome fruits	0.7
PM 0110	Poultry meat [in the fat]	*0.005
PO 0111	Poultry, edible offal of	*0.005
DF 0014	Prunes	T3
Isotianil		
FI 0327	Banana	0.03
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
Isoxaben		
FT 0026	Assorted tropical and sub-tropical fruits - edible peel	*0.01
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.01
GC 0640	Barley	*0.01
FC 0001	Citrus fruits	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.01
DH 1100	Hops, dry	*0.1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
FP 0009	Pome fruits	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
FS 0012	Stone fruits	*0.01
TN 0085	Tree nuts	*0.01
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Isoxaflutole		
GC 0080	Cereal grains	*0.02
VD 0524	Chick-pea (dry)	*0.02
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
FI 0353	Pineapple	*0.02
SO 0698	Poppy seed	*0.02
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	*0.01

COMPOUND	FOOD	MRL (mg/kg)
Ivermectin		
MM 0812	Cattle meat [in the fat]	0.2
ML 0812	Cattle milk	0.05
MO 1280	Cattle, kidney	0.06
MO 1281	Cattle, liver	0.5
	Deer kidney	*0.01
	Deer liver	*0.01
MM 0813	Deer meat [in the fat]	*0.01
MM 0816	Horse meat	*0.01
MO 0816	Horse, edible offal of	*0.01
MM 0818	Pig meat [in the fat]	0.02
MO 1284	Pig, kidney	*0.01
MO 1285	Pig, liver	*0.01
MM 0822	Sheep meat [in the fat]	0.02
MO 1288	Sheep, kidney	*0.01
MO 1289	Sheep, liver	0.015
Ketoprofen		
MM 0812	Cattle meat	*0.05
ML 0812	Cattle milk	*0.05
MO 0812	Cattle, edible offal of	*0.05
Kitasamycin		
PE 0112	Eggs	*0.2
MM 0818	Pig meat	*0.2
MO 0818	Pig, edible offal of	*0.2
Kresoxim-methyl		
MO 0105	Edible offal (mammalian)	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.001
FP 0009	Pome fruits	0.1
Lasalocid		
ML 0812	Cattle milk	*0.01
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.05

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	*0.05
	Poultry fat/skin	0.6
	Poultry, kidney	0.7
	Poultry, liver	1.2
	Poultry muscle	0.4
Levamisole		
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	1
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks {except Goat milk}	0.3
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Lignocaine		
MF 0822	Sheep fat	0.2
MO 1288	Sheep kidney	0.2
MO 1289	Sheep liver	0.1
MM 0822	Sheep muscle	0.15
Lincomycin		
ML 0812	Cattle milk	*0.02
	Edible offal (mammalian) {except	
MO 0105	Sheep, edible offal of}	0.2
PE 0112	Eggs	0.2
ML 0814	Goat milk	*0.1
	Meat (mammalian) {except Sheep	
MM 0095	meat}	0.2
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Lindane		
FP 0226	Apple	E2
GC 0080	Cereal grains	E0.5
FS 0013	Cherries	E0.5
FB 0265	Cranberry	E3
WC 0143	Crustaceans	E1
WD 0120	Diadromous fish	E1
MO 0105	Edible offal (mammalian)	E2

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	E0.1
WF 0115	Freshwater fish	E1
	Fruits {except Apple; Cherries; Cranberry; Grapes; Peach; Pineapple; Plums; Strawberry}	E0.5
FB 0269	Grapes	E0.5
WS 0125	Marine fish	E1
MO 0095	Meat (mammalian) [in the fat]	E2
ML 0106	Milks [in the fat]	E0.2
IM 0150	Molluscs, including cephalopods	E1
SO 0088	Oilseed {except Peanut}	E0.05
FS 0247	Peach	E2
SO 0697	Peanut	E0.05
FI 0353	Pineapple	0.5
FS 0014	Plums (including prunes)	E0.5
PM 0110	Poultry meat [in the fat]	E0.7
PO 0111	Poultry, edible offal of	E0.7
FB 0275	Strawberry	E3
GS 0659	Sugar cane	E*0.002
	Vegetables	E2
Linuron		
VR 0578	Celeriac	3
VS 0624	Celery	*0.05
GC 0080	Cereal grains	*0.05
	Coriander (leaves, stems and roots)	T2
HS 0779	Coriander, seed	0.2
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	*0.05
VA 0384	Leek	*0.02
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
HH 0740	Parsley	T1
VR 0588	Parsnip	0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05

COMPOUND	FOOD	MRL (mg/kg)
	Vegetables {except Celeriac; Celery; Leek; Parsnip}	*0.05
Maduramicin		
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	1
Maldison		
VD 0071	Beans (dry)	8
FB 0018	Berries and other small fruits {except Grapes; Strawberry}	10
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Cauliflower; Kohlrabi}	2
VL 0054	Brassica leafy vegetables {except Kale}	2
VR 0577	Carrot	0.5
VB 0404	Cauliflower	0.5
VS 0624	Celery	2
GC 0080	Cereal grains	8
FC 0001	Citrus fruits	4
VC 0424	Cucumber	3
DF 0167	Dried fruits	8
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	1
VC 0045	Fruiting vegetables, cucurbits {except Cucumber}	2
VO 0050	Fruiting vegetables, other than cucurbits {except Peppers, sweet [capsicum]}	3
VP 0528	Fruits {except Berries and other small fruits; Citrus fruits; Dried fruits; Stone fruits}	2
FB 0269	Garden pea (young pods)	0.5
VL 0480	Grapes	8
VB 0405	Kale	3
VA 0384	Kohlrabi	0.5
	Leek	2

COMPOUND	FOOD	MRL (mg/kg)
VP 0060	Legume vegetables {except Garden pea}	2
VD 0533	Lentil (dry)	8
VL 0482	Lettuce, head	2
VL 0483	Lettuce, leaf	2
SO 0693	Linseed	10
MM 0095	Meat (mammalian) [in the fat]	1
ML 0106	Milks [in the fat]	1
SO 0090	Mustard seeds	T10
VA 0385	Onion, bulb	2
VA 0387	Onion, Welsh	T0.1
VO 0445	Peppers, sweet [capsicum]	T5
PM 0110	Poultry meat [in the fat]	1
PO 0111	Poultry, edible offal of	1
VD 0070	Pulses {except Beans (dry); Lentils (dry)}	2
SO 0495	Rape seed [canola]	10
SO 0699	Safflower seed	10
VA 0388	Shallot	T0.1
VA 0389	Spring onion	T0.1
FS 0012	Stone fruits	5
FB 0275	Strawberry	1
SO 0702	Sunflower seed	10
TN 0085	Tree nuts	8
CM 0654	Wheat bran, unprocessed	20
Maleic hydrazide		
VR 0577	Carrot	T40
VA 0381	Garlic	15
VA 0385	Onion, bulb	15
VR 0589	Potato	50
Mandestrobin		
VP 0061	Beans, except broad bean and soya bean	0.7
MO 0105	Edible offal (mammalian)	0.02
VC 0045	Fruiting vegetables, cucurbits	0.6

COMPOUND	FOOD	MRL (mg/kg)
VL 0482	Lettuce, head	5
VL 0483	Lettuce, leaf	20
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	*0.02
VA 0385	Onion, bulb	*0.01
FS 0012	Stone fruits	3
Mandipropamid		
HH 0722	Basil	T30
DF 0269	Dried grapes (= currants, raisins and sultanas)	10
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	2
VL 0053	Leafy vegetables	30
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
	Mizuna	30
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
MCPA		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VD 0561	Field pea (dry)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VP 0064	Peas without pods (succulent seeds)	T*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VS 0627	Rhubarb	*0.02
MCPB		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.05
VD 0561	Field pea (dry)	*0.05
VP 0060	Legume vegetables	*0.02
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.02
Mebendazole		
MO 0105	Edible offal (mammalian)	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	0.02
Mefenpyr-diethyl		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Mefentrifluconazole		
TN 0660	Almonds	*0.01
FP 0226	Apple	1
GC 0640	Barley	T0.2
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	T0.3
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.3
VO 0050	Fruiting vegetables, other than cucurbits	1
FB 0269	Grapes	1
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian) [in the fat]	T0.2
ML 0106	Milks	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GC 0647	Oats	T0.2
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	0.02
SO 0495	Rape seed [canola]	T0.05
GC 0654	Wheat	T0.03
Meloxicam		
MM 0812	Cattle meat	*0.01
ML 0812	Cattle milk	0.005
MO 1280	Cattle, kidney	0.2
MO 1281	Cattle, liver	0.1
	Pig fat/skin	0.1
MM 0818	Pig meat	0.02
MO 1284	Pig, kidney	*0.01
MO 1285	Pig, liver	*0.01
MF 0822	Sheep fat	0.01
MM 0822	Sheep meat	0.01
MO 1288	Sheep, kidney	0.01
MO 1289	Sheep, liver	0.01
Mepiquat		
SO 0691	Cotton seed	1
OC 0691	Cotton seed oil, crude	0.2
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	0.05
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.05
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Mesosulfuron-methyl		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GC 0654	Wheat	*0.02
Mesotrione		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
SO 0693	Linseed	T*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
GC 0647	Oats	*0.01
SO 0698	Poppy seed	T*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat	*0.01
GC 0447	Sweet corn (corn-on-the-cob)	T*0.01
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Metalaxyl		
TN 0660	Almonds	T5
VS 0621	Asparagus	0.05
FI 0326	Avocado	0.5
HH 0722	Basil	T5
DH 0722	Basil, dry	T30
VR 0574	Beetroot	T*0.01
	Beetroot leaves	T0.1
FB 0018	Berries and other small fruits {except Grapes}	T0.5
VA 0035	Bulb vegetables [alliums]	0.1
GC 0080	Cereal grains	*0.01
TN 0664	Chestnuts	T0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VC 0045	Fruiting vegetables, cucurbits	0.2
HS 0784	Ginger, root	0.5
FB 0269	Grapes	1
TN 0666	Hazelnuts	T*0.05
VL 0053	Leafy vegetables	0.3

COMPOUND	FOOD	MRL (mg/kg)
TN 0669	Macadamia nuts	1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
FI 0350	Papaya [pawpaw]	*0.01
HH 0740	Parsley	T0.3
VO 0051	Peppers	T0.1
	Peppers, chili, other cultivars	T0.1
FI 0353	Pineapple	0.1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.1
FP 0009	Pome fruits	0.2
SO 0698	Poppy seed	*0.02
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
FS 0012	Stone fruits	0.2
VO 0448	Tomato	T0.5
	Vegetables {except Asparagus; Beetroot; Bulb vegetables [alliums]; Fruiting vegetables, cucurbits; Leafy vegetables; Peppers; Podded pea (young pods) [snow and sugar snap peas]; Tomato}	T0.1
TN 0678	Walnuts	T*0.01
Metalddehyde		
GC 0080	Cereal grains	1
	Fruits	1
	Herbs and spices	1
SO 0088	Oilseed	1
VD 0070	Pulses	1
DT 0171	Teas (tea and herb teas)	1
	Vegetables	1
Metamitron		
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
FP 0009	Pome fruits	0.01

COMPOUND	FOOD	MRL (mg/kg)
Metazachlor		
	All other foods	1
GC 0080	Cereal grains	*0.03
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.03
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.03
Metcamifen		
MO 0105	Edible offal (mammalian)	*0.03
PE 0112	Eggs	*0.03
MM 0095	Meat (mammalian)	*0.03
ML 0106	Milks	*0.03
PO 0111	Poultry, edible offal of	*0.03
PM 0110	Poultry meat	*0.03
GC 0651	Sorghum	*0.01
Methabenzthiazuron		
VA 0381	Garlic	T*0.01
VA 0384	Leek	T*0.05
VA 0385	Onion, bulb	*0.05
VA 0387	Onion, Welsh	T0.5
VA 0388	Shallot	T0.5
VA 0389	Spring onion	T0.5
Methamidophos		
FI 0327	Banana	0.2
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
VB 0040		
MO 0105	Edible offal (mammalian)	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VO 0445	Peppers, sweet [capsicum]	2

COMPOUND	FOOD	MRL (mg/kg)
VR 0589	Potato	0.25
VO 0448	Tomato	2
Methiocarb		
FC 0001	Citrus fruits	0.1
	Fruits {except Citrus fruits; Grapes}	T0.1
FB 0269	Grapes	0.5
VF 0371	Truffle	T0.05
	Vegetables	0.1
	Wine	0.1
Methomyl see also Thiodicarb		
FP 0226	Apple	1
FI 0326	Avocado	*0.1
FB 0020	Blueberries	2
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
VB 0040	Brassica leafy vegetables	T0.7
VL 0054	Celery	3
VS 0624	Cereal grains {except Chia}	*0.1
GC 0080	Chard [silver beet]	2
VL 0464	Cherries	2
FS 0013	Chia	T1
GC 3084	Chinese onion	T1
VA 0386	Citrus fruits	1
FC 0001	Coriander (leaves, stems and roots)	T10
SO 0691	Cotton seed	*0.1
	Dried grapes (= currants, raisins and sultanas)	*0.05
DF 0269	Edible offal (mammalian)	0.05
MO 0105	Eggs	*0.02
PE 0112	Fennel, bulb	T0.2
VS 0380	Fennel, leaf	T3
HH 0731	Fruiting vegetables, cucurbits	0.1
VC 0045	Fruiting vegetables, other than cucurbits {except Peppers; Sweet corn (corn-on-the-cob)}	1
VO 0050		

COMPOUND	FOOD	MRL (mg/kg)
	Ginger, Japanese	T2
HS 0784	Ginger, root	*0.1
FB 0269	Grapes	2
DH 1100	Hops, dry	0.5
VA 0384	Leek	T0.5
VP 0060	Legume vegetables	1
VL 0482	Lettuce, head	2
VL 0483	Lettuce, leaf	2
SO 0693	Linseed	*0.1
TN 0669	Macadamia nuts	T1
FI 0345	Mango	T*0.01
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.05
HH 0738	Mints	0.5
SO 0090	Mustard seeds	T0.5
VA 0385	Onion, bulb	T0.1
VA 0387	Onion, Welsh	T2
HH 0740	Parsley	T10
SO 0697	Peanut	*0.05
FP 0230	Pear	3
VO 0051	Peppers	T2
	Peppers, chili, other cultivars	T2
FP 0307	Persimmon, Japanese	T0.05
FI 2540	Pitaya [dragon fruit]	T0.2
SO 0698	Poppy seed	*0.05
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	1
SO 0495	Rape seed [canola]	0.5
VR 0075	Root and tuber vegetables	1
SO 0700	Sesame seed	*0.1
VA 0388	Shallot	T2
VL 0502	Spinach	T0.7
VA 0389	Spring onion	T2

COMPOUND	FOOD	MRL (mg/kg)
FS 0012	Stone fruits {except Cherries}	1
FB 0275	Strawberry	3
SO 0702	Sunflower seed	*0.1
VO 0447	Sweet corn (corn-on-the-cob)	0.1
HS 0794	Turmeric, root	T*0.02
Methoprene		
ML 0812	Cattle milk	0.1
GC 0080	Cereal grains	2
MO 0105	Edible offal (mammalian)	*0.01
MM 0095	Meat (mammalian) [in the fat]	0.3
CM 0654	Wheat bran, unprocessed	5
CF 1210	Wheat germ	10
Methoxyfenozide		
TN 0660	Almonds	0.2
FI 0326	Avocado	0.5
FB 0020	Blueberries	2
VD 0524	Chick-pea (dry)	2
FC 0001	Citrus fruits	1
SB 0716	Coffee beans	0.2
SO 0691	Cotton seed	2
VC 0424	Cucumber	T2
FI 0332	Custard apple	0.3
DF 0269	Dried grapes (= currants, raisins and sultanas)	6
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	3
FB 0269	Grapes	2
FI 0341	Kiwifruit	2
VL 0482	Lettuce, head	T30
VL 0483	Lettuce, leaf	T30
FI 0343	Litchi	2
FI 0342	Longan	2

COMPOUND	FOOD	MRL (mg/kg)
TN 0669	Macadamia nuts	0.05
GC 0645	Maize	*0.02
FI 0345	Mango	T0.5
MM 0095	Meat (mammalian) [in the fat]	0.1
ML 0106	Milks	*0.01
VD 0536	Mung bean (dry)	0.5
FI 0352	Persimmon, American	1
FP 0307	Persimmon, Japanese	1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T3
FP 0009	Pome fruits {except Persimmon, Japanese}	0.5
PO 0111	Poultry, Edible offal of	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
VD 0541	Soya bean (dry)	0.9
VO 0447	Sweet corn (corn-on-the-cob)	T0.05
Methyl bromide		
GC 0080	Cereal grains	50
VC 0424	Cucumber	*0.05
DF 0167	Dried fruits	*0.05
	Fruits {except Jackfruit; Litchi; Mango; Papaya [pawpaw]}	T*0.05
HH 0092	Herbs	*0.05
FI 0338	Jackfruit	*0.05
FI 0343	Litchi	*0.05
FI 0345	Mango	*0.05
FI 0350	Papaya [pawpaw]	*0.05
VO 0445	Peppers, sweet [capsicum]	*0.05
HS 0093	Spices	*0.05
	Vegetables {except Cucumber; Peppers}	T*0.05
Methyl isothiocyanate		
GC 0640	Barley	T0.1
SO 0495	Rape seed [canola]	T0.1
GC 0654	Wheat	T0.1
Methylbenzoate		

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Metobromuron		
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PO 0111	Poultry, Edible offal of	*0.02
PM 0110	Poultry meat	*0.02
VR 0589	Potato	0.03
Metolachlor		
VD 0560	Adzuki bean (dry)	*0.05
VP 0061	Beans, except broad bean and soya bean	*0.02
	Bergamot	T*0.05
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.02
VL 0054	Brassica leafy vegetables	*0.01
VR 0578	Celeriac	T*0.2
VS 0624	Celery	T0.05
GC 0080	Cereal grains {except Maize; Sorghum}	*0.02
VL 0464	Chard [silver beet]	*0.01
VL 0465	Chervil	*0.05
HS 0779	Coriander (leaves and stems)	*0.05
	Coriander, roots	0.5
	Coriander, seed	*0.05
SO 0691	Cotton seed	*0.01
HS 0730	Dill seed	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
HS 0731	Fennel, seed	*0.05
VC 0045	Fruiting vegetables, cucurbits	*0.05
VR 0581	Galangal, greater	0.5
HH 0092	Herbs	*0.05

COMPOUND	FOOD	MRL (mg/kg)
	Kaffir lime leaves	*0.05
	Lemon grass	*0.05
DT 1111	Lemon verbena (dry leaves)	*0.05
GC 0645	Maize	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
	Mizuna	*0.05
SO 0090	Mustard seeds	*0.02
VA 0387	Onion, Welsh	*0.01
SO 0697	Peanut	*0.05
VR 0589	Potato	*0.01
PM 0110	Poultry meat	0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses {except Soya beans (dry); Adzuki beans (dry)}	*0.01
SO 0495	Rape seed [canola]	*0.02
VS 0627	Rhubarb	*0.05
	Rose and dianthus (edible flowers)	*0.05
VL 0496	Rucola [rocket]	*0.05
SO 0699	Safflower seed	*0.05
HH 4731	Salad burnet	T*0.05
SO 0700	Sesame seed	T*0.02
VA 0388	Shallot	*0.01
GC 0651	Sorghum	*0.05
VD 0541	Soya bean (dry)	*0.05
VL 0502	Spinach	*0.01
VA 0389	Spring onion	*0.01
GS 0659	Sugar cane	*0.05
SO 0702	Sunflower seed	*0.05
VO 1275	Sweet corn (kernels)	0.1
VR 0508	Sweet potato	*0.2
VO 0448	Tomato	T*0.01
HS 0794	Turmeric, root	0.5
Metosulam		
GC 0080	Cereal grains	*0.02

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VD 0545	Lupin (dry)	*0.02
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Metrafenone		
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VC 0045	Fruiting vegetables, cucurbits	0.2
FB 0269	Grapes	1
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
VF 0450	Mushrooms	T0.5
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
VO 0448	Tomato	T0.7
GC 0654	Wheat	T0.06
CF 0654	Wheat bran, processed	T0.3
Metribuzin		
VS 0621	Asparagus	0.2
VR 0577	Carrot	T0.3
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
HS 0784	Ginger, root	T*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
SO 0090	Mustard seeds	T*0.02
VP 0063	Peas {except Peas, shelled}	T*0.05
VP 0064	Peas, shelled	*0.05

COMPOUND	FOOD	MRL (mg/kg)
FI 0353	Pineapple	*0.01
VR 0589	Potato	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Soya bean (dry)}	*0.01
SO 0495	Rape seed [canola]	*0.02
VD 0541	Soya bean (dry)	*0.05
GS 0659	Sugar cane	*0.02
DM 0659	Sugar cane molasses	0.1
VO 0448	Tomato	0.1
Metsulfuron-methyl		
GC 0080	Cereal grains	*0.02
VD 0524	Chick-pea (dry)	*0.05
MO 0105	Edible offal (mammalian)	*0.1
SO 0693	Linseed	*0.02
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
VD 0536	Mung bean (dry)	0.2
SO 0698	Poppy seed	*0.01
SO 0699	Safflower seed	*0.02
Mevinphos		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.05
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
Milbemectin		
MO 0105	Edible offal (mammalian)	*0.002
VO 0050	Fruiting vegetables, other than cucurbits	0.02
MM 0095	Meat (mammalian) [in the fat]	*0.002
FM 0183	Milk fats	*0.0005
ML 0106	Milks	*0.0005
	Peppers, chili, other cultivars	0.02

COMPOUND	FOOD	MRL (mg/kg)
FP 0009	Pome fruits	0.03
FS 0012	Stone fruits	0.1
FB 0275	Strawberry	0.2
Molinate		
GC 0649	Rice	*0.05
Monensin		
MM 0812	Cattle meat	*0.05
ML 0812	Cattle milk	*0.01
MO 0812	Cattle, edible offal of	*0.05
MM 0814	Goat meat	*0.05
MO 0814	Goat, edible offal of	*0.05
PM 0110	Poultry meat [in the fat]	*0.5
PO 0111	Poultry, edible offal of	*0.5
MF 0822	Sheep fat	0.07
	Sheep muscle	0.005
MO 1288	Sheep, kidney	0.015
MO 1289	Sheep, liver	0.2
Monepantel		
MF 0812	Cattle fat	7
MM 0812	Cattle meat	0.3
MO 1280	Cattle, kidney	1
MO 1281	Cattle, liver	2
ML 0106	Milks	*0.05
MF 0822	Sheep fat	7
	Sheep muscle	0.7
MO 1288	Sheep, kidney	2
MO 1289	Sheep, liver	5
Morantel		
MO 0812	Cattle, edible offal of	2
MO 0814	Goat, edible offal of	2
MM 0095	Meat (mammalian)	0.3
ML 0106	Milks	*0.1
MO 0818	Pig, edible offal of	5
MO 0822	Sheep, edible offal of	2

COMPOUND	FOOD	MRL (mg/kg)
Moxidectin		
MM 0812	Cattle meat [in the fat]	1
ML 0812	Cattle milk [in the fat]	2
MO 0812	Cattle, edible offal of	0.5
MM 0813	Deer meat [in the fat]	1
	Deer, edible offal of	0.2
MM 0814	Goat meat [in the fat]	T0.5
MO 0814	Goat, edible offal of	T0.05
MM 0822	Sheep meat [in the fat]	0.5
MO 0822	Sheep, edible offal of	0.05
MSMA		
GS 0659	Sugar cane	0.3
Myclobutanil		
VS 0621	Asparagus	T0.02
FB 2005	Cane berries	T2
MO 0105	Edible offal (mammalian)	*0.01
FB 0269	Grapes	1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
FP 0009	Pome fruits	0.5
FB 0275	Strawberry	2
Naphthalene acetic acid		
FP 0226	Apple	1
FP 0230	Pear	1
FI 0358	Rambutan	T*0.05
Naphthalophos		
MM 0822	Sheep meat	*0.01
MO 0822	Sheep, edible offal of	*0.01
Napropamide		
TN 0660	Almonds	*0.1
HH 0722	Basil	T*0.1
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T*0.1
VB 0040		
MO 0105	Edible offal (mammalian)	*0.08

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.08
FB 0269	Grapes	*0.1
MM 0095	Meat (mammalian)	*0.08
ML 0106	Milks	*0.08
SO 0090	Mustard seeds	T*0.01
PM 0110	Poultry meat	*0.08
PO 0111	Poultry, edible offal of	*0.08
SO 0495	Rape seed [canola]	*0.01
FS 0012	Stone fruits	*0.1
VO 0448	Tomato	*0.1
Narasin		
MM 0812	Cattle meat	0.05
MO 0812	Cattle, edible offal of	0.05
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Neomycin		
PE 0112	Eggs	T0.5
MO 0098	Kidney of cattle, goats, pigs and sheep	T10
MO 0099	Liver of cattle, goats, pigs and sheep	T0.5
MF 0100	Mammalian fats {except Milk fat}	T0.5
MM 0095	Meat (mammalian)	T0.5
ML 0106	Milks	T1.5
	Poultry, kidney	T10
	Poultry, liver	T0.5
PM 0110	Poultry meat	T0.5
Nicarbazin		
	Chicken fat/skin	10
	Chicken muscle	5
	Chicken, kidney	20
	Chicken, liver	35
PE 0112	Eggs	0.3
Niclosamide		
MO 0105	Edible offal (mammalian)	T*0.01

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	T*0.01
MM 0095	Meat (mammalian)	T*0.01
ML 0106	Milks	T*0.01
PO 0111	Poultry, Edible offal of	T*0.01
PM 0110	Poultry meat	T*0.01
GC 0649	Rice	T*0.01
Nitroxylnil		
MM 0812	Cattle meat	1
MO 0812	Cattle, edible offal of	1
MM 0814	Goat meat	1
MO 0814	Goat, edible offal of	1
MM 0822	Sheep meat	1
MO 0822	Sheep, edible offal of	1
Norflurazon		
VS 0621	Asparagus	0.05
FC 0001	Citrus fruits	0.2
SO 0691	Cotton seed	0.1
FB 0269	Grapes	0.1
FP 0009	Pome fruits	*0.2
FS 0012	Stone fruits	*0.2
TN 0085	Tree nuts	*0.2
Norgestomet		
MO 0105	Edible offal (mammalian)	*0.0001
MM 0095	Meat (mammalian)	*0.0001
Novaluron		
FP 0226	Apple	0.3
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.3
FS 0013	Cherries	3
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VO 0050	Fruiting vegetables, other than cucurbits	0.2
VL 0053	Leafy vegetables	5

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian) [in the fat]	0.1
FM 0183	Milk fats	0.2
ML 0106	Milks	*0.01
FP 0230	Pear	0.3
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FS 0012	Stone fruits {except Cherries}	0.5
Novobiocin		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	*0.1
MO 0812	Cattle, edible offal of	*0.1
ODB		
MM 0822	Sheep meat [in the fat]	*0.01
MO 0822	Sheep, edible offal of	*0.01
Olaquinox		
MM 0818	Pig meat	0.3
MO 0818	Pig, edible offal of	0.3
Oleandomycin		
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat (mammalian)	*0.1
Omethoate		
VS 0621	Asparagus	*0.002
FI 0326	Avocado	0.1
VR 0574	Beetroot	*0.05
FB 0264	Blackberries	T3
GC 0080	Cereal grains	*0.05
FC 0001	Citrus fruits	0.5
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	0.1
VO 0440	Egg plant [aubergine]	T0.07
PE 0112	Eggs	*0.05
VP 0060	Legume vegetables	1
FI 0343	Litchi	2
FI 0345	Mango	0.1

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	*0.05
VC 0046	Melons, except watermelon	0.2
ML 0106	Milks	*0.05
SO 0088	Oilseed {except Cotton seed, Peanut}	0.05
OR 0305	Olive oil, refined	T0.2
SO 0305	Olives for oil production	T2
VA 0385	Onion, bulb	0.5
SO 0697	Peanut	*0.01
VO 0445	Peppers, sweet [capsicum]	0.3
FI 0353	Pineapple	0.03
VR 0589	Potato	0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.1
FB 0272	Raspberries, Red, Black	T3
VS 0627	Rhubarb	0.3
VC 0431	Squash, summer [zucchini]	0.2
FB 0275	Strawberry	*0.01
VR 0508	Sweet potato	0.05
VO 0448	Tomato	0.02
VR 0506	Turnip, garden	*0.1
FB 0019	Vaccinium berries, including Bearberry	T2
VC 0432	Watermelon	0.2
CF 0654	Wheat bran, processed	0.05
Oryzalin		
GC 0080	Cereal grains	*0.01
	Fruits	0.1
HS 0784	Ginger, root	*0.05
SO 0090	Mustard seeds	*0.05
SO 0495	Rape seed [canola]	*0.05
TN 0085	Tree nuts	0.1
Oxabetrinil		
MO 0105	Edible offal (mammalian)	*0.1

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
Oxadixyl		
VC 0045	Fruiting vegetables, cucurbits	0.5
FB 0269	Grapes	2
VL 0053	Leafy vegetables	T5
VA 0385	Onion, bulb	0.5
Oxamyl		
FI 0327	Banana	0.2
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
VO 0445	Peppers, sweet [capsicum]	1
PF 0111	Poultry fats	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VR 0508	Sweet potato	0.2
VO 0448	Tomato	*0.05
Oxathiapiprolin		
HH 0722	Basil	T10
DH 0722	Basil, dry	T90
FB 0264	Blackberries	T0.5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
	Bulb vegetables [alliums] {except Onion, bulb}	1
VA 0035	Cardoon	15
DF 0269	Dried grapes (= currants, raisins and sultanas)	1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
VC 0045	Fruiting vegetables, cucurbits	0.2
FB 0269	Grapes	0.3
VL 0053	Leafy vegetables {except Lettuce, head}	15
VL 0482	Lettuce, head	2
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.02
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0272	Raspberries, red, black	T0.5
Oxfendazole		
MO 0105	Edible offal (mammalian)	3
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	0.1
Oxycarboxin		
VP 0061	Beans, except broad bean and soya bean	5
VP 0522	Broad bean (green pods and immature seeds)	5
Oxyclozanide		
MM 0812	Cattle meat	0.5
MO 0812	Cattle, edible offal of	2
MM 0814	Goat meat	0.5
MO 0814	Goat, edible offal of	2
ML 0106	Milks	0.05
MM 0822	Sheep meat	0.5
MO 0822	Sheep, edible offal of	2
Oxyfluorfen		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
VA 0035	Bulb vegetables [alliums]	*0.05

COMPOUND	FOOD	MRL (mg/kg)
GC 0080	Cereal grains	*0.05
SB 0716	Coffee beans	T0.05
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	0.05
FB 0269	Grapes	0.05
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
FT 0305	Olives	0.05
FP 0009	Pome fruits	0.05
PM 0110	Poultry meat [in the fat]	0.2
PO 0111	Poultry, edible offal of	*0.01
FS 0012	Stone fruits	0.05
TN 0085	Tree nuts	0.05
Oxytetracycline		
	Fish muscle	T0.2
	Honey	0.3
MO 0098	Kidney of cattle, goats, pigs and sheep	0.6
MO 0099	Liver of cattle, goats, pigs and sheep	0.3
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.6
Paclobutrazol		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel {except Avocado; Mango}	*0.01
FI 0326	Avocado	0.1
VC 0045	Fruiting vegetables, cucurbits	T*0.01
VO 0050	Fruiting vegetables, other than cucurbits {except Fungi; Mushrooms; Sweet corn (corn-on-the-cob)}	T*0.01
FI 0345	Mango	T1
FP 0009	Pome fruits	1

COMPOUND	FOOD	MRL (mg/kg)
VR 0589	Potato	T*0.01
FS 0012	Stone fruits	*0.01
Paracetamol		
	Pig fat/skin	*0.1
MO 1284	Pig, kidney	*0.1
MO 1285	Pig, liver	*0.1
	Pig muscle	*0.1
Paraquat		
GC 0080	Cereal grains {except Maize; Rice}	*0.05
SO 0691	Cotton seed	0.2
OR 0691	Cotton seed oil, edible	0.05
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01
	Fruits {except Olives}	*0.05
DH 1100	Hops, dry	0.2
GC 0645	Maize	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
	Oilseed {except Cotton seed; Peanut}	*0.05
SO 0088		
FT 0305	Olives	1
SO 0697	Peanut	*0.01
SO 0703	Peanut, whole	*0.01
VR 0589	Potato	0.2
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	1
GC 0649	Rice	10
CM 1205	Rice, polished	0.5
GS 0659	Sugar cane	*0.05
TN 0085	Tree nuts	*0.05
	Vegetables {except Potato, Pulses}	*0.05
Penconazole		
VB 0402	Brussels sprouts	0.05
FB 0269	Grapes	0.1

COMPOUND	FOOD	MRL (mg/kg)
FP 0009	Pome fruits	0.1
Pencycuron		
VR 0589	Potato	0.05
Pendimethalin		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.05
GC 0640	Barley	*0.05
FB 0018	Berries and other small fruits	*0.05
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
VA 0035	Bulb vegetables [alliums]	*0.05
VR 0577	Carrot	T0.3
FC 0001	Citrus fruits	*0.05
FT 0295	Date	T*0.05
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
DH 1100	Hops, dry	*0.1
VL 0053	Leafy vegetables	*0.05
VP 0060	Legume vegetables	T0.2
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
GC 0647	Oats	T*0.05
SO 0088	Oilseed	*0.05
FT 0305	Olives	*0.05
HH 0740	Parsley	T*0.05
FP 0009	Pome fruits	*0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.05
GC 0649	Rice	*0.05
VR 0075	Root and tuber vegetables {except Carrot}	*0.05
FS 0012	Stone fruits	*0.05
GS 0659	Sugar cane	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VO 0447	Sweet corn (corn-on-the-cob)	*0.05
VO 0448	Tomato	*0.05
TN 0085	Tree nuts	*0.05
GC 0654	Wheat	*0.05
Penflufen		
GC 0080	Cereal grains	*0.01
VD 0524	Chick-pea (dry)	T*0.01
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VD 0533	Lentil (dry)	T*0.01
VD 0545	Lupin (dry)	T*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01
FM 0183	Milk fats	*0.01
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.01
VR 0589	Potato	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.01
VD 0541	Soya bean (dry)	T*0.01
Penthiopyrad		
FB 2250	Bayberries	T5
FT 2303	Bayberry, red	T5
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	7
VB 0040		
VL 0054	Brassica leafy vegetables	70
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	1
	Fruiting vegetables, other than cucurbits	5
VO 0050		
VL 0053	Leafy vegetables {except Brassica leafy vegetables; Lettuce, head}	50
VL 0482	Lettuce, head	10

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	1
VA 0387	Onion, Welsh	5
FP 0009	Pome fruits	0.5
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VR 0075	Root and tuber vegetables {except Potato}	2
VA 0388	Shallot	5
VA 0389	Spring onion	5
FS 0012	Stone fruits	5
FB 0275	Strawberry	5
TN 0085	Tree nuts	0.1
Permethrin		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Brussels sprouts}	1
VB 0402	Brussels sprouts	2
VS 0624	Celery	5
GC 0080	Cereal grains	2
VL 0465	Chervil	T30
VA 2606	Chives, Chinese	T30
VD 0526	Common bean (dry) [navy bean (dry)]	0.1
VP 0526	Common bean (pods and/or immature seeds)	0.5
	Coriander (leaves, stems and roots)	T30
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	0.1
VA 2609	Garlic chives	T30
HH 0092	Herbs	T30
VL 0482	Lettuce, head	5
VL 0483	Lettuce, leaf	5

COMPOUND	FOOD	MRL (mg/kg)
SO 0693	Linseed	0.1
MM 0095	Meat (mammalian) [in the fat]	1
ML 0106	Milks	0.05
VO 0450	Mushrooms	2
SO 0090	Mustard seeds	T0.2
VP 0063	Peas	1
SO 0698	Poppy seed	T0.2
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	0.1
SO 0495	Rape seed [canola]	0.2
VS 0627	Rhubarb	1
GS 0659	Sugar cane	*0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.05
VO 0448	Tomato	0.4
CM 0654	Wheat bran, unprocessed	5
CF 1210	Wheat germ	2
Phenmedipham		
VR 0574	Beetroot	0.5
VL 0464	Chard [silver beet]	2
MO 0105	Edible offal (mammalian)	*0.1
VL 0053	Leafy vegetables {except Chard [silver beet]}	T1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
	Radicchio	T1
2-Phenylphenol		
FC 0001	Citrus fruits	10
Phorate		
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Brussels Sprouts; Broccoli, Head cabbages; Cauliflowers}	T*0.01
VB 0040	Broccoli	0.5
VB 0041	Cabbages, head	0.5
VR 0577	Carrot	0.5

COMPOUND	FOOD	MRL (mg/kg)
VB 0404	Cauliflower	0.5
VS 0624	Celery	T*0.01
	Coriander (leaves, stems and roots)	T*0.01
SO 0691	Cotton seed	0.5
MO 0105	Edible offal (mammalian)	*0.05
VO 0440	Egg plant [aubergine]	0.5
PE 0112	Eggs	*0.05
VL 0053	Leafy vegetables	T*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
	Mizuna	T*0.01
VA 0385	Onion, bulb	0.5
VA 0387	Onion, Welsh	0.5
HH 0740	Parsley	T*0.01
VO 0051	Peppers	0.5
VR 0589	Potato	0.5
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VA 0388	Shallot	0.5
VA 0389	Spring onion	0.5
VR 0508	Sweet potato	0.5
VO 0448	Tomato	0.5
Phosmet		
MM 0812	Cattle meat [in the fat]	1
MO 0812	Cattle, edible offal of	1
GC 0080	Cereal grains	*0.05
MM 0814	Goat meat	*0.05
MO 0814	Goat, edible offal of	*0.05
ML 0106	Milks [in the fat]	0.2
MM 0818	Pig meat	0.1
MO 0818	Pig, edible offal of	0.1
MM 0822	Sheep meat	*0.05
MO 0822	Sheep, edible offal of	*0.05
Phosphine		

COMPOUND	FOOD	MRL (mg/kg)
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	T*0.01
FB 0018	Berries and other small fruits	T*0.01
GC 0080	Cereal grains	*0.1
	Dried foods {except Dried fruits; Dried vegetables}	*0.01
DF 0167	Dried fruits	*0.01
DV 0168	Dried vegetables	*0.01
VA 0381	Garlic	T*0.01
	Honey	*0.01
VP 0060	Legume vegetables	T*0.01
SO 0088	Oilseed	*0.01
SO 0697	Peanut	*0.01
VD 0070	Pulses	*0.01
VR 0075	Root and tuber vegetables	T*0.01
SB 0091	Seeds for beverages	T*0.01
HS 0093	Spices	*0.01
GS 0659	Sugar cane	*0.01
TN 0085	Tree nuts	*0.01
Phosphorous acid		
FI 0326	Avocado	500
HH 0722	Basil	T300
	Brassica (cole or cabbage) vegetables, head cabbages {except Flowerhead brassicas}	T1
VA 0035	Bulb vegetables [alliums]	T10
FC 0001	Citrus fruits	100
	Coriander (leaves, stems and roots)	T300
FI 0332	Custard apple	500
MO 0105	Edible offal (mammalian)	5
HH 0731	Fennel, leaf	T300
VB 0042	Flowerhead brassicas	50
VC 0045	Fruiting vegetables, cucurbits	T100
VO 0050	Fruiting vegetables, other than cucurbits	T100
HS 0783	Galangal, rhizomes	T100

COMPOUND	FOOD	MRL (mg/kg)
HS 0784	Ginger, root	T100
FB 0269	Grapes	200
VL 0053	Leafy vegetables	T150
MM 0095	Meat (mammalian)	1
FI 0350	Papaya [pawpaw]	T100
HH 0740	Parsley	T300
FI 0351	Passion fruit	T500
FS 0247	Peach	100
VP 0064	Peas, shelled	T100
FI 0353	Pineapple	T20
SO 0698	Poppy seed	100
VR 0589	Potato	T700
VS 0627	Rhubarb	T100
VR 0075	Root and tuber vegetables {except Potato}	T100
FS 0012	Stone fruits {except Cherries; Peach}	T100
FB 0275	Strawberry	T500
VO 0448	Tomato	T100
TN 0085	Tree nuts	3000
Picloram		
GC 0080	Cereal grains	0.2
MO 0105	Edible offal (mammalian)	5
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
GS 0659	Sugar cane	*0.01
Picolinafen		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
VD 0561	Field pea (dry)	*0.02
VD 0545	Lupin (dry)	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.01
PM 0110	Poultry meat [in the fat]	*0.02

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.02
Pinoxaden		
GC 0640	Barley	0.1
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
GC 0654	Wheat	0.1
CM 0654	Wheat bran, unprocessed	0.5
Piperonyl butoxide		
CM 0081	Bran, unprocessed of cereal grain	40
ML 0812	Cattle milk	0.05
GC 0080	Cereal grains	20
DF 0167	Dried fruits	8
DV 0168	Dried vegetables	8
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.1
	Fruits	8
HH 0092	Herbs	8
MO 0095	Meat (mammalian)	0.1
SO 0088	Oilseed	8
PM 0110	Poultry meat [in the fat]	*0.5
PO 0111	Poultry, edible offal of	*0.5
TN 0085	Tree nuts	8
	Vegetables	8
CF 1210	Wheat germ	50
Pirimicarb		
TN 0660	Almonds	0.05
FB 0264	Blackberries	2
VR 0578	Celeriac	0.1
VS 0624	Celery	15
GC 0080	Cereal grains	*0.02

COMPOUND	FOOD	MRL (mg/kg)
SO 0691	Cotton seed	0.05
OC 0691	Cotton seed oil, crude	T0.1
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
	Fruits {except Blackberries}	0.5
VL 0053	Leafy vegetables	7
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0090	Mustard seeds	T0.2
VA 0387	Onion, Welsh	7
	Peppers, chili, other cultivars	1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	*0.02
SO 0495	Rape seed [canola]	0.2
SO 0700	Sesame seed	T0.05
VA 0388	Shallot	7
VA 0389	Spring onion	7
VO 0447	Sweet corn (corn-on-the-cob)	0.1
TN 0085	Tree nuts {except Almonds}	T*0.05
	Vegetables {except Celeriac; Celery; Leafy vegetables; Onion, Welsh; Pulses; Shallot; Spring onion; Sweet corn (corn-on-the- cob)}	1
Pirimiphos-methyl		
GC 0640	Barley	7
CM 0081	Bran, unprocessed of cereal grain	20
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
GC 0645	Maize	7
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
GC 0646	Millet	10
GC 0647	Oats	7
SO 0697	Peanut	5

COMPOUND	FOOD	MRL (mg/kg)
OR 0697	Peanut oil, edible	15
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GC 0649	Rice	10
CM 0649	Rice, husked	2
CM 1205	Rice, polished	1
GC 0650	Rye	10
GC 0651	Sorghum	10
GC 0653	Triticale	10
GC 0654	Wheat	10
CF 1210	Wheat germ	30
Praziquantel		
	Fish muscle	T*0.02
MM 0822	Sheep meat	*0.05
MO 0822	Sheep, edible offal of	*0.05
Procaine penicillin		
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.0025
Prochloraz		
FI 0326	Avocado	5
FI 0327	Banana	5
FI 0331	Cherimoya	T1
FI 0332	Custard apple	T1
FI 0337	Ilama	T1
VL 0482	Lettuce, head	2
VL 0483	Lettuce, leaf	T3
FI 0343	Litchi	T1
FI 0345	Mango	5
VO 0450	Mushrooms	3
FI 0350	Papaya [pawpaw]	5
FI 0353	Pineapple	2
TN 0675	Pistachio nut	T0.5
FI 0365	Soursop	T1

COMPOUND	FOOD	MRL (mg/kg)
FI 0368	Sugar apple	T1
GS 0659	Sugar cane	*0.05
Procymidone		
VD 0523	Broad bean (dry) [faba bean (dry)]	T10
FS 0013	Cherries	7
VD 0524	Chick-pea (dry)	T0.5
VD 0526	Common bean (dry) [navy bean (dry)]	T10
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
VA 0381	Garlic	5
VD 0533	Lentil (dry)	0.5
VD 0545	Lupin (dry)	*0.01
MM 0095	Meat (mammalian) [in the fat]	0.2
ML 0106	Milks	0.02
SO 0090	Mustard seeds	T0.5
	Mustard seed oil, crude	T2
VA 0385	Onion, bulb	0.2
VO 0051	Peppers	T2
VR 0589	Potato	0.2
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	0.5
OC 0495	Rape seed [canola] oil, crude	2
FS 0012	Stone fruits {except Cherries}	2
FB 1236	Wine-grapes	5
Profenofos		
ML 0812	Cattle milk	*0.01
SO 0691	Cotton seed	1
OR 0691	Cotton seed oil, edible	0.3
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05

COMPOUND	FOOD	MRL (mg/kg)
Profoxydim		
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GC 0649	Rice	0.05
Prohexadione-calcium		
FP 0226	Apple	*0.02
FS 0013	Cherries	*0.01
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
Prometryn		
ML 0812	Cattle milk	*0.05
GC 0080	Cereal grains	*0.1
	Coriander (leaves, stems and roots)	T1
HS 0779	Coriander, seed	T1
SO 0691	Cotton seed	*0.1
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
SO 0697	Peanut	*0.1
SO 0702	Sunflower seed	*0.1
	Vegetables	*0.1
Propachlor		
VR 0574	Beetroot	*0.05
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.6
VB 0040		
GC 0080	Cereal grains {except Sorghum}	0.05
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.02
VA 0381	Garlic	2.5

COMPOUND	FOOD	MRL (mg/kg)
VL 0053	Leafy vegetables {except Lettuce, head; Lettuce, leaf}	T1
VA 0384	Leek	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
	Mizuna	T1
VA 0385	Onion, bulb	0.7
VA 0387	Onion, Welsh	T1
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
VR 0494	Radish	*0.02
VA 0388	Shallot	T1
GC 0651	Sorghum	0.2
VA 0389	Spring onion	T1
VR 0497	Swede	*0.02
VO 0447	Sweet corn (corn-on-the-cob)	0.05
VR 0506	Turnip, garden	*0.02
Propamocarb		
HH 0722	Basil	T150
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	
VB 0040		30
	Bulb vegetables [alliums] {except Onion, bulb}	
VA 0035		30
FB 2005	Cane berries	T15
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	5
	Fruiting vegetables, other than cucurbits	
VO 0050		T0.3
VL 0053	Leafy vegetables	70
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.5
SO 0698	Poppy seed	5
VR 0589	Potato	0.05

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Propanil		
MM 0812	Cattle meat	*0.1
MO 0812	Cattle, edible offal of	*0.1
PE 0112	Eggs	*0.1
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	3
GC 0649	Rice	2
MM 0822	Sheep meat	*0.1
MO 0822	Sheep, edible offal of	*0.1
Propaquizafop		
MO 0105	Edible offal (mammalian)	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.05
VP 0063	Peas	*0.05
VD 0070	Pulses	*0.05
Propargite		
FP 0226	Apple	3
FI 0327	Banana	3
SO 0691	Cotton seed	0.2
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
DH 1100	Hops, dry	3
MM 0095	Meat (mammalian) [in the fat]	*0.1
ML 0106	Milks	*0.1
FI 0351	Passion fruit	3
FP 0230	Pear	3
PM 0110	Poultry meat [in the fat]	*0.1
PO 0111	Poultry, edible offal of	*0.1
FS 0012	Stone fruits	3
FB 0275	Strawberry	7

COMPOUND	FOOD	MRL (mg/kg)
	Vegetables	3
Propazine		
VR 0577	Carrot	*0.1
Propetamphos		
MM 0822	Sheep meat [in the fat]	*0.01
MO 0822	Sheep, edible offal of	*0.01
Propiconazole		
TN 0660	Almonds	0.2
FI 0326	Avocado	*0.02
FI 0327	Banana	0.2
VR 0574	Beetroot	*0.02
FB 0020	Blueberries	2
VL 0401	Broccoli, Chinese	T1
VS 0624	Celery	T5
GC 0080	Cereal grains	*0.05
VL 0464	Chard [silver beet]	T0.5
VL 0469	Chicory leaves (green and red cultivars)	T1
FC 0001	Citrus fruits	7
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	*0.05
VL 0476	Endive	T1
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	*0.01
	Mint oil	*0.02
VO 0450	Mushrooms	*0.05
HH 0740	Parsley	T30
SO 0697	Peanut	*0.05
FI 0353	Pineapple	0.05
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
VD 0070	Pulses	T0.3
	Radicchio	T1
VR 0494	Radish	T0.2

COMPOUND	FOOD	MRL (mg/kg)
VL 0502	Spinach	T0.7
FS 0012	Stone fruits	2
GS 0659	Sugar cane	*0.02
SO 0702	Sunflower seed	T0.5
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
TN 0085	Tree nuts {except Almonds}	T0.2
Propineb		
VS 0624	Celery	2
FC 0001	Citrus fruits	10
DF 0269	Dried grapes (= currants, raisins and sultanas)	30
MO 0105	Edible offal (mammalian)	*0.05
VC 0045	Fruiting vegetables, cucurbits	2
FB 0269	Grapes	20
VL 0482	Lettuce, head	10
VL 0483	Lettuce, leaf	10
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VA 0385	Onion, bulb	2
VR 0589	Potato	0.3
VO 0448	Tomato	5
Propylene oxide		
TN 0660	Almonds	100
Propyzamide		
VL 0469	Chicory leaves (green and red cultivars)	*0.2
MO 0105	Edible offal (mammalian)	*0.2
PE 0112	Eggs	*0.05
VL 0476	Endive	*0.2
VL 0482	Lettuce, head	1
VL 0483	Lettuce, leaf	1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	0.02
SO 0698	Poppy seed	0.02

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.01
GC 0648	Quinoa	T0.02
SO 0495	Rape seed [canola]	0.02
SO 0699	Safflower seed	T0.02
Proquinazid		
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits {except Peppers, sweet [capsicum]}	0.3
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VO 0445	Peppers, sweet [capsicum]	0.2
FP 0009	Pome fruits	0.3
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	T*0.02
Prosulfocarb		
GC 0640	Barley	*0.01
VR 0577	Carrot	T*0.01
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	0.02
ML 0106	Milks	0.02
GC 0647	Oats	*0.01
VR 0589	Potato	*0.01
PM 0110	Poultry meat	0.02
PO 0111	Poultry, edible offal of	0.02
VD 0070	Pulses	*0.01

COMPOUND	FOOD	MRL (mg/kg)
SO 0699	Safflower seed	T*0.01
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Prothioconazole		
CM 0081	Bran, unprocessed of cereal grain	0.5
GC 0080	Cereal grains	0.3
SO 0691	Cotton seed	T0.2
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.01
VD 0545	Lupin (dry)	T0.1
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	*0.004
SO 0090	Mustard seeds	*0.02
SO 0697	Peanut	*0.02
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Lupin (dry); Soya bean (dry)}	*0.02
SO 0495	Rape seed [canola]	*0.02
VD 0541	Soya bean (dry)	T0.2
SO 0702	Sunflower seed	*0.02
VC 0432	Watermelon	T0.2
CF 1210	Wheat germ	0.5
Prothiofos		
FI 0327	Banana	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
FP 0230	Pear	0.05
Pydiflumetofen		
	All other foods	0.05
FB 0018	Berries and other small fruits {except grapes and strawberries}	3
VS 0624	Celery	6
DF 0269	Dried grapes (= currants, raisins and sultanas)	5

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	0.02
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms; Tomato; Sweet corn (corn-on-the-cob)}	0.5
FB 0269	Grapes	2
VL 0053	Leafy vegetables	15
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T0.05
SO 0697	Peanut	0.03
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.4
SO 0495	Rape seed [canola]	0.05
VR 0075	Root and tuber vegetables {except Potato}	0.3
FB 0275	Strawberry	2
VO 0448	Tomato	T0.7
Pymetrozine		
TN 0660	Almonds	*0.01
VR 0574	Beetroot	*0.02
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VD 0523	Broad bean (dry) [faba bean (dry)]	T0.02
VS 0624	Celery	0.2
SO 0691	Cotton seed	*0.02
OR 0691	Cotton seed oil, edible	*0.02
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	1

COMPOUND	FOOD	MRL (mg/kg)
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn and Mushroom}	0.5
VL 0053	Leafy vegetables	5
VD 0545	Lupin (dry)	T0.02
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
TN 0675	Pistachio nut	*0.01
VP 0538	Podded pea (young pods) [snow and sugar snap]	0.3
VR 0589	Potato	*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
FS 0012	Stone fruits	*0.05
FB 0275	Strawberry	T0.3
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
Pyraclofos		
MF 0822	Sheep fat	0.5
	Sheep muscle	*0.01
MO 1288	Sheep, kidney	*0.01
MO 1289	Sheep, liver	*0.01
Pyraclostrobin		
FI 0327	Banana	*0.02
FB 0264	Blackberries	T3
FB 0020	Blueberries	T5
VS 0624	Celery	T8
GC 0080	Cereal grains	*0.01
FS 0013	Cherries	1
FB 0277	Cloudberry	T3
FI 0332	Custard apple	T3
FB 0266	Dewberries (including boysenberry and loganberry)	T3
DF 0269	Dried grapes (= currants, raisins and sultanas)	5
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits	0.5
FB 0269	Grapes	2
FS 0302	Jujube, Chinese	T7
FC 0204	Lemon	0.7
FI 0343	Litchi	T2
FI 0345	Mango	0.4
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
SO 0305	Olives for oil production	T0.3
OC 0305	Olive oil, crude	T1
FI 0351	Passion fruit	T1
TN 0675	Pistachio nut	T1
FP 0009	Pome fruits	1
FI 0355	Pomegranate	T0.3
SO 0698	Poppy seed	*0.05
VR 0589	Potato	*0.02
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
FB 0272	Raspberries, red, black	T3
	Silvanberries	T3
FT 0305	Table olives	T0.3
FC 4029	Tangelo, large-sized cultivars	1
FC 4031	Tangelo, small and medium sized cultivars	1
DT 1114	Tea, green, black (black, fermented and dried)	T7
TN 0085	Tree nuts {except Pistachio nut; Walnut}	0.07
TN 0678	Walnuts	T0.01
FB 4094	Youngberry	T3
Pyraflufen-ethyl		
GC 0080	Cereal grains	*0.02
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	*0.02

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.02
Pyrasulfotole		
CM 0081	Bran, unprocessed of cereal grain	0.03
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Pyrethrins		
GC 0080	Cereal grains	3
DF 0167	Dried fruits	1
DV 0168	Dried vegetables	1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
HH 0731	Fennel, leaf	1
	Fruits	1
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.05
SO 0088	Oilseed	1
OC 0305	Olive oil, crude	T3
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
TN 0085	Tree nuts	1
	Vegetables	1
Pyridaben		
FI 0327	Banana	0.5
FB 0269	Grapes	5

COMPOUND	FOOD	MRL (mg/kg)
FP 0009	Pome fruits	0.5
FS 0012	Stone fruits	0.5
FB 0275	Strawberry	1
Pyridate		
VD 0524	Chick-pea (dry)	*0.05
MO 0105	Edible offal (mammalian)	*0.2
PE 0112	Eggs	*0.2
MM 0095	Meat (mammalian)	*0.2
ML 0106	Milks	*0.2
PM 0110	Poultry meat	*0.2
PO 0111	Poultry, edible offal of	*0.2
Pyrimethanil		
FI 0327	Banana	2
FB 0018	Berries and other small fruits {except Grapes, Strawberries}	T5
FC 0001	Citrus fruits	10
VC 0424	Cucumber	5
MO 0105	Edible offal (mammalian)	*0.05
FB 0269	Grapes	5
VL 0482	Lettuce, head	20
VL 0483	Lettuce, leaf	20
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
VO 0445	Peppers, sweet [capsicum]	1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T10
FP 0009	Pome fruits	15
VR 0589	Potato	*0.01
FB 0275	Strawberry	5
VO 0448	Tomato	1
Pyriofenone		
	All other foods	0.05
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.7
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Pyriproxyfen		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.3
VP 2060	Beans with pods	T0.3
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.7
FB 2005	Cane berries	1
VL 0465	Chervil	T5
FC 0001	Citrus fruits	0.3
	Coriander (leaves, stems and roots)	T5
SO 0691	Cotton seed	*0.01
OC 0691	Cotton seed oil, crude	*0.02
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.05
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	0.05
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits	1
VR 0581	Galangal, greater	T*0.05
VR 0582	Galangal, lesser	T*0.05
FB 0269	Grapes	0.02
HH 0092	Herbs	T5
	Kaffir lime leaves	T5
	Lemon balm	T5
	Lemon grass	T5
DT 1111	Lemon verbena (dry leaves)	T5
VL 0483	Lettuce, leaf	5

COMPOUND	FOOD	MRL (mg/kg)
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
	Mizuna	T5
OC 0305	Olive oil, crude	3
SO 0305	Olives for oil production	1
FP 0307	Persimmon, Japanese	T0.2
PM 0110	Poultry meat [in the fat]	0.1
PO 0111	Poultry, edible offal of	0.1
	Rose and dianthus (edible flowers)	T5
VL 0496	Rucola [rocket]	T5
FB 0275	Strawberry	T0.5
VR 0508	Sweet potato	*0.05
FT 0305	Table olives	1
HS 0794	Turmeric, root	T*0.05
Pyroxasulfone		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.002
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.01
SO 0699	Safflower seed	T*0.01
Pyroxsulam		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0698	Poppy seed	T*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0653	Triticale	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GC 0654	Wheat	*0.01
Quinoxifen		
GC 0640	Barley	*0.01
VL 0464	Chard [silver beet]	3
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian) [in the fat]	0.1
FM 0183	Milk fats	0.2
ML 0106	Milks	0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0275	Strawberry	*0.01
Quintozene		
VP 0061	Beans, except broad bean and soya bean	0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
VP 0522	Broad bean (green pods and immature seeds)	0.01
VD 0526	Common bean (dry) [navy bean (dry)]	0.2
SO 0691	Cotton seed	0.03
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.03
VL 0482	Lettuce, head	0.3
VL 0483	Lettuce, leaf	0.3
MM 0095	Meat (mammalian) [in the fat]	*0.2
ML 0106	Milks	*0.02
SO 0697	Peanut	0.3
VR 0589	Potato	0.2
PM 0110	Poultry meat [in the fat]	*0.1
PO 0111	Poultry, edible offal of	*0.1

COMPOUND	FOOD	MRL (mg/kg)
VO 0448	Tomato	0.1
Quizalofop-ethyl		
GC 0640	Barley	*0.02
VR 0574	Beetroot	0.02
VB 0041	Cabbages, head	*0.01
VR 0577	Carrot	*0.02
VB 0404	Cauliflower	*0.05
VP 0526	Common bean (pods and/or immature seeds)	*0.02
VC 0424	Cucumber	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
FB 0269	Grapes	*0.02
SO 3154	Hempseed	T*0.02
MM 0095	Meat (mammalian)	*0.02
VC 0046	Melons, except watermelon	*0.02
ML 0106	Milks	0.1
SO 0090	Mustard seeds	T*0.02
VA 0385	Onion, bulb	*0.02
SO 0697	Peanut	*0.02
FI 0353	Pineapple	*0.05
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.2
VC 0429	Pumpkins	*0.02
VR 0494	Radish	*0.02
SO 0495	Rape seed [canola]	*0.02
SO 0702	Sunflower seed	*0.05
VO 0448	Tomato	*0.02
Quizalofop-P-tefuryl		
VR 0574	Beetroot	0.02
VB 0041	Cabbages, head	*0.01
VR 0577	Carrot	*0.02
VB 0404	Cauliflower	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VP 0526	Common bean (pods and/or immature seeds)	*0.02
VC 0424	Cucumber	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
FB 0269	Grapes	*0.02
MM 0095	Meat (mammalian)	*0.02
VC 0046	Melons, except watermelon	*0.02
ML 0106	Milks	0.1
SO 0090	Mustard seeds	T*0.02
VA 0385	Onion, bulb	*0.02
SO 0697	Peanut	*0.02
FI 0353	Pineapple	*0.05
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.2
VC 0429	Pumpkins	*0.02
VR 0494	Radish	*0.02
SO 0495	Rape seed [canola]	*0.02
SO 0702	Sunflower seed	*0.05
VO 0448	Tomato	*0.02
Ractopamine		
MF 0818	Pig fat	0.05
MM 0818	Pig meat	0.05
MO 1284	Pig, kidney	0.2
MO 1285	Pig, liver	0.2
	Turkey kidney	0.3
	Turkey liver	0.3
PM 0848	Turkey muscle	0.02
PF 0848	Turkey fat/skin	0.05
Rimsulfuron		
VO 0448	Tomato	*0.05
Robenidine		
PM 0110	Poultry meat	*0.1

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.1
Saflufenacil		
CM 0081	Bran, unprocessed of cereal grain	0.5
GC 0080	Cereal grains {except Rice}	0.2
FC 0001	Citrus fruits	*0.03
MO 0105	Edible offal (mammalian)	7
PE 0112	Eggs	*0.01
VP 0060	Legume vegetables	*0.03
SO 0693	Linseed	T0.5
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
	Oilseed {except Linseed}	*0.03
FP 0009	Pome fruits	*0.03
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.2
GC 0649	Rice	*0.01
TN 0085	Tree nuts	*0.03
Salinomycin		
MM 0812	Cattle meat	*0.05
MO 0812	Cattle, edible offal of	0.5
PE 0112	Eggs	*0.02
MM 0818	Pig meat	*0.1
MO 0818	Pig, edible offal of	*0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.5
Sedaxane		
VR 0574	Beetroot	*0.01
	Beetroot leaves	*0.01
GC 0080	Cereal grains	*0.01
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.01
SO 0698	Poppy seed	T*0.01
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Semduramicin		
	Chicken fat/skin	0.5
PM 0840	Chicken meat	*0.05
	Chicken, kidney	0.2
	Chicken, liver	0.5
Sethoxydim		
VS 0621	Asparagus	1
GC 0640	Barley	*0.1
VP 0061	Beans, except broad bean and soya bean	T0.5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VP 0522	Broad bean (green pods and immature seeds)	*0.1
VS 0624	Celery	0.1
GC 3084	Chia	T0.7
VA 2606	Chives, Chinese	T1
	Coriander (leaves, stems and roots)	*0.1
SO 0691	Cotton seed	0.2
DH 0170	Dried herbs {except Hops, dry}	T5
MO 0105	Edible offal (mammalian)	*0.05
VO 0440	Egg plant [aubergine]	T0.1
PE 0112	Eggs	*0.05
VS 0380	Fennel, bulb	T1
VC 0045	Fruiting vegetables, cucurbits	*0.1
VA 0381	Garlic	0.3
VA 2609	Garlic chives	T1
TN 0666	Hazelnuts	T*0.03
SO 3154	Hempseed	T0.5
HH 0092	Herbs	T1

COMPOUND	FOOD	MRL (mg/kg)
DH 1100	Hops, dry	T0.3
VL 0053	Leafy vegetables {except Lettuce, head; Lettuce, leaf}	T1
VA 0384	Leek	0.7
	Lemon balm	T1
DT 1111	Lemon verbena (dry leaves)	T5
VL 0482	Lettuce, head	0.2
VL 0483	Lettuce, leaf	0.2
SO 0693	Linseed	0.5
VD 0545	Lupin (dry)	0.2
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
SO 0090	Mustard seeds	T0.5
VA 0385	Onion, bulb	0.3
VA 0387	Onion, Welsh	0.7
SO 0697	Peanut	3
VP 0063	Peas (pods and succulent = immature seeds)	T0.7
VO 0051	Peppers	T2
	Peppers, chili, other cultivars	T2
SO 0698	Poppy seed	0.2
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Lupin (dry)}	*0.1
GC 0648	Quinoa	T0.5
	Radicchio	T0.5
SO 0495	Rape seed [canola]	0.5
VS 0627	Rhubarb	0.1
VR 0075	Root and tuber vegetables	1
SO 0699	Safflower seed	T0.5
SO 0700	Sesame seed	T0.5
VA 0388	Shallot	0.7
HS 0093	Spices	T5
VA 0389	Spring onion	0.7
SO 0702	Sunflower seed	*0.1

COMPOUND	FOOD	MRL (mg/kg)
VO 0448	Tomato	0.1
GC 0654	Wheat	*0.1
Simazine		
VS 0621	Asparagus	*0.1
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.01
VP 0522	Broad bean (green pods and immature seeds)	*0.01
VD 0524	Chick-pea (dry)	*0.05
VP 0524	Chick-pea (green pods)	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
	Fruits	*0.1
HS 0784	Ginger, root	*0.05
VA 0384	Leek	*0.01
VD 0545	Lupin (dry)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.02
SO 0090	Mustard seeds	T*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.02
TN 0085	Tree nuts	*0.1
Spectinomycin		
MO 0105	Edible offal (mammalian) {except Sheep, edible offal of}	*1
PE 0112	Eggs	2
MM 0095	Meat (mammalian) {except Sheep meat}	*1
PM 0110	Poultry meat	*1
PO 0111	Poultry, edible offal of	*1
Spinetoram		
TN 0060	Almonds	*0.01
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.3
FT 2303	Bayberry, Red	T0.5
FB 0018	Berries and other small fruits	0.5

COMPOUND	FOOD	MRL (mg/kg)
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
VA 0035	Bulb vegetables [alliums]	0.1
SB 0715	Cacao beans	*0.01
FT 0291	Carob	0.1
FC 0001	Citrus fruits	0.2
SB 0716	Coffee beans	*0.01
	Coriander (leaves, stems and roots)	5
HS 0779	Coriander, seed	5
SO 0691	Cotton seed	*0.01
HS 0730	Dill seed	5
DF 0269	Dried grapes (= currants, raisins and sultanas)	1
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.01
HS 0731	Fennel, seed	5
FT 0297	Fig	T0.1
VC 0045	Fruiting vegetables, cucurbits	0.05
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	0.1
	Ginger, Japanese	T1
HS 0784	Ginger, root	T0.02
HH 0092	Herbs	1
	Kaffir lime leaves	5
VL 0053	Leafy vegetables	0.7
VP 0060	Legume vegetables	0.2
	Lemon grass	5
DT 1111	Lemon verbena (dry leaves)	5
GC 2091	Maize cereals	*0.01
MM 0095	Meat (mammalian) [in the fat]	2
FM 0183	Milk fats	0.2
ML 0106	Milks	0.01
	Mizuna	0.7
SO 0090	Mustard seeds	T*0.01

COMPOUND	FOOD	MRL (mg/kg)
SO 0305	Olives for oil production	T0.07
FP 0009	Pome fruits	0.1
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.01
SO 0495	Rape seed [canola]	*0.01
VR 0075	Root and tuber vegetables	0.02
GC 2089	Sorghum grain and millet	T*0.01
VS 0078	Stalk and stem vegetables	2
FS 0012	Stone fruits	0.2
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
FT 0305	Table Olives	T0.07
TN 0085	Tree nuts {except Almonds}	0.02
HS 0794	Turmeric, root	0.02
Spinosad		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.3
VP 0061	Beans, except broad bean and soya bean	0.5
	Bergamot	5
FB 0018	Berries and other small fruits {except Grapes}	0.7
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VS 0624	Celery	2
GC 0080	Cereal grains	1
VL 0465	Chervil	5
FC 0001	Citrus fruits	0.3
SB 0716	Coffee beans	*0.01
HS 0779	Coriander, seed	5
SO 0691	Cotton seed	*0.01
HS 0730	Dill seed	5
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	0.05
HS 0731	Fennel, seed	5

COMPOUND	FOOD	MRL (mg/kg)
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	0.2
VR 0581	Galangal, greater	0.02
FB 0269	Grapes	0.5
HH 0092	Herbs	5
VL 0053	Leafy vegetables	5
DT 1111	Lemon verbena (dry leaves)	5
MM 0095	Meat (mammalian) [in the fat]	2
FM 0183	Milk fats	0.7
ML 0106	Milks	0.1
VP 0063	Peas	0.5
FP 0009	Pome fruits	0.5
PM 0110	Poultry meat [in the fat]	0.5
PO 0111	Poultry, edible offal of	0.05
VD 0070	Pulses	0.01
VS 0627	Rhubarb	2
VR 0075	Root and tuber vegetables	0.02
FS 0012	Stone fruits	1
VO 0447	Sweet corn (corn-on-the-cob)	0.02
TN 0085	Tree nuts	T*0.01
HS 0794	Turmeric, root	0.02
CM 0654	Wheat bran, unprocessed	2
Spirotetramat		
FI 0327	Banana	0.3
FB 0020	Blueberries	1
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Brussels sprouts}	7
VL 0054	Brassica leafy vegetables	10
VB 0402	Brussels sprouts	1
VA 0035	Bulb vegetables [alliums]	0.5
VS 0624	Celery	5
FC 0001	Citrus fruits	1

COMPOUND	FOOD	MRL (mg/kg)
SO 0691	Cotton seed	0.7
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.02
FT 0297	Fig	T1
VC 0045	Fruiting vegetables, cucurbits {except Melons}	2
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	7
FB 0269	Grapes	0.7
HH 0092	Herbs	15
VL 0053	Leafy vegetables {except Brassica leafy vegetables; Lettuce, head; Lettuce, leaf}	5
VP 0060	Legume vegetables	2
VD 0533	Lentil (dry)	T1
VL 0482	Lettuce, head	7
VL 0483	Lettuce, leaf	15
GC 0645	Maize	T*0.02
FI 0345	Mango	0.3
MM 0095	Meat (mammalian)	0.02
VC 0046	Melons, except watermelon	0.5
ML 0106	Milks	*0.005
FI 0351	Passion fruit	0.5
SO 0697	Peanut	*0.02
FI 0353	Pineapple	*0.02
FP 0009	Pome fruits	0.5
VR 0589	Potato	5
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VS 0627	Rhubarb	5
GC 0651	Sorghum	T*0.02
VD 0541	Soya bean (dry)	T5
FS 0012	Stone fruits	1

COMPOUND	FOOD	MRL (mg/kg)
VO 0447	Sweet corn (corn-on-the-cob)	1
VR 0508	Sweet potato	5
VC 0432	Watermelon	0.5
Spiroxamine		
GC 0640	Barley	0.03
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.02
FB 0269	Grapes	2
MF 0100	Mammalian fats {except Milk fat}	0.05
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.05
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.6
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Streptomycin and Dihydrostreptomycin		
MO 0105	Edible offal (mammalian)	*0.3
MM 0095	Meat (mammalian)	*0.3
ML 0106	Milks	*0.2
Sulfosulfuron		
MO 0105	Edible offal (mammalian)	*0.005
PE 0112	Eggs	*0.005
MM 0095	Meat (mammalian)	*0.005
ML 0106	Milks	*0.005
PM 0110	Poultry meat	*0.005
PO 0111	Poultry, edible offal of	*0.005
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Sulfoxaflo		
FI 0030	Assorted tropical and subtropical fruit, in-edible peel {except banana and pineapple}	0.5

COMPOUND	FOOD	MRL (mg/kg)
GC 2087	Barley similar grains and pseudocereals with husks {except oats}	0.2
VD 0071	Beans (dry)	0.7
FB 0020	Blueberries	T2
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Cauliflower}	3
VD 0523	Broad bean (dry) [faba bean (dry)]	T0.7
FB 2005	Cane berries	1.5
FT 0291	Carob	5
VB 0404	Cauliflower	0.1
FS 0013	Cherries	3
FC 0001	Citrus fruits	0.7
SO 0691	Cotton seed	0.3
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	1
FB 0269	Grapes	*0.01
HH 0092	Herbs	20
VL 0053	Leafy vegetables {except Lettuce, head}	5
VL 0482	Lettuce, head	1
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian)	0.7
ML 0106	Milks	0.3
SO 0090	Mustard seeds	T0.15
GC 0647	Oats	*0.01
FI 0353	Pineapple	0.2
FP 0009	Pome fruits	0.5
VR 0589	Potato	0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	0.02

COMPOUND	FOOD	MRL (mg/kg)
SO 0495	Rape seed [canola]	0.15
VR 0075	Root and tuber vegetables {except Potato}	0.05
GC 2089	Sorghum grain and millet	0.15
VD 0541	Soya bean (dry)	0.3
FS 0012	Stone fruits {except Cherries}	1
FB 0275	Strawberry	0.7
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
TN 0085	Tree nuts {except Macadamia nuts}	0.02
GC 2086	Wheat, similar grains, and pseudocereals without husks	0.05
Sulfuryl fluoride		
GC 0080	Cereal grains	0.05
DF 0167	Dried fruits	0.07
SO 0697	Peanut	7
TN 0085	Tree nuts	7
Sulphadiazine		
ML 0812	Cattle milk	0.1
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	T*0.02
MM 0095	Meat (mammalian)	0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Sulphadimidine		
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.005
MM 0095	Meat (mammalian)	0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of {except Turkey, edible offal of}	0.1
PO 0848	Turkey, edible offal of	0.2
Sulphadoxine		
ML 0812	Cattle milk	*0.1
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat (mammalian)	*0.1

COMPOUND	FOOD	MRL (mg/kg)
Sulphaquinoxaline		
PE 0112	Eggs	T*0.01
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Sulphatroxazole		
ML 0812	Cattle milk	0.1
MO 0105	Edible offal (mammalian)	0.1
MM 0095	Meat (mammalian)	0.1
Sulphur dioxide		
FB 0020	Blueberries	10
FI 0342	Longan	150
FB 0275	Strawberry	T30
FB 1235	Table-grapes	10
Tebuconazole		
TN 0660	Almonds	0.05
	Anise myrtle leaves (dried)	T5
FI 0326	Avocado	0.2
FI 0327	Banana	0.2
VR 0574	Beetroot	T0.3
	Beetroot leaves	T2
VA 2031	Bulb onions {except garlic}	0.07
VR 0577	Carrot	T0.5
GC 0080	Cereal grains	0.2
VL 0464	Chard [silver beet]	T2
VL 0469	Chicory leaves (green and red cultivars)	T2
FC 0001	Citrus fruits	0.2
SB 0716	Coffee beans	T0.1
SO 0691	Cotton seed	T1
FI 0332	Custard apple	2
DF 0269	Dried grapes (= currants, raisins and sultanas)	7
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	0.1
VL 0476	Endive	T2

COMPOUND	FOOD	MRL (mg/kg)
VC 0045	Fruiting vegetables, cucurbits	0.5
VA 0381	Garlic	T0.2
FB 0269	Grapes	5
VA 2032	Green onions	2
VP 0060	Legume vegetables	0.5
	Lemon myrtle leaves (dried)	T5
VL 0482	Lettuce, head	0.1
VL 0483	Lettuce, leaf	0.1
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.05
SO 0090	Mustard seeds	0.3
SO 0305	Olives for oil production	2
OC 0305	Olive oil, crude	5
FI 0350	Papaya [pawpaw]	0.2
FI 0351	Passion fruit	0.5
SO 0697	Peanut	0.1
VO 0445	Peppers, sweet [capsicum]	0.5
FI 0352	Persimmon, American	2
TN 0675	Pistachio nut	0.05
FS 0014	Plums	T0.3
FP 0009	Pome fruits	*0.01
FI 0355	Pomegranate	T*0.01
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.5
DF 0014	Prunes	T2
VD 0070	Pulses {except Soya bean (dry)}	1
VR 0494	Radish	T0.3
VL 0494	Radish leaves (including radish tops)	T2
SO 0495	Rape seed [canola]	0.3
VD 0541	Soya bean (dry)	0.1
VL 0502	Spinach	T2
FS 0012	Stone fruits {except Plums}	*0.01
FB 0275	Strawberry	2

COMPOUND	FOOD	MRL (mg/kg)
GS 0659	Sugar cane	0.1
SO 0702	Sunflower seed	0.1
VO 0447	Sweet corn (corn-on-the-cob)	T0.7
FT 0305	Table olives	2
VO 0448	Tomato	0.5
TN 0678	Walnuts	T*0.05
Tebufenozide		
FI 0326	Avocado	0.5
FB 0020	Blueberries	T2
FC 0001	Citrus fruits	1
FI 0332	Custard apple	0.3
DF 0269	Dried grapes (= currants, raisins and sultanas)	4
MO 0105	Edible offal (mammalian)	*0.02
FB 0269	Grapes	2
FI 0341	Kiwifruit	2
FI 0343	Litchi	2
FI 0342	Longan	2
TN 0669	Macadamia nuts	0.05
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.01
FP 0009	Pome fruits	1
Tebufenpyrad		
VC 0424	Cucumber	*0.02
FS 0247	Peach	1
FP 0009	Pome fruits	1
Tebuthiuron		
MO 0105	Edible offal (mammalian)	2
MM 0095	Meat (mammalian)	0.5
ML 0106	Milks	0.2
Temephos		
MM 0812	Cattle meat [in the fat]	T5
MO 0812	Cattle, edible offal of	T2
MM 0822	Sheep meat [in the fat]	3
MO 0822	Sheep, edible offal of	0.5

COMPOUND	FOOD	MRL (mg/kg)
Terbacil		
FP 0226	Apple	*0.04
FS 0247	Peach	*0.04
	Peppermint oil	*0.1
Terbufos		
FI 0327	Banana	0.05
MM 0812	Cattle meat	*0.05
ML 0812	Cattle milk	*0.01
MO 0812	Cattle, edible offal of	*0.05
GC 0080	Cereal grains	*0.01
PE 0112	Eggs	*0.01
SO 0697	Peanut	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
SO 0702	Sunflower seed	*0.05
VO 0447	Sweet corn (corn-on-the-cob)	*0.05
Terbuthylazine		
GC 0080	Cereal grains	*0.01
SO 0691	Cotton seed	0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0090	Mustard seeds	T*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.02
SO 0495	Rape seed [canola]	*0.02
GS 0659	Sugar cane	*0.01
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
Terbutryn		
GC 0080	Cereal grains	*0.1
MO 0105	Edible offal (mammalian)	3
PE 0112	Eggs	*0.05

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
VP 0063	Peas	*0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	*0.05
Tetraconazole		
MO 0105	Edible offal (mammalian)	0.2
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
Tetracycline		
ML 0106	Milks	*0.1
Tetraniliprole		
TN 0660	Almonds	0.05
DF 0240	Apricot, dried	3
FI 0326	Avocado	T0.2
FI 0327	Banana	*0.01
FB 2005	Cane berries	T0.5
FS 0013	Cherries	1
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.01
FT 0297	Fig	T0.5
FB 0269	Grapes	0.5
FI 0343	Litchi	T0.5
TN 0669	Macadamia nuts	*0.01
GC 2091	Maize cereals	0.02
FI 0345	Mango	0.1
MM 0095	Meat (mammalian) [in the fat]	0.1
FM 0183	Milk fats	0.2
ML 0106	Milks	0.1
FI 0353	Pineapple	T*0.01
FP 0009	Pome fruits	0.5
PO 0111	Poultry, edible offal of	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.01
DF 0014	Prunes	3
GC 2089	Sorghum grain and millet	*0.01
FS 0012	Stone fruits {except Cherries}	0.7
GC 2090	Sweet corns	*0.01
Thiabendazole		
FP 0226	Apple	10
FI 0327	Banana	3
FC 0001	Citrus fruits	10
MO 0105	Edible offal (mammalian)	0.2
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	0.05
VO 0450	Mushrooms	0.5
FP 0230	Pear	10
VR 0589	Potato	5
VR 0508	Sweet potato	0.05
VR 0505	Taro	T50
Thiacloprid		
SO 0691	Cotton seed	0.1
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
FP 0009	Pome fruits	1
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
FS 0012	Stone fruits	2
Thiamethoxam see also Clothianidin		
	All other foods	T0.5
VP 0061	Beans, except broad bean and soya bean	T0.2
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	3

COMPOUND	FOOD	MRL (mg/kg)
GC 0080	Cereal grains {except Maize; Sorghum}	*0.01
FC 0001	Citrus fruits	1
SO 0691	Cotton seed	*0.02
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	T1
VO 0050	Fruiting vegetables, other than cucurbits	T0.5
VL 0053	Leafy vegetables	2
GC 0645	Maize	*0.02
FI 0345	Mango	0.07
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.005
SO 0090	Mustard seeds	T*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.02
SO 0495	Rape seed [canola]	*0.01
VR 0075	Root and tuber vegetables	T0.7
GC 0651	Sorghum	*0.02
SO 0702	Sunflower seed	*0.02
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
Thidiazuron		
SO 0691	Cotton seed	*0.5
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
Thiobencarb		
GC 0649	Rice	*0.05
Thiodicarb see also Methomyl		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
GC 3084	Chia	T1
SO 0691	Cotton seed	*0.1

COMPOUND	FOOD	MRL (mg/kg)
OC 0691	Cotton seed oil, crude	*0.1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.02
GC 0645	Maize	*0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VR 0589	Potato	0.1
VD 0070	Pulses	*0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.1
VO 0448	Tomato	2
Tiafenacil		
GC 0080	Cereal grains	*0.01
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
SO 0090	Mustard seeds	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.01
SO 0495	Rape seed [canola]	*0.01
Tiamulin		
MM 0818	Pig meat	*0.1
MO 0818	Pig, edible offal of	*0.1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
Tilmicosin		
MM 0812	Cattle meat	*0.05
MO 0812	Cattle, edible offal of	1
MM 0818	Pig meat	0.05
MO 0818	Pig, Edible offal of	1
Tolclofos-methyl		
VR 0574	Beetroot	*0.01

COMPOUND	FOOD	MRL (mg/kg)
SO 0691	Cotton seed	*0.01
VL 0482	Lettuce, head	*0.01
VL 0483	Lettuce, leaf	*0.01
VR 0589	Potato	0.1
Tolfenamic acid		
MM 0812	Cattle meat	0.05
ML 0812	Cattle milk	0.05
MO 1280	Cattle, kidney	*0.01
MO 1281	Cattle, liver	*0.01
MM 0818	Pig meat	*0.01
MO 1284	Pig, kidney	*0.01
MO 1285	Pig, liver	0.1
Toltrazuril		
MF 0812	Cattle fat	1
	Cattle muscle	0.25
MO 1280	Cattle, kidney	1
MO 1281	Cattle, liver	2
PM 0840	Chicken meat	2
PO 0840	Chicken, edible offal of	5
PE 0112	Eggs	*0.03
MM 0818	Pig meat [in the fat]	1
MO 0818	Pig, edible offal of	2
Topramezone		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.001
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	*0.01
Tralkoxydim		
GC 0080	Cereal grains	*0.02
Trenbolone acetate		

COMPOUND	FOOD	MRL (mg/kg)
MM 0812	Cattle meat	0.002
MO 0812	Cattle, edible offal of	0.01
Triadimefon		
GC 0080	Cereal grains	0.5
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.1
VD 0561	Field pea (dry)	0.1
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits	0.2
VP 0528	Garden pea (young pods)	0.1
VP 0529	Garden pea, shelled	0.1
FB 0269	Grapes	1
MF 0100	Mammalian fats	*0.25
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	*0.05
Triadimenol		
	Anise myrtle leaves (dried)	0.05
FB 0018	Berries and other small fruits {except Grapes; Strawberries}	T0.5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
GC 0080	Cereal grains {except Sorghum}	*0.01
VA 2605	Chives	T3
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1
FB 0269	Grapes	0.5
VA 0384	Leek	T3
	Lemon myrtle leaves (dried)	0.05

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.05
VA 0386	Onion, Chinese	T3
VA 0387	Onion, Welsh	T3
FI 0350	Papaya [pawpaw]	0.2
VR 0588	Parsnip	0.2
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VR 0494	Radish	0.2
	Riberries	0.3
VA 0388	Shallot	T3
GC 0651	Sorghum	0.5
VA 0389	Spring onion	T3
GS 0659	Sugar cane	*0.05
VR 0497	Swede	0.2
VR 0506	Turnip, garden	0.2
Triallate		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian) {except Kidney}	*0.1
PE 0112	Eggs	*0.01
MO 0098	Kidney of cattle, goats, pigs and sheep	0.2
VP 0060	Legume vegetables	*0.05
MF 0100	Mammalian fats	0.2
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0088	Oilseed	0.1
PF 0111	Poultry fats	0.2
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	0.2
VD 0070	Pulses	0.1
Triasulfuron		
GC 0080	Cereal grains	*0.02

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
Tribenuron-methyl		
GC 0640	Barley	*0.01
VD 0524	Chick-pea (dry)	*0.01
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	*0.01
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VD 0536	Mung bean (dry)	*0.01
GC 0647	Oats	*0.01
SO 0495	Rape seed [canola]	*0.01
GC 0651	Sorghum	*0.01
VD 0541	Soya bean (dry)	*0.01
SO 0702	Sunflower seed	*0.01
GC 0654	Wheat	*0.01
Trichlorfon		
	Achachairu	T3
FT 0026	Assorted tropical and sub-tropical fruits - edible peel	T3
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	T3
	Babaco	T3
VR 0574	Beetroot	0.2
FB 0018	Berries and other small fruits	T2
VB 0402	Brussels sprouts	0.2
VO 4271	Cape gooseberry	T0.5
MF 0812	Cattle fat	0.1
MM 0812	Cattle meat	0.1
MO 0812	Cattle, edible offal of	0.1
VB 0404	Cauliflower	0.2
VS 0624	Celery	0.2

COMPOUND	FOOD	MRL (mg/kg)
GC 0080	Cereal grains	0.1
DF 0167	Dried fruits	2
VO 0440	Egg plant [aubergine]	T0.5
	Egg plant, Thai	T0.5
PE 0112	Eggs	*0.05
	Fruits {except Achachairu; Assorted tropical and sub-tropical fruits - edible peel; Assorted tropical and sub-tropical fruits - inedible peel; Babaco; Berries and other small fruits; Dried fruits; Loquat; Medlar; Miracle fruit; Quince; Shaddocks or pomelos; Rollinia; Stone fruits}	T0.1
MM 0814	Goat meat	0.1
MO 0814	Goat, Edible offal of	0.1
FP 0228	Loquat	T3
TN 0669	Macadamia nuts	0.1
FP 0229	Medlar	T3
ML 0106	Milks	*0.05
	Miracle fruit	T3
SO 0088	Oilseed {except Peanut}	0.1
VO 0443	Pepino	T5
VO 0051	Peppers	0.2
MF 0818	Pig fat	0.1
MM 0818	Pig meat	0.1
MO 0818	Pig, edible offal of	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Soya bean (dry)}	0.2
FP 0231	Quince	T3
	Rollinia	T3
FC 0005	Shaddocks or pomelos	T3
VD 0541	Soya bean (dry)	0.1
FS 0012	Stone fruits	T3
GS 0659	Sugar cane	*0.05
VO 0447	Sweet corn (corn-on-the-cob)	0.2

COMPOUND	FOOD	MRL (mg/kg)
	Vegetables {except Beetroot; Brussels sprouts; Cape gooseberry; Cauliflower; Celery; Egg plant, Thai; Pepino; Peppers; Pulses (dry); Sweet corn (corn-on-the-cob)}	0.1
Triclabendazole		
	Fat (mammalian)	1
	Kidney (mammalian)	1
	Liver (mammalian)	2
MM 0095	Meat (mammalian)	0.5
ML 0106	Milks	0.01
Triclopyr		
MM 0812	Cattle meat [in the fat]	0.2
MO 0812	Cattle, edible offal of	5
FC 0001	Citrus fruits	0.2
PE 0112	Eggs	*0.05
MM 0814	Goat meat [in the fat]	0.2
MO 0814	Goat, edible offal of	5
FI 0343	Litchi	0.1
ML 0106	Milks [in the fat]	0.1
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
MM 0822	Sheep meat [in the fat]	0.2
MO 0822	Sheep, edible offal of	5
GC 0651	Sorghum	*0.1
Trifloxystrobin		
TN 0660	Almonds	0.05
	Assorted tropical and sub-tropical fruits - inedible peel {except Banana; Pineapple}	2
FI 0030	Banana	0.5
VR 0574	Beetroot	T0.5
	Beetroot leaves	T10
FB 2005	Cane berries	3
VS 0624	Celery	T5

COMPOUND	FOOD	MRL (mg/kg)
VL 0464	Chard [silver beet]	T10
VL 0469	Chicory leaves (green and red cultivars)	T10
VP 0526	Common bean (pods and/or immature seeds)	0.4
SO 0691	Cotton seed	*0.04
VC 0424	Cucumber	T*0.1
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	*0.05
VL 0476	Endive	T10
FB 0269	Grapes	0.5
TN 0666	Hazelnuts	T0.1
VL 0482	Lettuce, head	15
VL 0483	Lettuce, leaf	15
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.02
SO 0090	Mustard seeds	T*0.02
VO 0445	Peppers, sweet [capsicum]	T0.5
FP 0307	Persimmon, Japanese	1.5
FP 0009	Pome fruits {except Persimmon, Japanese}	0.7
SO 0495	Rape seed [canola]	*0.02
VL 0502	Spinach	T10
FS 0012	Stone fruits	5
FB 0275	Strawberry	2
VO 0448	Tomato	0.7
Trifloxysulfuron sodium		
SO 0691	Cotton seed	*0.01
OC 0691	Cotton seed oil, crude	*0.01
OR 0691	Cotton seed oil, edible	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.01
GS 0659	Sugar cane	*0.01
Trifludimoxazin		
GC 0640	Barley	*0.01
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.01
VD 0524	Chick-pea (dry)	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VD 0561	Field pea (dry)	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.001
GC 0647	Oats	*0.01
PO 0111	Poultry, Edible offal of	*0.01
PM 0110	Poultry meat	*0.01
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Triflumuron		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian) {except Sheep, edible offal of}	*0.05
PE 0112	Eggs	0.01
MM 0095	Meat (mammalian) [in the fat] {except Sheep meat [in the fat]}	*0.05
ML 0106	Milks	*0.05
VO 0450	Mushrooms	0.1
PM 0110	Poultry meat [in the fat]	0.1
PO 0111	Poultry, edible offal of	0.01
MM 0822	Sheep meat [in the fat]	2
MO 0822	Sheep, edible offal of	0.1
Trifluralin		
VD 0560	Adzuki bean (dry)	*0.05
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.05
VR 0577	Carrot	0.5
GC 0080	Cereal grains	*0.05
VD 0524	Chick-pea (dry)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
	Coriander (leaves, stems and roots)	*0.05
HS 0779	Coriander, seed	*0.05
VD 0527	Cowpea (dry)	*0.05
HS 0730	Dill seed	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VS 0380	Fennel, bulb	T0.5
HS 0731	Fennel, seed	*0.05
	Fruits	*0.05
VR 0581	Galangal, greater	0.5
HH 0092	Herbs	*0.05
VD 0531	Hyacinth bean (dry)	*0.05
DT 1111	Lemon verbena (fresh weight)	*0.05
VD 0545	Lupin (dry)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milk	*0.05
	Mizuna	*0.05
VD 0536	Mung bean (dry)	*0.05
SO 0088	Oilseed	*0.05
VR 0588	Parsnip	0.5
PM 0110	Poultry meat	0.05
PO 0111	Poultry, edible offal of	*0.05
	Rose and dianthus (edible flowers)	*0.05
WC 0979	Shrimps or Prawns	T0.001
GS 0659	Sugar cane	*0.05
HS 0794	Turmeric, root	0.5
	Vegetables {except Carrot; Parsnip; Fennel, bulb; Galangal, greater}	0.05
Triforine		
FP 0009	Pome fruits	1
FS 0012	Stone fruits	10
Trimethoprim		
ML 0812	Cattle milk	0.05
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	0.05
PM 0110	Poultry meat	0.05
PO 0111	Poultry, edible offal of	0.05
Trinexapac-ethyl		
CM 0081	Bran, unprocessed of cereal grain	0.5
GC 0080	Cereal grains	0.2
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milk	*0.005
SO 0698	Poppy seed	20
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GS 0659	Sugar cane	0.1
Triticonazole		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milk	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Tulathromycin		
MF 0812	Cattle fat	0.1
	Cattle muscle	0.1
MO 1280	Cattle, kidney	1
MO 1281	Cattle, liver	3
	Pig fat/skin	0.3
	Pig muscle	0.5
MO 1284	Pig, kidney	3
MO 1285	Pig, liver	2
MF 0822	Sheep fat	*0.05
MO 1288	Sheep, kidney	0.3
MO 1289	Sheep, liver	1

COMPOUND	FOOD	MRL (mg/kg)
	Sheep muscle	0.15
Tylosin		
MM 0812	Cattle meat	*0.1
MO 0812	Cattle, edible offal of	*0.1
PE 0112	Eggs	*0.2
ML 0106	Milk	*0.05
MF 0818	Pig fat	*0.1
MM 0818	Pig meat	*0.2
MO 0818	Pig, edible offal of	*0.2
PF 0111	Poultry fats	*0.1
PM 0110	Poultry meat	*0.2
PO 0111	Poultry, edible offal of	*0.2
Uniconazole-p		
FI 0326	Avocado	0.5
VR 0577	Carrot	T*0.01
FI 0332	Custard apple	T*0.01
SO 0698	Poppy seed	*0.01
TN 0678	Walnuts	T*0.01
Virginiamycin		
MO 0812	Cattle, edible offal of	0.2
MF 0812	Cattle fat	0.2
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	0.1
PO 0111	Poultry, edible offal of	0.2
PF 0111	Poultry fats	0.2
PM 0110	Poultry meat	*0.1
MO 0822	Sheep, edible offal of	*0.2
MM 0822	Sheep meat	*0.1
Warfarin		
MO 0818	Pig, edible offal of {except Liver}	T0.007
MF 0818	Pig fat	T0.007
MO 1285	Pig, liver	T0.04
MM 0818	Pig meat	T0.007
Zeranol		

COMPOUND	FOOD	MRL (mg/kg)
MO 0812	Cattle, edible offal of	0.02
MM 0812	Cattle meat	0.005

Table 2—Portion of the commodity to which the MRL applies (and which is analysed)

Class A: PRIMARY FOOD COMMODITIES OF PLANT ORIGIN

Type 1 – Fruits

CODE	COMMODITY
FC	Citrus fruits Whole commodity.
FP	Pome fruits Whole commodity after removal of stems.
FS	Stone fruits Whole commodity after removal of stems and stones, but the residue calculated and expressed on the whole commodity without stem.
FB	Berries and other small fruits Whole commodity after removal of caps and stems. Currants (black, red, white), fruit with stem.
FT	Assorted tropical and sub-tropical fruits — edible peel Whole commodity. Dates and olives: whole commodity after removal of stems and stones but residue calculated and expressed on whole fruit.
FI	Assorted tropical and sub-tropical fruits — inedible peel Whole fruit. Pineapple after removal of crown. Avocado, mangoes and similar fruit with hard seeds. Whole commodity after removal of stone but calculated on whole fruit.

Type 2 – Vegetables

CODE	COMMODITY
VA	Bulb vegetables Bulb/dry onions and garlic: whole commodity after removal of roots and adhering soil and whatever parchment skin is easily detached. Leeks, and spring onions: whole vegetable after removal of roots and adhering soil.
VB	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead cabbages Head cabbages whole commodity as marketed, after removal of obviously decomposed or withered leaves. For cauliflower and headed broccoli, flower heads (immature inflorescence) only. For Brussels sprouts analyse 'buttons' only.

CODE	COMMODITY
VC	Fruiting vegetables, cucurbits Whole commodity after removal of stems.
VO	Fruiting vegetables, other than cucurbits Whole commodity after removal of stems. Sweet corn and fresh corn: kernels plus cob without husk.
VL	Leafy vegetables (including brassica leafy vegetables) Whole commodity as usually marketed, after removal of obviously decomposed or withered leaves and any portion not normally consumed (eg. roots)
VP	Legume vegetables Whole commodity.
VD	Pulses Whole commodity.
VR	Root and tuber vegetables Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity).
VS	Stalk and stem vegetables Whole commodity as marketed after removal of obviously decomposed or withered leaves. Rhubarb: leafstems only; artichoke: flowerhead only. Celery and asparagus: remove adhering soil.

Type 3 – Grasses

CODE	COMMODITY
GC	Cereal grains Whole commodity. Fresh corn and sweet corn: kernels plus cob without husk. (For the latter group see 012 Fruiting vegetables, other than cucurbits.)

Type 4 – Nuts and seeds

CODE	COMMODITY
TN	Tree nuts Whole commodity after removal of shell. Chestnuts: whole in skin.
SO	Oilseed Unless specified, seed or kernels, after removal of shell or husk.
SB	Seed for beverages and sweets Unless specified, whole commodity (only the seed, not including other parts of the fruit).

Type 5 – Herbs and spices

CODE	COMMODITY
HH	Herbs
HS	Spices
	Unless specified, whole commodity as marketed, mainly in the dried form.

CLASS B: PRIMARY FOOD COMMODITIES OF ANIMAL ORIGIN

Type 6 – Mammalian products

CODE	COMMODITY
MM	Meat (mammalian) Whole commodity. When the commodity description is qualified by '[in the fat]', a portion of adhering fat is analysed and MRLs apply to the fat.
MF	Mammalian fats Whole commodity.
MO	Edible offal (mammalian) Whole commodity.
ML	Milks Whole commodity. When the commodity description is qualified by '[in the fat]', MRLs apply to the fat portion of the milk.

Type 7 – Poultry products

CODE	COMMODITY
PM	Poultry meat Whole commodity. When the commodity description is qualified by '[in the fat]', a portion of adhering fat is analysed and MRLs apply to the fat.
PF	Poultry fats Whole commodity.
PO	Poultry, edible offal of Whole commodity.
PE	Eggs Whole egg whites and yolks combined after removal of shell.

Type 8 – Aquatic animal products

CODE	COMMODITY
WF	Freshwater fish Whole commodity (in general after removing the digestive tract).
WD	Diadromous fish Whole commodity (in general after removing the digestive tract).
WS	Marine fish Whole commodity (in general after removing the digestive tract).
WR or WL	Fish roe (including milt = soft roe and edible offal of fish) Whole commodity.
WM	Marine mammals Whole commodity as marketed, without bones. For fat soluble pesticides a portion of the fat is analysed and MRLs apply to the fat.
WC	Crustaceans Whole commodity (especially with the small sized species) or the meat without the outer shell, as prepared for wholesale and retail distribution.

Type 9 – Amphibians and Reptiles

CODE	COMMODITY
AR	Frogs, lizards, snakes and turtles Whole commodity as marketed without bones or the outer shell.

Type 10 – Invertebrate animals

CODE	COMMODITY
IM	Molluscs Whole commodity after removal of shell.

CLASS C: PRIMARY FEED COMMODITIES

CODE	COMMODITY
AL	Legume animal feeds Whole commodity as presented for wholesale or retail distribution.

CODE	COMMODITY
AS or AF	Straw, fodder and forage of cereal grains and grasses (including buckwheat fodder) Whole commodity as presented for wholesale or retail distribution.
AM or AV	Miscellaneous fodder and forage crops Whole commodity as presented for retail distribution. In view of the wide range of moisture content in the animal feeds of this group, moving in commerce, the MRLs should if relevant preferably be set and expressed on a 'dry-weight' basis.

CLASS D: PROCESSED FOOD OF PLANT ORIGIN

CODE	COMMODITY
DF	Dried fruits Whole commodity.
DV	Dried vegetables Whole commodity as prepared for wholesale or retail distribution.
DH	Dried herbs Whole commodity as prepared for wholesale or retail distribution.
CM	Milled cereal products Whole commodity as prepared for wholesale or retail distribution.
SM	Miscellaneous secondary food commodities of plant origin
CF	Cereal grain milling fractions Whole commodity.
DT	Teas
OC	Vegetable oils, crude Whole commodity as prepared for wholesale or retail distribution.
OR	Vegetable oils, edible (or refined) Whole commodity.
DM	Miscellaneous derived edible products of plant origins Whole commodity.
JF	Fruit juices Whole commodity (not concentrated) or commodity reconstituted to the original juice concentration.
AB	By-products, used for animal feeding purposes, derived from fruit and vegetable processing Whole commodity. Residues on 'wet' commodities of this group must be expressed on a 'dry-weight' basis; see description Group 050, Legume animal feeds.

CODE	COMMODITY
CP	Manufactured multi-ingredient cereal products Whole commodity as prepared for wholesale or retail distribution.

CLASS E: PROCESSED FOODS OF ANIMAL ORIGIN

CODE	COMMODITY
MD	Dried meat and fish products Whole commodity as prepared for wholesale or retail distribution.
SC	Crustaceans, processed Whole commodity (especially with the small sized species) or the cooked meat without shell as prepared for wholesale or retail distribution.
FA	Animal fats, processed
FM	Milk fats

Table 3—Residue definitions

A

COMPOUND	RESIDUE
Abamectin	Avermectin B1a
Acephate	Acephate (Note: the metabolite methamidophos has separate MRLs)
Acequinocyl	Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl
Acetamiprid	Commodities of plant origin: Acetamiprid Commodities of animal origin: sum of acetamiprid and N-demethyl acetamiprid ((E)-N1-[(6-chloro-3-pyridyl)methyl]-N2-cyanoacetamidine), expressed as acetamiprid
Acibenzolar-S-methyl	Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl.
Acifluorfen	Acifluorfen
Acinitrazole	Acinitrazole
Aclonifen	Aclonifen
Afidopyropen	Commodities of plant origin: Afidopyropen Commodities of animal origin: Afidopyropen and the carnitine conjugate of cyclopropanecarboxylic acid (M440I060), expressed as afidopyropen
Aklomide	Aklomide
Albendazole	Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole
Albendazole sulfoxide see Albendazole	
Aldicarb	Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aldoxycarb	Sum of aldoxycarb and its sulfone, expressed as aldoxycarb

COMPOUND	RESIDUE
Aldrin and Dieldrin	Sum of HHDN and HEOD
Aliphatic alcohol ethoxylates	Aliphatic alcohol ethoxylates
Alpha-cypermethrin see Cypermethrin	Residues arising from the use of alpha-cypermethrin are covered by the MRLs for cypermethrin.
Altrenogest	Altrenogest
Aluminium phosphide see Phosphine	
Ametoctradin	<i>Commodities of plant origin:</i> Ametoctradin <i>Commodities of animal origin:</i> Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid
Ametryn	Ametryn
Amicarbazone	Sum of amicarbazone, N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide (DA MKH 3586) and N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-hydroxy-1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide (iPr-2-OH DA MKH 3586), expressed as amicarbazone
Aminocarb	Aminocarb
Aminocyclopyrachlor	Aminocyclopyrachlor
Aminoethoxyvinylglycine	aminoethoxyvinylglycine
Aminopyralid	<i>Commodities of plant origin:</i> Sum of aminopyralid and conjugates, expressed as aminopyralid. <i>Commodities of animal origin:</i> Aminopyralid.
Amisulbrom	Amisulbrom
Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine
Amitrole	Amitrole
Amoxycillin	Inhibitory substance, identified as amoxycillin
Ampicillin	Inhibitory substance, identified as ampicillin
Amprolium	Amprolium
Apramycin	Apramycin
Asulam	Asulam

COMPOUND	RESIDUE
Atrazine	Atrazine
Avermectin B1 see Abamectin	
Avilamycin	Inhibitory substance, expressed as avilamycin
Avoparcin	Avoparcin
Azaconazole	Azaconazole
Azamethiphos	Azamethiphos
Azaperone	Azaperone
Azimsulfuron	Azimsulfuron
Azinphos-methyl	Azinphos-methyl
Aziprotryn	Aziprotryn
Azoxystrobin	azoxystrobin

B

COMPOUND	RESIDUE
Bacitracin	Inhibitory substance, identified as bacitracin
Benalaxyl	Benalaxyl
Bendiocarb	Commodities of plant origin: unconjugated bendiocarb; Commodities of animal origin: sum of conjugated and unconjugated bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as bendiocarb
Benfluralin	Benfluralin
Benfuresate	Benfuresate
Benomyl see Carbendazim	Residues arising from the use of benomyl are covered by MRLs for carbendazim
Bensulfuron-methyl	Bensulfuron-methyl
Bensulide	Bensulide
Bentazone	Bentazone
Benzocaine	Benzocaine
Benzofenap	Sum of benzofenap, benzofenap-OH and benzofenap-Red, expressed as benzofenap

COMPOUND	RESIDUE
Benzovindiflupyr	Benzovindiflupyr
Benzyladenine	Benzyladenine
Benzyl G Penicillin	Inhibitory substance, identified as benzyl G penicillin
Betacyfluthrin see Cyfluthrin	
Beta-cypermethrin	Residues arising from the use of beta-cypermethrin are covered by MRLs for cypermethrin
BHC (other than the γ isomer, Lindane)	Sum of isomers of 1,2,3,4,5,6-hexachlorocyclohexane, other than lindane
Bicyclopyrone	Bicyclopyrone and its structurally related metabolites determined as the common moieties SYN503780 and CSCD686480 and expressed as bicyclopyrone
Bifenazate	Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate
Bifenthrin	Bifenthrin
Bioresmethrin	Bioresmethrin
Bitertanol	Bitertanol
Bixafen	Commodities of plant origin for enforcement: Bixafen Commodities of plant origin for dietary exposure assessment: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen Commodities of animal origin: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen
Bixlozone	Bixlozone
Boscalid	Commodities of plant origin: Boscalid Commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents

COMPOUND	RESIDUE
Broflanilide	Commodities of plant origin: Broflanilide Commodities of animal origin: Sum of broflanilide plus 3-benzamido-N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluorobenzamide (DM-8007), expressed as broflanilide.
Buprofezin	Buprofezin
Brodifacoum	Brodifacoum
Bromacil	Bromacil
Bromochloromethane	{T} Bromochloromethane
Bromophos-ethyl	Bromophos-ethyl
Bromopropylate	Bromopropylate
Bromoxynil	Bromoxynil
Bromsalans	Bromsalans
Brotianide	Brotianide
Bupirimate	Bupirimate
Bupivacaine	Bupivacaine
Buquinolate	Buquinolate
Butacarb	Butacarb
Butafenacil	Butafenacil
Butroxydim	Butroxydim
Butylamine	Sum of butylamine salts and base, expressed as butylamine
sec-Butylamine see Butylamine	

C

COMPOUND	RESIDUE
Cadusafos	Cadusafos
Cambendazole	Cambendazole
Camphechlor see Chlorinated terpene isomers	
Captan	Captan

COMPOUND	RESIDUE
Carbaryl	Commodities of plant origin: Carbaryl Commodities of animal origin: Sum of Carbaryl and conjugates, hydrolysed to Carbaryl, expressed as carbaryl
Carbendazim	Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim
Carbetamide	Carbetamide
Carbofuran see <i>also</i> Carbosulfan and Furathiocarb	
Carbofuran see <i>also</i> Furathiocarb	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran
Carbosulfan see Carbofuran	Residues arising from the use of carbosulfan are covered by MRLs for Carbofuran
Carbon disulfide	Carbon disulfide
Carbonyl sulphide	Carbonyl sulphide
Carbophenothion	Sum of carbophenothion, its sulfoxide and its sulfone, expressed as carbophenothion
Carboxin	Carboxin
Carfentrazone-ethyl	Carfentrazone-ethyl
Ceftiofur	desfuroylceftiofur
Cefuroxime	Inhibitory substance, identified as cefuroxime
Cephalonium	Inhibitory substance, identified as cephalonium
Cephapirin	Cephapirin and des-acetylcephapirin, expressed as cephapirin
Chinomethionat see Oxythioquinox	
Chlorantraniliprole	Commodities of plant origin and commodities of animal origin other than milk: chlorantraniliprole Milk: sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole

COMPOUND	RESIDUE
Chlordane	Sum of cis- and trans- chlordane and in the case of animal products <i>also</i> includes 'oxychlordane'
Chlorfenac	Chlorfenac
Chlorfenapyr	Chlorfenapyr
Chlorfenvinphos	Chlorfenvinphos, sum of E and Z isomers
Chlorfluazuron	Chlorfluazuron
Chlorhexidine	Chlorhexidine
Chloridazon	Chloridazon
Chlorinated terpene isomers (including Strobane and Camphechlor)	Sum of all chlorinated terpene isomers
Chlormequat	Chlormequat cation
Chlornidine	Chlornidine
Chloropicrin	Chloropicrin
Chlorothalonil	Commodities of plant origin: chlorothalonil Commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite expressed as chlorothalonil
Chloroxuron	Sum of chloroxuron and all metabolites hydrolysed to p-chlorophenoxyaniline, expressed as chloroxuron
Chlorpropham	Chlorpropham
Chlorpyrifos	Chlorpyrifos
Chlorpyrifos-methyl	Chlorpyrifos-methyl
Chlorsulfuron	Chlorsulfuron
Chlortetracycline	Inhibitory substance, identified as chlortetracycline
Chlorthal-dimethyl	Chlorthal-dimethyl
Chlorthiophos	Chlorthiophos
Cinmethylin	Cinmethylin
Clavulanic acid	Clavulanic acid
Clenpyrin	Clenpyrin
Clethodim see Sethoxydim	Residues arising from the use of clethodim are covered by the MRLs for sethoxymdim

COMPOUND	RESIDUE
Clodinafop acid	(R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid
Clodinafop-propargyl	Clodinafop-propargyl
Clofentezine	Clofentezine
Clomazone	Clomazone
Clopyralid	Clopyralid
Cloquintocet acid see Cloquintocet mexyl	Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl.
Cloquintocet-mexyl	Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl
Clorsulon	Clorsulon
Closantel	Closantel
Clothianidin see also Thiamethoxam	Clothianidin
Cloxacillin	Inhibitory substance, identified as cloxacillin
Copper	Determined as elemental copper
Coumaphos	Sum of coumaphos and its oxygen analogue, expressed as coumaphos
Coumatetralyl	Coumatetralyl
4-CPA	4-CPA
Crotoxyphos	Crotoxyphos
Crufomate	Crufomate
Cyanamide	Cyanamide
Cyanazine	Cyanazine

COMPOUND	RESIDUE
Cyantraniliprole	<p>Commodities of plant origin: Cyantraniliprole</p> <p>Commodities of animal origin for enforcement: Cyantraniliprole</p> <p>Commodities of animal origin for dietary exposure assessment: Sum of cyantraniliprole and 2-[3-bromo-1-(3-chloropyridin-2-yl)-1<i>H</i>-pyrazol-5-yl]-3,8-dimethyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-J9Z38), 2-[3-bromo-1-(3-chloropyridin-2-yl)-1<i>H</i>-pyrazol-5-yl]-8-methyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-MLA84), 3-bromo-1-(3-chloropyridin-2-yl)-<i>N</i>-{4-cyano-2-[(hydroxymethyl)carbamoyl]-6-methylphenyl}-1<i>H</i>-pyrazole-5-carboxamide (IN-MYX98) and 3-bromo-1-(3-chloropyridin-2-yl)-<i>N</i>-[4-cyano-2-(hydroxymethyl)-6-(methylcarbamoyl)phenyl]-1<i>H</i>-pyrazole-5-carboxamide (IN-N7B69), expressed as cyantraniliprole</p>
Cyazofamid	<p>For compliance in plant and animal commodities: cyazofamid</p> <p>For dietary risk assessment in plant and animal commodities: the sum of cyazofamid and 4-chloro-5-(4-methylphenyl)-1<i>H</i>-imidazole-2-carbonitrile, expressed as cyazofamid</p>
Cyclanilide	Sum of cyclanilide and its methyl ester, expressed as cyclanilide
Cyclaniliprole	<p>Commodities of plant and animal origin for enforcement: cyclaniliprole</p> <p>Commodities of plant origin for dietary exposure assessment: Sum of cyclaniliprole and 3-bromo-2-((2-bromo-4<i>H</i>-pyrazolo[1,5-<i>d</i>]pyrido[3,2-<i>b</i>]-[1,4]oxazin-4-ylidene)amino)-5-chloro-<i>N</i>-(1-cyclopropylethyl)benzamide (NK-1375), expressed as cyclaniliprole.</p> <p>Commodities of animal origin for dietary exposure assessment: Sum of cyclaniliprole and 8-bromo-2-(3-bromo-1-(3-chloropyridin-2-yl)-1<i>H</i>-pyrazol-5-yl)-6-chloroquinazolin-4(3<i>H</i>)-one (NSY-28), expressed as cyclaniliprole</p>
Cycloprothrin	Cycloprothrin

COMPOUND	RESIDUE
Cycloxydim	Sum of cycloxydim, its desethoxy, oxazole-ring residue and dipentane acid metabolites, together with sulfoxides and sulfones of these products and 5-hydroxy derivatives of the above, expressed as cycloxydim
Cyflufenamid	Cyflufenamid
Cyflumetofen	For enforcement in plant commodities: Cyflumetofen For assessment of dietary risk in plant commodities: sum of cyflumetofen and 2-trifluoromethylbenzoic acid, expressed as cyflumetofen For enforcement and assessment of dietary risk in animal commodities: sum of cyflumetofen and 2-trifluoromethylbenzoic acid, expressed as cyflumetofen
Cyfluthrin	Cyfluthrin, sum of isomers
Cyhalofop-butyl	Sum of cyhalofop-butyl and cyhalofop acid, expressed as cyhalofop-butyl
Cyhalothrin	Cyhalothrin, sum of isomers
Cyhexatin	Sum of cyhexatin and dicyclohexyltin oxide, expressed as cyhexatin
Cypermethrin	Cypermethrin, sum of isomers
Cyproconazole	Cyproconazole, sum of isomers
Cyprodinil	Cyprodinil
Cyromazine	Cyromazine

D

COMPOUND	RESIDUE
2,4-D	2,4-D
Daminozide	Daminozide
2,4-DB	2,4-DB
DDT	Sum of p,p '-DDT; o,p '-DDT; p,p '-DDE and p,p '-TDE (DDD)
Decoquatate	Decoquatate

COMPOUND	RESIDUE
Deltamethrin	Deltamethrin
Derquantel	Derquantel
Desmetryn	Desmetryn
Dexamethasone	Dexamethasone
Dexamethasone triethylacetate see Dexamethasone	
Diafenthuiuron	Sum of diafenthuiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthuiuron
Diazinon	Diazinon
Dicamba	Commodities for plant origin for enforcement: sum of dicamba and 3,6- dichloro-2-hydroxybenzoic acid (DCSA; free and conjugated), expressed as dicamba Commodities of plant origin for dietary exposure: sum of dicamba, 3,6- dichloro-2-hydroxybenzoic acid (DCSA; free and conjugated) and 2,5-dichloro-3,6-dihydroxybenzoic acid (DCGA; free and conjugated), expressed as dicamba Commodities of animal origin: dicamba
Dichlobenil	Dichlobenil
Dichlofluanid	Dichlofluanid
Dichlone	Dichlone
Dichlorvos	Dichlorvos
Diclazuril	Diclazuril
Diclofop-methyl	Diclofop-methyl
Dichlorprop-P	Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid
Dicloran	Dicloran
Dicofol	Sum of dicofol and 2,2,2- trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol
Dicyclanil	Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil

COMPOUND	RESIDUE
Didecyldimethylammonium chloride	Didecyldimethylammonium chloride
Difenoconazole	Difenoconazole
Difenzoquat	Difenzoquat
Diflubenzuron	Diflubenzuron
Diflufenican	Diflufenican
Dimethipin	Dimethipin
Dimethenamid-P	Sum of dimethenamid-P and its (R)-isomer
Dimethirimol	Dimethirimol
Dimethoate <i>see also</i> Omethoate	Sum of dimethoate and omethoate, expressed as dimethoate
Dimethomorph	Sum of E and Z isomers of dimethomorph
Dimetridazole	Sum of dimetridazole and its hydroxy metabolite (2-hydroxymethyl-1-methyl-5-nitroimidazole), expressed as dimetridazole.

COMPOUND	RESIDUE
Dimpropyridaz	<p>Commodities of plant origin for enforcement: Dimpropyridaz</p> <p>Commodities of plant origin for dietary risk assessment: sum of dimpropyridaz, 5-methyl-1-(3-methylbutan-2-yl)-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide (M550I002), N-ethyl-1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide (M550I004) and 5-methyl-1-(3-methylbutan-2-yl)-1H-pyrazole-4-carboxylic acid (M550I006), expressed as dimpropyridaz</p> <p>Commodities of animal origin for enforcement: sum of dimpropyridaz and 1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide (M550I015), expressed as dimpropyridaz</p> <p>Commodities of animal origin for dietary exposure assessment: sum of dimpropyridaz, 1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide (M550I015), 5-methyl-1-(3-methylbutan-2-yl)-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide (M550I002), N-ethyl-1-(3-hydroxy-3-methylbutan-2-yl)-5-methyl-N-(pyridazin-4-yl)-1H-pyrazole-4-carboxamide (M550I004) and N-ethyl-1-(3-hydroxy-3-methylbutan-2-yl)-N-(6-hydroxypyridazin-4-yl)-5-methyl-1H-pyrazole-4-carboxamide (M550I005), expressed as dimpropyridaz</p>
Dinitolmide	Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents
Dinitro-o-toluamide see Dinitolmide	
Dinocap	Dinocap and related nitro-octylphenols, expressed as dinocap
Dinoseb	Dinoseb

COMPOUND	RESIDUE
Dinotefuran	<i>Commodities of plant origin for enforcement:</i> Dinotefuran <i>Commodities of plant origin for dietary exposure assessment:</i> Sum of dinotefuran, 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) and 1-methyl-3-(tetrahydro-3-furylmethyl) guanidium dihydrogen (DN) expressed as dinotefuran. <i>Commodities of animal origin:</i> Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran
Dioxathion	Sum of cis- and trans- dioxathion
Diphenyl	Diphenyl
Diphenylamine	Diphenylamine
Diquat	Diquat cation
Disulfoton	Sum of disulfoton and demeton-S and their sulfoxides and sulfones, expressed as disulfoton
Dithianon	Dithianon
Dithiocarbamates (mancozeb, metham, metiram, thiram, zineb and ziram)	Total dithiocarbamates, determined as CS ₂ evolved during acid digestion and expressed as mg CS ₂ /kg. (Note: Propineb has separate MRLs)
Diuron	Sum of diuron and 3,4- dichloroaniline, expressed as diuron
Dodine	Dodine
Doramectin	Doramectin
2,2-DPA	2,2-dichloropropionic acid

E

COMPOUND	RESIDUE
EDC see Ethylene dichloride	
Enamectin	Sum of emamectin B1a and emamectin B1b
Endosulfan	Sum of α - and β - endosulfan and endosulfan sulphate
Endothal	Endothal
Endrin	Sum of endrin and Δ -keto-endrin

COMPOUND	RESIDUE
Enilconazole see Imazalil	
Epoxiconazole	Epoxiconazole
Eprinomectin	Eprinomectin B1a
EPTC	EPTC
Erythromycin	Inhibitory substance, identified as erythromycin
Esfenvalerate see Fenvalerate	
Ethephon	Ethephon
Ethametsulfuron methyl	Ethametsulfuron methyl
Ethion	Ethion
Ethofumesate	Ethofumesate
Ethopabate	Ethopabate
Ethoprophos	Ethoprophos
Ethoxyquin	Ethoxyquin
Ethoxysulfuron	Commodities of plant origin: Ethoxysulfuron Commodities of animal origin: 2-amino-4,6-dimethoxypyrimidine, expressed as ethoxysulfuron
Ethylene dichloride	1,2-dichloroethane
Etofenprox	Etofenprox
Etoxazole	Etoxazole
Etridiazole	Etridiazole

F

COMPOUND	RESIDUE
Fenaminosulf	Fenaminosulf
Fenamiphos	Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos
Fenarimol	Fenarimol
Fenazaflor	Fenazaflor
Fenbendazole	Fenbendazole
Fenbuconazole	Fenbuconazole

COMPOUND	RESIDUE
Fenbutatin oxide	Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide
Fenchlorphos	Fenchlorphos
Fenfuram	Fenfuram
Fenhexamid	Fenhexamid
Fenitrothion	Fenitrothion
Fenoprop	Fenoprop
Fenoxaprop-ethyl	Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolyloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl
Fenoxycarb	Fenoxycarb
Fenpiclonil	Fenpiclonil
Fenpropidin	Commodities of plant origin: Fenpropidin Commodities of animal origin for enforcement: Sum of fenpropidin and 2-methyl-2-[4-(2-methyl-3-piperidin-1-ylpropyl)-phenyl]-propanoic acid (CGA 289267), expressed as fenpropidin Commodities of animal origin for dietary risk assessment: Sum of fenpropidin, 2-methyl-2-[4-(2-methyl-3-piperidin-1-ylpropyl)-phenyl]-propanoic acid (CGA 289267), 3-Hydroxy-2-methyl-2-[4-(2-methyl-3-piperidin-1-ylpropyl)-phenyl]-propionic acid (SYN 515213), 2-methyl-2-[4-(2-methyl-3-piperidin-1-ylpropyl)-phenyl]-propan-1-ol (CGA 289268) and their conjugates, expressed as fenpropidin
Fenpyrazamine	For enforcement: Fenpyrazamine For dietary exposure assessment: Sum of fenpyrazamine and 5-amino-1,2-dihydro-2-isopropyl-4-(o-tolyl)pyrazol-3-one (S-2188-DC), expressed as fenpyrazamine
Fenpyroximate	Fenpyroximate
Fensulfothion	Sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion
Fenthion	Sum of fenthion, its oxygen analogue, and their sulfoxides and sulfones, expressed as fenthion

COMPOUND	RESIDUE
Fentin	Fentin hydroxide, excluding inorganic tin and di- and mono-phenyltin
Fenvalerate	Fenvalerate, sum of isomers
Fipronil	Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl) sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile).
Flamprop-methyl	Flamprop-methyl
Flamprop-m-methyl see Flamprop-methyl	
Flavophospholipol	Flavophospholipol
Flazasulfuron	Flazasulfuron
Flonicamid	<p><i>Commodities of plant origin:</i> sum of flonicamid, TFNG (<i>N</i>-(4-trifluoromethylnicotinoyl)glycine) and TFNA (4-trifluoromethylnicotinic acid), expressed as flonicamid</p> <p><i>Commodities of animal origin:</i> sum of flonicamid and TFNA-AM (4-trifluoromethylnicotinamide), expressed as flonicamid</p>
Florfenicol	Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine
Florasulam	Florasulam
Florpyrauxifen-benzyl	Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl

COMPOUND	RESIDUE
Florylpicoxamid	<p>Commodities of plant origin: Sum of florylpicoxamid and (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid</p> <p>Commodities of animal origin: (2S)-1,1-bis(4-fluorophenyl)propan-2-yl N-[[3-(hydroxy)-4-methoxypyridin-2-yl]carbonyl]-L-alaninate (X12485649), expressed as florylpicoxamid</p>
Fluazaindolizine	<p>For enforcement for commodities of plant and animal origin: fluazaindolizine</p> <p>For dietary exposure assessment for commodities of plant origin: Sum of hydrolysis products 2-chloro-5-hydroxybenzenesulfonamide (IN-A5760), 2-chloro-5-methoxybenzenesulfonamide (IN-F4106), 8-chloro-6-(trifluoromethyl)imidazo[1,2-a]pyridine-2-carboxylic acid (IN-QEK31), 3-[[[(2-chloro-5-methoxyphenyl)sulfonyl]amino]-L-alanine (IN-QZY47), 3-[[[(2-chloro-5-methoxyphenyl)sulfonyl]amino]-(2R)-hydroxypropanoic acid (IN-TMQ01), 3-[[[(2-chloro-5-hydroxyphenyl)sulfonyl]amino]alanine (IN-UJV12) and 3-[[[(2-chloro-5-hydroxyphenyl)sulfonyl]amino]-2-hydroxypropanoic acid (IN-UNS90), expressed as fluazaindolizine</p> <p>For dietary exposure assessment for commodities of animal origin: Sum of fluazaindolizine, 8-chloro-6-(trifluoromethyl)imidazo[1,2-a]pyridine-2-carboxylic acid (IN-QEK31), 2-chloro-5-methoxybenzenesulfonamide (IN-F4106) and 3-[[[(2-chloro-5-methoxyphenyl)sulfonyl]amino]-(2R)-hydroxypropanoic acid (IN-TMQ01) expressed as fluazaindolizine</p>
Fluazifop-p-butyl	Sum of Fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop
Fluazinam	Fluazinam
Fluazuron	Fluazuron
Flubendazole	<p>Commodities other than eggs: Sum of flubendazole and 2-amino-1 H-benzimidazole-5-yl)(4-fluorophenyl) methanone, expressed as flubendazole</p> <p>Eggs: Flubendazole</p>

COMPOUND	RESIDUE
Flubendiamide	Commodities of plant origin: Flubendiamide Commodities of animal origin: sum of flubendiamide and 3- iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide.
Fluchloralin	Fluchloralin
Flucythrinate	Flucythrinate
Fludioxonil	Commodities of animal origin: sum of fludioxonil and oxidizable metabolites, expressed as fludioxonil Commodities of plant origin: fludioxonil
Fluensulfone	Commodities of plant origin for enforcement: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone Commodities of plant origin for dietary exposure assessment: Fluensulfone Commodities of animal origin: Fluensulfone
Flumethrin	Flumethrin, sum of isomers
Flumetsulam	Flumetsulam
Flumiclorac-pentyl	Flumiclorac pentyl
Flunixin	Flunixin
Flumioxazin	Flumioxazin
Fluometuron	Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron
Fluopicolide	Commodities of plant and animal origin for enforcement: fluopicolide Commodities of plant and animal origin for dietary exposure assessment: fluopicolide and 2,6-dichlorobenzamide, measured separately

COMPOUND	RESIDUE
Fluopyram	<p>Commodities of plant origin: Fluopyram</p> <p>Commodities of animal origin for enforcement: Sum of fluopyram and 2-(trifluoromethyl) benzamide, expressed as fluopyram</p> <p>Commodities of animal origin for dietary exposure assessment: Sum of fluopyram, 2-(trifluoromethyl) benzamide and the combined residues of N-[(E)-2-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]ethenyl]-2-(trifluoromethyl) benzamide and N-[(Z)-2-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]ethenyl]-2-(trifluoromethyl) benzamide, all expressed as fluopyram</p>
Flupropanate	Flupropanate
Flupyradifurone	<p>For enforcement for commodities of plant and animal origin: Flupyradifurone</p> <p>For dietary exposure assessment for commodities of plant and animal origin: Sum of flupyradifurone and difluoroacetic acid, expressed as flupyradifurone</p>
Fluquinconazole	Fluquinconazole
Fluralaner	Fluralaner
Fluroxypyr	Fluroxypyr
Flusilazole	Flusilazole
Flutolanil	<p>Commodities of plant origin: flutolanil</p> <p>Commodities of animal origin: flutolanil and metabolites hydrolysed to 2-(trifluoromethyl)-benzoic acid and expressed as flutolanil</p>
Flutriafol	Flutriafol
Fluvalinate	Fluvalinate, sum of isomers
Fluoxapiprolin	<p>Commodities of plant origin for enforcement: Fluoxapiprolin</p> <p>Commodities of plant origin for dietary exposure assessment: Sum of fluoxapiprolin, [3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]acetic acid (BCS-CC26101) and 3-[3,5-bis(difluoromethyl)-1H-pyrazol-1-yl]alanine (BCS-DE61185), expressed as fluoxapiprolin</p> <p>Commodities of animal origin: Fluoxapiprolin</p>

COMPOUND	RESIDUE
Fluxapyroxad	<i>Commodities of plant origin:</i> Fluxapyroxad <i>Commodities of animal origin for enforcement:</i> Fluxapyroxad <i>Commodities of animal origin for dietary exposure assessment:</i> Sum of fluxapyroxad and 3-(difluoromethyl- <i>N</i> -(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-1 <i>H</i> -pyrazole-4-carboxamide
Fomesafen	Fomesafen
Forchlorfenuron	Forchlorfenuron
Fosamine ammonium	Fosamine
Fosetyl	Fosetyl
Furathiocarb see Carbofuran	Residues arising from the use of furathiocarb are covered by MRLs for carbofuran
Furazolidone	Sum of furazolidone and its metabolites (protein-bound and free) that form 3-amino-2-oxazolidinone (AOZ) after mild acid hydrolysis, expressed as 3-amino-2-oxazolidinone (AOZ)

G

COMPOUND	RESIDUE
Gentian violet	Crystal violet
Gibberellic acid	Gibberellic acid
Glufosinate and Glufosinate ammonium	Sum of glufosinate-ammonium, <i>N</i> -acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)
Glyphosate	For enforcement: Sum of glyphosate, <i>N</i> -acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate For dietary risk assessment: Sum of glyphosate, <i>N</i> -acetyl-glyphosate, aminomethylphosphonic acid (AMPA) and <i>N</i> -acetyl-aminomethylphosphonic acid (<i>N</i> -acetyl AMPA), expressed as glyphosate
Griseofulvin	Griseofulvin
Guazatine	Guazatine

H

COMPOUND	RESIDUE
Halauxifen-methyl	<i>Commodities of plant origin:</i> Halauxifen methyl <i>Commodities of animal origin:</i> 4-Amino-3-chloro-6(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl
Halofuginone	Halofuginone
Halosulfuron-methyl	Halosulfuron-methyl
Haloxyfop	Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop
Halquinol	Halquinol
HCB	Hexachlorobenzene
Heptachlor	Sum of heptachlor and heptachlor epoxide
Hexaconazole	Hexaconazole
Hexaflurate	Hexaflurate
Hexazinone	Hexazinone
Hexythiazox	Hexythiazox
Hydrogen cyanide	All cyanides, expressed as hydrogen cyanide
Hydrogen phosphide see Phosphine	
S-Hydroprene	S-Hydroprene
Hydroxyethylhydrazine	Hydroxyethylhydrazine

I

COMPOUND	RESIDUE
Imazalil	Imazalil
Imazamox	Imazamox
Imazapic (formerly known as Imazameth)	Sum of imazapic and its hydroxymethyl derivative
Imazapyr	Imazapyr
Imazaquin	Imazaquin
Imazethapyr	Imazethapyr

COMPOUND	RESIDUE
Imidacloprid	Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid
Imidocarb (dipropionate salt)	Imidocarb
Indaziflam	Commodities of plant origin for enforcement and dietary exposure assessment: sum of indaziflam and 6-[(1R)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine, expressed as indaziflam. Commodities of animal origin for enforcement: Indaziflam Commodities of animal origin for dietary exposure assessment: sum of indaziflam and 6-[(1R)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine, expressed as indaziflam
Indoxacarb	Sum of Indoxacarb and it's R-isomer.
Inorganic bromide	Bromide ion
Inpyrfluxam	Commodities of plant origin for enforcement: Inpyrfluxam Commodities of plant origin for dietary exposure assessment: Inpyrfluxam and 1'-CH ₂ OH-S-2840 (free or conjugated) expressed as inpyrfluxam. Commodities of animal origin: Inpyrfluxam and 1'-CH ₂ OH-S-2840 (free or conjugated) expressed as inpyrfluxam.
Ioxynil	Ioxynil
Iodosulfuron methyl	Iodosulfuron methyl
Ipconazole	Ipconazole

COMPOUND	RESIDUE
Ipflufenquin	Commodities of plant origin: Ipflufenquin Commodities of animal origin for enforcement: Ipflufenquin Commodities of animal origin for dietary risk assessment: Sum of ipflufenquin, 2-[2-(7,8-difluoro-2-methylquinolin-3-yloxy)-6-fluorophenyl]propan-2-yl β-D-glucopyranosiduronic acid (QP-1-10) and 2-[2-(7,8-difluoro-2-methylquinolin-3-yloxy)-6-fluorophenyl]-2-hydroxypropyl β-D-glucopyranosiduronic acid (QP-1-11), expressed as ipflufenquin
Iprodione	Iprodione
Isocarbophos	Isocarbophos
Isocycloseram	Commodities of plant origin: Isocycloseram Commodities of animal origin for enforcement: Isocycloseram Commodities of animal origin for dietary exposure assessment: Sum of isocycloseram, 1-(3,5-dichloro-4-fluoro-phenyl)-2,2,2-trifluoroethanone (SYN548569), 4-(5-(3,5-dichloro-4-fluorophenyl)-5-(trifluoromethyl)-4,5-dihydro-1,2-oxazol-3-yl)-2-methyl-N-(3-oxo-1,2-oxazolidin-4-yl)benzamide (SYN549436) and N-(1-amino-3-hydroxy-1-oxopropan-2-yl)-4-(5-(3,5-dichloro-4-fluorophenyl)-5-(trifluoromethyl)-4,5-dihydro-1,2-oxazol-3-yl)-2-methylbenzamide (SYN549544), expressed as isocycloseram
Isoeugenol	Isoeugenol, sum of cis- and trans- isomers
Isofenphos	Isofenphos
Isofetamid	Commodities of plant origin: Isofetamid Commodities of animal origin: Sum of isofetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2-carboxamido) propanoyl]phenoxy]propanoic acid (PPA), expressed as isofetamid
Isoproturon	Isoproturon

COMPOUND	RESIDUE
Isopyrazam	<p>For enforcement in plant and animal commodities: isopyrazam</p> <p>For assessment of dietary risk in plant commodities: sum of isopyrazam and 3-(difluoromethyl)-1-methyl- N-[1,2,3,4-tetrahydro-9-(1-hydroxy-1-methylethyl)-1,4-methanonaphthalen-5-yl]-1H-pyrazole-4-carboxamide isomers (CSCD459488 and CSCD459489) and their conjugates, expressed as isopyrazam</p> <p>For assessment of dietary risk in animal commodities: sum of isopyrazam, 3-(difluoromethyl)-1-methyl- N-[1,2,3,4-tetrahydro-2-hydroxy-9-(1-hydroxy-1-methylethyl)-1,4-methanonaphthalen-5-yl]-1H-pyrazole-4-carboxamide (CSCD656800) and 3-(difluoromethyl)-1-methyl- N-[1,2,3,4-tetrahydro-2-hydroxy-9-isopropyl-1,4-methanonaphthalen-5-yl]-1H-pyrazole-4-carboxamide (CSCD563692) and their conjugates, expressed as isopyrazam</p>
Isotianil	<p>Commodities of plant origin: Isotianil</p> <p>Commodities of animal origin: sum of isotianil and 3,4-dichloroisothiazole-5-carboxylic acid, expressed as isotianil</p>
Isoxaben	Isoxaben
Isoxaflutole	The sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile expressed as isoxaflutole
Ivermectin	H2B1a

K

COMPOUND	RESIDUE
Ketoprofen	Ketoprofen
Kitasamycin	Inhibitory substance, identified as Kitasamycin
Kresoxim-methyl	<p>Commodities of plant origin: Kresoxim-methyl</p> <p>Commodities of animal origin: sum of α-(p-hydroxy-o-tolyloxy)-o-tolyl(methoxyimino) acetic acid and (E)-methoxyimino[α-(o-tolyloxy)-o-tolyl] acetic acid, expressed as kresoxim-methyl</p>

L

COMPOUND	RESIDUE
Lambda-Cyhalothrin see Cyhalothrin	
Lasalocid	Lasalocid
Levamisole	Levamisole
Lignocaine	Lignocaine
Lincomycin	Inhibitory substance, identified as lincomycin
Lindane	Lindane
Linuron	Sum of linuron plus 3,4-dichloroaniline, expressed as linuron
Lufenuron	{T} Lufenuron
Lysocellin sodium	Lysocellin

M

COMPOUND	RESIDUE
Maduramicin	Maduramicin
Magnesium phosphide see Phosphine	
Malathion see Maldison	
Maldison	Maldison
Maleic hydrazide	Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide
Mancozeb see Dithiocarbamates	
Mandestrobin	Mandestrobin
Mandipropamid	Mandipropamid
MCPA	MCPA
MCPB	MCPB
Mebendazole	Mebendazole
Mecoprop	Mecoprop

COMPOUND	RESIDUE
Mefenpyr-diethyl	<p>Commodities of plant origin: Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl.</p> <p>Commodities of animal origin: Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl.</p>
Mefentrifluconazole	Mefentrifluconazole
Mefluidide	Mefluidide
Meloxicam	Meloxicam
Menazon	Menazon
Mepiquat	Mepiquat
Mesosulfuron-methyl	Mesosulfuron-methyl
Mesotrione	Mesotrione
Metalaxyl-M see Metalaxyl	Residues arising from the use of Metalaxyl-M are covered by the MRLs for Metalaxyl
Metalaxyl	Metalaxyl
Metaldehyde	Metaldehyde
Metamitron	Metamitron
Metazachlor	<p>Commodities of plant origin for enforcement: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor</p> <p>Commodities of plant origin for dietary exposure assessment: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor</p> <p>Commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor</p>

COMPOUND	RESIDUE
Metcamifen	Commodities of plant origin: Metcamifen Commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzensulfonamide, expressed as metcamifen
Methabenzthiazuron	Methabenzthiazuron
Methacrifos	{T} Methacrifos
Metham see Dithiocarbamates	
Methamidophos see <i>also</i> Acephate	Methamidophos
Metham-sodium see Metham	
Methidathion	Methidathion
Methiocarb	Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb
Methomyl see <i>also</i> Thiodicarb	Methomyl
Methoprene	Methoprene, sum of cis- and trans-isomers
Methoxychlor	Methoxychlor
Methoxyfenozide	Methoxyfenozide
Methyl benzoquate	Methyl benzoquate
Methyl bromide	Methyl bromide
Methyl isothiocyanate	Methyl isothiocyanate
Metichlorpindol	Metichlorpindol
Metiram see Dithiocarbamates	
Metobromuron	Commodities of plant origin: Sum of metobromuron and 4-bromophenylurea (CGA18237), expressed as metobromuron Commodities of animal origin: Sum of 4-bromo-2-hydroxyphenylurea (CGA 72905) and 4-bromophenyl urea (CGA18237), expressed as metobromuron
Metolachlor	Metolachlor
Metosulam	Metosulam
Metoxuron	Metoxuron
Metrafenone	Metrafenone
Metribuzin	Metribuzin

COMPOUND	RESIDUE
Metsulfuron-methyl	Metsulfuron-methyl
Mevinphos	Mevinphos
Milbemectin	Sum of milbemycin MA ₃ and milbemycin MA ₄ and their photoisomers, milbemycin (Z) 8,9-MA ₃ and (Z) 8,9-MA ₄
Molinate	Molinate
Monensin	Monensin
Monepantel	Monepantel sulphone
Morantel	Morantel
Moxidectin	Moxidectin
MSMA	Total arsenic, expressed as MSMA
Myclobutanil	Myclobutanil

N

COMPOUND	RESIDUE
Naled	{T} Sum of naled and dichlorvos, expressed as naled
Naphthalene acetic acid	1-Naphthelene acetic acid
Naphthalophos	Naphthalophos
Napropamide	Napropamide
Naptalam	Naptalam
Narasin	Narasin
Neomycin	Inhibitory substance, identified as neomycin
Netobimin see Albendazole	Residues arising from the use of netobimin are covered by MRLs for Albendazole
Nicarbazin	4,4'-dinitrocarbanilide (DNC)
Niclosamide	{T} Niclosamide
Nifursol	Nifursol
Nimidane	Nimidane
Nitralin	Nitralin
Nitrothal-isopropyl	Nitrothal-isopropyl
Nitroxynil	Nitroxynil

COMPOUND	RESIDUE
Norflurazon	Norflurazon
Norgestomet	Norgestomet
Novaluron	Novaluron
Novobiocin	Novobiocin

O

COMPOUND	RESIDUE
ODB	1,2-dichlorobenzene
Ofurace	Ofurace
Olaquinox	Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxaline, expressed as olaquinox
Oleandomycin	Oleandomycin
Omethoate see also Dimethoate	Omethoate
OPP see 2-Phenylphenol	
Oryzalin	Oryzalin
Oxabetrinil	Oxabetrinil
Oxadixyl	Oxadixyl
Oxamyl	Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl
Oxathiapirolin	Oxathiapirolin
Oxfendazole	Oxfendazole
Oxolinic acid	Inhibitory substance, identified as oxolinic acid
Oxydemeton-methyl	Sum of oxydemeton-methyl and demeton-S-methyl sulphone, expressed as oxydemeton-methyl
Oxycarboxin	Oxycarboxin
Oxyclozanide	Oxyclozanide
Oxyfluorfen	Oxyfluorfen
Oxytetracycline	Inhibitory substance, identified as oxytetracycline
Oxythioquinox	Oxythioquinox

P

COMPOUND	RESIDUE
Paclobutrazol	Paclobutrazol
Paracetamol	Paracetamol
Paraquat	Paraquat cation
Parathion-methyl	Parathion-methyl
PCP (and its sodium salt)	Pentachlorophenol
Pebulate	Pebulate
Penconazole	Penconazole
Pencycuron	Pencycuron
Pendimethalin	Pendimethalin
Penflufen	Penflufen
Penthiopyrad	<i>Commodities of plant origin:</i> Penthiopyrad <i>Commodities of animal origin:</i> Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1 <i>H</i> -pyrazol-4-ylcarboxamide, expressed as penthiopyrad
Permethrin	Permethrin, sum of isomers
Phenmedipham	<i>Commodities of plant origin:</i> Phenmedipham <i>Commodities of animal origin:</i> 3-methyl-N-(3-hydroxyphenyl)carbamate
Phenothrin	Sum of phenothrin (+)cis- and (+)trans-isomers
Phenoxyethyl V penicillin	Inhibitory substance, identified as phenoxyethyl V penicillin
2-Phenylphenol	Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol
Phorate	Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate
Phosalone	Phosalone
Phosmet	Sum of phosmet and its oxygen analogue, expressed as phosmet
Phosphine	All phosphides, expressed as hydrogen phosphide (phosphine)
Phosphorous acid	Phosphorous acid

COMPOUND	RESIDUE
Phoxim	Phoxim
Picloram	Picloram
Picolinafen	Commodities of plant origin: Picolinafen Commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridinecarboxylic acid
Pinoxaden	Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo[1,2-d][1,4,5]oxa-diazepine-7,9-dione, expressed as Pinoxaden
Piperonyl butoxide	Piperonyl butoxide
Pirimicarb	Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb
Pirimiphos-methyl	Pirimiphos-methyl
Praziquantel	Praziquantel
Procaine penicillin	Inhibitory substance, identified as procaine penicillin
Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as Prochloraz
Procymidone	Procymidone
Profenofos	Profenofos
Profoxydim	Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim.
Prohexadione-calcium	Sum of the free and conjugated forms of prohexadione expressed as prohexadione
Promacyl	Promacyl
Prometryn	Prometryn
Propachlor	Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor
Propamocarb	Propamocarb (base)
Propanil	Propanil

COMPOUND	RESIDUE
Propaquizafop	Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop
Propargite	Propargite
Propazine	Propazine
Propetamphos	Propetamphos
Propham	Propham
Propiconazole	Propiconazole
Propineb	For enforcement: Propylenediamine (PDA), expressed as propineb. For dietary exposure assessment: Propineb plus propylenethiourea (PTU).
Propoxur	Propoxur
Propylene oxide	Propylene oxide
Propyzamide	Propyzamide
Proquinazid	<i>Commodities of plant origin:</i> Proquinazid <i>Commodities of animal origin:</i> Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3 <i>H</i> -quinazolin-2-yl)oxy)propionic acid, expressed as proquinazid
Prosulfocarb	Prosulfocarb
Prothiofos	Prothiofos
Prothioconazole	For commodities of plant origin: sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole. For commodities of animal origin: sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

COMPOUND	RESIDUE
Pydiflumetofen	Commodities of plant origin: Pydiflumetofen Commodities of animal origin for enforcement: Pydiflumetofen Commodities of animal origin for dietary exposure assessment: sum of pydiflumetofen, 2,4,6-trichlorophenyl (free and conjugated) and 3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid methoxy-[1-methyl-2-(2,4,6-trichloro-3-hydroxy-phenyl)-ethyl]-amide (SYN547897), expressed as pydiflumetofen
Pymetrozine	Pymetrozine
Pyraclofos	Pyraclofos
Pyraclostrobin	Commodities of plant origin: Pyraclostrobin Commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin
Pyraflufen-ethyl	Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)
Pyrasulfotole	The sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole
Pyrazophos	Pyrazophos
Pyrethrins	Sum of pyrethrins I and II, cinerins I and II and jasmolins I and II, determined after calibration by means of the International Pyrethrum Standard.
Pyridaben	Pyridaben
Pyridate	Sum of pyridate and metabolites containing 6-chloro-4-hydroxy-3-phenyl pyridazine, expressed as pyridate
Pyrimethanil	Pyrimethanil
Pyriofenone	Pyriofenone
Pyriproxyfen	Pyriproxyfen
Pyrithiobac sodium	Pyrithiobac sodium
Pyroxsulam	Pyroxsulam

COMPOUND	RESIDUE
Pyroxasulfone	<p><i>For enforcement for commodities of plant origin:</i></p> <p>Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1<i>H</i>-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone</p> <p><i>For enforcement for commodities of animal origin:</i></p> <p>5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1<i>H</i>-pyrazole-4-carboxylic acid, expressed as pyroxasulfone.</p> <p><i>For dietary exposure assessment for commodities of plant and animal origin:</i></p> <p>Sum of pyroxasulfone, (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1<i>H</i>-pyrazol-4-yl)methanesulfonic acid, and 5-difluoromethoxy-1-methyl-3-trifluoromethyl-1<i>H</i>-pyrazole-4-carboxylic acid, expressed as pyroxasulfone.</p>

Q

COMPOUND	RESIDUE
Quinoxifen	Quinoxifen
Quintozene	Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene
Quizalofop-ethyl	Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl
Quizalofop-P-tefuryl	Sum of quizalofop-P-tefuryl and quizalofop acid, expressed as quizalofop-P-tefuryl

R

COMPOUND	RESIDUE
Ractopamine	Ractopamine
Robenidine	Robenidine
Rimsulfuron	Rimsulfuron

S

COMPOUND	RESIDUE
S-metolachlor see Metolachlor	Residues arising from the use of S-metolachlor are covered by the MRLs for metolachlor

COMPOUND	RESIDUE
Saflufenacil	Commodities of plant origin: Sum of saflufenacil, <i>N</i> '-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl- <i>N</i> -isopropyl sulfamide and <i>N</i> -[4-chloro-2-fluoro-5-(((isopropylamino)sulfonyl)amino)carbonyl)phenyl]urea, expressed as saflufenacil equivalents. Commodities of animal origin: Saflufenacil
Salinomycin	Salinomycin
sec-Butylamine see Butylamine	
Sedaxane	Sedaxane, sum of isomers
Semduramicin	Semduramicin
Sethoxydim	Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim
Simazine	Simazine
Spectinomycin	Inhibitory substance, identified as Spectinomycin
Spinetoram	Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L
Spinosad	Sum of spinosyn A and spinosyn D

COMPOUND	RESIDUE
Spirotetramat	<p>For enforcement for commodities of plant and animal origin: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.</p> <p>Commodities of plant origin for dietary exposure assessment: Sum of spirotetramat, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, cis-3-(2,5-dimethylphenyl)-3-hydroxy-8-methoxy-1-azaspiro[4.5]decane-2,4-dione, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]decan-2-one and the glucoside of cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.</p> <p>Commodities of animal origin for dietary exposure assessment: Sum of spirotetramat, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one and the glucuronic acid conjugate of cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.</p>
Spiroxamine	<p>Commodities of plant origin: Spiroxamine</p> <p>Commodities of animal origin: Spiroxamine carboxylic acid</p>
Streptomycin and Dihydrostreptomycin	Inhibitory substance, identified as streptomycin or dihydrostreptomycin
Strobane <i>see</i> Chlorinated terpene isomers	
Sulfuryl fluoride	Sulfuryl fluoride
Sulfosulfuron	Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron
Sulfoxaflor	Sulfoxaflor
Sulphadiazine	Sulphadiazine
Sulphadimidine	Sulphadimidine

COMPOUND	RESIDUE
Sulphadoxine	Sulphadoxine
Sulphur dioxide	Sulphur dioxide
Sulphanitran	Sulphanitran
Sulphaquinoxaline	Sulphaquinoxaline
Sulphatroxazole	Sulphatroxazole
Sulprofos	Sulprofos

T

COMPOUND	RESIDUE
2,4,5-T	2,4,5-T
Tebuconazole	Tebuconazole
Tebufenozide	Tebufenozide
Tebufenpyrad	Tebufenpyrad
Tebuthiuron	Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron
Temephos	Sum of temephos and temephos sulfoxide, expressed as temephos
Tepaloxymid	Sum of tepaloxymid and metabolites converted to 3-(tetrahydro-pyran-4-yl)-glutaric acid and 3-hydroxy-3-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxymid
Terbacil	Terbacil
Terbufos	Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos
Terbutylazine	Terbutylazine
Terbutryn	Terbutryn
Tetrachlorvinphos	Tetrachlorvinphos
Tetraconazole	Tetraconazole
Tetracycline	Inhibitory substance, identified as tetracycline

COMPOUND	RESIDUE
Tetraniliprole	Commodities of plant origin: Tetraniliprole Commodities of animal origin for enforcement: Tetraniliprole Commodities of animal origin for dietary exposure assessment: Sum of tetraniliprole, 2-[1-(3-chloropyridin-2-yl)-3-[[5(trifluoromethyl)-2H-tetrazol-2-yl]methyl]-1H-pyrazole-5-yl]-3,8-dimethyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (BCS-CQ63359) and 2-(3-chloro-2-pyridyl)-N-[4-cyano-2-(hydroxymethyl)-6-(methylcarbamoyl)phenyl]-5-[[5-(trifluoromethyl)tetrazol-2-yl]methyl]pyrazole-3-carboxamide (BCS-CZ91631), expressed as tetraniliprole
Tetradifon	Tetradifon
Tetrathiocarbonate ion	Carbon disulfide plus any substances producing carbon disulfide during storage or analysis, expressed as carbon disulphide
Tetronasin	Sum of tetronasin and its monohydroxy derivatives
Thiabendazole	Thiabendazole or, in the case of animal products, sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole
Thiacloprid	Thiacloprid
Thiamethoxam <i>see also</i> Clothianidin	Commodities of plant origin: Thiamethoxam Commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as Thiamethoxam (Note: the metabolite clothianidin has separate MRLs)
Thidiazuron	Thidiazuron
Thifensulfuron-methyl	Thifensulfuron-methyl
Thiobencarb	Thiobencarb
2-(thiocyanomethylthio)benzothiazole	{T} 2-(thiocyanomethylthio)benzothiazole
Thiodicarb <i>see also</i> Methomyl	Sum of thiodicarb and methomyl, expressed as thiodicarb
Thiometon	Sum of thiometon, its sulfoxide and sulfone, expressed as thiometon

COMPOUND	RESIDUE
Thiophanate see Carbendazim	Residues arising from use of thiophanate are covered by MRLs for carbendazim
Thiophanate-methyl see Carbendazim	Residues arising from thiophanate-methyl are covered by the MRLs for carbendazim
Thiram see Dithiocarbamates	
Tiafenacil	<p>Commodities of plant origin for enforcement: Tiafenacil</p> <p>Commodities of plant origin for dietary exposure assessment: sum of tiafenacil, 2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylsulfinyl)propanoic acid (M-36), 2-((2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)tetrahydropyrimidin-1(2H)-yl)phenyl)sulfinyl)propanoic acid (M-53) and 2-((2-chloro-5-(2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)-4-fluorophenyl)sulfinyl)propanoic acid (M-56), expressed as tiafenacil</p> <p>Commodities of animal origin: Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil</p>
Tiamulin	Tiamulin
Tilmicosin	Tilmicosin
Tolclofos-methyl	Tolclofos-methyl
Tolfenamic acid	Tolfenamic acid
Toltrazuril	Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril
Tolyfluanid	Tolyfluanid
Topramezone	Topramezone
Tralkoxydim	Tralkoxydim
Trenbolone acetate	The sum of trenbolone acetate and 17 alpha - and 17 beta-trenbolone, both free and conjugated, expressed as trenbolone
Triadimefon see <i>also</i> Triadimenol	Sum of triadimefon and triadimenol, expressed as triadimefon

COMPOUND	RESIDUE
Triadimenol	Triadimenol <i>see also</i> Triadimefon
Triallate	Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate
Triasulfuron	Triasulfuron
Tribenuron-methyl	Tribenuron-methyl
Trichlorfon	Trichlorfon
Trichloroethylene	Trichloroethylene
Triclabendazole	Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents
Triclopyr	Triclopyr
Tridemorph	Tridemorph
Trifloxystrobin	Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminooxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents
Trifloxysulfuron sodium	Trifloxysulfuon
Trifludimoxazin	Commodities of plant origin: Trifludimoxazin Commodities of animal origin for enforcement: Trifludimoxazin Commodities of animal origin for dietary exposure assessment: Sum of trifludimoxazin and 1,3-dimethyl-5-(2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)-1,3,5-triazinane-2,4,6-trione (M850H001), expressed as trifludimoxazin
Triflumizole	Sum of triflumizole and (E)-4-chloro- α,α,α -trifluoro-N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole
Triflumuron	Triflumuron
Trifluralin	Trifluralin
Triforine	Triforine
Trimethoprim	Trimethoprim

COMPOUND	RESIDUE
Trinexapac-ethyl	<i>Commodities of plant origin for enforcement:</i> Trinexapac acid <i>Commodities of plant origin for dietary exposure assessment:</i> Trinexapac and its conjugates, expressed as Trinexapac acid <i>Commodities of animal origin:</i> Trinexapac acid
Triticonazole	Triticonazole
Tylosin	Tylosin A
Tulathromycin	Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R, 3S, 4R, 5R, 8R, 10R, 11R, 12S, 13S, 14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents.

U-Z

COMPOUND	RESIDUE
Uniconazole-p	Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p
Vamidothion	Sum of vamidothion, its sulfoxide and sulfone, expressed as vamidothion
Virginiamycin	Inhibitory substance, identified as virginiamycin
Warfarin	Warfarin
Zeta-cypermethrin see Cypermethrin	Residues arising from the use of zeta-cypermethrin are covered by the MRLs for cypermethrin
Zeranol	Zeranol
Zinc phosphide see Phosphine	
Zineb see Dithiocarbamates	
Ziram see Dithiocarbamates	

Table 4—MRLs for pesticides in animal feed commodities

COMPOUND	Animal feed	MRL (mg/kg)
Abamectin		
	Almond hulls	0.1
	Fodder and forage of sweet corn	0.1
AB 0269	Grape pomace, dry	0.1
AL 0157	Legume animal feeds	T*0.01
AS 0645	Maize fodder	T*0.01
AF 0645	Maize forage	T*0.01
	Primary feed commodities {except Fodder and forage of sweet corn, Legume animal feeds; Maize fodder; Maize forage}	*0.01
	Tomato pomace, dry	T1
Acetamiprid		
AB 0226	Apple pomace, dry	1
AB 0001	Citrus pulp, dry	5
AB 0269	Grape pomace, dry	2
	Pulse forage and fodder	2
Acequinocyl		
AB 0226	Apple pomace, dry	5
	Tomato pomace, dry	7
Acibenzolar-S-methyl		
	Tomato pomace, dry	5
Aclonifen		
	Barley forage	1
AS 0081	Straw and fodder (dry) of cereal grains	0.3
	Wheat forage	5
Afidopyropen		
	Barley forage	0.5
AS 0640	Barley straw and fodder, dry	0.2
AB 0269	Grape pomace, dry	0.1

COMPOUND	Animal feed	MRL (mg/kg)
AS 0654	Mustard seed forage	T1
	Mustard seed straw and fodder	T0.05
	Rape seed [canola] forage	1
	Rape seed [canola] straw and fodder	0.05
	Sweet corn forage and fodder	2
	Tomato pomace, dry	3
	Wheat forage	0.5
Aldrin and Dieldrin		
	Primary feed commodities	E0.01
Ametoctradin		
AB 0269	Grape pomace, dry	70
Amicarbazone		
AM 0659	Sugar cane fodder	5
Aminocyclopyrachlor		
	Mixed pastures (leguminous/grasses)	300
Aminoethoxyvinylglycine		
	Almond hulls	*0.05
Aminopyralid		
AF 0081	Forage and fodder of brassicas	2
	Forage of cereal grains (green)	3
	Mixed pastures (leguminous/grasses)	300
AS 0081	Straw and fodder (dry) of cereal grains	0.2
Amisulbrom		
AB 0269	Grape pomace, dry	3
Atrazine		
	Mustard seed forage	T10
	Mustard seed straw and fodder	T0.5

COMPOUND	Animal feed	MRL (mg/kg)
	Primary feed commodities {except Mustard seed forage; Mustard seed straw and fodder; Rape seed [canola] forage; Rape seed [canola] straw and fodder}	T40
	Rape seed [canola] forage	10
	Rape seed [canola] straw and fodder	0.5
Azimsulfuron		
	Rice fodder (fresh weight)	*0.05
AS 0649	Rice straw and fodder, dry	*0.05
Azoxystrobin		
AB 0001	Almond hulls	7
	Citrus pulp, dry	5
	Fodder and forage of sweet corn	T20
AF 0081	Forage of cereal grains (green) {except Maize forage}	10
AB 0269	Grape pomace, dry	15
AL 0157	Legume animal feeds	50
	Maize forage and fodder	T15
	Mustard seed forage, fodder and straw	T30
	Peanut hulls	1
	Rape seed [canola] forage, fodder and straw	30
	Rice hulls	T20
AS 0649	Rice straw and fodder, dry	T15
AS 0081	Straw and fodder (dry) of cereal grains {except Maize fodder; Rice straw and fodder, dry}	3
	Tomato pomace, dry	10
Bensulfuron-methyl		
AS 0649	Rice straw and fodder, dry	*0.05
Bentazone		

COMPOUND	Animal feed	MRL (mg/kg)
AL 0157	Legume animal feeds	T0.7
	Rice forage (fresh weight)	*0.03
AS 0649	Rice straw and fodder, dry	*0.03
Benzofenap		
	Rice forage	*0.02
AS 0649	Rice straw and fodder, dry	*0.02
Benzovindiflupyr		
AF 0081	Forage of cereal grains (green)	7
	Peanut forage and fodder	10
AS 0081	Straw and fodder (dry) of cereal grains	3
BHC (other than g isomer, Lindane)		
	Primary feed commodities	E0.02
Bicyclopyrone		
AF 0081	Forage of cereal grains (green)	0.5
AS 0081	Straw and fodder (dry) of cereal grains	0.2
Bifenazate		
	Almond Hulls	5
AB 0226	Apple pomace, dry	3
AL 0528	Pea vines (green)	T10
Bifenthrin		
AL 1020	Alfalfa [lucerne] fodder	0.1
AL 1021	Alfalfa [lucerne] forage (green)	0.1
	Almond hulls	T5
AL 0061	Bean fodder	20
AL 1030	Bean forage (green)	20
	Broad bean, dry [faba bean] forage	1
	Broad bean, dry [faba bean] fodder	0.02
	Cereal grains forage	0.2
	Clover forage	*0.05

COMPOUND	Animal feed	MRL (mg/kg)
AL 1031	Clover hay or fodder	*0.05
	Common Bean, dry [navy bean] fodder	1
	Common Bean, dry [navy bean] forage	5
	Field pea fodder, dry	0.01
	Field pea forage	1
	Lupin fodder, dry	0.02
AL 0545	Lupin forage	1
	Mung bean fodder	T1
	Mung bean forage	T5
	Mustard seed fodder, dry	*0.01
	Mustard seed forage	1
AL 0072	Pea hay or pea fodder, dry	*0.01
AL 0528	Pea vines (green)	*0.01
	Pear pomace, dry	5
AM 0353	Pineapple fodder	*0.01
AV 0353	Pineapple forage	*0.01
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	1
AS 0081	Straw and fodder (dry) of cereal grains	*0.01
AM 0659	Sugar cane fodder	*0.02
AS 0654	Wheat straw and fodder, dry	*0.01
Bitertanol		
AL 0061	Bean fodder	50
AL 1030	Bean forage (green)	50
Bixafen		
	Cotton seed meal and hulls	T0.5
	Fodder and forage of cereal grains	2
	Lupin forage and fodder	T7
	Mustard seed forage	T5

COMPOUND	Animal feed	MRL (mg/kg)
	Mustard seed straw and fodder, dry	T0.3
	Primary feed commodities {except Forage and fodder of cereal grains; Mustard seed forage; Mustard seed straw and fodder, dry; Pulse forage and fodder; Rape seed [canola] forage; Rape seed [canola] straw and fodder, dry}	0.05
	Pulse forage and fodder {except Lupin forage and fodder}	5
	Rape seed [canola] forage	5
	Rape seed [canola] straw and fodder, dry	0.3
Bixlozone		
AS 0640	Barley forage	1
	Barley straw and fodder, dry	0.2
	Canola fodder, dry	0.02
	Canola forage	5
	Mustard seed fodder, dry	T0.02
	Mustard seed forage	T5
	Pulse forage and fodder	0.3
	Wheat forage	1
AS 0654	Wheat straw and fodder, dry	0.2
Boscalid		
AB 0226	Apple pomace, dry	30
AB 0269	Grape pomace, dry	25
AL 0157	Legume animal feeds	70
	Peanut meal	T0.5
	Primary feed commodities {except Legume animal feeds}	15
	Tomato pomace, dry	1
Bromoxynil		
	Primary feed commodities	T1
Buprofezin		

COMPOUND	Animal feed	MRL (mg/kg)
AB 0001	Citrus pulp, dry	5
AB 0269	Grape pomace, dry	5
	Primary feed commodities	0.1
	Tomato pomace, dry	10
Butafenacil		
	Cereal grains forage except rice	*0.01
	Mustard seed fodder, dry	T*0.01
	Mustard seed forage	T*0.01
	Primary feed commodities {except Cereal grains forage except rice; Mustard seed fodder, dry; Mustard seed forage; Pulse forage; Rape seed [canola] fodder, dry; Rape seed [canola] forage; Straw and fodder (dry) of cereal grains except rice; Straw and fodder (dry) of pulse crops}	3
	Pulse forage	*0.01
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	*0.01
AS 0081	Straw and fodder (dry) of cereal grains except rice	*0.02
	Straw and fodder (dry) of pulse crops	*0.01
Butroxydim		
AL 0157	Legume animal feeds	*0.01
Captan		
	Almond hulls	60
AB 0226	Apple pomace, dry	10
AB 0001	Citrus pulp, dry	T15
AB 0269	Grape pomace, dry	10
AL 0157	Legume animal feeds	T50
Carbaryl		
AF 0081	Forage of cereal grains (green)	100

COMPOUND	Animal feed	MRL (mg/kg)
AS 0162	Grass pastures	400
	Hay or fodder (dry) of grasses	300
	Legume fodder	100
	Legume forage	400
AM 0165	Miscellaneous fodder and forage crops	300
	Rice hulls	15
	Sorghum bran	20
AS 0081	Straw and fodder (dry) of cereal grains	100
Carbendazim		
AL 0157	Legume animal feeds	25
Carbetamide		
	Primary feed commodities	2
Carfentrazone-ethyl		
	Almond hulls	*0.05
	Cereal grain forage and fodder	*0.05
	Primary feed commodities {except Cereal grain forage and fodder}	1
Chlorantraniliprole		
	Almond Hulls	10
AB 0226	Apple pomace, dry	3
AB 0001	Citrus pulp, dry	T5
	Cotton seed meal and hulls	0.7
AB 0269	Grape pomace, dry	2
AL 0157	Legume animal feeds	10
	Maize cereals forage and fodder	T10
	Mixed pastures (leguminous/grasses)	T10
	Primary feed commodities {except Legume animal feeds; Maize cereals forage and fodder; Rice straw and fodder, dry; Sorghum	0.5

COMPOUND	Animal feed	MRL (mg/kg)
AS 0649	grain and millet forage and fodder; Sweet corn forage and fodder}	
	Rice hulls	T0.7
	Rice straw and fodder, dry	T10
	Sorghum grain and millet forage and fodder	T15
	Sweet corn forage and fodder	T10
	Tomato pomace, dry	2
Chlordane		
	Primary feed commodities	E0.01
Chlorfenapyr		
AB 0226	Apple pomace, dry	3
Chlormequat		
AS 0654	Wheat forage	25
	Wheat straw and fodder, dry	15
Chlorothalonil		
AL 0072	Pea hay or Pea fodder, dry	250
AL 0697	Peanut fodder	200
AL 1270	Peanut forage (green)	200
	Pulse forage and fodder {except Pea hay or Pea fodder, dry}	160
Chlorpyrifos		
AM 0691	Cotton fodder, dry	30
	Cotton meal and hulls	0.05
AL 1270	Peanut forage (green)	T10
	Peanut hay	T2
Chlorsulfuron		
	Primary feed commodities	10
Cinmethylin		
AS 0654	Wheat forage (fresh weight)	*0.01
	Wheat straw and fodder, dry	*0.01
Clodinafop acid		

COMPOUND	Animal feed	MRL (mg/kg)
AS 0654	Wheat straw and fodder, dry	*0.1
Clodinafop-propargyl		
AS 0654	Wheat straw and fodder, dry	*0.1
Clofentezine		
	Almond hulls	5
Clomazone		
	Mustard seed fodder, dry	T*0.01
	Mustard seed forage	T0.1
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	0.1
	Rice forage	*0.01
AS 0649	Rice straw and fodder, dry	*0.01
Clopyralid		
AM 1051	Fodder beet (fresh weight)	T2
AV 1051	Fodder beet leaves or tops (fresh weight)	T3
	Forage and fodder of cereal grains	25
	Mustard seed forage and fodder	T25
	Mustard seed straw	T10
	Pasture	100
	Rape seed [canola] forage and fodder	25
	Rape seed [canola] straw	10
	Straw of cereal grains	10
Cloquintocet-mexyl		
	Grass pastures	1.5
	Primary feed commodities {except Grass pastures} (fresh weight)	*0.1
Clothianidin		
AL 1020	Alfalfa [lucerne] fodder	*0.01
AL 1021	Alfalfa [lucerne] forage (green)	0.1
	Almond hulls	15

COMPOUND	Animal feed	MRL (mg/kg)
AB 0001	Brassica forage crops (kale; rape; swede; turnips)	3
	Citrus pulp, dry	2
	Cotton seed by-products	T*0.01
AF 0081	Forage of cereal grains (green) {except Maize forage; Sorghum forage (green)}	0.3
AB 0269	Grape pomace, dry	0.7
AS 0645	Maize fodder	0.5
AF 0645	Maize forage	2
	Mustard seed fodder, dry	T0.3
	Mustard seed forage	T3
	Pasture	2
	Pulse fodder	0.2
	Pulse forage (green)	*0.05
	Rape seed [canola] fodder, dry	0.3
	Rape seed [canola] forage	3
AF 0651	Sorghum forage (green)	1
AS 0651	Sorghum straw and fodder, dry	0.1
AS 0081	Straw and fodder (dry) of cereal grains {except Maize fodder; Sorghum straw and fodder, dry}	0.7
AM 0659	Sugar cane fodder	0.5
AV 0659	Sugar cane forage	0.5
	Sweet corn fodder	0.5
	Sweet corn forage	2
	Tomato pomace, dry	2
Cyanamide		
	Almond hulls	*0.01
Cyanazine		
AS 0654	Wheat straw and fodder, dry	*0.01
Cyantraniliprole		

COMPOUND	Animal feed	MRL (mg/kg)
	Brassica forage crops (kale; rape; swede; turnips)	3
AB 0001	Citrus pulp, dry	0.5
AL 0157	Legume animal feeds	T30
	Primary feed commodities {except Brassica forage crops (kale; rape; swede; turnips); Legume animal feeds}	1
	Tomato pomace, dry	0.7
Cyclaniliprole		
	Almond hulls	9
AB 0226	Apple pomace, dry	2
Cyflufenamid		
AB 0269	Grape pomace, dry	0.5
Cyflumetofen		
	Almond hulls	8
AB 0226	Apple pomace, dry	10
AB 0001	Citrus pulp, dry	0.3
AB 0269	Grape pomace, dry	15
	Tomato pomace, dry	15
Cyhalofop-butyl		
	Rice forage	*0.1
AS 0649	Rice straw and fodder, dry	1
Cyhalothrin		
	Brassica forage crops (kale; rape; swede; turnips)	1
	Cotton seed by-products	1
	Forage and fodder of cereal grains	2
AL 0157	Legume animal feeds (green)	1
	Legume fodder/straw	2
	Oilseed forage and fodder	2
Cypermethrin		

COMPOUND	Animal feed	MRL (mg/kg)
AL 0524	Chick-pea fodder	10
	Chick-pea forage	10
AM 0691	Cotton fodder, dry	10
	Forage and fodder of cereal grains	T15
	Lentil fodder	T10
	Lentil forage	T10
	Mustard seed forage and fodder	T15
AL 1270	Peanut forage	T15
	Primary feed commodities {except Chick-pea fodder; Chick-pea forage, Cotton fodder, dry; Forage and fodder of cereal grains; Lentil fodder; Lentil forage; Mustard seed forage and fodder; Peanut forage; Rape seed [canola] forage and fodder}	5
	Rape seed [canola] forage and fodder	15
Cyproconazole		
AF 0081	Fodder and forage of sweet corn	10
	Forage of cereal grains (green) {except Maize forage}	10
	Maize forage and fodder	10
AL 0697	Peanut fodder	20
	Peanut hulls	0.2
	Pulse forage and fodder	3
	Rape seed [canola] forage, fodder and straw	T3
AS 0081	Straw and fodder (dry) of cereal grains {except Maize forage}	3
Cyprodinil		
AB 0226	Almond hulls	0.2
	Apple pomace, dry	10
AL 0157	Legume animal feeds	15

COMPOUND	Animal feed	MRL (mg/kg)
Cyromazine		
	Tomato pomace, dry	T1
2,4-D		
	Forage and fodder of cereal grains	400
	Primary feed commodities {except Forage and fodder of cereal grains}	1500
DDT		
	Primary feed commodities	E0.05
Deltamethrin		
	Fodder and forage of cereal grains	5
	Fodder and forage of oilseeds	5
	Fodder and forage of pulses	5
	Fodder and forage of sweet corn	5
	Rice hulls	7
Diafenthiuron		
	Mustard seed fodder, dry	T*0.01
	Mustard seed forage	T0.05
AL 0697	Peanut forage and fodder	T2
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	0.05
AL 1265	Soya bean forage and fodder	T2
	Tomato pomace, dry	7
Dicamba		
AM 0659	Sugar cane fodder	0.1
AV 0659	Sugar cane forage	0.1
Dichlofluanid		
AI 0697	Peanut fodder	*0.1
Dichlorprop-P		
AB 0001	Citrus pulp, dry	2
Difenoconazole		
AB 0226	Apple pomace, dry	1

COMPOUND	Animal feed	MRL (mg/kg)
AB 0269	Cereal forage	*0.1
	Grape pomace, dry	10
	Peanut forage and fodder	30
	Rice hulls	T20
AS 0649	Rice straw and fodder, dry	T15
AS 0081	Straw and fodder (dry) of cereal grains {except Rice straw and fodder, dry}	*0.05
	Tomato pomace, dry	7
Diffenfenican		
AL 0157	Legume animal feeds	5
AS 0081	Primary feed commodities {except Legume animal feeds; Straw and fodder (dry) of cereal grains}	3
	Straw and fodder (dry) of cereal grains {except Wheat straw and fodder, dry}	0.2
	Wheat straw and fodder, dry	0.5
Dimethenamid-P		
AM 1051	Fodder beet (fresh weight)	T*0.01
AL 1051	Fodder beet leaves or tops (fresh weight)	T*0.01
	Forage and fodder of maize and sweet corn	*0.02
AL 0157	Legume animal feeds	0.07
	Rape seed [canola] forage, fodder and straw (fresh weight)	T*0.01
Dimethoate see also Omethoate		
AB 0001	Citrus pulp, dry	10
	Cotton seed meal and hulls	0.5
	Primary feed commodities	40
	Tomato pomace, dry	0.02
Dimpropyridaz		
	Tomato pomace, dry	10

COMPOUND	Animal feed	MRL (mg/kg)
Dinotefuran		
	Cotton seed hulls	0.2
	Mung bean forage and fodder	0.3
Diphenylamine		
	Apple pomace, wet	20
Diquat		
AL 0157	Legume animal feeds	100
	Oilseed forage and fodder	30
Dithiocarbamates (mancozeb, metham, metiram, thiram, zineb and ziram)		
	Primary feed commodities	50
AL 1029	Vetch	T0.5
Diuron		
AL 0157	Legume animal feeds	2
	Primary feed commodities {except Legume animal feeds}	50
Enamectin		
	Fodder and forage of sweet corn	0.05
AL 0157	Legume animal feeds	0.1
	Maize cereals forage and fodder (fresh weight)	T*0.01
	Mustard seed forage, fodder and straw	T0.05
	Pulse forage and fodder (fresh weight)	*0.01
	Rape seed [canola] forage, fodder and straw	0.05
	Sorghum forage and fodder	0.02
	Tomato pomace, dry	0.3
	Wheat, similar grains, and pseudocereals without husks forage and fodder (fresh weight)	T*0.01
GC 2086		
Endothal		

COMPOUND	Animal feed	MRL (mg/kg)
Endrin	Primary feed commodities	T20
	Primary feed commodities	E0.03
Epoxiconazole	Cereal forage	5
	Straw and fodder (dry) of cereal grains	7
AS 0081		
Ethephon	Grape pomace, dry	30
	Primary feed commodities	10
AB 0269		
Ethion	Cotton fodder, dry	20
AM 0691		
Ethofumesate	Pasture	500
Ethoxysulfuron	Sugar cane fodder (fresh weight)	*0.01
	Sugar cane forage	*0.01
AM 0659		
AV 0659		
Etoxazole	Almond hulls	2
	Apple pomace, dry	2
AB 0226		
AB 0001	Citrus pulp, dry	3
AB 0269	Grape pomace, dry	2
AS 0645	Maize fodder	T2
AF 0645	Maize forage	T1
AL 0528	Pea vines (green)	T0.1
	Sweet corn fodder	T2
	Sweet corn forage	T1
	Tomato pomace, dry	0.5
Fenbuconazole	Wheat forage	2
	Wheat straw and fodder, dry	1
AS 0654		

COMPOUND	Animal feed	MRL (mg/kg)
Fenhexamid		
	Grape pomace (wet weight basis)	50
AL 0528	Pea vines (green)	150
Fenitrothion		
AL 1020	Alfalfa [lucerne] fodder	T5
AL 1021	Alfalfa [lucerne] forage (green)	T5
	Legume animal feeds {except Alfalfa [lucerne] fodder; Alfalfa [lucerne] forage }	T10
AL 0157	Oilseed forage and fodder	10
	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	T10
AS 0161		
Fenoxaprop-ethyl		
	Cereal forage (fresh weight)	*0.01
AL 0524	Chick-pea fodder	0.5
	Chick-pea forage	0.5
AS 0649	Rice straw and fodder, dry	T1
	Straw and fodder (dry) of cereal grains {except Rice}	0.5
AS 0081		
Fenpropidin		
AB 0269	Grape pomace, dry	0.3
Fenpyrazamine		
AB 0269	Grape pomace, dry	1
Fenvalerate		
AL 1020	Alfalfa [lucerne] fodder	5
AL 1021	Alfalfa [lucerne] forage (green)	5
AB 0269	Grape pomace, dry	0.5
	Primary feed commodities {except Alfalfa [lucerne] fodder; Alfalfa [lucerne] forage}	10
Fipronil		

COMPOUND	Animal feed	MRL (mg/kg)
	Mixed pastures (leguminous/grasses) (fresh weight)	0.02
	Rape seeds forage and fodder	*0.01
AS 0649	Rice straw and fodder, dry	0.005
AF 0651	Sorghum forage (green) (fresh weight)	0.02
AS 0651	Sorghum straw and fodder, dry	*0.01
AL 0541	Soya bean fodder	T*0.04
AL 1265	Soya bean forage (green) (fresh weight)	T*0.04
AM 0659	Sugar cane fodder	0.01
	Sunflower forage (fresh weight)	*0.01
Flamprop-methyl		
AL 0524	Chick-pea fodder	1
	Chick-pea forage	2
	Triticale straw and fodder, dry	0.1
AS 0654	Wheat straw and fodder, dry	0.1
Flonicamid		
	Alfalfa [lucerne] fodder and forage	T5
AB 0226	Apple pomace, dry	3
	Cotton seed meal and hulls	3
	Mustard seed forage and fodder	T3
	Rape seed [canola] forage and fodder	3
Florasulam		
AF 0081	Forage of cereal grains (green) (fresh weight)	*0.05
	Primary feed commodities {except Forage of cereal grains (fresh weight); Straw and fodder (dry) of cereal grains}	0.3
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Florpyrauxifen-benzyl		

COMPOUND	Animal feed	MRL (mg/kg)
AS 0649	Grass pastures	20
	Rice forage	5
	Rice straw and fodder, dry	0.5
	Sorghum forage (green)	3
	Sorghum straw and fodder, dry	0.5
Florylpicoxamid		
AB 0269	Grape pomace, dry	100
	Wheat forage	5
AS 0654	Wheat straw and fodder, dry	2
Fluazaindolizine		
	Primary feed commodities	0.3
	Tomato pomace, dry	2
Flubendiamide		
	Cotton seed meal and hulls	0.05
	Tomato pomace, dry	20
Fludioxonil		
AB 0226	Apple pomace, dry	100
AB 0001	Citrus pulp, dry	30
AB 0269	Grape pomace, dry	50
AL 0157	Legume animal feeds	30
AS 0645	Maize fodder	*0.02
AF 0645	Maize forage	*0.02
	Mustard seed forage	1
	Mustard seed straw and fodder	*0.02
	Peanut hulls	T*0.01
	Rape seed [canola] forage	1
	Rape seed [canola] straw and fodder	*0.02
	Sorghum forage (green)	*0.01
	Sorghum straw and fodder, dry	*0.01
	Sunflower forage and fodder	T*0.02

COMPOUND	Animal feed	MRL (mg/kg)
Fluensulfone	Sweet corn forage and fodder	*0.02
	Primary feed commodities {except Sugar cane forage and fodder}	10
	Sugar cane forage and fodder	*0.03
	Tomato pomace, dry	2
Flumetsulam		
AL 1020	Alfalfa [lucerne] fodder	15
AL 1021	Alfalfa [lucerne] forage (green)	15
	Chicory forage	0.1
AF 0081	Forage of cereal grains (green) {except Maize forage}	2
AF 0645	Maize fodder	*0.05
AS 0645	Maize forage	*0.05
	Mixed pastures (leguminous/grasses)	15
	Peanut forage and fodder	*0.05
	Pulse forage and fodder	*0.05
AS 0081	Straw and fodder (dry) of cereal grains {except Maize fodder}	2
Flumioxazin		
AL 1020	Alfalfa [lucerne] fodder	30
AL 1021	Alfalfa [lucerne] forage (green)	30
	Almond hulls	1
	Cereal grains forage {except Wheat forage (fresh weight)}	*0.05
	Oilseed forage (fresh weight)	*0.05
	Oilseed straw and fodder	*0.1
	Primary feed commodities {except Alfalfa [lucerne] fodder; Alfalfa [lucerne] forage; Cereal grains forage {except Wheat forage (fresh weight)}; Oil seeds forage (fresh weight); Oilseed straw and fodder;	20

COMPOUND	Animal feed	MRL (mg/kg)
	Pulse forage and fodder Straw and fodder (dry) of cereal grains; Sugar cane fodder; Sugar cane forage and Wheat forage}	
	Pulse forage and fodder	0.3
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
AM 0659	Sugar cane fodder	*0.01
AV 0659	Sugar cane forage	*0.01
	Wheat forage	0.5
Fluopicolide		
	Primary feed commodities	1
Fluopyram		
	Almond hulls	15
AB 0226	Apple pomace, dry	7
	Bean forage and fodder	15
AB 0001	Citrus pulp, dry	0.2
AB 0269	Grape pomace, dry	3
	Primary feed commodities {except Bean forage and fodder}	5
	Tomato pomace, dry	15
Flupropanate		
	Mixed pastures (leguminous/grasses)	300
Flupyradifurone		
AL 0061	Bean fodder	20
AL 1030	Bean forage (green)	20
	Primary feed commodities, except Bean fodder and Bean forage (green)	0.3
	Tomato pomace, dry	5
Fluquinconazole		
	Barley forage	2

COMPOUND	Animal feed	MRL (mg/kg)
AS 0640	Barley straw and fodder, dry	0.5
	Mustard seed forage	T0.5
	Mustard seed straw and fodder, dry	T*0.01
	Pome fruit pomace, dry	3
	Rape seed [canola] forage	0.5
	Rape seed [canola] straw and fodder, dry	*0.01
	Wheat forage	2
AS 0654	Wheat straw and fodder, dry	0.5
Fluroxypyr		
AF 0161	Forage of cereal grains and other grass-like plants	100
	Mixed pastures (leguminous/grasses)	700
	Primary feed commodities {except Straw, fodder (dry) and hay of cereal grains and other grass-like plants; Sugar cane fodder and forage}	25
	Rice hulls	T0.3
	Straw and fodder (dry) and hay of cereal grains and other grass-like plants	100
AS 0161		
AM 0659	Sugar cane fodder	100
AV 0659	Sugar cane forage	100
Flutriafol		
	Mustard seed forage	T20
	Primary feed commodities {except Mustard seed forage, Rape seed [canola] forage}	5
	Rape seed [canola] forage	20
Fluoxapiprolin		
AB 0269	Grape pomace, dry	5
Fluxapyroxad		

COMPOUND	Animal feed	MRL (mg/kg)
AB 0226 AB 0001	Almond hulls	30
	Apple pomace, dry	5
	Citrus pulp, dry	4
	Forage and fodder of cereal grains	20
	Primary feed commodities {except Forage and fodder of cereal grains }	1
	Tomato pomace, dry	4
Fomesafen		
	Mixed pastures (leguminous/grasses) (fresh weight)	T0.05
	Pulse forage and fodder (fresh weight)	*0.01
Glufosinate and Glufosinate ammonium		
AL 0061	Bean fodder	T*0.05
AL 1030	Bean forage (green)	T*0.05
	Cotton meal and hulls	5
AF 0081	Forage of cereal grains (green)	2
	Forage of pulse crops (green)	2
AS 0162	Hay or fodder (dry) of grasses	5
	Mixed pastures (leguminous/grasses)	15
	Mustard seed forage and fodder	T40
	Mustard seed meal	T1
	Oilseed fodder {except Mustard seed fodder; Rape seed [canola] straw and fodder, dry}	0.5
	Oilseed forage {except Mustard forage; Rape seed [canola] forage}	2
AL 0528	Pea vines (green)	T*0.05
	Rape seed [canola] forage and fodder	40
	Rape seed [canola] meal	1

COMPOUND	Animal feed	MRL (mg/kg)
AS 0081	Straw and fodder (dry) of cereal grains	0.5
	Straw and fodder (dry) of pulse crops	0.5
AM 0659	Sugar cane fodder	*0.2
AV 0659	Sugar cane forage	*0.2
Glyphosate		
AV 0691	Cotton forage	100
	Linseed forage and fodder	50
	Linseed meal	20
	Mustard seed forage and fodder	300
	Mustard seed meal	15
	Primary feed commodities {except Cotton forage; Linseed forage and fodder; Mustard seed forage and fodder; Rape seed [canola] forage and fodder}	200
	Rape seed [canola] forage and fodder	300
	Rape seed [canola] meal	15
	Safflower meal	10
	Sesame meal	40
	Soya bean aspirated grain fractions	50
	Soya bean hulls	10
	Sugar cane molasses	T5
	Sunflower meal	5
Halauxifen-methyl		
AF 0081	Forage of cereal grains (green)	0.2
	Grass pastures	2
	Primary feed commodities {except Forage of cereal grains (green), Grass pastures; Straw and fodder (dry) of cereal grains}	1

COMPOUND	Animal feed	MRL (mg/kg)
AS 0081	Straw and fodder (dry) of cereal grains	0.02
Halosulfuron-methyl		
AS 0654	Maize fodder	2
AF 0654	Maize forage	2
	Pasture	*0.01
AS 0649	Rice straw and fodder, dry	T0.5
AS 0651	Sorghum fodder	0.1
AF 0651	Sorghum forage (fresh weight)	*0.05
AL 0541	Soya bean fodder	T0.05
AL 1265	Soya bean forage (green)	T2
AV 0659	Sugar cane forage	*0.05
Haloxypop		
AL 1021	Alfalfa [lucerne] forage (green)	5
AL 0061	Bean fodder	0.5
AL 1030	Bean forage (green)	5
AL 0524	Chick-pea fodder	0.5
	Chick-pea forage	10
	Hemp fodder	T0.5
	Hemp forage	T10
	Linola fodder	0.5
	Linola forage	10
	Linseed fodder	0.5
	Linseed forage	10
	Lupin fodder	0.5
AL 0545	Lupin forage	10
	Mustard seed fodder	0.5
	Mustard seed forage	10
	Pasture	3
	Pea fodder	0.5
AL 0528	Pea vines (green)	5

COMPOUND	Animal feed	MRL (mg/kg)
AL 0697	Peanut fodder	5
AL 1270	Peanut forage (green)	3
	Rape seed [canola] fodder	0.5
	Rape seed [canola] forage	10
	Sesame seed fodder	T0.5
	Sesame seed forage	T10
AL 1029	Vetch	3
HCB		
	Primary feed commodities	E0.01
Heptachlor		
	Primary feed commodities	E0.02
Hexythiazox		
AB 0226	Apple pomace, dry	5
Imazamox		
	Adzuki bean forage and fodder (fresh weight)	T*0.05
	Barley forage and fodder	0.7
	Barley straw	*0.05
	Broad beans, dry [faba bean] forage and fodder (fresh weight)	*0.01
	Legume animal feeds {except Broad bean, dry [faba bean] forage and fodder; Mung bean forage and fodder; Peanut forage; Pea vines (green), Soya bean forage}	1
AL 0157	Mung bean forage and fodder (fresh weight)	T*0.05
	Mustard seed fodder	T*0.05
	Mustard seed forage (fresh weight)	T*0.05
AL 0528	Pea vines (green) (fresh weight)	*0.05
AL 1270	Peanut forage (green) (fresh weight)	*0.05
	Rape seed [canola] fodder	*0.05

COMPOUND	Animal feed	MRL (mg/kg)
AL 1265	Rape seed forage [canola] (fresh weight)	*0.05
	Sorghum forage and fodder	0.7
	Sorghum straw	*0.05
	Soya bean forage (green) (fresh weight)	*0.05
	Sunflower forage and fodder	*0.05
	Sunflower meal	0.2
	Wheat forage and fodder	0.7
	Wheat straw	*0.05
Imazapic (formerly known as Imazameth)		
AS 0647	Cereal grains forage (fresh weight)	*0.05
	Mustard seed fodder, dry	T*0.05
	Mustard seed forage	T*0.05
AL 0697	Oat straw and fodder, dry	*0.02
AL 1270	Peanut fodder	*0.1
AS 0081	Peanut forage (green)	*0.1
	Rape seed [canola] fodder, dry	*0.05
	Rape seed [canola] forage	*0.05
	Straw and fodder (fresh weight) of cereal grains {except Oat straw and fodder, dry}	0.5
	Imazapyr	
AS 0645	Broad beans, dry [faba bean] forage and fodder	0.3
	Forage and fodder of cereal grains {except Maize fodder, dry; Maize forage (fresh weight); Oat forage and fodder}	1
	Maize fodder, dry	*0.05
AF 0645	Maize forage (fresh weight)	*0.05
	Mustard seed fodder, dry	T*0.05
	Mustard seed forage	T*0.05

COMPOUND	Animal feed	MRL (mg/kg)
	Oat forage and fodder	*0.01
	Primary feed commodities {except Forage and fodder (dry) of cereal grains; Maize fodder, dry; Maize forage (fresh weight); Mustard seed fodder, dry; Mustard seed forage; Oat forage and fodder; Rape seed [canola] fodder (dry); Rape seed [canola] forage; Straw of cereal grains, dry; Sunflower forage and fodder}	15
	Rape seed [canola] fodder, dry	*0.05
	Rape seed [canola] forage	*0.05
	Straw of cereal grains, dry {except Oat forage and fodder}	*0.05
	Sunflower forage and fodder	*0.05
Imazethapyr		
AS 0645	Maize fodder, dry	*0.05
AF 0645	Maize forage (fresh weight)	*0.05
	Primary feed commodities (fresh weight) {except Maize fodder (dry) and Maize forage (fresh weight)}	*0.1
Imidacloprid		
AB 0226	Alfalfa [lucerne] fodder and forage	1
	Apple pomace, dry	2
	Brassica forage crops (kale; rape; swede; turnips)	1
AB 0001	Cereal grains forage {except Maize forage}	10
	Citrus pulp, dry	10
	Cotton seed hulls	*0.02
	Cotton seed meal	0.02
AL 0157	Legume animal feeds	15
AF 0645	Maize forage	20
	Mustard seed fodder and forage	T1

COMPOUND	Animal feed	MRL (mg/kg)
AS 0081	Pasture	1
	Poppy seed fodder and forage	T1
	Rape seed [canola] fodder and forage	1
	Straw and fodder (dry) of cereal grains	0.7
AM 0659	Sugar cane fodder, dry	2
	Sweet corn fodder	10
	Sweet corn forage	20
Indaziflam		
	Almond hulls	0.3
	Primary feed commodities	30
Indoxacarb		
AB 0226	Apple pomace, dry	20
	Cotton seed meal and hulls	*0.05
AB 0269	Grape pomace, dry	3
	Hemp forage and fodder	T10
AL 0157	Legume animal feeds	10
	Linseed fodder	T10
	Linseed forage	T10
	Maize cereals fodder	T30
	Maize cereals forage	T50
	Mixed pastures (leguminous/grasses)	1
	Peanut fodder	T50
	Soya bean hulls and aspirated grain fractions	2
	Soya bean meal	0.02
	Sweet corn fodder	30
	Sweet corn forage	50
	Tomato pomace, dry	10
Iodosulfuron methyl		

COMPOUND	Animal feed	MRL (mg/kg)
AF 0081	Forage of cereal grains (green)	0.5
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Ipconazole		
AF 0081	Forage of cereal grains (green)	*0.01
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Ipflufenquin		
AB 0226	Apple pomace, dry	0.5
AB 0226	Grape pomace, dry	0.2
Iprodione		
AL 1021	Alfalfa [lucerne] forage	20
AB 0001	Citrus pulp, dry	T15
	Lupin forage and fodder, dry	T10
	Mustard seed forage	T1
	Mustard seed straw and fodder, dry	T1
AL 1270	Peanut forage (green)	20
	Rape seed [canola] forage	1
	Rape seed [canola] straw and fodder, dry	1
AL 1265	Soya bean forage (green)	5
Isocycloseram		
	Rape seed [canola] forage and fodder	*0.01
	Tomato pomace, dry	2
Isopyrazam		
	Almond Hulls	100
AB 0226	Apple pomace, dry	4
Isoxaben		
	Cereal forage (fresh weight)	*0.01
AS 0081	Straw and fodder (dry) of cereal grains	0.1

COMPOUND	Animal feed	MRL (mg/kg)
Isoxaflutole		
AL 0524	Chick-pea fodder	*0.02
	Chick-pea forage	0.5
	Primary feed commodities {except Chick-pea fodder; Chick-pea forage; Sugar cane fodder}	0.3
AM 0659	Sugar cane fodder	*0.01
Kresoxim-methyl		
AB 0226	Apple pomace, dry	0.5
Lindane		
	Primary feed commodities	E0.1
Maldison		
AB 0226	Apple pomace, dry	20
	Tomato pomace, dry	10
Mandestrobin		
AF 0061	Bean fodder	70
AL 1030	Bean Forage (green)	70
Mandipropamid		
AB 0269	Grape pomace, dry	30
MCPA		
	Primary feed commodities	500
MCPB		
	Primary feed commodities	300
Mefenpyr-diethyl		
AS 0081	Primary feed commodities {except Straw and fodder (dry) of cereal grains}	3
	Straw and fodder (dry) of cereal grains	1
Mefentrifluconazole		
AB 0226	Almond hulls	7
	Apple pomace, dry	5

COMPOUND	Animal feed	MRL (mg/kg)
AB 0269	Forage and fodder of cereal grains	T20
	Grape pomace, dry	5
	Rape seed [canola] forage and fodder	T2
	Tomato pomace, dry	15
Mepiquat		
	Cotton seed meal and hulls	2
Mesosulfuron-methyl		
AS 0654	Wheat forage (fresh weight)	*0.02
	Wheat straw and fodder, dry	*0.02
Mesotrione		
	Cereal forage and fodder	*0.01
	Linseed forage and fodder	T*0.01
	Sweet corn forage and fodder	T*0.01
Metalaxyl		
AS 0081	Almond hulls	T100
	Cereal grains forage	T0.7
	Straw and fodder (dry) of cereal grains	*0.05
Metazachlor		
	Primary feed commodities	2
Metcamifen		
AF 0651	Sorghum forage (green) (fresh weight)	*0.01
AS 0651	Sorghum straw and fodder, dry	*0.01
Methomyl see also Thiodicarb		
	Cassava leaves and tops	T80
Methoxychlor		
	Primary feed commodities	E1
Methoxyfenozide		
AB 0226	Almond hulls	50
	Apple pomace, dry	3

COMPOUND	Animal feed	MRL (mg/kg)
AL 0524	Chick-pea fodder	15
	Chick-pea forage	50
AB 0001	Citrus pulp, dry	10
AB 0269	Grape pomace, dry	3
AS 0645	Maize fodder	15
AF 0645	Maize forage	30
AL 0536	Mung bean fodder	30
	Mung bean forage	50
AL 0528	Pea vines (green)	T200
AL 1265	Soya bean forage and fodder	50
	Sweet corn forage and fodder	T200
Metolachlor		
	Cotton fodder	0.1
AS 0645	Maize fodder	0.1
AF 0645	Maize forage	*0.02
	Primary feed commodities	5
AF 0651	Sorghum forage (green)	3
AS 0651	Sorghum straw and fodder, dry	0.2
	Sweet corn forage and fodder	T200
Metosulam		
AF 0161	Forage of cereal grains and other grass-like plants	*0.1
AL 0545	Lupin, forage	*0.1
AS 0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	*0.1
Metrafenone		
AB 0269	Grape pomace, dry	3
	Wheat forage	T40
AS 0654	Wheat straw and fodder, dry	T10
Metribuzin		
AL 0528	Pea vines (green)	T3

COMPOUND	Animal feed	MRL (mg/kg)
	Mustard seed straw and fodder	T*0.02
	Primary feed commodities {except Mustard seed straw and fodder; Pea vines (green); Rape seed {canola} straw and fodder}	0.2
	Rape seed [canola] straw and fodder	*0.02
Metsulfuron-methyl		
AL 0524	Chick-pea fodder (fresh weight)	*0.05
	Chick-pea forage (fresh weight)	*0.05
AF 0161	Forage of cereal grains and other grass-like plants	1
	Linseed forage and fodder	0.2
	Mung bean forage and fodder	1
	Safflower forage and fodder	0.2
AS 0161	Straw and fodder (dry) and hay of cereal grains and other grass-like plants	1
Milbemectin		
AB 0226	Apple pomace, dry	0.3
	Tomato pomace, dry	0.1
Myclobutanil		
AB 0269	Grape pomace, dry	5
Napropamide		
	Mustard seed fodder, dry	T*0.01
	Mustard seed forage	T0.1
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	0.1
Niclosamide		
AS 0649	Rice straw and fodder, dry	T*0.01
Novaluron		
AB 0226	Apple pomace, dry	1
	Tomato pomace, dry	0.3

COMPOUND	Animal feed	MRL (mg/kg)
Omethoate		
AB 0001	Citrus pulp, dry	0.5
	Cotton seed meal and hulls	*0.05
	Primary feed commodities	10
	Tomato pomace, dry	0.02
Oxathiapiprolin		
AB 0269	Grape pomace, dry	3
Paraquat		
	Primary feed commodities	500
Pendimethalin		
AL 0157	Legume animal feeds	T0.7
	Mustard seed fodder and forage	T*0.05
	Oats forage and fodder (fresh weight)	T*0.05
	Rape seed [canola] fodder and forage	*0.05
Penflufen		
	Brassica forage crops (kale; rape; swede; turnips)	*0.01
	Forage and fodder of chick-pea	T1
	Forage and fodder of lentil	T1
	Forage and fodder of lupin	T1
	Forage and fodder of soya bean	T1
AF 0081	Forage of cereal grains (green)	3
AS 0162	Hay or fodder (dry) of grasses	*0.01
	Legume animal feeds {except Forage and fodder of chick-pea; Forage and fodder of lentil; Forage and fodder of lupin; Forage and fodder of soya bean}	*0.01
AL 0157	Mixed pastures (leguminous/grasses)	*0.01
	Mustard seed forage, fodder and straw	T*0.05

COMPOUND	Animal feed	MRL (mg/kg)
AS 0081	Rape seed [canola] forage, fodder and straw	*0.05
	Straw and fodder (dry) of cereal grains	*0.05
Penthiopyrad		
AB 0226	Almond hulls	7
	Apple pomace, dry	5
	Tomato pomace, dry	70
Permethrin		
AL 0528	Pea vines (green)	15
Phenmedipham		
AM 1051	Fodder beet (fresh weight)	0.2
AV 1051	Fodder beet leaves or tops (fresh weight)	2
Phosphorous acid		
AL 1023	Clover	100
AM 0353	Pineapple fodder	100
Picloram		
AM 0659	Sugar cane fodder, dry	50
AV 0659	Sugar cane forage, dry	50
Picolinafen		
AL 1023	Cereal grains forage	0.5
	Clover	2
	Field pea forage	0.5
AL 0545	Lupin forage	2
	Lupin straw, dry	*0.02
AL 0072	Pea hay or pea fodder, dry	0.05
AS 0081	Straw and fodder (dry) of cereal grains	*0.02
Pinoxaden		
AS 0640	Barley forage	3
	Barley straw and fodder, dry	1

COMPOUND	Animal feed	MRL (mg/kg)
AS 0654	Wheat forage	3
	Wheat straw and fodder, dry	1
Piperonyl butoxide		
	Cotton seed meal	T*0.05
Pirimicarb		
AM 0691	Almond hulls	2
	Cotton fodder, dry	20
	Primary feed commodities	20
Procymidone		
AB 0269	Broad bean (dry) [faba bean (dry)] forage and fodder	T5
	Chick-pea forage and fodder	T7
	Common bean (dry) [navy bean (dry)] forage and fodder	T20
	Grape pomace, dry	50
	Lentil forage	5
	Lentil straw and fodder, dry	5
	Lupin forage and fodder	0.1
	Mustard seed forage and fodder	T5
	Rape seed [canola] forage and fodder	5
Profenofos		
	Cotton meal and hulls	1
Profoxydim		
AS 0649	Rice forage	5
	Rice straw and fodder, dry	*0.02
Prohexadione-calcium		
AB 0226	Apple pomace, dry	0.1
Prometryn		
AL 0524	Chick-pea fodder	0.5
	Chick-pea forage	0.5
AS 0162	Hay or fodder (dry) of grasses	50

COMPOUND	Animal feed	MRL (mg/kg)
Propachlor		
AS 0645	Maize fodder	1
AF 0645	Maize forage	5
AF 0651	Sorghum forage (green)	15
AS 0651	Sorghum straw and fodder, dry	5
Propamocarb		
	Primary feed commodities	0.7
Propaquizafop		
	Cotton fodder	*0.05
AL 0157	Legume animal feeds {except Legume pastures; Peanut fodder; Peanut forage }	*0.1
AL 0697	Peanut fodder	*0.05
AL 1270	Peanut forage	2
	Primary feed commodities {except Cotton fodder; Legume animal feeds; Peanut forage and fodder; Peanut fodder; Peanut forage}	5
Propargite		
	Sweet corn forage and fodder	T20
Propiconazole		
	Almond hulls	10
	Cane tops (fresh weight)	0.05
	Cereal grains forage	10
AB 0001	Citrus pulp, dry	10
	Fodder and forage of pulses	T30
	Fodder and forage of sweet corn	T10
AS 0650	Forage and fodder (dry) of perennial ryegrass	10
	Forage and fodder (dry) of prairie grass	T1
	Peanut forage and fodder	30

COMPOUND	Animal feed	MRL (mg/kg)
AS 0081	Straw and fodder (dry) of cereal grains	5
	Tomato pomace, dry	5
Propyzamide		
	Mustard seed forage	3
	Mustard seed straw and fodder	0.2
	Pulse forage and fodder	2
	Quinoa forage	T3
	Quinoa straw and fodder	T0.2
	Rape seed [canola] forage	3
	Rape seed [canola] straw and fodder	0.2
	Safflower forage	T3
	Safflower straw and fodder	T0.2
Proquinazid		
AB 0226	Apple pomace, dry	3
AB 0269	Grape pomace, dry	15
	Tomato pomace, dry	5
AS 0654	Wheat straw and fodder, dry	T0.3
	Wheat forage	T1
Prosulfocarb		
	Barley forage	0.5
AS 0640	Barley straw and fodder, dry	0.05
AL 0157	Legume animal feeds	0.2
	Oat forage	*0.01
AS 0647	Oat straw and fodder, dry	*0.01
	Safflower forage and fodder	T0.2
	Triticale forage	*0.01
	Triticale straw and fodder, dry	*0.01
	Wheat forage	0.5
AS 0654	Wheat straw and fodder, dry	0.05

COMPOUND	Animal feed	MRL (mg/kg)
Prothioconazole		
AL 0697	Cereal forage and fodder	7
	Cereal straw	3
	Grass pasture	T7
	Lupin forage and fodder	T15
	Mustard seed forage, fodder and straw	10
	Peanut fodder	30
	Pulse forage and fodder {except Lupin forage and fodder; Soya bean forage and fodder}	7
AL 0541	Rape seed [canola] forage, fodder and straw	10
	Soya bean forage and fodder	30
	Sunflower forage and fodder	3
Pydiflumetofen		
AB 0269	Grape pomace dry	50
	Peanut forage and fodder	30
	Mustard seed forage	T3
	Primary feed commodities {except Mustard seed forage; Pulse forage and fodder; Rape Seed [canola] forage}	0.2
	Pulse forage and fodder	10
	Rape seed [canola] forage	3
	Tomato pomace, dry	7
Pymetrozine		
AL 0545	Almond Hulls	0.07
	Broad bean, dry [faba bean] forage	T3
	Broad beans, dry [faba bean] straw and fodder, dry	T0.1
	Cotton seed meal and hulls	*0.02
	Lupin forage (green)	T3

COMPOUND	Animal feed	MRL (mg/kg)
	Lupin straw and fodder, dry	T0.1
	Sweet corn forage and fodder	1
Pyraclostrobin		
AL 1020	Alfalfa [lucerne] fodder	T1.5
AL 1021	Alfalfa [lucerne] forage (green)	T1.5
	Almond hulls	15
AB 0226	Apple pomace, dry	25
	Cereal forage, green	5
AB 0001	Citrus pulp, dry	5
AB 0269	Grape pomace, dry	10
	Straw and fodder (dry) of cereal grains	0.5
AS 0081	Tomato pomace, dry	1
Pyraflufen-ethyl		
AL 0157	Legume animal feeds	5
	Primary feed commodities {except Legume animal feeds}	3
Pyrasulfotole		
	Primary feed commodities {except Straw and fodder (dry) of cereal grains}	0.7
AS 0081	Straw and fodder (dry) of cereal grains	*0.02
Pyrethrins		
AL 0061	Bean fodder	T0.7
AL 1030	Bean forage (green)	T5
	Cotton seed meal	T*0.05
	Mixed pastures (leguminous/grasses)	T5
Pyridate		
	Chick-pea forage and fodder	0.7
Pyrimethanil		
AB 0001	Citrus pulp, dry	3

COMPOUND	Animal feed	MRL (mg/kg)
AB 0269	Grape pomace, dry	40
	Pome fruit pomace, dry	100
Pyriofenone		
AB 0269	Grape pomace, dry	5
	Primary feed commodities	0.5
Pyriproxyfen		
AL 1030	Bean forage (green)	T15
AB 0001	Citrus pulp, dry	2
	Cotton seed meal and hulls	*0.02
AB 0269	Grape pomace, dry	1
Pyroxasulfone		
	Primary feed commodities {except Wheat forage}	0.7
	Wheat forage	1
Pyroxsulam		
	Triticale forage	0.5
	Triticale straw and fodder, dry	0.1
	Wheat forage	0.5
AS 0654	Wheat straw and fodder, dry	0.1
Quinoxifen		
	Barley forage	5
AS 0640	Barley straw and fodder, dry	2
AB 0269	Grape pomace, dry	5
Quintozene		
	Tomato pomace, dry	0.2
Quizalofop-ethyl		
	Barley forage	2
AS 0640	Barley straw and fodder, dry	0.1
AL 1023	Clover	2
	Forage and fodder of soybeans, chick-pea, field peas, lupins, faba	10

COMPOUND	Animal feed	MRL (mg/kg)
AL 1270	beans, mung beans, navy beans, lentils, vetch and green beans	
	Hemp forage and fodder	T10
	Medic pastures	10
	Mustard seed forage and fodder	T5
	Peanut forage (green)	0.5
	Rape seed [canola] forage and fodder	5
Quizalofop-P-tefuryl		
AL 1023	Clover	2
AL 1270	Forage and fodder of soybeans, chick-peas, field pea, lupins, faba beans, mung beans navy beans and green beans	10
	Medic pastures	10
	Mustard seed forage and fodder	T5
	Peanut forage (green)	0.5
	Rape seed [canola] forage and fodder	5
Saflufenacil		
AL 0157	Almond hulls	*0.1
	Legume animal feeds	3
	Linseed forage and fodder	T5
	Oilseed fodder {except Linseed fodder}	*0.1
	Oilseed forage (fresh weight) {except Linseed forage}	*0.1
	Primary Feed Commodities {except Legume animal feeds; Linseed forage and fodder; Oilseed Fodder; Oilseed forage (fresh weight); Rice forage (fresh weight); Rice straw and fodder, dry; Sorghum forage (fresh weight); Sorghum straw and fodder, dry}	1
	Rice forage (fresh weight)	*0.01

COMPOUND	Animal feed	MRL (mg/kg)
AS 0649	Rice straw and fodder, dry	*0.01
AF 0651	Sorghum forage (green) (fresh weight)	*0.1
AS 0651	Sorghum straw and fodder, dry	*0.1
Sedaxane		
	Cereal forage	0.2
AS 0081	Straw and fodder (dry) of cereal grains	*0.01
Sethoxydim		
	Barley forage (fresh weight)	*0.1
	Hemp forage and fodder	T10
AL 0157	Legume animal feeds {except Peanut fodder and Peanut forage (green)}	15
	Linseed forage and fodder	10
	Mustard seed fodder and forage	T10
AL 0697	Peanut fodder	10
AL 1270	Peanut forage (green)	10
	Quinoa forage and fodder	T10
	Rape seed [canola] fodder and forage	10
	Safflower forage and fodder	T10
	Safflower seed meal	T1
	Sesame seed fodder and forage	T10
	Wheat forage (fresh weight)	*0.1
AS 0654	Wheat straw and fodder, dry	*0.1
Simazine		
	Broad bean, dry [faba bean] forage	3
	Broad beans, dry [faba bean] fodder	0.1
AL 0524	Chick-pea fodder	0.5
	Chick-pea forage	0.5
	Mustard seed forage	T5

COMPOUND	Animal feed	MRL (mg/kg)
Spinetoram	Mustard seed straw and fodder	T1
	Rape seed [canola] forage	5
	Rape seed [canola] straw and fodder	1
	Almond hulls	4
	Apple pomace, dry	1
	Brassica forage crops (kale; rape; swede; turnips)	0.5
	Citrus pulp, dry	0.2
	Fodder beet (fresh weight)	*0.01
	Fodder beet leaves or tops	0.5
	Grape pomace, dry	2
	Legume animal feeds	1
	Maize cereals forage and fodder	0.3
	Mustard seed forage and fodder	T0.1
	Rape seed [canola] forage and fodder	0.1
	Sorghum grain and millet forage and fodder	T0.2
Spinosad	Sweet corn forage and fodder	5
	Tomato pomace, dry	1
	Apple pomace, dry	1
	Citrus pulp, dry	1
	Cotton seed by-products	*0.01
	Grape pomace, dry	1
	Legume animal feeds	1
	Rice hulls	4
	Sorghum forage (green)	0.5
	Sorghum straw and fodder, dry	0.5
	Sweet corn fodder and forage, dry	1

COMPOUND	Animal feed	MRL (mg/kg)
Spirotetramat		
AB 0226	Apple pomace, dry	5
AB 0001	Citrus pulp, dry	2
	Cotton seed meal and hulls	1
AB 0269	Grape pomace, dry	7
AL 0157	Legume animal feeds {except Soya bean forage and fodder}	20
	Mixed pastures (leguminous/grasses)	T5
AL 0541	Soya bean fodder	T50
AL 1265	Soya bean forage (green)	T50
	Sweet corn forage and fodder	5
	Tomato pomace, dry	20
Spiroxamine		
AS 0640	Barley forage	5
	Barley straw and fodder, dry	1
	Grape pomace, dry	10
AL 0528	Pea vines (green)	T30
Sulfosulfuron		
AS 0654	Triticale straw and fodder, dry	0.1
	Wheat straw and fodder, dry	0.1
Sulfoxaflor		
AL 1020	Alfalfa [lucerne] fodder	15
AL 1021	Alfalfa [lucerne] forage (green)	15
	Almond hulls	7
AB 0226	Apple pomace, dry	2
	Brassica forage crops (kale; rape; swede; turnips)	5
AB 0001	Citrus pulp, dry	5
	Cotton seed meal and hulls	0.5
AF 0081	Forage of cereal grains (green)	2
AB 0269	Grape pomace, dry	20

COMPOUND	Animal feed	MRL (mg/kg)
AV 0353	Mustard seed fodder, dry	T3
	Mustard seed forage	T3
	Pineapple forage	7
	Pulse forage and fodder	5
	Rape seed [canola] fodder, dry	3
	Rape seed [canola] forage	3
	Rape seed [canola] meal	0.5
	Soya bean hulls	0.5
AS 0081	Straw and fodder (dry) of cereal grains	1.5
	Sweet corn forage and fodder	2
	Tomato pomace, dry	20
Tebuconazole		
AB 0001	Almond hulls	15
	Citrus pulp, dry	2
AB 0269	Grape pomace, dry	15
	Primary feed commodities	50
	Tomato pomace, dry	7
Tebufenozide		
AB 0269	Grape pomace, dry	10
	Pome fruit pomace, dry	10
Tebuthiuron		
	Mixed pastures (leguminous/grasses)	20
Terbufos		
AF 0081	Forage of cereal grains (green)	*0.05
AL 0697	Peanut fodder	*0.05
	Straw and fodder (dry) of cereal grains	*0.05
AS 0081		
Terbuthylazine		
AL 1020	Alfalfa [lucerne] fodder	10
AL 1021	Alfalfa [lucerne] forage	10

COMPOUND	Animal feed	MRL (mg/kg)
AS 0645	Fodder of sweet corn	0.02
	Maize fodder	0.02
	Mustard seed fodder	0.5
	Primary feed commodities {except Alfalfa [lucerne] fodder; Alfalfa forage [lucerne]; Maize fodder; Mustard seed fodder; Sweet corn fodder; Rape seed [canola] fodder; Sorghum straw and fodder, dry; Straw and fodder (dry) of pulse crops; Sugar cane forage and fodder}	5
AS 0651	Rape seed [canola] fodder	0.5
	Sorghum straw and fodder, dry	*0.02
	Straw and fodder (dry) of pulse crops	*0.05
	Sugar cane forage and fodder	*0.01
Terbutryn		
AS 0161	Field pea forage and fodder	30
	Mixed pastures (leguminous/grasses)	75
	Plantain pasture	75
	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	30
Tetraconazole		
AB 0269	Grape pomace, dry	2
Tetraniliprole		
AB 0226	Almond hulls	5
	Apple pomace, dry	3
AB 0269	Grape pomace, dry	3
	Maize cereals fodder	15
	Maize cereals forage	10
	Primary feed commodities {except Maize cereals fodder; Maize cereals	0.3

COMPOUND	Animal feed	MRL (mg/kg)
	forage; Sorghum grain and millet forage and fodder; Sweet corns fodder; Sweet corns forage}	
	Sorghum grain and millet forage and fodder	20
	Sweet corns fodder	30
	Sweet corns forage	10
Thiacloprid		
AB 0226	Apple pomace, dry	3
	Cotton seed meal and hulls	0.05
Thiamethoxam see also Clothianidin		
AB 0001	Citrus pulp, dry	7
	Cotton seed hulls	0.5
AF 0081	Forage of cereal grains (green)	1
AS 0645	Maize fodder	0.5
	Mustard seed forage	T1
	Mustard seed straw and fodder	T*0.01
	Pulse fodder	0.5
	Pulse forage (green)	0.2
	Rape seed [canola] forage	1
	Rape seed [canola] straw and fodder	*0.01
AS 0651	Sorghum straw and fodder, dry	0.1
	Straw and fodder (dry) of cereal grains {except Maize fodder; Sorghum straw and fodder, dry}	
AS 0081		*0.01
	Tomato pomace, dry	T3
Thiodicarb		
AS 0645	Maize fodder	50
AF 0645	Maize forage	50
	Primary feed commodities {except Maize fodder; Maize forage; Sorghum; Sunflower forage}	30

COMPOUND	Animal feed	MRL (mg/kg)
Tiafenacil	Sunflower forage	*0.05
	Cereal forage and fodder	*0.01
	Cotton gin trash	*0.01
	Mixed pastures (leguminous/grasses)	*0.01
	Mustard seed forage and fodder	*0.01
	Pulse forage and fodder	*0.01
	Rape seed [canola] forage and fodder	*0.01
Topramezone	Cereal forage and fodder	0.03
Tralkoxydim	Primary feed commodities	*0.02
Triadimefon	Primary feed commodities	10
Triadimenol		
AF 0081	Forage of cereal grains (green)	0.5
AS 0651	Sorghum straw and fodder, dry	10
	Tomato pomace	5
Triallate	Primary feed commodities	30
Triasulfuron	Primary feed commodities	5
Tribenuron-methyl	Primary feed commodities (fresh weight)	*0.05
Triclopyr		
AB 0001	Citrus pulp, dry	2
AS 0651	Sorghum straw and fodder, dry	*0.1
Trifloxystrobin	Almond hulls	15

COMPOUND	Animal feed	MRL (mg/kg)
AB 0269	Bean forage and fodder	20
	Brassica forage crops (kale; rape; swede; turnips)	*0.02
	Grape pomace, dry	3
AS 0162	Hay or fodder (dry) of grasses	*0.02
AL 0157	Legume animal feeds {except Bean forage and fodder}	*0.02
	Mixed pastures (leguminous/grasses)	*0.02
	Mustard seed forage, fodder and straw	T*0.02
	Pome fruit pomace, dry	25
	Rape seed [canola] forage, fodder and straw	*0.02
Trifloxysulfuron sodium		
AM 0659	Sugar cane fodder (fresh weight)	*0.02
AV 0659	Sugar cane forage (fresh weight)	*0.02
Trifludimoxazin		
AS 0640	Barley forage	0.1
	Barley straw and fodder, dry	*0.01
	Oat forage	0.1
AS 0647	Oat straw and fodder, dry	*0.01
	Primary Feed Commodities {except Barley forage; Barley straw and fodder, dry; Oat forage; Oat straw and fodder, dry; Triticale forage; Triticale straw and fodder, dry; Wheat forage; Wheat straw and fodder, dry}	0.2
	Pulse forage and fodder	*0.01
	Triticale forage	0.1
	Triticale straw and fodder, dry	*0.01
AS 0654	Wheat forage	0.1
	Wheat straw and fodder, dry	*0.01

COMPOUND	Animal feed	MRL (mg/kg)
Triflumuron		
AF 0081	Forage of cereal grains (green)	0.2
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Trifluralin		
	Cassava leaves and tops	T1
	Cereal forage	0.3
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Trinexapac-ethyl		
AF 0081	Forage of cereal grains (green)	2
AS 0162	Hay or fodder (dry) of grasses	3
AS 0081	Straw and fodder (dry) of cereal grains	0.5
AM 0659	Sugar cane fodder	1
AV 0659	Sugar cane forage	1
Triticonazole		
AF 0081	Forage of cereal grains (green)	0.1
AS 0081	Straw and fodder (dry) of cereal grains	*0.05

Table 5—Uses of substances where MRLs are not necessary

A

SUBSTANCE	USE
Abamectin	<ul style="list-style-type: none"> For use in enclosed brine ponds for the control of <i>Artemia</i> spp. in the production of <i>Dunaliella salina</i> algae
Acetic acid	<ul style="list-style-type: none"> Disinfectant for animal and poultry houses, egg hatcheries and associated equipment When used as a herbicide
Acrolein	<ul style="list-style-type: none"> Aquatic weed control
Adrenaline	<ul style="list-style-type: none"> When used as treatment in sheep When used in calves for pain relief following castration, dehorning or disbudding When used in piglets for pain relief following castration and tail docking When used to induce settlement and metamorphosis of oyster larvae
Alkoxylated fatty alkylamine Polymer	<ul style="list-style-type: none"> In peach and plum trees
Alpha-pinene	<ul style="list-style-type: none"> As an insect attractant and feeding stimulant
Amitrole	<ul style="list-style-type: none"> Herbicide for control of blackberries
Ammonium thiocyanate	<ul style="list-style-type: none"> Herbicide on bananas, dormant hopfields, orchards, papaya [pawpaw], pastures, plantations of pineapples, potatoes, sugar cane and vineyards Preplanting soil treatment for cereal, oilseed and pulse crops
Ammonium Thiosulphate	<ul style="list-style-type: none"> Blossom thinning agent
Amorphous Silica	<ul style="list-style-type: none"> Insecticide in vegetable crops, oilseed crops, cereal grains and seed Surveillance or control of small hive beetle in beehives
Anisyl alcohol	<ul style="list-style-type: none"> As an insect attractant and feeding stimulant
Aspergillus flavus AF36 Prevail	<ul style="list-style-type: none"> {T} For reduction of aflatoxin formation in pistachios
Aspergillus flavus NRRL 21882	<ul style="list-style-type: none"> {T} For reduction of aflatoxin formation in pistachios

SUBSTANCE	USE
<i>Aureobasidium pullulans</i> strains DSM 14940 and DSM 14941	<ul style="list-style-type: none"> • When used on food producing crops
Azamethiphos	<ul style="list-style-type: none"> • As an insecticide in agricultural and commercial premises where contact with food commodities and food producing animals will not occur
Azoxystrobin	<ul style="list-style-type: none"> • As a fungicide on myrtaceous seeds

B

SUBSTANCE	USE
<i>Bacillus cereus</i>	<ul style="list-style-type: none"> • Establishing gastrointestinal microflora of neonatal pigs and maintaining gastrointestinal microflora of pigs and poultry
<i>Bacillus sphericus</i> Strain 2362	<ul style="list-style-type: none"> • Mosquito control in water
<i>Bacillus subtilis</i> strain FZB24 (<i>Bacillus amyloliquefaciens</i>)	<ul style="list-style-type: none"> • When used as a fungicide on food producing crops
<i>Bacillus subtilis</i> strain MBI600 (<i>Bacillus amyloliquefaciens</i>)	<ul style="list-style-type: none"> • When used as a fungicide on food producing crops
<i>Bacillus subtilis</i> strain QST 713 (<i>Bacillus amyloliquefaciens</i>)	<ul style="list-style-type: none"> • When used as a fungicide on food producing crops
<i>Bacillus thuringiensis</i> Berliner subsp <i>aizawai</i>	<ul style="list-style-type: none"> • For use as an insecticide on food and non-food producing crops and ornamentals
<i>Bacillus thuringiensis</i> Berliner <i>israelensis</i>	<ul style="list-style-type: none"> • Mosquito control in water
<i>Bacillus thuringiensis kurstaki</i> delta endotoxin encapsulated in killed <i>Pseudomonas fluorescens</i>	<ul style="list-style-type: none"> • As an insecticide for cotton, pome fruits, stone fruits, grapes and vegetables
<i>Bacillus thuringiensis kurstaki</i> delta endotoxin protein	<ul style="list-style-type: none"> • Insecticide expressed in recombinant cotton
<i>Bacillus thuringiensis kurstaki</i> exoprotein Vip3A	<ul style="list-style-type: none"> • Insecticide expressed in recombinant cotton
<i>Bacillus thuringiensis</i> Berliner subsp <i>kurstaki</i>	<ul style="list-style-type: none"> • For use as an insecticide on food and non-food producing crops, ornamentals, amenity plantings and in forestry
<i>Banda de Lupinus albus doce</i> (BLAD)	<ul style="list-style-type: none"> • As a fungicide in fruits and vegetables

SUBSTANCE	USE
<i>Beauveria bassiana</i> strain PPRI 5339	<ul style="list-style-type: none"> Foliar insecticide on protected vegetable and ornamental crops
Bendiocarb	<ul style="list-style-type: none"> Insecticide on pasture seed
Bentonite	<ul style="list-style-type: none"> Sunscreen for fruiting vegetables, other than cucurbits, and for fruits
Benzyladenine	<ul style="list-style-type: none"> Application to new wood of cherry trees prior to budburst
Beta-cyfluthrin	<ul style="list-style-type: none"> For the control of black swarming leaf beetles on non-fruit bearing exotic tropical fruits for crop establishment purposes only
Bifenthrin	<ul style="list-style-type: none"> As an insecticide and acaricide on ornamentals Seed Lucerne treatment When used for the control of quarantine pests in potted nursery stock
<i>N,N</i>-bis(3-aminopropyl) dodecylamine	<ul style="list-style-type: none"> Disinfection of farm buildings, hatcheries, eggs and food processing areas
Bismuth subnitrate	<ul style="list-style-type: none"> For intramammary infusion for the prevention of mastitis in non-lactating dairy cows
Bm86 antigen	<ul style="list-style-type: none"> Vaccine for control of cattle tick
Bromelain	<ul style="list-style-type: none"> For use in piglets
Bromo, chloro-dimethylhydantoin	<ul style="list-style-type: none"> As a biocide for fruits, vegetables and ornamentals
Bupivacaine hydrochloride	<ul style="list-style-type: none"> When used in calves for pain relief following castration, dehorning or disbudding When used in piglets for pain relief following castration and tail docking
Butyl salicylate	<ul style="list-style-type: none"> As an insect attractant and feeding stimulant

C

SUBSTANCE	USE
Calcined kaolin	<ul style="list-style-type: none"> For use in agricultural situations
Canola oil	<ul style="list-style-type: none"> As a miticide/insecticide
Captan	<ul style="list-style-type: none"> Fungicidal seed dressing for peanuts

SUBSTANCE	USE
Carbaryl	<ul style="list-style-type: none"> As an insecticide in non-crop areas including commercial, industrial and domestic areas, tobacco storage sheds and rights of way As an insecticide on ornamentals and other non-food or animal feed crops and trees
Carfentrazone-ethyl	<ul style="list-style-type: none"> Aquatic weed control
Cephalonium	<ul style="list-style-type: none"> For opthalmic use on cattle and sheep
Cetrimide	<ul style="list-style-type: none"> When used in calves for pain relief following castration, dehorning or disbudding When used in lambs for pain relief following mulesing, castration or tail docking When used in piglets for pain relief following castration and tail docking
Chlorflurenol	<ul style="list-style-type: none"> Growth regulator on pineapples As a flower inductant in mango trees
Chloropicrin	<ul style="list-style-type: none"> As a pre-plant soil fumigant in food producing crops
Chlorpyrifos	<ul style="list-style-type: none"> When used for the control of fire ants in horticultural situations
Chlorpyrifos-methyl	<ul style="list-style-type: none"> Insecticide for treatment of seed
Chlortetracycline	<ul style="list-style-type: none"> Topical applications for use on sheep, cattle, pigs and poultry
Cholecalciferol	<ul style="list-style-type: none"> For use as a rodenticide in bait stations within horticultural cropping areas
Citric acid	<ul style="list-style-type: none"> As a spray adjuvant
Clitoria ternatea Extract	<ul style="list-style-type: none"> For use as an insecticide on food and non-food producing crops
Cloprostenol (including d-cloprostenol)	<ul style="list-style-type: none"> Cattle: induction of oestrus and treatment of clinical conditions associated with the reproductive system Pigs: Induction of farrowing in sows and gilts
Cloxacillin	<ul style="list-style-type: none"> For opthalmic use on cattle and sheep
Cobalt	<ul style="list-style-type: none"> For use as a nutritional supplement for livestock

SUBSTANCE	USE
Copper	<ul style="list-style-type: none"> • Algaecide • Anti-fouling agent • Bactericide • For use as a nutritional supplement for livestock • Fungicide • Molluscicide • {T} Preservation of beekeeping equipment
Coumatetralyl	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Cresylic acid	<ul style="list-style-type: none"> • Dormant spray • Repellent for flies in cattle, goats and sheep • Disinfection of animal and poultry houses, and associated equipment
Cue-lure pheromone	<ul style="list-style-type: none"> • In fly baits as an insect sex attractant
Cydia pomonella granulovirus	<ul style="list-style-type: none"> • Insecticide
Cyhalothrin	<ul style="list-style-type: none"> • Soil drench for use in fruit fly eradication
Cypermethrin	<ul style="list-style-type: none"> • As a fungicide on myrtaceous seeds • Seed dressing for cereal grains
Cypermethrin	<ul style="list-style-type: none"> • Control of crawling insects in domestic premises
Cyproconazole	<ul style="list-style-type: none"> • For use on pruning wounds of various fruit trees and on pruning wounds of grapevines
Cyprodinil	<ul style="list-style-type: none"> • When used in strawberry runner production
Cyromazine	<ul style="list-style-type: none"> • Domestic and commercial premises where contact with food or food producing animals will not occur

D

SUBSTANCE	USE
Dazomet	<ul style="list-style-type: none"> • Soil fumigant
Delta-7 porcine somatotrophin	<ul style="list-style-type: none"> • Injection to pigs to improve leanness of meat, feed conversion and growth rate
Derris	<ul style="list-style-type: none"> • Insecticide on fruit and vegetables • Poultry dust-Sheep dip

SUBSTANCE	USE
1,2-Dichloropropane	<ul style="list-style-type: none"> • Soil fumigant
1,3-Dichloropropene	<ul style="list-style-type: none"> • Soil fumigant • Pre-plant fumigant for vegetables, cereal grains and fruit and nut trees.
Didecyldimethylammonium chloride	<ul style="list-style-type: none"> • Disinfection of farm buildings, hatcheries, eggs and food processing areas • For disinfection of grapevine cuttings
Difethialone	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Dinoprost	<ul style="list-style-type: none"> • Induction of oestrus and advancing parturition in cattle and pigs
Diphacinone	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Dithiocarbamates (mancozeb, metham, metiram, propineb, thiram, zineb and ziram)	<ul style="list-style-type: none"> • As fungicides on ornamentals • As a fungicide on acacia, fir and pine trees • As a fungicide on non-bearing nursery stock date palm • As a pre-plant and fallow soil fumigation for crops • As a seed dressing
Dithiopyr	<ul style="list-style-type: none"> • Treatment of turf where grazing by, or feeding to, livestock including poultry will not occur
(E,E) 8,10-Dodecadien-1-ol	<ul style="list-style-type: none"> • Pheromone
E-11-tetradecen-1-yl-acetate	<ul style="list-style-type: none"> • For mating disruption of <i>Epiphyas postvittana</i>
E,E-9,11-tetradecadien-1-yl-acetate	<ul style="list-style-type: none"> • For mating disruption of <i>Epiphyas postvittana</i>
Dodecan-1-ol	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of insects in fruits and tree nuts
(Z, E)-7, 9, 11-dodecatrienyl formate	<ul style="list-style-type: none"> • {T} Pheromone for mating disruption of carob moth (<i>Ectomyelois ceratoniae</i>)
(Z)-8-Dodecenol	<ul style="list-style-type: none"> • Pheromone
(E)-8-Dodecenyl acetate	<ul style="list-style-type: none"> • Pheromone
(Z)-8-Dodecenyl acetate	<ul style="list-style-type: none"> • Pheromone

SUBSTANCE	USE
Dodecyl benzene trimethyl ammonium chloride	<ul style="list-style-type: none"> Disinfectant for animal and poultry houses and hatcheries
Domperidone	<ul style="list-style-type: none"> For induction of spawning in finfish broodstock
Duddingtonia flagrans (strain IAH 1297)	<ul style="list-style-type: none"> For use in grazing animals

E

SUBSTANCE	USE
<i>E. Coli</i> antigen	<ul style="list-style-type: none"> For use in pigs
Endothal	<ul style="list-style-type: none"> For use in irrigation channels for the control of various aquatic weeds
Epidermal Growth Factor	<ul style="list-style-type: none"> Aid for wool harvesting in sheep
Esfenvalerate	<ul style="list-style-type: none"> For use in enclosed brine ponds for the control of <i>Artemia spp</i>
Esters of fatty acids	<ul style="list-style-type: none"> Control of bud break in fruit crops {T} Control of bud break in nut crops
Ethanedinitrile	<ul style="list-style-type: none"> Soil fumigant prior to planting fruits, vegetables and spices
Ethephon	<ul style="list-style-type: none"> Pre-planting treatment of ginger root
Ethyl formate	<ul style="list-style-type: none"> As a fumigant for baled hay As fumigant for cereals, pulses, canola, mustard seeds and associated storage structures and machinery As a fumigant for cocoa Post-harvest fumigation of fruits, nuts and vegetables
Ethylene	<ul style="list-style-type: none"> Ripening of fruits
Etiproston & Etiproston tromethamine	<ul style="list-style-type: none"> Induction and synchronization of oestrus in cattle and induction of parturition and luteolysis in cattle
Eucalyptol	<ul style="list-style-type: none"> As an insect attractant and feeding stimulant
Eugenol	<ul style="list-style-type: none"> Use as a fungicide As a post harvest treatment of potatoes to prevent sprouting

F

SUBSTANCE	USE
Farnesol	<ul style="list-style-type: none"> • Pheromone
Fenitrothion	<ul style="list-style-type: none"> • For use in seed dressings
Fenoxycarb	<ul style="list-style-type: none"> • Control of insects in food preparation areas
Fenprostalene	<ul style="list-style-type: none"> • Synchronization of oestrus in cattle • Treatment of reproductive disorders
Ferrous sulphate	<ul style="list-style-type: none"> • Herbicide
Fipronil	<ul style="list-style-type: none"> • Control of Argentine ants in vineyards • As a soil injection for control of termites in immature, non-bearing citrus and mango orchards • When used for the control of fire ants in horticultural situations • When used in a bait applied inter-row in row crops or in bait stations in other cropping situations except sugarcane and pasture to control Yellow Crazy Ant or Little Fire Ant • When used in fly baits
Flocoumafen	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products, or soil in which crops are grown will not occur
Fludioxonil	<ul style="list-style-type: none"> • When used in strawberry runner production • As a fungicide on myrtaceous seeds
Flugestone acetate	<ul style="list-style-type: none"> • Induction of oestrus in sheep and goats
Flumioxazin	<ul style="list-style-type: none"> • Aquatic weed control
Fluroxypyr	<ul style="list-style-type: none"> • Herbicide on poppies

SUBSTANCE	USE
Formaldehyde	<ul style="list-style-type: none"> • For the control of protozoan and metazoan infestations in Australian native fish and fungal infections in native fish eggs, as well as the control of sessile ciliates, viruses and other pathogens in prawns, shrimps and crayfish • Fumigant for hatching eggs, incubators, hatcheries, broiler sheds and poultry houses • Fumigant of seed beds and animal houses • Seed dressing • Soil fumigant • Treatment of footrot and animal diseases • Treatment of epicomensal protozoan infestation in prawn, and viral infections in prawn broodstock
Formic acid	<ul style="list-style-type: none"> • For use in bee hives for the control of Varroa mites • Treatment of silage

G

SUBSTANCE	USE
Garlic extract	<ul style="list-style-type: none"> • As an insecticide in fruit and vegetables • As a nematicide
Gentamicin	<ul style="list-style-type: none"> • {T} For use on fish milt
Geraniol	<ul style="list-style-type: none"> • Use as a fungicide
Gibberellins [including gibberellic acid and gibberellins A4 and A7]	<ul style="list-style-type: none"> • Treatment of pastures • Plant growth regulator when used < 625 g ai/ha/year or when used as a seed treatment
Glycerine	<ul style="list-style-type: none"> • For use as a post-milking teat treatment
Glycolic acid	<ul style="list-style-type: none"> • As a disinfectant for animal and poultry houses, associated equipment and feedstuff areas
Glyphosate	<ul style="list-style-type: none"> • Herbicide for control of blackberries
Glutaraldehyde	<ul style="list-style-type: none"> • Treatment of empty animal and poultry houses

SUBSTANCE	USE
Gonadotrophin Releasing Factor (GnRF)-protein conjugate	<ul style="list-style-type: none"> • Vaccine for female pigs for suppression of ovarian function and to reduce the associated sexual behaviour (standing oestrus) • Vaccine for the control of boar taint in male pigs • Vaccine for the suppression of testosterone production in male cattle • Vaccine for the suppression of progesterone production in female cattle
Gonadotrophin Releasing Hormone (GnRH) and analogues [including buserelin, deslorelin, gonadorelin, peforelin, triptorelin acetate and salmon GnRH analogue]	<ul style="list-style-type: none"> • Cattle: treatment of cystic ovaries; prevention of delayed ovulation; improvement of fertility rate • Horses: induction of ovulation; treatment of anoestrus • Finfish: induction of spawning in finfish broodstock • Pigs: induction and synchronisation of oestrus • Rabbits: induction of ovulation; improvement of conception rate
Gonadotrophins [Pregnant Mare Serum (PMSG), Chorionic and Serum Gonadotrophin, Luteinizing Hormone (LH), Ovine and Porcine Follicle Stimulating Hormone (FSH)]	<ul style="list-style-type: none"> • Cattle: induction of superovulation; treatment of cystic ovarian syndrome and anoestrus • {T} Cattle: for use in in vitro fertilization (IVF) • Fish: induction of spawning in finfish broodstock • Goats: induction of superovulation • Horses: induction of ovulation and treatment of anoestrus • Pigs: oestrus induction in sows and gilts • Sheep: induction of superovulation

H

SUBSTANCE	USE
Z-11-Hexadecenal Z-9-Hexadecenal	<ul style="list-style-type: none"> • Mating disruption of <i>Helicoverpa spp.</i> In cotton and sweet corn crops
Hexazinone	<ul style="list-style-type: none"> • Herbicide for control of blackberries
Hydramethylnon	<ul style="list-style-type: none"> • In bait trays for control of ants • For use as an insecticide to control ants on fallow sugarcane situations

SUBSTANCE	USE
Hydrogen peroxide	<ul style="list-style-type: none"> As a fungicide in fruits and vegetables As a disinfectant on fruit and vegetables {T} As a disinfectant on Kaffir lime leaves {T} As a disinfectant on tree nuts {T} For the control of foliar nematodes in strawberries {T} For use in fish and fish eggs {T} For use in prawns For use as a post-milking teat treatment
4-(p-hydroxyphenyl)-2- butanone acetate	<ul style="list-style-type: none"> In fly baits as an insect sex attractant
8-Hydroxyquinoline	<ul style="list-style-type: none"> Treatment of cuttings and grafts

SUBSTANCE	USE
Imidacloprid	<ul style="list-style-type: none"> As the active constituent in contained bait stations used in orange, mandarin, mango, lychee, carambola and persimmon trees, where direct contact will not occur with the fruit
Imiprothrin	<ul style="list-style-type: none"> Control of crawling insects in domestic premises
Indol-3-yl butyric acid	<ul style="list-style-type: none"> Application to foliage of young plants, to aid in promotion of root formation, stimulation of plant growth and reduction of transplant shock. Treatment of cuttings
Indoxacarb	<ul style="list-style-type: none"> As a bait for the control of fire ants in horticultural crops where contact with the edible commodities will not occur

SUBSTANCE	USE
Iodine (elemental)	<ul style="list-style-type: none"> • Disease control in the drinking water of poultry; topical and ocular application of poultry; disinfecting and cleaning poultry surrounds by fogging • Sanitising fruit and vegetables • For use as a nutritional supplement for livestock • For use as a pre-milking teat dip at up to 0.1% available iodine from iodine or iodine-complexes • For use as a post-milking teat dip at up to 1.0% available iodine from iodine or iodine-complexes • For use at 0.01 % w/v available iodine, as a disinfectant for fish eggs
Iodocarb	<ul style="list-style-type: none"> • For use on pruning wounds of various fruit trees and on pruning wounds of grapevines
Iodomethane	<ul style="list-style-type: none"> • As a soil fumigant prior to the cultivation of strawberry runners
Iprodione	<ul style="list-style-type: none"> • Fungicide for corm and foliar treatment of saffron
Iron (elemental)	<ul style="list-style-type: none"> • For use as a molluscicide
Iron galactan	<ul style="list-style-type: none"> • Treatment of anaemia in piglets
Iron-EDTA complex	<ul style="list-style-type: none"> • Molluscicide
Iron phosphate	<ul style="list-style-type: none"> • For use as a molluscicide

K

SUBSTANCE	USE
Kinetin	<ul style="list-style-type: none"> • Application to foliage of young plants, to aid in promotion of root formation, stimulation of plant growth and reduction of transplant shock • Treatment of cuttings

L

SUBSTANCE	USE
<i>Lactobacillus spp.</i>	<ul style="list-style-type: none"> • When used as a silage inoculant
Light hydrocarbons (petrol)	<ul style="list-style-type: none"> • To euthanase bees

SUBSTANCE	USE
Lignocaine hydrochloride	<ul style="list-style-type: none"> When used in calves for pain relief following castration, dehorning or disbudding When used in piglets for pain relief following castration and tail docking
Lime sulphur	<ul style="list-style-type: none"> Fungicide and insecticide on fruits, nuts and vegetables Sheep and pig dip/spray
D-Limonene	<ul style="list-style-type: none"> As an insect attractant and feeding stimulant When used as an insecticide, miticide and fungicide
Lindane	<ul style="list-style-type: none"> Seed dressing

M

SUBSTANCE	USE
Magnesium alloy capsules	<ul style="list-style-type: none"> Control of grass tetany in cattle
Magnesium chloride	<ul style="list-style-type: none"> {T} Use as a relaxant on abalone
Magnesium chlorate	<ul style="list-style-type: none"> Defoliant on cotton
Magnesium hexafluorosilicate	<ul style="list-style-type: none"> When used at a concentration of up to and including 1 g/litre of water, in sheep dips
Magnesium hydroxide	<ul style="list-style-type: none"> As an insecticide on tomatoes and cucurbits
Magnesium sulphate	<ul style="list-style-type: none"> {T} Use as a relaxant on abalone
Melatonin	<ul style="list-style-type: none"> Subcutaneous implant in goats and sheep
Metacresol	<ul style="list-style-type: none"> Treatment of crown gall in blueberries
Metalaxyl	<ul style="list-style-type: none"> Seed dressing

SUBSTANCE	USE
<i>Metarhizium anisopliae</i>	<ul style="list-style-type: none"> • Soil treatment for the control of the Red Headed Cockchafer (Pasture scarab) • As a soil treatment for the control of Greyback Canegrub in bananas, papaya (paw paw), pineapple, sugarcane and taro • For the control of the Australian Plague Locust (adult and nymphs), Wingless Grasshopper, Spur Throated Locust and Migratory Locust • {T} External treatment for the control of cattle tick (<i>boophilus microplus</i>) on beef cattle • {T} For the control of whitefly (<i>Bemesia tabaci</i>) on flowers and vegetables
Methabenzthiazuron	<ul style="list-style-type: none"> • Post-emergent herbicide for use on grape cover crops
Methiocarb	<ul style="list-style-type: none"> • In baits for the control of garden pests • {T} in baits for the control of garden pests on herbs, lemon balm, lemon grass, kaffir lime leaves, lemon verbena and turmeric
Methionyl porcine somatotrophin	<ul style="list-style-type: none"> • Injection to pigs to improve leanness of meat, feed conversion and growth rate
(S)-Methoprene	<ul style="list-style-type: none"> • Control of insects in domestic premises • For the control of mosquitos at permanent and temporary water sites • As a bait for the control of Fire Ants in fruits, vegetables, nuts, herbs, spices, cereal grain crops and sugar cane in situations where direct contact will not occur with the crop or the crop will be washed after harvest
1-Methylcyclopropene	<ul style="list-style-type: none"> • For pre-harvest foliar treatment of apples • Fumigant treatment of fruits and vegetables
Methyldihydrotestosterone	<ul style="list-style-type: none"> • For the production of fish brood stock in salmonid aquaculture (salmon and trout)
Methyl isothiocyanate	<ul style="list-style-type: none"> • Soil fumigant
Methyltestosterone	<ul style="list-style-type: none"> • For the production of fish brood stock in salmonid aquaculture (salmon and trout)
Metsulfuron methyl	<ul style="list-style-type: none"> • Herbicide for control of blackberries

N

SUBSTANCE	USE
Naphthalene	<ul style="list-style-type: none"> • Insect repellent
Neem Seed Extract Powder	<ul style="list-style-type: none"> • In-furrow application to cotton crops at the time of seeding
<i>Neoplectana bibionis</i>	<ul style="list-style-type: none"> • Biological control of currant borer
Nerolidol	<ul style="list-style-type: none"> • Pheromone
N-Octyl bicycloheptene dicarboximide	<ul style="list-style-type: none"> • Control of insects in domestic premises
Nonanoic acid	<ul style="list-style-type: none"> • Herbicide
Nuclear Polyhedrosis Virus <i>Heliothis</i>	<ul style="list-style-type: none"> • Insecticide

O

SUBSTANCE	USE
Z, Z-3, 13-octadecadien-1-ol	<ul style="list-style-type: none"> • In dispensers for mating disruption of clearwing persimmon borer (<i>Ichneumonoptera chrysophanes</i>)
Z, Z-3, 13-octadecadien-1-yl acetate	<ul style="list-style-type: none"> • In dispensers for mating disruption of clearwing persimmon borer (<i>Ichneumonoptera chrysophanes</i>)
Octhilinone	<ul style="list-style-type: none"> • Treatment of seed cotton
Oestradiol benzoate	<ul style="list-style-type: none"> • In combination with progesterone in an intravaginal device for the regulation of oestrus in cattle • When implanted in the ear for growth promotion purposes in cattle
Oestradiol-17-beta	<ul style="list-style-type: none"> • When implanted in the ear for growth promotion purposes in cattle
Oestradiol valerate	<ul style="list-style-type: none"> • Induction of oestrus in cattle

P

SUBSTANCE	USE
Paraffin	<ul style="list-style-type: none"> • As an insecticide • For control and treatment of bloat in cattle • Fungicide on fruits • Harvest aid on cotton • Herbicide on vegetables and cereals • Sheep dressing

SUBSTANCE	USE
PDB	<ul style="list-style-type: none"> • Insecticide on fruit trees
Pendimethalin	<ul style="list-style-type: none"> • For the control of weeds on teatrees
Permethrin	<ul style="list-style-type: none"> • As an insecticide in domestic, agricultural, industrial and commercial premises where contact with food, food production areas and food producing animals will not occur
Peroxyacetic acid	<ul style="list-style-type: none"> • As a fungicide in fruits and vegetables • As a disinfectant on fruit and vegetables-{T} As a disinfectant on Kaffir lime leaves • {T} As a disinfectant on tree nuts • {T} For the control of foliar nematodes in strawberries
Petroleum oil	<ul style="list-style-type: none"> • As an insecticide • For control and treatment of bloat in cattle • Fungicide on fruits • Sheep dressing • Herbicide on vegetables and cereals • Harvest aid on cotton
Phenoxyethanol	<ul style="list-style-type: none"> • {T} Use as a relaxant on abalone
Phenylacetaldehyde	<ul style="list-style-type: none"> • As an insect attractant and feeding stimulant
Picloram	<ul style="list-style-type: none"> • Herbicide for control of blackberries • Herbicide for control of woody and noxious weeds in commercial and industrial areas, public lands, fence lines and pastures
Pili antigen (from <i>Dichelobacter nodosus</i>)	<ul style="list-style-type: none"> • Prevention of footrot in Merino sheep
Pine Oil	<ul style="list-style-type: none"> • When used as a herbicide in carrots, corn, orchards, potatoes, vineyards and bare earth/fallow/non-crop situations.
Piperonyl butoxide	<ul style="list-style-type: none"> • Control of insects in domestic premises
Pirimiphos-methyl	<ul style="list-style-type: none"> • Treatment of seed
Poly (GNRF) ovalbumin	<ul style="list-style-type: none"> • Immunogen for control of reproduction in cattle
Poly (LHRH) ovalbumin	<ul style="list-style-type: none"> • Immunogen for control of reproduction in cattle

SUBSTANCE	USE
Polydimethylsiloxane	<ul style="list-style-type: none"> • {T} For the control of mosquitos in livestock drinking water
Polyoxin D zinc salt	<ul style="list-style-type: none"> • Use as a fungicide
Potassium Bicarbonate	<ul style="list-style-type: none"> • When used as a fungicide
Potassium permanganate	<ul style="list-style-type: none"> • {T} For the control of columnaris disease in freshwater aquaculture
Potassium Peroxymonosulfate	<ul style="list-style-type: none"> • For the control of bacteria, viruses and other pathogens in livestock and poultry farms • For the control of bacteria, viruses and other pathogens in prawn and shrimp aquaculture
Potassium N-hydroxy methyl N-methyldithiocarb	<ul style="list-style-type: none"> • Soil fumigant
Potassium salts of fatty acids	<ul style="list-style-type: none"> • Fungicide on grapevines • Insecticide on cotton, fruit, herbs, nuts, pastures and vegetables
Potassium silicate	<ul style="list-style-type: none"> • When used as a fungicide
Progesterone	<ul style="list-style-type: none"> • Induction of oestrus in cattle, goats, pigs and sheep • Induction of oestrus in mares by administration in an intravaginal device • When implanted in the ear for growth promotion purposes in cattle
Propamocarb	<ul style="list-style-type: none"> • As a soil drench for papaya seedlings in nurseries
Propionic acid (and its salts)	<ul style="list-style-type: none"> • Fungicide on stored grain for animal use • Preservative in hay and legume animal feeds • For use as an adjuvant with agricultural chemical products
Prostianol	<ul style="list-style-type: none"> • Oestrus control in cattle and sheep • Advancing parturition in pigs
Protein hydrolysate	<ul style="list-style-type: none"> • Attractant in insect baits
Prothiofos	<ul style="list-style-type: none"> • Timber treatment for poles, posts, and agricultural buildings/structures
<i>Pseudomonas fluorescens</i>	<ul style="list-style-type: none"> • Control of bacterial blotch in cultivated mushrooms

SUBSTANCE	USE
Pyraclostrobin	<ul style="list-style-type: none"> When use in strawberry runner production (tissue culture and foundation nurseries only.
Pyrethrins	<ul style="list-style-type: none"> Control of insects in domestic premises
Pyriproxyfen	<ul style="list-style-type: none"> As a bait for the control of ants in agricultural situations where direct contact will not occur with the crop As a bait for the control of ants in pastures

Q

SUBSTANCE	USE
Quassia infusion	<ul style="list-style-type: none"> Insecticide
Quintozene	<ul style="list-style-type: none"> As a drench for apple seedlings at planting

R

SUBSTANCE	USE
Rabbit Haemorrhagic Disease Virus (Rabbit Calicivirus)	<ul style="list-style-type: none"> For pest rabbit control
Recombinant bovine granulocyte-macrophage colony-stimulating factor (rbGM-CSF	<ul style="list-style-type: none"> {T} Cattle: for use in <i>in vitro</i> fertilization (IVF)
Rescalure	<ul style="list-style-type: none"> Pheromone
Rhizobium rhizogenes	<ul style="list-style-type: none"> Treatment of crown gall in food producing crops
Rotenone	<ul style="list-style-type: none"> Insecticide on fruit and vegetables Pig and sheep dip/spray {T} Piscicide in marron dams Poultry dust

S

SUBSTANCE	USE
S-Absciscic acid	<ul style="list-style-type: none"> For use on grapevines to accelerate or increase the colouration of berries
Salicylic acid	<ul style="list-style-type: none"> {T} As a trunk injection for control of silver leaf on pome fruit and stone fruit trees For oral use in pigs

SUBSTANCE	USE
Salubrinal	<ul style="list-style-type: none"> • {T} Cattle: for use in in vitro fertilization (IVF)
Selenium	<ul style="list-style-type: none"> • For use as a nutritional supplement for livestock
Sodium acetate	<ul style="list-style-type: none"> • Fungistat on stored grain for animal use
Sodium carbonate	<ul style="list-style-type: none"> • Scale treatment
Sodium chlorate	<ul style="list-style-type: none"> • Herbicide on pastures • Defoliant on cotton • {T} Defoliant on sorghum • {T} Defoliant on maize
Sodium chloride	<ul style="list-style-type: none"> • For the control of bacteria, viruses and other pathogens in livestock and poultry farms • For the control of bacteria, viruses and other pathogens in prawn and shrimp aquaculture
Sodium dodecylbenzene sulfonate	<ul style="list-style-type: none"> • For the control of bacteria, viruses and other pathogens in livestock and poultry farms • For the control of bacteria, viruses and other pathogens in prawn and shrimp aquaculture
Sodium edetate	<ul style="list-style-type: none"> • Disinfectant for animal and poultry houses and hatcheries
Sodium hypochlorite	<ul style="list-style-type: none"> • When used as disinfectant in banana plant propagation material • When used as post harvest dip in chestnuts
Sodium lauryl sulphate	<ul style="list-style-type: none"> • When used as an intradermal sclerosing agent around the breech of sheep
Sodium metasilicate pentahydrate	<ul style="list-style-type: none"> • Disinfectant for animal and poultry houses and hatcheries
Sodium monofluoroacetate	<ul style="list-style-type: none"> • Baits for control of cats, dogs, foxes, pigs, rabbits and rodents in situations where contact will not occur with crops, soil in which crops are grown, or food products
Sodium nitrite	<ul style="list-style-type: none"> • Antidote for cyanide poisoning in ruminant farm animals • Use in baits for the control of feral pigs
Sodium thiosulfate	<ul style="list-style-type: none"> • Antidote for cyanide poisoning in ruminant farm animals

SUBSTANCE	USE
Sodium trichloroacetate	<ul style="list-style-type: none"> • Herbicide on pastures
Somidobove (bovine somatotrophin analogue)	<ul style="list-style-type: none"> • Injection for improvement of milk production in cattle
Sorbic acid (and its salts)	<ul style="list-style-type: none"> • Fungistat on stored grain for animal use • Preservative in hay and legume animal feeds
<i>Spodoptera frugiperda multiple nucleopolyhedrovirus-Isolate 19</i>	<ul style="list-style-type: none"> • {T} Insecticide in agricultural situations
<i>Spodoptera frugiperda multiple nucleopolyhedrovirus strain 3AP2</i>	<ul style="list-style-type: none"> • {T} Insecticide in agriculture situations
Spinosad	<ul style="list-style-type: none"> • Fruit fly bait treatment of tree, fruit, vine and vegetable crops
<i>Streptococcus fascium</i>	<ul style="list-style-type: none"> • When used as a silage inoculant
<i>Streptomyces lydicus WYEC108</i>	<ul style="list-style-type: none"> • For use as a fungicide and as a biological soil amendment on food and non-food producing crops • For use as a fungicide
Strychnine	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Succinyl choline	<ul style="list-style-type: none"> • For use in the capture of wild animals
Sulphur	<ul style="list-style-type: none"> • Fungicide on cereals, fruit, and vegetables • Insecticide/miticide on fruit, nuts and vegetables • Poultry, calves and goats dust/ointment • In sheep dips to control various pests

T

SUBSTANCE	USE
Talc	<ul style="list-style-type: none"> • Sunscreen for fruiting vegetables, other than cucurbits, and for fruits
Tar acids	<ul style="list-style-type: none"> • Dormant spray • Disinfection of animal and poultry houses, and associated equipment
Tar distillates	<ul style="list-style-type: none"> • Dormant spray

SUBSTANCE	USE
Tar oils	<ul style="list-style-type: none"> • Dormant spray
TCA	<ul style="list-style-type: none"> • Pre-planting herbicide in sugar cane
Tea tree oil	<ul style="list-style-type: none"> • For use as a fungicide
Tebuconazole	<ul style="list-style-type: none"> • Seed dressing for peanut seed
Testosterone cypionate	<ul style="list-style-type: none"> • Growth promotant in sheep when injected subcutaneously • Control of posthitis and balanitis in sheep
Testosterone enanthate	<ul style="list-style-type: none"> • Control of posthitis and balanitis in sheep
Testosterone propionate	<ul style="list-style-type: none"> • Control of posthitis and balanitis in sheep • When implanted in the ear for growth promotion purposes in cattle
Tetracosactrin	<ul style="list-style-type: none"> • Reduction of parturition time in sows • Determination of stress susceptibility in pigs
(9Z,11E)-Tetradeca-9,11,13-trienal	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of carob moth (<i>Ectomyelois ceratoniae</i>) in almond orchards
(9Z,11E)-Tetradeca-9,11-dienal	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of carob moth (<i>Ectomyelois ceratoniae</i>) in almond orchards
(9Z)-Tetradeca-9-enal	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of carob moth (<i>Ectomyelois ceratoniae</i>) in almond orchards
Tetradecan-1-ol	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of insects in fruits and tree nuts
Tetramethrin	<ul style="list-style-type: none"> • Control of insects in domestic premises
Thaumatococin	<ul style="list-style-type: none"> • Administration to pigs
Thiabendazole	<ul style="list-style-type: none"> • Treatment of legume vegetable seeds, seed barley, seed oats, seed pulses and seed wheat
Thiamethoxam	<ul style="list-style-type: none"> • For use as a fly bait
Thymol	<ul style="list-style-type: none"> • Treatment and control of <i>Varroa</i> mites on bees • Use as a fungicide
Triadimefon	<ul style="list-style-type: none"> • Seed dressing
Triadimenol	<ul style="list-style-type: none"> • As a fungicide on myrtaceous seeds

SUBSTANCE	USE
Tricaine methanesulfonate	<ul style="list-style-type: none"> • {T} For sedation and anaesthesia of finfish
<i>Trichoderma harzianum</i>	<ul style="list-style-type: none"> • Fungicide on grapevines
Triclopyr	<ul style="list-style-type: none"> • Herbicide for control of blackberries • Herbicide for control of woody and noxious weeds in commercial and industrial areas, public lands, fence lines and pastures
Trifluralin	<ul style="list-style-type: none"> • {T} To prevent root intrusion in underground orchard irrigation systems

U-Z

SUBSTANCE	USE
Urogastrone-and methionine-epidermal growth factor	<ul style="list-style-type: none"> • As subcutaneous injection or implantation for biological shearing of sheep
Warfarin	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
<i>Xenorhabdus nematophilus</i>	<ul style="list-style-type: none"> • Biological control of currant borer
2,4-Xylenol	<ul style="list-style-type: none"> • Treatment of crown gall in blueberries
Zinc (elemental)	<ul style="list-style-type: none"> • For use as a nutritional supplement for livestock
Zinc oxide	<ul style="list-style-type: none"> • Anti-fouling treatment of nets in aquaculture
Zinc phosphide	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Zinc pyrithione	<ul style="list-style-type: none"> • Anti-fouling treatment of nets in aquaculture

Endnotes

Endnote 1—About the endnotes

The endnotes provide information about this compilation and the compiled law.

The following endnotes are included in every compilation:

Endnote 1—About the endnotes

Endnote 2—Abbreviation key

Endnote 3—Legislation history

Endnote 4—Amendment history

Abbreviation key—Endnote 2

The abbreviation key sets out abbreviations that may be used in the endnotes.

Legislation history and amendment history—Endnotes 3 and 4

Amending laws are annotated in the legislation history and amendment history.

The legislation history in endnote 3 provides information about each law that has amended (or will amend) the compiled law. The information includes commencement details for amending laws and details of any application, saving or transitional provisions that are not included in this compilation.

The amendment history in endnote 4 provides information about amendments at the provision (generally section or equivalent) level. It also includes information about any provision of the compiled law that has been repealed in accordance with a provision of the law.

Misdescribed amendments

A misdescribed amendment is an amendment that does not accurately describe how an amendment is to be made. If, despite the misdescription, the amendment can be given effect as intended, then the misdescribed amendment can be incorporated through an editorial change made under section 15V of the *Legislation Act 2003*.

If a misdescribed amendment cannot be given effect as intended, the amendment is not incorporated and “(md not incorp)” is added to the amendment history.

Endnote 2—Abbreviation key

ad = added or inserted	orig = original
am = amended	par = paragraph(s)/subparagraph(s) /sub-subparagraph(s)
amdt = amendment	pres = present
c = clause(s)	prev = previous
C[x] = Compilation No. x	(prev...) = previously
Ch = Chapter(s)	Pt = Part(s)
def = definition(s)	r = regulation(s)/rule(s)
Dict = Dictionary	reloc = relocated
disallowed = disallowed by Parliament	renum = renumbered
Div = Division(s)	rep = repealed
exp = expires/expired or ceases/ceased to have effect	rs = repealed and substituted
F = Federal Register of Legislation	s = section(s)/subsection(s)
gaz = gazette	Sch = Schedule(s)
LA = <i>Legislation Act 2003</i>	Sdiv = Subdivision(s)
LIA = <i>Legislative Instruments Act 2003</i>	SLI = Select Legislative Instrument
(md not incorp) = misdescribed amendment cannot be given effect	SR = Statutory Rules
mod = modified/modification	Sub-Ch = Sub-Chapter(s)
No. = Number(s)	SubPt = Subpart(s)
o = order(s)	<u>underlining</u> = whole or part not commenced or to be commenced
Ord = Ordinance	

Endnote 3—Legislative instrument history

Endnote 3—Legislative instrument history

Name	Registration	Commencement	Application, saving and transitional provisions
Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023	29 Sept 2023 (F2023L01350)	30 Sept 2023	
Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Amendment Instrument (No. 1) 2023	16 Oct 2023 (F2023L01381)	17 Oct 2023	—
Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Amendment Instrument (No. 2) 2023	24 Nov 2023 (F2023L01546)	25 Nov 2023	
Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Amendment Instrument (No. 1) 2024	29 February 2024 (F2024L00250)	1 March 2024	

Endnote 4—Amendment history

Provision affected	How affected
Section 2	rep LA s 48D
Section 4	rep LA s 48C
Schedule 1	
Part 2	
Part2	am No.1 2023; No. 2 2023; No. 1 2024
Table 1	am No. 1 2023; No. 2 2023; No. 1 2024
Table 3	am No.1 2023; No, 2 2023; No. 1 2024
Table 4	am No.1 2023; No. 2 2023; No. 1 2024
Table 5	am No.1 2023; No. 2 2023; No. 1 2024