

Schedule 1—Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Note: See sections 5, 6 and 6A.

Permissible ingredients and requirements			
Column 1	Column 2	Column 3	Column 4
Item	Ingredient Name	Purpose	Specific requirements
2857	KADSURA COCCINEA	A, H	
2858	KAEMPFERIA GALANGA	A, H	
2859	KALMIA LATIFOLIA	A, H	Beta-arbutin is a mandatory component of Kalmia latifolia When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
2860	KAOLIN	E	
2861	KELP DRY	A, H	Iodine is a mandatory component of Kelp dry. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2862	KELP POWDER	A, E, H	Iodine is a mandatory component of Kelp powder. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2863	KERATIN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
2864	KEROSENE	E, H	Only for use as a homoeopathic ingredient. When used in liquid preparations, the concentration in the medicine must be no more than 25%.
2865	KHAYA SENEGALENSIS	A, E	The maximum daily dose of the medicine must not contain more than the equivalent of 1 g dry bark of Khaya senegalensis. The following warning statements are required on the medicine label: - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (LONGUSE) 'Not for prolonged use. May harm liver';

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			- (GEN2) 'If symptoms persist, seek the advice of a healthcare professional'; - (CHILD3) 'Use in children under 12 years is not recommended'; and - (7DAYS) 'Do not use for more than 7 days'.
2866	KIDNEY BEAN	E	
2867	KIRSCH	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2868	KIWI FRUIT	E	
2869	KNAUTIA ARVENSIS	A, H	
2870	KOREAN GINSENG ROOT DRY	A, H	
2871	KOREAN GINSENG ROOT POWDER	A, H	
2872	KRAMERIA IXINE	A, H	
2873	KRAMERIA LAPPACEA	A, H	
2874	KUNZEA AMBIGUA	A	Only for use when the plant preparation is essential oil. Only for use when the route of administration is topical or inhalation. When the dosage form is essential oil, a restricted flow insert must be fitted on the container and the medicine requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' - (EXTERN) 'For external use only' - (UNDILU) 'Not to be applied undiluted to the skin except on the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			advice of a health care practitioner'. When the dosage form is other than essential oil, the maximum concentration in topical medicines must be no more than 25% w/w and the medicine requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' - (EXTERN) 'For external use only'.
2875	L-BORNEOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2876	L-BORNYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used as in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2877	L-CARVONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2878	L-LIMONENE	E	L-limonene must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation or a fragrance proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing l-limonene must not be more than 5% of the total medicine. The total concentration of fragrance proprietary excipient formulations containing l-limonene must not be more than 1% of the total medicine.
2879	L-LINALOOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
2880	L-MENTHONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2881	L-MENTHYL ACETATE	E	Permitted for use only in combination with other permitted

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2882	L-ROSE OXIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2883	LABDANUM ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2884	LABDANUM GUM EXTRACT ETHYL ESTER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance and the total fragrance concentration in a medicine is no more than 1%.
2885	LABDANUM OIL	A, E, H	
2886	LABURNUM ANAGYROIDES	A, H	Sparteine is a mandatory component of Laburnum anagyroides. The concentration of sparteine in the medicine must be no more than 0.001%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

2887	LACTALBUMIN	E	
2888	LACTIC ACID	A, E, H	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing form time to time. Sponsors should consider the impact of excipients containing alpha hydroxy acids on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.
2889	LACTITOL	E	
2890	LACTITOL MONOHYDRATE	E	
2891	LACTO-N-NEOTETRAOSE	A	Lactose is a mandatory component of lacto-N-neotetraose. The route of administration for medicines that contain lacto-N-neotetraose must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than: (a) 1.5 g of lacto-N-neotetraose to individuals aged 4 years and older; and (b) 0.6 g of lacto-N-neotetraose to individuals aged up to 3 years (inclusive). One of the following statements (or words to the same effect) is required on the medicine label: (a) When the medicine is only for use in individuals aged 2 years and above: 'Not to be taken on the same day with other products containing lacto-N-neotetraose'; or

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			(b) When the medicine is for use in children aged less than 2 years: 'Not to be taken on the same day with breastmilk or other products containing lacto-N-neotetraose'.
2892	LACTO-N-TETRAOSE	A	Lactose is a mandatory component of lacto-N-tetraose. The route of administration for medicines that contain lacto-N-tetraose must be limited to oral. The maximum recommended daily dose of the medicine must not provide more than: a) 2 g of lacto-N-tetraose to individuals aged 1 year and older; and b) 0.6 g of lacto-N-tetraose to individuals aged more than 6 months to 11 months (inclusive); and c) 0.8 g of lacto-N-tetraose to individuals aged up to 6 months (inclusive). One of the following statements (or words to the same effect) is required on the medicine label: a) When the medicine is only for use in individuals aged 2 years and above: 'Not to be taken on the same day with other products containing lacto-N-tetraose'; or b) When the medicine is for use in children aged less than 2 years: 'Not to be taken on the same day with breastmilk or other products containing lacto-N-tetraose'.
2893	LACTOBACILLUS ACIDOPHILUS	A	
2894	LACTOBACILLUS AMYLOVORUS	A	
2895	LACTOBACILLUS BREVIS	A	
2896	LACTOBACILLUS CASEI	A	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

2897	LACTOBACILLUS CASEI SUBSP. BIOVAR CASEI	A	
2898	LACTOBACILLUS CRISPATUS	A	
2899	LACTOBACILLUS DELBRUECKII SSP BULGARICUS	A	
2900	LACTOBACILLUS DELBRUECKII SSP LACTIS	A	
2901	LACTOBACILLUS FERMENTUM	A	
2902	LACTOBACILLUS GALLINARUM	A	
2903	LACTOBACILLUS GASSERI	A	
2904	LACTOBACILLUS HELVETICUS	A	
2905	LACTOBACILLUS JOHNSONII	A	
2906	LACTOBACILLUS KEFIRANOFACIENS	A	
2907	LACTOBACILLUS KEFIRGRANUM	A	
2908	LACTOBACILLUS KEFIRI	A	
2909	LACTOBACILLUS PARACASEI	A	
2910	LACTOBACILLUS PARACASEI SUBSP. PARACASEI	A	
2911	LACTOBACILLUS PLANTARUM	A	
2912	LACTOBACILLUS REUTERI	A	
2913	LACTOBACILLUS RHAMNOSUS	A	
2914	LACTOBACILLUS SALIVARIUS SSP SALICINIUS	A	
2915	LACTOBACILLUS SALIVARIUS SSP SALIVARIUS	A	
2916	LACTOBIONIC ACID	E	Only for use in topical medicines for dermal application.
2917	LACTOSCATONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2918	LACTOSE	E	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

2919	LACTOSE MONOHYDRATE	E	
2920	LACTUCA SATIVA	A, H	
2921	LACTUCA VIROSA	A, H	
2922	LACTULOSE	E	
2923	LACTULOSE SOLUTION	A	When used as an active ingredient, can only be supplied as an uncompound medicine substance packed for retail sale, and must comply with an uncompound substance monograph of the British Pharmacopoeia, as in force or existing form time to time.
2924	LAGENARIA VULGARIS	A, H	
2925	LAMINARIA CLOUSTONI	A, E, H	Iodine is a mandatory component of Laminaria cloustoni. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2926	LAMINARIA DIGITATA	A, E, H	Iodine is a mandatory component of Laminaria digitata. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2927	LAMINARIA JAPONICA	A, E, H	Iodine is a mandatory component of Laminaria japonica.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
2928	LAMIUM ALBUM	A, H	
2929	LANETH-5	E	Only for use in topical medicines for dermal application.
2930	LANOLIN ALCOHOL	E	Only for use in topical medicines for dermal application.
2931	LANOLIN OIL	E	Only for use in topical medicines for dermal application.
2932	LANOLIN WAX	E	Only for use in topical medicines for dermal application.
2933	LANTANA CAMARA	A, H	The maximum recommended daily dose must contain no more than 1mg of the equivalent dry herbal material of Lantana camara.
2934	LARIX ARABINOGALACTAN	A, E	The concentration of polysaccharides in the ingredient must be greater than or equal to 85%. The ingredient must be derived from Larix occidentalis or Larix laricina. Only for use in oral medicines or topical medicines for dermal application, and not to be included in topical products intended for use in the eye. The maximum recommended daily dose of Larix

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			arabinogalactan in oral medicines must not be more than 15 grams. The concentration of Larix arabinogalactan in topical medicines for dermal application must not exceed 5.0%.
2935	LARIX DECIDUA	A, H	
2936	LARIX KAEMPFERI	A, H	The maximum recommended daily dose must be no more than 1 mg of the equivalent dry herbal material of Larix kaempferi.
2937	LARREA TRIDENTATA	A, H	The following warning statement is required on the medicine label: (CHAP1) 'In rare cases, Larrea tridentata may harm the liver. Stop use and see a doctor if you have yellowing skin/eyes or unusual: fatigue, nausea, appetite loss, abdominal pain or dark urine.'
2938	LATHYRUS SATIVUS	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material of Lathyrus sativus. The medicine must not contain lathyrogenic amino acids.
2939	LAURAMINE OXIDE	E	
2940	LAUREL LEAF OIL	A, H	When the total concentration of bay oil in the medicine is more than 25%: (a) the nominal capacity of the container must not be more than 25 mL; (b) the container must be fitted with a restricted flow insert; (c) the following warning statements are required on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect);

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			- (NTAKEN) 'Not to be taken'; and (d) when the nominal capacity of the container is greater than 15 mL, the container must also be fitted with a child resistant closure.
2941	LAURETH-10	E	Only for use in topical medicines for dermal application.
2942	LAURETH-12	E	Only for use in topical medicines for dermal application.
2943	LAURETH-2	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.4%. Residual levels of ethylene oxide (and related substances) must be kept below the level of detection.
2944	LAURETH-23	E	Only for use in topical medicines for dermal application.
2945	LAURETH-3	E	Only for use in topical medicines for dermal application.
2946	LAURETH-4	E	Only for use in topical medicines for dermal application.
2947	LAURETH-7	E	Only for use in topical medicines for dermal application.
2948	LAURETH-8	E	
2949	LAURIC ACID	A, E	When for use as an active ingredient is for use in oral medicines only and the maximum recommended daily dose must not exceed 1500 mg.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

2950	LAURIL MACROGOL 400 DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 5%.
2951	LAUROMACROGOL 400	E	Only for use in topical medicines for dermal application.
2952	LAUROYL LYSINE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 5.0%.
2953	LAURUS NOBILIS	A, E, H	When the plant preparation is oil or distillate, and the concentration of bay oil or distillate in the medicine is greater than 25%: (a) the nominal capacity of the container must not be more than 25 mL; (b) the container must be fitted with a restricted flow insert; (c) the following warning statements are required on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); - (NTAKEN) 'Not to be taken'; and (d) when the nominal capacity of the container is greater than 15 mL, the container must also be fitted with a child resistant closure.
2954	LAURYL ALDEHYDE	E	Permitted for use only in combination with other permitted

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			ingredients as a coating solution, flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2955	LAURYL BETAINE	E	Only for use in topical medicines for dermal application.
2956	LAURYL GLUCOSIDE	E	Only for use as an excipient ingredient in topical medicines for dermal application and not to be included in topical medicines intended for use in the eye. The concentration in the medicine must be no more than 12%.
2957	LAURYL LACTATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%. Sponsors should consider the impact of excipients containing alpha hydroxy acids on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.
2958	LAURYL PCA	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

2959	LAURYL PEG-10 TRIS(TRIMETHYLSILOXY)SILYL ETHYL DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
2960	LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or damaged skin. The concentration in the medicine must be no more than 3.5%.
2961	LAURYL PEG/PPG-18/18 METHICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 9%. Residual levels of ethylene oxide (and related substances) must be kept below the level of detection.
2962	LAURYL POLYGLUCOSE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration must not exceed 1% in leave-on medicines and 3% in wash-on/wash-off medicines.
2963	LAURYL PYRROLIDONE	E	Only for use in topical medicines for dermal application.
2964	LAURYLDIMONIUM HYDROXYPROPYL HYDROLYSED COLLAGEN	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

2965	LAURYLDIMONIUM HYDROXYPROPYL HYDROLYSED SOY PROTEIN	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.007%.
2966	LAURYLMETICONE COPOLYOL	E	Only for use in topical medicines for dermal application.
2967	LAVANDIN OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2968	LAVANDIN OIL ABRIAL	A, E, H	
2969	LAVANDIN OIL GROSSO	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
2970	LAVANDULA ANGUSTIFOLIA	A, E, H	Camphor is a mandatory component of Lavandula angustifolia. In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%. In liquid preparations other than essential oils or distillates, the concentration of camphor must be no more than 2.5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

2971	LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA	A, E, H	Camphor is a mandatory component of Lavandula angustifolia subsp. angustifolia. In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%. In liquid preparations other than essential oils or distillates, the concentration of camphor must be no more than 2.5%.
2972	LAVANDULA X INTERMEDIA	A, E, H	Camphor is a mandatory component of Lavandula x intermedia. In solid and semi solid preparations, the concentration of camphor must be no more than 12.5%.
2973	LAVENDER OIL	A, E, H	
2974	LAWSONIA INERMIS	A, H	
2975	LEAD	H	Only for use as an active homoeopathic ingredient. The concentration in the medicine must be no more than 0.001%.
2976	LEAD ACETATE	H	Only for use as an active homoeopathic ingredient.
2977	LEAF ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
2978	LECITHIN	A, E	
2979	LEDEBOURIELLA SESELOIDES	A, H	
2980	LEDUM PALUSTRE	A, H	Beta-arbutin is a mandatory component of Ledum palustre.

			When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for topical use other than dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%. When the route of administration is other than topical, the maximum recommended daily dose must not contain more than 0.001 mg of the equivalent dry herbal material of <i>Ledum palustre</i>.
2981	LEMNA MINOR	A, H	
2982	LEMON	E	When used internally, oxedrine is a mandatory component of lemon. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2983	LEMON BALM LEAF DRY	A, H	
2984	LEMON BALM LEAF POWDER	A, E, H	
2985	LEMON OIL	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams. The warning statement (SENS) 'Application to skin may increase

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) steam distilled or rectified; or b) for internal use; or c) contains 0.05% or less of lemon oil; or d) for use in soaps or bath or shower gels that are washed off the skin.
2986	LEMON OIL DISTILLED	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil distilled. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2987	LEMON OIL TERPENELESS	A, E, H	When used internally, oxedrine is a mandatory component of lemon oil terpeneless. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2988	LEMON OIL TERPENES AND TERPENOIDS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
2989	LEMON PEEL DRIED	A, E, H	When used internally, oxedrine is a mandatory component of lemon peel dried.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
2990	LEMONGRASS OIL	A, E, H	
2991	LENS CULINARIS	A, H	
2992	LENTIL	E	
2993	LENTINULA EDODES	A, E, H	
2994	LEONTOPODIUM ALPINUM	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.
2995	LEONURUS CARDIACA	A, E, H	
2996	LEONURUS SIBIRICUS	A, E, H	
2997	LEPIDIUM APETALUM	A, H	
2998	LEPIDIUM MEYENII	A	The route of administration for medicines that contain <i>Lepidium meyenii</i> must be limited to oral. The ingredient must consist of the dried tuber of <i>Lepidium meyenii</i> only. The maximum recommended daily dose of the medicine must not provide more than 3.5 g of <i>Lepidium meyenii</i> dried tuber (or its extract equivalent).
2999	LEPTOSPERMUM PETERSONII	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more 5%.
3000	LEPTOSPERMUM SCOPARIUM OIL	A	Only for use as an active ingredient when the route of administration is oral application in a mouthwash, or topical. If the concentration is more than 25%, the nominal capacity of the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			container must not be more than 25 millilitres. When the concentration is more than 25%, and the nominal capacity of the container is less than or equal to 15 millilitres, a restricted flow insert must be fitted on the container and requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect); and - (NTAKEN) 'Not to be taken'. When the concentration is more than 25%, and the nominal capacity of the container is more than 15 millilitres but not more than 25 millilitres, a child resistant closure and restricted flow insert must be fitted on the container and requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect); and - (NTAKEN) 'Not to be taken'.
3001	LESPEDeza CAPITATA	A, H	
3002	LETTUCE	E	
3003	LEUCINE	A, E	
3004	LEUZEa UNIFLORA	A, H	
3005	LEVISTICUM OFFICINALE	A, H	
3006	LEVOCARNITINE	A	
3007	LEVOCARNITINE FUMARATE	A	
3008	LEVOCARNITINE HYDROCHLORIDE	A	
3009	LEVOCARNITINE MAGNESIUM CITRATE	A	
3010	LEVOCARNITINE TARTRATE	A	
3011	LEVOMEFOLATE CALCIUM	A	Available for medicines intended for internal use only.

			Levomefolic acid is a mandatory component of levomefolate calcium. The maximum recommended daily dose must not provide more than 500 micrograms of levomefolic acid from levomefolate calcium. When the medicine contains a combination of folic acid, folinic acid or levomefolic acid, the medicine must not provide more than a combined total of 500 micrograms of folic acid, folinic acid and levomefolic acid per maximum recommended daily dose.
3012	LEVOMEFOLATE GLUCOSAMINE	A	Available for medicines intended for internal use only. Levomefolic acid is a mandatory component of levomefolate glucosamine. The maximum recommended daily dose must not provide more than 500 micrograms of levomefolic acid from levomefolate glucosamine. When the medicine contains a combination of folic acid, folinic acid or levomefolic acid, the medicine must not provide more than a combined total of 500 micrograms of folic acid, folinic acid and levomefolic acid per maximum recommended daily dose.
3013	LEVOTHYROXINE SODIUM	H	Only for use as an active homoeopathic ingredient.
3014	LEVULINIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3015	LIGHT KAOLIN	E	
3016	LIGHT LIQUID PARAFFIN	A, E	When used as an active ingredient, can only be supplied as an uncompound medicine substance packed for retail sale, and must comply with an uncompound substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
3017	LIGHT MAGNESIUM OXIDE	A, E, H	Magnesium is a mandatory component of light magnesium oxide. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect).

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3018	LIGUSTICUM SINENSE	A, H	
3019	LIGUSTICUM STRIATUM	A, E, H	
3020	LIGUSTRUM LUCIDUM	A, H	
3021	LILIUM BROWNII	A, H	
3022	LILIUM CANDIDUM	A, E, H	
3023	LILIUM LANCIFOLIUM	A, H	
3024	LILIUM LONGIFLORUM	A, H	
3025	LIME FRUIT	E	
3026	LIME OIL	E	Lime oil must only be included in medicines when in combination with other permitted ingredients as a flavour or a fragrance proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing lime oil must not be more than 5% of the total medicine. The total concentration of fragrance proprietary excipient formulations containing lime oil must not be more than 1% of the total medicine. When for other than internal use: (a) the concentration of lime oil in the medicine must not be more than 0.5%; or (b) the following warning statement (or words to the same effect) is required on the medicine label: - (SENS) 'Application to the skin may increase sensitivity to sunlight'.
3027	LIME OIL COLDPRESSED	A, E, H	The warning statement (SENS) 'Application to skin may increase

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) contains 0.5% or less of lime oil coldpressed; or c) for use in soaps or bath or shower gels that are washed off the skin.
3028	LIME OIL DISTILLED	A, E, H	The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) contains 0.5% or less of lime oil distilled; or c) for use in soaps or bath or shower gels that are washed off the skin.
3029	LIME OIL TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3030	LIME OIL TERPENES AND TERPENOIDS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3031	LIME TREE FLOWER DRY	A, H	
3032	LIME TREE FLOWER POWDER	A, H	
3033	LIME, ESSENCE	E	
3034	LIMES TERPENES	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3035	LIMONENE	E	When for oral use, the quantity must be no more than 10 mg per maximum recommended daily dose.
3036	LINALOOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3037	LINALOOL OXIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3038	LINALYL ACETAL	E	Permitted for use only in combination with other permitted

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3039	LINALYL ACETATE	E	Permitted for use only: (a) in topical medicines for dermal application; and (b) in oral medicines in combination with other permitted ingredients as part of a flavour proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%.
3040	LINALYL BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3041	LINALYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3042	LINALYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more than 1%.
3043	LINALYL FORMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3044	LINALYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3045	LINALYL PROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3046	LINDERA STRYCHNIFOLIA	A, H	
3047	LINOLEAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The concentration in the medicine must be no more than 0.5%.
3048	LINOLEIC ACID	E	
3049	LINOLENIC ACID	E	
3050	LINSEED DRY	A, E, H	
3051	LINSEED OIL	A, E, H	
3052	LINSEED OIL FATTY ACIDS	E	Linseed oil fatty acids must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing linseed oil fatty acids must not be more than 5% of the total medicine.
3053	LINSEED POWDER	A, E, H	
3054	LINUM USITATISSIMUM	A, E, H	
3055	LIPASE	A	Permitted for use only when derived from <i>Rhizopus oryzae</i> and in medicines containing 20,000 lipase units (equivalent to 20,000 BP units) or less of lipase activity per dosage unit. Lipase must comply with the relevant compositional guideline.
3056	LIPPIA DULCIS	A, H	
3057	LIQUID GLUCOSE	E	
3058	LIQUID PARAFFIN	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing from time to time.
3059	LIQUIDAMBAR FORMOSANA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3060	LIQUIDAMBAR ORIENTALIS	A, H	
3061	LIQUIDAMBAR STYRACIFLUA	A, E, H	
3062	LIQUIDAMBAR STYRACIFLUA RESIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3063	LIQUIDAMBAR TAIWANIANA	A, H	
3064	LIQUORICE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3065	LIQUORICE DRY	A, E, H	
3066	LIQUORICE LIQUID EXTRACT	A, E, H	
3067	LIQUORICE POWDER	A, E, H	
3068	LITCHI CHINENSIS	A, E, H	When used as an excipient, Litchi chinensis must only be included in medicines when the plant part is fruit, in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing Litchi chinensis must not be more than 5% of the total medicine.
3069	LITHIUM CARBONATE	H	Only for use as an active homoeopathic ingredient.
3070	LITHOSPERMUM OFFICINALE	A, H	The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material of Lithospermum officinale.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3071	LITSEA CUBEBA	A, E, H	
3072	LITSEA CUBEBA OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3073	LOBARIA PULMONARIA	A, H	
3074	LOBELIA DRY	A, H	The concentration in the medicine must be no more than 0.001% or 10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3075	LOBELIA INFLATA	A, H	The concentration in the medicine must be no more than 0.001% or 10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3076	LOBELIA POWDER	A, H	The concentration in the medicine must be no more than 0.001% or 10mg/kg or 10ml/L or 10 ppm unless the medicine is administered by inhalation.
3077	LOLIUM PERENNE	A, H	
3078	LOLIUM TEMULENTUM	A, H	
3079	LONGIFOLENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total longifolene concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3080	LONICERA CAPRIFOLIUM	A, E, H	
3081	LONICERA JAPONICA	A, E, H	
3082	LONICERA PERICLYMENUM	A, H	
3083	LOPHATHERUM GRACILE	A, H	
3084	LOQUAT	E	
3085	LORANTHUS PARASITICUS	A, H	
3086	LOROPETALUM CHINENSE	A, H	
3087	LOTUS CORNICULATUS	A, H	
3088	LOVAGE OIL	A, E, H	
3089	LOVAGE ROOT DRY	A, H	
3090	LOVAGE ROOT POWDER	A, H	
3091	LUDWIGIA PROSTRATA	A, H	
3092	LUFFA CYLINDRICA	A, H	
3093	LUFFA PURGANS	A, H	
3094	LUTEIN	A, E, H	When used as an excipient, permitted for use only as a colour in medicines limited to topical and oral routes of administration.
3095	LYCHEE	E	
3096	LYCIUM BARBARUM	A, H	
3097	LYCIUM CHINENSE	A, E, H	
3098	LYCOPENE	A, E	
3099	LYCOPERSICON ESCULENTUM	A, E, H	Steroidal alkaloids calculated as solanine is a mandatory component of Lycopersicon esculentum. The maximum daily dose must not provide more than 10 mg of steroidal alkaloids calculated as solanine.
3100	LYCOPODIUM ANNOTINUM	A, H	
3101	LYCOPODIUM CLAVATUM	A, H	
3102	LYCOPODIUM COMPLANATUM	A, H	
3103	LYCOPUS EUROPAEUS	A, H	
3104	LYCOPUS LUCIDUS	A, H	
3105	LYCOPUS VIRGINICUS	A, H	Pulegone is a mandatory component of Lycopus virginicus.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The concentration of pulegone in the medicine must be no more than 4%.
3106	LYGODIUM JAPONICUM	A, H	
3107	LYSIMACHIA CHRISTINAE	A, H	
3108	LYSIMACHIA VULGARIS	A, H	
3109	LYSINE	A, E	
3110	LYSINE HYDROCHLORIDE	A, E	
3111	LYTHRUM HYSSOPIFOLIA	A, H	
3112	LYTHRUM SALICARIA	A, H	
3113	LYTHRUM VERTICILLATUM	A, H	
3114	MACADAMIA INTEGRIFOLIA	A, E	
3115	MACADAMIA NUT OIL	E	
3116	MACADAMIA TERNIFOLIA	A, E, H	
3117	MACE	E	Safrole is a mandatory component of Mace. When used internally, the concentration of safrole in the medicine must be no more than 0.1%. When used topically, the concentration of safrole in the medicine must be no more than 1.0%.
3118	MACE OIL	A, H	Safrole is a mandatory component of Mace oil. When used internally, the concentration of safrole in the medicine must be no more than 0.1%. When used topically, the concentration of safrole in the medicine must be no more than 1.0%. When the concentration of mace oil in the preparation is more than 50% and the nominal capacity of the container is 25 mL or less, a restricted flow insert must be fitted on the container.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3119	MACROCYSTIS PYRIFERA	A, E, H	Iodine is a mandatory component of <i>Macrocystis pyrifera</i>. Only for external use when the concentration of iodine in the medicine (excluding salts derivatives or iodophors) is 2.5% or less. Only for internal use when the medicine contains less than 300 micrograms of iodine per maximum recommended daily dose.
3120	MACROGOL 1000	E	
3121	MACROGOL 1450	E	Only for use in topical medicines for dermal application.
3122	MACROGOL 1500	E	
3123	MACROGOL 1500 CASTOR OIL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 2%.
3124	MACROGOL 200	E	Only for use in topical medicines for dermal application.
3125	MACROGOL 20000	E	
3126	MACROGOL 300	E	
3127	MACROGOL 3000	E	
3128	MACROGOL 3350	A, E	When used as an active ingredient, can only be supplied as an uncompounded medicine substance packed for retail sale, and must comply with an uncompounded substance monograph of the British Pharmacopoeia, as in force or existing form time to time.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3129	MACROGOL 40	E	Only for use in topical medicines for dermal application.
3130	MACROGOL 400	E	
3131	MACROGOL 4000	E	
3132	MACROGOL 45000	E	Only for use in topical medicines for dermal application.
3133	MACROGOL 600	E	
3134	MACROGOL 6000	E	
3135	MACROGOL 600000	E	
3136	MACROGOL 800	E	
3137	MACROGOL 8000	E	
3138	MACROGOL 900	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.95%.
3139	MACROGOL POLY(VINYL ALCOHOL) GRAFTED POLYMER	E	Only for use in oral medicines. The concentration in the medicine must be no more than 5%.
3140	MACROPIPER EXCELSUM VAR EXCELSUM	A, H	
3141	MAGNESIUM AMINO ACID CHELATE	A, E, H	Only for use in oral medicines. The concentration of magnesium must be no more than 25% of the magnesium amino acid chelate.
3142	MAGNESIUM ASCORBATE	A, E, H	
3143	MAGNESIUM ASCORBATE MONOHYDRATE	A, E, H	
3144	MAGNESIUM ASCORBYL PHOSPHATE	E	Only for use in topical medicines for dermal application.
3145	MAGNESIUM ASPARTATE	A, E, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3146	MAGNESIUM ASPARTATE DIHYDRATE	A, E, H	
3147	MAGNESIUM ASPARTATE TETRAHYDRATE	A, E, H	
3148	MAGNESIUM CARBONATE HYDRATE	A, E, H	
3149	MAGNESIUM CHLORIDE 4.5-HYDRATE	A	Magnesium is a mandatory component of magnesium chloride 4.5-hydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3150	MAGNESIUM CHLORIDE HEXAHYDRATE	A, E, H	Magnesium is a mandatory component of magnesium chloride hexahydrate. When used in a medicine:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			(a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3151	MAGNESIUM CITRATE	A, E, H	
3152	MAGNESIUM CITRATE NONAHYDRATE	A, E, H	
3153	MAGNESIUM CITRATE TETRADECAHYDRATE	A, E, H	
3154	MAGNESIUM DIGLUTAMATE	A, E, H	
3155	MAGNESIUM GLUCONATE	A, E, H	
3156	MAGNESIUM GLYCEROPHOSPHATE	A, E, H	
3157	MAGNESIUM GLYCINATE	A	Only for use in oral medicines.
3158	MAGNESIUM GLYCINATE DIHYDRATE	A	Only for use in oral medicines.

			Magnesium is a mandatory component of Magnesium glycinate dihydrate. The percentage of Magnesium from Magnesium glycinate dihydrate should be calculated based on the molecular weight of Magnesium glycinate dihydrate.
3159	MAGNESIUM HYDROGEN PHOSPHATE	H	Magnesium is a mandatory component of magnesium hydrogen phosphate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3160	MAGNESIUM HYDROXIDE	A, E	When used as an active ingredient, can only be supplied as an uncompound medicine substance packed for retail sale, and must comply with an uncompound substance monograph of the British Pharmacopoeia, as in force or existing from time to time. Magnesium is a mandatory component of magnesium hydroxide. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3161	MAGNESIUM LYSINATE	A	Only for use in oral medicines.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3162	MAGNESIUM METHIONINATE	A	Only for use in oral medicines.
3163	MAGNESIUM NITRATE	E	Only for use in topical medicines for dermal application.
3164	MAGNESIUM OROTATE	A, E, H	
3165	MAGNESIUM OROTATE DIHYDRATE	A, E, H	
3166	MAGNESIUM OXIDE	A, E, H	Magnesium is a mandatory component of magnesium oxide. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3167	MAGNESIUM PHOSPHATE PENTAHYDRATE	A, E, H	Magnesium is a mandatory component of magnesium phosphate pentahydrate.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3168	MAGNESIUM PHOSPHATE TRIBASIC	A, E, H	Magnesium is a mandatory component of magnesium phosphate tribasic. The percentage of magnesium from magnesium phosphate tribasic should be calculated based on the molecular weight of magnesium phosphate tribasic. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and

			(c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3169	MAGNESIUM PYRUVATE	A	Only for use in oral medicines. The maximum recommended daily dose must be no more than 7 grams.
3170	MAGNESIUM STEARATE	E	
3171	MAGNESIUM SULFATE DIHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5g. Magnesium is a mandatory component of magnesium sulfate dihydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			(c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3172	MAGNESIUM SULFATE HEPTAHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5 g. Magnesium is a mandatory component of magnesium sulfate heptahydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3173	MAGNESIUM SULFATE MONOHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5 g. Magnesium is a mandatory component of magnesium sulfate monohydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			- (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3174	MAGNESIUM SULFATE TRIHYDRATE	A, E, H	When used internally, the maximum recommended daily dose must not be more than 1.5 g. Magnesium is a mandatory component of magnesium sulfate trihydrate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.

3175	MAGNESIUM TRISILICATE	E	Magnesium is a mandatory component of magnesium trisilicate. When used in a medicine: (a) with an oral route of administration; (b) not indicated for laxative (or related) use; and (c) where the maximum recommended daily dose for: (i) children aged between 1 and 3 years (inclusive) provides 65 mg or more total magnesium from inorganic magnesium salts; (ii) children aged between 4 and 8 years (inclusive) provides 110 mg or more total magnesium from inorganic magnesium salts; or (iii) individuals aged 9 years or older provides 350 mg or more total magnesium from inorganic magnesium salts; the following warning statement is required on the medicine label: - (LAX6) 'Contains magnesium, which may have a laxative effect or cause diarrhoea' (or words to that effect). When the route of administration is oral, the medicine must not be directed for use in infants younger than 12 months of age.
3176	MAGNOLIA GLAUCA	A, H	
3177	MAGNOLIA LILIFLORA	A, H	
3178	MAGNOLIA OBOVATA	A, H	
3179	MAGNOLIA OFFICINALIS	A, E, H	
3180	MAGNOLIA SALICIFOLIA	A, H	
3181	MAIZE OIL	A, E, H	
3182	MAIZE STARCH	A, E, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3183	MALACHITE GREEN	E	Permitted for use only as a colour for topical use.
3184	MALIC ACID	E	Sponsors should consider the impact of excipients on the sensitivity of the skin to sunlight and should ensure the finished medicine is safe for its intended purpose.
3185	MALPIGHIA GLABRA	A, E, H	
3186	MALT EXTRACT	E	
3187	MALTITOL	E	
3188	MALTITOL SOLUTION	E	
3189	MALTODEXTRIN	A, E	Gluten is a mandatory component of Maltodextrin where the ingredient is derived from gluten containing grains such as wheat, barley, rye and oats. When used as an active ingredient, maltodextrin must: (a) contain at least 90% fibre content; (b) be limited to oral routes of administration: (c) not exceed 50 grams of maltodextrin as the maximum recommended daily dose of the ingredient; and (d) must be indicated for use in adults only. When maltodextrin is used as an active ingredient, the following warning statements (or words to the same effect) must be included on the medicine label: - ‘(GEN2) If symptoms persist, seek the advice of a health professional.’; - ‘(PREGNT4) If you are pregnant or breastfeeding, seek the advice of a health practitioner before taking this product.’; and

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			- ‘(HYPOGLYC) If you experience symptoms of low blood glucose including feelings of anxiety, dizziness, tremor, sweating, nausea or headache, discontinue use and consult a health practitioner.’
3190	MALTOL	E	
3191	MALTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3192	MALTOSE	E	
3193	MALUS DOMESTICA	A, E, H	The concentration of amygdalin in the medicine must be no more than 0%.
3194	MALUS SYLVESTRIS	A, H	
3195	MALVA MOSCHATA	A, H	
3196	MALVA SYLVESTRIS	A, E, H	
3197	MALVA VERTICILLATA	A, H	
3198	MANDARIN	E	
3199	MANDARIN OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3200	MANDARIN OIL COLDPRESSED	A, E, H	When used internally, oxedrine is a mandatory component of mandarin oil coldpressed.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3201	MANDARIN OIL TERPENES	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3202	MANDARIN RESIDUE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3203	MANDRAGORA OFFICINARUM	A, H	Atropine, hyoscyne and hyoscyamine are mandatory components of Mandragora officinarum. The concentration in the medicine must be no more than 10 mg/kg or 10 mL/L or 0.001%. The concentration of atropine in the medicine must be no more than 100 micrograms/kg or 100 micrograms/L or 0.00001%. The concentration of hyoscyne in the medicine must be no more than 300 micrograms/kg or 300 micrograms/L or 0.00003%. The concentration of hyoscyamine in the medicine must be no more than 300 micrograms/kg or 300 micrograms/L or 0.00003%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3204	MANGANESE	H	Only for use as an active homoeopathic ingredient.
3205	MANGANESE (II) DIASPARTATE	A, H	Only for use in oral medicines.
3206	MANGANESE (II) GLYCINATE	A, H	Only for use in oral medicines.
3207	MANGANESE ACETATE TETRAHYDRATE	H	Only for use as an active homoeopathic ingredient.
3208	MANGANESE AMINO ACID CHELATE	A, E, H	Only for use in oral medicines. The concentration of Manganese must be no more than 25% of the manganese amino acid chelate.
3209	MANGANESE CHLORIDE TETRAHYDRATE	A, E, H	
3210	MANGANESE DIASPARTATE	A, E, H	Only for use in oral medicines.
3211	MANGANESE GLUCONATE	A, E, H	
3212	MANGANESE GLYCEROPHOSPHATE	A, E, H	
3213	MANGANESE OXIDE	A, E, H	
3214	MANGANESE SULFATE MONOHYDRATE	A, E, H	
3215	MANGANESE SULFATE TETRAHYDRATE	A, E, H	
3216	MANGIFERA INDICA	A, E, H	
3217	MANGO	E, H	
3218	MANIHOT ESCULENTA	A, H	
3219	MANNITOL	E	
3220	MARANTA ARUNDINACEA	A, H	
3221	MARINE SPONGE	H	Only for use as an active homoeopathic ingredient.
3222	MARJORAM OIL SPANISH	A, E, H	When the concentration in the preparation is more than 50%, the nominal capacity of the container must be no more than 50 mL, the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must have a restricted flow insert fitted to the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3223	MARJORAM OIL SWEET	A, E, H	When the concentration in the preparation is more than 50%, the nominal capacity of the container must be no more than 50 mL, the medicine must have a restricted flow insert fitted to the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3224	MARRUBIUM VULGARE	A, E, H	
3225	MARSDENIA CUNDURANGO	A, H	
3226	MARSHMALLOW ROOT DRY	A, H	
3227	MARSHMALLOW ROOT POWDER	A, H	
3228	MASSOIA LACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3229	MASTIC	A, H	
3230	MATE ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3231	MATRICARIA CHAMOMILLA	A, E, H	
3232	MATRICARIA FLOWER DRY	A, E, H	
3233	MEADOWSWEET HERB DRY	A, H	Methyl salicylate is a mandatory component of meadowsweet herb dry. Not to be included in medicines for use in the eye or on damaged skin. When used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if: - the delivery device is engaged into the container in such a way that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish. The following warning statement is required on the medicine label: - (METSAL) 'Contains methyl salicylate' (or words to that effect).

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			When for use in topical medicines for dermal application i) the concentration of methyl salicylate in the medicine must not be more than 25% ii) the following warning statements are required on the medicine label: - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight.' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
3234	MECOBALAMIN	A	Only for use in oral medicines.
3235	MEDICAGO SATIVA	A, E, H	The level of l-canavanine must be no more than that of the dried leaf. When fresh leaf extract is used and the extraction ratio is between 34:1 and 46:1, the quantity of l-canavanine in the extract must not be more than that in the fresh leaf.
3236	MEDIUM CHAIN TRIGLYCERIDES	E	
3237	MELALEUCA ALTERNIFOLIA	A, E, H	Cineole is a mandatory component of Melaleuca alternifolia.

			In liquid preparations when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3238	MELALEUCA CAJUPUTI	A, E, H	Cineole is a mandatory component of Melaleuca cajuputi. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3239	MELALEUCA CITRINA	A, H	
3240	MELALEUCA DISSITIFLORA	A, H	Cineole is a mandatory component of Melaleuca dissitiflora. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3241	MELALEUCA ERICIFOLIA	A, E, H	Cineole is a mandatory component of Melaleuca ericifolia. In liquid preparations, when the concentration of cineole OR the

			concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3242	MELALEUCA LINARIIFOLIA	A, H	Cineole is a mandatory component of Melaleuca linariifolia. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3243	MELALEUCA OIL	A, E, H	Cineole and cajuput oil are a mandatory components of Melaleuca Oil. When the plant preparation is oil and the concentration in the medicine is more than 25%, the nominal capacity of the container must be no more than 25 mL and the medicine requires the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect) - (NTAKEN) 'Not to be taken'. When the nominal capacity of the container is 15 mL or less, then a restricted flow insert must be fitted on the container. Where the nominal capacity of the container is more than 15 mL but less than or equal to 25 mL, then a child resistant closure and restricted flow insert must be fitted on the container.
3244	MELALEUCA QUINQUENERVIA	A, E, H	Cineole is a mandatory component of Melaleuca quinquenervia. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25%: a) the nominal capacity of the container must be no more than 25 millilitres; b) a restricted flow insert must be fitted on the container; and

			c) the container must include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. In liquid preparations, when the concentration of cineole OR the concentration of oil or distillate in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres the medicine must also have a child resistant closure.
3245	MELICOPE PTELEIFOLIA	A, H	
3246	MELILOTUS OFFICINALIS	A, E, H	Coumarin is a mandatory component of Melilotus officinalis. The concentration of coumarin in the medicine must be no more than 0.001%.
3247	MELISSA OFFICINALIS	A, E, H	
3248	MELON	E	
3249	MENADIONE SODIUM BISULFITE	E	
3250	MENAQUINONE 7	A	For oral use only. The medicine must not provide more than 180 micrograms per maximum daily dose in adults, 90 micrograms per maximum daily dose in children between 10-18 years, and 45 micrograms per maximum daily dose in children less than 10 years of age.
3251	MENISPERMUM CANADENSE	A, H	
3252	MENTHA AQUATICA	A, H	Menthol is a mandatory component of Mentha aquatica.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3253	MENTHA ARVENSIS	A, E, H	Menthol is a mandatory component of Mentha arvensis. When the medicine is for topical use for dermal application:

			(i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3254	MENTHA ARVENSIS LEAF OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation or fragrance proprietary excipient formulation.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

The total flavour proprietary excipient formulation in a medicine must be no more than 5%.

The total fragrance proprietary excipient formulation in a medicine must be no more 1%.

Menthol is a mandatory component of *Mentha arvensis* leaf oil.

When the medicine is for topical use for dermal application:

- (i) the medicine must not be intended for use in the eye or on damaged skin;
 - (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use;
 - (iii) the following warning statement is required on the medicine label:
 - (EYE) Avoid contact with eyes (or words to that effect).
 - (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label:
 - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area;
 - (IRRIT) If irritation develops, discontinue use.
 - (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label:
-

			– (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3255	MENTHA ARVENSIS OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total flavour proprietary excipient formulation in a medicine must not be more than 5%. Menthol is a mandatory component of Mentha arvensis oil. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statements is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			(v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3256	MENTHA HAPLOCALYX	A, E, H	Menthol is a mandatory component of Mentha haplocalyx. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when

			administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3257	MENTHA PULEGIUM	A, H	D-pulegone, menthol and volatile oil components (of <i>Mentha pulegium</i>) are mandatory components of <i>Mentha pulegium</i>. When the nominal capacity of the container is more than 15 millilitres, the concentration of d-pulegone in the medicine must be no more than 4%. When the concentration of d-pulegone in the preparation is more than 4% and the nominal capacity of the container is 15 millilitres or less, the medicine must have a child resistant closure and restricted flow insert fitted on the container. The medicine requires the following warning statements on the medicine label: - (NTAKEN) 'Not to be taken'; - (CHILD) 'Keep out of reach of children' (or words to that effect). When the medicine is for topical use for dermal application: a) the maximum recommended daily dose must not contain more than 150 mg of <i>Mentha pulegium</i> oil or distillate; b) the medicine must not be intended for use in the eye or on damaged skin;

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			c) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; d) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). e) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. f) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use: a) the maximum recommended daily dose must not contain more than 50 mg of Mentha pulegium oil or distillate; b) the maximum recommended daily dose must not contain more than 1 gram of menthol.
3258	MENTHA SPICATA	A, E, H	Menthol is a mandatory component of Mentha spicata. When the medicine is for topical use for dermal application:

			(i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3259	MENTHA X CARDIACA	A, E, H	Menthol is a mandatory component of Mentha x cardiaca. When the medicine is for topical use for dermal application:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			(i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3260	MENTHA X PIPERITA	A, E, H	Menthol is a mandatory component of Mentha x piperita. When the medicine is for topical use for dermal application:

			(i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3261	MENTHADIENYL ACETATE	E	Menthadienyl acetate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The total concentration of the flavour proprietary excipient formulation containing menthadienyl acetate must not be more than 5% of the total medicine.
3262	MENTHANYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3263	MENTHOFURAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3264	MENTHOL	A, E	When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use; (iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label:

			- (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3265	MENTHONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3266	MENTHONE GLYCERINE ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3267	MENTHONE THIOL FRACTION	E	Permitted for use only in combination with other permitted ingredients as a flavour.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3268	MENTHOXYPROPANEDIOL	E	For oral use only. The concentration in the medicine must be no more than 0.04%.
3269	MENTHYL 2-HYDROXYETHYL CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3270	MENTHYL 2-HYDROXYPROPYL CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3271	MENTHYL ANTHRANILATE	A	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 5%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3272	MENTHYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3273	MENTHYL LACTATE	E	
3274	MENYANTHES TRIFOLIATA	A, H	
3275	MERCURIC CHLORIDE	H	Only for use as an active homoeopathic ingredient. Mercury is a mandatory component of mercuric chloride. The total concentration of mercury in the medicine must not be more than 1 mg/kg or 1 mg/L or 0.0001%.
3276	MERCURY	H	Only for use as an active homoeopathic ingredient. The total concentration of mercury in the medicine must not be more than 1 mg/kg or 1 mg/L or 0.0001%.
3277	METACRESOL	E	Only for use in topical medicines for dermal application.
3278	METHACRYLIC ACID COPOLYMER	E	Only for use in oral medicines.
3279	METHANOL	E	The residual solvent limit is 30 mg per recommended daily dose. The concentration in the medicine must be no more than 0.3%.
3280	METHICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3281	METHIONINE	A, E	
3282	METHOXYPROPYLAMINO CYCLOHEXENYLIDENE ETHOXYETHYLCYANOACETAT E	A	Until 20 June 2027, Methoxypropylamino cyclohexenylidene ethoxyethylcyanoacetate must only be used in a medicine where: (a) BASF Australia Ltd (Client ID 13479) is the sponsor of the medicine (the primary sponsor); or (b) another person is the sponsor of the medicine (the secondary sponsor) and the TGA has been notified that the secondary sponsor has been authorised by the primary sponsor to use the ingredient in the medicine. Methoxypropylamino cyclohexenylidene ethoxyethylcyanoacetate must: (a) only be used as an active ingredient in sunscreens in topical medicines for dermal application; and (b) not be included in medicines that are intended for use on: (i) the eye; or (ii) broken skin. The total concentration of methoxypropylamino cyclohexenylidene ethoxyethylcyanoacetate the medicine must not be more than 3%. Methoxypropylamino cyclohexenylidene ethoxyethylcyanoacetate must not be used in combination with nitrosating substances. The concentration of nitrosamine in the medicine must be less than 0.000005% or 50 ppb. When used in primary sunscreen products, the following warning

			statements (or words to the same effect) must be included on the medicine label: - (AVOID) ' Avoid prolonged exposure in the sun.'; - (SUNPRO) ' Wear protective clothing - hats and eyewear when exposed to the sun.'
3283	METHYL 2,6,6-TRIMETHYLCYCLOHEX-2-ENE-1-CARBOXYLATE	E	Only for use in medicines in combination with other permitted ingredients as a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must not be more than 1%.
3284	METHYL 2-METHYLBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3285	METHYL 2-OCTYNOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3286	METHYL 3,6-DIMETHYLRESORCYLATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3287	METHYL ACETATE	E	The residual solvent limit is 50 mg per recommended daily dose. The concentration in the medicine must be no more than 0.5%.
3288	METHYL ACETOPHENONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3289	METHYL ACETYL RICINOLEATE	E	Only for use in topical medicines for dermal application.
3290	METHYL ACRYLATE, METHYL METHACRYLATE AND METHACRYLIC ACID COPOLYMER DISPERSION (30 PER CENT)	E	Methyl methacrylate is a mandatory component of methyl acrylate, methyl methacrylate and methacrylic acid copolymer dispersion (30 per cent). The total concentration of methyl methacrylate as residual monomer in the medicine must not be more than 1%. The route of administration for medicines that contain methyl acrylate, methyl methacrylate and methacrylic acid copolymer dispersion (30 per cent) must be limited to oral use.

			Methyl acrylate, methyl methacrylate and methacrylic acid copolymer dispersion (30 per cent) is not permitted for use in children under the age of 4 years. The maximum recommended daily dose of the medicine must not provide more than: (a) 667 milligrams of methyl acrylate, methyl methacrylate and methacrylic acid copolymer dispersion (30 per cent) to individuals aged 4 to 17 years (inclusive); and (b) 2.33 grams of methyl acrylate, methyl methacrylate and methacrylic acid copolymer dispersion (30 per cent) to individuals aged 18 years and above.
3291	METHYL ANISATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3292	METHYL ANTHRANILATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3293	METHYL BENZOATE	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3294	METHYL BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3295	METHYL CAPROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3296	METHYL CAPRYLATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3297	METHYL CARBITOL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3298	METHYL CEDRYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a
medicine

Volume 4

3299	METHYL CHAVICOL	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The ingredient is not to be included in medicines intended for oral use. The quantity of methyl chavicol in a medicine must be no more than 0.01%. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3300	METHYL CINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3301	METHYL CIS-5-OCTENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3302	METHYL CYCLOPENTENOLONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3303	METHYL CYCLOPENTYLIDENEACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3304	METHYL DI-TERT-BUTYL-4- HYDROXYHYDROCINNAMATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3305	METHYL DIHYDROABIETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3306	METHYL DIISOPROPYL PROPIONAMIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3307	METHYL ETHER	E	Only for use in topical medicines for dermal application.
3308	METHYL ETHYL KETONE	E	The residual solvent limit is 50 mg per maximum recommended daily dose.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The concentration in the medicine must be no more than 0.5%.
3309	METHYL EUGENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3310	METHYL FUROATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3311	METHYL GLUCETH-10	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 3%. Residue levels of ethylene oxide are to be kept below the level of detection.
3312	METHYL GLUCETH-20	E	Only for use in topical medicines for dermal application.
3313	METHYL GLUCETH-20 BENZOATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3314	METHYL GLUCETH-20 SESQUIHYDRATE	E	Only for use in topical medicines for dermal application.
3315	METHYL GLUCOSE DIOLEATE	E	Only for use in topical medicines for dermal application.
3316	METHYL GLUCOSE SESQUIOLEATE	E	Only for use in topical medicines for dermal application.
3317	METHYL GLUCOSE SESQUISTEARATE	E	Only for use in topical medicines for dermal application.
3318	METHYL HEPTANOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total flavour proprietary excipient formulation in a medicine must not be more than 5%.
3319	METHYL HEPTENONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3320	METHYL HEPTYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3321	METHYL HEXYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3322	METHYL HEXYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3323	METHYL HYDROGENATED ROSINATE	E	Only for use in topical medicines for dermal application.
3324	METHYL HYDROJASMONATE	E	The route(s) of administration for medicines that contain methyl hydrojasmonate must be limited to: (a) topical for dermal use; and (b) oral. When used in oral medicines: (a) methyl hydrojasmonate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation; and (b) the total concentration of flavour proprietary excipient formulations containing methyl

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			hydrojasmonate must not be more than 5% of the total medicine.
3325	METHYL HYDROXYBENZOATE	E	
3326	METHYL IONONE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3327	METHYL ISOBUTYL KETONE	E	The residual solvent limit is 50 mg per maximum daily dose. The concentration in the medicine must be no more than 0.5%.
3328	METHYL ISOEUGENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3329	METHYL ISOVALERATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3330	METHYL JASMONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3331	METHYL LAURATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used as a flavour the total flavour concentration in a medicine must be no more than 5%.
3332	METHYL LINOLEATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3333	METHYL LINOLENATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3334	METHYL MAGNESIUM CHLORIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3335	METHYL METHACRYLATE CROSSPOLYMER	E	Methyl methacrylate is a mandatory component of methyl methacrylate crosspolymer.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. When the concentration of methyl methacrylate crosspolymer is greater than 1%, the medicine must not be intended for use on damaged skin. The total concentration of methyl methacrylate crosspolymer in the medicine must not be more than 4.85%. The total concentration of methyl methacrylate as residual monomer in the medicine must not be more than 1%.
3336	METHYL METHOXY PYRAZINE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3337	METHYL MYRISTATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3338	METHYL NAPHTHYL KETONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3339	METHYL NONYL KETONE	E	Permitted for use only in combination with other permitted

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3340	METHYL NONYLENATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3341	METHYL OCTIN CARBONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3342	METHYL PALMITATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3343	METHYL PHENYL CARBINOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3344	METHYL PHENYL CARBINYL-ISO-BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3345	METHYL PHENYL GLYCIDATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3346	METHYL PHENYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3347	METHYL PHENYLCARBINYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3348	METHYL ROSINATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3349	METHYL SALICYLATE	A, E	Not to be included in medicines for use in the eye or on damaged skin. When used internally, the concentration in the medicine must not be more than 0.001%. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging. When the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if: - the delivery device is engaged into the container in such a way that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish. The following warning statement is required on the medicine label:

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			- (METSAL) 'Contains methyl salicylate' (or words to that effect). When for use in topical medicines for dermal application: i) the concentration of methyl salicylate in the medicine must not be more than 25%; ii) the following warning statements are required on the medicine label: - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
3350	METHYL STEARATE	E	
3351	METHYL THIOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3352	METHYL TRIMETICONE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The concentration in the medicine must be no more than 5%.
3353	METHYL-3-METHYLTHIOPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3354	METHYL-BETA-METHYLTHIOLPROPIONATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3355	METHYL-PARA-TERT-BUTYLPHENYLACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3356	METHYLBENZYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3357	METHYLCELLULOSE	A, E	
3358	METHYLCHLOROISOTHIAZOLINONE	E	Only for use in topical medicines for dermal application that are rinsed off the skin. The total concentration of methylchloroisothiazolinone and methylisothiazolinone in the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more than 0.0015%.
3359	METHYLCYCLOHEXADIENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3360	METHYLENE BIS-BENZOTRIAZOLYL TETRAMETHYLBUTYLPHENOL	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3361	METHYLISOTHIAZOLINONE	E	Only for use in topical medicines for dermal application that are rinsed off the skin. The total concentration of methylchloroisothiazolinone and methylisothiazolinone in the medicine must be no more than 0.0015%.
3362	METHYLMERCAPTAN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more than 5%.
3363	METHYLPROPANEDIOL	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 10%.
3364	METHYLSILANOL/SILICATE CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%.
3365	METHYLSTYRENE/VINYLTOLUENE COPOLYMER	E	Only for use in topical medicines for dermal application.
3366	MICA	E	Only for use when the route of administration is oral, dental or topical. The concentration in oral medicines must be no more than 2.5%. The concentration in dental toothpastes must be no more than 0.5%.
3367	MICROCALICIUM ARENARIUM	A, H	
3368	MICROCOCCLUS LUTEUS LYSATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.005%.
3369	MICROCOS PANICULATA	A, H	
3370	MICROCRYSTALLINE CELLULOSE	E	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3371	MICROCRYSTALLINE WAX	E	Only for use as an excipient in medicines for topical, oral or oral application routes of administration. When microcrystalline wax is used as an excipient ingredient, the route of administration 'oral' is only permitted when the dosage form is 'chewing gum'.
3372	MILK FAT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3373	MILK THISTLE FRUIT DRY	A, H	
3374	MILK THISTLE FRUIT POWDER	A, H	
3375	MILLET	E	
3376	MILLETTIA DIELSIANA	A, H	
3377	MIMOSA ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3378	MIMULUS GUTTATUS	A, H	
3379	MINT OIL DEMENTHOLISED	A, E, H	Menthol is a mandatory component of mint oil dementholised. When the medicine is for topical use for dermal application: (i) the medicine must not be intended for use in the eye or on damaged skin; (ii) the medicine must not deliver more than 25% total menthol when administered according to the directions for use;

			(iii) the following warning statement is required on the medicine label: - (EYE) Avoid contact with eyes (or words to that effect). (iv) if the medicine delivers more than 1% total menthol when administered according to the directions for use, the following warning statements are required on the medicine label: - (SKTEST) If you have sensitive skin, test this product on a small area of skin before applying it to a large area; - (IRRIT) If irritation develops, discontinue use. (v) if the medicine delivers more than 5% total menthol when administered according to the directions for use, the following warning statement is required on the medicine label: – (MENTH) Contains a high concentration of menthol, which can cause severe skin irritation. When the medicine is for internal use, the maximum recommended daily dose must not contain more than 1 gram of menthol.
3380	MINTLACTONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3381	MITCHELLA REPENS	A, H	
3382	MIXED (HIGH-ALPHA TYPE) TOCOPHEROLS CONCENTRATE	A, E	
3383	MIXED (LOW-ALPHA TYPE) TOCOPHEROLS CONCENTRATE	A, E	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3384	MIXED TERPENES	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3385	MODIFIED FOOD STARCH	E	
3386	MOLASSES	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3387	MOLYBDENUM	H	Only for use as an active homoeopathic ingredient. When Molybdenum is sourced from Molybdenum trioxide then the maximum daily dose must be no more than 125 micrograms. When Molybdenum is sourced from yeast - high molybdenum then the maximum recommended daily dose must be no more than 62.5 micrograms.
3388	MOLYBDENUM TRIOXIDE	A	Molybdenum is a mandatory component of Molybdenum trioxide. The maximum daily dose of molybdenum from Molybdenum trioxide must be no more than 125 micrograms. The percentage of molybdenum from molybdenum trioxide should be calculated based on the molecular weight of molybdenum trioxide.
3389	MOMORDICA BALSAMINA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3390	MOMORDICA CHARANTIA	A, H	
3391	MOMORDICA COCHINCHINENSIS	A, H	
3392	MONARDA DIDYMA	A, H	
3393	MONO- AND DI- GLYCERIDES	E	
3394	MONOBASIC AMMONIUM PHOSPHATE	E	Only for use in topical medicines for dermal application.
3395	MONOBASIC CALCIUM PHOSPHATE	A, E, H	
3396	MONOBASIC POTASSIUM PHOSPHATE	A, E, H	When used in a solid medicine containing this ingredient, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid medicine containing this ingredient, the pH of the medicine must be no more than 11.5.
3397	MONOBASIC SODIUM PHOSPHATE	A, E, H	When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.
3398	MONOBASIC SODIUM PHOSPHATE DIHYDRATE	E	When used in a solid preparation, the pH of a 10 g/L aqueous solution must not be more than 11.5. When used in a liquid or a semi-solid preparation, the pH of the preparation must not exceed 11.5.
3399	MONOETHANOLAMINE	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 5%.
3400	MONOMENTHYL GLUTARATE	E	Monomenthyl glutarate must only be included in medicines when in

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing monomenthyl glutarate must not be more than 5% of the total medicine. The maximum recommended daily dose of the medicine must not provide more than 1.8mg of monomenthyl glutarate.
3401	MONOMENTHYL SUCCINATE	E	Monomenthyl succinate must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of the flavour proprietary excipient formulation containing monomenthyl succinate must not be more than 5% of the total medicine.
3402	MONOPHOSPHOTHIAMINE	A	
3403	MONOPHOSPHOTHIAMINE DIHYDRATE	A	
3404	MONOPOTASSIUM GLUTAMATE	A, E	
3405	MONOSODIUM DIHYDROGEN CITRATE	E	
3406	MONOSODIUM GLUTAMATE MONOHYDRATE	A, E	
3407	MONSTERA DELICIOSA	A, H	
3408	MONTAN WAX	E	
3409	MORDANT RED 11	E	Permitted for use only as a colour for topical use. The concentration in the medicine must be no more than 0.05%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3410	MORINDA CITRIFOLIA	A, H	Only for use when the plant part is fruit and the plant preparation is fruit juice or fruit powder. Fruit powder must be produced by freeze drying the whole fruit (excluding the seeds).
3411	MORINDA OFFICINALIS	A, H	
3412	MORINGA OLEIFERA	A, H	
3413	MORUS ALBA	A, H	
3414	MORUS BOMBYCIS	A, H	
3415	MORUS NIGRA	A, E, H	
3416	MOSKENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3417	MOTHERWORT HERB DRY	A, H	
3418	MOTHERWORT HERB POWDER	A, H	
3419	MUCUNA PRURIENS	A	Levodopa is a mandatory component of Mucuna pruriens. The concentration of levodopa in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
3420	MULBERRY	E	
3421	MUNG BEAN	E	
3422	MURRAYA KOENIGII	A, H	
3423	MURRAYA PANICULATA	A, H	
3424	MUSA X PARADISIACA	A, H	
3425	MUSK KETONE	E	Only for use in topical medicines for dermal application.
3426	MUSK TIBETENE	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3427	MUSK XYLOL	E	Only for use in topical medicines for dermal application.
3428	MUSKS	H	Only for use as an active homoeopathic ingredient.
3429	MUSTARD	E	Allyl isothiocyanate is a mandatory component of mustard when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3430	MUSTARD OIL	E	Allyl isothiocyanate is a mandatory component of mustard oil when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3431	MUSTARD SEED OIL	E	Allyl isothiocyanate is a mandatory component of mustard seed oil when the plant part is seed. The concentration of allyl isothiocyanate from all ingredients in the product must be no more than 10 mg/kg or 10 mg/L or 0.001%.
3432	MYOSOTIS ARVENSIS	A, H	
3433	MYRCENE	E	Permitted for use only in combination with other permitted

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3434	MYRCENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3435	MYRICA CERIFERA	A, E, H	
3436	MYRISTIC ACID	E	
3437	MYRISTIC ALDEHYDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3438	MYRISTICA FRAGRANS	A, E, H	Safrole is a mandatory component of Myristica fragrans. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole in the medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			When the plant preparation is oil or distillate and the concentration in the medicine is more than 50%, the nominal capacity of the container must be no more than 25 millilitres, the medicine must have a restricted flow insert fitted on the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or word to that effect).
3439	MYRISTYL ALCOHOL	E	Only for use in topical medicines for dermal application.
3440	MYRISTYL LACTATE	E	Only for use in topical medicines for dermal application.
3441	MYRISTYL MYRISTATE	E	Only for use in topical medicines for dermal application.
3442	MYROXYLON BALSAMUM	A, E, H	
3443	MYROXYLON BALSAMUM VAR. PEREIRAE	A, H	
3444	MYRRH	A, H	
3445	MYRRH OIL	A, E, H	
3446	MYRRH RESIN	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3447	MYRRHIS ODORATA	A, H	
3448	MYRSINE AFRICANA	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3449	MYRTENAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3450	MYRTENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3451	MYRTLE OIL	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used as a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3452	MYRTUS COMMUNIS	A, E, H	
3453	N,N'-BIS(SALICYLIDENE)PROPYLENEDIAMINE	E	N,N'-Bis(salicylidene)propylenediamine must only be included in medicines when in combination with other permitted ingredients as a proprietary excipient formulation in medicines with a dermal route of administration for topical application.
3454	N-(2-(PYRIDIN-2-YL)ETHYL)-P-MENTHANE-3-CARBOXAMIDE	E	N-(2-(pyridin-2-yl)ethyl)-p-menthane-3-carboxamide must only be included in medicines when in combination with other permitted ingredients as a flavour proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing N-(2-(pyridin-2-

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			yl)ethyl)-p-menthane-3-carboxamide must not be more than 5% of the total medicine. The maximum recommended daily dose of the medicine must not provide more than 90 micrograms of N-(2-(pyridin-2-yl)ethyl)-p-menthane-3-carboxamide.
3455	N-BUTYL SULFIDE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3456	N-GLUCONYL ETHANOLAMINE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3457	N-HEXYL 2-BUTENOATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3458	N-NONYL ALCOHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3459	NAPHTHALENE	H	Only for use as an active homoeopathic ingredient.
3460	NARDOSTACHYS CHINENSIS	A, H	
3461	NARINGIN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3462	NASTURTIUM OFFICINALE	A, E, H	
3463	NATURAL FISH OIL	A, E	When therapeutic indications for this product are made against Vitamin A or colecalciferol (Vitamin D), they are mandatory components of natural fish oil. When for use in topical medicines, the concentration of Vitamin A in the medicine must be no more than 1%. When for internal use, the maximum daily dose must be no more than 3000 micrograms of Retinol Equivalents. When preparations for internal use in adults contain more than 33 micrograms of retinol equivalents per dosage unit in divided preparations or per gram of an undivided preparation, the medicine requires the following warning statements on the medicine label: - (VITA2) 'WARNING: If you are pregnant - or considering becoming pregnant - do not take

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			vitamin A supplements without consulting your doctor or pharmacist [or words to that effect].' NOTE: Position this warning at the beginning of the directions for use. - (VITA4) 'WARNING - When taken in excess of 3000 micrograms retinol equivalents - vitamin A can cause birth defects.' NOTE: Position this warning at the beginning of the directions for use. - (VITA3) 'The recommended daily amount of vitamin A from all sources is 700 micrograms retinol equivalents for women and 900 micrograms retinol equivalents for men.' When for internal use, the maximum recommended daily dose must be no more than 25 micrograms of Vitamin D.
3464	NAUCLEA OFFICINALIS	A, H	
3465	NELUMBO NUCIFERA	A, H	
3466	NELUMBO NUCIFERA FLOWER WAX	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 0.1%.
3467	NEOHESPERIDIN-DIHYDROCHALCONE	E	The routes of administration for medicines that contain neohesperidin-dihydrochalcone must be limited to: (a) topical for dermal application; and (b) oral. When used in topical medicines for dermal application:

			(a) neoesperidin-dihydrochalcone must not be included in medicines intended for use in the eye or on damaged skin; and (b) the concentration of neoesperidin-dihydrochalcone in the medicine must not be more than 0.1%. When used in oral medicines: (a) the concentration in the medicine must not be more than 0.1%; and (b) the following warning statement (or words to that effect) is required on the medicine label: - (NTAKEN3) 'Not to be taken by children under 3 years old'.
3468	NEOMENTHOL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3469	NEOPENTYL GLYCOL DIHEPTANOATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 25%.
3470	NEOPENTYL GLYCOL DIISOSTEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
3471	NEOPENTYL GLYCOL DIOCTANOATE	E	Only for use in topical medicines for dermal application and not to

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 8.1%. When the concentration of neopentyl glycol dioctanoate is greater than 5%, the medicine must not be intended for use on damaged skin.
3472	NEOPENTYL GLYCOL DIOCTANOATE/DIDECANOATE	E	Only for use in topical medicines for dermal application.
3473	NEOPICRORHIZA SCROPHULARIIFLORA	A, H	
3474	NEPETA CATARIA	A, H	Pulegone is a mandatory component of <i>Nepeta cataria</i> and must be declared in the application. The concentration of pulegone in the medicine must be no more than 4%.
3475	NERAL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3476	NERIUM OLEANDER	A, H	The concentration of equivalent dry <i>Nerium oleander</i> in the product must be no more than 1mg/Kg or 1mg/L or 0.0001%.
3477	NEROL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3478	NEROL OXIDE	E	Permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%. When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3479	NEROLIDOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3480	NERONE	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation. The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3481	NERYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3482	NERYL-ISO-BUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3483	NICKEL	H	Only for use as an active homoeopathic ingredient.
3484	NICOTIANA TABACUM	H	Only for use as an active homoeopathic ingredient.
3485	NICOTINAMIDE	A, E, H	
3486	NICOTINAMIDE ASCORBATE	A, E	
3487	NICOTINAMIDE RIBOSIDE CHLORIDE	A	Ribose is a mandatory component of nicotinamide riboside chloride. Only permitted for use in medicines limited to oral routes of administration. The maximum recommended daily dose of the medicine must not provide more than 300 mg of nicotinamide riboside chloride. The following warning statement (or words to the same effect) is required on the medicine label: - (NTAKEN12) 'Not to be taken by children under 12 years old.' When the maximum recommended daily dose of the medicine provides greater than 230 mg of nicotinamide riboside chloride, the following warning

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			statement is required on the medicine label: - (PREG) 'Not recommended for use during pregnancy or lactation'.
3488	NICOTINIC ACID	A, E	The medicine must contain no more than 100 mg of nicotinic acid per dosage unit.
3489	NIGELLA DAMASCENA	A, H	
3490	NIGELLA SATIVA	A, E, H	
3491	NITRIC ACID	E, H	The concentration of nitric acid in the medicine must be no more than 0.5%.
3492	NONADIENOL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3493	NONANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3494	NONANOIC ACID	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3495	NONFAT DRY MILK	E, H	
3496	NONIVAMIDE	E	Nonivamide must only be included in medicines when in combination with other permitted ingredients as a flavour or fragrance proprietary excipient formulation. The ingredient is not to be included in medicines intended for use in the eye. The total concentration of flavour proprietary excipient formulations containing nonivamide must not be more than 5% of the total medicine. The total concentration of fragrance proprietary excipient formulations containing nonivamide must not be more than 1% of the total medicine.
3497	NONOXINOL 10	E	Only for use in topical medicines for dermal application.
3498	NONOXINOL 12	E	For use in hand scrub formulations for healthcare professionals only. Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%.
3499	NONOXINOL 5	E	Permitted for use only in combination with other permitted ingredients as a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3500	NONOXINOL 9	E	Only for use in topical medicines for dermal application. The concentration in the medicine must be no more than 25%.
3501	NONYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3502	NOOKATONE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3503	NOPYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3504	NORDIHYDROGUAIARETIC ACID	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.3%.
3505	NOTOPTERYGIUM FORBESII	A, H	
3506	NOTOPTERYGIUM INCISIUM	A, H	

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3507	NUPHAR JAPONICA	A, H	
3508	NUPHAR LUTEA	A, H	
3509	NUTMEG DRY	A, E, H	Safrole is a mandatory component of Nutmeg Dry. When for internal use then the concentration of safrole from all ingredients in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole from all ingredients in the medicine must be no more than 1%.
3510	NUTMEG OIL	A, E, H	Safrole is a mandatory component of Nutmeg oil. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole in the medicine must be no more than 1%. When the concentration of Nutmeg oil in the medicine is more than 50%, the nominal capacity of the container must be no more than 25 mL, the medicine must have a restricted flow insert fitted on the container and requires the following warning statement on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3511	NUTMEG POWDER	A, E, H	Safrole is a mandatory component of Nutmeg powder. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole in the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must be no more than 1%.
3512	NUX VOMICA DRY	A, H	Strychnine (of <i>Strychnos</i> spp.) is a mandatory component of Nux Vomica Dry. The concentration of in the medicine must be no more than 1mg/Kg or 1mg/L or 0.0001%.
3513	NUX VOMICA POWDER	H	Only for use as an active homoeopathic ingredient. Strychnine (of <i>Strychnos</i> spp.) is a mandatory component of Nux vomica powder. The concentration in the medicine must be no more than 1mg/Kg or 1mg/L or 0.0001%.
3514	NYCTANTHES ARBOR-TRISTIS	A, H	When the plant part is leaf: a) methyl salicylate is a mandatory component of <i>Nyctanthes arbor-tristis</i>; b) not to be included in medicines for use in the eye or on damaged skin; c) when used internally, the concentration of methyl salicylate in the medicine must not be more than 0.001%; d) when the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is other than spray, the medicine requires child resistant packaging; e) when the concentration of methyl salicylate in a liquid preparation is more than 5% and the dosage form is spray, the medicine does not require child resistant packaging if: - the delivery device is engaged into the container in such a way

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			that prevents it from being readily removed; - direct suction through the delivery device results in delivery of no more than one dosage unit; and - actuation of the spray device is ergonomically difficult for young children to accomplish; f) the following warning statement is required on the medicine label: - (METSAL) 'Contains methyl salicylate' (or words to that effect); and g) when for use in topical medicines for dermal application: i) the concentration of methyl salicylate in the medicine must not be more than 25% ii) the following warning statements are required on the medicine label: - (PREGNT2) 'Do not use if pregnant or likely to become pregnant' (or words to that effect); - (CHILD4) 'Do not use [this product/insert name of product] in children 6 years of age or less'; - (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect); - (AVOID) 'Avoid prolonged exposure in the sun' (or words to that effect); iii) if the concentration of methyl salicylate in the medicine is greater than 1%, the following warning statement is required on the medicine label: - (IRRIT) 'If irritation develops, discontinue use'.
3515	NYLON	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3516	NYLON 6/12	E	Only for use in topical medicines for dermal application.
3517	NYLON-12	E	Only for use in topical medicines for dermal application.
3518	NYMPHAEA ALBA	A, E, H	
3519	NYMPHAEA CAERULEA	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine to be no more than 0.3%. Only for use in liquid extracts where the plant part is the flower and the solvent in 100% water.
3520	NYMPHAEA ODORATA	A, H	
3521	OAK CHIPS EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3522	OAKMOSS ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3523	OAT	E, H	Only for use as an active homoeopathic or excipient ingredient.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			Gluten is a mandatory component of Oat when the route of administration is other than topical and mucosal.
3524	OAT BRAN	E	Gluten is a mandatory component of Oat bran when the route of administration is other than topical and mucosal.
3525	OATMEAL COLLOIDAL	A, E	Gluten is a mandatory component of Oatmeal colloidal when the route of administration is other than topical and mucosal.
3526	OCIMENE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3527	OCIMENYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3528	OCIMUM BASILICUM	A, E, H	When the plant preparation is oil or distillate, Methyl chavicol, eugenol, methyleugenol and cineole are mandatory components of Ocimum basilicum.

The concentration of methyleugenol in the medicine must not exceed 1%.

When the concentration of Methyl chavicol in the medicine is more than 5%, the nominal capacity of the container must be no more than 25 millilitres.

When the concentration of Methyl chavicol in the medicine is more than 5% and the nominal capacity of the container is 25 millilitres or less, a restricted flow insert must be fitted on the container, and requires the following warning statement on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect).

When the concentration of cineole OR eugenol in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 millilitres and the following warning statements must be included on the medicine label:

- (CHILD) 'Keep out of reach of children' (or words to that effect);
and

- (NTAKEN) 'Not to be taken'.

When the concentration of cineole OR eugenol in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container.

When the concentration of cineole OR eugenol in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			medicine must have a restricted flow insert fitted on the container. When the preparation is for topical use in the mouth, the preparation may not contain more than 5 millilitres of eugenol and the concentration of eugenol in the product must not be greater than 25%.
3529	OCIMUM KILIMANDSCHARICUM	A, H	Camphor is a mandatory component of Ocimum kilimandscharicum. In solid and semi solid preparations, the concentration of camphor must not be more than 12.5%. In liquid preparations, the nominal capacity of the container must not be more than 25 millilitres. In liquid preparations other than essential oils or distillates, the concentration of camphor must not be more than 2.5%. In essential oil or distillate preparations, if the concentration of camphor is more than 2.5% but less than or equal to 10%, and the nominal capacity of the container is less than 25 millilitres, the medicine must have a restricted flow insert fitted on the container and include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); - (NTAKEN) 'Not to be taken'; and - (BABY4) 'Do not apply to infants under 12 months of age except on the advice of a doctor or pharmacist' (or words to that effect). In essential oil or distillate preparations, if the concentration

			of camphor is more than 10%, and the nominal capacity of the container is less than 15 millilitres, the medicine must have a restricted flow insert fitted on the container and include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); - (NTAKEN) 'Not to be taken'; and - (BABY4) 'Do not apply to infants under 12 months of age except on the advice of a doctor or pharmacist' (or words to that effect). In essential oil or distillate preparations, if the concentration of camphor is more than 10%, and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a restricted flow insert and child resistant closure fitted on the container and include the following warning statements on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); - (NTAKEN) 'Not to be taken'; and - (BABY4) 'Do not apply to infants under 12 months of age except on the advice of a doctor or pharmacist' (or words to that effect).
3530	OCIMUM MINIMUM	A, H	
3531	OCIMUM TENUIFLORUM	A, H	When the plant part is oil or distillate, eugenol is a mandatory component of Ocimum tenuiflorum.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			When the concentration of eugenol in the preparation is more than 25%, the nominal capacity of the container must not be more than 25 millilitres and the following warning statements must be included on the medicine label: - (CHILD) 'Keep out of reach of children' (or words to that effect); and - (NTAKEN) 'Not to be taken'. When the concentration of eugenol in the preparation is more than 25% and the nominal capacity of the container is more than 15 millilitres but less than or equal to 25 millilitres, the medicine must have a child resistant closure and restricted flow insert fitted on the container. When the concentration of eugenol in the preparation is more than 25% and the nominal capacity of the container is no more than 15 millilitres, the medicine must have a restricted flow insert fitted on the container. When the preparation is for topical use in the mouth, the preparation may not contain more than 5 mL of eugenol and the concentration of eugenol in the product must not be greater than 25%.
3532	OCOTEA ODORIFERA	A, H	Safrole is a mandatory component of Ocotea odorifera. When for internal use then the concentration of safrole in the medicine must be no more than 0.1%. When for topical use then the concentration of safrole in the medicine must be no more than 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3533	OCTACOSANOL	E	
3534	OCTADECANAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3535	OCTADECENE/MA COPOLYMER	E	Only for use in topical medicines for dermal application.
3536	OCTAHYDRO-4,7-METHANO-3AH-INDENE-3A-CARBOXYLIC ACID, ETHYL ESTER	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3537	OCTAHYDROCOUMARIN	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3538	OCTAN-1-OL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3539	OCTANAL DIMETHYL ACETAL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3540	OCTANOHYDROXAMIC ACID	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.5%.
3541	OCTANOIC ACID	A, E	When for topical use, the concentration in the medicine must be no more than 2% (w/w). When for excipient use, permitted for use only in combination with other permitted ingredients as part of a flavour or fragrance proprietary excipient formulation. When used in a flavour, the total flavour proprietary excipient formulation in a medicine must be no more than 5%. When used in a fragrance, the total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3542	OCTENE-1	E	Permitted for use only in combination with other permitted ingredients as part of a fragrance proprietary excipient formulation.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The total fragrance proprietary excipient formulation in a medicine must be no more than 1%.
3543	OCTOCRYLENE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3544	OCTOXINOL 10	E	Only for use in topical medicines for dermal application.
3545	OCTYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3546	OCTYL CROTONATE	E	Octyl crotonate must only be included in medicines when in combination with other permitted ingredients as a fragrance proprietary excipient formulation.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The total concentration of the fragrance proprietary excipient formulation containing octyl crotonate must not be more than 1% of the total medicine.
3547	OCTYL HYDROXYSTEARATE	E	Only for use in topical medicines for dermal application.
3548	OCTYL ISOBUTYRATE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3549	OCTYL ISONONANOATE	E	Only for use in topical medicines for dermal application.
3550	OCTYL METHOXYCINNAMATE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3551	OCTYL PALMITATE	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3552	OCTYL SALICYLATE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 5%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3553	OCTYL STEARATE	E	Only for use in topical medicines for dermal application.
3554	OCTYLBICYCLOHEPTENEDICARBOXIMIDE	E	Only for use in topical medicines for dermal application. The total concentration of octylbicycloheptenedicarboximide in the medicine must not be more than 10%.
3555	OCTYLDODECANOL	E	Only for use in topical medicines for dermal application.
3556	OCTYLDODECETH-25	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 5%. Residual levels of 1,4-dioxane and ethylene oxide (and related substances) are to be kept below the level of detection.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3557	OCTYLDODECYL CITRATE CROSSPOLYMER	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye or on damaged skin. The concentration in the medicine must be no more than 12%.
3558	OCTYLDODECYL NEOPENTANOATE	E	Only for use in topical medicines for dermal application.
3559	OCTYLDODECYL STEARATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 2%.
3560	OCTYLDODECYL XYLOSIDE	E	Only for use in topical medicines for dermal application and not to be included in medicines for use in the eye or on damaged skin. The concentration in the medicine must be no more than 1.5%.
3561	OENANTHATE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3562	OENANTHE AQUATICA	H	Only for use as an active homoeopathic ingredient. The maximum recommended daily dose must be no more than 1mg of the equivalent dry herbal material.
3563	OENANTHE CROCATA	A, H	The maximum recommended daily dose must be no more than

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			1mg of the equivalent dry herbal material.
3564	OENOTHERA BIENNIS	A, E, H	
3565	OENOTHERA STRICTA	A, H	
3566	OKOUBAKA AUBREVILLEI	A, H	
3567	OLDENLANDIA DIFFUSA	A, E, H	
3568	OLEA EUROPAEA	A, E, H	
3569	OLEIC ACID	E	
3570	OLETH-10	E	Only for use in topical medicines for dermal application.
3571	OLETH-2	E	Only for use in topical medicines for dermal application. Dioxane and Ethylene oxide are mandatory components of Oleth-2. The concentration of Dioxane in the medicine must be no more than 10 mg/kg or 10 mg/L or 0.001%. The concentration of Ethylene oxide in the medicine must be no more than 1 mg/kg or 1 mg/L or 0.0001%.
3572	OLETH-20	E	Only for use in topical medicines for dermal application.
3573	OLETH-3	E	Only for use in topical medicines for dermal application.
3574	OLETH-3 PHOSPHATE	E	Only for use in topical medicines for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must be no more than 0.12%.
3575	OLETH-5	E	Only for use in topical medicines for dermal application.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3576	OLEYL ALCOHOL	E	Only for use in topical medicines for dermal application.
3577	OLIBANUM OIL	A, E, H	
3578	OLIVE OIL	A, E, H	
3579	OMEGA-3 FISH OIL PHYTOSTEROL ESTERS	A	The medicine requires the following warning statement on the medicine label: - (PREGNT) 'Not recommended for use by pregnant and lactating women (or words to that effect).'
3580	OMEGA-3-ACID ETHYL ESTERS 60	A	Docosahexaenoic acid, docosapentaenoic acid and eicosapentaenoic acid are mandatory components of omega-3-acid ethyl esters 60. Only permitted for use in medicines that are for oral routes of administration. The maximum recommended daily dose of the medicine must not provide more than 3750 milligrams of docosahexaenoic acid, docosapentaenoic acid and eicosapentaenoic acid combined. The following warning statements are required on the medicine label: - (PREGNT) 'Not recommended for use by pregnant and lactating women' (or words to that effect); - (ACOAG) 'Individuals taking anticoagulants should seek medical advice before taking this product' (or words to that effect); - (CHILD3) 'Use in children under 12 years is not recommended'; - (FOOD) 'To be taken with food' (or words to that effect).
3581	OMEGA-3-ACID ETHYL ESTERS 90	A	Only for use in oral medicines.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			The maximum recommended daily dose of the medicine must not provide more than: a) 4000 mg of omega-3-acid ethyl esters 90; and b) 3750 mg EPA, DHA and DPA combined, when used alone or in combination with other sources of omega-3 fatty acids. The following warning statements (or words to the same effect) are required on the medicine label: - (ACOAG) 'Individuals taking anticoagulants should seek medical advice before taking this product.' - (FOOD) 'To be taken with food.' - (PREG) 'Not recommended for use during pregnancy or lactation.' - (CHILD3) 'Use in children under 12 years is not recommended.'
3582	ONION	E	
3583	ONION OIL	A, H	
3584	ONONIS SPINOSA	A, E, H	
3585	ONOPORDUM ACANTHIUM	A, H	
3586	ONOSMODIUM VIRGINIANUM	A, H	
3587	OPHIOPOGON JAPONICUS	A, H	
3588	OPOPANAX CHIRONIUM	A, E, H	When used as an excipient, permitted for use only in combination with other permitted ingredients as part of a flavour or a fragrance proprietary excipient formulation. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3589	OPOPANAX OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3590	OPUNTIA FICUS-INDICA	A, H	
3591	ORANGE	E	
3592	ORANGE FLOWER ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3593	ORANGE FLOWER OIL	A, E, H	When used internally, oxdrine is a mandatory component of orange flower oil. The quantity of oxdrine in the maximum recommended daily dose must be no more than 30 milligrams.
3594	ORANGE JUICE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3595	ORANGE JUICE OIL	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3596	ORANGE OIL	A, E, H	When used internally, oxedrine is a mandatory component of orange oil. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3597	ORANGE OIL BITTER	E	Orange oil bitter must only be included in medicines when in combination with other permitted ingredients as a flavour or fragrance proprietary excipient formulation. The total concentration of flavour proprietary excipient formulations containing orange oil bitter must not be more than 5% of the total medicine. The total concentration of fragrance proprietary excipient formulations containing orange oil bitter must not be more than 1% of the total medicine. The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' or words to that effect must be included on the medicine label unless the medicine is: a) for internal use;

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			b) in preparations containing 1.4% or less of orange oil bitter; or c) for use in soaps or bath or shower gels that are washed off the skin.
3598	ORANGE OIL BITTER COLDPRESSED	A, E, H	When used internally, oxedrine is a mandatory component of orange oil bitter coldpressed. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams. The warning statement (SENS) 'Application to skin may increase sensitivity to sunlight' (or words to that effect) must be included on the medicine label unless the medicine is: a) for internal use; or b) in preparations containing 1.4% or less of orange oil bitter coldpressed; or c) for use in soaps or bath or shower gels that are washed off the skin.
3599	ORANGE OIL COLD PRESSED	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3600	ORANGE OIL DISTILLED	A, E, H	When used internally, oxedrine is a mandatory component of orange oil distilled. The quantity of oxedrine in the maximum recommended daily

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			dose must be no more than 30 milligrams.
3601	ORANGE OIL SWEET	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3602	ORANGE OIL TERPENELESS	A, E, H	When used internally, oxedrine is a mandatory component of orange oil terpeneless. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3603	ORANGE PEEL	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3604	ORANGE PEEL DRIED BITTER	A, E, H	When used internally, oxedrine is a mandatory component of orange peel dried bitter. The quantity of oxedrine in the maximum recommended daily dose must be no more than 30 milligrams.
3605	ORANGE PEEL OIL SWEET TERPENELESS	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3606	ORANGE ROUGHY OIL	E	Only for use in topical medicines for dermal application.
3607	ORIGANUM MAJORANA	A, H	Beta-arbutin is a mandatory component of Origanum majorana. When for oral use, the maximum recommended daily dose must not provide more than 500 mg of beta-arbutin. When for dermal application exclusively to the face: a) the concentration of beta-arbutin in the medicine must not be more than 7%; b) hydroquinone is a mandatory component; and c) the concentration of hydroquinone must not be more than 10 mg/kg or 10 mg/L or 0.001%. When for use other than oral or dermal application exclusively to the face, the concentration of beta-arbutin in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%. When the plant preparation is oil or distillate, and the concentration of Origanum majorana oil or distillate within the medicine is more than 50%: a) the nominal capacity of the container must not be more than 50 mL;

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

			b) a restricted flow insert must be fitted on the container; and c) the following warning statement is required on the label: - (CHILD) 'Keep out of reach of children' (or words to that effect).
3608	ORIGANUM OIL	E	Permitted for use only in combination with other ingredients as a fragrance. If used as a fragrance the total concentration in the medicine must be no more than 1%.
3609	ORIGANUM OIL SPANISH	A, E, H	
3610	ORIGANUM VULGARE	A, E, H	
3611	ORNITHINE	A, E	
3612	ORNITHINE ASPARTATE	A, E	
3613	ORNITHINE MONOHYDROCHLORIDE	A, E	
3614	ORNITHOGALUM UMBELLATUM	A, H	
3615	OROSTACHYS FIMBRIATA	A, H	
3616	OROXYLUM INDICUM	A, H	
3617	ORRIS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3618	ORRIS CONCRETE	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3619	ORRIS ROOT EXTRACT	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3620	ORRIS ROOT OIL	A, E, H	
3621	ORRIS ROOT RESIN	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3622	ORTHO-TERT-BUTYLCYCLOHEXYL ACETATE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%. If used in a fragrance the total fragrance concentration in a medicine must be no more 1%.
3623	ORTHOSIPHON ARISTATUS	A, H	
3624	ORYZA SATIVA	A, E, H	
3625	ORYZANOL	E	
3626	OSBECKIA CHINENSIS	A, H	
3627	OSMANTHUS ABSOLUTE	E	Permitted for use only in combination with other permitted ingredients as a flavour or a fragrance. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3628	OSMANTHUS FRAGRANS	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.
3629	OTTELIA ALISMOIDES	A, H	
3630	OXACYCLOHEPTADEC-11-EN-2-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3631	OXACYCLOHEXADECAN-2-ONE	E	Only for use in topical medicines for dermal application.
3632	OXACYCLOHEXADECEN-2-ONE	E	Permitted for use only in combination with other permitted ingredients as a fragrance. If used in a fragrance the total fragrance concentration in a medicine must be no more than 1%.
3633	OXALIC ACID	H	Only for use as an active homoeopathic ingredient. The total concentration of oxalic acid in the medicine must not be more than 10 mg/kg or 10 mg/L or 0.001%.
3634	OXALIS ACETOSELLA	A, H	
3635	OXIDISED MAIZE STARCH	E	Permitted for use only in combination with other permitted ingredients as a flavour. If used in a flavour the total flavour concentration in a medicine must be no more than 5%.

Schedule 1 Specified permissible ingredients and requirements applying to these ingredients when contained in a medicine

Volume 4

3636	OXIDISED TAPIOCA STARCH	E	
3637	OXYBENZONE	A	Only for use as an active ingredient in sunscreens for dermal application and not to be included in medicines intended for use in the eye. The concentration in the medicine must not be more than 10%. When used in primary sunscreen products, the following warning statements are required on the label: - (AVOID) 'Avoid prolonged exposure in the sun' (or words to this effect); and - (SUNPRO) 'Wear protective clothing - hats and eyewear when exposed to the sun' (or words to this effect).
3638	OYSTER	E	The following warning statement is required on the medicine label: - (MOLLUSC) 'Contains mollusc' or 'Contains mollusc products'.
3639	OYSTER SHELL	A, E, H	The following warning statement is required on the medicine label: - (MOLLUSC) 'Contains mollusc' or 'Contains mollusc products'.