

SCHEDULE 1

Maximum Residue Limits

ABAMECTIN					
SUM OF AVERMECTIN B1A, AVERMECTIN B1B AND (Z)-8,9 AVERMECTIN B1A, AND (Z)-8,9 AVERMECTIN B1B					
APPLE	0.01	TOMATO		5	
CATTLE, EDIBLE OFFAL OF	0.1	TREE TOMATO (TAMARILLO)		0.5	
CATTLE FAT	0.1	ACETAMIPRID			
CATTLE MEAT	0.005	<i>COMMODITIES OF PLANT ORIGIN: ACETAMIPRID</i>			
CATTLE MILK	0.02	<i>COMMODITIES OF ANIMAL ORIGIN: SUM OF ACETAMIPRID AND N-DIMETHYL ACETAMIPRID ((E)-N¹-[(6-CHLORO-3-PYRIDYL)METHYL]-N²-CYANOACETAMIDINE), EXPRESSED AS ACETAMIPRID</i>			
CITRUS FRUITS	0.01	COTTON SEED		*0.05	
COTTON SEED	*0.01	CUCUMBER		T0.2	
CUCUMBER	0.02	EDIBLE OFFAL (MAMMALIAN)		*0.05	
CURRANT, BLACK	T0.02	EGGS		*0.01	
EGG PLANT	0.02	MEAT (MAMMALIAN)		*0.01	
GOAT FAT	0.1	MILKS		*0.01	
GOAT KIDNEY	0.01	POTATO		*0.05	
GOAT LIVER	0.05	POULTRY, EDIBLE OFFAL OF		*0.05	
GOAT MILK	0.005	POULTRY MEAT		*0.01	
GOAT MUSCLE	0.01	TOMATO		T0.01	
GROUND CHERRIES	T0.01	ACIBENZOLAR-S-METHYL			
HOPS, DRY	0.1	ACIBENZOLAR-S-METHYL AND ALL METABOLITES CONTAINING THE BENZO[1,2,3]THIADIAZOLE-7-CARBOXYL MOIETY HYDROLYSED TO BENZO[1,2,3]THIADIAZOLE-7-CARBOXYLIC ACID, EXPRESSED AS ACIBENZOLAR-S-METHYL			
LETTUCE, HEAD	0.05	COTTON SEED		*0.02	
LETTUCE, LEAF	T0.2	EDIBLE OFFAL (MAMMALIAN)		*0.02	
PASSIONFRUIT	T0.1	EGGS		*0.02	
PEAR	0.01	MEAT (MAMMALIAN)		*0.02	
PEAS	T0.2	MILKS		*0.005	
PEPPERS, SWEET	0.02	POULTRY, EDIBLE OFFAL OF		*0.02	
PIG KIDNEY	0.01	POULTRY MEAT		*0.02	
PIG LIVER	0.02	ACIFLUORFEN			
PIG MEAT (IN THE FAT)	0.02	ACIFLUORFEN			
SHEEP, EDIBLE OFFAL OF	0.05	EDIBLE OFFAL (MAMMALIAN)		0.1	
SHEEP MEAT (IN THE FAT)	0.05	EGGS		*0.01	
SOYA BEAN (DRY)	*0.002	LEGUME VEGETABLES		0.1	
SQUASH, SUMMER	0.02	MEAT (MAMMALIAN)		*0.01	
STRAWBERRY	0.1	MILKS		*0.01	
TOMATO	0.05	PEANUT		0.05	
ACEPHATE		POULTRY, EDIBLE OFFAL OF		0.1	
ACEPHATE (NOTE: THE METABOLITE METHAMIDOPHOS HAS SEPARATE MRLS)		POULTRY MEAT		*0.01	
BANANA	1	PULSES		0.1	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	5	ALBENDAZOLE			
CITRUS FRUITS	5	SUM OF ALBENDAZOLE, ITS SULFOXIDE, SULFONE AND SULFONE AMINE, EXPRESSED AS ALBENDAZOLE			
COTTON SEED	2	CATTLE, EDIBLE OFFAL OF		*0.1	
EDIBLE OFFAL (MAMMALIAN)	0.2	CATTLE MEAT		*0.1	
EGGS	0.2	GOAT, EDIBLE OFFAL OF		*0.1	
LETTUCE, HEAD	10	GOAT MEAT		*0.1	
LETTUCE, LEAF	10	SHEEP, EDIBLE OFFAL OF		3	
MACADAMIA NUTS	*0.1	SHEEP MEAT		0.2	
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	0.2				
PEPPERS, SWEET	5				
POTATO	0.5				
SHEEP MEAT	*0.01				
SOYA BEAN (DRY)	1				
SUGAR BEET	0.1				

SCHEDULE 1

Maximum Residue Limits

ALBENDAZOLE SULPHOXIDE <i>SEE ALBENDAZOLE</i>	
ALDICARB SUM OF ALDICARB, ITS SULFOXIDE AND ITS SULFONE, EXPRESSED AS ALDICARB	
CITRUS FRUITS	0.05
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
SUGAR CANE	*0.02
ALDOXYCARB SUM OF ALDOXYCARB AND ITS SULFONE, EXPRESSED AS ALDOXYCARB	
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT	*0.02
EGGS	0.1
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY MEAT	*0.02
WHEAT	*0.02
ALIPHATIC ALCOHOL ETHOXYLATES ALIPHATIC ALCOHOL ETHOXYLATES	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CATTLE MILK	1
ALTRENOGEST ALTRENOGEST	
PIG MEAT	*0.005
PIG, EDIBLE OFFAL OF	0.005
ALUMINIUM PHOSPHIDE <i>SEE PHOSPHINE</i>	
AMETRYN AMETRYN	
COTTON SEED	0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PINEAPPLE	*0.05
POME FRUITS	0.1
SUGAR CANE	0.05
AMINOETHOXYVINYLGLYCINE AMINOETHOXYVINYLGLYCINE	
APPLE	0.1
STONE FRUITS [EXCEPT CHERRIES]	0.2

AMINOPYRALID <i>COMMODITIES OF PLANT ORIGIN: SUM OF AMINOPYRALID AND CONJUGATES, EXPRESSED AS AMINOPYRALID</i> <i>COMMODITIES OF ANIMAL ORIGIN: AMINOPYRALID</i>	
CEREAL GRAINS	0.1
EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	0.02
EGGS	*0.01
KIDNEY (MAMMALIAN)	0.3
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
WHEAT BRAN, UNPROCESSED	0.3
AMITRAZ SUM OF AMITRAZ AND N-(2,4-DIMETHYLPHENYL)- N'-METHYLFORMAMIDINE, EXPRESSED AS AMITRAZ	
APPLE	0.5
COTTON SEED	*0.1
COTTON SEED OIL, CRUDE	1
EDIBLE OFFAL OF CATTLE, PIGS AND SHEEP	0.5
MEAT OF CATTLE, PIGS AND SHEEP	0.1
MILKS	0.1
STONE FRUITS [EXCEPT CHERRIES]	0.5
AMITROLE AMITROLE	
AVOCADO	*0.01
BANANA	*0.01
BLUEBERRIES	T*0.01
CEREAL GRAINS	*0.01
CITRUS FRUITS	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
GRAPES	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PAPAYA (PAWPAW)	*0.01
PASSIONFRUIT	*0.01
PECAN	*0.01
PINEAPPLE	*0.01
POME FRUITS	*0.01
POTATO	*0.05
STONE FRUITS	*0.02
SUGAR CANE	*0.01
AMOXYCILLIN INHIBITORY SUBSTANCE, IDENTIFIED AS AMOXYCILLIN	
CATTLE MILK	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	T*0.01
MEAT (MAMMALIAN)	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01

SCHEDULE 1

Maximum Residue Limits

SHEEP MILK	*0.01
AMPICILLIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS AMPICILLIN	
CATTLE MILK	*0.01
HORSE, EDIBLE OFFAL OF	*0.01
HORSE MEAT	*0.01
AMPROLIUM	
AMPROLIUM	
EGGS	4
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	0.5
APRAMYCIN	
APRAMYCIN	
EDIBLE OFFAL (MAMMALIAN)	2
MEAT (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	*0.05
ASULAM	
ASULAM	
APPLE	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.1
HOPS, DRY	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POPPY SEED	*0.1
POTATO	0.4
SUGAR CANE	*0.1
ATRAZINE	
ATRAZINE	
EDIBLE OFFAL (MAMMALIAN)	T*0.1
LUPIN (DRY)	*0.02
MAIZE	*0.1
MEAT (MAMMALIAN)	T*0.01
MILKS	T*0.01
POTATO	*0.01
RAPE SEED	*0.02
SORGHUM	*0.1
SUGAR CANE	*0.1
SWEET CORN (CORN-ON-THE-COB)	*0.1
AVERMECTIN B1	
SEE ABAMECTIN	
AVILAMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS AVILAMYCIN	
PIG, EDIBLE OFFAL OF	T*0.05
PIG MEAT	T*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05

AZACONAZOLE	
AZACONAZOLE	
MUSHROOMS	0.1
AZAMETHIPHOS	
AZAMETHIPHOS	
CEREAL GRAINS	0.1
EGGS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
WHEAT BRAN, UNPROCESSED	0.5
AZAPERONE	
AZAPERONE	
PIG, EDIBLE OFFAL OF	0.2
PIG MEAT	0.2
AZIMSULFURON	
AZIMSULFURON	
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
RICE	*0.02
AZINPHOS-METHYL	
AZINPHOS-METHYL	
BLUEBERRIES	1
CITRUS FRUITS	2
EDIBLE OFFAL (MAMMALIAN)	*0.05
GRAPES	2
KIWIFRUIT	2
LITCHI	2
MACADAMIA NUTS	*0.01
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
POME FRUITS	2
RASPBERRIES, RED, BLACK	1
STONE FRUITS	2
AZOXYSTROBIN	
AZOXYSTROBIN	
ALMONDS	*0.01
AVOCADO	1
BANANA	T0.5
BARLEY	*0.02
BEANS [EXCEPT BROAD AND SOYA BEAN]	T3
BERGAMOT	T10
BRASSICA LEAFY VEGETABLES	T10
BROCCOLI	T0.5
BRUSSELS SPROUTS	T0.5
BURNET, SALAD	T10
CARROT	0.2
CAULIFLOWER	T0.5

SCHEDULE 1

Maximum Residue Limits

CHERVIL	T10	LETTUCE, HEAD	*0.01
CORIANDER (LEAVES, STEM, ROOTS)	T10	LETTUCE, LEAF	*0.01
CORIANDER, SEED	T10	ONION, BULB	0.1
COTTON SEED	*0.01	SHALLOT	T0.5
DILL, SEED	T10	SPRING ONION	T0.1
DRIED GRAPES	5		
EDIBLE OFFAL (MAMMALIAN)	*0.01	BENDIOCARB	
EGGS	*0.01	<i>COMMODITIES OF PLANT ORIGIN: UNCONJUGATED BENDIOCARB</i>	
FENNEL, SEED	T10	<i>COMMODITIES OF ANIMAL ORIGIN: SUM OF CONJUGATED AND UNCONJUGATED BENDIOCARB, 2,2-DIMETHYL-1,3-BENZODIOXOL-4-OL AND N-HYDROXYMETHYLBENDIOCARB, EXPRESSED AS BENDIOCARB</i>	
FENNEL, BULB	T0.1		
FRUITING VEGETABLES, CUCURBITS	1	BANANA	*0.02
GALANGAL, GREATER	T0.1	CATTLE, EDIBLE OFFAL OF	0.2
GRAPES	2	CATTLE MEAT	0.1
HERBS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T10	EGGS	0.05
KAFFIR LIME LEAVES	T10	MILKS	0.1
LEEK	0.5	POULTRY, EDIBLE OFFAL OF	0.1
LEMON GRASS	T10	POULTRY MEAT	0.05
LEMON VERBENA (DRY LEAVES)	T10		
LETTUCE, HEAD	T3	BENFLURALIN	
LETTUCE, LEAF	T3	BENFLURALIN	
MAIZE	T*0.01	LETTUCE, HEAD	T*0.05
MANGO	0.5	LETTUCE, LEAF	T*0.05
MEAT (MAMMALIAN)	*0.01		
MILKS	0.005	BENOMYL	
OLIVES	T2	<i>SEE CARBENDAZIM</i>	
PASSIONFRUIT	0.5		
PEANUT	0.05	BENSULFURON-METHYL	
PEANUT OIL, CRUDE	0.1	BENSULFURON-METHYL	
PEAS	T3	RICE	*0.02
POPPY SEED	*0.02	RICE BRAN, PROCESSED	*0.05
POTATO	0.05		
POULTRY, EDIBLE OFFAL OF	*0.01	BENSULIDE	
POULTRY MEAT	*0.01	BENSULIDE	
TOMATO	0.5	FRUITING VEGETABLES, CUCURBITS	*0.1
RADISH	T0.3		
ROSE AND DIANTHUS (EDIBLE FLOWERS)	T10	BENTAZONE	
RUCOLA (ROCKET)	T10	BENTAZONE	
TREE NUTS [EXCEPT ALMONDS]	T0.02	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	*0.1
TURMERIC, ROOT	T0.1	BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.1
WHEAT	*0.02	EDIBLE OFFAL (MAMMALIAN)	*0.05
		EGGS	*0.05
BACITRACIN		GARDEN PEA (SHELLED)	T*0.05
INHIBITORY SUBSTANCE, IDENTIFIED AS BACITRACIN		MEAT (MAMMALIAN)	*0.05
CHICKEN, EDIBLE OFFAL OF	*0.5	MILKS	*0.05
CHICKEN FAT	*0.5	PEANUT	*0.1
CHICKEN MEAT	*0.5	POULTRY, EDIBLE OFFAL OF	*0.05
EGGS	*0.5	POULTRY MEAT	*0.05
MILKS	*0.5	PULSES	*0.01
		RICE	*0.03
BENALAXYL		SWEET CORN (CORN-ON-THE-COB)	*0.1
BENALAXYL			
FRUITING VEGETABLES, CUCURBITS	0.2		
GARLIC	0.1		
GRAPES	0.5		

SCHEDULE 1

Maximum Residue Limits

BENZOCAINE			
BENZOCAINE			
ABALONE	*0.05		
FINFISH	*0.05		
BENZOFENAP			
SUM OF BENZOFENAP, BENZOFENAP-OH AND BENZOFENAP-RED, EXPRESSED AS BENZOFENAP			
RICE	*0.01		
BENZYLADENINE			
BENZYLADENINE			
APPLE	0.2		
PEAR	T0.2		
BENZYL G PENICILLIN			
INHIBITORY SUBSTANCE, IDENTIFIED AS BENZYL G PENICILLIN			
EDIBLE OFFAL (MAMMALIAN)	*0.06		
MEAT (MAMMALIAN)	*0.06		
MILKS	*0.0015		
BETACYFLUTHRIN			
<i>SEE CYFLUTHRIN</i>			
BIFENAZATE			
SUM OF BIFENAZATE AND BIFENAZATE DIAZENE (DIAZENECARBOXYLIC ACID, 2-(4-METHOXY-[1,1'- BIPHENYL-3-YL] 1-METHYLETHYL ESTER), EXPRESSED AS BIFENAZATE			
ALMONDS	T0.1		
APRICOT	0.5		
DRIED GRAPES	T2		
EDIBLE OFFAL (MAMMALIAN)	*0.01		
GRAPES [EXCEPT WINE GRAPES]	T1		
MEAT (MAMMALIAN) (IN THE FAT)	*0.01		
MILKS	*0.01		
NECTARINE	0.5		
PEACH	2		
PEAS	T0.5		
PLUM (INCLUDING PRUNES)	0.5		
POME FRUITS	2		
STRAWBERRY	T2		
BIFENTHRIN			
BIFENTHRIN			
APPLE	*0.05		
AVOCADO	T0.1		
BANANA	0.1		
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T1		
CEREAL GRAINS	T2		
CHERRIES	T1		
CHERVIL	T0.5		
CITRUS FRUITS	*0.05		
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	T0.5		
		COTTON SEED	0.1
		EDIBLE OFFAL (MAMMALIAN)	0.5
		EGG PLANT	T0.5
		EGGS	*0.05
		FIELD PEA (DRY)	T*0.01
		FRUITING VEGETABLES, CUCURBITS	0.1
		GALANGAL, RHIZOMES	T10
		GRAPES	*0.01
		HERBS	T10
		KAFFIR LIME LEAVES	T10
		LEAFY VEGETABLES [EXCEPT CHERVIL; MIZUNA; RUCOLA (ROCKET)]	T2
		LEMON BALM	T10
		LEMON GRASS	T10
		LEMON VERBENA	T10
		LUPIN (DRY)	T*0.02
		MEAT (MAMMALIAN) (IN THE FAT)	2
		MILKS	0.5
		MIZUNA	T10
		OKRA	T0.5
		PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	T*0.01
		PEAR	0.5
		PEPPERS	T0.5
		POPPY SEED	*0.02
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT (IN THE FAT)	*0.05
		PULSES [EXCEPT FIELD PEA (DRY) AND LUPIN (DRY)]	*0.02
		RAPE SEED	*0.02
		RUCOLA (ROCKET)	T10
		STONE FRUITS [EXCEPT CHERRIES]	1
		SUGAR CANE	*0.01
		SWEET POTATO	*0.05
		TARO	T*0.05
		TOMATO	0.5
		TURMERIC, ROOT	T10
		BIORESMETHRIN	
		BIORESMETHRIN	
		MANGO	T0.5
		BITERTANOL	
		BITERTANOL	
		BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.5
		EDIBLE OFFAL (MAMMALIAN)	3
		EGGS	*0.01
		MEAT (MAMMALIAN) (IN THE FAT)	0.3
		MILKS	0.2
		POULTRY, EDIBLE OFFAL OF	*0.01
		POULTRY MEAT	*0.01
		STRAWBERRY	*0.05

SCHEDULE 1

Maximum Residue Limits

BOSCALID			
<i>COMMODITIES OF PLANT ORIGIN: BOSCALID</i>			
<i>COMMODITIES OF ANIMAL ORIGIN: SUM OF BOSCALID, 2-CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL) NICOTINAMIDE AND THE GLUCURONIDE CONJUGATE OF 2-CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL) NICOTINAMIDE, EXPRESSED AS BOSCALID EQUIVALENTS</i>			
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T3	EDIBLE OFFAL (MAMMALIAN)	*0.02
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T2	EGGS	*0.02
BRASSICA LEAFY VEGETABLES	T10	GRAPES	*0.01
BULB VEGETABLES [EXCEPT ONION, BULB]	T3	LINSEED	*0.02
CARROT	T1	MEAT (MAMMALIAN)	*0.02
DRIED GRAPES	15	MILKS	*0.02
EDIBLE OFFAL (MAMMALIAN)	0.05	POULTRY, EDIBLE OFFAL OF	*0.02
GRAPES	4	POULTRY MEAT	*0.02
LETTUCE, HEAD	T2	SUGAR CANE	*0.02
LETTUCE, LEAF	T2		
BRASSICA LEAFY VEGETABLES	T10	BUPIRIMATE	
MILKS	*0.02	BUPIRIMATE	
ONION, BULB	T1	APPLE	1
PEAS	T5	FRUITING VEGETABLES, CUCURBITS	1
		PEPPERS	T1
BRODIFACOUM		BUPIVACAINE	
BRODIFACOUM		BUPIVACAINE	
CEREAL GRAINS	T*0.00002	SHEEP, EDIBLE OFFAL OF	T*0.02
EDIBLE OFFAL (MAMMALIAN)	T*0.00005	SHEEP MEAT (IN THE FAT)	T*0.02
MEAT (MAMMALIAN)	T*0.00005		
PULSES	T*0.00002	BUPROFEZIN	
SUGAR CANE	*0.0005	BUPROFEZIN	
BROMACIL		CITRUS FRUITS	2
BROMACIL		COTTON SEED	T1
ASPARAGUS	*0.04	COTTON SEED OIL, CRUDE	T0.3
CITRUS FRUITS	*0.04	CUCUMBER	T0.5
EDIBLE OFFAL (MAMMALIAN)	*0.04	CUSTARD APPLE	0.1
MEAT (MAMMALIAN)	*0.04	DRIED GRAPES (CURRANTS, RAISINS AND SULTANAS)	1
MILKS	*0.04	EDIBLE OFFAL (MAMMALIAN)	*0.05
PINEAPPLE	*0.04	EGG PLANT	T2
BROMOCHLOROMETHANE		GRAPES	0.3
BROMOCHLOROMETHANE		MANGO	0.2
CATTLE, EDIBLE OFFAL OF	T*0.02	MEAT (MAMMALIAN) (IN THE FAT)	*0.05
CATTLE FAT	T*0.02	MILKS	*0.01
CATTLE MEAT	T*0.02	OLIVES	T0.5
BROMOPROPYLATE		OLIVE OIL, CRUDE	T2
BROMOPROPYLATE		PASSIONFRUIT	2
POME FRUITS	5	PEAR	0.2
STONE FRUITS	5	PERSIMMON, JAPANESE	1
BROMOXYNIL		SQUASH, SUMMER	T0.5
BROMOXYNIL		TOMATO	T2
CEREAL GRAINS	*0.2	BUTAFENACIL	
		BUTAFENACIL	
		CEREAL GRAINS [EXCEPT RICE]	*0.02
		EDIBLE OFFAL (MAMMALIAN)	*0.02
		EGGS	*0.01
		GRAPES	T*0.02
		MEAT (MAMMALIAN)	*0.01
		MILKS	*0.01
		POME FRUITS	T*0.02
		POULTRY, EDIBLE OFFAL OF	*0.02
		POULTRY MEAT	*0.01
		STONE FRUITS	T*0.02

SCHEDULE 1

Maximum Residue Limits

BUTROXYDIM BUTROXYDIM			
EDIBLE OFFAL (MAMMALIAN)	*0.01		
EGGS	*0.01		
LEGUME VEGETABLES	*0.01		
MEAT (MAMMALIAN)	*0.01		
MILKS	*0.01		
OILSEED	*0.01		
POULTRY, EDIBLE OFFAL OF	*0.01		
POULTRY MEAT	*0.01		
PULSES	*0.01		
CADUSAFOS CADUSAFOS			
BANANA	*0.01		
CITRUS FRUITS	*0.01		
GINGER, ROOT	0.1		
SUGAR CANE	*0.01		
TOMATO	*0.01		
CAPTAN CAPTAN			
BERRIES AND OTHER SMALL FRUITS [EXCEPT BLUEBERRIES; GRAPES; STRAWBERRY]	T30		
BLUEBERRIES	20		
DRIED GRAPES	15		
EDIBLE OFFAL (MAMMALIAN)	*0.05		
EGGS	*0.02		
GRAPES	10		
MEAT (MAMMALIAN)	*0.05		
MILKS	*0.01		
PITAYA (DRAGON FRUIT)	T20		
POME FRUITS	10		
POULTRY, EDIBLE OFFAL OF	*0.02		
POULTRY MEAT	*0.02		
STONE FRUITS	15		
STRAWBERRY	10		
TREE NUTS	T0.3		
CARBARYL CARBARYL			
APRICOT	10		
ASPARAGUS	10		
AVOCADO	10		
BANANA (IN THE PULP)	5		
BLACKBERRIES	10		
BLUEBERRIES	7		
BRAZILIAN CHERRY (GRUMICHAMA)	5		
CARAMBOLA	5		
CEREAL GRAINS	T5		
CHERRIES	5		
CITRUS FRUITS	7		
COTTON SEED	1		
CUSTARD APPLE	5		
		DEWBERRIES (INCLUDING BOYSENBERRY AND LOGANBERRY)	10
		EDIBLE OFFAL (MAMMALIAN)	T0.2
		EGGS	T0.2
		ELEPHANT APPLE	5
		FEIJOA	5
		FRUITING VEGETABLES, CUCURBITS	3
		GALANGAL, RHIZOMES (FRESH)	T5
		GRANADILLA	5
		GRAPES	5
		GUAVA	5
		JABOTICABA	5
		JACKFRUIT	5
		JAMBU	5
		KIWIFRUIT	10
		LEAFY VEGETABLES	10
		LITCHI	5
		LONGAN	5
		MANGO	5
		MEAT (MAMMALIAN)	T0.2
		MILKS	T*0.05
		NECTARINE	10
		OKRA	10
		OLIVES	10
		OLIVES, PROCESSED	1
		PAPAYA (PAWPAW)	5
		PASSIONFRUIT	5
		PEACH	10
		PLUMS (INCLUDING PRUNES)	5
		POME FRUITS	5
		POTATO	0.2
		POULTRY, EDIBLE OFFAL OF	T5
		POULTRY MEAT	T0.5
		RAMBUTAN	5
		RASPBERRIES, RED, BLACK	10
		SAPODILLA	5
		SAPOTE, BLACK	5
		SAPOTE, GREEN	5
		SAPOTE, MAMMEY	5
		SAPOTE, WHITE	5
		STRAWBERRY	7
		SUGAR CANE	T*0.05
		SUNFLOWER SEED	1
		SWEET CORN (CORN-ON-THE-COB)	1
		TREE NUTS	1
		TREE NUTS (WHOLE IN SHELL)	10
		TURMERIC, ROOT (FRESH)	T5
		VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5
		WHEAT BRAN, UNPROCESSED	T20
		CARBENDAZIM SUM OF CARBENDAZIM AND 2- AMINOBENZIMIDAZOLE, EXPRESSED AS CARBENDAZIM	
		AVOCADO	3

SCHEDULE 1

Maximum Residue Limits

BANANA	1	POULTRY MEAT	*0.05
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	5	RICE	0.2
CEREAL GRAINS	*0.05	SUGAR CANE	*0.1
CITRUS FRUITS	10	SUNFLOWER SEED	0.1
CUSTARD APPLE	1	WHEAT	0.2
EDIBLE OFFAL (MAMMALIAN)	0.2		
EGGS	*0.1	CARBON DISULPHIDE CARBON DISULFIDE	
FRUITING VEGETABLES, CUCURBITS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2	CEREAL GRAINS	10
FRUITING VEGETABLES, OTHER THAN CUCURBITS [EXCEPT MUSHROOMS]	2	PULSES	T10
GINGER, ROOT	10		
GRAPES	3	CARBONYL SULPHIDE CARBONYL SULPHIDE	
HERBS	T3	CEREAL GRAINS	T0.2
LITCHI	10	PULSES	T0.2
MACADAMIA NUTS	0.1	RAPE SEED	T0.2
MANGO	5		
MEAT (MAMMALIAN)	0.2	CARBOSULFAN <i>SEE</i> CARBOFURAN	
MELONS [EXCEPT WATERMELON]	4		
MILKS	*0.1	CARBOXIN CARBOXIN	
MUSHROOMS	10	CEREAL GRAINS	0.1
PAPAYA (PAWPAW)	T20		
PEANUT	0.2	CARFENTRAZONE-ETHYL CARFENTRAZONE-ETHYL	
PISTACHIO NUT	T0.1	ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – EDIBLE PEEL	*0.05
POME FRUITS	5	ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL	*0.05
POULTRY, EDIBLE OFFAL OF	*0.1	CEREAL GRAINS	*0.05
POULTRY MEAT	*0.1	CITRUS FRUITS	*0.05
PULSES	0.5	COTTON SEED	T*0.05
STONE FRUITS	10	EDIBLE OFFAL (MAMMALIAN)	*0.05
SUGAR CANE	0.1	EGGS	*0.05
TURMERIC ROOT	T3	GRAPES	*0.05
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	3	MEAT (MAMMALIAN)	*0.05
		MILKS	*0.025
CARBETAMIDE CARBETAMIDE		POME FRUITS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.1	POULTRY, EDIBLE OFFAL OF	*0.05
EGGS	*0.1	POULTRY MEAT	*0.05
MEAT (MAMMALIAN)	*0.1	STONE FRUITS	*0.05
MILKS	*0.1	TREE NUTS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.1		
POULTRY MEAT	*0.1	CEFTIOFUR DESFUROYLCEFTIOFUR	
		CATTLE, EDIBLE OFFAL OF	2
CARBOFURAN SUM OF CARBOFURAN AND 3- HYDROXYCARBOFURAN, EXPRESSED AS CARBOFURAN		CATTLE FAT	0.5
BARLEY	0.2	CATTLE MEAT	0.1
COTTON SEED	0.1	CATTLE MILK	0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05		
EGGS	*0.05	CEFUROXIME INHIBITORY SUBSTANCE, IDENTIFIED AS CEFUROXIME	
MEAT (MAMMALIAN)	*0.05	CATTLE, EDIBLE OFFAL OF	*0.1
MILKS	*0.05	CATTLE MEAT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.05		

SCHEDULE 1

Maximum Residue Limits

CATTLE MILK	*0.1	HORSERADISH	T0.1
CEPHALONIUM INHIBITORY SUBSTANCE, IDENTIFIED AS CEPHALONIUM		LEEK	T0.05
CATTLE, EDIBLE OFFAL OF	*0.1	MAIZE	T0.05
CATTLE MEAT	*0.1	MUSHROOMS	T0.05
CATTLE MILK	*0.02	ONION, BULB	T0.05
CEPHAPIRIN CEPHAPIRIN AND DES-ACETYLCEPHAPIRIN, EXPRESSED AS CEPHAPIRIN		PEANUT	T0.05
CATTLE, EDIBLE OFFAL OF	*0.02	POTATO	T0.05
CATTLE MEAT	*0.02	RADISH	T0.1
CATTLE MILK	*0.01	RICE	T0.05
CETRIMIDE CETRIMIDE		SHEEP, EDIBLE OFFAL OF	T*0.1
SHEEP, EDIBLE OFFAL OF	T*1	SHEEP MEAT (IN THE FAT)	T0.2
SHEEP MEAT (IN THE FAT)	T*1	SWEDE	T0.05
CHINOMETHIONAT <i>SEE</i> OXYTHIOQUINOX		SWEET POTATO	T0.05
CHLORFENAPYR CHLORFENAPYR		TOMATO	T0.1
BRASSICA (COLE OR CABBAGE)	0.5	TURNIP, GARDEN	T0.05
VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS		WHEAT	T0.05
CHINESE CABBAGE	0.5	CHLORFLUAZURON CHLORFLUAZURON	
COTTON SEED	0.5	CATTLE, EDIBLE OFFAL OF	0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05	CATTLE MEAT (IN THE FAT)	1
EGGS	*0.01	CATTLE MILK	0.1
MEAT (MAMMALIAN) (IN THE FAT)	0.05	COTTON SEED	0.1
MILKS	*0.01	COTTON SEED OIL, CRUDE	0.1
PEACH	1	COTTON SEED OIL, EDIBLE	*0.05
POME FRUITS	0.5	EGGS	0.2
POULTRY, EDIBLE OF	*0.01	POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT (IN THE FAT)	*0.01	POULTRY MEAT (IN THE FAT)	1
SHALLOT	T1	CHLORHEXIDINE CHLORHEXIDINE	
SPRING ONION	T1	MILKS	0.05
CHLORFENVINPHOS CHLORFENVINPHOS, SUM OF E AND Z ISOMERS		SHEEP, EDIBLE OFFAL OF	*0.5
BROCCOLI	T0.05	SHEEP FAT	*0.5
BRUSSELS SPROUTS	T0.05	SHEEP MEAT	*0.5
CABBAGES, HEAD	T0.05	CHLORIDAZON CHLORIDAZON	
CARROT	T0.4	BEETROOT	*0.05
CATTLE, EDIBLE OFFAL OF	T*0.1	CHLORMEQUAT CHLORMEQUAT CATION	
CATTLE MEAT (IN THE FAT)	T0.2	BARLEY	T2
CATTLE MILK (IN THE FAT)	T0.2	DRIED GRAPES	0.75
CAULIFLOWER	T0.1	EDIBLE OFFAL (MAMMALIAN)	0.5
CELERY	T0.4	EGGS	0.1
COTTON SEED	T0.05	GRAPES	0.75
DEER MEAT (IN THE FAT)	0.2	MEAT (MAMMALIAN)	0.2
EGG PLANT	T0.05	MILKS	0.5
GOAT, EDIBLE OFFAL OF	T*0.1	POULTRY, EDIBLE OFFAL OF	0.1
GOAT MEAT (IN THE FAT)	T0.2	POULTRY MEAT	*0.05
		WHEAT	5
		CHLOROPICRIN CHLOROPICRIN	
		CEREAL GRAINS	*0.1

SCHEDULE 1

Maximum Residue Limits

CHLOROTHALONIL		POTATO	30
<i>COMMODITIES OF PLANT ORIGIN: CHLOROTHALONIL</i>			
<i>COMMODITIES OF ANIMAL ORIGIN: SUM OF CHLOROTHALONIL AND 4-HYDROXY-2, 5, 6-TRICHLOROISOPHTHALONITRILE METABOLITE, EXPRESSED AS CHLOROTHALONIL</i>		CHLORPYRIFOS	
		CHLORPYRIFOS	
ALMONDS	T0.1	ASPARAGUS	T0.5
APRICOT	7	AVOCADO	0.5
ASPARAGUS	T*0.1	BANANA	T0.5
BANANA	3	BLUEBERRIES	T1
BERRIES AND OTHER SMALL FRUITS [EXCEPT BLACKCURRANT AND GRAPES]	T10	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T0.5
BRUSSELS SPROUTS	7	CASSAVA	T*0.02
CARROT	7	CELERY	T5
CELERY	10	CEREAL GRAINS [EXCEPT SORGHUM]	T0.1
CHERRIES	10	CITRUS FRUITS	T0.5
CURRENT, BLACK	10	COFFEE BEANS	T0.5
EDIBLE OFFAL (MAMMALIAN)	T3	COTTON SEED	0.05
FENNEL, BULB	5	COTTON SEED OIL, CRUDE	0.2
FENNEL, LEAF	5	DRIED FRUITS	T2
FENNEL, SEED	5	EDIBLE OFFAL (MAMMALIAN)	T0.1
FRUITING VEGETABLES, CUCURBITS	5	EGGS	T*0.01
GALANGAL, GREATER	T7	GINGER, ROOT	*0.02
GALANGAL, LESSER	T7	GRAPES	T1
GARLIC	10	KIWIFRUIT	2
GRAPES	10	LEEK	T5
HERBS [EXCEPT FENNEL, LEAF]	T7	MANGO	*0.05
LEAFY VEGETABLES	T7	MEAT (MAMMALIAN) (IN THE FAT)	T0.5
LEEK	T10	MILKS (IN THE FAT)	T0.2
MEAT (MAMMALIAN) (IN THE FAT)	T2	OILSEED [EXCEPT COTTON SEED AND PEANUT]	T*0.05
MILKS	T0.05	OLIVES	T*0.05
NECTARINE	7	PARSLEY	0.05
ONION, BULB	10	PASSIONFRUIT	*0.05
PAPAYA (PAWPAW)	7	PEANUT	T*0.01
PEACH	30	PEPPERS, SWEET	T1
PEANUT	T0.2	PERSIMMON, JAPANESE	0.5
PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	10	PINEAPPLE	T0.5
PERSIMMON, JAPANESE	T5	PISTACHIO NUT	T*0.05
PLUMS (INCLUDING PRUNES)	10	PITAYA (DRAGON FRUIT)	T*0.05
POTATO	0.1	POME FRUITS	T0.5
PULSES	T7	POTATO	0.05
RICE	T*0.1	POULTRY, EDIBLE OFFAL OF	T0.1
SPRING ONION	T10	POULTRY MEAT (IN THE FAT)	T0.1
SUNFLOWER SEED	T*0.01	SORGHUM	T3
TOMATO	10	STAR APPLE	T*0.05
TREE TOMATO	T10	STONE FRUITS	T1
TURMERIC ROOT	T7	STRAWBERRY	0.05
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T7	SUGAR CANE	T0.1
WASABI	T7	SWEDE	T0.3
		SWEET POTATO	T0.05
		TARO	0.05
		TOMATO	T0.5
CHLORPROPHAM			
CHLORPROPHAM			
GARLIC	*0.05		
ONION, BULB	*0.05		

SCHEDULE 1

Maximum Residue Limits

VEGETABLES [EXCEPT ASPARAGUS; BRASSICA VEGETABLES; CASSAVA; CELERY; LEEK; PEPPERS, SWEET; POTATO; SWEDE; SWEET POTATO; TARO AND TOMATO]	T*0.01
CHLORPYRIFOS-METHYL CHLORPYRIFOS-METHYL	
CEREAL GRAINS [EXCEPT RICE]	10
COTTON SEED	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
LUPIN (DRY)	10
MEAT (MAMMALIAN) (IN THE FAT)	*0.05
MILKS (IN THE FAT)	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	*0.05
RICE	0.1
WHEAT BRAN, UNPROCESSED	20
WHEAT GERM	30
CHLORSULFURON CHLORSULFURON	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
CHLORTETRACYCLINE INHIBITORY SUBSTANCE, IDENTIFIED AS CHLORTETRACYCLINE	
CATTLE KIDNEY	0.6
CATTLE LIVER	0.3
CATTLE MEAT	0.1
EGGS	0.2
PIG KIDNEY	0.6
PIG LIVER	0.3
PIG MEAT	0.1
POULTRY, EDIBLE OFFAL OF	0.6
POULTRY MEAT	0.1
CHLORTHAL-DIMETHYL CHLORTHAL-DIMETHYL	
EGGS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
LETTUCE, HEAD	T1
LETTUCE, LEAF	T1
MILKS	*0.05
PARSLEY	T2
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5

CLAVULANIC ACID CLAVULANIC ACID	
CATTLE, EDIBLE OFFAL OF	*0.01
CATTLE MEAT	*0.01
CATTLE MILK	*0.01
CLETHODIM <i>see</i> SETHOXYDIM	
CLODINAFOF-PROPARGYL CLODINAFOF-PROPARGYL	
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
WHEAT	*0.05
CLODINAFOF ACID (R)-2-[4-(5-CHLORO-3-FLUORO-2-PYRIDINYLOXY) PHENOXY] PROPANOIC ACID	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
WHEAT	*0.1
CLOFENTEZINE CLOFENTEZINE	
ALMONDS	T0.5
BANANA	*0.01
EDIBLE OFFAL (MAMMALIAN)	T*0.05
HOPS, DRY	*0.2
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.05
POME FRUITS	0.1
STONE FRUITS	0.1
CLOMAZONE CLOMAZONE	
BEANS [EXCEPT BROAD BEAN AND SOYA BEANS]	*0.05
COMMON BEANS (POD AND/OR IMMATURE SEEDS)	T*0.05
FRUITING VEGETABLES, CUCURBITS	*0.05
POPPY SEED	*0.05
POTATO	*0.05
RICE	*0.01
CLOPYRALID CLOPYRALID	
CAULIFLOWER	T0.2
CEREAL GRAINS	2
EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	0.5

SCHEDULE 1

Maximum Residue Limits

KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	5
MEAT (MAMMALIAN)	0.1
MILKS	0.05
RAPE SEED	0.5
CLOQUINTOCET-MEXYL	
SUM OF CLOQUINTOCET MEXYL AND 5-CHLORO-8-QUINOLINOXYACETIC ACID, EXPRESSED AS CLOQUINTOCET MEXYL	
BARLEY	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
RYE	*0.1
TRITICALE	*0.1
WHEAT	*0.1
CLORSULON	
CLORSULON	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CATTLE MILK	1.5
CLOSANTEL	
CLOSANTEL	
CATTLE FAT	T3
CATTLE KIDNEY	T3
CATTLE LIVER	T1
CATTLE MUSCLE	T1
SHEEP, EDIBLE OFFAL OF	5
SHEEP MEAT	2
CLOTHIANIDIN	
CLOTHIANIDIN	
APPLE	0.5
BANANA	*0.02
COTTON SEED	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.01
NECTARINE	2
PEACH	2
PEAR	0.5
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
CLOXACILLIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS CLOXACILLIN	
CATTLE MILK	*0.01

COUMAPHOS	
SUM OF COUMAPHOS AND ITS OXYGEN ANALOGUE, EXPRESSED AS COUMAPHOS	
CATTLE FAT	T0.2
CATTLE KIDNEY	T0.2
CATTLE LIVER	T0.2
CATTLE MUSCLE	T0.2
CYANAMIDE	
CYANAMIDE	
APPLE	*0.02
BLUEBERRIES	*0.05
GRAPES	*0.05
KIWIFRUIT	*0.1
PEAR, ORIENTAL (NASHI)	*0.1
STONE FRUITS	T*0.05
CYANAZINE	
CYANAZINE	
BULB VEGETABLES	*0.02
CEREAL GRAINS	*0.01
LEEK	0.05
PEAS	0.02
POTATO	0.02
PULSES	*0.01
SWEET CORN (CORN-ON-THE-COB)	*0.02
CYCLANILIDE	
SUM OF CYCLANILIDE AND ITS METHYL ESTER, EXPRESSED AS CYCLANILIDE	
COTTON SEED	0.2
COTTON SEED OIL, CRUDE	*0.01
EDIBLE OFFAL (MAMMALIAN)	2
EGGS	*0.01
MEAT (MAMMALIAN)	0.05
MILKS	0.05
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
CYFLUTHRIN	
CYFLUTHRIN, SUM OF ISOMERS	
AVOCADO	0.1
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.5
CARAMBOLA	T0.1
CEREAL GRAINS	2
COTTON SEED	0.01
COTTON SEED OIL, CRUDE	0.02
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGG PLANT	T0.2
EGGS	*0.01
LEGUME VEGETABLES	0.5
MACADAMIA NUTS	0.05
MAMMALIAN FATS [EXCEPT MILK FATS]	0.5
MEAT (MAMMALIAN)	0.02
MILKS	0.1

SCHEDULE 1

Maximum Residue Limits

<table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>OKRA</td><td style="text-align: right;">T0.2</td></tr> <tr><td>PECAN</td><td style="text-align: right;">T0.05</td></tr> <tr><td>PEPPERS, SWEET</td><td style="text-align: right;">T0.2</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.01</td></tr> <tr><td>POULTRY MEAT (IN THE FAT)</td><td style="text-align: right;">*0.01</td></tr> <tr><td>PULSES</td><td style="text-align: right;">0.5</td></tr> <tr><td>RAPE SEED</td><td style="text-align: right;">*0.05</td></tr> <tr><td>TOMATO</td><td style="text-align: right;">0.2</td></tr> <tr><td>WHEAT BRAN, UNPROCESSED</td><td style="text-align: right;">5</td></tr> <tr><td colspan="2" style="text-align: center;">CYHALOFOP-BUTYL</td></tr> <tr><td colspan="2" style="text-align: center;">SUM OF CYHALOFOP-BUTYL, CYHALOFOP AND METABOLITES EXPRESSED AS CYHALOFOP-BUTYL</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>EGGS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MEAT (MAMMALIAN) (IN THE FAT)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POULTRY MEAT</td><td style="text-align: right;">*0.05</td></tr> <tr><td>RICE</td><td style="text-align: right;">*0.01</td></tr> <tr><td colspan="2" style="text-align: center;">CYHALOTHRIN</td></tr> <tr><td colspan="2" style="text-align: center;">CYHALOTHRIN, SUM OF ISOMERS</td></tr> <tr><td>BARLEY</td><td style="text-align: right;">0.2</td></tr> <tr><td>BEETROOT</td><td style="text-align: right;">*0.01</td></tr> <tr><td>BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS</td><td style="text-align: right;">0.1</td></tr> <tr><td>CHARD</td><td style="text-align: right;">T0.5</td></tr> <tr><td>CITRUS FRUITS</td><td style="text-align: right;">*0.01</td></tr> <tr><td>CUCUMBER</td><td style="text-align: right;">T0.05</td></tr> <tr><td>COTTON SEED</td><td style="text-align: right;">*0.02</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.02</td></tr> <tr><td>EGGS</td><td style="text-align: right;">*0.02</td></tr> <tr><td>LEGUME VEGETABLES</td><td style="text-align: right;">0.1</td></tr> <tr><td>MEAT (MAMMALIAN) (IN THE FAT)</td><td style="text-align: right;">0.5</td></tr> <tr><td>MILKS (IN THE FAT)</td><td style="text-align: right;">0.5</td></tr> <tr><td>ONION, BULB</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POTATO</td><td style="text-align: right;">*0.01</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.02</td></tr> <tr><td>POULTRY MEAT</td><td style="text-align: right;">*0.02</td></tr> <tr><td>PULSES [EXCEPT SOYA BEAN (DRY)]</td><td style="text-align: right;">0.2</td></tr> <tr><td>RADISH</td><td style="text-align: right;">*0.01</td></tr> <tr><td>RAPE SEED</td><td style="text-align: right;">0.02</td></tr> <tr><td>SORGHUM</td><td style="text-align: right;">0.5</td></tr> <tr><td>SOYA BEAN (DRY)</td><td style="text-align: right;">*0.02</td></tr> <tr><td>SUNFLOWER SEED</td><td style="text-align: right;">*0.01</td></tr> <tr><td>TOMATO</td><td style="text-align: right;">0.02</td></tr> <tr><td>WHEAT</td><td style="text-align: right;">*0.05</td></tr> <tr><td colspan="2" style="text-align: center;">CYMAZOLE</td></tr> <tr><td colspan="2" style="text-align: center;">CYMAZOLE</td></tr> <tr><td>CATTLE FAT</td><td style="text-align: right;">T*0.04</td></tr> <tr><td>CATTLE KIDNEY</td><td style="text-align: right;">T*0.04</td></tr> <tr><td>CATTLE LIVER</td><td style="text-align: right;">T*0.04</td></tr> <tr><td>CATTLE MEAT</td><td style="text-align: right;">T*0.04</td></tr> </tbody> </table>	OKRA	T0.2	PECAN	T0.05	PEPPERS, SWEET	T0.2	POULTRY, EDIBLE OFFAL OF	*0.01	POULTRY MEAT (IN THE FAT)	*0.01	PULSES	0.5	RAPE SEED	*0.05	TOMATO	0.2	WHEAT BRAN, UNPROCESSED	5	CYHALOFOP-BUTYL		SUM OF CYHALOFOP-BUTYL, CYHALOFOP AND METABOLITES EXPRESSED AS CYHALOFOP-BUTYL		EDIBLE OFFAL (MAMMALIAN)	*0.05	EGGS	*0.05	MEAT (MAMMALIAN) (IN THE FAT)	*0.05	MILKS	*0.05	POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY MEAT	*0.05	RICE	*0.01	CYHALOTHRIN		CYHALOTHRIN, SUM OF ISOMERS		BARLEY	0.2	BEETROOT	*0.01	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.1	CHARD	T0.5	CITRUS FRUITS	*0.01	CUCUMBER	T0.05	COTTON SEED	*0.02	EDIBLE OFFAL (MAMMALIAN)	*0.02	EGGS	*0.02	LEGUME VEGETABLES	0.1	MEAT (MAMMALIAN) (IN THE FAT)	0.5	MILKS (IN THE FAT)	0.5	ONION, BULB	*0.05	POTATO	*0.01	POULTRY, EDIBLE OFFAL OF	*0.02	POULTRY MEAT	*0.02	PULSES [EXCEPT SOYA BEAN (DRY)]	0.2	RADISH	*0.01	RAPE SEED	0.02	SORGHUM	0.5	SOYA BEAN (DRY)	*0.02	SUNFLOWER SEED	*0.01	TOMATO	0.02	WHEAT	*0.05	CYMAZOLE		CYMAZOLE		CATTLE FAT	T*0.04	CATTLE KIDNEY	T*0.04	CATTLE LIVER	T*0.04	CATTLE MEAT	T*0.04	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr><th colspan="2" style="text-align: center;">CYPERMETHRIN</th></tr> <tr><th colspan="2" style="text-align: center;">CYPERMETHRIN, SUM OF ISOMERS</th></tr> </thead> <tbody> <tr><td>ALL OTHER FOODS</td><td style="text-align: right;">*0.01</td></tr> <tr><td>ASPARAGUS</td><td style="text-align: right;">0.5</td></tr> <tr><td>AVOCADO</td><td style="text-align: right;">T0.2</td></tr> <tr><td>BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS</td><td style="text-align: right;">1</td></tr> <tr><td>BROAD BEAN (DRY) (FAVA BEAN)</td><td style="text-align: right;">0.05</td></tr> <tr><td>CATTLE, EDIBLE OFFAL OF</td><td style="text-align: right;">0.05</td></tr> <tr><td>CATTLE MEAT (IN THE FAT)</td><td style="text-align: right;">0.5</td></tr> <tr><td>CEREAL GRAINS [EXCEPT WHEAT]</td><td style="text-align: right;">1</td></tr> <tr><td>CHICK-PEA (DRY)</td><td style="text-align: right;">0.2</td></tr> <tr><td>COMMON BEAN (DRY) (NAVY BEAN)</td><td style="text-align: right;">0.05</td></tr> <tr><td>CORIANDER (LEAVES, STEM, ROOTS)</td><td style="text-align: right;">T1</td></tr> <tr><td>CORIANDER, SEED</td><td style="text-align: right;">T1</td></tr> <tr><td>COTTON SEED</td><td style="text-align: right;">0.2</td></tr> <tr><td>COTTON SEED OIL, CRUDE</td><td style="text-align: right;">*0.02</td></tr> <tr><td>DEER MEAT (IN THE FAT)</td><td style="text-align: right;">T0.5</td></tr> <tr><td>EGGS</td><td style="text-align: right;">0.05</td></tr> <tr><td>FIELD PEA (DRY)</td><td style="text-align: right;">0.05</td></tr> <tr><td>GOAT, EDIBLE OFFAL OF</td><td style="text-align: right;">0.05</td></tr> <tr><td>GOAT MEAT (IN THE FAT)</td><td style="text-align: right;">0.5</td></tr> <tr><td>GRAPES</td><td style="text-align: right;">T0.05</td></tr> <tr><td>HORSE, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.05</td></tr> <tr><td>HORSE MEAT (IN THE FAT)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>LEAFY VEGETABLES [EXCEPT LETTUCE HEAD]</td><td style="text-align: right;">T5</td></tr> <tr><td>LEEK</td><td style="text-align: right;">T0.5</td></tr> <tr><td>LETTUCE, HEAD</td><td style="text-align: right;">2</td></tr> <tr><td>LINOLA OIL, EDIBLE</td><td style="text-align: right;">0.1</td></tr> <tr><td>LINOLA SEED</td><td style="text-align: right;">0.1</td></tr> <tr><td>LINSEED</td><td style="text-align: right;">0.5</td></tr> <tr><td>LUPIN (DRY)</td><td style="text-align: right;">*0.01</td></tr> <tr><td>MILKS (IN THE FAT)</td><td style="text-align: right;">1</td></tr> <tr><td>MUNG BEAN (DRY)</td><td style="text-align: right;">0.05</td></tr> <tr><td>OLIVES</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>ONION, BULB</td><td style="text-align: right;">*0.01</td></tr> <tr><td>PARSLEY</td><td style="text-align: right;">T1</td></tr> <tr><td>PEAS</td><td style="text-align: right;">1</td></tr> <tr><td>PIG, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.05</td></tr> <tr><td>PIG MEAT (IN THE FAT)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POME FRUITS</td><td style="text-align: right;">1</td></tr> <tr><td>POTATO</td><td style="text-align: right;">*0.01</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POULTRY MEAT (IN THE FAT)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>RADISH</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>RAPE SEED</td><td style="text-align: right;">0.2</td></tr> <tr><td>RAPE SEED OIL, EDIBLE</td><td style="text-align: right;">0.2</td></tr> <tr><td>SHALLOT</td><td style="text-align: right;">T0.5</td></tr> <tr><td>SHEEP, EDIBLE OFFAL OF</td><td style="text-align: right;">0.05</td></tr> <tr><td>SHEEP MEAT (IN THE FAT)</td><td style="text-align: right;">0.5</td></tr> <tr><td>SOYA BEAN (DRY)</td><td style="text-align: right;">0.05</td></tr> <tr><td>SOYA BEAN OIL, CRUDE</td><td style="text-align: right;">0.1</td></tr> <tr><td>SPRING ONION</td><td style="text-align: right;">T0.5</td></tr> <tr><td>STONE FRUITS [EXCEPT CHERRIES]</td><td style="text-align: right;">1</td></tr> </tbody> </table>	CYPERMETHRIN		CYPERMETHRIN, SUM OF ISOMERS		ALL OTHER FOODS	*0.01	ASPARAGUS	0.5	AVOCADO	T0.2	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1	BROAD BEAN (DRY) (FAVA BEAN)	0.05	CATTLE, EDIBLE OFFAL OF	0.05	CATTLE MEAT (IN THE FAT)	0.5	CEREAL GRAINS [EXCEPT WHEAT]	1	CHICK-PEA (DRY)	0.2	COMMON BEAN (DRY) (NAVY BEAN)	0.05	CORIANDER (LEAVES, STEM, ROOTS)	T1	CORIANDER, SEED	T1	COTTON SEED	0.2	COTTON SEED OIL, CRUDE	*0.02	DEER MEAT (IN THE FAT)	T0.5	EGGS	0.05	FIELD PEA (DRY)	0.05	GOAT, EDIBLE OFFAL OF	0.05	GOAT MEAT (IN THE FAT)	0.5	GRAPES	T0.05	HORSE, EDIBLE OFFAL OF	*0.05	HORSE MEAT (IN THE FAT)	*0.05	LEAFY VEGETABLES [EXCEPT LETTUCE HEAD]	T5	LEEK	T0.5	LETTUCE, HEAD	2	LINOLA OIL, EDIBLE	0.1	LINOLA SEED	0.1	LINSEED	0.5	LUPIN (DRY)	*0.01	MILKS (IN THE FAT)	1	MUNG BEAN (DRY)	0.05	OLIVES	T*0.05	ONION, BULB	*0.01	PARSLEY	T1	PEAS	1	PIG, EDIBLE OFFAL OF	*0.05	PIG MEAT (IN THE FAT)	*0.05	POME FRUITS	1	POTATO	*0.01	POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY MEAT (IN THE FAT)	*0.05	RADISH	T*0.05	RAPE SEED	0.2	RAPE SEED OIL, EDIBLE	0.2	SHALLOT	T0.5	SHEEP, EDIBLE OFFAL OF	0.05	SHEEP MEAT (IN THE FAT)	0.5	SOYA BEAN (DRY)	0.05	SOYA BEAN OIL, CRUDE	0.1	SPRING ONION	T0.5	STONE FRUITS [EXCEPT CHERRIES]	1
OKRA	T0.2																																																																																																																																																																																																														
PECAN	T0.05																																																																																																																																																																																																														
PEPPERS, SWEET	T0.2																																																																																																																																																																																																														
POULTRY, EDIBLE OFFAL OF	*0.01																																																																																																																																																																																																														
POULTRY MEAT (IN THE FAT)	*0.01																																																																																																																																																																																																														
PULSES	0.5																																																																																																																																																																																																														
RAPE SEED	*0.05																																																																																																																																																																																																														
TOMATO	0.2																																																																																																																																																																																																														
WHEAT BRAN, UNPROCESSED	5																																																																																																																																																																																																														
CYHALOFOP-BUTYL																																																																																																																																																																																																															
SUM OF CYHALOFOP-BUTYL, CYHALOFOP AND METABOLITES EXPRESSED AS CYHALOFOP-BUTYL																																																																																																																																																																																																															
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																																														
EGGS	*0.05																																																																																																																																																																																																														
MEAT (MAMMALIAN) (IN THE FAT)	*0.05																																																																																																																																																																																																														
MILKS	*0.05																																																																																																																																																																																																														
POULTRY, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																																														
POULTRY MEAT	*0.05																																																																																																																																																																																																														
RICE	*0.01																																																																																																																																																																																																														
CYHALOTHRIN																																																																																																																																																																																																															
CYHALOTHRIN, SUM OF ISOMERS																																																																																																																																																																																																															
BARLEY	0.2																																																																																																																																																																																																														
BEETROOT	*0.01																																																																																																																																																																																																														
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.1																																																																																																																																																																																																														
CHARD	T0.5																																																																																																																																																																																																														
CITRUS FRUITS	*0.01																																																																																																																																																																																																														
CUCUMBER	T0.05																																																																																																																																																																																																														
COTTON SEED	*0.02																																																																																																																																																																																																														
EDIBLE OFFAL (MAMMALIAN)	*0.02																																																																																																																																																																																																														
EGGS	*0.02																																																																																																																																																																																																														
LEGUME VEGETABLES	0.1																																																																																																																																																																																																														
MEAT (MAMMALIAN) (IN THE FAT)	0.5																																																																																																																																																																																																														
MILKS (IN THE FAT)	0.5																																																																																																																																																																																																														
ONION, BULB	*0.05																																																																																																																																																																																																														
POTATO	*0.01																																																																																																																																																																																																														
POULTRY, EDIBLE OFFAL OF	*0.02																																																																																																																																																																																																														
POULTRY MEAT	*0.02																																																																																																																																																																																																														
PULSES [EXCEPT SOYA BEAN (DRY)]	0.2																																																																																																																																																																																																														
RADISH	*0.01																																																																																																																																																																																																														
RAPE SEED	0.02																																																																																																																																																																																																														
SORGHUM	0.5																																																																																																																																																																																																														
SOYA BEAN (DRY)	*0.02																																																																																																																																																																																																														
SUNFLOWER SEED	*0.01																																																																																																																																																																																																														
TOMATO	0.02																																																																																																																																																																																																														
WHEAT	*0.05																																																																																																																																																																																																														
CYMAZOLE																																																																																																																																																																																																															
CYMAZOLE																																																																																																																																																																																																															
CATTLE FAT	T*0.04																																																																																																																																																																																																														
CATTLE KIDNEY	T*0.04																																																																																																																																																																																																														
CATTLE LIVER	T*0.04																																																																																																																																																																																																														
CATTLE MEAT	T*0.04																																																																																																																																																																																																														
CYPERMETHRIN																																																																																																																																																																																																															
CYPERMETHRIN, SUM OF ISOMERS																																																																																																																																																																																																															
ALL OTHER FOODS	*0.01																																																																																																																																																																																																														
ASPARAGUS	0.5																																																																																																																																																																																																														
AVOCADO	T0.2																																																																																																																																																																																																														
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1																																																																																																																																																																																																														
BROAD BEAN (DRY) (FAVA BEAN)	0.05																																																																																																																																																																																																														
CATTLE, EDIBLE OFFAL OF	0.05																																																																																																																																																																																																														
CATTLE MEAT (IN THE FAT)	0.5																																																																																																																																																																																																														
CEREAL GRAINS [EXCEPT WHEAT]	1																																																																																																																																																																																																														
CHICK-PEA (DRY)	0.2																																																																																																																																																																																																														
COMMON BEAN (DRY) (NAVY BEAN)	0.05																																																																																																																																																																																																														
CORIANDER (LEAVES, STEM, ROOTS)	T1																																																																																																																																																																																																														
CORIANDER, SEED	T1																																																																																																																																																																																																														
COTTON SEED	0.2																																																																																																																																																																																																														
COTTON SEED OIL, CRUDE	*0.02																																																																																																																																																																																																														
DEER MEAT (IN THE FAT)	T0.5																																																																																																																																																																																																														
EGGS	0.05																																																																																																																																																																																																														
FIELD PEA (DRY)	0.05																																																																																																																																																																																																														
GOAT, EDIBLE OFFAL OF	0.05																																																																																																																																																																																																														
GOAT MEAT (IN THE FAT)	0.5																																																																																																																																																																																																														
GRAPES	T0.05																																																																																																																																																																																																														
HORSE, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																																														
HORSE MEAT (IN THE FAT)	*0.05																																																																																																																																																																																																														
LEAFY VEGETABLES [EXCEPT LETTUCE HEAD]	T5																																																																																																																																																																																																														
LEEK	T0.5																																																																																																																																																																																																														
LETTUCE, HEAD	2																																																																																																																																																																																																														
LINOLA OIL, EDIBLE	0.1																																																																																																																																																																																																														
LINOLA SEED	0.1																																																																																																																																																																																																														
LINSEED	0.5																																																																																																																																																																																																														
LUPIN (DRY)	*0.01																																																																																																																																																																																																														
MILKS (IN THE FAT)	1																																																																																																																																																																																																														
MUNG BEAN (DRY)	0.05																																																																																																																																																																																																														
OLIVES	T*0.05																																																																																																																																																																																																														
ONION, BULB	*0.01																																																																																																																																																																																																														
PARSLEY	T1																																																																																																																																																																																																														
PEAS	1																																																																																																																																																																																																														
PIG, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																																														
PIG MEAT (IN THE FAT)	*0.05																																																																																																																																																																																																														
POME FRUITS	1																																																																																																																																																																																																														
POTATO	*0.01																																																																																																																																																																																																														
POULTRY, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																																														
POULTRY MEAT (IN THE FAT)	*0.05																																																																																																																																																																																																														
RADISH	T*0.05																																																																																																																																																																																																														
RAPE SEED	0.2																																																																																																																																																																																																														
RAPE SEED OIL, EDIBLE	0.2																																																																																																																																																																																																														
SHALLOT	T0.5																																																																																																																																																																																																														
SHEEP, EDIBLE OFFAL OF	0.05																																																																																																																																																																																																														
SHEEP MEAT (IN THE FAT)	0.5																																																																																																																																																																																																														
SOYA BEAN (DRY)	0.05																																																																																																																																																																																																														
SOYA BEAN OIL, CRUDE	0.1																																																																																																																																																																																																														
SPRING ONION	T0.5																																																																																																																																																																																																														
STONE FRUITS [EXCEPT CHERRIES]	1																																																																																																																																																																																																														

SCHEDULE 1

Maximum Residue Limits

SUNFLOWER SEED	0.1	LUPIN (DRY)	*0.05
SUNFLOWER SEED OIL, CRUDE	0.1	MEAT (MAMMALIAN)	0.2
SWEET CORN (CORN-ON-THE-COB)	0.05	MILKS	*0.05
TOMATO	0.5	OILSEED	*0.05
WHEAT	0.2	PEAR	*0.05
CYPROCONAZOLE		POTATO	0.1
CYPROCONAZOLE, SUM OF ISOMERS		POULTRY, EDIBLE OFFAL OF	*0.05
BARLEY	*0.02	POULTRY MEAT	*0.05
EDIBLE OFFAL (MAMMALIAN)	1	PULSES	*0.05
EGGS	*0.01	SUGAR CANE	5
MEAT (MAMMALIAN)	0.03	DAMINOZIDE	
MILKS	*0.01	DAMINOZIDE	
PEANUT	0.02	EDIBLE OFFAL (MAMMALIAN)	0.2
POTATO	*0.02	EGGS	0.2
POULTRY, EDIBLE OFFAL OF	*0.01	MEAT (MAMMALIAN)	0.2
POULTRY MEAT	*0.01	MILKS	*0.05
WHEAT	*0.02	PEACH	30
CYPRODINIL		PEANUT	20
CYPRODINIL		POME FRUITS	30
CUCUMBER	T0.2	POULTRY, EDIBLE OFFAL OF	0.2
DRIED GRAPES (CURRANTS, RAISINS AND SULTANAS)	5	POULTRY MEAT	0.2
DRIED STONE FRUITS	0.05	2,4-DB	
EDIBLE OFFAL (MAMMALIAN)	*0.01	2, 4-DB	
GRAPES	2	CEREAL GRAINS	*0.02
LETTUCE, HEAD	T10	EDIBLE OFFAL (MAMMALIAN)	0.2
MEAT (MAMMALIAN)	*0.01	EGGS	*0.05
MILKS	*0.01	MEAT (MAMMALIAN)	0.2
PEAS	T2	MILKS	*0.05
PEPPERS, SWEET	T0.5	POULTRY, EDIBLE OFFAL OF	*0.05
POME FRUITS	0.05	POULTRY MEAT	*0.05
STONE FRUITS	*0.01	DELTA METHRIN	
CYROMAZINE		DELTA METHRIN	
CYROMAZINE		BRASSICA (COLE OR CABBAGE)	*0.05
CATTLE, EDIBLE OFFAL OF	0.05	VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	
CATTLE MEAT	0.05	CATTLE, EDIBLE OFFAL OF	0.1
EGGS	0.2	CATTLE MEAT (IN THE FAT)	0.5
GOAT, EDIBLE OFFAL OF	0.2	CEREAL GRAINS	2
GOAT MEAT	0.2	EGGS	*0.01
MILKS	*0.01	FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.1
PIG, EDIBLE OFFAL OF	0.05	GOAT, EDIBLE OFFAL OF	0.1
PIG MEAT	0.05	GOAT MEAT (IN THE FAT)	0.2
POULTRY, EDIBLE OFFAL OF	0.1	LEGUME VEGETABLES	0.1
POULTRY MEAT	0.05	MILKS	0.05
SHEEP, EDIBLE OFFAL OF	0.2	OILSEED	0.1
SHEEP MEAT	0.2	PIG, EDIBLE OFFAL OF	*0.01
2,4-D		PIG MEAT (IN THE FAT)	0.1
2, 4-D		POULTRY, EDIBLE OFFAL OF	*0.01
CEREAL GRAINS	0.2	POULTRY MEAT (IN THE FAT)	*0.01
CITRUS FRUITS	5	PULSES	0.1
EDIBLE OFFAL (MAMMALIAN)	2	SHEEP, EDIBLE OFFAL OF	0.1
EGGS	*0.05	SHEEP MEAT (IN THE FAT)	0.2
GRAPES	T*0.05	SWEET CORN (KERNELS)	0.1
LEGUME VEGETABLES	*0.05	WHEAT BRAN, UNPROCESSED	5

SCHEDULE 1

Maximum Residue Limits

WHEAT GERM	3
DEXAMETHASONE AND DEXAMETHASONE TRIMETHYLACETATE DEXAMETHASONE	
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE MEAT	0.1
CATTLE MILK	*0.05
HORSE, EDIBLE OFFAL OF	0.1
HORSE MEAT	0.1
PIG, EDIBLE OFFAL OF	0.1
PIG MEAT	0.1
DIAFENTHIURON SUM OF DIAFENTHIURON; N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]-N ¹ -(1,1-DIMETHYLETHYL)UREA; AND N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]-N ¹ -(1,1-DIMETHYLETHYL)CARBODIIMIDE, EXPRESSED AS DIAFENTHIURON	
COTTON SEED	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN) (IN THE FAT)	*0.02
MILKS	*0.02
PEANUT	T0.1
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT (IN THE FAT)	*0.02
DIAZINON DIAZINON	
CEREAL GRAINS	0.1
CITRUS FRUITS	0.7
CORIANDER (LEAVES, STEM, ROOTS)	*0.05
CORIANDER, SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.7
EGGS	*0.05
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
KIWIFRUIT	0.5
MEAT (MAMMALIAN) (IN THE FAT)	0.7
MILKS (IN THE FAT)	0.5
OLIVE OIL, CRUDE	2
PARSLEY	*0.05
PEACH	0.7
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SHALLOT	T0.5
SPRING ONION	T0.5
SUGAR CANE	0.5
SWEET CORN (CORN-ON-THE-COB)	0.7
TREE NUTS	0.1
VEGETABLE OILS, CRUDE [EXCEPT OLIVE OIL, VIRGIN]	0.1
VEGETABLES	0.7

DICAMBA DICAMBA	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	*0.05
MEAT (MAMMALIAN)	0.05
MILKS	0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUGAR CANE	0.1
SUGAR CANE MOLASSES	2
DICHOLOBENIL DICHOLOBENIL	
CITRUS FRUITS	0.1
GRAPES	0.1
POME FRUITS	0.1
STONE FRUITS	0.1
TOMATO	0.1
DICHOFLUANID DICHOFLUANID	
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES AND STRAWBERRY]	T50
GRAPES	0.5
PEANUT	*0.02
STRAWBERRY	10
TOMATO	1
DICHLORPROP-P SUM OF DICHLORPROP ACID, ITS ESTERS AND CONJUGATES, HYDROLYSED TO DICHLORPROP ACID, AND EXPRESSED AS DICHLORPROP ACID	
CITRUS FRUITS	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.02
DICHLORVOS DICHLORVOS	
CACAO BEANS	5
CEREAL GRAINS	5
COFFEE BEANS	2
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	0.05
FRUIT	0.1
LENTIL (DRY)	2
LETTUCE, HEAD	1
LETTUCE, LEAF	1
MEAT (MAMMALIAN)	0.05
MILKS	0.02
MUSHROOMS	0.5
PEANUT	2
POULTRY, EDIBLE OFFAL OF	0.05

SCHEDULE 1

Maximum Residue Limits

POULTRY MEAT	0.05	STRAWBERRY	1
RAPE SEED	T0.1	TEA, GREEN, BLACK	5
RICE BRAN, UNPROCESSED	10	TOMATO	1
SOYA BEAN (DRY)	2	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5
TOMATO	0.5		
TREE NUTS	2		
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5		
WHEAT BRAN, UNPROCESSED	10		
WHEAT GERM	10		
DICLAZURIL DICLAZURIL		DICYCLANIL SUM OF DICYCLANIL AND ITS TRIAMINOPYRIDYL METABOLITE EXPRESSED AS DICYCLANIL	
CHICKEN, EDIBLE OFFAL OF	1	SHEEP FAT	0.3
CHICKEN MEAT	0.2	SHEEP KIDNEY	0.3
		SHEEP LIVER	0.3
		SHEEP MEAT	0.3
DICLOFOP-METHYL DICLOFOP-METHYL		DIELDRLN <i>SEE ALDRIN AND DIELDRIN</i>	
CEREAL GRAINS	0.1		
EDIBLE OFFAL (MAMMALIAN)	*0.05		
EGGS	*0.05		
LUPIN (DRY)	0.1		
MEAT (MAMMALIAN)	*0.05		
MILKS	*0.05		
OILSEED	0.1		
PEAS	0.1		
POPPY SEED	0.1		
POULTRY, EDIBLE OFFAL OF	*0.05		
POULTRY MEAT	*0.05		
DICLORAN DICLORAN		DIFENOCONAZOLE DIFENOCONAZOLE	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	20	ASPARAGUS	*0.05
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	20	AVOCADO	0.5
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	20	BANANA	*0.02
CARROT	15	BARLEY	*0.01
GRAPES	10	BETROOT	T0.2
LETTUCE, HEAD	20	CARROT	0.2
LETTUCE, LEAF	20	CELERY	T2
ONION, BULB	20	EDIBLE OFFAL (MAMMALIAN)	*0.05
STONE FRUITS	15	EGGS	*0.05
SWEET POTATO	20	MACADAMIA NUTS	*0.01
TOMATO	20	MEAT (MAMMALIAN)	*0.05
		MILKS	*0.01
		PAPAYA (PAWPAW)	T0.7
		PARSLEY	T15
		POME FRUITS	0.3
		POTATO	*0.02
		POULTRY MEAT	*0.05
		POULTRY, EDIBLE OFFAL OF	*0.05
		TOMATO	0.5
		WHEAT	*0.01
		DIFLUBENZURON DIFLUBENZURON	
		CATTLE, EDIBLE OFFAL OF	*0.02
		CATTLE MILK	0.05
		CEREAL GRAINS	T2
		MUSHROOMS	0.1
		SHEEP KIDNEY	0.05
		SHEEP LIVER	0.05
		SHEEP MEAT (IN THE FAT)	0.05
		SHEEP MILK	0.05
		WHEAT BRAN, UNPROCESSED	T5
		DIFLUFENICAN DIFLUFENICAN	
		BARLEY	0.05
		EDIBLE OFFAL (MAMMALIAN)	0.1
		EGGS	*0.02
DICOFOL SUM OF DICOFOL AND 2,2,2- TRICHLORO-1-(4- CHLOROPHENYL)-1-(2-CHLOROPHENYL)ETHANOL, EXPRESSED AS DICOFOL			
ALMONDS	5		
COTTON SEED	0.1		
CUCUMBER	2		
FRUIT [EXCEPT STRAWBERRY]	5		
GHERKIN	2		
HOPS, DRY	5		

SCHEDULE 1

Maximum Residue Limits

GRAPES	*0.002	LITCHI	5
MEAT (MAMMALIAN)	0.01	LUPIN (DRY)	0.5
MILKS	0.01	MANGO	1
OATS	0.05	MEAT (MAMMALIAN)	*0.05
PEAS	0.05	MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.02	MIZUNA	T2
POULTRY MEAT	*0.02	OILSEED [EXCEPT PEANUT]	0.1
PULSES	0.05	PEACH	3
RYE	0.05	PEANUT	*0.05
TRITICALE	0.05	PEPPERS, SWEET	2
WHEAT	0.02	POULTRY, EDIBLE OFFAL OF	*0.05
DIMETHENAMID-P		POULTRY MEAT	*0.05
SUM OF DIMETHENAMID-P AND ITS (R)-ISOMER		QUANDONG	T5
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	*0.02	RUCOLA (ROCKET)	T2
EDIBLE OFFAL (MAMMALIAN)	*0.01	STRAWBERRY	5
EGGS	*0.01	TOMATO	2
MAIZE	*0.02	TURMERIC, ROOT	T2
MEAT (MAMMALIAN)	*0.01	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
MILKS	*0.01	DIMETHOMORPH	
PEAS	*0.02	SUM OF E AND Z ISOMERS OF DIMETHOMORPH	
POPPY SEED	*0.01	EDIBLE OFFAL (MAMMALIAN)	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01	FRUITING VEGETABLES, CUCURBITS	0.5
POULTRY MEAT	*0.01	GRAPES	2
PULSES	*0.02	LEAFY VEGETABLES [EXCEPT LETTUCE HEAD]	T2
PUMPKINS	*0.02	LEEK	0.5
SWEET CORN (CORN-ON-THE-COB)	*0.02	LETTUCE, HEAD	0.3
DIMETHIPIN		MEAT (MAMMALIAN)	*0.01
DIMETHIPIN		MILKS	*0.01
COTTON SEED	0.5	ONION, BULB	0.05
COTTON SEED OIL, CRUDE	*0.1	PEAS	1
COTTON SEED OIL, REFINED	*0.1	POPPY SEED	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.01	POTATO	*0.02
EGGS	*0.02	SHALLOT	T0.5
MEAT (MAMMALIAN)	*0.01	SPRING ONION	T0.5
MILKS	*0.01	DIMETRIDAZOLE	
POULTRY, EDIBLE OFFAL OF	*0.01	SUM OF DIMETRIDAZOLE AND ITS HYDROXY METABOLITE (2-HYDROXYMETHYL-1-METHYL-5-NITROIMIDAZOLE), EXPRESSED AS DIMETRIDAZOLE	
POULTRY MEAT	*0.01	EGGS	T*0.0001
DIMETHIRIMOL		PIG, EDIBLE OFFAL OF	T*0.0001
DIMETHIRIMOL		PIG MEAT	T*0.0001
FRUITING VEGETABLES, CUCURBITS	1	POULTRY, EDIBLE OFFAL OF	T*0.0001
DIMETHOATE		POULTRY MEAT	T*0.0001
SUM OF DIMETHOATE AND OMETHOATE, EXPRESSED AS DIMETHOATE <i>SEE ALSO OMETHOATE</i>		DINITOLMIDE	
CEREAL GRAINS	*0.05	SUM OF DINITOLMIDE AND ITS METABOLITE 3-AMINO-5-NITRO-O-TOLUAMIDE, EXPRESSED AS DINITOLMIDE EQUIVALENTS	
CHERVIL	T2	POULTRY, EDIBLE OFFAL OF	6
EDIBLE OFFAL (MAMMALIAN)	*0.05	POULTRY FATS	2
EGGS	*0.05	POULTRY MEAT	3
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5		
FRUITING VEGETABLES, CUCURBITS	5		
GALANGAL, RHIZOMES	T2		
HERBS	T2		

SCHEDULE 1

Maximum Residue Limits

DINITRO-O-TOLUAMIDE <i>SEE DINITOLMIDE</i>		EDIBLE OFFAL (MAMMALIAN)	0.02
		EGGS	*0.02
		HOPS, DRY	0.5
		MEAT (MAMMALIAN)	0.02
		MILKS	0.01
		POTATO	0.5
		POULTRY, EDIBLE OFFAL OF	*0.02
		POULTRY MEAT	*0.02
		VEGETABLES	0.5
DIPHENYLAMINE DIPHENYLAMINE		DITHIANON DITHIANON	
APPLE	10	FRUIT	2
EDIBLE OFFAL (MAMMALIAN) [EXCEPT LIVER]	*0.01	DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
EGGS	0.05	ALMONDS	3
LIVER OF CATTLE, GOATS, PIGS AND SHEEP	0.05	ASPARAGUS	T1
MEAT (MAMMALIAN) (IN THE FAT)	*0.01	BANANA	2
MILKS (IN THE FAT)	*0.01	BEANS (DRY)	0.5
PEAR	7	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	2
POULTRY, EDIBLE OFFAL OF	*0.01	BEETROOT	1
POULTRY MEAT (IN THE FAT)	*0.01	BERRIES AND OTHER SMALL FRUITS (EXCEPT STRAWBERRY)	T10
DIQUAT DIQUAT CATION		BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	2
BARLEY	5	BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	2
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	1	BULB VEGETABLES [EXCEPT GARLIC AND ONION, BULB]	T10
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	1	CARROT	1
EDIBLE OFFAL (MAMMALIAN)	*0.05	CELERY	5
EGGS	*0.01	CEREAL GRAINS	0.5
FRUIT	*0.05	CITRUS FRUITS	0.2
LINSEED	*0.01	COCONUT	5
MAIZE	0.1	COFFEE BEANS	5
MEAT (MAMMALIAN)	*0.05	COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	2
MILKS	*0.01	COTTON SEED	10
OATS	5	CUSTARD APPLE	5
OILSEED [EXCEPT LINSEED]	5	EDIBLE OFFAL (MAMMALIAN)	2
ONION, BULB	0.1	EGGS	*0.5
PEAS	0.1	FIG	3
POTATO	0.2	FRUITING VEGETABLES, CUCURBITS	2
POULTRY, EDIBLE OFFAL OF	*0.05	FRUITING VEGETABLES, OTHER THAN CUCURBITS [EXCEPT ROSELLE]	3
POULTRY MEAT	*0.05	GARLIC	4
PULSES	1	HOPS	T10
RICE	5	LEAFY VEGETABLES	5
RICE, POLISHED	1	LITCHI	T5
RYE	2	MACADAMIA NUTS	*0.2
SORGHUM	2	MANGO	1
SUGAR BEET	0.1		
SUGAR CANE	*0.05		
TREE NUTS	*0.05		
TRITICALE	2		
VEGETABLE OILS, CRUDE	1		
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.05		
WHEAT	2		
DISULFOTON SUM OF DISULFOTON AND DEMETON-S AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS DISULFOTON			
COTTON SEED	0.5		

SCHEDULE 1

Maximum Residue Limits

MEAT (MAMMALIAN)	*0.5	PIG LIVER	0.05
MILKS	*0.2	PIG MEAT (IN THE FAT)	0.1
ONION, BULB	4	SHEEP, EDIBLE OFFAL OF	0.05
PAPAYA (PAWPAW)	5	SHEEP FAT	0.1
PARSLEY	5	SHEEP MEAT	0.02
PARSNIP	T1		
PASSIONFRUIT (INCLUDING GRANADILLA)	3	2,2-DPA	
PEANUT	0.2	2,2-DICHLOROPROPIONIC ACID	
PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	2	AVOCADO	*0.1
PERSIMMON, JAPANESE	3	BANANA	*0.1
PISTACHIO NUT	T3	CEREAL GRAINS	*0.1
POME FRUITS	3	CITRUS FRUITS	*0.1
POMEGRANATE	3	COTTON SEED	*0.1
POPPY SEED	*0.2	CURRENTS, BLACK, RED, WHITE	15
POTATO	1	EDIBLE OFFAL (MAMMALIAN)	0.2
POULTRY MEAT	*0.5	GRAPES	3
POULTRY, EDIBLE OFFAL OF	*0.5	MEAT (MAMMALIAN)	0.2
PULSES	0.5	MILKS	*0.1
RADISH	T1	PAPAYA (PAWPAW)	*0.1
RHUBARB	2	PECAN	*0.1
ROSELLE (ROSELLA)	5	PINEAPPLE	*0.1
STONE FRUITS	3	POME FRUITS	*0.1
STRAWBERRY	3	STONE FRUITS	1
SUNFLOWER SEED	T*0.05	SUGAR CANE	*0.1
SWEDE	T1	SUNFLOWER SEED	*0.1
TREE TOMATO	T5	VEGETABLES	*0.1
TURNIP, GARDEN	T1		
WALNUTS	T*0.2	EDC	
WASABI	T2	SEE ETHYLENE DICHLORIDE	
DIURON		EMAMECTIN	
SUM OF DIURON AND 3,4- DICHLOROANILINE, EXPRESSED AS DIURON		EMAMECTIN B 1A, PLUS ITS 8,9-Z ISOMER AND EMAMECTIN B 1B, PLUS ITS 8,9-Z ISOMER	
ASPARAGUS	2	BERGAMOT	T0.05
CEREAL GRAINS	0.1	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.02
COTTON SEED OIL, CRUDE	0.5	BURNET, SALAD	T0.05
EDIBLE OFFAL (MAMMALIAN)	3	CHERVIL	T0.05
FRUIT	0.5	CORIANDER (LEAVES, STEM, ROOTS)	T0.05
MEAT (MAMMALIAN)	0.1	CORIANDER, SEED	T0.05
MILKS	0.1	COTTON SEED	0.005
OILSEED	0.5	DILL, SEED	T0.05
PULSES	*0.05	EDIBLE OFFAL (MAMMALIAN)	0.01
SUGAR CANE	0.2	FENNEL, SEED	T0.05
		GRAPES	*0.002
DODINE		HERBS	T0.05
DODINE		KAFFIR LIME LEAVES	T0.05
POME FRUITS	5	LEMON GRASS	T0.05
STONE FRUITS	*0.05	LEMON VERBENA (FRESH WEIGHT)	T0.05
		LETTUCE, HEAD	0.2
DORAMECTIN		LETTUCE, LEAF	0.2
DORAMECTIN		MEAT (MAMMALIAN)	*0.002
CATTLE, EDIBLE OFFAL OF	0.1	MILKS	*0.0005
CATTLE FAT	0.1	MIZUNA	T0.05
CATTLE MEAT	0.01	PEPPERS, SWEET	0.01
CATTLE MILK	0.05	RUCOLA (ROCKET)	T0.05
PIG KIDNEY	0.03		

SCHEDULE 1

Maximum Residue Limits

SWEET CORN (CORN-ON-THE-COB)	*0.002	CATTLE FAT	0.5
TOMATO	0.01	CATTLE MILK	0.03
ENDOSULFAN		CATTLE MEAT	0.1
SUM OF A- AND B- ENDOSULFAN AND ENDOSULFAN SULPHATE		DEER, EDIBLE OFFAL OF	2
ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL	2	DEER MEAT	0.1
BROCCOLI	1	EPTC EPTC	
CABBAGES, HEAD	1	CEREAL GRAINS	*0.04
CAULIFLOWER	1	EDIBLE OFFAL (MAMMALIAN)	*0.1
CEREAL GRAINS	0.1	EGGS	*0.01
CITRUS FRUITS	0.3	MEAT (MAMMALIAN)	*0.1
EDIBLE OFFAL (MAMMALIAN)	0.2	MILKS	*0.1
EGGS	0.02	OILSEED	0.1
FRUITING VEGETABLES, CUCURBITS	1	POULTRY, EDIBLE OFFAL OF	*0.05
FRUITING VEGETABLES, OTHER THAN CUCURBITS	1	POULTRY MEAT	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	0.2	VEGETABLES	*0.04
MILKS	0.02	ERYTHROMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS ERYTHROMYCIN	
OILSEED	1	EDIBLE OFFAL (MAMMALIAN)	*0.3
POME FRUITS	1	MEAT (MAMMALIAN)	*0.3
POULTRY, EDIBLE OFFAL OF	*0.01	MILKS	*0.04
POULTRY MEAT (IN THE FAT)	0.05	POULTRY, EDIBLE OFFAL OF	*0.3
PULSES	*0.1	POULTRY MEAT	*0.3
ROOT AND TUBER VEGETABLES	0.5	ESFENVALERATE <i>SEE</i> FENVALERATE	
STALK AND STEM VEGETABLES	1	ETHAMETSULFURON METHYL ETHAMETSULFURON METHYL	
STRAWBERRY	T0.5	EDIBLE OFFAL (MAMMALIAN)	*0.02
TEA, GREEN, BLACK	T30	EGGS	*0.02
TREE NUTS	0.05	LUPIN (DRY)	*0.02
ENDOTHAL ENDOTHAL		MEAT (MAMMALIAN)	*0.02
COTTON SEED	0.1	MILKS	*0.02
POTATO	0.1	POULTRY, EDIBLE OFFAL OF	*0.02
ENILCONAZOLE <i>SEE</i> IMAZALIL		POULTRY MEAT	*0.02
EPOXICONAZOLE EPOXICONAZOLE		ETHEPHON ETHEPHON	
AVOCADO	0.5	APPLE	1
BANANA	1	BARLEY	1
BARLEY	0.5	CHERRIES	15
EDIBLE OFFAL (MAMMALIAN)	0.05	COTTON SEED	2
EGGS	*0.01	COTTON SEED OIL, CRUDE	*0.1
MEAT (MAMMALIAN)	*0.01	CURRENT, BLACK	1
MILKS	*0.005	EDIBLE OFFAL (MAMMALIAN)	0.2
POULTRY, EDIBLE OFFAL OF	*0.01	EGGS	*0.2
POULTRY MEAT (IN THE FAT)	*0.01	GRAPES	10
WHEAT	0.05	KIWIFRUIT	0.1
WHEAT BRAN, UNPROCESSED	0.3	MACADAMIA NUTS	*0.1
WHEAT GERM	0.2	MANDARINS	2
EPRINOMECTIN EPRINOMECTIN B1A		MANGO	T10
CATTLE, EDIBLE OFFAL OF	2	MEAT (MAMMALIAN)	0.1
		MILKS	0.1
		NECTARINE	0.01

SCHEDULE 1

Maximum Residue Limits

OLIVES	T5
ORANGES, SWEET, SOUR	2
PEACH	0.5
PINEAPPLE	2
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY MEAT	*0.1
SUGAR CANE	0.5
SUGAR CANE MOLASSES	7
TOMATO	2
WALNUTS	T0.5
WHEAT	T1
ETHION ETHION	
CATTLE, EDIBLE OFFAL OF	2.5
CATTLE MEAT (IN THE FAT)	2.5
CITRUS FRUITS	1
COTTON SEED	0.1
COTTON SEED OIL, CRUDE	0.05
GRAPES	2
MILKS (IN THE FAT)	0.5
POME FRUITS	1
STONE FRUITS	1
TEA, GREEN, BLACK	5
ETHOFUMESATE ETHOFUMESATE	
BEETROOT	0.1
BULB VEGETABLES	*0.1
CHARD (SILVER BEET)	1
EDIBLE OFFAL (MAMMALIAN)	0.5
MEAT (MAMMALIAN) (IN THE FAT)	0.5
MILKS (IN THE FAT)	0.2
POPPY SEED	*0.02
ETHOPABATE ETHOPABATE	
POULTRY, EDIBLE OFFAL OF	15
POULTRY MEAT	5
ETHOPROPHOS ETHOPROPHOS	
BANANA	*0.05
CEREAL GRAINS	*0.005
CUSTARD APPLE	*0.02
LITCHI	*0.02
POTATO	*0.02
SUGAR CANE	*0.1
SWEET POTATO	*0.02
TOMATO	*0.01
ETHOXYQUIN ETHOXYQUIN	
APPLE	3
PEAR	3

ETHOXYLSULFURON <i>COMMODITIES OF PLANT ORIGIN: ETHOXYLSULFURON</i> <i>COMMODITIES OF ANIMAL ORIGIN: 2-AMINO-4, 6-DIMETHOXYPYRIMIDINE, EXPRESSED AS ETHOXYLSULFURON</i>	
EDIBLE OFFAL (MAMMALIAN)	T*0.05
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.01
SUGAR CANE	T*0.01
ETHYL FORMATE ETHYL FORMATE	
DRIED FRUITS	1
ETHYLENE DICHLORIDE (EDC) 1,2-DICHLOROETHANE	
CEREAL GRAINS	*0.1
ETOXAZOLE ETOXAZOLE	
APPLE	0.2
COTTON SEED	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
GRAPES	T0.5
MEAT (MAMMALIAN) (IN THE FAT)	*0.02
MILKS	*0.01
PEAR	T0.2
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT (IN THE FAT)	*0.02
STONE FRUITS	T0.5
ETRIDIAZOLE ETRIDIAZOLE	
BEETROOT	*0.02
COTTON SEED	*0.02
PEANUT	*0.02
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.2
FAMPHUR FAMPHUR	
CATTLE, EDIBLE OFFAL OF	0.05
CATTLE MEAT	0.05
FENAMIPHOS SUM OF FENAMIPHOS, ITS SULFOXIDE AND SULFONE, EXPRESSED AS FENAMIPHOS	
ALOE VERA	1
BANANA	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	*0.05
CELERY	*0.05
CITRUS FRUITS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05

SCHEDULE 1

Maximum Residue Limits

FRUITING VEGETABLES, CUCURBITS	*0.05	CITRUS FRUITS	5
GINGER, ROOT	*0.05	CITRUS PEEL	30
GRAPES	*0.05	DRIED GRAPES	T10
LEAFY VEGETABLES [EXCEPT LETTUCE, HEAD; LETTUCE, LEAF]	*0.05	GRAPES [EXCEPT WINE GRAPES]	T3
LETTUCE, HEAD	0.2	HOPS, DRY	20
LETTUCE, LEAF	0.2	PEACH	3
MEAT (MAMMALIAN)	*0.05	POME FRUITS	3
MILKS	*0.005		
MUSHROOMS	0.1	FENHEXAMID FENHEXAMID	
ONION, BULB	*0.05	DRIED GRAPES	20
PEANUT	*0.05	EDIBLE OFFAL (MAMMALIAN)	2
PINEAPPLE	*0.05	GRAPES	10
POULTRY, EDIBLE OFFAL OF	*0.05	MEAT (MAMMALIAN) (IN THE FAT)	*0.05
POULTRY MEAT	*0.05	MILKS	*0.01
ROOT AND TUBER VEGETABLES	0.2	STRAWBERRY	10
STRAWBERRY	0.2		
SUGAR CANE	*0.05	FENITROTHION FENITROTHION	
TOMATO	0.5	APPLE	0.5
FENARIMOL FENARIMOL		CABBAGES, HEAD	0.5
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	T0.1	CACAO BEANS	0.1
FRUITING VEGETABLES, CUCURBITS	0.2	CEREAL GRAINS	10
GRAPES	0.1	CHERRIES	0.5
POME FRUITS	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.05
		EGGS	*0.05
FENBENDAZOLE FENBENDAZOLE		FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
CATTLE, EDIBLE OFFAL OF	*0.1	GRAPES	0.5
CATTLE MEAT	*0.1	LETTUCE, HEAD	0.5
GOAT, EDIBLE OFFAL OF	0.5	LETTUCE, LEAF	0.5
GOAT MEAT	0.5	MEAT (MAMMALIAN)	T*0.05
MILKS	0.1	MILKS (IN THE FAT)	T*0.05
SHEEP, EDIBLE OFFAL OF	0.5	OILSEEDS	T0.1
SHEEP MEAT	0.5	POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT	*0.05
FENBUCONAZOLE FENBUCONAZOLE		PULSES [EXCEPT SOYA BEAN (DRY)]	T0.1
BANANA	0.5	RICE, POLISHED	0.1
EDIBLE OFFAL (MAMMALIAN)	*0.01	SOYA BEAN (DRY)	0.3
EGGS	*0.01	SUGAR CANE	0.02
MEAT (MAMMALIAN)	*0.01	TEA, GREEN, BLACK	0.5
MILKS	*0.01	TOMATO	0.5
NECTARINE	0.5	TREE NUTS	0.1
POULTRY, EDIBLE OFFAL OF	*0.01	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
POULTRY MEAT	*0.01	WHEAT BRAN, UNPROCESSED	20
STONE FRUITS [EXCEPT NECTARINE]	T1	WHEAT GERM	20
FENBUTATIN OXIDE BIS[TRIS(2-METHYL-2-PHENYLPROPYL)TIN]-OXIDE		FENOXAPROP-ETHYL SUM OF FENOXAPROP-ETHYL (ALL ISOMERS) AND 2-(4-(6-CHLORO-2-BENZOXAZOLYLOXY)PHENOXY)-PROPANOATE AND 6-CHLORO-2,3-DIHYDROBENZOXAZOL-2-ONE, EXPRESSED AS FENOXAPROP-ETHYL	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL	5	BARLEY	*0.01
BERRIES AND OTHER SMALL FRUITS [EXCEPT TABLE GRAPES]	1	CHICK-PEA (DRY)	*0.01
		EDIBLE OFFAL (MAMMALIAN)	0.2

SCHEDULE 1

Maximum Residue Limits

EGGS	*0.02	CARROT	0.2
MEAT (MAMMALIAN)	0.05	CELERIAC	0.1
MILKS	0.02	CELERY	1
POULTRY, EDIBLE OFFAL OF	*0.1	COFFEE BEANS	*0.1
POULTRY MEAT	*0.01	PEANUT	*0.05
RICE	T*0.02	PECAN	*0.05
RYE	*0.01	POTATO	0.1
TRITICALE	*0.01	RICE	*0.1
WHEAT	*0.01	SUGAR BEET	0.2
FENOXYCARB FENOXYCARB		FENVALERATE FENVALERATE, SUM OF ISOMERS	
CURRANT, BLACK	T2	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1
CURRANT, RED	T2	BRASSICA LEAFY VEGETABLES	1
GOOSEBERRY	T2	CEREAL GRAINS	2
OLIVE OIL, VIRGIN	T3	CELERY	2
OLIVES	T1	EDIBLE OFFAL (MAMMALIAN)	0.05
POME FRUITS	2	EGGS	0.02
FENPYROXIMATE FENPYROXIMATE		GRAPES	*0.05
APPLE	0.3	LEGUME VEGETABLES	0.5
PEAR	0.3	MEAT (MAMMALIAN) (IN THE FAT)	1
FENTHION SUM OF FENTHION, ITS OXYGEN ANALOGUE, AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS FENTHION		MILKS	0.2
ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL	5	OILSEED [EXCEPT PEANUT]	0.5
CATTLE, EDIBLE OFFAL OF	1	PEANUT	T0.1
CATTLE MEAT	1	POME FRUITS	1
CITRUS FRUITS	2	POULTRY, EDIBLE OFFAL OF	*0.02
EGGS	*0.05	POULTRY MEAT (IN THE FAT)	0.05
FIG	2	PULSES	0.5
FRUITING VEGETABLES, CUCURBITS	3	STONE FRUITS	1
FRUITING VEGETABLES, OTHER THAN CUCURBITS	5	STRAWBERRY	1
GRAPES	2	SWEET CORN (CORN-ON-THE-COB)	0.05
GUAVA	2	TOMATO	0.2
MILKS	T0.2	WHEAT BRAN, UNPROCESSED	5
OLIVE OIL, CRUDE	T3	FIPRONIL SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5- AMINO-1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL) SULPHENYL]-1H-PYRAZOLE- 3-CARBONITRILE), THE SULPHONYL METABOLITE (5- AMINO-1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL)SULPHONYL]-1H-PYRAZOLE- 3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL-1- [2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-1H- PYRAZOLE-3-CARBONITRILE)	
OLIVES	T1	ASPARAGUS	0.2
PERSIMMON, JAPANESE	2	ASSORTED TROPICAL AND SUB- TROPICAL FRUIT – INEDIBLE PEEL [EXCEPT BANANA]	T*0.01
PIG, EDIBLE OFFAL OF	0.5	BANANA	0.01
PIG MEAT	0.5	BERGAMOT	T0.1
POME FRUITS	2	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T0.05
POULTRY, EDIBLE OFFAL OF	*0.05		
POULTRY MEAT	*0.05		
SHEEP, EDIBLE OFFAL OF	0.2		
SHEEP MEAT	0.2		
STONE FRUITS	5		
FENTIN FENTIN HYDROXIDE, EXCLUDING INORGANIC TIN AND DI- AND MONO-PHENYLTIN			
CACAO BEANS	*0.1		

SCHEDULE 1

Maximum Residue Limits

BURNET, SALAD	T0.1
CHERVIL	T0.1
CITRUS FRUITS	T*0.01
CORIANDER (LEAVES, STEM, ROOTS)	T0.1
CORIANDER, SEED	T0.1
COTTON SEED	*0.01
COTTON SEED OIL, CRUDE	*0.01
DILL, SEED	T0.1
EDIBLE OFFAL (MAMMALIAN)	0.02
EGGS	0.02
FENNEL, SEED	T0.1
GINGER, ROOT	*0.01
GRAPES [EXCEPT WINE GRAPES]	T*0.01
HERBS	T0.1
HONEY	T0.05
KAFFIR LIME LEAVES	T0.1
LEMON GRASS	T0.1
LEMON VERBENA (FRESH WEIGHT)	T0.1
MEAT (MAMMALIAN) (IN THE FAT)	0.1
MILKS	0.01
MIZUNA	T0.1
MUSHROOMS	0.02
PEANUT	T*0.01
PEANUT OIL, CRUDE	T*0.01
PECAN	T*0.01
PEPPERS, SWEET	T0.1
POME FRUITS	T*0.01
POTATO	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT (IN THE FAT)	0.02
RAPE SEED	*0.01
RICE	*0.005
RUCOLA (ROCKET)	T0.1
SORGHUM	0.01
STONE FRUITS	*T0.1
SUGAR CANE	*0.01
SUNFLOWER SEED	*0.01
SWEDE	0.1
SWEET POTATO	T*0.01
TURNIP, GARDEN	0.1
WINE GRAPES	*0.01
FLAMPROP-METHYL FLAMPROP-METHYL	
EDIBLE OFFAL (MAMMALIAN)	*0.01
LUPIN (DRY)	0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
SAFFLOWER SEED	*0.05
TRITICALE	0.05
WHEAT	0.05
FLAMPROP-M-METHYL <i>SEE FLAMPROP-METHYL</i>	

FLAVOPHOSPHOLIPOL FLAVOPHOSPHOLIPOL	
CATTLE FAT	*0.01
CATTLE KIDNEY	*0.01
CATTLE LIVER	*0.01
CATTLE MEAT	*0.01
CATTLE MILK	T*0.01
EGGS	*0.02
FLORASULAM FLORASULAM	
CEREAL GRAINS	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
FLORFENICOL SUM OF FLORFENICOL AND ITS METABOLITES FLORFENICOL ALCOHOL, FLORFENICOL OXAMIC ACID, MONOCHLOROFORFENICOL AND FLORFENICOL AMINE EXPRESSED AS FLORFENICOL AMINE	
CATTLE KIDNEY	0.5
CATTLE LIVER	3
CATTLE MEAT	0.3
FISH	T0.5
PIG FAT/SKIN	1
PIG KIDNEY	1
PIG LIVER	3
PIG MEAT	0.5
FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL	
ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL [EXCEPT AVOCADO AND BANANA]	0.05
AVOCADO	*0.02
BANANA	*0.02
BERRIES AND OTHER SMALL FRUITS	0.2
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1
CARROT	0.1
CELERY	*0.02
CITRUS FRUITS	*0.02
COFFEE BEANS	T1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGG PLANT	T0.1
EGGS	*0.05
ENDIVE	0.05
FRUITING VEGETABLES, CUCURBITS	0.1
GARLIC	0.05
GINGER, ROOT	0.05
HERBS	T1
HOPS, DRY	0.05

SCHEDULE 1

Maximum Residue Limits

LEEK	T0.5	EDIBLE OFFAL (MAMMALIAN)	*0.05
LEGUME VEGETABLES	0.1	COTTON SEED	*0.05
LETTUCE, HEAD	0.05	GRAPES	2
LETTUCE, LEAF	0.05	LETTUCE, HEAD	T10
LUPIN (DRY)	0.1	MAIZE	*0.02
MEAT (MAMMALIAN)	*0.05	MEAT (MAMMALIAN)	*0.01
MILKS	0.1	MILKS	*0.01
OILSEED	0.5	PEAS	T2
OLIVES	T0.05	PEPPERS, SWEET	T2
ONION, BULB	0.05	POTATO	0.02
PARSNIP	T0.1	RAPE SEED	*0.01
PEPPERS, SWEET	*0.02	SORGHUM	*0.01
POME FRUITS	*0.01	SUNFLOWER SEED	T*0.02
POTATO	0.05	SWEET CORN (CORN-ON-THE-COB)	*0.02
POULTRY, EDIBLE OFFAL OF	*0.05		
POULTRY MEAT	*0.05		
PULSES	0.5		
RHUBARB	*0.02		
SHALLOT	0.05		
SPRING ONION	0.05		
STONE FRUITS	0.05		
SUGAR CANE	T*0.1		
SWEET POTATO	T0.1		
TOMATO	0.1		
FLUAZIFOP-P-BUTYL <i>SEE FLUAZIFOP-BUTYL</i>		FLUMETHRIN FLUMETHRIN, SUM OF ISOMERS	
		CATTLE, EDIBLE OFFAL OF	0.05
		CATTLE MEAT (IN THE FAT)	0.2
		HONEY	T*0.005
		HORSE, EDIBLE OFFAL OF	0.1
		HORSE MEAT	0.1
		MILKS	0.05
		FLUMETSULAM FLUMETSULAM	
		BARLEY	*0.05
		EDIBLE OFFAL (MAMMALIAN)	*0.2
		EGGS	*0.1
		GARDEN PEA	*0.1
		MAIZE	*0.05
		MEAT (MAMMALIAN)	*0.1
		MILKS	*0.1
		OATS	*0.05
		PEANUT	*0.05
		POULTRY, EDIBLE OFFAL OF	*0.1
		POULTRY MEAT	*0.1
		PULSES	*0.05
		RYE	*0.05
		TRITICALE	*0.05
		WHEAT	*0.05
		FLUMICLORAC PENTYL FLUMICLORAC PENTYL	
		COTTON SEED	0.1
		EDIBLE OFFAL (MAMMALIAN)	*0.01
		EGGS	*0.01
		MEAT (MAMMALIAN)	*0.01
		MILKS	*0.01
		POULTRY, EDIBLE OFFAL OF	*0.01
		POULTRY MEAT	*0.01
		FLUMIOXAZIN FLUMIOXAZIN	
		CEREAL GRAINS	*0.05
		EDIBLE OFFAL (MAMMALIAN)	*0.01
		EGGS	*0.01
		MEAT (MAMMALIAN)	*0.01
FLUDIOXONIL <i>COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUDIOXONIL AND OXIDISABLE METABOLITES, EXPRESSED AS FLUDIOXONIL COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL</i>			
CUCUMBER	T0.3		

SCHEDULE 1

Maximum Residue Limits

MILKS	*0.01	POULTRY MEAT	*0.05
OILSEED	*0.1	SUGAR CANE (IN THE JUICE)	0.2
POULTRY, EDIBLE OFFAL OF	*0.01	SWEET CORN (CORN-ON-THE-COB)	0.2
POULTRY MEAT	*0.01		
PULSES	*0.1		
FLUNIXIN FLUNIXIN		FLUSILAZOLE FLUSILAZOLE	
CATTLE KIDNEY	0.02	GRAPES	0.5
CATTLE LIVER	0.02	POME FRUITS	0.2
CATTLE MEAT (IN THE FAT)	0.02	SUGAR CANE	*0.02
FLUOMETURON SUM OF FLUOMETURON AND 3- TRIFLUOROMETHYLANILINE, EXPRESSED AS FLUOMETURON		FLUTOLANIL <i>COMMODITIES OF PLANT ORIGIN:</i> FLUTOLANIL <i>COMMODITIES OF ANIMAL ORIGIN:</i> FLUTOLANIL AND METABOLITES HYDROLYSED TO 2- TRIFLUOROMETHYL-BENZOIC ACID AND EXPRESSED AS FLUTOLANIL	
CEREAL GRAINS	*0.1	EDIBLE OFFAL (MAMMALIAN)	*0.05
CITRUS FRUITS	0.5	EGGS	*0.05
COTTON SEED	*0.1	MEAT (MAMMALIAN) (IN THE FAT)	*0.05
PINEAPPLE	*0.1	MILKS	*0.05
FLUORINE (INORGANIC SALTS) FLUORIDE ION		POTATO	0.05
CEREAL GRAINS	7	POULTRY, EDIBLE OFFAL OF	*0.05
DRIED FRUITS	5	POULTRY MEAT (IN THE FAT)	*0.05
GRAPES	7		
PEANUT	30	FLUTRIAFOL FLUTRIAFOL	
TREE NUTS	30	BARLEY	0.2
WHEAT GERM	10	CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.02
FLUPROPANATE FLUPROPANATE		EDIBLE OFFAL (MAMMALIAN)	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.1	EGGS	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	*0.1	GARDEN PEA (YOUNG PODS)	*0.01
FLUQUINCONAZOLE FLUQUINCONAZOLE		MEAT (MAMMALIAN)	*0.05
BARLEY	*0.02	MILKS	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.2	POULTRY, EDIBLE OFFAL OF	*0.05
EGGS	*0.02	POULTRY MEAT	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	0.5	RAPE SEED	*0.02
MILKS	*0.02	FLUVALINATE FLUVALINATE, SUM OF ISOMERS	
POME FRUITS	0.3	APPLE	0.1
POULTRY, EDIBLE OFFAL OF	*0.02	ASPARAGUS	0.2
POULTRY MEAT (IN THE FAT)	*0.02	CAULIFLOWER	0.5
RAPE SEED	*0.01	COTTON SEED	0.1
WHEAT	*0.02	HONEY	T*0.01
FLUROXYPYR FLUROXYPYR		STONE FRUITS	0.05
CEREAL GRAINS	0.2	TABLE GRAPES	0.05
EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	0.1	TOMATO	0.5
EGGS	*0.01	FORCHLORFENURON FORCHLORFENURON	
KIDNEY (MAMMALIAN)	1	GRAPES	*0.01
MEAT (MAMMALIAN) (IN THE FAT)	0.1	KIWIFRUIT	T*0.01
MILKS	0.1	FOSETYL ALUMINIUM FOSETYL	
POULTRY, EDIBLE OFFAL OF	*0.05	APPLE	1

SCHEDULE 1

Maximum Residue Limits

AVOCADO	5	FIG	*0.05
DURIAN	T5	FRUITING VEGETABLES, CUCURBITS	*0.1
PEACH	1	FRUITING VEGETABLES, OTHER	*0.1
PINEAPPLE	5	THAN CUCURBITS	
FURATHIOCARB		GUAVA	*0.05
<i>SEE CARBOFURAN.</i>		HOPS, DRY	*0.1
RESIDUES ARISING FROM THE USE OF FURATHIOCARB		KIWIFRUIT	*0.05
ARE COVERED BY MRLs FOR CARBOFURAN		LEAFY VEGETABLES	*0.1
		LEGUME VEGETABLES	*0.1
		LINSEED	T5
GLUFOSINATE AND GLUFOSINATE-AMMONIUM		LITCHI	0.2
SUM OF GLUFOSINATE-AMMONIUM, N-ACETYL		MANGO	*0.05
GLUFOSINATE AND 3-[HYDROXY(METHYL)-		MEAT (MAMMALIAN)	*0.1
PHOSPHINOYL] PROPIONIC ACID, EXPRESSED AS		MILKS	*0.1
GLUFOSINATE (FREE ACID)		MONSTERO	*0.05
ASSORTED TROPICAL AND SUB-	0.2	MUNG BEAN (DRY)	10
TROPICAL FRUITS – INEDIBLE		OILSEED [EXCEPT COTTON SEED;	T*0.1
PEEL		LINSEED; RAPE SEED]	
BERRIES AND OTHER SMALL FRUITS	0.1	OLIVES	*0.1
CITRUS FRUITS	0.1	PAPAYA (PAWPAW)	*0.05
COFFEE BEANS	T*0.05	PASSIONFRUIT	3
COTTON SEED	3	PEANUT	*0.1
EDIBLE OFFAL (MAMMALIAN)	5	PERSIMMON, AMERICAN	*0.05
EGGS	*0.05	PERSIMMON, JAPANESE	*0.05
MEAT (MAMMALIAN)	0.1	POME FRUITS	*0.05
MILKS	*0.05	POULTRY, EDIBLE OFFAL OF	1
OLIVES	*0.1	POULTRY MEAT	*0.1
POME FRUITS	*0.1	PULSES [EXCEPT ADZUKI BEAN	5
POULTRY, EDIBLE OFFAL OF	*0.1	(DRY), COWPEA (DRY), MUNG	
POULTRY MEAT	*0.05	BEAN (DRY), SOYA BEAN (DRY)]	
RAPE SEED	*0.05	RAPE SEED	2
SAFFRON	T*0.05	ROLLINIA	*0.05
STONE FRUITS	*0.05	ROOT AND TUBER VEGETABLES	*0.1
TOMATO	*0.05	SAFFRON	T*0.05
TREE NUTS	0.1	SORGHUM	T10
GLYPHOSATE		SOYA BEAN (DRY)	10
SUM OF GLYPHOSATE AND		STALK AND STEM VEGETABLES	*0.01
AMINOMETHYLPHOSPHONIC ACID (AMPA)		STONE FRUITS	0.2
METABOLITE, EXPRESSED AS GLYPHOSATE		SUGAR CANE	T0.3
ADZUKI BEAN (DRY)	10	SUGAR CANE MOLASSES	T5
AVOCADO	*0.05	TREE NUTS	0.2
BABACO	*0.05	WHEAT	5
BANANA	0.2	WHEAT BRAN, UNPROCESSED	20
BARLEY	10	GUAZATINE	
BERRIES AND OTHER SMALL FRUITS	*0.05	GUAZATINE	
BULB VEGETABLES	*0.1	CITRUS FRUITS	5
CEREAL GRAINS [EXCEPT AS	T*0.1	MELONS [EXCEPT WATERMELON]	10
OTHERWISE LISTED UNDER THIS		TOMATO	5
CHEMICAL]		HALOFUGINONE	
CITRUS FRUITS	0.5	HALOFUGINONE	
COFFEE BEANS	T0.2	CATTLE KIDNEY	T*0.01
COTTON SEED	15	CATTLE LIVER	T*0.01
COTTON SEED OIL, CRUDE	*0.1	CATTLE MEAT	T*0.01
COWPEA (DRY)	10	POULTRY, EDIBLE OFFAL OF	1
CUSTARD APPLE	*0.05	POULTRY MEAT	*0.05
EDIBLE OFFAL (MAMMALIAN)	2		
EGGS	*0.05		

SCHEDULE 1

Maximum Residue Limits

HALOSULFURON-METHYL HALOSULFURON-METHYL	
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.2
MAIZE	*0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL	*0.01
POULTRY MEAT	*0.01
SORGHUM	*0.05
SUGAR CANE	*0.05
HALOXYFOP SUM OF HALOXYFOP, ITS ESTERS AND CONJUGATES, EXPRESSED AS HALOXYFOP	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL	*0.05
BERRIES AND OTHER SMALL FRUITS	*0.05
CITRUS FRUITS	*0.05
COTTON SEED	0.1
COTTON SEED OIL, CRUDE	0.2
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	*0.01
GARLIC	T0.05
LINOLA SEED	0.1
LINSEED	0.1
MEAT (MAMMALIAN) (IN THE FAT)	0.02
MILKS	0.02
ONION, BULB	T*0.05
PEANUT	0.05
PERSIMMON, JAPANESE	*0.05
POME FRUITS	*0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT (IN THE FAT)	*0.01
PULSES	0.1
RAPE SEED	0.1
STONE FRUITS	*0.05
SUGAR CANE	T0.03
SUNFLOWER SEED	*0.05
TREE NUTS	*0.05
HEXA CONAZOLE HEXA CONAZOLE	
APPLE	0.1
GRAPES	0.05
PEAR	0.1
HEXAZINONE HEXAZINONE	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.05
MEAT (MAMMALIAN)	*0.1
MILKS	*0.05
PINEAPPLE	1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05

SUGAR CANE	*0.1
HEXYTHIAZOX HEXYTHIAZOX	
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	1
POME FRUITS	1
STONE FRUITS	1
HYDROGEN PHOSPHIDE <i>SEE PHOSPHINE</i>	
IMAZALIL IMAZALIL	
CHICKEN, EDIBLE OFFAL OF	*0.01
CHICKEN MEAT	*0.01
CITRUS FRUITS	10
MELONS [EXCEPT WATERMELON]	10
POME FRUITS	5
POTATO	5
IMAZAMOX IMAZAMOX	
ADZUKI BEAN (DRY)	T*0.05
BROAD BEAN (DRY) (FAVA BEANS)	T*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
FIELD PEA (DRY)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PEANUT	*0.05
RAPE SEED	*0.05
SOYA BEAN (DRY)	*0.05
IMAZAPIC SUM OF IMAZAPIC AND ITS HYDROXYMETHYL DERIVATIVE	
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.01
MEAT (MAMMALIAN) (IN THE FAT)	*0.05
MILKS	*0.01
PEANUT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
RAPE SEED	*0.05
SUGAR CANE	*0.05
WHEAT	*0.05
IMAZAPYR IMAZAPYR	
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	*0.05
MAIZE	*0.05
MILKS	*0.01
RAPE SEED	*0.05
WHEAT	*0.05

SCHEDULE 1

Maximum Residue Limits

IMAZETHAPYR			
IMAZETHAPYR			
EDIBLE OFFAL (MAMMALIAN)	*0.1	LUPIN (DRY)	*0.05
EGGS	*0.1	MAIZE	0.05
LEGUME VEGETABLES	*0.1	MEAT (MAMMALIAN)	0.05
MAIZE	*0.05	MILKS	0.05
MEAT (MAMMALIAN)	*0.1	PERSIMMON, JAPANESE	T1
MILKS	*0.1	POTATO	T0.5
PEANUT	*0.1	POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY, EDIBLE OFFAL OF	*0.1	POULTRY MEAT	*0.02
POULTRY MEAT	*0.1	RADISH, JAPANESE	T0.05
PULSES	*0.1	RAPE SEED	*0.05
		RHUBARB	T1
		ROSE AND DIANTHUS (EDIBLE FLOWERS)	T5
IMIDACLOPRID		SORGHUM	*0.02
SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSED AS IMIDACLOPRID		STONE FRUITS	0.5
APPLE	0.3	SUGAR CANE	*0.05
ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL [EXCEPT BANANA]	T1	SUNFLOWER SEED	*0.02
BANANA	0.5	SWEET CORN (CORN-ON-THE-COB)	*0.02
BERGAMOT	T5	SWEET POTATO	0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.5	TARO	T0.05
BURDOCK, GREATER	T0.05	TURMERIC, ROOT (FRESH)	T0.05
BURNET, SALAD	T5	YAM BEAN	T0.05
CELERY	0.3	YAMS	T0.05
CEREAL GRAINS [EXCEPT MAIZE AND SORGHUM]	*0.05		
CITRUS FRUITS	2	IMIDOCARB (DIPROPIONATE SALT)	
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	T1	IMIDOCARB	
CORIANDER (LEAVES, STEM, ROOTS)	T5	CATTLE, EDIBLE OFFAL OF	5
CORIANDER, SEED	T5	CATTLE MEAT	1
COTTON SEED	*0.02	CATTLE MILK	0.2
DILL, SEED	T5		
EDIBLE OFFAL (MAMMALIAN)	0.2	INDOXACARB	
EGGS	*0.02	SUM OF INDOXACARB AND ITS <i>R</i> -ISOMER	
FENNEL, BULB	T0.1	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES AND FLOWERHEAD BRASSICAS	2
FENNEL, SEED	T5	COTTON SEED	1
FRUITING VEGETABLES, CUCURBITS	0.2	DRIED GRAPES	2
FRUITING VEGETABLES , OTHER THAN CUCURBITS [EXCEPT SWEET CORN, (CORN-ON-THE-COB)]	0.5	EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	*0.01
GALANGAL, GREATER	T0.05	EGG PLANT	0.5
GINGER, JAPANESE	T5	EGGS	*0.01
GINGER, ROOT	T0.05	GRAPES	0.5
GRAPES	T0.1	KIDNEY (MAMMALIAN)	0.2
HERBS	T5	LEAFY VEGETABLES [EXCEPT LETTUCE, HEAD]	5
KAFFIR LIME LEAVES	T5	LETTUCE, HEAD	3
LEAFY VEGETABLES [EXCEPT LETTUCE, LEAF]	T5	LINSEED	T0.5
LEMON GRASS	T5	MEAT (MAMMALIAN) (IN THE FAT)	1
LEMON VERBENA (FRESH WEIGHT)	T5	MILK FATS	1
LETTUCE, LEAF	T20	MILKS	0.01
		PEPPERS, SWEET	0.5
		POME FRUITS	2
		POULTRY (EDIBLE OFFAL OF)	*0.01
		POULTRY MEAT (IN THE FAT)	*0.01
		PULSES	0.2
		RAPE SEED	T*0.05
		SAFFLOWER SEED	T0.5
		STONE FRUITS [EXCEPT CHERRIES]	2

SCHEDULE 1

Maximum Residue Limits

STRAWBERRY	T1	BROCCOLI	T*0.05
SUNFLOWER SEED	T1	BRUSSELS SPROUTS	T1
TOMATO	0.2	CABBAGES, HEAD	T*0.05
INORGANIC BROMIDE BROMIDE ION		CARROT	T0.5
AVOCADO	75	CAULIFLOWER	T*0.05
CEREAL GRAINS	50	CELERY	2
CITRUS FRUITS	30	CHARD (SILVER BEET)	T5
DATES, DRIED	100	EDIBLE OFFAL (MAMMALIAN)	*0.1
DRIED FRUITS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	30	GRAPES	20
DRIED GRAPES	100	KIWIFRUIT	10
DRIED HERBS	400	LETTUCE, HEAD	5
DRIED PEACH	50	LETTUCE, LEAF	5
FIGS, DRIED	250	LUPIN (DRY)	*0.1
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	20	MACADAMIA NUTS	*0.01
PEPPERS, SWEET	50	MEAT (MAMMALIAN)	*0.1
PRUNES	20	MILKS	*0.1
SPICES	400	ONION, BULB	T0.2
STRAWBERRY	30	PASSIONFRUIT	10
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	20	PEANUT	0.05
Iodosulfuron Methyl Iodosulfuron Methyl		PEANUT OIL, CRUDE	0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01	PISTACHIO NUT	T*0.05
EGGS	*0.01	POME FRUITS	3
MEAT (MAMMALIAN) (IN THE FAT)	*0.01	POTATO	*0.05
MILKS	*0.01	RAPE SEED	0.5
POULTRY, EDIBLE OFFAL OF	*0.01	SOYA BEAN (DRY)	0.05
POULTRY MEAT (IN THE FAT)	*0.01	SPINACH	T5
WHEAT	*0.01	STONE FRUITS	10
Ioxynil Ioxynil		SUNFLOWER SEED	T*0.05
GARLIC	*0.02	TARO	*0.05
LEEK	T1	TOMATO	2
ONION, BULB	*0.02	ISOEUGENOL ISOEUGENOL, SUM OF CIS- AND TRANS- ISOMERS	
SHALLOT	T*0.02	DIADROMOUS FISH (WHOLE COMMODITY)	100
SPRING ONION	T3	FRESHWATER FISH (WHOLE COMMODITY)	100
SUGAR CANE	*0.02	MARINE FISH (WHOLE COMMODITY)	100
Iprodione Iprodione		ISOFENPHOS ISOFENPHOS	
ADZUKI BEAN (DRY)	T0.1	BANANA	*0.02
ALMONDS	*0.02	SUGAR CANE	*0.01
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T1	ISOXABEN ISOXABEN	
BEETROOT	T0.1	ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – EDIBLE PEEL	*0.01
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	12	ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL	*0.01
BRASSICA LEAFY VEGETABLES	15	BARLEY	*0.01
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.2	CITRUS FRUITS	*0.01
		EDIBLE OFFAL (MAMMALIAN)	*0.01
		EGGS	*0.01
		GRAPES	*0.01
		MEAT (MAMMALIAN)	*0.01
		MILKS	*0.01
		POME FRUITS	*0.01

SCHEDULE 1

Maximum Residue Limits

POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
STONE FRUITS	*0.01
TREE NUTS	*0.01
TRITICALE	*0.01
WHEAT	*0.01
ISOXAFLUTOLE	
THE SUM OF ISOXAFLUTOLE, 2-CYCLOPROPYLCARCONYL-3-(2-METHYLSULFONYL-4-TRIFLUOROMETHYLPHENYL)-3-OXOPROPANENITRILE AND 2-METHYLSULFONYL-4-TRIFLUOROMETHYLBENZOIC ACID EXPRESSED AS ISOXAFLUTOLE	
CEREAL GRAINS	T*0.05
CHICK-PEA (DRY)	T*0.03
EDIBLE OFFAL (MAMMALIAN)	T*0.05
EGGS	T*0.05
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.05
POULTRY, EDIBLE OFFAL OF	T*0.05
POULTRY MEAT	T*0.05
SUGAR CANE	T*0.01
IVERMECTIN	
H ₂ B _{1A}	
CATTLE KIDNEY	*0.01
CATTLE LIVER	0.1
CATTLE MEAT (IN THE FAT)	0.04
CATTLE MILK	0.05
DEER KIDNEY	*0.01
DEER LIVER	*0.01
DEER MEAT (IN THE FAT)	*0.01
HORSE, EDIBLE OFFAL OF	*0.01
HORSE MEAT	*0.01
PIG KIDNEY	*0.01
PIG LIVER	*0.01
PIG MEAT (IN THE FAT)	0.02
SHEEP KIDNEY	*0.01
SHEEP LIVER	0.015
SHEEP MEAT (IN THE FAT)	0.02
KETOPROFEN	
KETOPROFEN	
CATTLE, EDIBLE OFFAL OF	*0.05
CATTLE MEAT	*0.05
CATTLE MILK	*0.05
KITASAMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS KITASAMYCIN	
EGGS	*0.2
PIG, EDIBLE OFFAL OF	*0.2
PIG MEAT	*0.2
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY MEAT	*0.2

KRESOXIM-METHYL	
COMMODITIES OF PLANT ORIGIN: KRESOXIM-METHYL	
COMMODITIES OF ANIMAL ORIGIN: SUM OF A-(P-HYDROXY-O-TOLYLOXY)-O-TOLYL (METHOXYIMINO) ACETIC ACID AND (E)-METHOXYIMINO[A-(O-TOLYLOXY)-O-TOLYL]ACETIC ACID, EXPRESSED AS KRESOXIM-METHYL	
EDIBLE OFFAL (MAMMALIAN)	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.001
POME FRUITS	0.1
LAMBDA-CYHALOTHRIN	
SEE CYHALOTHRIN	
LASALOCID	
LASALOCID	
CATTLE MILK	*0.01
EDIBLE OFFAL (MAMMALIAN)	0.7
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	0.4
POULTRY MEAT	*0.1
POULTRY SKIN/FAT	1
LEVAMISOLE	
LEVAMISOLE	
EDIBLE OFFAL (MAMMALIAN)	1
EGGS	1
GOAT MILK	0.1
MEAT (MAMMALIAN)	0.1
MILKS [EXCEPT GOAT MILK]	0.3
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
LIGNOCAINE	
LIGNOCAINE	
SHEEP, EDIBLE OFFAL OF	T*0.02
SHEEP MEAT (IN THE FAT)	T*0.02
LINCOMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS LINCOMYCIN	
CATTLE MILK	*0.02
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	0.2
EGGS	0.2
GOAT MILK	*0.1
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	0.2
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
LINDANE	
LINDANE	
PINEAPPLE	0.5

SCHEDULE 1

Maximum Residue Limits

LINURON SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
CELERY	*0.05
CEREAL GRAINS	*0.05
CORIANDER, SEED	0.2
EDIBLE OFFAL (MAMMALIAN)	1
EGGS	*0.05
HERBS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T0.5
KAFFIR LIME LEAVES	T0.5
LEEK	T0.2
LEMON BALM	T0.5
LEMON GRASS	T0.5
LEMON VERBENA	T0.5
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
TURMERIC ROOT	T*0.05
VEGETABLES [EXCEPT CELERY AND LEEK]	*0.05
LUFENURON LUFENURON	
COTTON SEED	T0.2
COTTON SEED OIL, CRUDE	T0.5
EDIBLE OFFAL (MAMMALIAN)	T*0.01
EGGS	T0.05
MEAT (MAMMALIAN) (IN THE FAT)	T1
MILKS	T0.2
POULTRY, EDIBLE OFFAL OF	T*0.01
POULTRY MEAT (IN THE FAT)	T1