

# Commonwealth of Australia Gazette.

## PUBLISHED BY AUTHORITY.

[Registered at the General Post Office, Melbourne, for transmission by post as a newspaper.]

No. 120.]

## CANBERRA, THURSDAY, 14TH JUNE.

[1945.

## NATIONAL SECURITY (PRICES) REGULATIONS.

PRICES REGULATION ORDER No. 2124.

Motor Vehicles for Disposal by the Commonwealth Disposals Commission.

IN pursuance of the powers delegated to me by the Commonwealth Prices Commissioner pursuant to regulation 46 of the National Security (Prices) Regulations, I, Horace Eddy Bishop, Second Assistant Prices Commissioner, Prices Branch, Canberra, hereby make the following Order:—

- 1. This Order may be cited as Prices Regulation Order No. 2124.
- 2. Prices Regulation Order No. 1888 as amended by Prices Regulation Orders Nos. 1943, 2046 and 2059 is hereby further amended—
  - (a) by omitting from the Schedule the prices appearing opposite the vehicles specified in the First Schedule to this Order, and inserting in their stead the prices appearing opposite those vehicles in such lastmentioned Schedule;
  - (b) by inserting at the end of the Schedule the vehicles specified in the Second Schedule to this Order, and in relation thereto the prices specified opposite those vehicles in such lastmentioned Schedule.

### THE FIRST SCHEDULE.

(Amended Prices, Certain Vehicles—The Schedule—Prices Regulation Order No. 1888 as amended.)

Description and Type.	Amended Price.
Ford—	£
1938 134-in. W.B., V8 Chassis, spare tyre, tube, Marmon Herrington kit and body complete	190
1939 134-in. W.B., V8 Chassis, spare tyre, tube, Marmon Herrington kit and body complete	210
1940 134-in. W.B., V8 Chassis, spare tyre, tube, Marmon Herrington kit and body complete	275
1941 134-in. W.B., V8 Chassis, spare tyre, tube, Marmon Herrington kit and body complete	325
International—	
1938 3-ton G.S., 7 tyres and tubes and 7 rims, D.300, 99-in, W.B.	220
1939 3-ton G.S., 7 tyres and tubes and 7 rims, D.300,	
99-in, W.B	249
1940 3-ton G.S., 7 tyres and tubes and 7 rims, D.300,	
99-in. W.B	330
1941 3-ton G.S., 7 tyres and tubes and 7 rims, D.300,	390
99-in. W.B	350
117-in. W.B.	228
1939 3-ton G.S., 7 tyres and tubes and 7 rims, D.300,	
117-in. W.B.	259
1940 3-ton G.S., 7 tyres and tubes and 7 rims, D.300,	
117-in. W.B	<b>34</b> 2
1941 3-ton G.S., 7 tyres and tubes and 7 rims, D.300,	
117-in. W.B	404
	l

#### THE SECOND SCHEDULE.

(Additional Vehicles and Maximum Prices—The Schedule— Prices Regulation Order No. 1888 as amended.)

Description and Type.	Maximum Price.
Austin—	£
1940 8-h.p. G.P. Roadster	205 229 150
1933 21 Passenger Bus	250
form and dropsides	92
form and dropsides 1935 3-ton, 111-in. W.B., Chassis, cab, platform and	102
coaming 1935 3-ton, 111-in. W.B., Chassis, cab, platform and	120 120
dropsides	130
1937 W.T.H., 3-4-ton, 111-in. W.B., Cab, platform and dropsides	169
1937 W.T.L., 3-4-ton, 157-in. W.B., Cab, platform and dropsides	174
1938 W.T.H., 3-4-ton, 111-in. W.B., Cab, platform and dropsides	216
1938 W.T.L., 3-4-ton, 157-in. W.B., Cab, platform and dropsides	227 210
1939 W.T.H., 3-4-ton, 111-in. W.B., Cab, platform and dropsides	238
1939 W.T.L., 3-4-ton, 157-in. W.B., Cab, platform and dropsides	249
1941 3-ton, M.L., 143-in. W.B., Cab, platform and dropsides	335
1941 3-ton O.Y.D., 4 x 2 G.S. Truck, 157-in. W.B 1941 15-cwt. Water Tank, M.W.C	230 140
16 tyres	140
1936 Mapleleaf, 3-ton, 141-in. W.B., Chassis, cab, platform and coaming	114
1936 Mapleleaf, 3-ton, 141-in. W.B., Chassis, cab, platform and dropsides	116
platform and coaming	118
platform and dropsides	120 142
1937 Chevrolet, 30-cwt., 131-in. W.B., Chassis, cab, platform and coaming	140
platform, coaming and dropsides	142 188
1937 30-cwt., 6-cyl., Forward control, 7.50 x 18 tyres 1937 3-ton, 130½-in. W.B., D.R.W., Tipper with hand operated hoist	100
1937 3-ton, 1301-in. W.B., D.R.W., Hydraulic hoist 1940 Chevrolet, 30-cwt. G.S., Chassis, cab, platform	188
coaming and dropsides	263 293 304

THE SECOND SCHEDULE-continued.

Chevrolet—continued.  1940 Chevrolet, 3-ton, 133-in. W.B., Chassis, cab, platform, coaming and dropsides Chevrolet W.D., 8-cwt., 4 x 2, 101-in. W.B., 9.00 x 13 tyres  1940 15-cwt. Utility (Commercial) W.D. Utility Truck, 8440 Series (Quad)  1941 Chevrolet, 30-cwt. G.S., Chassis, cab, platform, coaming and dropsides 1941 Chevrolet Utility (Coupe type), Open delivery 1941 Chevrolet Utility (Coupe type), Open delivery 1941 Gestater, Chevrolet Recec Car 1941 30-cwt., 1344-in. W.B., Model 15 with tray body S.R.W.  1942 Chevrolet, 30-cwt., 1844-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 L-ton, 1254-in. W.B., Coupe open utility 1942 1-ton, 1254-in. W.B., Coupe open utility 1942 2-towt., with Cab, tray and sides, M.D. 21 1940 30-cwt., chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35 1940 3-ton, Cab, tray and sides, 135-in. W.B., DD. 3. 35 1940 3-ton, Cab, tray and sides, 135-in. W.B., DD. 3. 35 1940 3-ton, Utility, F.L. 116 1933 12-cwt. Utility of G.S., 9IC 1933 3-ton, 9IT, Two speed rear axle and semi-trailer 1937 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 136-in. W.B. 1941 30-cwt. G.S. Tr	Description and Type.	Maximu Price.
1940 Chevrolet, 3-ton, 133-in, W.B., Chassis, cab, platform, coaming and dropsides 1940 Chevrolet, 3-ton, 153+in, W.B., Chassis, cab, platform, coaming and dropsides 1940 Chevrolet, W.D., S-ewt., 4 x 2, 101-in, W.B., 9.00 x 13 tyres 1941 Chevrolet, 30-cwt. G.S., Chassis, cab, platform, coaming and dropsides 1941 Chevrolet Utility (Roadster type), Open delivery 1941 G-seater, Chevrolet Recee Car 1941 Chevrolet Utility (Roadster type), Open delivery 1941 G-seater, Chevrolet Recee Car 1941 So-ewt., 134-in, W.B., Model 15 with tray body S.R.W. 1942 Chevrolet, 30-cwt., 134-in, W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 134-in, W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 158-160-in, W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 1-ton, 125-in, W.B., Coupe open utility 1942 1-ton, 125-in, W.B., Coupe open utility 1942 1-ton, 125-in, W.B., Roadster utility 1943 3-ovt., with Cab, tray and sides, M.E. 31 1937 30-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, 135-in, W.B., VF, 31 1942 30-cwt., G.S., F.D. 329 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459. 1942 15-cwt. Utility or G.S., 91C 1938 12-cwt. Utility or G.S., 91C 1938 12-cwt. Utility or G.S., 91C 1939 3-ton, G.S., V8 with hand operated crane 1940 30-cwt. G.S. Truck, 134-in, W.B. 1941 30-cwt. G.S. Truck, 138-in, W.B. 194		£
platform, coaming and dropsides 1940 (Ibervolet, 3-ton, 158}-in. W.B., Chassis, cab, platform, coaming and dropsides Chevrolet W.D., S-ewt., 4 x 2, 101-in. W.B., 9.00 x 13 tyres W.D. Utility (Commercial) W.D. Utility (Truck, 8440 Series (Quad) 1941 Chevrolet, Utility (Roadster type), Open delivery 1941 G-seater, Chevrolet Recec Car 1941 30-ewt., 134½-in. W.B., Model 15 with tray body, D.R.W. 1942 Chevrolet, 30-ewt., 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-ewt., 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-ewt., 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-ewt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 1-ton, 125½-in. W.B., Coupe open utility 1937 30-ewt., Chassis, cab, tray and sides, M.D. 21 1940 30-ewt., with Cab, tray and sides, M.D. 21 1940 30-ewt., with Cab, tray and sides, 135-in. W.B., VF. 31 1940 30-ewt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35 Forgo— 1936 30-ewt. d.S., F.D. 329 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459. 1938 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1937 30-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 12-ewt. Utility or G.S., 91C 1939 3-ton, 917, Two speed rear axle and semi-trailer 1940 30-ewt. G.S. Truck, 134-in. W.B.	Chevrolet—continued.	
platform, coaming and dropsides Chevrolet W.D., 8-cwt., 4 x 2, 101-in. W.B., 9.00 x 13 tyres 1940 15-cwt. Utility (Commercial) W.D. Utility Truck, 8440 Series (Quad) 1941 Chevrolet, 30-cwt. G.S., Chassis, cab. platform, coaming and dropsides 1941 Chevrolet Utility (Coupe type), Open delivery 1941 Gestaler, Chevrolet Recce Car 1941 30-cwt., 134½-in. W.B., Model 15 with tray body, S.R.W. 1941 30-cwt., 134½-in. W.B., Model 15 with tray body, D.R.W. 1942 Chevrolet, 30-cwt., 134½-in. W.B., G.S., Chassis, cab., platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab., platform, coaming and dropsides 1942 1-ton, 125½-in. W.B., Roadster utility 1940 30-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., VF. 31 1942 30-cwt., with Cab, tray and sides, 135-in. W.B., D.D. 3.35  Fargo- 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459 1942 15-cwt. Utility, F.L. 116  Ford- 1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semi- trailer 1937 30-cwt. Dropside truck, Model 79 1938 12-cwt. Utility or G.S., 91C 1938 30-cwt. G.S. Truck, 1344-in. W.B. 1940 30-cwt. G.S. Truck, 134-in. W.B. 1940 30-cwt. G.S. Truck, 138-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1941 G.M.C., 4-ton, 159}-in. W.B	platform, coaming and dropsides	293
Chevrolet W.D., 8-cwt., 4 x 2, 101-in. W.B., 9.00 x 13 tyres  1940 15-cwt. Utility (Commercial)  W.D. Utility Truck, 8440 Series (Quad)  1941 Chevrolet, 30-cwt. G.S., Chassis, cab, platform, coaming and dropsides  1941 Chevrolet Utility (Coupe type), Open delivery  1941 6-seater, Chevrolet Recee Car  1941 30-cwt., 134½-in. W.B., Model 15 with tray body S.R.W.  1942 Chevrolet, 30-cwt., 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides  1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides  1942 1-ton, 125½-in. W.B., Coupe open utility  1943 10-cwt., 125½-in. W.B., Coupe open utility  1943 20-cwt., Chassis, cab, tray and sides, M.D. 21  1940 30-cwt., with Cab, tray and sides, M.D. 21  1940 30-cwt., with Cab, tray and sides, 135-in. W.B., VF. 31  1940 30-cwt., with Cab, tray and sides, 135-in. W.B., DJ. 3. 35  Fargo—  1936 30-cwt. G.S., F.D. 329  1937 3-ton, Tuck fitted with hydraulic hoist, F.E. 459.  1942 15-cwt. Utility, F.L. 116  Ford—  1938 12-cwt. Utility or G.S., 81C  1938 30-cwt. J.34-in. W.B., Model 81T, Chassis and cab only  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1939 12-cwt. Utility or G.S., 81C  1938 30-cwt. G.S. Truck, 134-in. W.B.  1941 30-cwt. G.S. Truck, 134-in. W.B.  1941 30-cwt. G.S. Truck, 134-in. W.B.  1941 30-cwt. G.S. Truck, 138-in. W.B.  1942 30-cwt. G.S. Truck, 138-in. W.B.  1942 30-cwt. G.S. Truck, 138-in. W.B.  1942 30-cwt. G.S. Truck, 138-in. W.B.  1941 G.M.C., 4-ton, 159½-in. W.	1940 Chevrolet, 3-ton, 158½-in. W.B., Chassis, cab,	304
1940 15-owt. Utility (Commercial) W.D. Utility Truck, 8440 Series (Quad) 1941 Chevrolet, 30-owt. G.S., Chassis, cab, platform, coaming and dropsides 1941 Chevrolet Utility (Coupe type), Open delivery 1941 6-seater, Chevrolet Recec Car 1941 30-owt., 134½ in. W.B., Model 15 with tray body S.R.W. 1941 30-owt., 134½ in. W.B., Model 15 with tray body D.R.W. 1942 Chevrolet, 30-owt., 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-owt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 1-ton, 125½-in. W.B., Coupe open utility 1942 11-ton, 125½-in. W.B., Coupe open utility 1943 30-owt., Chassis, cab, tray and sides, M.D. 21 1943 30-owt., Chassis, cab, tray and sides, M.D. 21 1940 30-owt., with Cab, tray and sides, 135-in. W.B., VF. 31 1940 3-ton, Cab, tray and sides, 135-in. W.B., D.B., 33 1940 3-ton, Cab, tray and sides, 135-in. W.B., D.B., 33 1943 30-owt., with Cab, tray and sides, 135-in. W.B., D.B., 33 1943 30-owt., with Cab, tray and sides, 135-in. W.B., D.B., 33 1940 3-ton, Cab, tray and sides, 135-in. W.B., D.B., 35 1942 15-owt. Utility, F.L. 116 1937 30-owt. Utility, F.L. 116 1938 12-owt. Utility, F.L. 116 1938 12-owt. Utility, F.L. 116 1939 3-ton, 917, Two speed rear axle and semitrailer 1939 3-ton, 917, Two speed rear axle and semitrailer 1939 3-ton, G.S., Two symbols, 144-in. W.B. 1941 30-owt. G.S. Truck, 134-in. W.B. 1941 30-owt. G.S. Truck, 134-in. W.B. 1941 30-owt. G.S. Truck, 158-in. W.B. 1942 3-ton Tipping Truck with mechanical hoist  60 C.— 1941 G.M.C., 4-ton, 159-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.	Chevrolet W.D., 8-cwt., 4 x 2, 101-in. W.B.,	
1941 Chevrolet, 30-cwt. G.S., Chassis, cab., platform, coaming and dropsides   26		$\begin{array}{c} 140 \\ 277 \end{array}$
1941 Chevrolet Jülity (Roadster type), Open delivery 1941 Chevrolet Utility (Roadster type), Open delivery 1941 Geseater, Chevrolet Recec Car 1941 30-cwt, 134½-in. W.B., Model 15 with tray body S.R.W. 1942 Chevrolet, 30-cwt., 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 1-ton, 125½-in. W.B., Coupe open utility 1943 10-cwt., 154½-in. W.B., Coupe open utility 1943 10-cwt., 154½-in. W.B., Coupe open utility 1942 1-ton, 125½-in. W.B., Coupe open utility 1942 1-ton, 125½-in. W.B., Coupe open utility 1943 10-cwt., Chassis, cab, tray and sides, M.E. 31 1940 30-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., VF. 31 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35 Fargo— 1936 30-cwt. G.S., F.D. 329 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459 1942 15-cwt. Utility, F.L. 116 1938 30-cwt. 134½-in. W.B., V8 Chassis, cab and semi- trailer 1939 3-ton, 131½-in. W.B., V8 Chassis, cab and semi- trailer 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 3-ton, 917, Two speed rear axle and semi-trailer 1939 3-ton Steel Tipper, 6-cyl. 1941 30-cwt. G.S. Truck, 134-in. W.B. 1942 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 135-in. W.B. 1941 30-cwt. G.S. Truck, 135-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B.	W.D. Utility Truck, 8440 Series (Quad)	230
1941 Chevrolet Utility (Roadster type), Open delivery 1941 G-seater, Chevrolet Recec Car 1941 30-cwt, 134½ in. W.B., Model 15 with tray body S.R.W. 1942 Chevrolet, 30-cwt, 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt, 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 1-ton, 125½-in. W.B., Coupe open utility 1942 1-ton, 125½-in. W.B., Coupe open utility 1942 1-ton, 125½-in. W.B., Roadster utility 1943 30-cwt, Chassis, cab, tray and sides, M.D. 21 1943 30-cwt, with Cab, tray and sides, M.D. 21 1943 30-cwt, with Cab, tray and sides, 135-in. W.B., VF. 31 1940 30-cwt, with Cab, tray and sides, 135-in. W.B., DD. 3. 35 1942 30-cwt, with Cab, tray and sides, 135-in. W.B., DD. 3. 35 1942 30-cwt, Utility, F.L. 116 1936 30-cwt G.S., F.D. 329 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459 1942 15-cwt. Utility, F.L. 116 1938 30-cwt. Utility, F.L. 116 1938 30-cwt. 134-in. W.B., W8 Chassis, cab and semi- trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton, 91T, Two speed rear axle and semi- trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton, 91T, Two speed rear axle and semi- trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton, 91T, Two speed rear axle and semi- trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton G.S., Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 3-cwt. Utility 1942 3-ton Steel Tipper, 6-c	1941 Chevrolet, 30-cwt. G.S., Chassis, cab, platform,	263
1941 Chevrolet Utility (Coupe type), Open delivery 1941 6-seater, Chevrolet Recec Car	1941 Chevrolet Utility (Roadster type), Open de-	
1941 6-seater, Chevrolet Recec Car 1941 30-cwt., 134½-in. W.B., Model 15 with tray body, S.R.W. 1941 30-cwt., 134½-in. W.B., Model 15 with tray body, D.R.W. 1942 Chevrolet, 30-cwt., 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 1-ton, 125½-in. W.B., Coupe open utility 1942 1-ton, 125½-in. W.B., Roadster utility 1942 1-ton, 125½-in. W.B., Roadster utility 1942 1-ton, 125½-in. W.B., Roadster utility 1943 130-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., VF. 31 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35  **Fargo-** 1936 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35  **Fargo-** 1937 3-ton Truck fitted with hydraulic hoist, F.E., 459 1938 12-cwt. Utility, F.L. 116  **Ford-** 1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semitrailer 1937 30-cwt. Utility or G.S., 81C 1938 30-cwt., 134-in. W.B., Model 79 1939 3-ton 91T, Two speed rear axle and semi-trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton G.S., V8 with hand operated crane 1940 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 134-in. W.B. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Steel Tipper, 6-cyl. 1941 G.M.C., 4-ton, 172½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 172½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 172½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 172½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 172½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 172½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 172½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941	livery	307 329
body S.R.W.  1941 30-cwt., 1344-in. W.B., Model 15 with tray body, D.R.W.  1942 Chevrolet, 30-cwt., 1344-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides  1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides  1942 1-ton, 1254-in. W.B., Coupe open utility  1942 1-ton, 1254-in. W.B., Roadster utility  1942 1-ton, 1254-in. W.B., Roadster utility  1943 30-cwt., Chassis, cab, tray and sides, M.D. 21  1940 30-cwt., chassis, cab, tray and sides, M.D. 21  1940 30-cwt., with Cab, tray and sides, 135-in. W.B., VF. 31  1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35  1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35  1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35  1942 30-cwt. Utility or G.S., 81C  1933 3-ton, 1314-in. W.B., V8 Chassis, cab and semitraller  1937 30-cwt. Utility or G.S., 81C  1938 30-cwt., 134-in. W.B., Model 81T, Chassis and cab only  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1939 3-ton G.S., V8 with hand operated crane  1940 30-cwt. G.S. Truck, 134-in. W.B  1941 30-cwt. G.S. Truck, 134-in. W.B  1941 30-cwt. G.S. Truck, 158-in. W.B  1941 30-cwt. English Fordson W.D. Vehicle  1941 30-cwt. G.S. Truck, 134-in. W.B  1941 30-cwt. English Fordson W.D. Vehicle  1941 G.M.C., 4-ton, 1354-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 1744-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 1744-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 1744-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G	1941 6-seater. Chevrolet Recce Car	350
1941 30-cwt. 134½-in. W.B., Model 15 with tray body, D.R.W.  1942 Chevrolet, 30-cwt., 134½-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides  1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides  1942 1-ton, 125½-in. W.B., Coupe open utility  1942 1-ton, 125½-in. W.B., Roadster utility  1937 30-cwt., Chassis, cab, tray and sides, M.E. 31  1937 20-cwt., Chassis, cab, tray and sides, M.D. 21  1940 30-cwt., with Cab, tray and sides, 135-in. W.B., VF. 31  1940 3-ton, Cab, tray and sides, WF. 32  1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35  1942 30-cwt., stifted with hydraulic hoist, F.E., 1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35  1937 3-ton Truck fitted with hydraulic hoist, F.E., 1938 30-cwt. 131½-in. W.B., V8 Chassis, cab and semitrailer  1937 30-cwt. Utility, F.L. 116  1938 30-cwt. 131½-in. W.B., W8 Chassis, cab and semitrailer  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1940 30-cwt. G.S. Truck, 134-in. W.B.  1941 30-cwt. G.S. Truck, 134-in. W.B.  1942 30-cwt. G.S. Truck, 134-in. W.B.  1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton,	1941 30-cwt., $134\frac{1}{2}$ -in. W.B., Model 15 with tray body S.R.W	326
1942 Chevrolet, 30-cwt., 1344-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis, cab, platform, coaming and dropsides 1942 1-ton, 125‡-in. W.B., Coupe open utility 1942 1-ton, 125‡-in. W.B., Coupe open utility 1942 1-ton, 125‡-in. W.B., Roadster utility 1942 1-ton, 125‡-in. W.B., Roadster utility 1942 30-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35 1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35 1942 30-cwt. G.S., F.D. 329 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459 1942 15-cwt. Utility, F.L. 116 1933 3-ton, 131‡-in. W.B., V8 Chassis, cab and semitrailer 1933 3-ton, 131‡-in. W.B., W8 Chassis, cab and semitrailer 1933 3-ton, 131‡-in. W.B., W8 Chassis, cab and semitrailer 1939 3-ton G.S., V8 with hand operated crane 1939 3-ton G.S., V8 with hand operated crane 1940 30-cwt. G.S. Truck, 134-in. W.B 28 1941 30-cwt. G.S. Truck, 134-in. W.B 1941 30-cwt. G.S. Truck, 158-in. W.B 1942 30-cwt. G.S. Truck, 158-in. W.B 1941 30-cwt. G.S. 1941 30-cwt. G.S. 1941 30-cwt. G.S. 1941 30-cwt. G.S. 1941 30-cw	1941 30-cwt., $134\frac{1}{2}$ -in. W.B., Model 15 with tray	
cab, platform, coaming and dropsides	body, D.R.W	338
Chassis, cab, platform, coaming and dropsides 1942 1-ton, 125½-in. W.B., Coupe open utility 1942 1-ton, 125½-in. W.B., Roadster utility 1937 30-cwt., Chassis, cab, tray and sides, M.E. 31 1937 20-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1943 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt., with Cab, tray and sides, M.D. 21 1942 30-cwt. G.S., F.D. 329 1943 30-cwt., M.B., W.B., W.B., W.B., Sab, 1941 30-cwt. Unitity or G.S., 81C 1943 30-cwt. G.S., Truck, 134-in. W.B., M.B., 1941 30-cwt. G.S., Truck, 134-in. W.B., 1941 30-cwt. G.S. Truck, 134-in. W.B., 1942 30-cwt. G.S. Truck, 158-in. W.B., 1942 30-cwt. G.S. Truck, 134-in. W.B., 1942 30-cwt. G.S. Truck, 134-in. W.B., 1942 30-cwt. G.S. Truck, 158-in. W.B., 1942 30	cab. platform, coaming and dropsides	382
1942 1-ton, 125½-in. W.B., Coupe open utility 1942 1-ton, 125½-in. W.B., Roadster utility 1960ge— 1937 30-cwt., Chassis, cab, tray and sides, M.E. 31 1937 20-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., VF. 31 1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3.55  Fargo— 1936 30-cwt. G.S., F.D. 329 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459. 1942 15-cwt. Utility, F.L. 116  Ford— 1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semitrailer 1937 30-cwt. Dropside truck, Model 79 1938 12-cwt. Utility or G.S., 81C 1939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 3-ton, 91T, Two speed rear axle and semi-trailer 1940 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 134-in. W.B. 1941 12-cwt. Coupe Utility, 11A 1941 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1941 G.M.C., 4-ton, 179½-in. W.B., Chassis, cab,	1942 Chevrolet, 30-cwt., 158-160-in. W.B., G.S., Chassis can platform coaming and dropsides	394
1937 30-cwt., Chassis, cab, tray and sides, M.E. 31 1937 20-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35	1942 1-ton, $125\frac{1}{4}$ -in. W.B., Coupe open utility	360
1937 30-cwt., Chassis, cab, tray and sides, M.E. 31 1937 20-cwt., Chassis, cab, tray and sides, M.D. 21 1940 30-cwt., with Cab, tray and sides, 135-in. W.B., VF 31 1940 3-ton, Cab, tray and sides, WF. 32 1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3. 35  Fargo— 1936 30-cwt. G.S., F.D. 329 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459 1942 15-cwt. Utility, F.L. 116  Ford— 1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semitrailer 1937 30-cwt. Dropside truck, Model 79 1938 30-cwt. Dropside truck, Model 79 1938 30-cwt. 134-in. W.B., Model 81T, Chassis and cab only 1939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton, S., V8 with hand operated crane 1940 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 12-cwt. Coupe Utility, 11A 1941 30-cwt. G.S. Truck, 158-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1943 G.M.C., 4-ton, 173½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 173½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 173½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 173½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 173½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 173½-in. W.B., Chassis, cab, platform, coaming and dr		346
1940 30-cwt., with Cab, tray and sides, 135-m. W.B., VF. 31  1940 3-ton, Cab, tray and sides, WF. 32  1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3.35  Fargo—  1936 30-cwt. G.S., F.D. 329  1937 3-ton Truck fitted with hydraulic hoist, F.E. 459.  1942 15-cwt. Utility, F.L. 116  Ford—  1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semitrailer  1937 30-cwt. Dropside truck, Model 79  1938 30-cwt. 134-in. W.B., Model 81T, Chassis and cab only  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1939 3-ton, G.S., V8 with hand operated crane 1940 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941	1937 30-cwt., Chassis, cab. tray and sides, M.E. 31	165
VF. 31  1940 3-ton, Cab, tray and sides, WF. 32  1942 30-cwt., with Cab, tray and sides, 135-in. W.B., DD. 3.35  Fargo— 1936 30-cwt. G.S., F.D. 329  1937 3-ton Truck fitted with hydraulic hoist, F.E. 459.  1942 15-cwt. Utility, F.L. 116  Ford— 1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semitrailer 1937 30-cwt. Dropside truck, Model 79 1938 12-cwt. Utility or G.S., 81C 1938 30-cwt. 134-in. W.B., Model 81T, Chassis and cab only 1939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton G.S., V8 with hand operated crane 1940 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. English Fordson W.D. Vehicle 1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres 1942 30-cwt. G.S. Truck, 158-in. W.B. 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 170½-in.	1937 20-cwt., Chassis, cab, tray and sides, M.D. 21	190
1942 30-owt., with Cab, tray and sides, 135-in. W.B., DD. 3.35	VF. 31	334
## DD 3.35    Fargo	1940 3-ton, Cab, tray and sides, WF. 32	<b>37</b> 8
1936 30-ewt. G.S., F.D. 329 1937 3-ton Truck fitted with hydraulic hoist, F.E. 459		448
1937 3-ton Truck fitted with hydraulic hoist, F.E. 459		111
1942 15-cwt. Utility, F.L. 116	1937 3-ton Truck fitted with hydraulic hoist, F.E.	
1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semitraller	459	250 380
1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semitraller  1937 30-cwt. Dropside truck, Model 79  1938 12-cwt. Utility or G.S., 81C  1938 30-cwt., 134-in. W.B., Model 81T, Chassis and cab only  1939 3-ton, 91T, Two speed rear axle and semi-trailer  1939 12-cwt. Utility or G.S., 91C  1939 3-ton G.S., V8 with hand operated crane  1940 30-cwt. G.S. Truck, 134-in. W.B.  1940 30-cwt. G.S. Truck, 134-in. W.B.  1941 30-cwt. G.S. Truck, 134-in. W.B.  1941 30-cwt. G.S. Truck, 134-in. W.B.  1941 30-cwt. G.S. Truck, 158-in. W.B.  1941 30-cwt. English Fordson W.D. Vehicle  1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13  tyres  1942 30-cwt. G.S. Truck, 158-in. W.B.  1942 30-cwt. G.S. Truck, 158-in. W.B.  1942 30-cwt. G.S. Truck, 158-in. W.B.  1942 3-ton Steel Tipper, 6-cyl.  1942 3-ton Steel Tipper, 6-cyl.  1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers—  22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris—  1938 12-cwt. Panel Van  1938 8-cwt. C.8 Coupe Utility  1938 8-cwt. C.8 Coupe Utility  1938 8-cwt. C.8 Roadster Utility  1940 Chieftain Sedan  1941 Chieftain Sedan  1942 Chieftain Sedan  1942 Chieftain Sedan  1942 Chieftain Sedan  1943 Chieftain Sedan		000
1937 30-cwt. Dropside truck, Model 79	1935 3-ton, 131½-in. W.B., V8 Chassis, cab and semi-	3.42
1938 12-cwt. Utility or G.S., 81C 1938 30-cwt., 134-in. W.B., Model 81T, Chassis and cab only 17939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 12-cwt. Utility or G.S., 91C 1939 3-ton G.S., V8 with hand operated crane 1940 30-cwt. G.S. Truck, 134-in. W.B. 1940 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. English Fordson W.D. Vehicle 1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres 1942 30-cwt. G.S. Truck, 158-in. W.B. 1943 30-cwt. G.S. Truck, 158-in. W.B. 1944 30-cwt. G.S. Truck, 158-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1943 30-cwt. G.S. Truck, 158-in. W.B. 1944 30-cwt. G.S. Truck, 158-in. W.B. 1945 30-cwt. G.S. Truck, 158-in. W.B. 1946 30-cwt. G.S. Truck, 158-in. W.B. 1947 30-cwt. G.S. Truck, 158-in. W.B. 1948 30-cwt. G.S. Truck, 158-in. W.B. 1949 30-cwt. G.S. Truck, 158-in. W.B. 1940 30-cwt. G.S. Truck, 158-in. W.B. 1941 G.M.C., 4-ton, 177½-in. W.B. 1941 G.M.C., 4-ton, 177½-in. W.B. 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B. 1941 G.M.C., 4-ton, 177½-in. W.B. 1942 Semi-Trailer, round front fitted with dropsides, sebel and canvas canopy, with retractable undercarriage, automatic turntable,	trailer 1937 30-cwt. Dropside truck. Model 79	143
cab only 1939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 12-owt. Utility or G.S., 91C 1939 3-ton G.S., V8 with hand operated crane 1940 30-owt. G.S. Truck, 134-in. W.B. 1941 30-owt. G.S. Truck, 158-in. W.B. 1941 30-owt. G.S. Truck, 158-in. W.B. 1941 30-owt. G.S. Truck, 158-in. W.B. 1941 30-owt. English Fordson W.D. Vehicle 1941 8-owt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres 1942 30-owt. G.S. Truck, 158-in. W.B. 1942 30-owt. G.S. Truck, 158-in. W.B. 1942 30-owt. G.S. Truck, 158-in. W.B. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Tipping Truck with mechanical hoist  G.M.C.— 1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable under-carriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel 4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 12-cwt. Panel Van 1938 8-cwt. C.S Coupe Utility 1938 8-cwt. C.S Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater) 1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan 524	1938 12-cwt. Utility or G.S., 81C	188
1939 3-ton, 91T, Two speed rear axle and semi-trailer 1939 12-owt. Utility or G.S., 91C  1939 3-ton G.S., V8 with hand operated crane 1940 30-owt. G.S. Truck, 134-in. W.B.  1940 30-owt. G.S. Truck, 158-in. W.B.  1941 30-owt. G.S. Truck, 158-in. W.B.  1941 30-owt. G.S. Truck, 158-in. W.B.  1941 30-owt. English Fordson W.D. Vehicle 1941 8-owt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres  1942 30-owt. G.S. Truck, 134-in. W.B.  1942 30-owt. G.S. Truck, 158-in. W.B.  1942 30-owt. G.S. Truck, 158-in. W.B.  1942 3-ton Steel Tipper, 6-oyl.  1942 3-ton Steel Tipper, 6-oyl.  1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers—  22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris—  1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1938 8-cwt. C.8 Roadster Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan	cah only	176
1939 3-ton G.S., V8 with hand operated crane 1940 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 12-cwt. Coupe Utility, 11A 1941 30-cwt. English Fordson W.D. Vehicle 1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres 1942 30-cwt. G.S. Truck, 134-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Tipping Truck with mechanical hoist  G.M.C.— 1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable under-carriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan  473	1939 3-ton, 91T, Two speed rear axle and semi-trailer	411
1940 30-cwt. G.S. Truck, 134-in. W.B. 1940 30-cwt. G.S. Truck, 158-in. W.B. 1941 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 12-cwt. Coupe Utility, 11A 1941 30-cwt. English Fordson W.D. Vehicle 1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres 1942 30-cwt. G.S. Truck, 134-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1942 3-cwt. G.S. Truck, 158-in. W.B. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Tipping Truck with mechanical hoist  G.M.C.— 1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  Pontiac— 1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan	1939 12-cwt. Utility or G.S., 91C	260
1941 30-cwt. G.S. Truck, 134-in. W.B. 1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 12-cwt. Coupe Utility, 11A 1941 30-cwt. English Fordson W.D. Vehicle 1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres 1942 30-cwt. G.S. Truck, 134-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Tipping Truck with mechanical hoist  G.M.C.— 1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  Pontiac— 1941 Chieftain Sedan 1942 Silver Arrow Sedan 552	1940 30-cwt. G.S. Truck, 134-in. W.B	270
1941 30-cwt. G.S. Truck, 158-in. W.B. 1941 12-cwt. Coupe Utility, 11A 1941 30-cwt. English Fordson W.D. Vehicle 1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres 1942 30-cwt. G.S. Truck, 134-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1942 3-ton Steel Tipper, 6-cyl 1942 3-ton Tipping Truck with mechanical hoist  G.M.C.— 1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel 4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1940 Sedan, 23.4 h.p. (5 seater) 2040 2050 2060 2070 2070 2070 2070 2070 2070 207	1940 30-ewt. G.S. Truck, 158-m. W.B	287 343
1941 30-cwt. English Fordson W.D. Vehicle 1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres 1942 30-cwt. G.S. Truck, 134-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Tipping Truck with mechanical hoist  G.M.C.— 1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel 4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  Pontiac— 1941 Chieftain Sedan 1942 Silver Arrow Sedan 561	1941 30-cwt. G.S. Truck, 158-in. W.B	355
1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13 tyres  1942 30-cwt. G.S. Truck, 134-in. W.B. 1942 30-cwt. G.S. Truck, 158-in. W.B. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Steel Tipper, 6-cyl. 1942 3-ton Tipping Truck with mechanical hoist  G.M.C.—  1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  206 207 208 209 209 209 200 200 201 201 201 201 202 203 203 204 205 206 207 208 209 209 209 209 209 209 209 209 209 209	1941 12-cwt. Coupe Utility, 11A	384 180
1942 30-cwt. G.S. Truck, 134-in. W.B	1941 8-cwt. W.D., 101-in. W.B., 4 x 2, 9.00 x 13	
1942 30-cwt. G.S. Truck, 158-in. W.B.  1942 3-ton Steel Tipper, 6-cyl	tyres	140 407
1942 3-ton Tipping Truck with mechanical hoist  G.M.C.—  1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton 177½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers—  22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris—  1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  2901  291  292  293  294  295  296  297  298  299  299  2902  2903  2904  2905  2907  2907  2907  2908  2908  2909  2908  2909  29	1942 30-cwt. G.S. Truck, 158-in. W.B	425
1941 G.M.C., 4-ton, 135½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel 4.4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater) 1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan	1942 3-ton Steel Tipper, 6-cyl	473 449
platform, coaming and dropsides  1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers—  22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris—  1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  29chiac—  1941 Chieftain Sedan 1942 Silver Arrow Sedan	G.M.C.—	
1941 G.M.C., 4-ton, 159½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton, 177½-in. W.B., Chassis, cab, platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel 4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater) 1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan		401
platform, coaming and dropsides  1941 G.M.C., 4-ton, 177‡-in. W.B., Chassis, cab, platform, coaming and dropsides  1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers—  22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris—  1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan	1941 G.M.C., 4-ton, 1594-in. W.B., Chassis, cab,	
platform, coaming and dropsides 1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers— 22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris— 1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan	platform, coaming and dropsides	411
1941 G.M.C., 4-ton Tipper—hydraulic hoist  McGrath Trailers—  22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel  4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B.  Morris—  1938 12-cwt. Panel Van 1938 8-cwt. C.8 Coupe Utility 1938 8-cwt. C.8 Roadster Utility 1940 Sedan, 23.4 h.p. (5 seater)  1941 Chieftain Sedan 1942 Chieftain Sedan 1942 Silver Arrow Sedan	platform, coaming and dropsides	<b>422</b>
22 x 8 Semi-Trailer, round front fitted with dropsides, steel and canvas canopy, with retractable undercarriage, automatic turntable, pneumatic hydraulic brakes, 5 tyres, spare wheel	1941 G.M.C., 4-ton Tipper—hydraulic hoist	481
steel and canvas canopy, with retractable under-   carriage, automatic turntable, pneumatic hydraulic   brakes, 5 tyres, spare wheel		
brakes, 5 tyres, spare wheel	steel and canvas canopy, with retractable under-	
4-wheel trailer, 13 x 6 x 7 x 6, steel mesh wire canopy top and dropsides, 103-in. W.B		230
Morris—       1938 12-cwt. Panel Van       209         1938 8-cwt. C.8 Coupe Utility       166         1938 8-cwt. C.8 Roadster Utility       152         Plymouth—       420         1940 Sedan, 23.4 h.p. (5 seater)       420         Pontiac—       1941 Chieftain Sedan       473         1942 Chieftain Sedan       561         1942 Silver Arrow Sedan       524	4-wheel trailer, $13 \times 6 \times 7 \times 6$ , steel mesh wire canopy	
1938 12-cwt. Panel Van       209         1938 8-cwt. C.8 Coupe Utility       166         1938 8-cwt. C.8 Roadster Utility       152         Plymouth—       420         1940 Sedan, 23.4 h.p. (5 seater)       420         Pontiac—       473         1941 Chieftain Sedan       561         1942 Chieftain Sedan       561         1942 Silver Arrow Sedan       524	<u> </u>	125
1938 8-cwt. C.8 Roadster Utility	1938 12-cwt. Panel Van	209
Plymouth—       1940 Sedan, 23.4 h.p. (5 seater)       420         Pontiac—       1941 Chieftain Sedan       473         1942 Chieftain Sedan       561         1942 Silver Arrow Sedan       524		166 159
1940 Sedan, 23.4 h.p. (5 seater)        420         Pontiac—         473         1941 Chieftain Sedan         561         1942 Silver Arrow Sedan         524	• • • • • • •	102
1941 Chieftain Sedan        473         1942 Chieftain Sedan           1942 Silver Arrow Sedan	1940 Sedan, 23.4 h.p. (5 seater)	<b>420</b>
1942 Chieftain Sedan           561         1942 Silver Arrow Sedan		473
2022 1022 102 102 102 102 102 102 102 10	1942 Chieftain Sedan	561
2022 22-000 Comity Ivosusper Profite Edite   015		524 374
	TOTAL TRACTION COMING INCOMING	3.2

THE SECOND SCHEDULE-continued.

Description and Type.			Maximun Price.
G. 77 Y			£
Studebaker—			330
1939 Champion Sedan	••	• •	
1939 State Commander Utility, 26 h.p.	• •	• •	316
1941 21 h.p., 15-cwt	• •	• •	362
1942 21 h.p., 15-cwt	• •	• •	393
Standard—			
1940 10 h.p. Coupe Utility			234
1940 10 h.p. Tourer			224
1940 8 h.p., 4 cyl., 83-in. W.B., De L	uxe Ro	adster	205
1940 8 h.p., 4 cyl., 83-in. W.B., Tourer	• • •		212
1940 8 h.p., 4 cyl., 83-in. W.B., Saloon			257
1940 8 h.p., 4 cyl., 83-in. W.B., Coup	e Utilit	y and	1
Panel Van	•••	٠	229
1940 10 h.p., 90-in. W.B., Saloon		·	283
1940 12 h.p., 100-in. W.B., Saloon			316
1940 12 h.p., 100-in. W.B., Coupe Utili	tv and	Panel	l
Van			275
Thornycroft—	••		1
1940 3-ton Truck, fitted with generator	set T	14	503

Dated this eleventh day of June, 1945.

#### H. E. BISHOP

Second Assistant Prices Commissioner.

### NATIONAL SECURITY (PRICES) REGULATIONS.

PRICES REGULATION ORDER No. 2125.

Kiln Dried Chicory.

In pursuance of the powers delegated to me by the Commonwealth Prices Commissioner pursuant to regulation 46 of the National Security (Prices) Regulations, I, Horace Eddy Bishop, Second Assistant Prices Commissioner, Prices Branch, Canberra, hereby make the following Order:—

1. This Order may be cited as Prices Regulation Order No. 2125.

2. Prices Regulation Order No. 1343 is hereby amended by omitting the figures "£70." wheresoever appearing, and inserting in their stead the figures "£62 10s. 0d.".

Dated this eleventh day of June, 1945.

### H. E. BISHOP

Second Assistant Prices Commissioner.

## NATIONAL SECURITY (CAPITAL ISSUES) REGULATIONS.

### ORDER OF EXEMPTION.

JOSEPH BENEDICT CHIFLEY, the Treasurer of the Commonwealth, in pursuance of the powers conferred by regulation 35 of the National Security (Capital Issues) Regulations. hereby make the following Order:—

I hereby exempt from the application of sub-regulation (1.) of regulation 10 of the said Regulations every security mortgage or charge given to the War Service Homes Commissioner appointed under the War Service Homes Act 1918-1941.

Dated this eighth day of June, 1945.

J. B. CHIFLEY, Treasurer.

## STEVEDORING INDUSTRY COMMISSION.

## NATIONAL SECURITY (SHIPPING CO-ORDINATION) REGULATIONS.

IN pursuance of the powers conferred by the National Security (Shipping Co-ordination) Regulations and on the recommendation of the Stevedoring Industry Commission, I, William Patrick Ashley, the Minister of State for Supply and Shipping, hereby-

(a) Accept the resignation of Ormond William Thomas
 Cook as a representative of the employees on the
 Fremantle Waterside Employment Committee as
 from 21st May, 1945.
(b) Accept the resignation of John Stewart as a representative of the employees on the Fremantle
 Waterside Employment Committee as from 21st
 May, 1945.

(c) Accept the resignation of Harold Ewart Gladstone
Briggs as a Deputy to the employees' representatives on the Fremantle Waterside Employment
Committee as from 21st May, 1945.
(d) Appoint Reginald Ralph Errington, a member of the
Fremantle Lumpers' Union, as a representative of
the employees on the Fremantle Waterside Employment Committee as from 21st May, 1945.
(e) Appoint Harold Ewart Gladstone Briggs, a member
of the Fremantle Lumpers' Union, as a representa-

of the Fremantle Lumpers' Union, as a representa-tive of the employees on the Fremantle Waterside Employment Committee as from 21st May, 1945.

Dated the seventh day of June, 1945.

W. P. ASHLEY

Minister of State for Supply and Shipping.

#### STEVEDORING INDUSTRY COMMISSION.

## NATIONAL SECURITY (SHIPPING CO-ORDINATION) REGULATIONS.

NEWCASTLE WATERSIDE EMPLOYMENT COMMITTEE.

IN pursuance of the powers conferred by the National Security (Shipping Co-ordination) Regulations and on the recommendation of the Stevedoring Industry Commission, I, William Patrick Ashley, the Minister of State for Supply and Shipping, hereby—

(a) Accept the resignation of Alexander Glen Fear as a representative of the employees on the Newcastle Waterside Employment Committee as from 16th

Waterside Employment Committee as .......
May, 1945.

(b) Accept the resignation of Darrel William Lawson as a Deputy to Alexander Glen Fear, a representative of the employees on the Newcastle Waterside Employment Committee as from 16th May, 1945.

(c) Appoint John James Blanch, a member of the Waterside Workers' Federation, as a representative of the employees on the Newcastle Waterside Employment Committee as from 16th May, 1945.

(d) Appoint Darrel William Lawson, a member of the Waterside Workers' Federation, as a Deputy to John James Blanch, a representative of the

John James Blanch, a representative of the employees on the Newcastle Waterside Employment Committee as from 16th May, 1945.

Dated the seventh day of June, 1945.

#### W. P. ASHLEY

Minister of State for Supply and Shipping.

#### PROCLAMATION

Commonwealth of Australia to wit. HENRY

By His Royal Highness the Governor-General in and over the Common-wealth of Australia.

Governor-General. WHEREAS by Proclamation dated the third day of September, One thousand nine hundred and thirty-nine.

the Governor-General has proclaimed the existence of war:

And whereas by section 112 of the Customs Act 1901-1936
it is enacted that in time of war the Governor-General may by Proclamation prohibit the exportation of any goods:

And whereas by the Proclamation specified in the Schedule hereto the exportation of certain goods was prohibited unless the consent in writing of the Minister to the exportation of the goods had first been obtained:

And whereas it is desirable to amend the said Proclamations: Now therefore I, Henry William Frederick Albert, Duke of Gloucester, the Governor-General aforesaid, acting with the advice of the Federal Executive Council—

(a) do hereby amend Customs Proclamation No. 535 by omitting from the Schedule thereto the words—

"Drugs and chemicals, viz .:-Ether, sulphuric"; and

(b) do hereby amend Customs Proclamation No. 550 by omitting from the Schedule thereto the words "Acriflavine B.P.", "Tannic B.P." (appearing under the sub-heading "Acids"), "Argent. Nit. B.P.", "Calx Chlorinata" and "Euflavine B.P.C.".

#### THE SCHEDULE.

Customs Proclamation No.	Date of Proclamation.	Date published in Gazette.
<b>535</b> <b>55</b> 0	12th September, 1941 12th March, 1942	12th September, 1941 13th March, 1942

This Proclamation may be cited as Customs Proclamation No. 632.

Given under my Hand and the Seal of the Commonwealth this thirteenth day of June, One thousand mine hundred and forty-five and in the ninth year of His (L.S.) Majesty's reign.

By His Royal Highness's Command,

#### R. V. KEANE

Minister of State for Trade and Customs. GOD SAVE THE KING!

#### PROCLAMATION

Commonwealth of Australia to wit. HENRY Governor-General.

By His Royal Highness the Governor-General in and over the Common-wealth of Australia.

WHEREAS by Proclamation dated the third day of September, One thousand nine hundred and thirty-nine, the Governor-General has proclaimed the existence of war:

And whereas by section 112 of the Customs Act 1901-1936 it is enacted that in time of war the Governor-General may by Proclamation prohibit the exportation of any goods:

And whereas by the Proclamations specified in the Schedule hereto the exportation of certain goods was prohibited unless the consent in writing of the Minister to the exportation of the goods had first been obtained:

And whereas it is desirable to amend the said Proclamations: Now therefore I, Henry William Frederick Albert, Duke of Gloucester, the Governor-General aforesaid, acting with the advice of the Federal Executive Council—

(a) do hereby amend Customs Proclamation No. 483 by omitting from the Schedule thereto the words "Tool Steel" appearing after the words "Tubes and Pipes"; and

(b) do hereby amend Customs Proclamation No. 524 by omitting from the Schedule thereto the words "Zinc dust" and "Zinc shavings".

#### THE SCHEDULE.

Customs Proclamation No.	Date of Proclamation.		Date published in Gazette.
483	23rd April, 1940	••	lst May, 1940
524	13th May, 1941		13th May, 1941

This Proclamation may be cited as Customs Proclamation No. 633.

Given under my Hand and the Seal of the Commonwealth this thirteenth day of June, One thousand mine by hundred and forty-five and in the ninth year of His Majesty's reign.

By His Royal Highness's Command,

#### R. V. KEANE

Minister of State for Trade and Customs. GOD SAVE THE KING!

### NATIONAL SECURITY (PRICES) REGULATIONS.

PRICES REGULATION ORDER No. 2126.

#### Meat-Tasmania.

pursuance of the powers delegated to me by the Commonwealth Prices Commissioner pursuant to regulation 46 of the National Security (Prices) Regulations, I, Horace Eddy Bishop, Second Assistant Prices Commissioner, Prices Branch, Combarge barely make the following Orders Canberra, hereby make the following Order:-

1. This Order may be cited as Prices Regulation Order No. 2126.

2. Prices Regulation Order No. 1472 as amended by Prices Regulation Orders Nos. 1574, 1625, 1674, 1736, 1858, 1896, 2023 and 2112 is hereby further amended by omitting from the Fourth Schedule the figures and letters "0s. 4½d." appearing opposite the item "Ewe mutton" under the sub-heading "Launceston" and inserting in their stead the figures and letters " 0s. 45d."

Dated this twelfth day of June, 1945.

#### H. E. BISHOP

Second Assistant Prices Commissioner.

NATIONAL SECURITY (PRICES) REGULATIONS. PRICES REGULATION ORDER No. 2127.

Hay, Straw, Chaff, Wheat, Oats-Wholesale and Retail-Victoria.

IN pursuance of the powers delegated to me by the Commonwealth Prices Commissioner pursuant to regulation 46 of the National Security (Prices) Regulations, I, Horace Eddy Bishop, Second Assistant Prices Commissioner, Prices Branch, Canberra, hereby make the following Order:-

#### Citation.

1. This Order may be cited as Prices Regulation Order No. 2127. Revocation

2. Prices Regulation Order No. 2064 is hereby revoked.

#### Definitions.

-(1.) In this Order, unless the contrary intention appears-

"bushel" means-

- (a) in relation to any oats, whether whole oats or double or single crushed oats, forty pounds weight;
- (b) in relation to any whole wheat, sixty pounds weight; and

(c) in relation to any gristed wheat, sixty pounds weight;

"by wholesale" means, in relation to the sale of any chaff, hay, straw, wheat and oats that such sale is a sale by wholesale as defined by regulation 33 of the National Security (Prices) Regulations and that the quantity sold is not less than the following:—

in the case of chaff, a weight of 7 tons; in the case of hay, a weight of 3 tons; in the case of straw, a weight of 3 tons;

in the case of wheat (other than gristed or remachined), a weight of 10 tons 9 cwt.; in the case of oats (other than crushed or remachined), a weight of 10 tons, 9 cwt.; in the case of crushed or remachined oats or

gristed or remachined wheat, a weight of 3 tons;

"by retail" means, in relation to the sale of any chaff, hay, straw, wheat or oats that such sale is not a sale by wholesale as defined in this paragraph;

"cost of freight" means cost of rail freight but does not include any cost of freight which is not recorded on an invoice delivered by the seller;

" pressed." means, in relation to any hay or straw, that such hay or straw has been baled under pressure by mechanical means.

(2.) For the purpose of this Order, oats shall, in relation to any sale, be deemed to be feed oats, unless the class of oats is expressly stated by the seller and recorded on an invoice delivered with such oats.

Sales by growers-Hay, straw, chaff and oats.

- 4. I fix and declare the maximum price at which hay, straw, chaff or oats of the classes set out in the first column of the First Schedule to this Order, may be sold by a grower for delivery in Victoria to be—
  - (a) for sales ex railway truck Spencer-street, Melbourne—the price specified in the second column of that Schedule; or
  - (b) for sales other than ex railway truck Spencer-street, Melbourne
    - (i) where delivered at the grower's premises
      —the price specified in the second column
      of that Schedule less an amount equal to
      the current cost of freight from the
      grower's nearest railway siding to Spencerstreet, Melbourne, but not exceeding 4d. per bushel in respect of eats, or 12s. 6d. per ton in respect of hay, chaff or straw, and less a further amount to cover cartage from the grower's premises to the nearest railway siding calculated at the rate of 9d. per ton per mile.

(ii) where delivered at any place other than free on rail the siding nearest the grower's premises—the price specified in the last preceding sub-paragraph plus-

(A) if delivered entirely by road—an amount to cover cost of cartage calculated at the rate of 9d, per ton per mile according to the distance such grower's premises are situated from the actual point of

delivery;

(B) if delivered by road and rail-an amount to cover cost of cartage calculated at the rate of 9d. per ton per mile according to the distance such grower's premises are situated from the nearest railway siding plus the actual cost of rail freight to point of delivery.

Sales by wholesale-Hay, straw, chaff and oats.

5. I fix and declare the maximum price at which hay, chaff, straw or oats of the classes set out in the first column of the First Schedule to this Order, may be sold by wholesale, other than by a grower, in Victoria to be—

(a) for sales ex truck Spencer-street, Melbourne—the price specified in the third column of the First Schedule; or

- sales other than ex truck Spencer-street, (b) for Melbourne-
  - (i) where transported from Spencer-street, Mel-bourne—the price specified in the third column of that Schedule plus the cost of transport actually incurred and properly attributable thereto; or
  - (ii) where transported from any place other than Spencer-street, Melbourne, the price specified in the third column of that Schedule less the sum of the following:—
    - (A) the cost of freight from railway siding nearest to grower's pre-mises to Spencer-street, Mel-bourne, but not exceeding 12s. 6d. per ton;
    - (B) an amount to cover cartage by road from that place to nearest railway siding calculated at the rate of 9d. per ton per mile, and plus the cost of transport actually incurred and properly attributable to the transport from that place to the place of delivery.

Wholesale-Crushed or re-machined oats, gristed wheat.

- 6. I fix and declare the maximum price at which crushed or re-machined oats or gristed wheat may be sold by wholesale for delivery in Victoria to be—
  - (a) in the case of gristed wheat—the cost into store of the whole wheat plus an amount calculated at the rate of 5d. per bushel;

    (b) in the case of crushed oats—the sum of—

- (i) the cost into store of the whole oats but not exceeding the maximum price fixed by the foregoing provisions of this Order; and
- (ii) an amount calculated at the rate of 5d. per bushel.

Sales by retail—Hay, chaff, straw, oats, wheat (including crushed oats and gristed wheat).

- 7. I fix and declare the maximum price at which the classes of hay, chaff, straw, oats or wheat, including crushed oats or gristed wheat set out in the first column of the Second Schedule to this Order may be sold by retail in the lots therein specified to be—
  - (a) where sold ex truck, the sum of the following:-
    - (i) the price paid or payable by the retail seller or the maximum price fixed by the foregoing provisions of this Order for the sale of those goods to the retail seller, whichever is the lesser; and
    - (ii) the retail margin set out opposite to such class and lot in the second column of the said Schedule;
  - (b) where sold ex store, the sum of the following:-
    - (i) the price paid or payable by the retail seller or the maximum price fixed by the fore-going provisions of this Order for the sale of those goods to the retail seller, whichever is the lesser;
    - (ii) the retail margin set out opposite to such class and lot in the third column of the said Schedule; and
    - (iii) the cost of transport (if any) incurred by the seller and properly attributable to the conveying of such goods into his store; or
  - (c) where delivered, the sum of the following:-
    - (i) the price specified in (b) for the sale of those goods ex store; and

(ii) a margin to cover cost of transport (if any) actually incurred by the seller in relation to such delivery, but not exceeding in any case an amount calculated at the rate set out opposite such class and lot in the fourth column of the said Schedule:

Provided that no amount shall be added under the provisions of this paragraph for cost of transport unless such amount is recorded on an invoice delivered to the purchaser.

- 8. Notwithstanding the provisions of paragraph 7, I fix and declare the maximum price at which chaff may be sold by retail outside the Melbourne metropolitan area where such chaff has been cut by the retail seller to be—the sum of the fellowing. following:
  - (i) the price paid or payable by the retail seller for the hay from which the chaff has been cut, or the maximum price fixed for the sale of that hay by the foregoing provisions of this Order, whichever is the lesser;
  - (ii) the cost of transport (if any) incurred by the seller and properly attributable to the conveying of such goods into his store;
  - (iii) (a) in the case of chaff manufactured from pressed hay—the sum of 21s. per ton. or
    - (b) in the case of chaff manufactured from other than pressed hay—the sum of 43s. 6d. per ton;
  - (iv) (a) if sold in new bags, the sum of 29s. per ton,
    - (b) if sold in second-hand bags, the cost of such bags but not exceeding the maximum price fixed for the sale of those bags by any Prices Regulation Order issued prior or subsequent to the issue of this Order. to the issue of this Order.
  - (v) A margin to cover cost of transport (if any) actually incurred by the seller in relation to such delivery, but not exceeding in any case an amount calculated at the rate of 10s. per ton.

#### Hessian container.

9. Notwithstanding the foregoing provisions of this Order, where any of the goods referred to therein are sold in a broken bag lot in a hessian container, the maximum price fixed for the sale of those goods by such provisions shall, if the cost of such container is recorded on an invoice delivered by the seller, be increased by an amount equal to such cost.

Firation of maximum price by notice in writing.

10.—(1.) Notwithstanding anything contained in this Order, I declare the maximum price at which any hay, straw, chaff, oats or wheat, including crushed oats and gristed wheat

may be sold by any person to whom notice in pursuance of this paragraph is given to be such price as is fixed by the Commissioner by notice in writing to that person.

(2.) All notices given in pursuance of Prices Regulation Order No. 2064 revoked by paragraph 2 of this Order which are in force at the commencement of this Order shall be deemed to have been given under this Order.

THE FIRST SCHEDULE.

	Maximum Price— Growers (Spencer- street Basis).	Maximum Price— Wholesale (Spencer- street Basis).
Whole feed oats Milling oats Ungraded seed oats Graded seed oats Clipped and graded seed oats	Per bushel.  s. d.  3 $9\frac{1}{2}$ 4 $1\frac{1}{2}$ 4 $7$ 5 $1$	Per bushel.  s. d.  3 11 $\frac{1}{2}$ 4 3 $\frac{1}{2}$ 4 9  5 3
Meadow hay (inclusive of	Per ton. $\mathfrak{L}$ s. d.	Per ton. £ s. d.
at least 30 per cent. clover or lucerne)— Pressed Other than pressed Rye or other meadow	7 2 6 6 2 6	7 10 0 6 10 0
hay— Pressed Other than pressed Hay, oaten and wheat-	6 2 6 5 2 6	6 10 0 5 10 0
Pressed Other than pressed 3582.—2	8 2 6 7 0 0	8 10 0 7 7 6

THE FIRST SCHEDULE-continued.

	Maximum Price— Growers (Spencer- street Basis).	Maximum Price— Wholesale (Spencer- street Basis).
Lucerne hay Lucerne chaff (at least 95 per cent. lucerne)—	Per ton. £ s. d. 8 10 0	Per ton. £ s. d. 8 17 6
In new bags supplied by seller In used bags supplied by seller	10 5 0 8 16 0	10 12 6 9 3 6
	plus any cost of bags not exceeding the maximum price fixed for the sale of those bags by any Prices Regulation Order issued prior or subsequent to the issue of this Order and recorded on an invoice delivered therewith	plus any cost of bags not exceeding the maximum price fixed for the sale of those bags by any Prices Regulation Order issued prior or subsequent to the issue of this Order and recorded on and invoice delivered therewith
Loose, or where bags provided by pur-	Per ton. $\mathfrak{L}$ s. 'd.	Per ton. £ s. d.
chaser	8 16 0	9 3 6
chaff containing less than 95 per cent. lucerne— In new bags supplied	Ar.	
by seller In used bags provided by seller	9 5 0  7 16 0 plus any cost of bags not exceeding the maximum price fixed for the sale of those bags by any Prices Regulation Order issued prior or subsequent to the issue of this Order and recorded on an invoice delivered therewith  Per ton.	8 3 6 plus any cost of bags not exceed- ing the maximum price fixed for the sale of those bags by any Prices Regulation Order issued prior or subsequent to the issue of this Order and recorded on an invoice deliv- ered therewith  Per ton.
Loose, or where bags provided by the purchaser Straw	£ s. d. 7 16 0 4 15 0	£ s. d.  8 3 6 5 0 0

	THE SECOND SCHEDULE.				
		Ÿ	Maximum Margin Retail—ex Truck.	Maximum Margin Retail—ex Store.	Maximum Delivery Charge.
Oats,	whole	or	Per ton. s. d.	Per bushel. s. $d$ .	Per bushel. s. $d$ .
	ots of less 3 bushels ots of 3 b		••	0 8	0 2
	more	••	••	0 4 Per bale.	0 2 Per bale.
Hay		••	76.	$\begin{array}{c c} s. d. \\ 1 & 0 \\ \text{(not exceeding)} \end{array}$	$\begin{array}{c} s. \ d. \\ 0 \ 4 \\ (\text{not exceeding} \end{array}$
OL-E			<b>7</b>	30s. per ton) Per ton. s. d.	10s. per ton) Per ton. s. d.
Chaff	• •	•••	7 6	l 200 l	10 0

THE SECOND SCHEDULE—continued.

	Maximum Margin Retail—ex Truck.	Maximum Margin Retail—ex Store.	Maximum Delivery Charge.
Straw	Per tou.  s. d.  7 6	Per bale. s. d. 1 0 (not exceeding 30s. per ton)	Per bale. s. d. 0 4 (not exceeding 10s. per ton)
		Per bushel.	Per bushel.
		s. d.	s. d.
Whole Wheat— Lots of 3 bushels or more	••	0 6	0 2
Lots of 1 bushel or more but less than 3 bushels		0 8	0 2
Lots of 1 bushel or more but less than 1 bushel	•	1 3	0 2
Lots of less than 1 bushel Gristed Wheat—	•••	2 0	0 2
Lots of 3 bushels or more Lots of 1 bushel or		0 6	0 2
more, but less than 3 bushels Lots of ½ bushel or		0 8	0 2
more, but less than I bushel Lots of less than		1 3	0 2
d bushel		2 0	0 2

Dated this 12th day of June, 1945.

#### H. E. BISHOP

Second Assistant Prices Commissioner.

## NATIONAL SECURITY (ENEMY PROPERTY) REGULATIONS.

ORDER UNDER REGULATION 5A.

IN pursuance of regulation 5A of the National Security (Enemy Property) Regulations, I, Joseph Benedict Chiffey, the Treasurer of the Commonwealth hereby make the following Order:—

I specify the eighth day of June, 1945, as the date until which each of the persons named in the Schedule to this Order shall, for the purposes of the National Security (Enemy Property) Regulations, be treated as if he or she had not ceased to be an enemy subject as defined in those Regulations.

#### THE SCHEDULE.

Anderson, David, formerly of Kowloon, Hong Kong.
Bentley, Captain Edward, formerly of Yokohama, Japan.
Holt, Edna May, formerly of Manila, Philippine Islands.
Honnor, Arthur Leslie, formerly of Manila, Philippine Islands.
Honnor, Olival Manila, formerly of Manila, Philippine

Olive Muriel, formerly of Manila, Philippine Honnor. Islands.

Horridge, George Redvers, formerly of Shanghai, China. Hughes, Alan John, formerly of Singapore, Malaya. Jefferson, Frank Crowther, Manila, Philippine Islands. Jones, Cyril Walter, formerly of Manila, Philippine Islands. Jones, Veronica Frances, formerly of Manila, Philippine

Islands.

Kernot, Edith Josephine, formerly of Manila, Philippine Islands.

Kernot, Gavin W., formerly of Manila, Philippine Islands. Merritt, Frank Leslie, formerly of Manila, Philippine Islands.

Merritt, Mary Bertha, formerly of Manila, Philippine Islands

Cecil Berkeley, formerly of Manila, Philippine Nelson, Islands.

Nelson, Julia Villa, formerly of Manila, Philippine Islands. Pond, Julie Berkeley, formerly of Manila, Philippine Islands.

Ramondt, Iris Mary, formerly of Manila, Philippine Islands. Dated this eleventh day of June, 1945.

J. B. CHIFLEY, Treasurer.

## NATIONAL SECURITY (ENEMY PROPERTY) REGULATIONS.

ORDER UNDER REGULATION 5A.

N pursuance of regulation 5A of the National Security (Enemy Property) Regulations, I, Joseph Benedict Chifley, the Treasurer of the Commonwealth hereby make the following Order:-

I specify the eighth day of June, 1945, as the date until which the person named in the Schedule to this Order shall, for the purposes of the National Security (Enemy Property) Regulations, be treated as though he had not ceased to be an enemy subject as defined in those Regulations.

#### THE SCHEDULE.

George Lowy, formerly of Czechoslovakia and Salerno, Italy, and now resident in the United States of America. Dated this eleventh day of June, 1945.

J. B. CHIFLEY, Treasurer.

## NATIONAL SECURITY (ENEMY PROPERTY) REGULATIONS.

ORDER UNDER REGULATION 5A.

N pursuance of regulation 5A of the National Security (Enemy Property) Regulations, I, Joseph Benedict Chifley, the Treasurer of the Commonwealth hereby make the following Order: the following Order:-

I specify the eighth day of June, 1945, as the date until which-

- (a) the Channel Islands shall, for the purposes of the National Security (Enemy Property) Regulations, be treated as though they had not ceased to be enemy territory as defined in those Regulations; and
- (b) any person, firm or corporation resident or carrying on business in the Channel Islands shall, for the purposes of those Regulations, be treated as though he or it had not ceased to be an enemy subject as defined in those Regulations.

Dated this eleventh day of June, 1945.

J. B. CHIFLEY, Treasurer.

#### NATIONAL SECURITY (PRICES) REGULATIONS. DECLARATION No. 156.

RICHARD VALENTINE KEANE, Minister of State for , Trade and Customs, in pursuance of the powers conferred by regulation 22 of the National Security (Prices) Regulations, do hereby declare the following goods to be declared goods for the purposes of those Regulations, viz.:—

Water supplied from a heating system capable of being used for the supply of hot water to the building in which such heating system is installed.

Dated this fourteenth day of June, 1945.

### R. V. KEANE

Minister of State for Trade and Customs.